


**ROCKY FLATS ENVIRONMENTAL TECHNOLOGY SITE  
REGULATORY CONTACT RECORD**

---

**Date/Time:** February 8, 2000 / 3 00 p m  
**Site Contact(s):**  **Phone:** 303-966-4076  
**Regulatory Contact:** Chris Gilbreath **Phone:** 303-692-3371  
**Agency:** Colorado Department of Public Health & Environment

---

**Purpose of Contact:** Notification to CDPHE of deviations from the Set Description and Major Endpoints identified in Appendix 9 of the B771/774 DOP

**Discussion**

This Contact Record documents several conversations we have had concerning deviations from the Set Description and Major Endpoints identified in Appendix 9 of the B771/774 DOP

**Set 35:**

I informed Chris Gilbreath that the completed work for Set 35 is currently different than the major endpoint identified in the B771/774 DOP Appendix 9, Set 35, includes drain/dispose water windows in Rooms 140B, C, D, E, 147, 147B, C and D

On January 25 and 31, 2000, Jeff Kerridge and I performed a walkdown of Set 35 and determined that the windows were not removed Per K-H, the windows were not removed and drained as part of Set 35 since it would change ventilation flow and could create a path for contamination spread between Rooms 140 (Set 35), 146 & 149 It was difficult to determine if water exists in the windows because many were covered or painted Per Brian Larsen, these windows will probably be drained and removed with Set 75

**Set 41 & 46:**

I informed Chris Gilbreath that the completed work for Sets 41 and 46 are different than the Major Endpoint identified in the B771/774 DOP

On January 25, 2000, Jeff Kerridge and I performed a walkdown of B771 D&D Sets Several items of work were identified by K-H that required modification or clarification to the scope for Sets 41 & 46 Subsequent to the walkdown, K-H notified DOE in writing by issuing two letters (1) L A Martinez to Steven L Scott, Letter 00-RF-00141, dated



1/3

January 27, 2000, Request for Modification to the Scope for the Decontamination and Decommissioning of Set 46 in Building 771 – LAM-019-99, and (2) L A Martinez to Melody C Bell, Letter 00-RF-00381, dated January 27, 2000, Building 771 Deactivation Performance Measure 99/00-SS06A – LAM-053-00

- (1) **Set 46:** L A Martinez to Steven L Scott, Letter 00-RF-00141, dated January 27, 2000, Request for Modification to the Scope for the Decontamination and Decommissioning of Set 46 in Building 771 –LAM-019-99 These letter requests to leave behind the Personnel Decontamination Shower in Room 161, Set 46, and transfer the scope to Set 76 B771/774 DOP, Appendix 9, Set Description for Set 46, includes Room 161 that is being recommended by K-H to leave behind for future use
- (2) **Set 41:** L A Martinez to Melody C Bell, Letter 00-RF-00381, dated January 27, 2000, Building 771 Deactivation Performance Measure 99/00-SS06A – LAM-053-00 This letter provides clarification for Set 41 scope K-H is going to (1) keep the recently installed size reduction tent in Room 186 for future use, (2) continue to operate the Continuous Air Monitors, (3) remove the vacuum trap tank on the east wall of Room 187, and (4) leave behind Sump P-2 for future use B771/774 DOP, Appendix 9, Major Endpoints for Set 41, includes Sump and Rasching Rings that is being recommended by K-H to leave behind for future use K-H is also recommending leaving the tent in Room 186 in place for size reducing piping, repackaging waste containers, etc Per Brain Larsen, Sump P-2 will probably be removed with Set 57

#### **Set 44:**

K-H issued two letters (1) L A Martinez to Melody C Bell, LAM-233-99, dated June 30, 1999, Standard Performance Measure 99/00-06R B771 Deactivation, and (2) L A Martinez to Melody C Bell, LAM-431-99, dated September 27, 1999, Request to Modification of the Scope for the Decontamination and Decommissioning of Set 44 in B771 These two letters informed DOE that K-H was going to leave behind several pieces of equipment that they need for future D&D activities This equipment included (1) mechanical Arbor Press, and (2) two metal storage cabinets and metal cage containing certified hoisting and rigging equipment B771/774 DOP, Appendix 9, Major Endpoints for Set 41, includes removal and disposal of machine tools and storage cabinets

#### **Actions:**

The following is a summary of actions agreed too

- CDPHE, DOE, K-H and RMRS would perform a walkdown of the above Sets identifying to CDPHE the specific items to remain The walkdown occurred on February 14, 2000
- Per paragraphs 130 and 131 in RFCA, the Site will issue a Field Modification documenting the deviations from the Set Description and Major Endpoints identified in Appendix 9 of the B771/774 DOP for Sets 35, 41, 44 and 46

- After K-H issues their revised baseline on June 30, 2000, the Site would revisit the Set Description and Major Endpoints identified in Appendix 9 of the B771/774 DOP to determine if the B771/774 DOP needs to be revised

---

**Contact Record Prepared By:** Joe Springer, RFFO, AMFD

---

**Distribution:**

R DiSalvo, RFFO  
S Tower, RFFO  
M McCormick, RFFO  
H Dalton, RFFO  
C Gilbreath, CDPHE  
A Parker, K-H  
V Pizzuto, K-H  
J Kerridge, K-H  
K Trice, K-H  
C Wolf, RMRS  
B Larsen, RMRS  
D Shelton, K-H  
F Phillips, K-H  
K North, K-H  
L Brooks, K-H  
Administrative Records for B771/774