

Author: Ian Paton at JULIET19
Date: 2/10/98 3:52 PM
Priority: Normal
TO: Ted Hopkins at Hotel17
Subject: Re: AR for B779



----- Message Contents -----

Ted:

For surface water monitoring related to the D779 D&D, RMRS Surface Water performed the following action (not part of a NEPA review):

Surface water monitoring station installation: 1/29/97

These activities were performed as part of the routine Industrial Area IM/IRA surface water monitoring for Site closure activities. The document title is:

Interim Measures/Interim Remedial Action Decision Document for the Rocky Flats Industrial Area, November 1994. I believe it was submitted to Document Control at the time it was written.

In addition, RMRS surface water provided text for the B779 DOP regarding surface water hydrology and monitoring equipment.

I am the project contact for that work. My extension is 2680.

Ian Paton

----- Reply Separator -----

Subject: AR for B779
Author: Ted Hopkins at HOTEL17
Date: 2/10/98 12:42 PM

DOE has requested an Administrative Record review for the B779 Complex. This review will require a two part approach:

1. A complete listing of all documents related to B779 has to be developed; and
2. All AR documents must be submitted to Document Control.

Steve:
Your group conducted a NEPA review of the B779 project.

Carol:
Your group conducted an air impact review for the B779 project;

Carol, Steve, please complete the following for your reviews:

Description of Document
Responsible party and extension
Date completed
Date submitted to project files (if known)
Have these documents been submitted to Document Control? If not,

ADMIN RECORD
B779-A-00054

please send copies to Jan Robbins in Building 116 X2679.

Ian Paton:

Did you conduct a surface water evaluation as part of the NEPA review?
If so, please answer the same questions.

I need to complete a complete listing of all documents related to B779
by Thursday. Your support to this goal will be greatly appreciated.