

Type 1 Facility Closeout Report

Section A. Facility Data	
Facility No	T900D
Facility Descriptor	Office Trailer
Project	RISS
Date of Demolition	September 18, 2001
Additional Information	Sold at auction Type I facility
<i>(Must include information on environmental releases and conditions of site at turnover to Environmental Restoration)</i>	

Section B. Final Characterization Data	
Reconnaissance Level Characterization Report	
<i>(concurrence received)</i>	
	Approval letter from CDPHE dated August 21, 2001 (attached)
In-process Characterization	NA
Pre-Demolition Survey Report <i>(approval received)</i>	NA
Post-Demolition Survey Report <i>(as necessary)</i>	NA

Section C Waste Data <i>(complete categories as appropriate)</i>	
<u>Sanitary Disposal</u>	
Disposal Site:	_____
Waste Volume (m ³):	_____
Waste Weight (tons):	_____
Additional Information	_____
<u>Hazardous Disposal</u>	
Disposal Site	_____
Waste Volume (m ³)	_____
Additional Information:	_____
<u>TSCA Waste Disposal</u>	
Disposal Site:	_____
Waste Volume (m ³)	_____
Additional Information:	_____
<u>Asbestos Waste Disposal</u>	
Disposal Site:	_____
Waste Volume (m ³):	_____
Additional Information:	_____
<u>Low-Level Waste Disposal</u>	
Disposal Site:	_____
Waste Volume (m ³):	_____
Additional Information:	_____
<u>Low-Level Mixed Waste Disposal</u>	
Disposal Site	_____
Waste Volume (m ³)	_____
Additional Information	_____
<u>Recycled Material</u>	
Recycle Facility:	_____
Waste Volume (m ³):	_____
Additional Information:	_____
<u>Property Disposition</u>	
Receiver Locations <i>(major items only)</i> :	_____
Volume (m ³):	_____
Weight (tons):	_____
Additional Information:	_____



Section D Approvals	
Kaiser-Hill Project Manager	<i>S.M. NESTA</i> , S.M. NESTA 5/21/02

DOCUMENT CLASSIFICATION
REVIEW WAIVER FOR
CLASSIFICATION OFFICE

ADMIN RECORD
IA-A-000962

1
4

File R.F.I. 4.1.2
Group D Facilities
DOE/KH

STATE OF COLORADO

Bill Owens, Governor
Jane E. Norton, Executive Director

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr. S.
Denver, Colorado 80246-1530
Phone (303) 692-2000
TDD Line (303) 691-7700
Located in Glendale, Colorado

Laboratory and Radiation Services Division
8100 Lowry Blvd.
Denver, Colorado 80230-6928
(303) 692-3090

<http://www.cdphe.state.co.us>



Colorado Department
of Public Health
and Environment

August 21, 2001

Mr. Joseph A Legare
Assistant Manager for Environment and Infrastructure
U.S. Department of Energy, Rocky Flats Field Office
10808 Highway 93, Unit A
Golden, CO 80403-8200

RE: Reconnaissance Level Characterization Report (RLCR) for Group D Buildings -
Concurrence

Dear Mr. Legare.

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division has reviewed the RLCR for Group D Buildings, Revision 0 dated July 16, 2001, which was received on August 16, 2001. Based on the information contained in this RLCR, we are hereby concurring with the Type 1 designation for the Group D Buildings. The Group D Buildings are identified as Buildings 280, 281, S281, 282, 284, 442W, T551A, T900D, T886B, and T886C.

Although these buildings are currently identified as Type 1 Facilities, some of these facilities are still being utilized, such as T886B and T886C. As such, even with "Administrative Controls" (signs) contamination may inadvertently be carried or brought into these facilities. Therefore, additional assessments including investigations should be performed upon termination of active utilization. The consultative process should be utilized to acquire and provide this information prior to final disposition of these facilities.

It is indicated in this report that Beryllium samples may have been collected on ceilings, rather than on horizontal surfaces. In Table H-3, it is stated, "future random samples should be limited to horizontal surfaces facing upward." We agree with this concern for random samples. However, we also believe that collecting samples on the ceiling may be appropriate if these samples are collected from dusty areas such as next to ventilation ducts. Therefore, as stated in the RLCR and PDS Plans, samples should be collected in areas with the highest potential for finding possible contamination, where dust may have

2

collected. As such, biased samples are to be collected for beryllium rather than random samples.

If you have any questions regarding this correspondence please contact me at (303) 692-3367 or David Kruchek at (303) 692-3328.

Sincerely,



Steven H. Gunderson
RFCA Project Coordinator

cc: Steve Tower, FC, RFFO
Tim Rehder, EPA
Tom Scott, KH
Dave Shelton, KH
Frank Gibbs, KH
Administrative Records Building 850

Post-It® Fax Note	7671	Date	9/21	Pages	2
To	Steve Tower	From	D Kruchek		
Co./Dept.	DOE	Co.	CDPHE		
Phone #	966 2133	Phone #	692 3328		
Fax #		Fax #			

The United States Government

Certificate to Obtain Title to a Vehicle

(Must Be Machine Prepared See Instructions on reverse) Duplicate If Checked

The undersigned Department or Agency of the United States Government certifies that the vehicle described herein, the property of the United States Government, has been transferred this 20th day of September ~~XXX~~ 2001 to the Transferee designated herein, and that this is the first transfer of such vehicle in ordinary trade and commerce subsequent to acquisition thereof by the United States Government.

Vehicle Identification No 604063		Certificate No B315220 T900D			
Year 1990	Make of Vehicle Souix Falls	Series or Model Mobile Office	Body Style 10' x 56'		
Fuel N/A	No of Cylinders N/A	Weight (Shipping) Unk	GVWR Unk	Purchase Price \$1000.00	
Transferor (Accountable office i.e., department or agency subunit and address, ZIP Code) U.S. Department of Energy Rocky Flats Field Office 10808 Highway 93, Unit A Golden, CO 80402			Transferee (Name of dealer individual, etc. and address including ZIP Code) Clark Const & Consulting Inc PO Box 17815 1780-55TH Boulder, CO 80308		

Odometer Disclosure Statement	Date of Statement September 18, 2001
--------------------------------------	--

Federal Law (and State law, if applicable) requires that you state the mileage upon transfer of ownership, failure to complete or providing a false statement may result in fines and/or imprisonment.

I, Steven W. Slaten state that
Transferor's Name (Seller)
N/A

the odometer now reads _____ miles and to the
Odometer Reading (No Tenths)

best of my knowledge that it reflects the actual mileage of the vehicle described above, unless one of the following statements is checked

(1) I hereby certify that to the best of my knowledge the odometer reading reflects the amount of mileage in excess of its mechanical limits

(2) I hereby certify that the odometer reading is not the actual mileage:
WARNING - ODOMETER DISCREPANCY.

Transferor's Signature (Seller) <i>Steven W. Slaten</i>	Printed Name (Not Typed) and Title Steven Slaten DE Property Administrator	Date 9/18/01
Transferee's Signature (Buyer) X	Printed Name (Not Typed) and Title	Date

B315220

**ANY ALTERATION OR ERASURE
VOIDS THIS CERTIFICATE**

STANDARD FORM 87 (Rev 4-81)
Prescribed by GSA FPMR (41 CFR) 101-11.503-3
Previous Edition Not Usable NBN 7840-00-034-4047
87 108

4/4