

**ROCKY FLATS ENVIRONMENTAL TECHNOLOGY SITE
ER REGULATORY CONTACT RECORD**

Date/Time: 5-12-04 / 1500

Site Contact(s): Annette Primrose
Phone: 303 966-4385

Regulatory Contact: Harlen Ainscough
Phone: 303 692-3337

Agency: CDPHE

Purpose of Contact: 700-2 Outside Sample Location CF42-005

Discussion

CF42-005 is located at the west side of building 707 and is intended to sample the area of the autoclaves. As previously agreed, this location was to be sampled from 16.5 to 18.5 feet below ground surface. As discussed, a hard clay layer is present at depth. It was agreed that a minimum one foot sample will be collected here to adequately sample this location.

Contact Record Prepared By: Annette Primrose

Required Distribution:

M. Aguilar, USEPA
H. Ainscough, CDPHE
S. Bell, DOE-RFPO
J. Berardini, K-H
B. Birk, DOE-RFPO
L. Brooks, K-H ESS
L. Butler, K-H RISS
G. Carnival, K-H RISS
N. Castaneda, DOE-RFPO
C. Deck, K-H Legal
N. Demos, SSOC
S. Gunderson, CDPHE
M. Keating, K-H RISS
G. Kleeman, USEPA
D. Kruchek, CDPHE
J. Legare, DOE-RFPO

D. Mayo, K-H RISS
J. Mead, K-H ESS
S. Nesta, K-H RISS
L. Norland, K-H RISS
K. North, K-H ESS
E. Pottorff, CDPHE
A. Primrose, K-H RISS
R. Schassburger, DOE-RFPO
S. Serreze, K-H RISS
D. Shelton, K-H ESS
C. Spreng, CDPHE
S. Surovchak, DOE-RFPO
J. Walstrom, K-H RISS
K. Wiemelt, K-H RISS
C. Zahm, K-H Legal

Additional Distribution:

N. Elzinga URS
T. Hanson, URS
G. Pudlik, K-H RISS

