

RECEIVED

2004 AUG 19 A 7:07

CORRESPONDENCE CONTROL



KAISER HILL COMPANY

CORRES. CONTROL  
OUTGOING LTR. NO.

DOE ORDER 4700.1

04-RF-00845

DIST.	LTR	ENC
DIETER, T.J.		
FERRERA, D.W.	X	
LINDSAY, D.C.		
LONG, J.		
LYLE, J.L.		
MARTINEZ, L.A.		
PIZZUTO, V.M.		
SHELTON, D.C.		
SPEARS, M.S.		
TUOR, N.R.		

AUG 19 2004

04-RF-00845

BEAN, C.		
BUTLER, J.L.		
CLARK, D.		
DIETERLE, S.		
DORR, K.		
FREBOTH, C.		
GIBBS, F.	X	
GOLDEN, L.	X	X
HUMSTON, T.		
JENKINS, T.		

Gary Morgan, Functional Lead  
Cadre Project Management Division  
DOE, RFPO

TRANSMITTAL OF BUILDING 964 - PREDEMOLITION SURVEY REPORT (PDSR)  
DWF-053-04

Provided for your review and approval is the enclosed subject report for Building 964. This report characterizes the physical, chemical and radiological hazards associated with this facility, summarizes the characterization activities, defines the Data Quality Objectives developed for this characterization, and presents the data quality assessment, verification and validation of results.

AUBLE, M.		
NESTA, S.	X	
PARSONS, D.	X	X
WIEMELT, K.	X	X
PRIMROSE, A.	X	
AUBLE, M.		
LINSINBIGLER, H.		
SWARTZ, M.		

Based upon this PDSR and subject to concurrence by the CDPHE, Building 964 is acceptable for demolition.

Please notify Kaiser-Hill when you transmit this document to CDPHE. If you have any questions, do not hesitate to call me or Duane Parsons at extension 6458.

CORRES. CONTROL	X	X
ADMIN RECRD/T130G	X	X
TRAFFIC		
PATS/130		

*Dennis W. Ferrera*

Dennis W. Ferrera  
Vice President and Project Manager  
Remediation, Industrial D&D and Site Services

CLASSIFICATION:		
UCNI		
UNCLASSIFIED		
CONFIDENTIAL		
SECRET		

DLP:pvt

AUTHORIZED CLASSIFIER  
SIGNATURE:


Enclosure:  
As Stated

Date:  
IN REPLY TO RFP CC NO.:

Orig. and 1 cc - G. Morgan

ACTION ITEM STATUS:  
 PARTIAL/OPEN  
 CLOSED  
LTR APPROVALS:

ORIG. & TYPIST INITIALS:  
DLP:pvt



RF-46469 (Rev. 9/94)

ADMIN RECORD

Kaiser-Hill Company, L L C  
Rocky Flats Environmental Technology Site, 10808 Hwy. 93 Unit B, Golden, CO 80403-8200 ♦ 303-966-7000

IA-A-002312

# STATE OF COLORADO

Bill Owens, Governor  
Douglas H. Benevento, Executive Director

*Dedicated to protecting and improving the health and environment of the people of Colorado*

4300 Cherry Creek Dr. S.  
Denver, Colorado 80246-1530  
Phone (303) 692-2000  
TDD Line (303) 691-7700  
Located in Glendale, Colorado

Laboratory and Radiation Services Division  
8100 Lowry Blvd.  
Denver, Colorado 80230-6928  
(303) 692-3090

<http://www.cdphe.state.co.us>



Colorado Department  
of Public Health  
and Environment

September 2, 2004

Mr. Joe Legare  
Director, Project Management Division  
U.S. Department of Energy, Rocky Flats Project Office  
10808 Highway 93, Unit A  
Golden, CO 80403-8200

**RE: Reconnaissance Level Characterization Report (RLCR) and Pre-Demolition Survey Report (PDSR)  
for Building 964 – Concurrence & Approval**

Dear Mr. Legare:

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division has reviewed the RLCR & PDSR for Building 964, Revision 0 dated August 19, 2004. This RLCR/PDSR was received on August 27, 2004. Based on the information contained in this RLCR/PDSR, and as modified per the email from Duane Parsons with KH on 9/01/04, we are hereby concurring with the Type 2 determination for B964 and approving the PDSR for Building 964.

As stated in this PDSR, Building 964 was initially anticipated to be a Type 1 facility until radiological contamination was identified during the initial RLC. We have previously concurred with the Type 2 determination in letters dated 6/28/04 and 7/27/04. The results of this investigation, and the radiological contamination identified, again agree with the determination that this is a Type 2 Facility.

As also stated in this PDSR, B964 has both radiologically contaminated areas and areas meeting the unrestricted release criteria. The contaminated areas will be properly protected to prevent releases, and each area will be appropriately removed, managed, and disposed offsite.

In addition, RCRA Unit 24 will be properly closed as addressed.

If you have any questions regarding this correspondence please contact me at (303) 692-3367, or David Kruchek at (303) 692-3328.

Sincerely,

Steven H. Anderson  
RFCA Project Coordinator

cc: Gary Morgan, DOE  
Dave Shelton, KH  
Steve Nesta, KH  
Harlen Ainscough, CDPHE

Karen Wiemelt, KH  
Mark Aguilar, EPA  
Sam Garcia, EPA  
Administrative Records Building T130G