DOE/RFO
CORRESPONDENCE
INCOMING LETTER

93 DOE 18070

MAILROOM

ACTION 11/2

DUE DATE

	LTR	ENC
NELSON, R.M.		
PAUOLE, A.H.		
BISHOP, M.L.		
BRAINARD, B.		
CANNODE, G.A.		
HARTMAN, J.	X	
IZELL, K.		
KAROL, M.S.		
McBRIDE, M.H.		
SARGENT, D.		
WITHERILL, V.E.		
ADAMS, J.J.		
ANDERSON, T.W.		
CRAUN, R.L.		
DUFFY, G.G.		
HOFFMAN, R.B.		
LEDERNIER, R.J.		
LOCKHART, F.A.	X	
LUKOW, T.E.		
OLINGER, S.		
RASK, W.C.		
RUSCITTO, D.G.		
SCHASSBURGER	X	
BRAKKEN, K.T.		
GRETHEL, T.		
HARGREAVES, M.		
HICKS, D.A.		
HUFFMAN, G.N.		
MALCHESKI, D.		
McCORMICK, M.S.		
MILLER, H.G.		
OSTMEYER, R.M.		
PEWTSCH, E.		
POSLUSZNY, J.		
RAMPE, J.		
REECE, J.		
STEWARD, J.D.		
VANDERPUY, M.		
WALLIN, B.		
D/E	H	
RECORDS	H	H

NOTE:

RECEIVED FOR ADDRESSEE

BY: MK DATE: 11/2

STATE OF COLORADO

LORADO DEPARTMENT OF HEALTH
icated to protecting and improving the health and ronment of the people of Colorado

) Cherry Creek Dr. S.
/er, Colorado 80222-1530
ne (303) 692-2000

Laboratory Building
4210 E. 11th Avenue
Denver, Colorado 80220-3716
(303) 691-4700

Roy Romer
Governor

Patricia A. Nolan, MD, M
Executive Director

93 NOV 2 AM 8 34

000020117

October 21, 1993

Mr. James Hartman
Assistant Manager for Transition
and Environmental Restoration
Rocky Flats Office
U.S. Department of Energy
P.O. Box 928
Golden, Colorado 80402-0928

RE: Rescission of Stop Work Order for OU 1

Dear Mr. Hartman:

The purpose of this letter is to rescind the work stoppage, effective immediately, on the baseline risk assessment at operable unit (OU) 1, per the proposed amendment to Part 24, Work Stoppage, of the IAG contained in the resolution of the dispute invoked by DOE on September 24, 1993.

This work stoppage was agreed to by all parties on August 18, 1993 (Ref: 8HWM-FF) in response to the DOE's request of July 21, 1993 (Ref: 93-DOE-08449) for work stoppage on baseline risk assessments at OUs 1 through 7.

This work stoppage is rescinded for OU 1 because the issues regarding methodology for the baseline risk assessment and preparation of the RFI/RI Report, as outlined in the Stop Work Order, do not impact OU 1. In addition, staff level personnel at all agencies support lifting the work stoppage for OU 1.

If you concur with this request to restart all work on OU 1 please sign the concurrence line and return copies of this letter to EPA and CDH within five (5) business days.

If you have any questions, please contact Gary Baughman (CDH) at 692-3338 or Martin Hestmark (EPA) at 294-1134.

Sincerely,

Joan Sowinski, Manager
Hazardous Waste Control Program
Colorado Department of Health

Robert L. Duprey, Director
Hazardous Waste Management Division
Environmental Protection Agency

CONCURRENCE LINE

James K. Hartman
Assistant Manager for Transition
and Environmental Restoration
Rocky Flats Plant
U.S. Department of Energy

CC: Martin Hestmark, EPA
Rich Schassburger, DOE
Joe Schieffelin, CDH
Jackie Berardini, CDH-OE
Dan Miller, AGO

18070

MHS 27