45604

CORRES. CONTROL
INCOMING LTR NO.
93862 RF 94

JE
ATE

CTION

DIST.	LTR	ENC
JRLINGAME, A.H.		
JSBY, W.S.		
ARNIVAL, G.J.		
ORDOVA, R.C.		
AVIS, J.G.		
ERRERA, D.W.		
RAY, R.E.		
EIS, J.A.		
LOVER, W.S.		
OLAN, P.M.		
ANNI, B.J.		
EALY, T.J.		
EDAHL, T.G.		
LBIG, J.G.		
UTCHINS, N.M.		
ACKSON, D.T.		
ELL, R.E.		
JESTER, A.W.		
ARX, G.E.		
cDONALD, M.M.		
cKENNA, F.G.		
ORGAN, R.V.		
ZZUTO, V.M.		
OTTER, G.L.		
ANDLIN, N.B.		
ATTERWHITE, D.G.		
CHUBERT, A.L.		
CHWARTZ, J.K.		
ETLOCK, G.H.		
TIGER, S.G.		
OBIN, P.M.		
OORHEIS, G.M.		
ILSON, J.M.		
Laurin, P.	X	
Roberts, R.	X	
Hollowell, L.	X	

ORRES. CONTROL	X	X
DMN RECORD/080		
ATS/T130G		

Reviewed for Addressee
Corres. Control RFP

10-12-94 DATE
BY

Ref Ltr. #

DOE ORDER # 5400.1

101494-4

STATE OF COLORADO

Romer, Governor
icia A. Nolan, MD, MPH, Executive Director

licated to protecting and improving the health and environment of the people of Colorado

ZARDOUS MATERIALS AND WASTE MANAGEMENT DIVISION

0 Cherry Creek Dr. S.
ver, Colorado 80222-1530
ne (303) 692-3300
(303) 759-5355

222 S. 6th Street, Room 232
Grand Junction, Colorado 81501-2768
Phone (303) 248-7164
Fax (303) 248-7198

Colorado Department of Public Health and Environment

OCT 12 3 30 AM '94
ROCKY FLATS PLANT
EG&G
CORRESPONDENCE CONTROL

OCT 1994
RECEIVED

September 30, 1994

Mr. Steve Slaten
U.S. Department of Energy
Rocky Flats Office
P.O. Box 928
Golden CO 80402-0928

RE: Technical Memorandum 10, Human Health Risk Assessment, 903 Pad, Mound, and East Trenches Areas, Operable Unit 2, Toxicity Assessment

Dear Mr. Slaten,

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division (the Division), has reviewed the above referenced document submitted by DOE and its prime operating contractor, EG&G.

The Division requests that DOE perform and report the results of qualitative toxicity assessments for those compounds which are identified in Technical Memorandum 9 as lacking EPA-approved toxicity factors and therefore not included in the concentration/toxicity screen. The Division conditionally approves this document pending resolution of this comment.

If you have any questions regarding these matters, please contact Carl Spreng of my staff at 692-3358.

Sincerely,

Joe Schieffelin
Rocky Flats IAG Unit Leader
Facilities Section
Hazardous Waste Control Program

cc: Scott Grace, DOE-ER,RFFO
Eric Dillé, DOE-ER,RFFO
Pete Laurin, EG&G
Rick Roberts, EG&G
Martin Hestmark, EPA
Steve Tarlton, CDPHE-OE
Laura Perault, AGO

11000	
11100	
11200	
11300	
11400	
11500	
11600	
11700	