

CORRES. CONTROL
INCOMING LTR NO.

000039557

Department of Energy

03229 RF 94



ROCKY FLATS FIELD OFFICE
P.O. BOX 928
GOLDEN, COLORADO 80402-0928

DUE
DATE

13 2 22 1994

AUG 17 1994

94-DOE-08905

ACTION

DIST.	LTR	ENC
BURLINGAME, A.H.		
BUSBY, W.S.		
CARNIVAL, G.J.		
CORDOVA, R.C.		
DAVIS, J.G.		
FERRERA, D.W.		
FRAY, R.E.		
GEIS, J.A.		
GLOVER, W.S.		
GOLAN, P.M.		
HANNI, B.J.		
HEALY, T.J.		
HEDAHL, T.G.	X	
HILBIG, J.G.		
HUTCHINS, N.M.		
JACKSON, D.T.		
KELL, R.E.		
KUESTER, A.W.		
MARX, G.E.		
MCDONALD, M.M.		
MCKENNA, F.G.		
MORGAN, R.V.		
PIZZUTO, V.M.		
POTTER, G.L.		
SANDLIN, N.B.		
BATTERWHITE, D.G.		
SCHUBERT, A.L.		
SCHWARTZ, J.K.		
SETLOCK, G.H.		
STIGER, S.G.		
TOBIN, P.M.		
TOORHEIS, G.M.		
WILSON, J.M.		
PORTER, G.	X	
SCHRADER, D.C.	X	

5000
ROCKY FLATS FIELD OFFICE
CORRESPONDENCE

Mr. Gary Baughman
Hazardous Waste Control Program, Facilities Section
Colorado Department of Public Health and Environment
4300 Cherry Creek Drive South
Denver, CO 80222-1530

Mr. Martin Hestmark
Rocky Flats Team
U.S. Environmental Protection Agency, Region VIII
999 18th Street, Suite 500
Denver, CO 80202-2466

Gentlemen:

The Document Review Comment Record of the Environmental Protection Agency and the Colorado Department of Public Health and the Environment Comments on the Draft Pond Water Management Interim Measures/Interim Remedial Action Decision document, dated November 22, 1993, is enclosed.

The responses in this document were discussed in meetings held with your agencies after resolution of dispute in April, 1994.

If you have any questions concerning this document please contact me at 966-3424, or Annette Marquez, of my staff, at 966-6247.

Sincerely,

Gail S. Hill, Acting Director
Environmental Guidance Division

Enclosure

cc w/Encl:
A. Marquez, EGD, RFFO

cc w/o Encl:
S. Olinger, AMESH, RFFO
M. Roy, OCC, RFFO
T. Anderson, SSS, RFFO
S. Slaten, ER, RFFO
T. Hedahl, EG&G
G. Porter, EG&G
J. Schieffelin, CDPHE
S. Tarlton, CDPHE
R. Shankland, EPA
B. Fraser, EPA

DOCUMENT CLASSIFICATION
REVIEW WAIVER PER
CLASSIFICATION OFFICE

ADMIN RECORD

RECEIVED WITHOUT
ENCLOSURE

CORRES. CONTROL	X	X
DMN RECORD/080	X	2
ATST/130G		

Reviewed for Addressee
Corres. Control RFP

8-19-94
DATE BY

Ref Ltr. #

DOE ORDER # 5400.1