

Internal Letter



Rockwell International

Date · August 25, 1989

No. · Lurch.letter.aug25

TO (Name, Organization, Internal Address)

FROM (Name, Organization, Internal Address, Phone)

· R. C. Lerche
· Legal
· Bldg. 111

· M.B. Arndt
· RCRA/CERCLA
· Bldg. 250
· x4294

SUBJECT · **MOUNDING WASTE AT THE PRESENT LANDFILL**

The presently operating sanitary landfill is at its capacity. It will be necessary to continue using the present landfill until the new onsite sanitary landfill is constructed in approximately two years time. In order to continue using the present landfill, approximately 30,000 cubic yards of waste over the two year extension will have to be mounded, which will result in a two to four foot increase in height over the present waste levels.

The decision to mound the wastes raises some important questions. Are there legal restrictions to mounding the wastes? Where within the present landfill can we mound the waste? Approximately one-half of the present landfill contains potentially hazardous constituents, can we mound over this area, or are we required to mound over the half without potentially hazardous wastes?

Because we are left with virtually no alternative to mounding the waste before the new landfill is constructed, we need these questions answered as soon as possible. Please contact me at your earliest possible convenience to discuss the matter.

M.B. Arndt for MBA

M.B. Arndt, Program Manager
RCRA Closures

cc: K. McKinley
T.C. Greengard ✓
B.R. Lewis
P.F. Folger

ADMIN RECORD

U NV

REVIEWED FOR CLASSIFICATION/UCNI	
BY	G. T. Ostroick 820
DATE	7-12-93