

4D112

CORRES. CONTROL  
INCOMING LTR NO.

03750 RF 94



Department of Energy

ROCKY FLATS FIELD OFFICE  
P.O. BOX 928  
GOLDEN, COLORADO 80402-0928

OCT 3 2 10 PM '94  
ROCKY FLATS PLANT  
CORRESPONDENCE CONTROL  
EG&G94-DOE-10063

SEP 30 1994

DUE  
DATE

ACTION

DIST.	LTR	ENC
BURLINGAME, A.H.		
BUSBY, W.S.		
CARNIVAL, G.J.		
CORDOVA, R.C.		
DAVIS, J.G.		
ERRERA, D.W.		
FRAY, R.E.		
FEIS, J.A.		
GLOVER, W.S.		
GOLAN, P.M.		
HANNI, B.J.		
HEALY, T.J.		
HEDAHL, T.G.		
HILBIG, J.G.		
HUTCHINS, N.M.		
JACKSON, D.T.		
KELL, R.E.		
KUESTER, A.W.		
MARX, G.E.		
MCDONALD, M.M.		
MCKENNA, F.G.		
MORGAN, R.V.		
PIZZUTO, V.M.		
POTTER, G.L.		
SANDLIN, N.B.		
BATTERWHITE, D.G.		
SCHUBERT, A.L.		
SCHWARTZ, J.K.		
SETLOCK, G.H.		
STIGER, S.G.		
TOBIN, P.M.		
VOORHEIS, G.M.		
WILSON, J.M.		
Smith, S.B.	X	
Hollowell, L.	X	

Mr. Joe Schieffelin, Unit Leader  
Hazardous Waste Control Program  
Colorado Department of Public Health and Environment  
4300 Cherry Creek Drive South  
Denver, Colorado 80222-1530



000044753

Dear Mr. Schieffelin:

In the enclosed letter, dated September 9, 1993, from the Environmental Protection Agency, all conditions expressed in their comments were resolved and Operable Unit (OU) No. 12 work plan approval was granted. It is the concern of the Department of Energy (DOE) that the OU 12 Final Phase I RCRA Facilities Investigation/Remedial Investigation (RFI/RI) Work Plan does not have approval from the lead regulatory agency, the Colorado Department of Public Health and Environment (CDPHE).

The CDPHE granted conditional approval of the document in the enclosed letter, dated November 3, 1992. All the conditions as outlined in their comments were resolved and replacement pages were delivered before December 18, 1992, as specified in the letter. The comments were minimal and were incorporated appropriately. The comments included such issues as using upper tolerance limits as opposed to maximum concentration limits; clarification of symbols and text within the field sampling plan; use of Sodium Iodide probes in Individual Hazardous Substance Site 136.1; and benchmark tables issues.

All comments were incorporated into the OU 12 Final Phase I RFI/RI Work Plan except for the benchmark table comments. It is understood that these benchmark tables are currently being revised and updated for the OUs at the Rocky Flats Environmental Technology Site and should no longer be a condition on the OU 12 Work Plan. Therefore, at this time, DOE is requesting that CDPHE grant final approval on the OU 12 Final Phase I RFI/RI Work Plan. Once approval of the Work Plan is received we will reassess the implementation schedules and provide revised milestones, if appropriate.

If you have additional questions regarding this matter, please contact Regina Sarter at 966-7252.

Sincerely,

*Steven W. Slaten*

Steven W. Slaten  
IAG Project Coordinator  
Environmental Restoration



CORRES. CONTROL	X	X
ADMN RECORD/080	X	2
PATS/T130G		

Reviewed for Addressee  
Corres. Control RFP

Enclosure

10-3-94  
DATE BY

Ref. tr. #

DOE ORDER # 5400.1

A-OU12-000155

J. Schieffelin  
94-DOE-10063

2

SEP 30 1994

cc w/o Enclosure:  
M. Hestmark, EPA  
J. Roberson, ER, RFFO  
F. Lockhart, ER, RFFO  
R. Sarter, ER, RFFO  
J. Burd, AEI  
T. McLeod, CRC  
S. Berman-Smith, EG&G