



- 3) the revised text should indicate that the HPGe survey is still useful for screening potential contamination on the surface (pavement or soil).
- Ground Water Contamination Plume Delineation:
    - 1) revise the text in section 5.1.2.5 to specifically acknowledge that plume delineation will occur when ground water contamination has been confirmed;
    - 2) add plume delineation to stage 3 objectives for ground water in Table 5.2.
  - Specific comments to the revised Workplan:
    - 1) make all clarifications and modifications to the Workplan as specified in the specific comments.

These conditions should be addressed by DOE and an approvable Workplan submitted by June 1, 1993 or prior to field work commencing, whichever is earlier. DOE was required to submit an approvable version of this Workplan on October 12, 1992. Since this did not occur, DOE has technically been in violation of the IAG since that date. If the conditions itemized in this letter are not satisfied by June 1, 1993 or prior to field work commencing, whichever is earlier, the Division will explore it's enforcement options.

Revision of this Workplan can be accomplished by submitting updated replacement pages, figures, and tables or entire sections, as appropriate. There is no need to resubmit the entire Workplan.

If you have any questions regarding these matters, please call Jeff Swanson of my staff at 692-3416.

Sincerely,



Gary W. Baughman, Chief  
Facilities Section  
Hazardous Waste Control Program

cc: Martin Hestmark, EPA  
Robert Birk, DOE  
Mike Arndt, EG&G  
Mike McHugh, EG&G  
Jackie Berardini, CDH-OE  
Dan Miller, AGO