

INTEROFFICE CORRESPONDENCE

DATE: May 13, 1993
TO: DL Shubbe, RPM, OU15 Manager, Bldg. 080. X8709
FROM: TD Schmidt, ERQS, Bldg 080, X8713 *Cgm for*
SUBJECT: Operable Unit No. 15, Phase I RFI/RI Readiness Review - TDS-386-93

A Readiness Review for Operable Unit No. 15 (OU15) has been scheduled for May 18, 1993 at 10 00 am. The review will focus on implementation of prerequisites identified in the Site-Wide Quality Assurance Project Plan (QAPjP), the OU15 Phase I RFI/RI Workplan, and the Environmental Restoration Health & Safety Plan.

Attached is the Readiness Review Notice for the subject activity and a copy of the Readiness Review Checklist, which will be completed at the time of the Readiness Review. If you have any questions, please contact either Mark Brooks at X8516 or Phil Ralphs at 279-0719.

TDS.pr

Enclosures As Stated

cc:
Wanda Busby, w/o encl
Mark Brooks, w/ encl
Phil Ralphs, w/ encl
EQS Files. 3 4, 5.1.5
ERM Records Center

ADMIN RECORD

✓ NW

REVIEWED BY	CTC/14
BY	<i>BA</i>
DATE	8-9-93