







## INTEROFFICE CORRESPONDENCE

DATE: November 16, 1992  
TO: E. H. Ideker, Facility Management & Operations, Building 111  
FROM: R. T. Stagner, 800 Operations, Building 881, X7864 *RTS*  
SUBJECT: TOUR OF OU15, RTS-186-92

On November 11, 1992 representatives of the Colorado Department of Health (CDH) and the Department of Energy toured Buildings 881, 865, and 883 for the purpose of viewing Operable Unit (OU)15 Individual Hazardous Substance Site (IHSS)s in those buildings. They were accompanied by T. A. Moore, Remediation Project Management.

The tour was escorted in Building 881 by Bill Hiler (Building Manager), John Lyons (Utilities), Tim Elmont (Gen. Labs), and Julian Valdez (Gen Labs). In Building 865, the escorts were Mike Stewart (Building Manager) and Mike Brown (Transition). In Building 883, Mike Stewart and Mike Simmons (Waste Minimization) provided escort service.

Areas visited included in Building 881 room 165, 266B and 131C, Building 865 room 145 and Building 883 room 104.

The areas were walked down prior to the visit, and the pre-inspection guide followed.

The purpose of the visit was to view IHSS 178, 179, 180, 211, and 217. These IHSSs are included in the Phase I RCRA Facility Investigations/Remedial Investigation (RFI/RI) for OU15. During the tour questions were asked concerning previous activity in the IHSS locations, but no specific issues were brought up. General concern was expressed about the possible degree of contamination in addition to RCRA constituents that may have been present at the time. There were no programmatic impacts from this visit. All comments were directed toward the closure of the units. The CDH and DOE representatives expressed appreciation for our efforts to allow tours in areas that are normally of limits to non "Q" cleared personnel.

llm

cc:

E. L. Johnson  
J. F. Ross Jr.  
A. L. Schubert



## INTEROFFICE CORRESPONDENCE

DATE: November 13, 1992  
TO: E. L. Johnson, Waste Surveillance, Building T130C, X2599 *ELJ*  
FROM: J. A. Koelmel, 400 Area Operations, Building 460, X7957  
SUBJECT: BUILDING 447 CHIP ROASTER TOUR

DOE and CDH representatives toured the Chip Roaster area of Building 447 on November 11, 1992. The purpose of the tour was to provide information related to Chip Roaster planning assessment and possible remediation strategies.

Related questions centered around operating practices for the Chip Roaster, the quantities of solvents that may have been introduced into the unit, and the sampling plan for the Chip Roaster and associated rooms. Discussions also included past incidents relating to the Chip Roaster and the immediate area.

Several points of misinformation were cleared up regarding the Chip Roaster but additional information will be requested as the planning progresses.

CC:

G. H. McElhinney  
J. K. Montrose