

420-R-F 95

52878

STATE OF COLORADO



Colorado Department of Public Health and Environment

Romer, Governor
Shwayder, Acting Executive Director

FEB 8 1 57 PM '95

icated to protecting and improving the health and environment of the people of Colorado

HAZARDOUS MATERIALS AND WASTE MANAGEMENT DIVISION

ROCKY FLATS PLANT
CORRESPONDENCE CONTROL

DIST.	LTR	ENC
INGAME, A.H.		
Y, W.S.		
JIVAL, G.J.		
JOVA, R.C.		
S, J.G.		
I, T.M.		
ERA, D.W.		
R, E.		
ON, D.L.		
J, A.		
ER, W.S.		
N, P.M.		
J, B.J.		
Y, T.J.		
HL, T.G.		
G, J.G.		
OWELL, L.J.	X	
HINS, N.M.		
SON, D.T.		
R, E.		
TER, A.W.		
K, G.E.		
RT, D.		
ONALD, M.M.		
OVERN, L.J.		
NNA, F.G.		
ERT, J.G.		
TO, V.M.		
ER, G.L.		
ERWHITE, D.G.		
ADER, D.C.		
BERT, A.L.		
VARTZ, J.K.		
OCK, G.H.		
ER, S.G.		
RHEIS, G.M.		
Hubbe, D	X	

Cherry Creek Dr. S. 222 S. 6th Street, Room 232
er, Colorado 80222-1530 Grand Junction, Colorado 81501-2768
e (303) 692-3300 Phone (303) 248-7164
303) 759-5355 Fax (303) 248-7198

January 23, 1995

Steve Slaten
IAG Project Coordinator-ER
Department of Energy
Rocky Flats Office
P.O. Box 928
Golden CO 80402-0928

RE: Final OU15 Phase I RFI/RI Report Approval

Dear Mr. Slaten:

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division (the Division) and the Environmental Protection Agency (EPA) have reviewed the Final OU15 Phase I RFI/RI Report and the Department of Energy's (DOE) response to agency comments. The Division, as lead regulatory agency for Operable Unit 15, with the concurrence of EPA, approves the OU15 Phase I RFI/RI Report as amended. DOE is commended for its early submittal of this report.

As mentioned in the Division's letter of December 8, DOE must propose milestone dates for the activities which will bring closure to this operable unit. This schedule should include the following milestones:

- Submit Certification of RCRA Clean Closure
- Submit Draft Proposed Plan/Draft RCRA Permit Modification
- Submit Final Proposed Plan/Draft RCRA Permit Modification
- Submit Draft CAD/ROD with Responsiveness Summary
- Submit Final CAD/ROD

Upon submittal of the final CAD/ROD, the RCRA Permit will be modified to include that decision.

The draft Proposed Plan mentioned above must institutionalize radiation worker protection controls for these IHSS areas by means of a decision document (CAD/ROD). These radiation protection controls must be at least as stringent as the controls currently in place at these IHSSs. These controls, as documented in the CAD/ROD, will be revisited upon determination of ultimate building disposition.

RES. CONTROL	X	X
IN RECORD/080		
WT130G		

iewed for Addressee
corres. Control RFP
-8-95 JAB
DATE BY

sr. #
ORDER # 4700.1

If you have any questions regarding these matters, please contact Carl Spreng at the Division (692-3358) or Arturo Duran at EPA (294-1080).

Sincerely,



Joe Schieffelin, Unit Leader
Rocky Flats IAG Unit
Hazardous Waste Control Program

cc: Bill Fitch, DOE
~~Dennis Schubbe, EG&G~~
Martin Hestmark, EPA
Arturo Duran, EPA
Laura Perault, AGO
Steve Tarlton, RFPU