

Raynes, Scott (CONTR)

From: DOE Office of Legacy Management
Sent: Wednesday, July 13, 2011 10:36 AM
Subject: DOE has posted a new contact record concerning a reportable condition at surface water Point of Evaluation GS10

The U.S. Department of Energy Office of Legacy Management has posted a new contact record to the Contact Record page of the Rocky Flats Legacy Management website at http://www.lm.doe.gov/Rocky_Flats/ContactRecords.aspx

Contact record RFLMA CR 2011-04, Reportable Condition for Uranium at Point of Evaluation GS10, addresses a reportable condition at surface water Point of Evaluation GS10, based on an evaluation of validated analytical results for uranium from the composite sample collected during the period from 10:50 a.m. on April 11, 2011, to 11:39 a.m. on May 4, 2011.

The evaluation was performed in accordance with *Rocky Flats Legacy Management Agreement* (RFLMA) Attachment 2, Figure 6, "Points of Evaluation," which resulted in a calculated 12-month rolling average concentration for uranium on April 30, 2011, of 18.8 µg/L. This amount exceeds the RFLMA applicable Table 1 standard of 16.8 µg/L. Validated results were received on June 14, 2011, and notification to the regulatory agencies and the public, in accordance with RFLMA Attachment 2, Figure 6, was made by e-mail on June 16, 2011.

This Contact Record documents DOE's consultation with CDPHE and EPA on June 16, 2011.

If you have any difficulty accessing this document or have any other questions, please contact:

Bob Darr
Public Affairs
SM Stoller Corporation
DOE Legacy Management Support Contractor
720-377-9672
bob.darr@lm.doe.gov