00007242

000024334

RR-RP-000949

Colorado Department of Health

Environmental Surveillance Report

on the

U.S. Department of Energy

Rocky Flats Plant

DECEMBER 1987

Monthly Information Exchange Meeting

This is a numerical summary of data accumulated during

DECEMBER 1987

pertaining to environmental surveillance activities of the Department. Also included are additional data not previously reported for earlier periods.

Best Available Copy

SW-A-003701

ADMIN RECORD

1/24

COLORADO DEPARTMENT OF HEALTH

U.S. DOE ROCKY FLATS PLANT SURVEILLANCE

INDEX

TABLE A	Air Surveillance Summary
TABLE B	Air Surveillance Summary Monthly Comparison Data
TABLE C	Plutonium and Total Long-lived Alpha Concentrations in Air
TABLE D	Water Surveillance Summary
TABLE E	Water Surveillance Summary, Monthly Comparison Data
TABLE F	Plutonium and Total Alpha Concentrations in Water
TABLE G	Natural Uranium and Total Alpha Concentrations in Water
APPENDIX I	Rocky Flats Air Surveillance Station Identification
APPENDIX II	Maximum Permissible Concentrations of Radionuclides in Effluent Air and Water Released to Uncontrolled Areas
APPENDIX III	Limits of Sensitivity

2/24

TABLE A

COLORADO DEPARTMENT OF HEALTH
Radiation Control Division
Gross Alpha and Beta Activity in Hi-Volume Air Filters

SURVEILLANCE SUMMARY
DEC 1987

	Sampler Type	Number of Samples	Gross Alpha Mean Concen. pCi/m^3	Gross Alpha Standard Deviation pCi/M^3	Gross Alpha Max pCi/M^3	Gross Alpha Min pCi/M^3	Gross Beta Mean Concen. pCi/M^3	Gross Beta Standard Deviation pCi/M^3	Gross Beta Max pCi/M^3	Gross Beta Min pCi/M^3	Total Volume M^3
ON-SITE (SECURITY)											
RF D-1 ON-SITE (SECURITY)	TSP/C	9	<0.005	0.001	<0.007	<0.003	<0.04	0.02	0.08	<0.02	31197
RF D-2 ON-SITE (SECURITY)	TSP/C	9	<0.006	0.001	<0.007	<0.003	<0.05	0.02	0.09	0.03	29334
RF D-3 ON-SITE (SECURITY)	TSP/C	10	<0.006	0.001	<0.008	<0.003	<0.04	0.01	0.06	<0.02	38597
RF D-4 ON-SITE (SECURITY)	TSP/C	11	<0.006	0.001	<0.007	<0.003	<0.04	0.01	0.06	<0.03	40357
DEC GROUP SUMMARY		39	<0.006	0.001	<0.008	<0.003	<0.04	0.02	0.09	<0.02	139485
ON-SITE (PERIMETER)											
RF D-5 ON-SITE (PERIMETER)	TSP/C	11	<0.005	0.001	<0.006	<0.003	<0.05	0.02	0.08	0.02	43692
RF D-6 ON-SITE (PERIMETER)	TSP/C	12	<0.005	0.001	<0.007	<0.002	<0.04	0.01	0.07	0.03	47597
RF D-7 ON-SITE (PERIMETER)	TSP/C	10	<0.005	0.001	<0.006	<0.002	<0.05	0.01	0.07	0.03	40257
RF D-8 ON-SITE (PERIMETER)	TSP/C	11	<0.006	0.001	<0.008	<0.004	<0.04	0.01	0.06	<0.02	38897
DEC GROUP SUMMARY		44	<0.005	0.001	<0.008	<0.002	<0.04	0.01	0.08	<0.02	170443
OFF-SITE (METRO)											
BROOMFIELD 18 Garden Ofc. Ctr	TSP/C	5	<0.005	0.003	0.010	<0.004	<0.04	0.03	0.08	<0.02	32006
ADAMS CITY 4301 E 72nd Ave	TSP/P	3	<0.012	0.005	<0.017	<0.008	<0.10	0.03	0.13	<0.07	5286
BOULDER 13th & Spruce	TSP/P	5	<0.009	<.001	<0.010	<0.007	<0.10	0.03	0.14	<0.07	8601
DENVER 414 Fourteenth Street	TSP/P	1	<0.011	<.001	<0.011	<0.011	<0.07	<.01	<0.07	<0.07	1718
DENVER Gates 1050 S Broadway	TSP/P	0									
ENGLEWOOD 4857 South Broadway	TSP/P	3	<0.010	<.001	<0.011	<0.009	<0.10	0.05	0.16	<0.07	5282
WESTMINSTER 10100 Garland St.	TSP/C	5	<0.005	0.001	0.006	<0.003	<0.02	<.01	<0.02	<0.01	38112
DEC GROUP SUMMARY		22	<0.008	0.003	<0.017	<0.003	<0.06	0.04	0.16	<0.01	91005
OFF-SITE (REMOTE)											
COLO SPGS 3730 N Meadowland	TSP/P	5	<0.009	0.001	<0.010	<0.007	<0.08	0.02	0.10	<0.06	9960
DURANGO Court House	TSP/P	4	<0.009	<.001	<0.010	<0.008	<0.08	0.01	0.10	0.07	6712
LEADVILLE 510 Harrison Avenue	TSP/P	5	<0.010	<.001	<0.011	<0.009	<0.08	<.01	<0.08	<0.08	7672
STERLING 3rd & Ash Street	TSP/P	5	<0.009	<.001	<0.010	<0.008	0.10	0.05	0.19	0.07	9767
DEC GROUP SUMMARY		19	<0.009	0.001	<0.011	<0.007	<0.08	0.03	0.19	<0.06	34111
PM-10 (METRO AND REMOTE)											
ADAMS CITY 4301 E 72nd Ave	PM-10/P	3	<0.011	0.004	<0.015	<0.009	<0.10	0.03	0.13	<0.08	4276
ARVADA 8101 Ralston Road	PM-10/P	3	<0.011	0.002	<0.013	<0.010	<0.09	<.01	<0.09	<0.09	4017
AURORA 1633 Florence Street	PM-10/P	3	<0.011	0.001	<0.013	<0.010	<0.11	0.05	0.18	<0.08	4360
COLO SPGS 3730 N Meadowland	PM-10/P	26	<0.010	0.001	<0.013	<0.009	<0.10	0.02	0.15	<0.09	33913
DENVER 414 Fourteenth Street	PM-10/P	3	<0.011	<.001	<0.012	<0.011	<0.09	<.01	0.09	<0.08	4300
DENVER Gates 1050 S Broadway	PM-10/P	1	<0.011	<.001	<0.011	<0.011	<0.07	<.01	<0.07	<0.07	1693
ENGLEWOOD 4857 South Broadway	PM-10/P	3	<0.010	0.002	<0.012	<0.009	<0.08	<.01	<0.08	<0.08	4152
LAKEWOOD 260 South Kipling	PM-10/P	0									
DEC GROUP SUMMARY		42	<0.011	0.001	<0.015	<0.009	<0.10	0.02	0.18	<0.07	56711

Continuous P - Periodic

TABLE B
AIR SURVEILLANCE SUMMARY
MONTHLY COMPARISON DATA
1986 and 1987

Station	N	Total Long-lived ALPHA (pCi/m^3) x̄	S.D.	max.	min.	Total Long-lived BETA (pCi/m^3) x̄	S.D.	max.	min.	Volume (m^3)
ON-SITE (Security)										
1986										
December	54	<0.005	0.001	0.007	<0.003	<0.03	<0.01	0.06	<0.02	196299
1987										
January	52	<0.004	0.002	0.011	<0.002	<0.02	<0.01	0.04	0.01	188312
February	47	<0.003	0.001	0.008	<0.000	<0.03	<0.01	<0.05	<0.00	199755
March	48	<0.004	0.002	<0.013	<0.002	<0.03	0.01	<0.10	<0.02	166275
April	49	<0.004	0.002	0.012	<0.002	<0.03	<0.01	0.05	<0.02	[illegible]166
May	47	<0.005	0.004	0.025	<0.002	<0.03	0.01	0.07	<0.02	1[illegible]496
June	40	<0.004	0.002	0.012	<0.002	<0.03	<0.01	0.05	0.02	146031
July	54	<0.009	0.006	0.036	<0.003	<0.05	0.01	0.08	0.02	190553
August	51	<0.006	0.004	0.019	<0.003	<0.06	0.02	0.16	0.03	189725
September	48	<0.006	0.003	0.019	<0.002	<0.06	0.02	0.12	<0.03	173550
October	51	<0.010	0.007	0.036	<0.004	<0.07	0.02	0.12	<0.04	186313
November	49	<0.006	0.003	0.014	<0.003	<0.06	0.02	0.10	<0.03	184507
December	39	<0.006	0.001	<0.008	<0.003	<0.04	0.02	0.09	<0.02	139485
ON-SITE (Perimeter)										
1986										
December	54	<0.005	0.001	<0.008	<0.003	<0.03	0.01	0.09	<0.02	206344
1987										
January	49	<0.003	<0.001	<0.005	<0.002	<0.02	<0.01	0.05	<0.01	184438
February	48	<0.003	<0.001	<0.004	<0.002	<0.03	<0.01	0.04	<0.02	185409
March	50	<0.003	<0.001	0.005	<0.002	<0.02	<0.01	0.03	<0.02	1[illegible]01
April	51	<0.003	<0.001	0.005	<0.001	<0.03	<0.01	0.05	0.01	194260
May	45	<0.003	0.002	0.008	<0.001	<0.03	0.01	0.05	<0.02	173240
June	50	<0.004	0.001	0.008	<0.002	<0.03	<0.01	0.06	<0.02	188610
July	55	<0.006	0.002	0.012	0.003	<0.05	0.01	0.09	0.02	197874
August	49	<0.004	0.001	0.009	<0.003	<0.05	0.02	0.09	<0.02	184755
September	49	<0.004	0.001	0.007	<0.002	<0.06	0.02	0.11	0.03	176842
October	52	<0.006	0.001	0.010	<0.004	<0.08	0.02	0.12	0.03	189440
November	50	<0.005	0.001	0.008	<0.003	<0.07	0.02	0.11	<0.03	186989
December	44	<0.005	0.001	<0.008	<0.002	<0.04	0.01	0.08	<0.02	170443

TABLE B, CONT.

Station	N	Total Long-lived ALPHA (pCi/m^3) $\bar{x}$	S.D.	max.	min.	Total Long-lived BETA (pCi/m^3) $\bar{x}$	S.D.	max.	min.	Volume (m^3)
OFF-SITE (Metro)										
1986										
December	39	<0.010	0.003	<0.015	<0.003	<0.04	<0.01	<0.06	0.02	10244
1987										
January	36	<0.006	0.002	<0.011	<0.002	<0.04	<0.01	<0.05	0.01	84046
February	34	<0.006	0.001	<0.007	<0.002	<0.05	<0.01	0.07	0.02	75269
March	35	<0.006	0.002	<0.010	<0.003	<0.04	<0.01	<0.05	0.02	81739
April	41	<0.006	0.001	<0.007	<0.002	<0.05	0.01	0.08	0.02	93465
May	32	<0.005	0.001	<0.007	<0.002	<0.05	<0.01	0.06	0.03	73401
June	29	<0.005	0.001	<0.006	<0.002	<0.06	0.02	0.10	0.02	63557
July	33	<0.007	0.002	<0.011	0.004	<0.08	0.02	0.11	0.03	78973
August	38	<0.008	0.002	<0.012	<0.002	<0.07	0.02	0.09	<0.02	111435
September	34	<0.008	0.003	<0.012	<0.003	<0.08	0.03	0.14	0.03	104038
October	36	<0.009	0.003	<0.014	<0.004	<0.10	0.03	0.16	0.04	1[illegible]59
November	33	<0.010	0.004	<0.016	0.003	0.09	0.03	0.16	0.02	10[illegible]30
December	12	<0.010	0.003	<0.017	<0.007	<0.10	0.03	0.16	<0.07	20887
OFF-SITE (Remote)										
1986										
December	23	<0.009	0.002	<0.013	<0.008	<0.06	0.02	0.11	<0.04	40314
1987										
January	26	<0.006	0.001	<0.009	<0.005	<0.05	0.01	0.09	<0.04	46920
February	21	<0.006	0.002	<0.011	<0.004	<0.05	<0.01	0.07	<0.04	37201
March	20	<0.006	0.001	<0.008	<0.004	<0.05	<0.01	0.06	<0.04	34650
April	15	<0.005	<0.001	<0.007	<0.004	<0.05	0.02	0.08	0.03	25685
May	17	<0.005	<0.001	<0.007	<0.005	<0.05	<0.01	0.06	<0.04	26453
June	11	<0.005	<0.001	<0.005	<0.004	<0.07	<0.02	0.11	<0.05	17436
July	13	<0.007	0.002	<0.009	<0.005	<0.10	0.02	0.14	<0.07	20525
August	17	<0.009	<0.001	<0.010	<0.008	<0.08	<0.01	0.10	<0.07	26988
September	10	<0.010	0.001	0.011	<0.008	0.11	0.02	0.14	0.08	1[illegible]366
October	15	<0.011	<0.001	<0.013	<0.009	<0.10	0.03	0.17	0.07	[illegible]16
November	17	<0.011	0.001	<0.012	<0.008	<0.09	0.02	0.13	<0.06	30084
December	19	<0.009	0.001	<0.011	<0.007	<0.08	0.03	0.19	<0.06	34111

NOTE: N = number of observations (samples)
$\bar{x}$ = arithmetic mean
S.D. = standard deviation of the population of results observed (1 sigma)
max. = maximum individual sample concentration observed
min. = minimum individual sample concentration observed
Nominal values for the minimum detectable activity are listed in Appendix III
SI Unit Equivalent: 1 pCi/l = 0.037 Bq/l
20 pCi/l = 0.48 Bq/l

TABLE C
PLUTONIUM AND TOTAL LONG-LIVED ALPHA
CONCENTRATIONS IN AIR
December 1987

Station	DATE Month/Quarter	$Pu^{239+240}$ (pCi/m^3)	Total Long-lived ALPHA (pCi/m^3)
D-1	11/87	0.00004 ± 0.0001	<0.005

NOTE: Total Long-lived ALPHA and Plutonium error terms are based on the 2 sigma counting error for the single analysis.
Nominal values for the minimum detectable activity are listed in Appendix III.
The standard for general population exposure for soluble Pu is 0.02 pCi/m^3.

6/24

TABLE D
WATER SURVEILLANCE SUMMARY
(INDIVIDUAL SAMPLES)
November 1987

Station	Date	Activity (pCi/l) ALPHA	BETA	TRITIUM
R. F. Pond A-3	12/16/87	<4	8 ± 4	<350
R. F. Pond B-3	12/02/87	<3	<5	<350
	12/09/87	9 ± 4	12 ± 4	<350
	12/16/87	<4	6 ± 4	<350
	12/23/87	5 ± 3	7 ± 4	<350
Monthly Average		<5	<8	<350
Walnut Creek at Indiana	*12/02/87			
	*12/04/87			
	*12/07/87			
	*12/11/87			
	*12/14/87			
	*12/16/87			
	*12/18/87			
	*12/21/87			
	*12/23/87			
	*12/28/87			
	*12/30/87			
Monthly Average				
Broomfield	11/17/87	<4	<5	
	12/02/87	4 ± 3	6 ± 3	
	12/09/87	<4	<5	<350
	12/16/87	<4	<5	<350
	12/23/87	6 ± 3	6 ± 4	350
	12/30/87	<4	<5	
Monthly Average		<4	<5	<350
Woman Creek *				
Westminster	12/09/87	<3	<5	<350
Monthly Average				

* Dry or Not Running

7/24

TABLE D
WATER SURVEILLANCE SUMMARY
(INDIVIDUAL SAMPLES)
December 1987

Station	Date	Activity (pCi/l) ALPHA	BETA	TRITIUM
Arvada	12/18/87	<2	<5	<350
North Table Mountain	12/18/87	<2	<5	<350
D-4 (ppt)	12/02/87			<350
C-2	12/17/87	5 ± 4	12 ± 4	<350

NOTE: Error terms are based on the 2 sigma counting error for the single analysis. Nominal values for the minimum detectable activity are listed in Appendix III.
* = dry not running
SI unit equivalent: 1 pCi/l = 0.037 Bq/l
20 pCi/l = 0.74 Bq/l
**** No Trituim results this month

8/24

TABLE E-1
WATER SURVEILLANCE SUMMARY
MONTHLY COMPARISON DATA
POND A-3
1986 and 1987

Date		N	ALPHA (pCi/l)	BETA (pCi/l)	TRITIUM (pCi/l)
1986					
	December*				
	Annual Data		<7	<7	<358
1987					
	January		<4	14 ± 5	<350
	February		<3	<5	<350
	March		5 ± 4	13 ± 4	<350
	April		35 ± 8	20 ± 5	<350
	May		5 ± 3	4 ± 3	<350
	June		18 ± 6	7 ± 4	<350
	July		<8	<8	<350
	August*				
	September		7 ± 4	<5	<350
	October		6 ± 4	9	<350
	November		<4	<5	<350
	December	1	<4	8 ± 4	<350

NOTE: Error terms are based on the 2 sigma counting error for the single analysis.
Nominal values for the minimum detectable activity are listed in Appendix III.
* = No sample collected
SI unit equivalent: 1 pCi/l = 0.037 Bq/l
20 pCi/l = 0.74 Bq/l

9/24

10/24

TABLE E-2
WATER SURVEILLANCE SUMMARY
MONTHLY COMPARISON DATA
POND B-3
1986 and 1987

Date	N	ALPHA (pCi/l) $\bar{x}$	max.	min.	BETA (pCi/l) $\bar{x}$	max.	min.	TRITIUM (pCi/l) $\bar{x}$	max.	min.
1986										
December	5	<6	10	<3	12	17	9	<689	2046	<350
Annual Data	52	<4	10	2	<11	19	<5	<379	2046	<350
1987										
January	4	<4	5	<4	14	15	13	<350	<350	<350
February	3	<5	7	<4	11	14	7	<350	<350	<350
March	4	<5	9	<4	10	13	5	<361	394	<350
April	5	<5	5	4	10	11	9	<556	960	<350
May	4	<5	<5	<4	<10	14	5	<350	<350	<350
June	4	<6	8	<4	< 8	12	5	<350	<350	<350
July	5	<4	6	<4	<10	12	7	<350	364	<350
August	4	<4	<4	<4	< 9	12	7	<409	469	<350
September	5	<6	7	<4	10	11	9	<350	<350	<350
October	4	<9	23	<7	9	10	7	<350	<350	<350
November	4	<5	6	<4	9	13	5	<350	<350	<350
December	4	<5	9	<3	< 8	12	<5	<350	<350	<350

NOTE: N = number of observations (samples)
$\bar{x}$ = arithmetic mean
max. = maximum individual sample concentration observed
min. = minimum individual sample concentration observed
Nominal values for the minimum detectable activity are listed in Appendix III
SI Unit Equivalent: 1 pCi/l = 0.037 Bq/l
20 pCi/l = 0.48 Bq/l

TABLE E-3
WATER SURVEILLANCE SUMMARY
MONTHLY COMPARISON DATA
WALNUT CREEK AT INDIANA
1986 and 1987

Date	N	ALPHA (pCi/l) $\bar{x}$	max.	min.	BETA (pCi/l) $\bar{x}$	max.	min.	TRITIUM (pCi/l) $\bar{x}$	max.	min.
1986										
December*										
Annual Data	62	<7	15	<2	<7	18	<5	<356	655	<350
1987										
January*										
February	8	<6	7	<6	<5	6	<5	<350	<350	<350
March	13	<9	24	<4	<8	20	<5	<365	549	<350
April	13	<4	10	<3	<6	10	<5	<457	747	<350
May	13	<6	14	<3	<6	11	<5	<350	<350	<350
June	8	<8	22	<5	<8	12	<5	<350	<350	<350
July	4	10	13	9	12	20	7	<350	<350	<350
August	1	<4	<4	<4	12	12	12	<350	<350	<350
September	1	5	5	5	8	8	8	<350	<350	<350
October*	0									
November	2	<6	<6	<6	<6	6	<5	<350	<350	<350
December*										

NOTE: N = number of observations (samples)
$\bar{x}$ = arithmetic mean
max. = maximum individual sample concentration observed
min. = minimum individual sample concentration observed
Nominal values for the minimum detectable activity are listed in Appendix III
* = No sample collected
SI Unit Equivalent: 1 pCi/l = 0.037 Bq/l
20 pCi/l = 0.48 Bq/l

12/24

TABLE E-4
WATER SURVEILLANCE SUMMARY
MONTHLY COMPARISON DATA
BROOMFIELD*
1986 and 1987

Date	N	ALPHA (pCi/l) x̄	max.	min.	BETA (pCi/l) x̄	max.	min.	TRITIUM (pCi/l) x̄	max.	min.
1986										
December	5	<4	6	<3	<6	8	<5	<350	<350	<350
Annual Data	50	<4	11	<3	<5	8	<5	<354	488	350
1987										
January	4	<3	3	<3	<5	<6	<5	<350	<350	<350
February	4	<3	<3	<3	<5	<5	<5	<350	<350	<350
March	4	<3	4	<3	<5	5	<5	<350	<350	<350
April	5	<4	<4	<3	<5	6	<5	<443	858	<350
May	4	<4	<4	<3	<5	5	<5	<350	<350	<350
June	4	<5	7	<4	<6	10	<5	<350	<350	<350
July	5	<5	10	<4	<6	8	<5	<350	<350	<350
August	3	<4	<4	<4	<5	<5	<5	<350	<350	<350
September	5	<4	7	<3	<6	7	<5	<350	<350	<350
October	4	<5	7	<4	<5	7	<5	<350	<386	<350
November	4	<5	6	<4	<5	<6	<5	<350	<350	<350
December	5	<5	6	<4	<5	6	<5	<350	<350	<350

NOTE: N = number of observations (samples)
x̄ = arithmetic mean
* = Weekly composite
max. = maximum individual sample concentration observed
min. = minimum individual sample concentration observed
Nominal values for the minimum detectable activity are listed in Appendix III
SI Unit Equivalent: 1 pCi/l = 0.037 Bq/l
20 pCi/l = 0.48 Bq/l

TABLE E-5
WATER SURVEILLANCE SUMMARY
MONTHLY COMPARISON DATA
WOMAN CREEK AT INDIANA
1986 and 1987

Date	ALPHA (pCi/l)	BETA (pCi/l)	TRITIUM (pCi/l)
1986			
December	<3	<5	<350
Annual Data	<5	<5	<350
1987			
January	4 ± 3	<5	<350
February	<4	<5	<350
March	<4	<5	<350
April	<4	<5	<350
May	5 ± 3	6 ± 4	<350
June	5 ± 4	5 ± 4	<350
July	6 ± 4	5 ± 4	<350
August*			
September*			
October	8 ± 5	<6	<350
November	8 ± 4	<5	<350
December*			

NOTE: Error terms are based on the 2 sigma counting error for the single analysis.
Nominal values for the minimum detectable activity are listed in Appendix III.
* = No sample collected
SI unit equivalent: 1 pCi/l = 0.037 Bq/l
20 pCi/l = 0.74 Bq/l

13/24

TABLE E-6
WATER SURVEILLANCE SUMMARY
MONTHLY COMPARISON DATA
WESTMINSTER
1986 and 1987

Date	N	ALPHA (pCi/l) $\bar{x}$	max.	min.	BETA (pCi/l) $\bar{x}$	max.	min.	TRITIUM (pCi/l) $\bar{x}$	max.	min.
1986										
December	1	<3	<3	<3	<5	<5	<5	<350	<350	<350
Annual Data	24	<3	7	<3	<5	5	4	<350	<350	<350
1987										
January	2	<4	5	<3	<5	<5	<5	<350	<350	<350
February	2	<3	<3	<3	<5	<5	<5	<350	<350	<350
March	2	<3	3	<3	<5	<5	<5	<350	<350	<350
April	3	<4	4	<3	<6	8	<5	<519	856	<350
May	2	<3	<3	<3	<5	<5	<5	<350	<350	<350
June	2	<3	<3	<3	<5	<5	<5	<350	<350	<350
July	2	<3	<3	<3	5	<5	<5	<350	<350	<350
August	2	<3	<3	<3	<5	<5	<5	<350	<350	<350
September	3	<4	5	<3	<6	9	<5	<350	<350	<350
October	2	<5	6	<3	<5	5	<5	<350	<350	<350
November	2	<3	<3	<3	<5	5	<5	<350	<350	<350
December	1	<3	<3	<3	<5	<5	<5	<350	<350	<350

NOTE: N = number of observations (samples)
$\bar{x}$ = arithmetic mean
max. = maximum individual sample concentration observed
min. = minimum individual sample concentration observed
Nominal values for the minimum detectable activity are listed in Appendix III.
SI unit equivalent: 1 pCi/l = 0.037 Bq/l
20 pCi/l = 0.74 Bq/l

TABLE E-7
WATER SURVEILLANCE SUMMARY
MONTHLY COMPARISON DATA
ARVADA
1986 and 1987

Date	N	ALPHA (pCi/l)	BETA (pCi/l)	TRITIUM (pCi/l)
1986				
December		<2	<5	<350
Annual Data		<2	<5	<350
1987				
January		<2	<5	<350
February		<2	<5	<350
March		<2	<5	<350
April		2 ± 2	<5	907 ± 184
May		<3	<5	*
June		<2	<5	<350
July		<2	<5	<350
August		2 ± 2	<5	<350
September		<2	<5	<350
October		<2	<5	<350
November		<2	<5	<350
December	1	<2	<5	<350

NOTE: Error terms are based on the 2 sigma counting error for the single analysis.
Nominal values for the minimum detectable activity are listed in Appendix III.
* = No sample collected
SI unit equivalent: 1 pCi/l = 0.037 Bq/l
20 pCi/l = 0.74 Bq/l

15/24

TABLE E-8
WATER SURVEILLANCE SUMMARY
MONTHLY COMPARISON DATA
NORTH TABLE MOUNTAIN
1986 and 1987

Date	N	ALPHA (pCi/l)	BETA (pCi/l)	TRITIUM (pCi/l)
1986				
December		<2	<5	<350
Annual Data		<2	<5	<350
1987				
January		<2	<5	<350
February		<2	<5	<350
March		<2	5 ± 3	<350
April		3 ± 2	<5	976 ± 184
May		<3	<5	*
June		<3	<5	<350
July		<3	<5	<350
August		<2	<5	<350
September		<2	<5	<350
October		7 ± 3	5 ± 3	<350
November		8 ± 3	6 ± 3	<350
December	1	<2	<5	<350

NOTE: Error terms are based on the 2 sigma counting error for the single analysis.
Nominal values for the minimum detectable activity are listed in Appendix III.
* = No sample collected
SI unit equivalent: 1 pCi/l = 0.037 Bq/l
20 pCi/l = 0.74 Bq/l

16/24

TABLE E-9
WATER SURVEILLANCE SUMMARY
QUARTERLY COMPARISON DATA
BOULDER AND GOLDEN
1986 and 1987

Date	ALPHA (pCi/l)	BETA (pCi/l)	TRITIUM (pCi/l)
Boulder			
1986			
4th Q - 11/28/86	<2	<5	<350
Annual Data	<2	<5	<350
1987			
1st Q - 02/18/87	<2	<5	<350
2nd Q - 05/19/87	<3	<5	
3rd Q - 08/28/87	<2	<5	<350
4th Q - 11/06/87	<2	<5	<350
Golden			
1986			
4th Q - 11/19/86	<3	<5	<350
Annual Data	<3	<6	<367
1987			
1st Q - 01/21/87	<3	<5	<350
2nd Q - 05/13/87	<3	<5	
3rd Q - 07/21/87	<3	<5	<350
4th Q - 11/06/87	<3	<5	<350

NOTE: Error terms are based on the 2 sigma counting error for the single analysis.
Nominal values for the minimum detectable activity are listed in Appendix III.
* = No sample collected
SI unit equivalent: 1 pCi/l = 0.037 Bq/l
20 pCi/l = 0.74 Bq/l

17/24

TABLE F
PLUTONIUM AND TOTAL ALPHA
CONCENTRATIONS IN WATER
November 1987

Station	DATE Month/Day/QTR	$Pu^{239+240}$ (pCi/l)	Total Alpha (pCi/l)
Westminster	Nov 87	<0.003	<3

NOTE: The 95°/° confidence interval for total alpha analysis is propagated from the sample count and background counts. The 95°/° confidence interval for plutonium analysis is propagated from the sample count, the background count, the tracer count, the tracer background count, and the contribution of tracer progeny to the sample count. Nominal values for the minimum detectable activity are listed in Appendix III. The standard for general population exposure for soluble Pu is 1600 pCi/l.

18/24

TABLE G
NATURAL URANIUM AND TOTAL ALPHA
CONCENTRATIONS IN WATER
November 1987

Station	Date	URANIUM (ug/l)	URANIUM (pCi/l)	ALPHA (pCi/l)
Pond A3	11/30/87	<3	<2	<4
Pond A3	12/16/87	<3	<2	<4
Pond B3	Nov 87 Comp	<3	<2	<5
Walnut Creek	Nov 87 Comp	6.9	4.7	<6
Broomfield	Nov 87 Comp	<3	<2	<5
	Nov 87 Comp	<3	<2	<3
Westminster	12/09/87	<3	<2	<3

NOTE: Total Alpha error terms are based on the 2 sigma counting error for the single analysis. Nominal values for the minimum detectable activity are listed in Appendix III.

19/24

APPENDIX I
ROCKY FLATS PLANT AIR SURVEILLANCE
STATION IDENTIFICATION

On-Site (Security)	Location
D - 1	Rocky Flats Plant, Eastern perimeter at the security fence, North to south
D - 2	
D - 3	
D - 4	

On-Site (Perimeter	
D - 5	SE Rocky Flats Plant, Plant Boundary
D - 6	NE
D - 7	N
D - 8	NW

Off-Site (Metro)	
BROOMFIELD	Garden Office Center
ADAMS CITY	4301 East 72nd Avenue
ARVADA	8101 Ralston Road
AURORA	1633 Florence Street
BOULDER	13th & Spruce
DENVER	414 - 14th Street
ENGLEWOOD	4857 South Broadway
GOLDEN	911 - 10th Street
LAKEWOOD	260 South Kipling

Off-Site (Remote)	
DURANGO	Fire Station
LAMAR	Power Plant
LEADVILLE	510 Harrison Avenue
STERLING	3rd & Ash Street

Colorado Department of Health - Radiation Control Division
Rev 4/87

APPENDIX II

MAXIMUM PERMISSIBLE CONCENTRADIONS OF RADIONUCLIDES IN EFFLUENT AIR AND WATER RELEASED TO UNCONTROLLED AREAS

The maximum permissible concentrations (MPCs) below are based on recommendations of the International Commission on Radiological Protection (ICRP), the National Council on Radiation Protection (NCRP) and the Federal Radiation Council (FRC). These recommendations are incorporated in the regulations of the Colorado Department of Health and those of the Nuclear Regulatory Commission. The levels stated are those relating to general population exposures to radionuclides in effluent air and water.[1]

	Chemical Form	
Air	Insoluble (pCi/m^3)	Soluble (pCi/m^3)
Unidentified radionuclides[2]	0.007	0.007
Unidentified radionuclides[3]	33	33
Americium-241	1.3	0.066
Carbon-14	330,000	100,000
Cerium-141	1,600	6,600
Cerium-144	66	100
Cesium-137	33,000	130,000
Cobalt-60	100	3,300
Hydrogen-3 (Tritium)	66,000	66,000
Iodine-129	660	6.6
Iodine-131	3,300	33
Krypton-85	100,000	100,000
Lead-210	2.6	1.3
Niobium-95	1,000	6,600
Plutonium-238	0.33	0.023
Plutonium-239	0.33	0.020
Polonium-210	2.3	6.6
Radium-226	0.66	1.0
Radon-220	-	3,300
Ruthenium-103	1,000	6,600
Ruthenium-106	66	1,000
Strontium-90	66	10
Uranium-Natural	1.6	1.6
Xenon-133	100,000	100,000
Yttrium-91	330	330
Zinc-65	660	1,300
Zirconium-95	330	1,300

Water	Insoluble (pCi/l)	Soluble (pCi/l)
Unidentified radionuclides[2]	10	10
Unidentified radionuclides[3]	1,000	1,000
Americium-241	10,000	1,300
Carbon-14	-	260,000
Cerium-141	30,000	30,000
Cerium-144	3,300	3,300
Cesium-137	13,000	6,600
Cobalt-60	10,000	16,000
Hydrogen-3 (Tritium)	1,000,000	1,000,000
Iodine-129	66,000	20
Iodine-131	20,000	100
Lead-210	66,000	33
Niobium-95	33,000	33,000
Plutonium-238	10,000	1,600
Plutonium-239	10,000	1,600
Polonium-210	10,000	230
Radium-226	10,000	10
Ruthenium-103	26,000	26,000
Ruthenium-106	3,300	3,300
Strontium-90	13,000	100
Uranium-Natural	10,000	10,000
Yttrium-91	10,000	10,000
Zinc-65	66,000	33,000
Zirconium-95	20,000	20,000

1. Concentrations may be averaged over a period not greater than a year.
2. Any single radionuclide which decays by alpha emission or spontaneous fission.
3. Any single radionuclide with a decay mode other than alpha emission or spontaneous fission and with a radioactive half-life greater than 2 hours.

MAXIMUM CONTAMINANT LEVELS FOR RADIUM-226, RADIUM-228, AND GROSS ALPHA PARTICLE ACTIVITY IN COMMUNITY WATER SYSTEMS

The following are the maximum contaminant levels for radium-226, radium-228, and gross alpha particle activity in community water systems:

a. combined radium-226 and radium-228 -- 5 pCi/l

b. gross alpha particle activity (including radium-226 but excluding radon and uranium) -- 15 pCi/l.

MAXIMUM CONTAMINANT LEVELS FOR BETA PARTICLE AND PHOTON RADIOACTIVITY FROM MAN-MADE RADIONUCLIDES IN COMMUNITY WATER SYSTEMS

The average annual concentration of beta particle and photon radioactivity from man-made radionuclides in drinking water provided by community water systems shall not produce an annual dose equivalent to the total body of any internal organ greater than 4 mrem/year.

Except for the radionuclides listed below, the concentration of man-made radionuclides causing 4 mrem total body or organ dose equivalents shall be calculated on the basis of a 2 liter per day drinking water intake using the 168 hour data listed in "Maximum Permissible Body Burden and Maximum Permissible Concentration of Radionuclides in Air or Water for Occupational Exposure", NBS Handbook 69 as amended August 1963, U.S. Department of Commerce. If two or more radionuclides are present, the sum of their annual dose equivalent to the total body or to any organ shall not exceed 4 mrem/year.

AVERAGE ANNUAL CONCENTRATIONS OF RADIONUCLIDES ASSUMED TO PRODUCE A TOTAL BODY OR ORGAN DOSE OF 4 mrem/YEAR.

Radionuclide	Critical Organ	pCi per liter
tritium	total body	20,000
strontium-90	bone marrow	8

APPENDIX III
LIMITS OF SENSITIVITY

Lower limits of detection (LLD's) are based on the U.S.A.E.C. Health and Safety Laboratory Procedures Manual (HASL-300, 1972).

The calculated LLD will be reported based upon actual measurement when they are available. Otherwise the following LLD will be reported, which are based upon nominal (average) measurements.

A. WATER ANALYSIS

1.	Gross alpha	7.0	pCi/L
2.	Gross beta	6.0	pCi/L
3.	Plutonium-239	0.02	pCi/L
4.	Tritium	350.0	pCi/L

B. AIR ANALYSIS

1. Gross alpha (uncorrected to density thickness)		
Individual samples		
APC stations (1500 m^3)	.007	pCi/m^3
D-x stations (3000 m^3)	.004	pCi/m^3
2. Gross beta (uncorrected to density thickness)		
Individual samples		
APC stations (1500 m^3)	.05	pCi/m^3
D-x stations (3000 m^3)	.03	pCi/m^3
3. Plutonium-239		
Individual samples (using 1/4 sample)		
APC stations (1500 m^3)	.00019	pCi/m^3
D-x stations (3000 m^3)	.00009	pCi/m^3
Monthly composites (using 1 inch^2 per sample)		
APC stations (1500 m^3/sample x 8 samples)	.00037	pCi/m^3
D-x stations (3000 m^3/sample x 13 samples)	.00011	pCi/m^3
Quarterly composites (using 1 inch^2 per sample)		
APC stations (1500 m^3/sample x 23 samples)	.00013	pCi/m^3

C. SOIL ANALYSIS

1. Plutonium - 239	0.08 pCi/gm	.18 dpm/gm

A "lower detection limit" for fluorometric uranium analysis is reported by the Water Quality Laboratory as 3 μg/L, or 2 pCi/L at isotopic equilibrium, and is defined as "three times background".

COLORADO DEPARTMENT OF HEALTH
Radiation Control Division/Radiation Counting Facility
Rev. 1/84