

Meeting Minutes

Subject: Facility Disposition RFCA Standard Operating Protocol

Date: May 2, 2000

Location: Building 060, RFETS

Attendees: Steve Gunderson, Mary Harlow, John Marlal, Fred Gerdeman, Jeff Stevens, Dyan Foss, John Corsi, there were two other members of the public and two additional DOE persons at the meeting

Objective of the Meeting: To let the public know how their comments were addressed in the revised RSOP and to give them an advanced copy of the RSOP

Meeting was chaired by: Jeff Stevens

File: Administrative Record

The meeting was informal and the issues raised at last meeting were discussed with open discussion and questions. The following is a summary of the items discussed:

- **RSOP Schedule.** Draft will be formally transmitted to the LRA by 5/5. Draft will be in the formal public review 14 days after transmittal to the LRA
- **Level of detail in the document.** No changes have been made to the RSOP. It was felt after the last meeting that everyone thought the RSOP contained adequate detail given the IWCP packages and the development of the project-specific Demolition Plan.
- **Transition between Environmental Restoration (ER) and Decommissioning.** A new section has been added with a table that addresses the ER transition and surface and groundwater issues. This section starts on page 8.
- **There were questions regarding how work is conducted at RFETS, particularly for work control.** No changes were made to the RSOP – we felt the discussion we had adequately addressed the concerns.
- **There were concerns that the Type 3 buildings were being considered the same as the Types 1 and 2 buildings.** No changes were made to the RSOP – we felt the discussion we had adequately addressed the concerns.
- **The State and EPA indicated that they are not comfortable with using the RSOP for the demolition of contaminated buildings.** Contaminated demolition has been removed from the RSOP.
- **There were concerns expressed about the use of explosives.** Some additional language has been added to this section. A requirement has been added for public briefings when and if explosives are used – see Pages 16 and 17.
- **A discussion was held on the implementation of the RSOP and the continued regulator and public involvement.** Ed Kray and Mark Aguilar agreed they would develop what they would need to be more comfortable with the RSOP process.



ADMIN RECORD

SW-A-004034

Additional language has been added throughout the document, but the bulk of the language is contained in Section 7.1, starts on page 35.

- **A discussion was held on the disposition of facilities to at least 3 feet below grade and the potential surface and groundwater impacts.** No modification were made to the document about the 3 feet below grade, but a table on surface water and groundwater was added to Page 11.