NOTICE

All drawings located at the end of the document.

02-RF-00448

KAISER·HILL
COMPANY

Third Quarter RFCA Groundwater Monitoring Report for Calendar Year 2001

Rocky Flats Environmental Technology Site

Safe Sites
OF COLORADO, LLC
ROCKY FLATS ENVIRONMENTAL TECHNOLOGY SITE

February 2002

Environmental Media Management
Rocky Flats Environmental Technology Site

ADMIN RECORD

Review Exemption: CEX-105-01

1/354

SW-A-004478

02-RF-00448

Third Quarter RFCA Groundwater Monitoring Report for Calendar Year 2001

Rocky Flats Environmental Technology Site

Kaiser-Hill, L.L.C.

Review Exemption: CEX-105-01

February 2002

TABLE OF CONTENTS

EXECUTIVE SUMMARY ES-1

ACRONYM LIST 1-1

1.0 INTRODUCTION 1-2

2.0 METHODS 2-1

3.0 RESULTS 3-1

3.1 TIER I REPORTABLE RESULTS 3-1

3.2 TIER II REPORTABLE RESULTS 3-1

Table 3-1 RFCA Groundwater Monitoring Locations and Sample Collection Summary, Third Quarter, 2001 3-1
Table 3-2 Third Quarter, 2001 Groundwater Sample Comparisons With Tier II Action Levels and IMP Reportable Result Criteria 3-1

4.0 REQUIRED ACTIONS 4-1

5.0 REFERENCES 5-1

6.0 FIGURES 6-1

Figure 1A RFCA 3rd Quarter, 2001 Groundwater Monitoring Locations-Site Map 6-2
Figure 1B RFCA 3rd Quarter, 2001 Groundwater Monitoring Locations-Industrial Area 6-3
Figure 1C RFCA 3rd Quarter, 2001 Groundwater Monitoring Loc.-700 Area Detail 6-4
Figures 2-1 to 2-88 Trend Plots For Selected Analytes and Locations ..... 6-5 to 6-34

7.0 GROUNDWATER DATA QUALITY ASSESSMENT – GENERAL INTRODUCTION 7-1
DISCUSSION OF ANALYTE GROUPS
7.1 METALS 7-4

7.2 RADIONUCLIDES 7-6

7.3 VOLATILE ORGANIC COMPOUNDS 7-8

7.4 WATER QUALITY PARAMETERS 7-11

7.5 POLYCHLORINATED BIPHENYLS 7-13

Table 7-1 Relative Percent Differences and Duplicate Error Ratio for Groundwater 7-16
Table 7-2 Summary of RPD and DER Results 7-20
Table 7-3 Contract Required Detection Limits for Groundwater Analytes 7-21
Table 7-4 Matrix Spike Recovery for VOC – Metal – WQP Samples 7-24
Table 7-5 Lab Control Sample Recovery for Radionuclides 7-57
Table 7-6 Equipment Rinsate Results 7-59
Table 7-7 RFCA Groundwater Monitoring Sample Comparison: Real Vs Required 7-73
Table 7-8 Summary of Validation/Verification Completeness for Third Quarter, 2001 7-74

EXECUTIVE SUMMARY

This report contains results of Integrated Monitoring Plan required groundwater monitoring for the third calendar quarter of 2001. Emphasis is placed throughout the presentation on features that are different or noteworthy compared to previous monitoring reports.

The report is organized into seven sections. Section 1 discusses any changes made since the preceding report. Section 2 gives a general overview of sampling for the quarter, data availability and manipulation, procedures and definition of well classes. Results for individual wells and Tier I and Tier II reportable occurrences are presented in Section 3. Required actions based on the current findings and completed actions from previous reports are given in Section 4. References appear in Section 5 and Maps and Trend Plots in Section 6. Quality Assurance issues are discussed in general and specifically with respect to analyte groups in Section 7. Finally, the data for the quarter is presented in the four Appendices.

The Groundwater Program changed from "CLP-SOW" test method nomenclature to EPA 600 for metals analysis. The technique has not changed only the name for the technique and therefore preceding and current analyses are comparable.

Groundwater sampling for the Third Quarter, 2001 included 116 locations. Of these, 15 locations were completely dry and a further 15 yielded only enough water to collect a partial analytical suite.

There were no reportable results greater than Tier I Action Levels.

In the Third Quarter, there were 14 reportable results greater than Tier II Action Levels. There were three reportable results from three Boundary wells, one from a Drainage well, six from five Plume Extent Wells and four from one RCRA well. Based on the sampling results for the quarter, monthly samples for nitrate/nitrite will be collected from Plume Extent well 02197 and for plutonium-239/240 from Plume Extent well 23096.

Acronym List

ACCU	Acculab Inc. (Laboratory), Lakewood, Colorado
ALF	Action Level Framework
Background M2SD	Background mean plus 2 standard deviations (calculated on a site wide basis)
BOA	Basic Ordering Agreement
CAS	Chemical Abstract Service (Assigns a number used to identify analytes that may have multiple common names. The registry number is called a "CAS Number".)
CDPHE	Colorado Department of Public Health and Environment
CLP	Contract Laboratory Program (or Procedure)
CRDL	Contract Required Detection Limit
D&D	Decontamination and Decommissioning
DER	Duplicate Error Ratio (calculated for real/duplicate radionuclide analyses)
DOE	United States Department of Energy
EPA	United States Environmental Protection Agency
GEL	General Engineering Labs Inc., Charleston, South Carolina
Historic M2SD	Historic mean plus 2 standard deviations (calculated on a per well basis)
IHSS	Individual Hazardous Substance Site
IMP	Integrated Monitoring Plan
KH	Kaiser-Hill, LLC
KH-ASD	Kaiser-Hill – Analytical Services Division (Receives data from laboratories, checks it and enters it into the Soil Water Database)
LVLI	New name for RECRL laboratory, Lionsville Laboratory, Inc.
MCL	Maximum Contaminant Level
µg/l or UG/L	microgram per liter
mg/l or MG/L	milligram per liter
PARA	Paragon Analytics, Inc. (Laboratory), Fort Collins, Colorado
PARCC	Precision, Accuracy, Representativeness, Comparability and Completeness
PCB	Polychlorinated Biphenyl
pCi/l or PCI/L	picocurie per liter
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
RECRL	RECRA Environmental Inc. (Laboratory), Lionsville, Pennsylvania
RFCA	Rocky Flats Cleanup Agreement
RFETS	Rocky Flats Environmental Technology Site
RMRS	Rocky Mountain Remediation Services, LLC
RPD	Relative Percent Difference (calculated for non-radionuclide real/duplicate analyses)
SCA	Sanford Cohen & Associates Laboratory, Montgomery, Alabama
SOP	Standard Operating Procedure
SOW	Statement of Work
SWLO	Southwest Laboratory of Oklahoma
s.l.	"sensu lato" – refers to a general case
s.s.	"sensu stricto" – refers to a specific case
SWD	Soil Water Database
TRPH	Total Recoverable Petroleum Hydrocarbon
TDS	Total Dissolved Solids
Tier I	Analyte specific action level originally defined by RFCA, updated by IMP
Tier II	10^{-2} of Tier I
TPU	Total Propagated Error
TSS	Total Suspended Solids
VOC	Volatile Organic Compound

1.0 INTRODUCTION

This report is required by Section 3.4.B of Attachment 5 of the Final Rocky Flats Cleanup Agreement (RFCA) (EPA, CDPHE, DOE, 1996) and is described in the Integrated Monitoring Plan (IMP) (DOE, 2000).

The DOE/K-H/SSOC* team has completed evaluation of Third Quarter (July, August, September) 2001 groundwater analytical data using groundwater action level criteria as described in RFCA Attachment 5 (Kaiser-Hill, 2000). The sampling for the Third Quarter of 2001 reflects the approval of the monitoring well list (CDPHE, Nov. 1996 and EPA, Nov. 1996) and the establishment of semi-annual sampling frequencies. Therefore, only a portion of the RFCA monitoring wells are sampled and reported each quarter. The remainder will be sampled in the following quarter as site conditions allow. RFCA groundwater monitoring locations and sump/drain locations (see below) are included in this report. The locations sampled during the Third Quarter, 2001 are listed in Table 3-1. The locations of the sampled sites are shown in Figures 1A, 1B and 1C. Figure 1A gives an overall view of the majority of the Rocky Flats Environmental Technology Site. Figure 1B focuses on just the Industrial Area and Figure 1C focuses on the 700 Buildings area. Plume outlines portrayed on Figures 1A-1C have been updated to the most recent derived from the Final 2000 Annual RFCA Groundwater Monitoring Report (SSOC, 2001a).

[*Rocky Mountain Remediation Services, LLC (RMRS), a sister company of Safe Sites of Colorado, LLC (SSOC), was merged with Safe Sites on October 1, 2001, consequently Safe Sites will now be referenced in this and future documents.]

During the Third Quarter 2001 sampling of Decontamination and Decommissioning wells 37101, 37201, 37301, 37401, 37501, 37601, and 37701 was initiated. These wells form a ring surrounding Buildings 371 and 374. In addition to monitoring wells cited in this report six other locations are included: B371BAS and B371SUBBAS, 891COLWEL, SW13494, SW099, and SW100. B371BAS and B371SUBBAS are footing drains collecting water from Buildings 371 and 374. 891COLWEL is a pump equipped collection well that gets its water from the 881 Hillside above the former French Drain. (The French Drain was decommissioned during the summer of 2000 and 891COLGAL the collection gallery for the French Drain has been eliminated as a sampling location.) Location SW13494 is a sump for the footing drain system of the 881 Building; it also is located on the 881 Hillside. Surface water locations SW099 and SW100 are collection boxes associated with the groundwater intercept system for the Present Sanitary Landfill.

In this report wells 01097, 01497, 02097, 11791 and 70693 are being added to the Integrated Monitoring Plan (IMP) (DOE, 2000) as Plume Degradation wells. Wells 01097, 01497, 02097 and 70693 monitor the PU&D Yard and Present Sanitary Landfill areas. Well 11791 monitors below the 903 Pad and Ryan's Pit. This was to be the last quarter for sampling at well 02197 because it was going to be removed from the IMP sampling list. However, the presence of reportable nitrate/nitrite in the well water, recorded here, necessitates a series of monthly nitrate/nitrite samples before the well can be removed from the IMP list.

Unfortunately, a change in nomenclature for metal analyses was not mentioned in the Second Quarter 2001 Groundwater Monitoring Report (SSOC, 2001b). Previously, the stipulated Test Method in the Soil-Water Database (SWD) for dissolved and total metals was listed as "CLP-SOW", an abbreviation for Contract Laboratory Program-Statement of Work. On the advice of the Kaiser-Hill Analytical Services Division (KH-ASD) the nomenclature for the Test Method was changed to EPA 600. KH-ASD pointed out that "CLP-SOW" was a name for a group of procedures that include EPA

10

600. Within the "CLP-SOW" program, the analyst is directed to use EPA 600 methods for metals (there are specific EPA 600 techniques depending on the analytical suite). It was felt that the EPA 600 nomenclature was more appropriate and informative name for the Test Method. Because the actual analytical technique has not been changed, just the name that is entered into the Soil-Water Database, past and future analytical results will remain comparable.

As discussed in the Second Quarter 2001 Groundwater Monitoring report the technique for the analysis of Volatile Organic Compounds was changed from EPA 524.2 Drinking Water to EPA SW-846, 8260 (Low Level) method. The SW-846 method requires (as EPA 524.2 does not) a pre-screening analytical run that should help laboratories determine appropriate levels of dilution when needed. The list of analytes for SW-846 includes all analytes in the EPA 524.2 list with the addition of (detection limits in parentheses in μg/l) 1,1,2-trichloro-1,2,2-trifluoroethane (1), acetone (10), carbon disulfide (1), 2-butanone (10), 2-hexanone (10), and 4-methyl-2-pentanone (10). Detection limits for all remaining compounds are unchanged (= 1 μg/l) including the RFETS contaminants of concern (vinyl chloride, 1,1-dichloroethene, methylene chloride, carbon tetrachloride, cis-1,2-dichloroethene, chloroform, 1,1,1-trichloroethane, trichloroethene and tetrachloroethene). Because both the EPA 524.2 and SW-846 methods use gas chromatography as the basic method, and detection limits have not changed, results gathered using either method should be comparable.

2.0 METHODS

The Groundwater Monitoring program attempted to collect 811 samples in the Third Quarter of 2001 under the Integrated Monitoring Plan (IMP) (DOE, 2000). Because of dry wells and wells with insufficient water, only 642 requests for analysis were actually sent out. There were 94 uncollected samples related to dry wells and 75 related to insufficient water.

By the beginning of February 2001, approximately 90% of the Third Quarter results (10741 records) were available electronically from the Soil-Water Database (SWD). The remaining 10% (713 records) became available within the next two weeks. Except for dissolved gas (33 records) and two cesium-137 analyses it was not necessary to manually compile data from the laboratory report packages. Results for all analyses that were sent out have been returned. A significant proportion of the quality control data for the quarter such as validation/verification and matrix spike information was also only entered in the first two weeks of February. Some accessory data may still be outstanding, see discussion in the next paragraph.

Data entry into SWD and its use in this report was complicated by the failure of one laboratory to meet its contractual obligations for accurate record keeping and reporting. (The analytical results provided by the laboratory are consistent with previous analyses so their analytical technique is not being questioned.) The Groundwater Program stopped sending samples to this laboratory late in the Third Quarter 2001 as soon as it was realized that the laboratory was not performing adequately.

The analytical data are evaluated and classified in the following manner.

- Analytical results are uploaded from SWD into a local MS Access database maintained by the groundwater group.
- Data are examined for their presence/absence and consistency. Duplications and mismatches are excluded.
- Field and laboratory QC data are identified for use in the data quality assessment section (Sec. 7.0) using a Rocky Mountain Remediation Services (RMRS) document: Quality Assurance Program Plan For The Groundwater Monitoring Program Rocky Flats Environmental Technology Site, February 5, 2001 (RMRS, 2001a).
- Results for all analytes are screened against Tier I and Tier II Action Level Framework (ALF) criteria except for non-detection results (with a "U" laboratory qualifier) or those results rejected in validation/verification (R/R1's).
- Results from Boundary, Drainage, Plume Definition, Plume Extent and downgradient RCRA wells are then classified as reportable or non-reportable. Methods for making these determinations are given in the following bulleted paragraph. Criteria for the determinations are given in the discussion of the IMP Well Classes.
- Plume Degradation and all upgradient and downgradient RCRA wells are evaluated in the Annual Groundwater reports. Performance monitoring wells although screened against the ALF criteria are not subject to the reportable/non-reportable classification. Analytical baseline values for Decontamination and Decommissioning wells have not been determined at this time.

Calculated ratios between the analytical result and Tier II Action Level, Background M2SD and Historic M2SD are used to identify IMP reportable results as described in the IMP Well Class descriptions. (Here M2SD = Mean + 2 Standard Deviations.)

- The Historic M2SD is calculated and displayed for wells with 5 or more sampling events collected during the years 1991 to 1995. To calculate the Historic M2SDs data are extracted directly from the SWD and/or the local groundwater database.

- Where no Historic M2SD for an analyte in a well is available an evaluation of the concentration of the analyte over time is made by visual inspection of the associated trend plot if four or more data points are available.
- Because Volatile Organic Compounds and Polychlorinated Biphenyls have zero background concentration they are simply compared to available 1991-1995 Historic M2SDs.
- Results for Metals, Radionuclides and Water Quality Parameters have had background values established and therefore, where ALF values have been exceeded, are compared with the site-wide Background M2SD values and 1991-1995 well-specific Historic M2SD values.
- Background M2SD values for Metals, Water Quality Parameters, tritium and strontium-89/90 are taken from the Background Geochemical Characterization Report (DOE, 1993).
- Background M2SD values for americium-241, plutonium-239/240, uranium-233/234, uranium-235, and uranium-238 are taken from the Draft Background Comparison for Radionuclides in Groundwater Report (DOE, 1997). Background values for cesium-137 and neptunium-237 have not been determined.

Table 3-2 represents a summary of results that are equal to or exceed Tier II action levels. Table 3-2 is used to evaluate the reportable and non-reportable results via the Tier II, Background and Historic Ratios as described above and to help select analytes and wells which are of interest for site cleanup but which may not be reportable under IMP criteria. Trend plots for reportable occurrences and selected analytes appearing in Table 3-2 can be found in Section 6, Figure 2. A trend plot is not presented if there are less than four data points.

For a given IMP Well Class, determination of whether a result is reportable or non-reportable is as follows.

Integrated Monitoring Plan (IMP) Well Class Definitions

The groundwater monitoring network, as defined in the IMP (DOE, 2000), contains eight categories of monitoring wells. The decision rule sequence presented in the IMP was followed for determining Tier I and II reportable results. The well types and decision rules are defined below:

Plume Definition Monitoring Wells: These wells are located within known contaminant plumes and are above Tier II action levels, but are below the Tier I action levels established in the ALF. A reportable result occurs when a measured concentration exceeds a Tier I action level and the Background M2SD value. The required action is to reclassify as a Tier I reportable result well and review historic data for the well to determine if it has been prioritized for remediation/evaluation based on possible impacts to surface water. If data show an increasing trend over a two-year period, or the well has not been previously prioritized for remediation then update the priority for remediation/evaluation.

Plume Extent Monitoring Wells: These wells are located at the edges of known groundwater-contaminant plumes, along pathways to surface water. These wells monitor for an increase in concentrations that may result in future impacts to surface water. A reportable result occurs if a measured concentration exceeds a Tier II action level and the Background M2SD value. When there are no previous historic reportable results, or when a value exceeds the Historic M2SD concentration in the well, the required action is to initiate monthly sampling. If action levels are exceeded for three consecutive months, by the above criteria, then appropriate parties are notified and the possible impacts to surface water are evaluated.

Drainage Monitoring Wells: These wells are located in stream drainages, downgradient of contaminant plumes. They have the same programmatic requirements as Plume Extent wells under

13

the IMP. A reportable result occurs if a measured concentration exceeds a Tier II action level and the Background M2SD value. When there are no historic reportable results, or a value exceeds the M2SD of the Historic concentration in the well when there have been historic reportable results of Tier II action levels, the required action is to initiate monthly sampling. If action levels are exceeded for three consecutive months, by the above criteria, then appropriate parties are notified and the possible impacts to surface water are evaluated.

Boundary Monitoring Wells: These wells monitor ground water leaving the eastern Site boundary through the stream drainage channels. A reportable result occurs if a measured concentration exceeds a Tier II action level and the Background M2SD value. When there are no historic reportable results, or a value exceeds the M2SD of the Historic concentration in the well when there have been historic reportable results of Tier II action levels, the required action is to initiate monthly sampling. If action levels are exceeded for three consecutive months, by the above criteria, then appropriate parties are notified and the possible impacts to surface water are evaluated.

D&D Monitoring Wells: These wells monitor for releases to groundwater from decontamination and decommissioning (D&D) activities. A reportable result occurs when a measured concentration exceeds the M2SD of the established Historic-Baseline concentration downgradient of the building(s). The required action is to inform appropriate parties and initiate an evaluation of the situation.

Performance Monitoring Wells: These wells monitor the effect of a remediation or source removal action, as required in the ALF. If an increasing trend in the concentration of a contaminant is noted, then the appropriate parties are notified and an evaluation of the situation is initiated.

RCRA Monitoring Wells: These wells monitor downgradient groundwater-contaminant concentrations at RCRA units. If the mean concentration of a contaminant in a downgradient well exceeds the mean concentration in upgradient wells and concentrations at the well show an upward trend with time, a report will be made to appropriate agencies and an investigation will be initiated to determine possible causes. This evaluation will be performed in the annual RFETS RFCA Groundwater Monitoring Report.

For the purposes of the quarterly reports, analytical results from downgradient RCRA wells will be treated in the same manner as Plume Extent wells. A reportable result for a RCRA well occurs if a measured concentration exceeds a Tier II action level and the Background M2SD value. When there are no historic reportable results, or a value exceeds the M2SD of the Historic concentration in the well when there have been historic reportable results of Tier II action levels, the required action is to initiate monthly sampling. If action levels are exceeded for three consecutive months, by the above criteria, then appropriate parties are notified and the possible impacts to surface water are evaluated. As noted above a review of the relative concentrations of upgradient and downgradient wells will be performed in an annual report.

Plume Degradation Monitoring Wells: These wells are located either in downgradient areas that may be contaminated from a specific source or in associated upgradient areas. Data will be reviewed annually to determine if sufficient data have been collected to support remedial decision making. Upon collection of sufficient data, an evaluation will be performed to establish inputs to the remedial conceptual model.

3.0 RESULTS

One hundred and sixteen locations were visited in order to collect groundwater samples during the Third Quarter, 2001. Of the wells visited 15 were completely dry and 15 wells yielded only enough water to collect a partial analytical suite. Table 3-1 summarizes data collection activities for the Third Quarter of 2001. All sample results for the Third Quarter have been received as of this writing.

Data features of particular interest under RFCA are presented in Table 3-2 and are summarized in the following discussion. Figures 1A, 1B and 1C illustrate the location of major plume boundaries relative to monitoring locations. Locations found to have reportable results for Tier I or Tier II action level criteria are noted. Historic trend plots are shown for selected wells with analyte concentrations above Tier I or Tier II Action Levels (Figures 2-1 to 2-88). Other illustrated trends include organic compounds with concentrations exceeding Tier II Action Levels, and for any inorganic analytes with concentrations exceeding Tier II Action Levels and Background M2SDs. The RFCA (EPA, CDPHE, DOE, 1996) requires that this information be reported quarterly.

3.1 TIER I REPORTABLE RESULTS

There were no reportable Tier I results recorded during the Third Quarter 2001.

3.2 TIER II REPORTABLE RESULTS

Boundary Wells: Six Boundary wells were visited during the Third Quarter 2001. All six wells provided samples and only one (06491) of the six had insufficient water for collection of a complete sampling suite. From the six Boundary wells there were three reportable results from three different wells.

Boundary wells 0386, 10394 and 41691 had uranium isotopes at levels higher than Tier II Action Levels. These results are not reportable. The isotopes in these wells were all below their established Background M2SDs (Mean + 2 Standard Deviations, see Table 3-2).

Boundary well 06491 also had uranium-233/234, uranium-235 and uranium-238 that were above Tier II Levels. The uranium-235 is reportable because its activity was above the Background M2SD (Figure 2-86). Because the uranium-235 was below its Historic M2SD, no additional sampling is required. Both uranium-233/234 and uranium-238 were below Background M2SDs so they are not reportable.

Boundary well 10294 contained sulfate that is reportable and uranium isotopes that are not. The sulfate was above the Tier II Action Level and its Background M2SD and is therefore reportable (Figure 2-81). Because the sulfate concentration was below its Historic M2SD, no additional sampling is needed. The three uranium isotopes were above Tier II Levels but below their Background M2SDs and are therefore not reportable.

Boundary well 41591 contained nickel that is reportable and uranium-233/234 and uranium-238 that are not. The nickel concentration was above Tier II, its Background M2SD and its Historic M2SD (Figure 2-57). Because monthly samples were collected in the Third Quarter 2000, further metals sampling at the well is not required. The uranium-233/234 and uranium-238 were above Tier II Action Levels but below their Background M2SDs, so no added sampling is needed.

Decontamination & Decommissioning Locations: Thirty-six D&D locations were visited in the Third Quarter, 2001. Eight wells (20998, 40599, 40699, 40799, 40999, 41499, 41599, and P317989) contained only enough water for collection of partial sample suites and one well (40899) was dry. Seven locations had no analytes above Tier II Action Levels (10498, 18199, 37101, 40399, 40599, 40799 and 41599). Twenty-eight locations contained analytes that exceeded the Tier II Action Levels, these are discussed below. Note: In the Third Quarter, well 18199 was sampled as a D&D (Building 771) location, no VOC sample was collected, this is why the well is listed with wells having no contamination. D&D locations have not had baselines established for analyte concentrations at this time so criteria for classifying them as non-reportable or reportable have not been established.

The following D&D wells, 10098, 10198, 10298, 10398 and 10598, all monitor the Building 123 pad.

Decontamination and Decommissioning well 10098 contained uranium-233/234 and uranium-238 that were above Tier II Action Levels but well below Background M2SDs. Well 10098 will be sampled again in the First Quarter 2002.

Decontamination and Decommissioning well 10198 exhibited cesium-137 activity that was above the Tier II Action Level. This is only the second cesium sample collected from well 10198 due to a limited supply of water. The following table gives the results from the two sampling events. Well 10198 will be sampled again in the First Quarter 2002.

Date	Result	2 Sigma Error	Units	Tier II	Detect Limit	Lab Qualifier	Valid-ation	QC Type	Result Type
1/24/01	1.04	2.47	pCi/L	1.51	4.33	U	V1	Real	TR1
7/13/01	1.84	4.36	pCi/L	1.51	7.33		V	Real	TR1

Decontamination and Decommissioning well 10298 had a nitrate/nitrite result returned that was above the Tier II Action Level and the site Background M2SD. The concentration of nitrate/nitrite in 10298 has been increasing since the inception of sampling in 1998 (Figure 2-75). Well 10298 will be sampled again in the First Quarter 2002.

Decontamination and Decommissioning well 10398 exhibited thallium and uraniun-233/234 that were above Tier II Action Levels but below the site Background M2SDs. The result reported here is the first thallium concentration that is both a detection and above the Tier II Level (Figure 2-70). This result was verified as an estimate at an elevated detection level because the thallium value was less than the required detection limit in the calibration blank verification. Well 10398 will be sampled again in the First Quarter 2002.

Decontamination and Decommissioning well 10598 contained cesium-137 at an activity level that was above the Tier II Action Level (Figure 2-83). Because this result was qualified by the laboratory as a non-detection it technically should not be listed in Table 3-2. However, it was included and discussed here because of the cesium-137 detection that was present in the First Quarter 2001 sampling round. The current result illustrates that the cesium-137 activity has decreased from that of the First Quarter. Well 10598 will be sampled again in the First Quarter 2002.

The following D&D wells and locations, 37201, 37301, 37401, 37501, 37601, 37701, B371BAS and B371SUBBAS all monitor the area around Buildings 371 and 374. This is the first time that the wells in this group of D&D locations have been sampled.

Decontamination and Decommissioning locations 37201, 37401, 37601, 37701, B371BAS and B371SUBBAS all contained uranium-233/234 and uranium-238 that were above Tier II Action Levels and below (generally well below) the Background M2SDs. These locations will be sampled again in the First Quarter 2002.

Decontamination and Decommissioning well 37301 contained barium and manganese that were above Tier II Action Levels and Background M2SDs. These results are the first derived from sampling at this well. Well 37301 will next be sampled in the First Quarter 2002.

Decontamination and Decommissioning well 37501 also contained barium that was above Tier II Action Level and Background M2SD. This result is also the first derived from sampling at this well which be sampled again in the First Quarter 2002.

Building 444 is monitored by the following D&D wells: 40099, 40199, 40299, 40499, 41299 and P419689. Because there are no 1991-1995 historic result for the 400-series wells, concentrations over time are characterized by inspection of the trend plots.

Decontamination and Decommissioning well 40099 had concentrations of 1,1-dichloroethene, cis-1,2-dichloroethene, tetrachloroethene and trichloroethene that were above Tier II Action Levels. Each compound has decreased from a December 2000 high and is currently essentially equivalent to or below its previous lowest recorded level (Figures 2-1, 2-23, 2-29 and 2-46 respectively). The First Quarter 2002 will be the next time well 40099 is sampled.

Decontamination and Decommissioning well 40199 had uranium-233/234 activity that was above the Tier II Level but well below the Background M2SD. It will be sampled again in the First Quarter 2002.

Decontamination and Decommissioning well 40299 exhibited tetrachloroethene that was above the Tier II Action Level. The tetrachloroethene concentration has decreased from highs in December 2000 and February 2001 (Figure 2-30). Well 40299 will be sampled again in the First Quarter 2002.

Decontamination and Decommissioning well 40499 also exhibited tetrachloroethene that was above the Tier II Action Level. Tetrachloroethene in well 40499 continues to decrease in concentration from the initial Fourth Quarter 1999 sample (Figure 2-31). Well 40499 is scheduled for sampling in the First Quarter 2002.

Decontamination and Decommissioning well 41299 had concentrations of 1,1-dichloroethene, tetrachloroethene, trichloroethene, chromium, uranium-233/234 and uranium-238 that were above their respective Tier II Levels. 1,1-Dichloroethene decreased to the lowest level recorded to date (Figure 2-2). Tetrachloroethene and trichloroethene increased since the last sampling event, tetrachloroethene to the highest recorded level to date (Figures 2-32 and 2-47 respectively). Chromium continues a decrease that started in the First Quarter 2001 from the December 2000 maximum (Figure 2-55). Both uranium isotopes were well below their respective Background M2SDs. The First Quarter 2002 will be the next time well 41299 is sampled.

18

Decontamination and Decommissioning well P419689 contained tetrachloroethene that was above the Tier II Action Level. The current result is the lowest recorded for the well to date (Figure 2-36). Well P419689 will be sampled again in the First Quarter 2002.

Building 771 is monitored by the following D&D wells: 20998, 40699, 41499 and P219089.

Decontamination and Decommissioning well 20998 exhibited a result for carbon tetrachloride that was above the Tier II Action Level. Unfortunately, the laboratory qualification for this result is an "E" indicting that the result value was greater than the calibration setting of the instrument at the time. The laboratory did not perform a second diluted analytical run to get a result that was within the appropriate calibration. Thus qualified, the current result is the highest recorded to date (Figure 2-16). It continues an increasing trend that began in the Third Quarter 1998 at the initial sampling of the well. Well 20998 will be sampled in the First Quarter 2002.

Decontamination and Decommissioning well 40699 had 1,1-dichloroethene that was above the Tier II Action Level. Due to a lack of water in the well this is only the second successful sampling event for VOCs. A summary of the two 1,1-dichloroethene results is given in the table below. 40699 will be sampled again in the First Quarter 2002.

Date	Result	Units	Tier II	Lab Qualifier	Valid-ation	Detect Limit	Dilu-tion	QC Type	Result Type
11-6-00	389	µg/L	7	D	V1	2.5	5	Real	TR2
7-26-01	200	µg/L	7		V1	0.8	4	Real	DL1

Decontamination and Decommissioning well 41499 contained 1,1-dichloroethene and trichloroethene that were above Tier II Levels. Both compounds have increased since the last sampling event (First Quarter 2001) and are at the highest levels recorded to date (Figures 2-3 and 2-48 respectively). Well 41499 is to be sampled in the First Quarter 2002.

Decontamination and Decommissioning well P219089 had uranium-233/234 and uranium-238 that were above Tier II Levels but well below Background M2SDs. The well will be sampled again in the First Quarter 2002.

Building 886 (and in some cases Building 865) is monitored by the following D&D wells: 22996, 40999, 41099, 41199 and P317989.

Decontamination and Decommissioning wells 22996, 40999 and 41199 all had uranium-233/234 and uranium-238 that were above Tier II Action Levels. All these uranium isotopes were below the Background M2SD. The three wells will be sampled in the First Quarter 2002.

Decontamination and Decommissioning well 41099 had uranium-233/234 and uranium-238 and in addition nitrate/nitrite that were above Tier II Action Levels. The nitrate/nitrite was also above the Background M2SD while the uranium isotopes were below. The current nitrate/nitrite analysis continues a decreasing trend that began at the end of 2000 (Figure 2-79). Well 41099 is scheduled for sampling in the First Quarter 2002.

Decontamination and Decommissioning well P317989 contained selenium, uranium-233/234, uranium-235 and uranium-238 that were over Tier II Action Levels. Both the selenium and uranium-235 were also above their Background M2SDs. Uranium-233/234 and uranium-238 were below their Background M2SDs. Five selenium analyses of water from well P317989 have been performed

19

(Figure 2-69). No Historic M2SD for selenium in the well is available. The current selenium result is the lowest recorded to date and represents a decrease from the preceding sample that was the maximum. Four analytical results for uranium-235 are available for well P317989 so there is no Historic M2SD for uranium-235 in the well (Figure 2-87). These four results are widely spaced in time, two in 1990 and one each in 2000 and 2001. The latter two samples are above the Background M2SD. P317989 will be sampled in the First Quarter 2002.

Drainage Wells: Five Drainage wells were sampled in the Third Quarter of 2001. Three of these were dry (38591, 5587 and 6486). Well 6586 had a reportable result for nickel, the only reportable result for Drainage wells.

Drainage well 00997 had uranium-233/234 and uranium-238 that were above their Tier II Action Levels. Because the results were below the Background M2SDs, these results are not reportable. Well 00997 is scheduled for sampling in the First Quarter 2002.

Drainage well 6586 contained nickel, thallium, uranium-233/234 and uranium-238 that were above Tier II Action Levels. The nickel was also above its Background and Historic M2SDs and is therefore reportable (Figure 2-59). Because nickel in well 6586 has been above the Tier II Level in the past and a set of monthlies has been completed (1998) no additional metal sampling for nickel is required. The thallium result was verified as an estimate at an elevated detection level because the thallium value was less than the required detection limit in the calibration blank verification. This qualified thallium concentration is also unusual in that it is below the Background M2SD for the well while it is above the Historic M2SD (Table 3-2). Because thallium was below the Background M2SD it is not reportable, no further action is required with respect to thallium. Thallium has been above the Tier II Level for total metal analyses in the last two sampling events (Figure 2-71). Uranium-233/234 and uranium-238 were both below their Background M2SDs and are not reportable no additional uranium isotopic sampling is needed. Well 6586 will be sampled again in the First Quarter 2002.

Performance Monitoring Locations: Thirteen Performance Monitoring locations were visited in the Third Quarter 2001. Three locations (11092, SW099 and SW100) were dry. All the other locations had enough water to provide complete sample suites. All ten of the sampled locations had analytes with concentrations that exceeded Tier II Action Levels. The IMP (DOE, 2000) does not define reportable results for Performance Monitoring locations.

Performance Monitoring well 00797 exhibited activities for uranium-233/234 and uranium-238 that were above Tier II Action Levels. The activities were below their respective Background M2SDs. Well 00797 will be sampled again in the First Quarter 2002.

Performance Monitoring well 05691 contained carbon tetrachloride, tetrachloroethene, trichloroethene, uranium-233/234 and uranium-238 that were above Tier II Levels. The uranium isotopes were well below their site Background M2SDs. Carbon tetrachloride (Figure 2-11), tetrachloroethene (Figure 2-25) and trichloroethene (Figure 2-40) were below their Historic M2SDs and at or below the middle of their ranges. Well 05691 is scheduled for sampling in the First Quarter 2002.

Performance Monitoring well 07391 had chloroform, tetrachloroethene, trichloroethene, nitrate, uranium-233/234, uranium-235 and uranium-238 that were above Tier II Action Levels. The chloroform, tetrachloroethene and trichloroethene were all below their Historic M2SDs. Chloroform tetrachloroethene and trichloroethene decreased in 2001 (Figure 2-21, 2-26 and 2-41 respectively). Nitrate was above both its Background M2SD and its Historic M2SD (Table 3-2 and Figure 2-73). It

30

remained stable during 2001. Uranium-233/234 and uranium-235 were both below their Background M2SDs. Uranium-238 was above both the Background M2SD and the well's Historic M2SD (Figure 2-88). Uranium-238 reached a maximum in early 2001 and decreased in this Third Quarter sample. Well 07391 is not scheduled for sampling again until the First Quarter 2002.

Performance Monitoring well 10592 held selenium, uranium-233/234 and uranium-238 that were above Tier II Action Levels. The selenium was also above the Background M2SD (Figure 2-61). There is insufficient data to calculate a Historic M2SD for the well. By inspection, selenium is within its normal range. Selenium increased in early 2001 but decreased again with the current sample. Both uranium isotopes were below their Background M2SDs. Sampling at 10592 will occur again in the First Quarter 2002.

Performance Monitoring well 10692 contained uranium-233/234 and uranium-238 that were above Tier II Action Levels but below Background M2SDs. The well is going to be sampled again in the First Quarter 2002.

Performance monitoring well 10792 exhibited concentrations of selenium, uranium-233/234 and uranium-238 that were above Tier II Levels. The selenium was above the Background M2SD. There is insufficient data to calculate a Historic M2SD for the well. By inspection of the trend plot (Figure 2-62) the selenium in well 10792 has remained relatively constant, right around the Tier II Level for the last two years. Well 10792 will be sampled again in the First Quarter 2002.

Performance Monitoring well 10992 had selenium, nitrate/nitrite, uranium-233/234 and uranium-238 that were above Tier II Action Levels. There are insufficient data to calculate Historic M2SDs for the well. Selenium was above the Background M2SD (Figure 2-63). The concentration of selenium increased since sampling in the First Quarter of 2000 but is still part of a slight decreasing trend overall. Nitrate/nitrite decreased in 2001 in general, the current sample is higher than that from the First Quarter (Figure 2-76). Both uranium-233/234 and uranium-238 were below their Background M2SDs. Well 10992 is scheduled for sampling in the First Quarter 2002.

Performance Monitoring well 12691 contained carbon tetrachloride, tetrachloroethene, trichloroethene, uranium-233/234 and uranium-238 a levels above Tier II. The three VOCs were all below their Historic M2SDs. Carbon tetrachloride increased from the First Quarter sample but is still below the Historic Mean for the well (Figure 2-15). Tetrachloroethene and trichloroethene are remaining relatively constant below their Historic Means (Figures 2-28 and 2-44). Both uranium isotopes were well below their Background M2SDs. In the First Quarter 2002, well 12691 will be sampled again.

Performance Monitoring location 891COLWEL contained 1,1-dichloroethene, carbon tetrachloride, tetrachloroethene, trichloroethene, selenium, uranium-233/234 and uranium-238 that were above Tier II Action Levels. 1,1-Dichloroethene continues an increase that began with the Second Quarter 2001 sampling event. It remains below its Historic M2SD (Figure 2-6). Carbon tetrachloride increased over the Second Quarter, it also is below its Historic M2SD (Figure 2-18). Both tetrachloroethene and trichloroethene were below their Historic M2SDs and continued to increase slightly (Figures 2-34 and 2-51). Selenium decreased from the Second Quarter sampling event, it is below its Historic M2SD (Figure 2-65). The uranium isotopes were both below their Background M2SDs. Location 891COLWEL is on a quarterly sampling schedule and will be sampled again in the Fourth Quarter.

Performance Monitoring location SW13494 (Building 881 sump) had tetrachloroethene, uranium-233/234 and uranium-238 that were above Tier II. Tetrachloroethene remained essentially unchanged since the last sampling event, the concentration is just below its Historic M2SD (Figure 2-37).

71

Uranium-233/234 and uranium-238 were both well below their Background M2SDs. SW13494 is being sampled on a quarterly schedule and will be sampled again in the Fourth Quarter.

Plume Definition Wells: Ten-Plume Definition wells were visited in the Third Quarter of 2001. One Plume Definition well was dry (77392) and one (6386) had insufficient water for a complete sample suite. All nine of the sampled wells had at least one result that was above a Tier II Action Level. Because there were no results greater than Tier I Action Levels, there were no reportable results for Plume Definition wells.

Plume Definition well 00491 had concentrations of carbon tetrachloride, tetrachloroethene, trichloroethene, uranium-233/234 and uranium-238 that were above Tier II Action Levels. None of the results associated with these analytes are reportable because they did not exceed Tier I Levels. Results for carbon tetrachloride (Figure 2-8) and trichloroethene were among the lowest recorded (Figure 2-38) and decreased from the First Quarter sampling. Tetrachloroethene was more in the middle of its range increasing slightly since the First Quarter (Figure 2-24). Uranium-233/234 and uranium-238 were both well below site Background M2SDs. Well 00491 is going to be sampled in the First Quarter 2002.

Plume Definition well 00597 contained nitrate/nitrite at exactly the Tier II Action Level. This result is not reportable. The current value for nitrate/nitrite continues a decrease from the maximum recorded in the Third Quarter 2000 (Figure 2-72).

Plume Definition well 03991 exhibited concentrations of carbon tetrachloride, uranium-233/234 and uranium-238 that were above Tier II but below Tier I Action Levels and are therefore not reportable. The current carbon tetrachloride result has decreased from the First Quarter sample (Figure 2-9). And, it appears to be at the lower end of a cycle. Both uranium isotopes were well below their respective Background M2SDs. Well 03991 is scheduled for sampling in the First Quarter 2002.

Plume Definition well 0487 had trichloroethene, selenium, uranium-233/234 and uranium-238 that were not reportable but above Tier II Action Levels. The trichloroethene was below its Historic M2SD (Figure 2-39). It increased slightly from the First Quarter 2001 but is still within the lower part of its range. Selenium was above the Background M2SD but below its Historic M2SD (Figure 2-60). It also increased from the First Quarter and is in the lower part of its range. Uranium-233/234 and uranium-238 were both below their Background M2SDs. The next sampling of well 0487 will be in the First Quarter 2002.

Plume Definition well 05391 contained carbon tetrachloride, uranium-233/234 and uranium-238 that were above Tier II Action Levels but not reportable. Carbon tetrachloride was below its Historic M2SD, and increased from the First Quarter 2001 sample (Figure 2-10). Both uranium isotopes were well below their respective Background M2SDs. Plume Definition well 05391 is scheduled for sampling in the First Quarter 2002.

Plume Definition well 22896 contained trichloroethene at the lowest recorded level to date (Figure 2-45). The result was the first that was lower than the Tier I Action Level, it is therefore not reportable. This result was still greater than the Tier II Action Level. 22896 will be sampled again in the First Quarter 2002.

Plume Definition well 6286 had carbon tetrachloride, selenium, uranium-233/234 and uranium-238 that were not reportable but still above Tier II Action Levels. Carbon tetrachloride remained in the middle part of its range and increased slightly from the First Quarter (Figure 2-17). The selenium value is the second highest recorded and is considerably increased since the First Quarter 2001

22

sample (Figure 2-65). Uranium-233/234 and uranium-238 were both well below the Background M2SDs. Well 6286 is going to be sampled again in the First Quarter 2002.

Plume Definition well 6386 showed concentrations of nickel, selenium, uranium-233/234 and uranium-238 that were above Tier II but below Tier I Action Levels. These results are not reportable. There is not enough information to calculate 1991-1995 Historic M2SDs for the well. Nickel increased dramatically since the last sampling event in the Third Quarter 1999 (Figure 2-58). Previous nickel results were consistently below the Tier II Level. Selenium also increased greatly since 1999, the current result is the second highest recorded (Figure 2-66). Both uranium isotopes were below Background M2SDs. Well 6386 is going to be sampled again in the First Quarter 2002. Plume Definition well P209389 contained 1,1-dichloroethene above the Tier II Action Level but is not reportable. This result was slightly greater than the First Quarter 2001 result (Figure 2-7). These two results are the lowest recorded to date. Well P209389 is to be sampled in the First Quarter 2002.

Plume Degradation Wells: Ten Plume Degradation wells were visited in the Third Quarter of 2001. One well (90199) was dry. Eight of the nine sampled wells had analytical results greater than Tier II, two of nine had results greater than Tier I. Well 01097 did not contain any analytes greater than Tier II. Because analytical results for Plume Degradation wells are reviewed in the Groundwater Annual Report, there are no definitions for reportable occurrences.

Plume Degradation well 01497 had 1,1-dichloroethene, tetrachloroethene and trichloroethene that were above Tier II Action Levels. Because there are only three sampling events associated with well 01497 there are no trend plots for these compounds. The data is given in the table below. Well 01497 is going to be sampled again in the First Quarter 2002.

(1,1-DCE = 1,1-dichloroethene, PCE = perchloroethene = tetrachloroethene, TCE = trichloroethene)

Analyte	Date	Result	Tier II	Units	Lab Qual	Valid-Ation	Detect Limit	Dilu-tion	QC Type	Result Type
1,1-DCE	9/20/00	73.2	7	µg/L		V	0.5	1	Real	TR1
1,1-DCE	1/4/01	79.0	7	µg/L	D		5	5	Real	DL1
1,1-DCE	9/4/01	32.0	7	µg/L		V	2	2	Real	TR1
PCE	9/20/00	9.4	5	µg/L		V	0.5	1	Real	TR1
PCE	1/4/01	13.0	5	µg/L		V	1	1	Real	TR1
PCE	9/4/01	5.8	5	µg/L		V	2	2	Real	TR1
TCE	9/20/00	22.6	5	µg/L		V	0.5	1	Real	TR1
TCE	1/4/01	33.0	5	µg/L	D		5	5	Real	DL1
TCE	9/4/01	20.0	5	µg/L		V	2	2	Real	TR1

Plume Degradation well 02097 contained trichloroethene that was above the Tier II Action Level. Because only three sampling evens are available for well 02097 there is no trend plot. Data for trichloroethene are presented in the table below. Well 02097 is scheduled for sampling in the First Quarter 2002.

Date	Result	Tier II	Units	Lab Qual	Valid-Ation	Detect Limit	Dilu-tion	QC Type	Result Type
9/21/00	28.1	5	µg/L		V	0.5	1	Real	TR1
1/24/01	30.0	5	µg/L	D		2	2	Real	DL1
9/6/01	22.0	5	µg/L		V	1	1	Real	TR1

Plume Degradation well 11791 exhibited concentrations of carbon tetrachloride, tetrachloroethene and trichloroethene that were above Tier II Action Levels. Sampling at well 11791 resumed in the

First Quarter 2001 after a long hiatus. All three VOCs were below the Historic M2SDs established during the earlier sampling interval at the well. The First Quarter 2001 sample was taken prior to the well being added to the IMP sampling list. Therefore, the data for that event have not been reported before. The carbon tetrachloride and trichloroethene concentrations for 11791 were in the lower part of their ranges for both sampling events from 2001 (Figure 2-13 and 2-42). The Third Quarter result is greater that the First Quarter for both analytes. Tetrachloroethene was in the middle of its range and again the Third Quarter result was greater (Figure 2-27). Well 11791 is scheduled for sampling in the First Quarter 2002.

Plume Degradation well 1187 had carbon tetrachloride and trichloroethene that were above Tier II Action Levels, trichloroethene was even above the Tier I Action Level. Results for each analyte are not reportable. Carbon tetrachloride was below its Historic M2SD and in the lower part of its range (Figure 2-14). Trichloroethene was also below its Historic M2SD but in the upper part of its range (Figure 2-43). Both carbon tetrachloride and trichloroethene increased from the First Quarter 2001 samples. The well will be sampled again in the First Quarter 2002.

Plume Degradation well 70699 exhibited concentrations of 1,1-dichloroethene and trichloroethene that were above Tier II Action Levels. Both compounds were below their Historic M2SDs. Note that there is a hiatus between the sampling events used to calculate the Historic M2SDs and recent resumption of sampling. 1,1-Dichloroethene was at the lowest recorded level (Figure 2-5). Trichloroethene was near the lowest recorded level (Figure 2-50). Sampling at well 70693 will resume in the First Quarter 2002.

Plume Degradation well 90099 contained carbon tetrachloride (Figure 2-19), chloroform (Figure 2-22), tetrachloroethene (Figure 2-35) and trichloroethene (Figure 2-52) in amounts that were greater than Tier II Action Levels. No Historic M2SDs are available for well 90099. All four VOC analytes increased in concentration over samples from the First Quarter 2001. All four were at the highest recorded levels. Carbon tetrachloride and trichloroethene increased the most over the First Quarter samples. Well 90099 is to be sampled in the First Quarter 2002.

Plume Degradation well 90299 had the uranium isotopes 233/234, 235 and 238 with activities greater that Tier II Action Levels. The isotopes were all below their respective Background M2SDs. Well 90299 is scheduled for First Quarter 2002 sampling.

Plume Degradation well 90399 exhibited amounts of carbon tetrachloride, trichloroethene, uranium-233/234 and uranium-238 that were above Tier II Action Levels. There are no Historic M2SDs for this well. Both carbon tetrachloride and trichloroethene increased over First Quarter 2001 sampling-events, reversing two-year downward trends (Figures 2-20 and 2-53). Both compounds are now in the middle of their usual ranges. Uranium-233/234 and uranium-238 were both below their Background M2SDs. Well 90399 will be sampled again in the First Quarter 2002.

Plume Extent Wells: Twenty-eight Plume Extent wells were visited in the Third Quarter. Five of these were dry (00197, 00397, 08091, 23196 and 4887; 23196 was only being sampled for metals as part of a monthly suite). Four of the 23 sampled wells had insufficient water to collect a complete sample suite (4787, 75992, 76992 and P314289). Of the 23 Plume Extent wells sampled 17 had analytes that exceeded Tier II Action Levels. Six wells (22596, 43392, 4787, 75992, 76992 and P3142389) had no returned results above Tier II Action Levels. From the 17 wells listed in Table 3-2, five wells had six reportable analytical results. No well had a result over a Tier I Action Level.

Plume Extent wells 04091, 04591, 04991, 05091, 10194, 1386, 22696, 5387, 6186, 7086 and P114389 had non-reportable uranium-233/234 and uranium-238 concentrations that were above Tier II action levels. The results for all uranium isotopes in these 11 wells were below their respective

Background M2SDs (Table 3-2). These wells will continue to be monitored on a routine schedule in the First Quarter of 2002. (Well 1386 is sampled on a quarterly basis in association with the Solar Ponds Plume. Sampling at 1386 will resume in the Fourth Quarter 2001.)

Plume Extent well 02197 contained nitrate/nitrite, uranium-233/234 and uranium-238 that were above Tier II Action Levels. The nitrate/nitrite was above the Background M2SD (Figure 2-74), while the uranium isotopes were below their Background M2SDs. No additional action with respect to uranium isotopes is required. The nitrate/nitrite result is reportable. A suite of monthly sampling for nitrate/nitrite in well 02197 has not been completed. A suite was initiated in the First Quarter 2002 in late February. Depending on the results of the monthly sampling well 02197 may be removed from the IMP sampling list for 2002.

Plume Extent 06091 had reportable carbon tetrachloride and non-reportable uranium-233/234 and uranium-238. The carbon tetrachloride was over the Tier II Action Level and the well's Historic M2SD (Figure 2-12). Carbon tetrachloride has been above the Tier II Level in the past and a suite of monthly samples has been completed so no additional VOC sampling is planned at this time. Both uranium isotopes were well below their Background M2SDs so no additional uranium sampling is needed. Well 06091 will be sampled again in the First Quarter 2002.

Plume Extent well 10994 exhibited concentrations of selenium, nitrate/nitrite, uranium-233/234 and uranium-238 that were above Tier II Action Levels. The selenium and nitrate/nitrite were above Background M2SDs and are therefore reportable. The uranium isotopes were below Background M2SDs and are not reportable; they do not require any further action. Selenium has enough data to calculate a 1991-1995 Historic M2SD and the current result is below this M2SD (Figure 2-64). No additional metal sampling is required. There is not enough data to calculate a nitrate/nitrite Historic M2SD so the trend plot will be interpreted by inspection (Figure 2-77). The nitrate/nitrite is in the middle of its normal range and increased only slightly from the First Quarter 2001 sampling. Because nitrate/nitrite does not appear to be increasing significantly, no additional sampling for nitrate/nitrite is planned. Well 10994 is to be sampled again in the First Quarter 2002.

Plume Extent well 1786 had a reportable concentration of nitrate/nitrite and non-reportable uranium-233/234, uranium-235 and uranium-238 that exceeded Tier II Action Levels. The nitrate/nitrite concentration was above the Background M2SD but below the Historic M2SD (Figure 2-78). The current nitrate/nitrite value is the lowest recorded to date. No further action with respect to nitrate/nitrite is required. The three uranium isotopes were below Background M2SDs. Well 1786 will continue to be monitored on a quarterly basis, the next sampling will occur in the Fourth Quarter 2001 in association with Solar Ponds Plume investigations.

Plume Extent well 23096 exhibited activity levels for plutonium-239/240, uranium-233/234 and uranium-238 that were above Tier II Action Levels. The plutonium-239/240 result is reportable because it is the first time the value has exceeded the Tier II Level (Figure 2-84). The Groundwater Program does not use the plutonium Background M2SD for comparison; any detection over the Tier II Action Level is of interest. There is no Historic-plutonium M2SD for the well. This plutonium-239/240 result was a significant increase over previous sampling events. Monthly sampling of plutonium-239/240 is required; sampling began in late January of 2002. Uranium-233/234 and uranium-238 were both well below their respective Background M2SDs. No further action with respect to uranium is required.

Plume Extent well P313589 contained antimony, uranium-233/234 and uranium-238 that were above Tier II Action Levels. Because all three analytes were below Background M2SDs, none of the results are reportable. Antimony has a Historical M2SD in well P313589, the current result was below the Background M2SD value (Figure 2-54). The Third Quarter 2001 antimony-value was greater than

that from the First Quarter. Both uranium isotopes were well below their Background M2SDs. Routine sampling of well P313589 will resume in the First Quarter of 2002.

RCRA Monitoring Wells: Eight RCRA monitoring wells were visited in the Third Quarter of 2001. Well 52994 was dry. Except for well 4087 all other wells provided enough water for complete sample suites. For the seven sampled wells there were four reportable results all from well B206989. Upgradient wells 5887, 70193 and 70493 had no results above Tier II action levels.

Downgradient RCRA monitoring wells 4087 and 52894 contained non-reportable uranium-233/234 and uranium-238. In both wells, the isotopes were above Tier II Action Levels but below Background M2SDs. No action is needed and routine monitoring can continue at both locations. Wells 4087 52894 are sampled on a quarterly basis and will be sampled again in the Fourth Quarter 2001.

Upgradient RCRA monitoring well 70393 contained non-reportable quantities of 1,1-dichloroethene, tetrachloroethene and trichloroethene that were above Tier II Action Levels. The concentrations of all three VOCs were below their Historic M2SDs. 1,1-dichloroethene, tetrachloroethene and trichloroethene increased relative to the previous samples (Figures 2-4, 2-33 and 2-49). All three compounds are generally decreasing. Routine quarterly monitoring of 70393 will be continued in the Fourth Quarter 2001.

Downgradient RCRA monitoring well contained reportable quantities of lithium, selenium, nitrate/nitrite and sulfate and non-reportable uranium-233/234, uranium-235 and uranium-238 that were greater than Tier II Action Levels. Lithium, selenium, nitrate/nitrite and sulfate were all above Background M2SDs making them reportable. Uranium-233/234 was 0.2 pCi less than the Background M2SD so it is not reportable. Uranium-235 and uranium-238 were simply below their Background M2SDs and not reportable. Lithium decreased from the maximum recorded value from the First Quarter 2001 (Figure 2-56) and is now in the middle of its normal range. Selenium increased slightly from the First Quarter and is just below its maximum value (Figure 2-68). Nitrate/nitrite and sulfate decreased significantly from the First Quarter (Figures 2-80 and 2-82). Nitrate/nitrite is below its Historic M2SD and is now in the middle of its normal range. With fewer data points sulfate is also in the middle of its range. Because there are no significant increases in the concentration or activities of these analytes additional sampling of B206989 is not planned at this time. B206989 is a quarterly well and will be sampled again in the Fourth Quarter 2001.

Table 3-1: RFCA Groundwater Monitoring Locations and Sample Collection Summary
Third Quarter, 2001

Well #	VOC's	Metals	Radionuclides				Water Quality Parameters			
			Pu/Am	U-isotope	Tritium	Sr89/90	Nitrate /Nitrite	TDS	SO_4^{-2}	Fluoride
00197	Dry	Dry	N/S	Dry	Dry	Dry	Dry	Dry	Dry	Dry
00397	Dry	Dry	N/S	Dry	Dry	N/S	Dry	Dry	Dry	Dry
00491	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	Sampled	N/S
00597	Sampled	Sampled	N/S	Sampled	Sampled	N/S	Sampled	Sampled	Sampled	Sampled
00797	Sampled	Sampled	N/S	Sampled	N/S	N/S	Sampled	Sampled	Sampled	N/S
00997	Sampled	Sampled	Sampled	Sampled	N/S	Sampled	N/S	Sampled	N/S	N/S
*01097	Sampled	N/S	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	N/S
*01497	Sampled	N/S	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	N/S
*02097	Sampled	N/S	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	N/S
02197	Sampled	Sampled	N/S	Sampled	Sampled	N/S	Sampled	Sampled	Sampled	Sampled
0386	Sampled	Sampled	Sampled	Sampled	Sampled	N/S	Sampled	Sampled	Sampled	Sampled
03991	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
04091	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
04591	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
0487	Sampled	Sampled	N/S	Sampled	N/S	N/S	Sampled	Sampled	Sampled	N/S
04991	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
05091	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
05391	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
05691	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
06091	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
06491	Sampled	Sampled	Insw	Sampled	Sampled	N/S	Sampled	Insw	Insw	Insw
*07391	Sampled	N/S	Sampled	Sampled	N/S	N/S	N/S	Sampled	Sampled	N/S
08091	Dry	Dry	Dry	Dry	N/S	Dry	Dry	Dry	N/S	N/S
*10098	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
10194	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
*10198	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
10294	Sampled	Sampled	Sampled	Sampled	Sampled	N/S	Sampled	Sampled	Sampled	Sampled
*10298	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
10394	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled
*10398	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
*10498	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
10592	Sampled	Sampled	N/S	Sampled	N/S	N/S	Sampled	Sampled	Sampled	N/S
*10598	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
10692	Sampled	Sampled	N/S	Sampled	N/S	N/S	Sampled	Sampled	Sampled	N/S
10792	Sampled	Sampled	N/S	Sampled	N/S	N/S	Sampled	Sampled	Sampled	N/S
10992	Sampled	Sampled	N/S	Sampled	N/S	N/S	Sampled	Sampled	Sampled	N/S
10994	Sampled	Sampled	N/S	Sampled	N/S	Sampled	Sampled	Sampled	Sampled	N/S
11J92	Dry	Dry	N/S	Dry	N/S	N/S	Dry	Dry	Dry	N/S
*11791	Sampled	N/S	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	N/S
*1187	Sampled	N/S	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	N/S
12691	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
1386	N/S	N/S	N/S	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
1786	N/S	N/S	N/S	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
*18199	N/S	Sampled	Sampled	Sampled	Sampled	N/S	Sampled	Sampled	N/S	N/S
*20998	Sampled	Insw	Insw	Insw	Insw	N/S	Insw	Insw	N/S	N/S
22596	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
*22696	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
22896	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
22996	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S

N/S = Not Sampled for this analyte.
Dry = Well did not recharge after purging. No samples collected.
Insw = Insufficient water to collect this analyte.

Table 3-1: RFCA Groundwater Monitoring Locations and Sample Collection Summary
Third Quarter, 2001

Well #	VOC's	Metals	Radionuclides				Water Quality Parameters			
			Pu/Am	U-isotope	Tritium	Sr89/90	Nitrate /Nitrite	TDS	SO_4^{-2}	Fluoride
23096	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	Sampled	N/S
23196	N/S	Dry	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S
*37101	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
*37201	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
*37301	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
*37401	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
*37501	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
*37601	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
*37701	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
38591	Dry	Dry	N/S	Dry	N/S	Dry	Dry	Dry	Dry	N/S
*40099	Sampled	Sampled	N/S	Sampled	Sampled	N/S	Sampled	Sampled	N/S	N/S
*40199	Sampled	Sampled	N/S	Sampled	Sampled	N/S	Sampled	Sampled	N/S	N/S
*40299	Sampled	Sampled	N/S	Sampled	Sampled	N/S	Sampled	Sampled	N/S	N/S
*40399	Sampled	Sampled	N/S	Sampled	Sampled	N/S	Sampled	Sampled	N/S	N/S
*40499	Sampled	Sampled	N/S	Sampled	Sampled	N/S	Sampled	Sampled	N/S	N/S
*40599	Sampled	Insw	Insw	Insw	Insw	N/S	Insw	Insw	N/S	N/S
*40699	Sampled	Insw	Insw	Insw	Insw	N/S	Insw	Insw	N/S	N/S
*40799	Sampled	Insw	Insw	Insw	Insw	N/S	Insw	Insw	N/S	N/S
4087	Sampled	Sampled	N/S	Sampled	Sampled	N/S	Sampled	Insw	Insw	Insw
*40899	Dry	Dry	Dry	Dry	Dry	N/S	Dry	Dry	N/S	N/S
40999	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Insw	N/S	N/S
41099	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
41199	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
*41299	Sampled	Sampled	N/S	Sampled	Sampled	N/S	Sampled	Sampled	N/S	N/S
*41499	Sampled	Insw	Insw	Insw	Insw	N/S	Insw	Insw	N/S	N/S
41591	Sampled	Sampled	Sampled	Sampled	Sampled	N/S	Sampled	Sampled	Sampled	Sampled
*41599	Sampled	Insw	Insw	Insw	Insw	N/S	Insw	Insw	N/S	N/S
41691	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled
43392	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
4787	Sampled	Sampled	N/S	Insw	N/S	N/S	Insw	Insw	Insw	N/S
4887	Dry	Dry	N/S	Dry	N/S	N/S	Dry	Dry	Dry	N/S
52894	Sampled	Sampled	N/S	Sampled	Sampled	N/S	Sampled	Sampled	Sampled	Sampled
52994	Dry	Dry	N/S	Dry	Dry	N/S	Dry	Dry	Dry	Dry
5387	Sampled	Sampled	N/S	Sampled	N/S	N/S	Sampled	Sampled	Sampled	N/S
5587	Dry	Dry	N/S	Dry	N/S	Dry	Dry	Dry	Dry	N/S
5887	Sampled	Sampled	N/S	Sampled	Sampled	N/S	Sampled	Sampled	Sampled	Sampled
6186	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	Sampled	N/S
6286	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	Sampled	N/S
6386	Sampled	Sampled	Insw	Sampled	N/S	N/S	Sampled	Sampled	Sampled	N/S
6486	Dry	Dry	N/S	Dry	N/S	Dry	Dry	Dry	Dry	N/S
6586	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
70193	Sampled	Sampled	N/S	Sampled	Sampled	N/S	Sampled	Sampled	Sampled	Sampled
70393	Sampled	Sampled	N/S	Sampled	Sampled	N/S	Sampled	Sampled	Sampled	Sampled
70493	Sampled	Sampled	N/S	Sampled	Sampled	N/S	Sampled	Sampled	Sampled	Sampled
*70693	Sampled	N/S	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	N/S
7086	Sampled	Sampled	N/S	Sampled	N/S	Sampled	Sampled	Sampled	Sampled	N/S
75992	Sampled	Insw	Sampled	Insw	N/S	Insw	Sampled	Sampled	N/S	N/S
76992	Sampled	Insw	N/S	Insw	Sampled	N/S	Sampled	Insw	Insw	Insw
77392	Dry	Dry	N/S	Dry	Dry	N/S	Dry	Dry	Dry	Dry

N/S = Not Sampled for this analyte.
Dry = Well did not recharge after purging. No samples collected.
Insw = Insufficient water to collect this analyte.

29

Table 3-1: RFCA Groundwater Monitoring Locations and Sample Collection Summary
Third Quarter, 2001

Well #	VOC's	Metals	Radionuclides				Water Quality Parameters			
			Pu/Am	U-isotope	Tritium	Sr89/90	Nitrate /Nitrite	TDS	SO_4^{-2}	Fluoride
891COLWEL	Sampled	Sampled	N/S	Sampled	N/S	N/S	N/S	Sampled	N/S	N/S
*90099	Sampled	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	Sampled	N/S
90199	Dry	Dry	Dry	Dry	N/S	N/S	Dry	Dry	Dry	N/S
90299	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	Sampled	N/S
*90399	Sampled	Sampled	Sampled	Sampled	N/S	N/S	N/S	Sampled	Sampled	N/S
B206989	Sampled	Sampled	N/S	Sampled	Sampled	N/S	Sampled	Sampled	Sampled	Sampled
*B371BAS	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
*B371SUBBAS	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
P114389	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
P209389	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled
*P219089	Sampled	Sampled	Sampled	Sampled	Sampled	N/S	Sampled	Sampled	N/S	N/S
P313589	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
P314289	Sampled	Insw	Insw	Insw	N/S	N/S	Sampled	Insw	N/S	N/S
P317989	Sampled	Insw	Sampled	Sampled	N/S	N/S	Sampled	Insw	N/S	N/S
*P419689	Sampled	Sampled	N/S	Sampled	Sampled	N/S	Sampled	Sampled	N/S	N/S
SW099	Dry	N/S	N/S	N/S	N/S	N/S	N/S	Dry	N/S	N/S
SW100	Dry	N/S	N/S	N/S	N/S	N/S	N/S	Dry	N/S	N/S
SW13494	Sampled	Sampled	N/S	Sampled	N/S	N/S	N/S	Sampled	N/S	N/S

N/S = Not Sampled for this analyte.
Dry = Well did not recharge after purging. No samples collected.
Insw = Insufficient water to collect this analyte.

Table 3-1: RFCA Groundwater Monitoring Locations and Sample Collection Summary
Third Quarter, 2001

Additional Samples											
Well #	Methane	PCBs	Sulfide	Chloride	Nitrate	TOC	Cyanide	Cesium	Neptunium	Alkalinity	TPH
*01097	Sampled	N/S	Sampled	Sampled	Sampled	Sampled	N/S	N/S	N/S	Sampled	N/S
*01497	Sampled	N/S	Sampled	Sampled	Sampled	Sampled	N/S	N/S	N/S	Sampled	N/S
*02097	Sampled	N/S	Sampled	Sampled	Sampled	Sampled	N/S	N/S	N/S	Sampled	N/S
*07391	Sampled	N/S	Sampled	Sampled	Sampled	Sampled	N/S	N/S	N/S	N/S	N/S
*10098	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	Sampled	N/S	N/S	N/S
*10198	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	Sampled	N/S	N/S	N/S
*10298	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	Sampled	N/S	N/S	N/S
*10398	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	Sampled	N/S	N/S	N/S
*10498	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	Sampled	N/S	N/S	N/S
*10598	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	Sampled	N/S	N/S	N/S
*11791	Sampled	N/S	Sampled	Sampled	Sampled	Sampled	N/S	N/S	N/S	N/S	N/S
*1187	Sampled	N/S	Sampled	Sampled	Sampled	Sampled	N/S	N/S	N/S	N/S	N/S
*18199	N/S	Sampled	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	N/S	N/S
20998	N/S	Insw	N/S	N/S	N/S	N/S	N/S	N/S	Insw	N/S	N/S
*22696	N/S	Sampled	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S
*37101	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	Sampled
*37201	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	Sampled
*37301	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	Sampled
*37401	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	Sampled
*37501	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	Sampled
*37601	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	Sampled
*37701	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	Sampled
*40099	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	N/S	N/S	N/S	N/S
*40199	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	N/S	N/S	N/S	N/S
*40299	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	N/S	N/S	N/S	N/S
*40399	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	N/S	N/S	N/S	N/S
*40499	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	N/S	N/S	N/S	N/S
*40599	N/S	Insw	N/S	N/S	N/S	N/S	N/S	N/S	Insw	N/S	N/S
*40699	N/S	Insw	N/S	N/S	N/S	N/S	N/S	N/S	Insw	N/S	N/S
*40799	N/S	Insw	N/S	N/S	N/S	N/S	N/S	N/S	Insw	N/S	N/S
*40899	N/S	Dry	N/S	N/S	N/S	N/S	N/S	N/S	Dry	N/S	N/S
*41299	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	N/S	N/S	N/S	N/S
*41499	N/S	Insw	N/S	N/S	N/S	N/S	N/S	N/S	Insw	N/S	N/S
*41599	N/S	Insw	N/S	N/S	N/S	N/S	N/S	N/S	Insw	N/S	N/S
*70699	Sampled	N/S	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Insw	Sampled	N/S
*90099	Sampled	N/S	Sampled	Sampled	Sampled	Sampled	N/S	N/S	N/S	N/S	N/S
*90399	Sampled	N/S	Sampled	Sampled	Sampled	Sampled	N/S	N/S	N/S	N/S	N/S
*B371BAS	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	Sampled
*B371SUBBAS	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	Sampled
*P219089	N/S	Sampled	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	N/S	N/S
*P419689	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	N/S	N/S	N/S	N/S

N/S = Not Sampled for this analyte.
Dry = Well did not recharge after purging. No samples collected.
Insw = Insufficient water to collect this analyte.

31

Table 3-2: Third Quarter, 2001 RFCA Groundwater Sample Comparisons With Tier II Action Levels And IMP Reporting Criteria

02-RF-00448

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Tier II	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II Ratio	Back-ground M2SD	Back-ground Ratio	Historic M2SD	Historic Ratio	Well Class	Reportable Result?
0386	8/2/01	GW07630RG	URANIUM-233,-234	REAL	TR1	11.3	PCI/L	1.06		V1	0.082		10.66	60.7	0.19			Boundary	No
0386	8/2/01	GW07630RG	URANIUM-238	REAL	TR1	8.2	PCI/L	0.768			0.05		10.68	41.8	0.20			Boundary	No
06491	9/12/01	GW07639RG	URANIUM-233,-234	REAL	TR1	40.5	PCI/L	1.06		V1	0.13		38.21	60.7	0.67			Boundary	No
06491	9/12/01	GW07639RG	URANIUM-235	REAL	TR1	1.84	PCI/L	1.01		V1	0.026		1.82	1.79	1.03	2.98	0.62	Boundary	Yes
06491	9/12/01	GW07639RG	URANIUM-238	REAL	TR1	25.9	PCI/L	0.768		V1	0.026		33.72	41.8	0.62			Boundary	No
10294	7/27/01	GW07649RG	SULFATE	REAL	TR1	790	MG/L	500		V1	1	50	1.58	435.6	1.81	1183.02	0.67	Boundary	Yes
10294	7/27/01	GW07649RG	URANIUM-233,-234	REAL	TR1	20.8	PCI/L	1.06		V1	0.193		19.62	60.7	0.34			Boundary	No
10294	7/27/01	GW07649RG	URANIUM-235	REAL	TR1	1.16	PCI/L	1.01		V1	0.216		1.15	1.79	0.65			Boundary	No
10294	7/27/01	GW07649RG	URANIUM-238	REAL	TR1	17.2	PCI/L	0.768		V1	0.093		22.40	41.8	0.41			Boundary	No
10394	7/16/01	GW07650RG	URANIUM-233,-234	REAL	TR1	2.2	PCI/L	1.06			0.095		2.08	60.7	0.04			Boundary	No
10394	7/16/01	GW07650RG	URANIUM-238	REAL	TR1	1.6	PCI/L	0.768			0.049		2.08	41.8	0.04			Boundary	No
41591	9/10/01	GW07663RG	NICKEL	REAL	TR1	180	UG/L	140		V1	1	1	1.29	21.37	8.42	11.16	16.13	Boundary	Yes
41591	9/10/01	GW07663RG	URANIUM-233,-234	REAL	TR1	8.3	PCI/L	1.06		V1	0.075		7.83	60.7	0.14			Boundary	No
41591	9/10/01	GW07663RG	URANIUM-238	REAL	TR1	5.9	PCI/L	0.768		V1	0.046		7.68	41.8	0.14			Boundary	No
41691	8/30/01	GW07664RG	URANIUM-233,-234	REAL	TR1	1.16	PCI/L	1.06		V1	0.052		1.09	60.7	0.02			Boundary	No
41691	8/30/01	GW07664RG	URANIUM-238	REAL	TR1	0.95	PCI/L	0.768	J	V1	0.058		1.24	41.8	0.02			Boundary	No
10098	9/7/01	GW07674RG	URANIUM-233,-234	REAL	TR1	1.26	PCI/L	1.06		V1	0.11		1.19	60.7	0.02			D&D Bldg 123	No
10098	9/7/01	GW07674RG	URANIUM-238	REAL	TR1	0.95	PCI/L	0.768	J	V1	0.057		1.24	41.8	0.02			D&D Bldg 123	No
10198	7/18/01	GW07675RG	CESIUM-137	REAL	TR1	1.84	PCI/L	1.51		V	7.33		1.22			ND		D&D Bldg 123	No
10298	8/23/01	GW07676RG	NITRATE/NITRITE	REAL	TR1	11	MG/L	10		V1	0.5	10	1.10	4.664	2.36	ND		D&D Bldg 123	No
10398	9/13/01	GW07677RG	THALLIUM	REAL	TR1	2	UG/L	2	BJ	UJ1	1.8	1	1.00	4.9	0.41	ND		D&D Bldg 123	No
10398	9/20/01	GW07677RG	URANIUM-233,-234	REAL	TR1	1.19	PCI/L	1.06		V1	0.12		1.12	60.7	0.02			D&D Bldg 123	No
10598	7/24/01	GW07679RG	CESIUM-137	REAL	TR1	1.55	PCI/L	1.51	U	V	4.23		1.03			ND		D&D Bldg 123	No
37201	8/10/01	GW07681RG	URANIUM-233,-234	REAL	TR1	1.19	PCI/L	1.06		1	0.15		1.12	60.7	0.02			D&D Bldg 371	No
37201	8/10/01	GW07682RG	URANIUM-238	DUP	TR1	1.08	PCI/L	0.768		1	0.14		1.41	41.8	0.03			D&D Bldg 371	No
37301	8/9/01	GW07684RG	BARIUM	REAL	TR1	2300	UG/L	2000		V1	0.25	1	1.15	152.54	15.08	ND		D&D Bldg 371	No
37301	8/9/01	GW07684RG	MANGANESE	REAL	TR1	8400	UG/L	1720		V1	0.69	1	4.88	162.33	51.75	ND		D&D Bldg 371	No
37401	8/13/01	GW07685RG	URANIUM-233,-234	REAL	TR1	27.5	PCI/L	1.06		1	0.16		25.94	60.7	0.45			D&D Bldg 371	No
37401	8/13/01	GW07685RG	URANIUM-238	REAL	TR1	22	PCI/L	0.768		1	0.1		28.65	41.8	0.53			D&D Bldg 371	No
37501	8/14/01	GW07686RG	BARIUM	REAL	TR1	2100	UG/L	2000		J1	0.25	1	1.05	152.54	13.77	ND		D&D Bldg 371	No
37601	8/13/01	GW07687RG	URANIUM-233,-234	REAL	TR1	2.31	PCI/L	1.06		1	0.18		2.18	60.7	0.04			D&D Bldg 371	No
37601	8/13/01	GW07687RG	URANIUM-238	REAL	TR1	1.5	PCI/L	0.768		1	0.092		1.95	41.8	0.04			D&D Bldg 371	No
37701	8/14/01	GW07688RG	URANIUM-233,-234	REAL	TR1	7.3	PCI/L	1.06		1	0.17		6.89	60.7	0.12			D&D Bldg 371	No
37701	8/14/01	GW07688RG	URANIUM-238	REAL	TR1	5.08	PCI/L	0.768		1	0.08		6.61	41.8	0.12			D&D Bldg 371	No
B371BAS	8/14/01	SW07689RG	URANIUM-233,-234	REAL	TR1	2.39	PCI/L	1.06		1	0.14		2.25	60.7	0.04			D&D Bldg 371	No
B371BAS	8/14/01	SW07689RG	URANIUM-238	REAL	TR1	1.4	PCI/L	0.768		1	0.11		1.82	41.8	0.03			D&D Bldg 371	No
B371SUBBAS	8/15/01	SW07690RG	URANIUM-233,-234	REAL	TR1	2.44	PCI/L	1.06		1	0.045		2.30	60.7	0.04			D&D Bldg 371	No
B371SUBBAS	8/15/01	SW07690RG	URANIUM-238	REAL	TR1	1.68	PCI/L	0.768		1	0.036		2.19	41.8	0.04			D&D Bldg 371	No
40099	8/13/01	GW07737RG	1,1-DICHLOROETHENE	REAL	TR1	190	UG/L	7		V	10	10	27.14			ND		D&D Bldg 444	No
40099	8/13/01	GW07737RG	CIS-1,2-DICHLOROETHENE	REAL	TR1	520	UG/L	70		V	20	20	7.43			ND		D&D Bldg 444	No
40099	8/13/01	GW07737RG	TETRACHLOROETHENE	REAL	TR1	15	UG/L	5		V	10	10	3.00			ND		D&D Bldg 444	No

Table 3-2: Third Quarter, 2001 RFCA Groundwater Sample Comparisons With Tier II Action Levels And IMP Reporting Criteria

02-RF-00448

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Tier II	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II Ratio	Back-ground M2SD	Back-ground Ratio	Historic M2SD	Historic Ratio	Well Class	Reportable Result?
40099	8/13/01	GW07737RG	TRICHLOROETHENE	REAL	TR1	530	UG/L	5		V	20	20	106.00			ND		D&D Bldg 444	No
40199	8/13/01	GW07738RG	URANIUM-233,-234	REAL	TR1	1.24	PCI/L	1.06		1	0.11		1.17	60.7	0.02			D&D Bldg 444	No
40299	7/23/01	GW07740RG	TETRACHLOROETHENE	DUP	TR1	56	UG/L	5		V	0.36	1	11.20			ND		D&D Bldg 444	No
40499	8/13/01	GW07743RG	TETRACHLOROETHENE	REAL	TR1	6.6	UG/L	5		V	1	1	1.32			ND		D&D Bldg 444	No
41299	7/17/01	GW07744RG	1,1-DICHLOROETHENE	REAL	RX1	11	UG/L	7		V1	0.2	1	1.57			ND		D&D Bldg 444	No
41299	7/17/01	GW07744RG	CHROMIUM	REAL	TR1	260	UG/L	100		V1	0.12	1	2.60	12.44	20.90	ND		D&D Bldg 444	No
41299	7/17/01	GW07744RG	TETRACHLOROETHENE	REAL	DL1	330	UG/L	5		1	3.6	10	66.00			ND		D&D Bldg 444	No
41299	7/17/01	GW07744RG	TRICHLOROETHENE	REAL	RX1	54	UG/L	5		V1	0.22	1	10.80			ND		D&D Bldg 444	No
41299	7/17/01	GW07744RG	URANIUM-233,-234	REAL	TR1	2	PCI/L	1.06			0.071		1.89	60.7	0.03			D&D Bldg 444	No
41299	7/17/01	GW07744RG	URANIUM-238	REAL	TR1	0.95	PCI/L	0.768			0.014		1.24	41.8	0.02			D&D Bldg 444	No
P419689	8/13/01	GW07719RG	TETRACHLOROETHENE	REAL	TR1	10	UG/L	5		V	1	1	2.00			49.40	0.20	D&D Bldg 444	No
20998	7/27/01	GW07747RG	CARBON TETRACHLORIDE	REAL	TR1	220	UG/L	5	E	J1	1		44.00			ND		D&D Bldg 771	No
40699	7/26/01	GW07749RG	1,1-DICHLOROETHENE	REAL	DL1	200	UG/L	7		V1	0.8	4	28.57			ND		D&D Bldg 771	No
41499	7/27/01	GW07752RG	1,1-DICHLOROETHENE	REAL	TR1	9.9	UG/L	7		V1	1		1.41			ND		D&D Bldg 771	No
41499	7/27/01	GW07752RG	TRICHLOROETHENE	REAL	TR1	130	UG/L	5	D	V1	1		26.00			ND		D&D Bldg 771	No
P219089	7/30/01	GW07754RG	URANIUM-233,-234	REAL	TR1	5.43	PCI/L	1.06		V1	0.299		5.12	60.7	0.09			D&D Bldg 771	No
P219089	7/30/01	GW07754RG	URANIUM-238	REAL	TR1	4.21	PCI/L	0.768		V1	0.171		5.48	41.8	0.10			D&D Bldg 771	No
22996	8/1/01	GW07694RG	URANIUM-233,-234	REAL	TR1	1.64	PCI/L	1.06		V1	0.293		1.55	60.7	0.03			D&D Bldg 886	No
22996	8/1/01	GW07694RG	URANIUM-238	REAL	TR1	1.02	PCI/L	0.768		V1	0.234		1.33	41.8	0.02			D&D Bldg 886	No
40999	7/23/01	GW07691RG	URANIUM-233,-234	REAL	TR1	9	PCI/L	1.06			0.066		8.49	60.7	0.15			D&D Bldg 886/865	No
40999	7/23/01	GW07691RG	URANIUM-238	REAL	TR1	6.6	PCI/L	0.768			0.015		8.59	41.8	0.16			D&D Bldg 886/865	No
41099	8/13/01	GW07692RG	NITRATE/NITRITE	REAL	TR1	22	MG/L	10		V1	1	20	2.20	4.664	4.72	ND		D&D Bldg 886	No
41099	7/31/01	GW07692RG	URANIUM-233,-234	REAL	TR1	21.5	PCI/L	1.06		V1	0.277		20.28	60.7	0.35			D&D Bldg 886	No
41099	7/31/01	GW07692RG	URANIUM-238	REAL	TR1	13.5	PCI/L	0.768		V1	0.213		17.58	41.8	0.32			D&D Bldg 886	No
41199	7/16/01	GW07693RG	URANIUM-233,-234	REAL	TR1	9.2	PCI/L	1.06			0.064		8.68	60.7	0.15			D&D Bldg 886	No
41199	7/16/01	GW07693RG	URANIUM-238	REAL	TR1	3.2	PCI/L	0.768			0.057		4.17	41.8	0.08			D&D Bldg 886	No
P317989	8/7/01	GW07697RG	SELENIUM	REAL	TR1	96	UG/L	50		V1	0.66	2	1.92	43.72	2.20	ID		D&D Bldg 886/865	No
P317989	9/21/01	GW07697RG	URANIUM-233,-234	REAL	TR1	50.4	PCI/L	1.06		V1	0.053		47.55	60.7	0.83			D&D Bldg 886/865	No
P317989	9/21/01	GW07697RG	URANIUM-235	REAL	TR1	2.3	PCI/L	1.01		V1	0.135		2.28	1.79	1.28	ID		D&D Bldg 886/865	No
P317989	9/21/01	GW07697RG	URANIUM-238	REAL	TR1	37.8	PCI/L	0.768		V1	0.111		49.22	41.8	0.90			D&D Bldg 886/865	No
00997	7/13/01	GW07629RG	URANIUM-233,-234	REAL	TR1	8.5	PCI/L	1.06		V1	0.08		8.02	60.7	0.14			Drainage	No
00997	7/13/01	GW07629RG	URANIUM-238	REAL	TR1	5.7	PCI/L	0.768			0.042		7.42	41.8	0.14			Drainage	No
6586	9/17/01	GW07646RG	NICKEL	REAL	TR1	391	UG/L	140		V1	3	1	2.79	21.37	18.30	79.00	4.95	Drainage	Yes
6586	9/17/01	GW07646RG	THALLIUM	REAL	TR1	2.7	UG/L	2	BJ	UJ1	1.8	1	1.35	4.9	0.55	1.98	1.36	Drainage	No
6586	9/17/01	GW07646RG	URANIUM-233,-234	REAL	TR1	5.59	PCI/L	1.06		V1	0.214		5.27	60.7	0.09			Drainage	No
6586	9/17/01	GW07646RG	URANIUM-238	REAL	TR1	5.09	PCI/L	0.768		V1	0.238		6.63	41.8	0.12			Drainage	No
00797	8/16/01	GW07628RG	URANIUM-233,-234	REAL	TR1	7.95	PCI/L	1.06	B	V1	0.068		7.50	60.7	0.13			Perf Monitoring	No
00797	8/16/01	GW07628RG	URANIUM-238	REAL	TR1	5.57	PCI/L	0.768		V1	0.158		7.25	41.8	0.13			Perf Monitoring	No
05691	8/20/01	GW07638RG	CARBON TETRACHLORIDE	REAL	TR1	87	UG/L	5		J1	1	1	17.40			228.07	0.38	Perf Monitoring	No
05691	8/20/01	GW07638RG	TETRACHLOROETHENE	REAL	TR1	20	UG/L	5		V1	1	1	4.00			62.15	0.32	Perf Monitoring	No

33

Table 3-2: Third Quarter, 2001 RFCA Groundwater Sample Comparisons With Tier II Action Levels And IMP Reporting Criteria

02-RF-00448

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Tier II	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II Ratio	Back-ground M2SD	Back-ground Ratio	Historic M2SD	Historic Ratio	Well Class	Reportable Result?
05691	8/20/01	GW07638RG	TRICHLOROETHENE	REAL	TR1	11	UG/L	5		V1	1	1	2.20			41.18	0.27	Perf Monitoring	No
05691	8/24/01	GW07638RG	URANIUM-233,-234	REAL	TR1	2.64	PCI/L	1.06	B	V1	0.122		2.49	60.7	0.04			Perf Monitoring	No
05691	8/24/01	GW07638RG	URANIUM-238	REAL	TR1	1.47	PCI/L	0.768		V1	0.069		1.91	41.8	0.04			Perf Monitoring	No
07391	8/23/01	GW07724RG	CHLOROFORM	REAL	TR1	1100	UG/L	100		V1	1000	1000	11.00			4439.22	0.25	Perf Monitoring	No
07391	8/23/01	GW07724RG	NITRATE	REAL	TR1	65	MG/L	10		V1	1.2	25	6.50	4.664	13.94	33.62	1.93	Perf Monitoring	No
07391	8/23/01	GW07724RG	TETRACHLOROETHENE	REAL	TR1	800	UG/L	5	J	V1	1000	1000	160.00			3030.17	0.26	Perf Monitoring	No
07391	8/23/01	GW07724RG	TRICHLOROETHENE	REAL	TR1	47000	UG/L	5		V1	2000	2000	9400			158350	0.30	Perf Monitoring	No
07391	8/23/01	GW07724RG	URANIUM-233,-234	REAL	TR1	29.1	PCI/L	1.06		V1	0.256		27.45	60.7	0.48			Perf Monitoring	No
07391	8/23/01	GW07724RG	URANIUM-235	REAL	TR1	1.58	PCI/L	1.01		V1	0.179		1.56	1.79	0.88			Perf Monitoring	No
07391	8/23/01	GW07724RG	URANIUM-238	REAL	TR1	86.1	PCI/L	0.768		V1	0.144		112.11	41.8	2.06	43.40	1.98	Perf Monitoring	No
10592	7/27/01	GW07619RG	SELENIUM	REAL	TR1	170	UG/L	50			0.33		3.40	43.72	3.89	ID		Perf Monitoring	No
10592	7/27/01	GW07619RG	URANIUM-233,-234	REAL	TR1	14.1	PCI/L	1.06		V1	0.294		13.30	60.7	0.23			Perf Monitoring	No
10592	7/27/01	GW07619RG	URANIUM-238	REAL	TR1	9.33	PCI/L	0.768		V1	0.242		12.15	41.8	0.22			Perf Monitoring	No
10692	7/27/01	GW07651RG	URANIUM-233,-234	REAL	TR1	16.6	PCI/L	1.06		V	0.366		15.66	60.7	0.27			Perf Monitoring	No
10692	7/27/01	GW07651RG	URANIUM-238	REAL	TR1	11.7	PCI/L	0.768		V	0.223		15.23	41.8	0.28			Perf Monitoring	No
10792	7/26/01	GW07620RG	SELENIUM	REAL	TR1	53.1	UG/L	50		V1	0.2	1	1.06	43.72	1.21	ID		Perf Monitoring	No
10792	7/31/01	GW07620RG	URANIUM-233,-234	REAL	TR1	5.21	PCI/L	1.06		V	0.22		4.92	60.7	0.09			Perf Monitoring	No
10792	7/31/01	GW07620RG	URANIUM-238	REAL	TR1	4.42	PCI/L	0.768		V	0.087		5.76	41.8	0.11			Perf Monitoring	No
10992	7/18/01	GW07652RG	NITRATE/NITRITE	REAL	DL1	18	MG/L	10		V1	0.1	5	1.80	4.664	3.86	ID		Perf Monitoring	No
10992	7/18/01	GW07652RG	SELENIUM	REAL	TR1	464	UG/L	50		V1	0.2	1	9.28	43.72	10.61	ID		Perf Monitoring	No
10992	7/24/01	GW07652RG	URANIUM-233,-234	REAL	TR1	6.5	PCI/L	1.06			0.057		6.13	60.7	0.11			Perf Monitoring	No
10992	7/24/01	GW07652RG	URANIUM-238	REAL	TR1	4.8	PCI/L	0.768			0.057		6.25	41.8	0.11			Perf Monitoring	No
12691	8/24/01	GW07654RG	CARBON TETRACHLORIDE	REAL	TR1	580	UG/L	5		V1	20	20	116.00			1211.85	0.48	Perf Monitoring	No
12691	8/24/01	GW07654RG	TETRACHLOROETHENE	REAL	TR1	120	UG/L	5		V1	20	20	24.00			646.52	0.19	Perf Monitoring	No
12691	8/24/01	GW07654RG	TRICHLOROETHENE	REAL	TR1	65	UG/L	5		V1	20	20	13.00			356.26	0.18	Perf Monitoring	No
12691	8/24/01	GW07654RG	URANIUM-233,-234	REAL	TR1	2.53	PCI/L	1.06			0.12		2.39	60.7	0.04			Perf Monitoring	No
12691	8/24/01	GW07654RG	URANIUM-238	REAL	TR1	1.98	PCI/L	0.768			0.046		2.58	41.8	0.05			Perf Monitoring	No
891COLWEL	9/6/01	GW07707RG	1,1-DICHLOROETHENE	REAL	TR1	23	UG/L	7		V	20	20	3.29			44.16	0.52	Perf Monitoring	No
891COLWEL	9/6/01	GW07707RG	CARBON TETRACHLORIDE	REAL	TR1	20	UG/L	5	J	V	20	20	4.00			34.70	0.58	Perf Monitoring	No
891COLWEL	9/6/01	GW07707RG	SELENIUM	REAL	TR1	590	UG/L	50		V1	16	50	11.80	43.72	13.49	924.05	0.64	Perf Monitoring	No
891COLWEL	9/6/01	GW07707RG	TETRACHLOROETHENE	REAL	TR1	33	UG/L	5		V	20	20	6.60			154.58	0.21	Perf Monitoring	No
891COLWEL	9/6/01	GW07707RG	TRICHLOROETHENE	REAL	TR1	420	UG/L	5		V	20	20	84.00			1234.43	0.34	Perf Monitoring	No
891COLWEL	9/6/01	GW07707RG	URANIUM-233,-234	REAL	TR1	11.4	PCI/L	1.06		V1	0.089		10.75	60.7	0.19			Perf Monitoring	No
891COLWEL	9/6/01	GW07707RG	URANIUM-238	REAL	TR1	8.5	PCI/L	0.768		V1	0.038		11.07	41.8	0.20			Perf Monitoring	No
SW13494	8/28/01	SW07706RG	TETRACHLOROETHENE	REAL	TR1	30	UG/L	5		V1	1	1	6.00			30.70	0.98	Perf Monitoring	No
SW13494	8/28/01	SW07706RG	URANIUM-233,-234	REAL	TR1	4.03	PCI/L	1.06			0.059		3.80	60.7	0.07			Perf Monitoring	No
SW13494	8/28/01	SW07706RG	URANIUM-238	REAL	TR1	2.96	PCI/L	0.768			0.013		3.85	41.8	0.07			Perf Monitoring	No
00491	7/12/01	GW07623RG	CARBON TETRACHLORIDE	REAL	DL1	91	UG/L	5		V	0.38	2	18.20			545.00	0.17	Plume Definition	No
00491	7/12/01	GW07623RG	TETRACHLOROETHENE	REAL	TR1	21	UG/L	5		V	0.36	1	4.20			58.51	0.36	Plume Definition	No
00491	7/12/01	GW07623RG	TRICHLOROETHENE	REAL	TR1	39	UG/L	5		V	0.22	1	7.80			153.17	0.25	Plume Definition	No

34

Table 3-2: Third Quarter, 2001 RFCA Groundwater Sample Comparisons With Tier II Action Levels And IMP Reporting Criteria

02-RF-00448

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Tier II	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II Ratio	Back-ground M2SD	Back-ground Ratio	Historic M2SD	Historic Ratio	Well Class	Reportable Result?
00491	7/12/01	GW07623RG	URANIUM-233,-234	REAL	TR1	4.8	PCI/L	1.06		V1	0.087		4.53	60.7	0.08			Plume Definition	No
00491	7/12/01	GW07623RG	URANIUM-238	REAL	TR1	3.6	PCI/L	0.768			0.015		4.69	41.8	0.09			Plume Definition	No
00597	7/19/01	GW07626RG	NITRATE/NITRITE	DUP	DL1	10	MG/L	10		V	0.042	2	1.00	4.664	2.14			Plume Definition	No
03991	8/7/01	GW07631RG	CARBON TETRACHLORIDE	REAL	TR1	7.1	UG/L	5		V1	1	1	1.42			27.15	0.26	Plume Definition	No
03991	8/7/01	GW07631RG	URANIUM-233,-234	DUP	TR1	1.61	PCI/L	1.06		V1	0.12		1.52	60.7	0.03			Plume Definition	No
03991	8/7/01	GW07631RG	URANIUM-238	REAL	TR1	1.09	PCI/L	0.768		V1	0.039		1.42	41.8	0.03			Plume Definition	No
0487	8/14/01	GW07635RG	SELENIUM	REAL	TR1	110	UG/L	50	N	J1	0.33	1	2.20	43.72	2.52	699.76	0.16	Plume Definition	No
0487	8/13/01	GW07635RG	TRICHLOROETHENE	REAL	TR1	150	UG/L	5		V	5	5	30.00			1330.06	0.11	Plume Definition	No
0487	8/14/01	GW07635RG	URANIUM-233,-234	REAL	TR1	9.6	PCI/L	1.06		1	0.11		9.06	60.7	0.16			Plume Definition	No
0487	8/14/01	GW07635RG	URANIUM-238	REAL	TR1	7	PCI/L	0.768		1	0.077		9.11	41.8	0.17			Plume Definition	No
05391	8/16/01	GW07637RG	CARBON TETRACHLORIDE	REAL	TR1	14	UG/L	5		V1	1	1	2.80			32.88	0.43	Plume Definition	No
05391	8/16/01	GW07637RG	URANIUM-233,-234	REAL	TR1	1.9	PCI/L	1.06	B	V1	0.202		1.79	60.7	0.03			Plume Definition	No
05391	8/16/01	GW07637RG	URANIUM-238	REAL	TR1	1.19	PCI/L	0.768		V1	0.14		1.55	41.8	0.03			Plume Definition	No
22896	9/12/01	GW07660RG	TRICHLOROETHENE	DUP	TR1	170	UG/L	5		V1	7	7	34.00			ND		Plume Definition	No
6286	7/18/01	GW07643RG	CARBON TETRACHLORIDE	REAL	TR1	5.8	UG/L	5		V1	0.19	1	1.16			9.76	0.59	Plume Definition	No
6286	7/18/01	GW07643RG	SELENIUM	REAL	TR1	82.9	UG/L	50		V1	0.2	1	1.66	43.72	1.90	65.96	1.26	Plume Definition	No
6286	7/24/01	GW07643RG	URANIUM-233,-234	REAL	TR1	5.2	PCI/L	1.06			0.053		4.91	60.7	0.09			Plume Definition	No
6286	7/24/01	GW07643RG	URANIUM-238	REAL	TR1	4	PCI/L	0.768			0.042		5.21	41.8	0.10			Plume Definition	No
6386	8/8/01	GW07644RG	NICKEL	REAL	TR1	280	UG/L	140		V1	1	1	2.00	21.37	13.10	ID		Plume Definition	No
6386	8/8/01	GW07644RG	SELENIUM	REAL	TR1	66	UG/L	50		V1	0.66	2	1.32	43.72	1.51	ID		Plume Definition	No
6386	8/8/01	GW07644RG	URANIUM-233,-234	REAL	TR1	5.75	PCI/L	1.06		V1	0.066		5.42	60.7	0.09			Plume Definition	No
6386	8/8/01	GW07644RG	URANIUM-238	REAL	TR1	5.08	PCI/L	0.768		V1	0.04		6.61	41.8	0.12			Plume Definition	No
P209389	7/23/01	GW07669RG	1,1-DICHLOROETHENE	REAL	TR1	13	UG/L	7		V1	0.2	1	1.86			88.48	0.15	Plume Definition	No
01497	9/4/01	GW07734RG	1,1-DICHLOROETHENE	REAL	TR1	32	UG/L	7		V	2	2	4.57					Plume Degradation	No
01497	9/4/01	GW07734RG	TETRACHLOROETHENE	REAL	TR1	5.8	UG/L	5		V	2	2	1.16					Plume Degradation	No
01497	9/4/01	GW07734RG	TRICHLOROETHENE	REAL	TR1	20	UG/L	5		V	2	2	4.00					Plume Degradation	No
02097	9/6/01	GW07736RG	TRICHLOROETHENE	REAL	TR1	22	UG/L	5		V	1	1	4.40					Plume Degradation	No
11791	8/22/01	GW07725RG	CARBON TETRACHLORIDE	REAL	TR1	390	UG/L	5		V1	10	10	78.00			878.00	0.44	Plume Degradation	No
11791	8/22/01	GW07725RG	TETRACHLOROETHENE	REAL	TR1	93	UG/L	5		V1	10	10	18.60			143.10	0.65	Plume Degradation	No
11791	8/22/01	GW07725RG	TRICHLOROETHENE	REAL	TR1	61	UG/L	5		V1	10	10	12.20			150.60	0.41	Plume Degradation	No
1187	8/27/01	GW07723RG	CARBON TETRACHLORIDE	REAL	TR1	340	UG/L	5		V1	100	100	68.00			762.30	0.45	Plume Degradation	No
1187	8/27/01	GW07723RG	TRICHLOROETHENE	REAL	TR1	3400	UG/L	5		V1	100	100	680.00			4197.49	0.81	Plume Degradation	No
70693	9/5/01	GW07735RG	1,1-DICHLOROETHENE	REAL	TR1	15	UG/L	7		V	1	1	2.14			101.40	0.15	Plume Degradation	No
70693	9/5/01	GW07735RG	TRICHLOROETHENE	REAL	TR1	8.8	UG/L	5		V	1	1	1.76			37.30	0.24	Plume Degradation	No
90099	8/22/01	GW07717RG	CARBON TETRACHLORIDE	DUP	TR1	780	UG/L	5		V1	40	40	156.00			ND		Plume Degradation	No
90099	8/22/01	GW07716RG	CHLOROFORM	REAL	TR1	100	UG/L	100		V1	40	40	1.00			ND		Plume Degradation	No
90099	8/22/01	GW07716RG	TETRACHLOROETHENE	REAL	TR1	40	UG/L	5	J	V1	40	40	8.00			ND		Plume Degradation	No
90099	8/22/01	GW07716RG	TRICHLOROETHENE	REAL	TR1	1400	UG/L	5		V1	40	40	280.00			ND		Plume Degradation	No
90299	9/12/01	GW07721RG	URANIUM-233,-234	REAL	TR1	25.9	PCI/L	1.06		V1	0.18		24.43	60.7	0.43			Plume Degradation	No
90299	9/12/01	GW07721RG	URANIUM-235	REAL	TR1	1.33	PCI/L	1.01		V1	0.1		1.32	1.79	0.74			Plume Degradation	No

95

Table 3-2: Third Quarter, 2001 RFCA Groundwater Sample Comparisons With Tier II Action Levels And IMP Reporting Criteria

02-RF-00448

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Tier II	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II Ratio	Back-ground M2SD	Back-ground Ratio	Historic M2SD	Historic Ratio	Well Class	Reportable Result?
90299	9/12/01	GW07721RG	URANIUM-238	REAL	TR1	19.7	PCI/L	0.768		V1	0.11		25.65	41.8	0.47			Plume Degradation	No
90399	8/27/01	GW07722RG	CARBON TETRACHLORIDE	REAL	TR1	290	UG/L	5		V1	20	20	58.00			ND		Plume Degradation	No
90399	8/27/01	GW07722RG	TRICHLOROETHENE	REAL	TR1	220	UG/L	5		V1	20	20	44.00			ND		Plume Degradation	No
90399	8/27/01	GW07722RG	URANIUM-233,-234	REAL	TR1	7.2	PCI/L	1.06			0.06		6.79	60.7	0.12			Plume Degradation	No
90399	8/27/01	GW07722RG	URANIUM-238	REAL	TR1	5.15	PCI/L	0.768			0.049		6.71	41.8	0.12			Plume Degradation	No
02197	7/19/01	GW07612RG	NITRATE/NITRITE	REAL	DL1	10.1	MG/L	10		V1	0.1	5	1.01	4.664	2.17	ND		Plume Extent	Yes
02197	7/18/01	GW07612RG	URANIUM-233,-234	REAL	TR1	3.2	PCI/L	1.06		V1	0.071		3.02	60.7	0.05			Plume Extent	No
02197	7/18/01	GW07612RG	URANIUM-238	REAL	TR1	2.6	PCI/L	0.768			0.058		3.39	41.8	0.06			Plume Extent	No
04091	8/22/01	GW07613RG	URANIUM-233,-234	REAL	TR1	1.87	PCI/L	1.06	B	V1	0.119		1.76	60.7	0.03			Plume Extent	No
04091	8/22/01	GW07613RG	URANIUM-238	REAL	TR1	0.902	PCI/L	0.768	J	V1	0.118		1.17	41.8	0.02			Plume Extent	No
04591	8/21/01	GW07634RG	URANIUM-233,-234	REAL	TR1	2.32	PCI/L	1.06	B	V1	0.073		2.19	60.7	0.04			Plume Extent	No
04591	8/21/01	GW07634RG	URANIUM-238	REAL	TR1	1.16	PCI/L	0.768		V1	0.152		1.51	41.8	0.03			Plume Extent	No
04991	9/12/01	GW07614RG	URANIUM-233,-234	REAL	TR1	5.88	PCI/L	1.06		V1	0.089		5.55	60.7	0.10			Plume Extent	No
04991	9/12/01	GW07614RG	URANIUM-238	REAL	TR1	2.9	PCI/L	0.768		V1	0.05		3.78	41.8	0.07			Plume Extent	No
05091	8/14/01	GW07636RG	URANIUM-233,-234	REAL	TR1	3.84	PCI/L	1.06		1	0.028		3.62	60.7	0.06			Plume Extent	No
05091	8/14/01	GW07636RG	URANIUM-238	REAL	TR1	1.91	PCI/L	0.768		1	0.075		2.49	41.8	0.05			Plume Extent	No
06091	8/24/01	GW07615RG	CARBON TETRACHLORIDE	REAL	TR1	7.8	UG/L	5		V1	1	1	1.56			4.44	1.76	Plume Extent	Yes
06091	8/24/01	GW07615RG	URANIUM-233,-234	REAL	TR1	3.51	PCI/L	1.06		V1	0.075		3.31	60.7	0.06			Plume Extent	No
06091	8/24/01	GW07615RG	URANIUM-238	REAL	TR1	2.08	PCI/L	0.768			0.048		2.71	41.8	0.05			Plume Extent	No
10194	8/16/01	GW07648RG	URANIUM-233,-234	REAL	TR1	2.21	PCI/L	1.06	B	V1	0.148		2.08	60.7	0.04			Plume Extent	No
10194	8/16/01	GW07648RG	URANIUM-238	REAL	TR1	1.42	PCI/L	0.768		V1	0.148		1.85	41.8	0.03			Plume Extent	No
10994	8/14/01	GW07653RG	NITRATE/NITRITE	REAL	TR1	11	MG/L	10		V1	1	20	1.10	4.664	2.36	ID		Plume Extent	Yes
10994	8/14/01	GW07653RG	SELENIUM	REAL	TR1	790	UG/L	50	N	J1	0.33	1	15.80	43.72	18.07	1097.20	0.72	Plume Extent	Yes
10994	8/14/01	GW07653RG	URANIUM-233,-234	REAL	TR1	9.3	PCI/L	1.06		1	0.18		8.77	60.7	0.15			Plume Extent	No
10994	8/14/01	GW07653RG	URANIUM-238	REAL	TR1	6	PCI/L	0.768		1	0.16		7.81	41.8	0.14			Plume Extent	No
1386	8/28/01	GW07712RG	URANIUM-233,-234	REAL	TR1	7.5	PCI/L	1.06			0.082		7.08	60.7	0.12			Plume Extent	No
1386	8/28/01	GW07712RG	URANIUM-238	REAL	TR1	6.4	PCI/L	0.768			0.036		8.33	41.8	0.15			Plume Extent	No
1786	7/11/01	GW07713RG	NITRATE/NITRITE	REAL	DL1	363	MG/L	10		V1	2.1	100	36.30	4.664	77.83	689.31	0.53	Plume Extent	Yes
1786	7/11/01	GW07713RG	URANIUM-233,-234	REAL	TR1	43	PCI/L	1.06			0.085		40.57	60.7	0.71			Plume Extent	No
1786	7/11/01	GW07713RG	URANIUM-235	REAL	TR1	1.4	PCI/L	1.01			0.085		1.39	1.79	0.78			Plume Extent	No
1786	7/11/01	GW07713RG	URANIUM-238	REAL	TR1	33	PCI/L	0.768			0.025		42.97	41.8	0.79			Plume Extent	No
22696	7/23/01	GW07658RG	URANIUM-233,-234	REAL	TR1	9.3	PCI/L	1.06			0.038		8.77	60.7	0.15			Plume Extent	No
22696	7/23/01	GW07658RG	URANIUM-238	REAL	TR1	6.3	PCI/L	0.768			0.014		8.20	41.8	0.15			Plume Extent	No
23096	8/14/01	GW07661RG	PLUTONIUM-239/240	REAL	TR1	0.157	PCI/L	0.151		J1	0.012		1.04			ND		Plume Extent	Yes
23096	8/14/01	GW07661RG	URANIUM-233,-234	REAL	TR1	2.38	PCI/L	1.06		1	0.18		2.25	60.7	0.04			Plume Extent	No
23096	8/14/01	GW07661RG	URANIUM-238	REAL	TR1	2.34	PCI/L	0.768		1	0.11		3.05	41.8	0.06			Plume Extent	No
5387	8/8/01	GW07617RG	URANIUM-233,-234	REAL	TR1	9.5	PCI/L	1.06		V1	0.062		8.96	60.7	0.16			Plume Extent	No
5387	8/8/01	GW07617RG	URANIUM-238	REAL	TR1	7.1	PCI/L	0.768		V1	0.048		9.24	41.8	0.17			Plume Extent	No
6186	8/21/01	GW07642RG	URANIUM-233,-234	REAL	TR1	2.44	PCI/L	1.06	B	V1	0.072		2.30	60.7	0.04			Plume Extent	No
6186	8/21/01	GW07642RG	URANIUM-238	REAL	TR1	1.86	PCI/L	0.768		V1	0.126		2.42	41.8	0.04			Plume Extent	No

36

Table 3-2: Third Quarter, 2001 RFCA Groundwater Sample Comparisons With Tier II Action Levels And IMP Reporting Criteria

02-RF-00448

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Tier II	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II Ratio	Back-ground M2SD	Back-ground Ratio	Historic M2SD	Historic Ratio	Well Class	Reportable Result?
7086	9/10/01	GW08647RG	URANIUM-233,-234	REAL	TR1	1.07	PCI/L	1.06		V1	0.15		1.01	60.7	0.02			Plume Extent	No
7086	9/10/01	GW08647RG	URANIUM-238	REAL	TR1	0.83	PCI/L	0.768	J	V1	0.048		1.08	41.8	0.02			Plume Extent	No
P114389	8/28/01	GW07668RG	URANIUM-233,-234	REAL	TR1	3.23	PCI/L	1.06			0.12		3.05	60.7	0.05			Plume Extent	No
P114389	8/28/01	GW07668RG	URANIUM-238	REAL	TR1	2.09	PCI/L	0.768			0.041		2.72	41.8	0.05			Plume Extent	No
P313589	9/6/01	GW07672RG	ANTIMONY	REAL	TR1	7.1	UG/L	6	B	UJ1	1.7	5	1.18	39.54	0.18	66.20	0.11	Plume Extent	No
P313589	9/6/01	GW07672RG	URANIUM-233,-234	REAL	TR1	1.84	PCI/L	1.06		V1	0.036		1.74	60.7	0.03			Plume Extent	No
P313589	9/6/01	GW07672RG	URANIUM-238	REAL	TR1	1.22	PCI/L	0.768		V1	0.013		1.59	41.8	0.03			Plume Extent	No
4087	7/26/01	GW07698RG	URANIUM-233,-234	REAL	TR1	19	PCI/L	1.06			0.08		17.92	60.7	0.31			RCRA	No
4087	7/26/01	GW07698RG	URANIUM-238	REAL	TR1	14	PCI/L	0.768			0.045		18.23	41.8	0.33			RCRA	No
52894	7/17/01	GW07700RG	URANIUM-233,-234	REAL	TR1	16	PCI/L	1.06			0.074		15.09	60.7	0.26			RCRA	No
52894	7/17/01	GW07700RG	URANIUM-238	REAL	TR1	12	PCI/L	0.768			0.045		15.63	41.8	0.29			RCRA	No
70393	7/11/01	GW07703RG	1,1-DICHLOROETHENE	REAL	TR1	10	UG/L	7		V	0.2	1	1.43			20.72	0.48	RCRA	No
70393	7/11/01	GW07703RG	TETRACHLOROETHENE	REAL	TR1	5.7	UG/L	5		V	0.36	1	1.14			9.06	0.63	RCRA	No
70393	7/11/01	GW07703RG	TRICHLOROETHENE	REAL	TR1	15	UG/L	5		V	0.22	1	3.00			36.33	0.41	RCRA	No
B206989	8/7/01	GW07705RG	LITHIUM	REAL	TR1	1100	UG/L	730		V1	2.2	1	1.51	142.55	7.72	ID		RCRA	Yes
B206989	7/17/01	GW07705RG	NITRATE/NITRITE	REAL	DL1	33.3	MG/L	10		V1	0.21	10	3.33	4.664	7.14	75.35	0.44	RCRA	Yes
B206989	8/7/01	GW07705RG	SELENIUM	REAL	TR1	280	UG/L	50		V1	0.66	2	5.60	43.72	6.40	ID		RCRA	Yes
B206989	8/7/01	GW07705RG	SULFATE	REAL	TR1	2800	MG/L	500		V1	1	1	5.60	435.6	6.43	ID		RCRA	Yes
B206989	8/30/01	GW07705RG	URANIUM-233,-234	REAL	TR1	60.5	PCI/L	1.06		V1	0.07		57.08	60.7	1.00			RCRA	No
B206989	8/30/01	GW07705RG	URANIUM-235	REAL	TR1	1.5	PCI/L	1.01		V1	0.07		1.49	1.79	0.84			RCRA	No
B206989	8/30/01	GW07705RG	URANIUM-238	REAL	TR1	37.2	PCI/L	0.768		V1	0.055		48.44	41.8	0.89			RCRA	No

Abbreviations
ID = Insufficient number of 1991-95 samples (5) to
MG/L = Milligrams per liter
ND = No 1991-1995 data, no Historic M2SD.
PCI/L = Picocuries per liter
TR1 = First analytical run
TR2 = Second analytical run, usually implies dilution (also DL1, DIL)
TR3 = Third analytical run, etc.
UG/L = Micrograms per liter (or μg/L)

calulate Historic M2SD

Lab Qualifiers (note analyte group)
B = Analyte present in both sample and method blank (MB) (organics)
but above instrument detection limit (IDL) (metals & other inorganics)
B = Activity in the method blank exceeds
minimum detectable activity (MDA) (radionuclides)
D = Sample run at a dilution (organics)
E =analyte exceeds calibration range of instrument (organics)
E = reported result is estimated due to interference (inorganics)
J = Positively identified below sample quantification limit (SQL),

B = Detected concentration less than contract required detection limit (CRDL)

result estimated (organics)
J = Estimated quantification (inorganics & radionuclides)
U = Target analyte not detected (all analytes)

Validation/Verification Qualifiers*
(list in order from highest confidence to lowest)
J/J1 = Estimated
NJ/NJ1 = Presumptively Estimated
UJ/UJ1 = Estimated at an elevated level of detection
R/R1 = Rejected

1 = Unvalidated/Unverified member of TR1-TR2 pair.
Other pair member should be Validated/Verified.

V/V1 = Valid

*Validation is a more thorough review of laboratory package than verification.

37

4.0 REQUIRED ACTIONS

Plume Extent well 02197 contained nitrate/nitrite above the Tier II Action Level and above the Background M2SD (Figure 2-74). The nitrate/nitrite result is reportable. A suite of monthly sampling for nitrate/nitrite in well 02197 has not been completed and therefore, a suite was initiated in February 2002.

Plume Extent well 23096 exhibited activity levels for plutonium-239/240 that was above the Tier II Action Level. The plutonium-239/240 result is reportable because it is the first time the value has exceeded the Tier II Level (Figure 2-84). The plutonium Background M2SD is not used for comparison; any detection over the Tier II Action Level is of interest. There are no Historic M2SDs for this well. This plutonium-239/240 result was a significant increase over previous sampling events. Plutonium-239/240 requires a suite of monthly samples. Monthly sampling began in late January of 2002.

Required Monthly Monitoring – **Completed**

Only one monthly sampling suite was in progress during the Third Quarter of 2001. An unsuccessful attempt at sampling metals in well 23196 took place in July. This unsuccessful attempt was discussed in the Second Quarter Groundwater Monitoring Report (SSOC, 2001b).

38

5.0 REFERENCES

CDPHE, 1996. Letter from Steve Tarlton to Steven W. Slaten. November 19, 1996.

CDPHE, 1998. Groundwater VOC Sample Preservation Policy, June 22, 1998.

DOE, 1993. Background Geochemical Characterization Report, September 30, 1993.

DOE, 1997. Background Comparison for Radionuclides in Groundwater, Draft, January, 1997.

DOE, 2000. FY2001 Integrated Monitoring Plan, November 2000.

EPA, 1996. Letter from Tim Rehder to Steven W. Slaten, RE: Monitoring Well List. November 14, 1996.

EPA, CDPHE, DOE, 1996. Final Rocky Flats Cleanup Agreement, July 19, 1996.

Kaiser-Hill, 2000. Final Rocky Flats Cleanup Agreement, Attachment 5, Action Levels and Standards for Surface Water, Ground Water, and Soils, dated March 21, 2000.

RMRS, 1998. Procedure: Evaluation of Data for Usability in Final Reports. Document Number RF/RMRS-98-200, Revision 0, Effective date 8/14/98, 16 pages.

RMRS, 2001a. Quality Assurance Program Plan For The Groundwater Monitoring Program Rocky Flats Environmental Technology Site, February 5, 2001, Ref: 01-RF-00338.

RMRS, 2001b. First Quarter RFCA Groundwater Monitoring Report for Calendar Year 2001: Rocky Flats Environmental Technology Site, August 2001, Ref: 00-RF-01933.

SSOC, 2001a. Final 2000 Annual Rocky Flats Cleanup Agreement (RFCA) Groundwater Monitoring Report for the Rocky Flats Environmental Technology Site, November 16, 2001, Ref: 01-RF-02107.

SSOC, 2001b. Second Quarter RFCA Groundwater Monitoring Report for Calendar Year 2001: Rocky Flats Environmental Technology Site, November 2001, Ref: 00-RF-02583.

Fig 2-1



Fig 2-2



Fig 2-3



Heavy Dashed Lines = Tier II Action Levels
Light Dashed Lines = 1991-1995 Historic Mean +/- 2 Standard Deviations (M2SD)

47

Fig 2-4



Fig 2-5



Fig 2-6



Heavy Dashed Lines = Tier II Action Levels
Light Dashed Lines = 1991-1995 Historic Mean +/- 2 Standard Deviations (M2SD)

48

Fig 2-7



Fig 2-8



Fig 2-9



Heavy Dashed Lines = Tier II Action Levels
Light Dashed Lines = 1991-1995 Historic Mean +/- 2 Standard Deviations (M2SD)

Fig 2-10



Fig 2-11



Fig 2-12



Heavy Dashed Lines = Tier II Action Levels
Light Dashed Lines = 1991-1995 Historic Mean +/- 2 Standard Deviations (M2SD)

50

Fig 2-13



Fig 2-14



Fig 2-15



Heavy Dashed Lines = Tier II Action Levels
Light Dashed Lines = 1991-1995 Historic Mean +/- 2 Standard Deviations (M2SD)

Fig 2-16



Fig 2-17



Fig 2-18



52

Heavy Dashed Lines = Tier II Action Levels
Light Dashed Lines = 1991-1995 Historic Mean +/- 2 Standard Deviations (M2SD)

Fig 2-19



Fig 2-20



Fig 2-21



53

Heavy Dashed Lines = Tier II Action Levels
Light Dashed Lines = 1991-1995 Historic Mean +/- 2 Standard Deviations (M2SD)

Fig 2-22



Fig 2-23



Fig 2-24



54

Heavy Dashed Lines = Tier II Action Levels
Light Dashed Lines = 1991-1995 Historic Mean +/- 2 Standard Deviations (M2SD)

Fig 2-25



Fig 2-26



Fig 2-27



Heavy Dashed Lines = Tier II Action Levels
Light Dashed Lines = 1991-1995 Historic Mean +/- 2 Standard Deviations (M2SD)

Fig 2-28



Fig 2-29



Fig 2-30



Heavy Dashed Lines = Tier II Action Levels
Light Dashed Lines = 1991-1995 Historic Mean +/- 2 Standard Deviations (M2SD)

Fig 2-31



Fig 2-32



Fig 2-33



Heavy Dashed Lines = Tier II Action Levels
Light Dashed Lines = 1991-1995 Historic Mean +/- 2 Standard Deviations (M2SD)

Fig 2-34



Fig 2-35



Fig 2-36



Heavy Dashed Lines = Tier II Action Levels
Light Dashed Lines = 1991-1995 Historic Mean +/- 2 Standard Deviations (M2SD)

58

Fig 2-37



Fig 2-38



Fig 2-39



Heavy Dashed Lines = Tier II Action Levels
Light Dashed Lines = 1991-1995 Historic Mean +/- 2 Standard Deviations (M2SD)

Fig 2-40



Fig 2-41



Fig 2-42



Heavy Dashed Lines = Tier II Action Levels
Light Dashed Lines = 1991-1995 Historic Mean +/- 2 Standard Deviations (M2SD)

Fig 2-43



Fig 2-44



Fig 2-45



Heavy Dashed Lines = Tier II Action Levels
Light Dashed Lines = 1991-1995 Historic Mean +/- 2 Standard Deviations (M2SD)

Fig 2-46



Fig 2-47



Fig 2-48



Heavy Dashed Lines = Tier II Action Levels
Light Dashed Lines = 1991-1995 Historic Mean +/- 2 Standard Deviations (M2SD)

Fig 2-49



Fig 2-50



Fig 2-51



Heavy Dashed Lines = Tier II Action Levels
Light Dashed Lines = 1991-1995 Historic Mean +/- 2 Standard Deviations (M2SD)

Fig 2-52



Fig 2-53



Fig 2-54



Heavy Dashed Lines = Tier II Action Levels
Light Dashed Lines = 1991-1995 Historic Mean +/- 2 Standard Deviations (M2SD)

Fig 2-55



Fig 2-56



Fig 2-57



Heavy Dashed Lines = Tier II Action Levels
Light Dashed Lines = 1991-1995 Historic Mean +/- 2 Standard Deviations (M2SD)

Fig 2-58



Fig 2-59



Fig 2-60



Heavy Dashed Lines = Tier II Action Levels
Light Dashed Lines = 1991-1995 Historic Mean +/- 2 Standard Deviations (M2SD)

66

Fig 2-61



Fig 2-62



Fig 2-63



Heavy Dashed Lines = Tier II Action Levels
Light Dashed Lines = 1991-1995 Historic Mean +/- 2 Standard Deviations (M2SD)

Fig 2-64



Fig 2-65



Fig 2-66



Heavy Dashed Lines = Tier II Action Levels
Light Dashed Lines = 1991-1995 Historic Mean +/- 2 Standard Deviations (M2SD)

Fig 2-67



Fig 2-68



Fig 2-69



Heavy Dashed Lines = Tier II Action Levels
Light Dashed Lines = 1991-1995 Historic Mean +/- 2 Standard Deviations (M2SD)

Fig 2-70



Fig 2-71



Fig 2-72



Heavy Dashed Lines = Tier II Action Levels
Light Dashed Lines = 1991-1995 Historic Mean +/- 2 Standard Deviations (M2SD)

70

Fig 2-73



Fig 2-74



Fig 2-75



Heavy Dashed Lines = Tier II Action Levels
Light Dashed Lines = 1991-1995 Historic Mean +/- 2 Standard Deviations (M2SD)

Fig 2-76



Fig 2-77



Fig 2-78



Heavy Dashed Lines = Tier II Action Levels
Light Dashed Lines = 1991-1995 Historic Mean +/- 2 Standard Deviations (M2SD)

Fig 2-79



Fig 2-80



Fig 2-81



Heavy Dashed Lines = Tier II Action Levels
Light Dashed Lines = 1991-1995 Historic Mean +/- 2 Standard Deviations (M2SD)

Fig 2-82



Fig 2-83



Fig 2-84



Heavy Dashed Lines = Tier II Action Levels
Light Dashed Lines = 1991-1995 Historic Mean +/- 2 Standard Deviations (M2SD)

Fig 2-85



Fig 2-86



Fig 2-87



Heavy Dashed Lines = Tier II Action Levels
Light Dashed Lines = 1991-1995 Historic Mean +/- 2 Standard Deviations (M2SD)

Fig 2-88



Heavy Dashed Lines = Tier II Action Levels
Light Dashed Lines = 1991-1995 Historic Mean +/- 2 Standard Deviations (M2SD)

76

7.0 GROUNDWATER DATA QUALITY ASSESSMENT – GENERAL INTRODUCTION

In this section, the quality of the analytical data is assessed in terms of five data-quality parameters: **precision, accuracy (bias), representativeness, completeness, and comparability (PARCC)** as outlined by RMRS in: "Quality Assurance Program Plan For The Groundwater Monitoring Program Rocky Flats Environmental Technology Site" (RMRS, 2001a, referred to as the **QAPP**). Precision and accuracy (bias) are quantitative measures. Representativeness and comparability are qualitative measures. Completeness is a combination of both quantitative and qualitative measures. This section summarizes the types of data available to assess these PARCC parameters.

Prior to the evaluations made here the Kaiser Hill-Analytical Services Division (ASD) team performs its own data quality assessment on all Metal, Radionuclide, Volatile Organic Compound, Polychlorinated Biphenyl and Water Quality Parameter results that are derived from groundwater. The nature and extent of these verification and validation activities are based upon program and customer-specified requirements and requirements of ASD to evaluate contractor laboratory performance against Statement of Work (SOW) requirements. Verification-validation criteria are generally based on government-published standards and guidelines, primarily EPA Contract Laboratory Procedures (CLP) and SW-846 method guidelines for organic and inorganic data evaluation and review. Verification-validation is a graded process to assess both compliance of the data package with the SOW and acceptability of the data using parameter specific guidelines. Verification is an assessment process to ensure that data meet certain specified criteria. Verification is a check of the data based on a review of the summary sheets provided by the laboratory. Validation provides the same review with the addition of an examination of the raw data and calculations that go into the summary tables. Validation is a more thorough assessment process than verification. All laboratory generated components of the following PARCC evaluation such as matrix spikes, laboratory control samples and detection limits are considered in generating the verification and validation qualifiers. The quality of the verification-validation process should be considered a major influence on the quality of the PARCC assessment.

Data used to evaluate the PARCC parameters were included in the data set compiled as described in Section 2.

With respect to the 116 sites visited in the Third Quarter of 2001, samples were obtained at a maximum of 98 of the sites. Fifteen sites were totally dry. Fifteen sites provided only partial samples due to insufficient water. Seven of the sampled sites were selected for the collection of field Real/Duplicate samples. Field Rinsate (or Field Blank) samples were collected at eight sites. On a per well basis overall frequency for field QC sampling is being maintained at 1 in 20 sites (5%) over the course of this quarter's sampling program. Duplicates were collected at a ratio of 1 in 16.6 (6.0%) and rinsates were collected at a ratio of 1 in 14.5 (6.8%). Third Quarter field QC data for the analytical groups are presented in Sections 7.1 to 7.5.

Precision:

The precision of a measurement is an expression of the mutual agreement between duplicate measurements of the same property taken under similar conditions. Precision can be expressed quantitatively by the relative percent difference (RPD) between real and duplicate field samples for Metals, Volatile Organic Compounds, Polychlorinated Biphenyls and Water Quality Parameters as defined by the following equation:

$$RPD = \frac{|(S-D)|}{(S+D)/2} \times 100$$

where: S = Concentration of analyte in Real Sample
D = Concentration of analyte in Duplicate Sample

Similarly with respect to Radionuclide analyses, the RFETS Groundwater Program uses the following "Duplicate Error Ratio" equation to express their precision.

$$DER = \frac{|S-D|}{\sqrt{[(TPU_S)^2 + (TPU_D)^2]}}$$

where TPU_S = Total Propagated Uncertainty of the Sample
TPU_D = Total Propagated Uncertainty of the Duplicate or Lab Replicate
S = Sample Result
D = Duplicate or Lab Replicate Result

Because TPU is seldom reported for radionuclides (except possibly for Tritium-H3 analyses) in the laboratory data records, 2-Sigma Error or random counting error has been substituted for TPU in the Uranium, Americium/Plutonium and Strontium calculations made for this report. TPU was not reported for Third Quarter Tritium analyses, so 2-Sigma Error was also substituted in DER calculations for Tritium.

Individual RPDs/DERs can be found in Table 7-1. The overall QC criterion for groundwater RPDs is ≤30%, for DERs the criterion is ≤1.96. Table 7-2 gives a summary of the Overall Precision Compliance for RPDs and DERs for the quarter.

Accuracy:

Accuracy is the degree of agreement for a measurement with an accepted reference or true value and is a measure of the bias in a system. The closer the measurement to the true value, the more accurate the measurement. The validation-verification process (see above) by assigning a qualifier is the principal means for evaluating the accuracy of analytical results. For this PARCC evaluation, the accuracy assessment is based on the Procedure for Evaluation of Data For Usability (RMRS, 1998). The PARCC analysis compares the actual analytical methods used to the required analytical methods and the contract required detection limits (CRDLs) for each analyte to the achieved detection limits. Table 7-3 gives the CRDLs for the various analytes. The Third Quarter 2001 determination of accuracy has been simplified by the presence of a complete data set derived from the SWD database. With respect to analytical results retrieved from electronic files (and 35 hand entered ones-33 dissolved gasses and 2 cesium-137), detection limits are readily available.

Matrix spike recoveries for metal, VOC, and WQP samples (Table 7-4) are available for the Third Quarter. Only three PCB samples were collected, no matrix spike analyses were performed but all results were non-detections. Acceptable criteria for matrix spikes cover a broad range depending on the analyte, analytical method and the individual laboratory. The Groundwater Program will briefly discuss matrix spike results outside of a range of 75-125 % recovery.

Laboratory control sample recoveries for radionuclides (Table 7-5) are also available for the quarter. Laboratory control samples are being evaluated if they are outside a QC range of 75-125 % recovery. According to KH-ASD, laboratories in practice will commonly accept LCS values in the range of 70-130 %. LCS percent recoveries between the 70-130 % laboratory range and the 75-125 % QC range required by the KH-ASD laboratory contracts are examined by the validators for acceptability on an analyte by analyte basis.

Representativeness:

The discussion of representativeness in this section is limited to an evaluation of whether analytical results for field samples are truly representative of environmental concentrations or whether they

78

may have been influenced by the introduction of contamination during collection and handling. The potential introduction of contamination is evaluated by examination of the analytical results for equipment rinsates (or field blanks, Table 7-6). Equipment rinsates are used to assess the efficacy of the decontamination process and possible cross-contamination between environmental samples. They are samples of volatile free "distilled" water that have been poured over or through decontaminated sampling equipment and subsequently handled in the same manner as environmental samples. Although rinsates are used specifically as indicators of cross-contamination during decontamination of equipment, they are carried through the entire sampling, shipping, and laboratory process and are consequently good indicators of potential contamination introduced during any of these steps. Because rinsate samples are judged adequate to assess introduced contamination, the groundwater program does not use trip blanks.

Other aspects of representativeness such as numbers of samples and spatial distribution are fixed in the Groundwater Integrated Monitoring Plan (DOE, 2000). As determined by the IMP, all required wells for this quarter were visited. See Figures 1A-C for reference to the spatial distribution of the samples.

Completeness:

A qualitative measure of completeness is the rate of successful sampling. In the Third Quarter 2001 all samples specified in the IMP were collected unless well disposition was prohibitive (i.e. the well was dry or went dry during sampling). Table 3-2 presents a summary of sample collection and well disposition.

Table 7-7 compares the Actual Number of Samples taken in the Third Quarter to the IMP driven Required Number of Samples. The completeness goal of successfully sampling 90% of the locations was met in relatively minor (in terms of numbers) sampling groups; dissolved gasses, cesium-137, total cyanide, chloride, nitrate (sole), sulfide as H_2S, total organic carbon and total recoverable petroleum hydrocarbons. Because all required wells were visited (some more than once) and all analytical results for samples from wells with enough water for the Third Quarter had been received prior to the writing of this report sampling is considered to have been successful. The data set for the Third Quarter is considered complete in this sense.

Completeness as a quantitative measure of data quality may be expressed as the percentage of valid or acceptable data obtained from a measurement system. In the Third Quarter analytical records were either Validated or Verified. Thirty-three dissolved gas (methane-ethane-ethene) and two cesium-137 results are not going to be validated (s.l.). Because of difficulties associated with data reporting and loading data into the SWD system, 642 analyses; 576-VOC, 1-metal, 51-uranium isotope and 14-WQP analyses, are still undergoing verification or validation. Two-hundred-two analyses, 154 VOCs, 47 metal and 1 sulfide, were rejected in validation. Where available, validation/verification data for each sample are listed in Appendix A. Table 7-8 summarizes the validation completeness based on the following formula:

DP_u = Percentage of usable data points
DP_t = Total number of data points
DP_n = Non-usable data points

$$\text{Completeness} = DP_u = \frac{DP_t - DP_n}{DP_t} \times 100 \text{ (in percent)}$$

The completeness criterion is having $\geq$ 90%valid samples.

Comparability:

Comparability is a qualitative parameter. Consistency in the acquisition, handling, and analysis of samples is necessary for comparing results. Data developed under the groundwater program are collected using RFETS SOPs, transported using both RFETS SOPs and US-DOT shipping regulations and analyzed using standard EPA or nationally recognized analytical methods (CLPs) to ensure comparability of results with other analyses performed in a similar manner.

During the Third Quarter of 2001, planned analytical methods for VOCs, Dissolved Gasses, PCBs, WQPs and Radionuclides remained consistent over the sampling period. A discussion of a Fourth Quarter 1998 change in field sampling methods for metals is given below. At the start of the Third Quarter 2001 the nomenclature of the Test Method for metal analyses was changed (see section 7.1 for a discussion). This change in nomenclature will not affect the comparability of current results with previous analyses. Table 7-3 lists the required methods for the various analytes. Laboratory analyses were performed according to standard CLP protocols and results should be comparable to data produced by similar methods.

At the start of the Second Quarter 2001 the technique for the analysis of Volatile Organic Compounds was changed from the EPA 524.2 Drinking Water to the EPA SW-846, 8260 (Low Level) method. The change was made because the SW-846 method requires (as EPA 524.2 does not) a pre-screening analytical run that should help laboratories determine appropriate levels of dilution when needed. The list of analytes for SW-846 includes all analytes in the EPA 524.2 list with the addition of (detection limits in μg/l given in parentheses) 1,1,2-trichloro-1,2,2-trifluoroethane (1), acetone (10), carbon disulfide (1), 2-butanone (10), 2-hexanone (10), and 4-methyl-2-pentanone (10). Detection limits for all remaining compounds are unchanged (= 1 μg/l) including the RFETS contaminants of concern (vinyl chloride, 1,1-dichloroethene, methylene chloride, carbon tetrachloride, cis-1,2-dichloroethene, chloroform, 1,1,1-trichloroethane, trichloroethene and tetrachloroethene). Because both the EPA 524.2 and SW-846 methods use gas chromatography as the basic analytical method and detection limits have not changed results gathered using either method should be comparable.

In the Fourth Quarter of 1998 the sampling procedure was modified in order to enhance the quality of the samples collected and also reduce the amount of purge water generated at certain wells. This practice has continued into the Third Quarter of 2001.

Some wells with adequate recharge rates had dedicated bladder pumps installed. Pump equipped wells provide an opportunity for "micropurging" at the time of sampling. Micropurging has several advantages. Micropurge sample collection provides a method of minimizing increased colloid mobilization by removing water from the well at the screen interval at a rate that preserves or minimally disrupts steady-state flow conditions in the aquifer. During micropurge sampling, groundwater is discharged from the aquifer at a rate that minimizes drawdown at the well. Research indicates that colloid mobilization will not increase above steady-state conditions during low-flow discharge. Therefore, the collected sample is more likely to represent insitu groundwater chemistry. In addition, less water is needed to purge the pump system compared to purging the entire well with a bailer. Thus there is less purge water to dispose of.

The installation of bladder pumps and micropurging without sample filtration resulted in a change in analytical method for metals. Pump equipped wells are sampled and analyzed for total metals because no filter is used during sample collection. Bailed well samples are filtered and analyzed for dissolved metals.

80

DISCUSSION OF ANALYTE GROUPS

7.1 METALS

Precision:

There were 168 records for duplicate samples versus 2317 real sample records in the data set for metals in the Third Quarter, 2001 (1 in 13.8, 7.3 %). The number of duplicate samples collected in the Quarter was adequate for data quality objectives. Of the possible 168 Relative Percent Differences (RPDs) for metals, 126 (75.0 %) were within the QC criterion of ≤30% for groundwater as summarized in Table 7-2 and 42 (25 %) were outside the criterion. Based on Relative Percent Difference calculations overall precision for metal analyses for the Third Quarter needs to be improved. From the 126-real/duplicate pairs in which a Relative Percent Difference (RPD) could be calculated, 117 are displayed in Table 7-1 (see Table 7-2 for criteria on which RPDs were calculated and displayed).

The RPD results that do not meet the QC criterion are distributed in the following manner (number of occurrences in parentheses);

aluminum (4)	iron (4)	potassium (2)
antimony (3)	lead (2)	selenium (1)
barium (1)	lithium (1)	silver (4)
cadmium (1)	manganese (3)	thallium (3)
calcium (1)	molybdenum (1)	uranium-metal (1)
cobalt (1)	nickel (1)	zinc (2).
copper (3)		

No metal or group of metal analytes, especially those that may be contaminants of concern, appear to dominate those RPDs that exceeded the 30% QC criterion.

Of the 39 RPD pairs not meeting the precision criterion, 16 pairs with results <1 μg/L contained laboratory qualifiers that were either a "U" and "B" or both "B's". This means they were non-detections or the result was above the instrument detection limit but below the CRDL indicating that small quantities of metal are being considered. Several of these same results (11) were validated with "J/J1" or "UJ/UJ1" qualifiers indicating that the results are non-detections or estimates in some way. Twenty-five of the 39 RPD results are from metals that are not contaminants of concern (aluminum, antimony, barium, calcium, copper, iron, molybdenum, potassium, silver and zinc).

These considerations may indicate that the precision of metal analyses is somewhat better than the RPD acceptable figure of 75% indicates. However, precision could still be improved. One of the two laboratories used for metal analyses in the Third Quarter was deficient in reporting data. This laboratory was removed from the program and it is anticipated that precision should return to compliance with the 85%-RPD criterion in the future.

The recommended frequency for duplicate samples is 1 in 20 (5 %) on a per sample basis (see above). In the Third Quarter 6 of 81 sampled wells were analyzed for metals as Real/Duplicate pairs, a ratio of 1 in 13.5 (7.4 %). Thus the Duplicate sampling frequency was within the requirements for the Third Quarter on both a per well and per sample basis.

81

Accuracy:

Contract-required-detection limits (CRDLs) for metals were met in all cases. Except in the following cases:

Locations 41591, 7086, 891COLWEL:
aluminum, antimony, arsenic, beryllium, chromium, copper, selenium, vanadium
Wells 06491, B206989:
beryllium
Well P313589:
copper

Most of the results from these wells for these analytes were non-detections. Only selenium in 891COLWEL was a significant detection being above the Tier II Action Level (see Table 3-2, and Figure 2-67). These 27 analyses that failed to meet the CRDL criteria represent 1.0 % of the 2654 metal analyses performed. In general, accuracy was good with respect to detection limits for metals in the Third Quarter 2001.

Of 2654 metal analyses for the Third Quarter (reals, duplicates and rinses) all except one were either validated or verified. Forty-seven analyses were rejected (given "R" or "R1" validation-verifications).

Analytes	Number of Analyses	Rejection Criteria
Magnesium	3	Calibration verification recovery criteria not met
Potassium	3	Low-level check sample recovery criteria were not met (all 3) and/or Serial dilution percent D criteria not met (1)
Strontium (metal)	3	Calibration verification recovery criteria not met and Serial dilution percent D criteria not met
Thallium	32	Calibration verification recovery criteria not met (15) and Low-level check sample recovery criteria were not met (all)
Uranium (metal)	6	Low-level check sample recovery criteria were not met

These 47 analyses represent 1.7 % of the metal analyses for the quarter. The six uranium rejections came from one laboratory and all the rest (41) came from the laboratory with deficient reporting procedures. The accuracy of metal analysis with respect to the validation process was generally acceptable for the Third Quarter except in the case of thallium. It is anticipated that removal of the questionable laboratory will improve accuracy in the Fourth Quarter 2001.

All 821 Laboratory Control Sample (LCS) percent recoveries for metals were inside the 75-125 % validation QC criterion. Each set of metal samples sent out for analysis (a RIN) is represented by LCS analyses. With respect to LCS sample recoveries for metal, accuracy for the Third Quarter 2001 is good.

Table 7-4 gives matrix spike recoveries for metals based on the electronic information submitted with RINs collected in the Third Quarter. The results in Table 7-4 show that 1352 of 1386 (97.5 %) metal matrix spikes and matrix spike duplicates were within the matrix spike criterion of 75-125 %. Metal matrix spike information was submitted for all RINs where metals analyses were requested. The 34 matrix spikes outside the criteria included: 7-aluminum, 1-beryllium, 8-calcium, 3-mercury, 4-selenium, 2-silver, 5-sodium, 3-uranium and 1-vanadium. Except in the case of the two silver analyses, each matrix analysis outside the criteria had a second or third (etcetera) matrix analysis that was within the 75-125 % criteria. While matrix spike accuracy for metals was acceptable in the Third Quarter the laboratories need to be watched so they perform and/or report matrix spike analyses accurately.

Unfortunately, a change in nomenclature for metal analyses was not mentioned in the Second Quarter 2001 Groundwater Monitoring Report (SSOC, 2001b). Previously, the stipulated Test Method in the Soil-Water Database (SWD) for dissolved and total metals was listed as "CLP-SOW", an abbreviation for Contract Laboratory Procedures (or Program-Statement of Work. On the advice of the Kaiser-Hill Analytical Services Division (KH-ASD) the nomenclature for the Test Method was changed to EPA 600. KH-ASD pointed out that "CLP-SOW" was a name for a group of procedures that include EPA 600. Within the "CLP-SOW procedures" the analyst is directed to use EPA 600 methods for metals. For which there are specific EPA 600 techniques depending on the analytical suite. It was felt that the EPA 600 nomenclature was more appropriate and informative name for the Test Method. Because the actual analytical technique has not changed, just the name that is entered into the Soil-Water Database, past and future analytical results remain comparable. All metal analyses were performed using the proper contract required methods listed in Table 7-3 in the Third Quarter of 2001. With respect to methods the results for the Third Quarter are accurate.

Representativeness:

As mentioned in the general discussion above representativeness is an evaluation of the sampling procedure for its ability to reflect the true groundwater concentrations of contaminants. Rinsate samples are used by the Groundwater Program to determine whether there is introduced contamination from the sampling process. Note that rinsate results may also be reported as "FB" or field blanks in the data set.

There were 169 rinsate records versus 2485 real and duplicate sample records for metals from the Third Quarter 2001. That is a ratio of 1 in 14.8 which is within the criteria of 1 in 20 on a per record basis. All rinsate results except for one silver analysis (well 37201, result = 0.23 µg/L, Tier II = 183 µg/L) were lab qualified as either "U" (non-detections) or "B" (detection was less than Contract Required Detection Limit but greater than Instrument Detection Limit). This indicates that in general no metal contamination was introduced during sampling and/or shipping activities. With the absence of contamination introduced during sampling activities metal analyses for the Third Quarter are judged to be representative of the actual well water concentrations.

Because all required sampling locations defined in the IMP were visited and all samples that could be collected were analyzed, metal analyses for the Third Quarter 2001 are judged to be representative with respect to spatial coverage.

Completeness:

Table 7-7 indicates that 104 wells were to have been sampled for metals in the Third Quarter 2001. Twenty-three dry wells or wells that went dry during sampling resulted in the collection of 81 actual samples, a success ratio of 77.9 %. The goal, groundwater conditions permitting, is to have greater or equal to 90 % successful sampling.

Validation/Verification completeness is summarized in Table 7-8. The validation process is complete with respect to metals all results, except for one dilution, were verified or validated (100%). With 2606 metal results providing usable data points (98.2 %), metal analyses are considered complete with respect to validation and verification. The 47 results rejected in validation/verification are discussed in the Accuracy section above.

83

Comparability:

As stated in Section 2 no changes were made to analytical procedures for metals in the Third Quarter of 2001. The nomenclature for the analytical procedure was changed in the Second Quarter from "CLP-SOW" to EPA 600 but this did not affect the actual analytical technique. The analytical methods for metal analyses from the Third Quarter should be comparable to previous analyses.

7.2 RADIONUCLIDES

Precision:

There were 30 duplicate records versus 407 real records (1 in 13.9, 7.4 %) collected in the Third Quarter 2001. Duplicate samples were collected for plutonium-239/240, americium-241, uranium isotopes, strontium-89/90 and tritium. None were collected for neptunium-237 (2 samples) and cesium-137 (6 samples). Duplicate Error Ratios (DERs) for all 30 of the real-duplicate pairs were under the 1.96 criterion, a success ratio of 100. %. In Table 7-1 DERs for 13 real-duplicate pairs are displayed (see Table 7-2 for display criteria). The goal for DER values is to have 85% compliance. Precision with respect to being able to generate repeatable results for Third Quarter radionuclide data is adequate.

Accuracy:

Required detection limits for radionuclide analyses are given in Table 7-3. Except for two records, 405 real, duplicate and rinse radionuclide analyses performed in the Second Quarter met the contract required detection limits (99.5 %). Two americium-241 analyses did not meet detection limit criteria. Detection limits for both analyses were 0.031 pCi/L while the CRDL was 0.030 pCi/L, so the criteria were barely missed. Both analyses had "U" qualified results reported at less than the stated detection limit so there is some question about the accuracy of laboratory reporting. Neither of the analytical results were greater than Tier II action levels. Radionuclide results are considered accurate with respect to detection limits for the Third Quarter 2001.

All radionuclide analyses were performed using the proper contract required test methods in the Third Quarter of 2001 (Table 7-3). With respect to methods the results for the Third Quarter are accurate.

Table 7-5 gives the Laboratory Control Sample (LCS) recoveries for radionuclides collected in the Third Quarter. For the 92 records in Table 7-5 all results with calculated %-Recoveries are acceptable and within the 75-125 % quality control criterion (see general Accuracy discussion above). Four LCS results were reported without the %-Recovery conversion. Poor laboratory reporting made some hand entry of the conversions necessary. Each RIN that was shipped out has the appropriate associated LCS recovery data. Accuracy with respect to the reported LCS recoveries is good.

Representativeness:

There were 30 records from five rinsate locations for radionuclides collected in the Third Quarter (Table 7-6). The 30 records give a ratio of 1 in 14.6 (6.9 %) with respect to the 437 records for real-duplicate analyses. Rinsates were collected at 1 in 16.8 (5.9 %) wells with respect to the maximum number of wells actually sampled for radionuclides (84 for uranium isotopes). The number of rinsates is adequate to fulfill the 1 in 20 criterion per record and per well for the Third Quarter.

Ideally, all rinsate results should be "U" laboratory qualified as non-detections. Eight of the radionuclide analyses in Table 7-6 are not qualified as "U's". For six of these analyses the result is less than the detection limit indicating that they should have been "U" qualified. This leaves two analyses that are detection, a uranium-235 and a uranium-238 from well 40299. Both of these analyses are below the Tier II Action Level, as are all other rinsates.

Twenty-nine of 30 radionuclide rinsate results were verified or validated as "V" or "V1". One result was verified as a "J1". All data points are usable. There is little indication that sampling activities introduced radionuclide contamination in the Third Quarter of 2001. Radionuclide results for the quarter are judged representative of environmental concentrations.

In the Third Quarter of 2001, all required sampling locations were visited and those samples that could be collected were analyzed. No samples were lost, destroyed in transit or failed validation. Radionuclide analyses for the Third Quarter are representative with respect to spatial coverage.

Completeness:

Sampling success for radionuclides (Table 7-7) was limited by the availability of water in dry or nearly dry wells. All wells that required radionuclide sampling were visited at least once in the Third Quarter. The success ratios for the various radionuclide analytes were 81.8 % for plutonium/americium, 79.2 % uranium isotopes, 70.3 % tritium, 50.0 % strontium-89/90, 100 % cesium-137 and 22.2 % for neptunium-237. The completeness goal of 90% was only met in the case of cesium-137 for any radionuclide in the Third Quarter.

Of 467 radionuclide analyses, 414 were validated or verified. Fifty-three analyses have not been validated (s.l.) to date. Fifty-one uranium isotope analyses are currently undergoing validation (s.l.). (Two cesium-137 analyses will not be validated.) Validation of these analyses was delayed by reporting problems. All radionuclide analyses that have been validated provided usable data points (Table 7-8). Radionuclide analytical data are complete with respect to validation and verification for the Third Quarter 2001.

Comparability:

No changes were made to radionuclide analytical procedures in the Third Quarter of 2001. Thus the radionuclide analyses presented here are thought to be comparable to previous analyses.

7.3 VOLATILE ORGANIC COMPOUNDS And DISSOLVED GASSES (Methane, Ethane, Ethene)

Precision:

There were 451 duplicate analyses versus 6768 real analyses for volatile organic compounds and dissolved gasses in the Third Quarter (1 in 15.0 samples, 6.7 %). (Three of the duplicates were for dissolved gasses.) The relative percent differences (RPDs) for 442 real-duplicate pairs (98.0 %) were within the +/-30 percent quality control criterion. The single VOC-RPD pair that did not meet the criteria is shown in Table 7-1. Eight VOC pairs contained a member that was rejected in validation (s.l.), these are not present in Table 7-1. Twenty-two of the calculated RPDs are displayed in Table 7-1 based on criteria from Table 7-2.

The Relative Percent Difference goal is to have 85% of the RPDs within +/-30 %. With 98 % of VOC and Dissolved Gas real-duplicate pairs having acceptable RPDs, VOC and dissolved gas analyses for the Third Quarter of 2001 are reproducible and therefore may be considered precise.

85

Accuracy:

Contract Required Detection Limits (CRDLs) for VOCs in the Third Quarter are discussed below. Required detection limits for VOC and dissolved gas analyses are given in Table 7-3. In general, the CRDLs for VOCs are 1 µg/L, for the analytes; 2-butanone, 2-hexanone, 4-methyl-2-pentanone and acetone the CRDL is 10 µg/L.

Stevern Trent Laboratories of Denver performed analyses on 43 sets of VOC samples. The detection limits for all 64 analytes in the SW-846 Method 8260 technique were met in all cases.

Acculab of Denver analyzed 69 sets of VOC samples. For 57 of the Acculab analyses, the CRDLs were met except in the following case. Total xylenes were routinely analyzed at a detection limit of 3 µg/L. In 12 Acculab samples the CRDLs were not met at all. The table below lists information pertinent to these 12 samples. There are 18 lines in the table because four samples are represented by two bottles. Detection limits and dilutions in the table are given for the majority of analytes. Detection limits and dilutions for analytes not included in the Number of analyses column (the number of analyses should sum to 64) are greater than those listed under Dilution and Detection Limit. Both Severn Trent and Acculab report multiple detection limits and dilutions for each analytical run that are determined by the concentration of the individual analytes that they are trying to characterize.

VOCs by EPA SW-846 Method 8260 (compounds have either a 1 or 10 µg/l CRDL)

Location	RIN-Event.Bottle	QC Type	Result Type	Dilution	Detection Limit	Number of analyses
*40099	01D1234-005.001	Real	TR1	10	10	57
*40099	01D1234-005.003	Real	DL1	20	20	53
*11791	01D1311-011.001	Real	TR1	10	10	59
*90099	01D1311-012.001	Real	TR1	40	40	59
*90099	01D1311-012.003	Real	TR1	40	40	59
*90099	01D1311-013.001	Dup	TR1	40	40	59
*90099	01D1311-013.002	Dup	TR1	40	40	59
*07391	01D1311-023.001	Real	TR1	1000	1000	58
*12691	01D1352-001.001	Real	TR1	20	20	59
*90399	01D1352-004.001	Real	TR1	20	20	59
*1187	01D1352-005.001	Real	TR1	100	100	59
01497	01D1417-007.001	Real	TR1	2	2	59
*891COLWEL	01D1417-013.001	Real	TR1	20	20	59
*22896	01D1448-006.003	Real	TR1	4	4	59
*22896	01D1448-007.003	Dup	TR1	7	7	59

There were 112 VOC samples submitted for analysis in the Third Quarter resulting in 7388 records being returned (not counting dilutions). The twelve samples listed above represent 768 records in

which the 1-10 μg/l CRDL was not met for a particular location. One hundred samples and 6620 records (89.6 %) met the detection limits. The accuracy of VOC analyses with respect to detection limits is adequate for the Third Quarter 2001. It may be difficult to increase the number of samples that meet the accuracy requirements for detection limits for the following reason.

Eleven of the 12 sampling locations in the group above (see asterisks) contain some amount of contamination. Analysis at a 1x dilution may be impossible for these locations if the laboratory wants to protect their instruments from damage due to high concentrations of contaminants. The KH-ASD team is working with the laboratories to try to get them to meet the 1-10 μg/l detection limit while preventing the excessive dilution of the samples. The Second Quarter 200 change to the SW-846, method 8260 was instituted in order to impose a pre-screening step on the laboratories so that meaningless or excessive dilutions are eliminated or decreased. With respect to VOC analyses in the Third Quarter, this strategy seems to be working. While 12 locations were a problem in general, there are fewer missed CRDLs and the number and extent of excessive dilutions has decreased.

All VOC Laboratory Control Sample (LCS) analyses out of 275 returned results (100 %) met the 75-125 % QC criterion. Five or six analyses per RIN are returned for the SW-846 method 8260 technique depending on the laboratory. All RINs submitted for analyses had LCS data reported. Accuracy with respect to VOC-LCS analyses for the Third Quarter is good.

All 18 dissolved gas LCS analyses were within the 75-125 % QC criterion. Accuracy is good with respect to dissolved gas analyses.

Table 7-4 gives the Third Quarter VOC and dissolved gas matrix spike results. All VOC-RINs had associated data. Note that the laboratory procedure is to prepare and calculate results for matrix spikes in only five or six compounds analyzed using the SW-846 method 8260 technique.

The acceptable matrix spike criterion is to have the recovery be between 75 % and 125 % (see the general Section 7.0-Accuracy discussion above). With respect to matrix spikes for VOCs in the Third Quarter, of 221 available matrix spike entries, five did not meet the 75-125 % criterion. However, multiple matrix spike analyses were available for the RINs where a particular matrix spike analysis failed and a second or third spike was within the 75-125 % criteria. The presence of real contaminant in samples picked for matrix spike analysis may give distorted results because a small amount of analyte-spike added relative to the existing contamination may not be detectable. Results for the available matrix spikes are acceptable for VOCs in the Third Quarter 2001. In general, the VOC results for the Third Quarter are accurate. However, reporting of matrix data needs improvement.

All VOC and Dissolved Gas analyses were performed using the proper contract required methods in the Third Quarter of 2001 (Table 7-3). With respect to methods, the results for the Third Quarter are accurate.

Representativeness:

There were 577 rinsate records from eight wells for VOCs and three records from one well for dissolved gasses from the Third Quarter of 2001 (Table 7-6). These represent 1 in 12.4 (8.0 %) with respect to records and 1 in 14.0 (7.1 %) wells. The number of rinses taken in the Third Quarter is greater than the 1 in 20 (5%) requirement on a per record and per well basis.

Of the 577 VOC rinsate analyses, 573 were at or below detection limits and were lab qualified as non-detects ("U"). In all cases rinsate values were below Tier II action levels. The rinse taken at well 07391 contained 4.9 μg/L trichloroethene. This is apparently an example of contamination as the

87

associated real result (no duplicate) contained 47000 µg/L. The field crews have been shown these results and advised to be more careful. The other three detections in rinsate analyses are probably not real. Two chloromethane analyses that were supposed detections (1.1 and 1.3 µg/L) were associated with real and duplicate analyses that showed no chloromethane ("U" qualified with 1 µg/L detection limits). The remaining result was for tetrahydrofuran which is not part of the SW-846 Method 8260 analytical suite. Tetrahydrofuran was reported in the EDD results but does not appear on either the real, duplicate or rinse hardcopy (a "PDF" file).

Nine rinsates were "J" qualified by the laboratories. For a variety of reasons, these results do not appear related to contamination due to sampling procedures. Seven of the analyses were less than the detection limits and one was equivalent to the detection limit (= 5 mg/L) yet they laboratory did not qualify them as non-detections. One result was rejected in validation. Three were validated as estimates due to calibration problems. A trichloroethene result from a well containing trichloroethene was significantly affected by laboratory contamination. These detections are thought to be inconsequential with respect to introduced contamination.

With only one potential case of introduced field contamination the VOC samples in general are judged representative of environmental conditions indicating no introduced contamination due to sampling. Based on the results from well 07391, the sampling crews have been notified of the need to carefully follow post-sampling decontamination procedures.

VOC analyses for the Third Quarter 2001 are judged representative with respect to spatial coverage. All required sampling locations were visited and those samples that could be collected were analyzed. No samples were lost or destroyed in transit.

Completeness:

Table 7-7 shows that 112 wells were to have been sampled for VOCs within the Third Quarter 2001. Because of the dry conditions, only 98 VOC samples could actually be collected. That translates to a success ratio of 87.5 % for VOCs. This is below the goal of collecting 90 % of the required samples. Nevertheless sampling for VOCs in the Third Quarter is complete because all wells were visited as specified by the IMP.

For dissolved gasses all nine wells scheduled to be sampled provided water and therefore dissolved gas sampling is complete for the quarter.

All VOC and samples collected in the Third Quarter of 2001 were validated (s.l.) on the assumption that the holding time for unpreserved VOC vials is 7 days. The RFETS groundwater program uses a 14-day hold time based on recent CDPHE guidance (CDPHE, 1998). Because of the 7-day hold time criteria, sample results may have received an erroneous "J" or "J1"validation qualifier if no other factors affected the analyses.

All VOC samples (not counting dilutions) for the Third Quarter of 2001 were sent out to be validated or verified (Table 7-8). Because of poor reporting by one laboratory, validation of nine sets of VOC results was not completed in time for inclusion in this report. The rest of the data points (7325) have been validated and 90.0 % (6595) are usable. The following table lists the rejected results and the associated reasons for rejection.

88

Analyte	Reason For Rejection	Number
2-Butanone	Requirements for independent calibration verification were not met.	61
	Continuing calibration verification criteria were not met.	59
Acetone	Requirements for independent calibration verification were not met.	51
	Continuing calibration verification criteria were not met.	49
1,2-Dibromo-3-Chloropropane	Requirements for independent calibration verification were not met.	42
	Continuing calibration verification criteria were not met.	40

Because these compounds are not a contaminants of concern at RFETS the rejections do not adversely affect VOC sampling for the quarter. From the standpoint of validation/verification as it pertains to completeness of the data set, Third Quarter VOC results are complete.

Thirty-three dissolved gas analyses collected during the quarter were not validated because the analysis is performed using a task order or special contract not covered by the validation contract.

Comparability:

As stated above changes were made to analytical procedures in the Third Quarter of 2001. The analytical method used was switched from the EPA 524.2 to EPA SW-846 method 8260 in the Second Quarter. This was done in order to require pre-screening analyses which would aid the laboratories in deciding at what level to dilute a sample should dilution be necessary. Because the methods are both based on gas chromatography and detection limits are the same VOC analyses presented here are thought comparable to previous analyses.

7.4 WATER QUALITY PARAMETERS

Precision:

Duplicate samples were collected for the following Water-Quality-Parameter analytes (number of duplicates in parentheses): chloride (1), total cyanide (1), fluoride (2), nitrate (1), nitrate/nitrite (6), total dissolved solids (7), sulfate (3), sulfide (1), total organic carbon (1) and total recoverable petroleum hydrocarbons (TRPH) (1). These 24 duplicates versus the 273 real samples (see Table 7-7 for the distribution of the real samples) equal a ratio of 1 in 11.4 (8.8 %) for records collected during the Third Quarter. All 24 duplicate-real pairs could be used to generate Relative Percent Difference (RPD) values and these (except for the TRPH pair) are displayed Table 7-1 (see Table 7-2 for the display criteria). All 24 calculated pairs are below the +/-30 Percent Quality Control criterion (100 %). In general the RPD calculations presented here indicate that WQP analyses were reproducible and therefore in the Third Quarter precision is good with respect to Water Quality Parameters.

Accuracy:

Electronic data indicate that contract required detection limits (CRDLs) were met for most WQP analyses. For 329 real, duplicate and rinse analyses for water quality parameters 99.9 % were within the required detection limits. Sixteen analyses (4-chloride, 1-fluoride, 1-nitrate, 3-nitrate/nitrite and 7-sulfate) did not meet the CRDL criteria. Except for the fluoride analysis, which was classified by the laboratory as a "U" non-detection, the other 15 analyses had elevated concentrations and dilution generally appears to be appropriate. Results for the Third Quarter should be accurate with respect to detection limits.

All WQP analyses were performed using the proper contract required methods in the Third Quarter of 2001 (Table 7-3). With respect to methods, results for the Third Quarter are accurate.

One hundred forty-six records for Laboratory Control Samples (LCS) for WQPs are available. LCS results are present for each type of analysis requested and for each set of samples (RINs) sent out. All LCS results were within the 75-125 % validation (s.l.) QC criterion.

Table 7-4 gives the matrix spike results for WQPs for the Third Quarter of 2001. One hundred twenty-one of 125 (96.8 %) matrix spikes shown in Table 7-4 were within the acceptable 75-125% recovery range (see general Accuracy discussion Section 7.0). Four-sulfate analyses (RINs 01D1153, 01D1352, 01D1375 and 01D1417) were below the criterion. Water Quality Parameter analyses with respect to matrix spikes in the Third Quarter 2001 should be accurate.

Representativeness:

Rinse samples were collected for alkalinity (1), chloride (2), total cyanide (1), fluoride (2), nitrate (2), nitrate/nitrite (6), total recoverable petroleum hydrocarbons (1), sulfate (6), total organic carbon (2) and total dissolved solids (7) in the Third Quarter. These 30 rinsates represent a ratio of 1 in 10.2 (9.8 %) with respect to all 305 WQP real-duplicate analytical records (not counting dilutions). With respect to wells (based on 82 total dissolved sampling locations), rinsates were collected at 1 in 11.7 (8.5 %) locations. The sampling frequency for rinsates on per record and per well basis is adequate.

The rinse samples collected for alkalinity, chloride, total cyanide, fluoride, total recoverable petroleum hydrocarbons and total organic carbon in the Third Quarter were classified as non-detections ("U") by the laboratories (76.6 %). Two analyses for total dissolved solids, classified as detections, were at least four times lower than any real or duplicate analyses. There is no Tier II action level defined for total dissolved solids. Seven results, nitrite (1), nitrate/nitrite (3) and sulfate (1), classified as detections, were all less than 1 mg/L. Third Quarter rinsate analyses indicate that there was little or no introduced contamination. Third Quarter Water Quality Parameters are representative of environmental conditions, no introduction of contaminants due to the sampling process is indicated.

WQP analyses for the Third Quarter 2001 are judged to be representative with respect to spatial coverage. All required sampling locations were visited and those samples that could be collected were analyzed. No samples were lost, destroyed in transit only one failed validation (see below).

Completeness:

Table 7-7 indicates that for Water Quality Parameters sampling completeness was highly variable due to the availability of water at the wells. Sampling success ranged from 100 % for chloride-nitrate-sulfide (three analytes collected in one bottle), total cyanide, total recoverable petroleum hydrocarbons and total organic carbon to 66.7 % for fluoride. Table 7-7 also shows that all wells requiring WQP sampling were visited during the quarter. Because all wells were visited and all samples were collected when water was available, Water Quality Parameter sampling for the Third Quarter is complete.

Except for one sulfide analysis, all of the Water Quality Parameter samples collected this quarter (99.9 %) gave usable results with respect to validation/verification (Table7-8). Therefore, the water-quality-parameter data set is complete for the Second Quarter 2001. The rejected sulfide analysis, from well 01097, had a predigestion matrix spike recovery that was <30 % and was therefore rejected.

90

Comparability:

As stated above no changes were made to analytical procedures in the Third Quarter of 2001. Thus the WQP analyses presented here are comparable to previous analyses.

7.5 POLYCHLORINATED BIPHENYLS (PCBs)

Samples for polychlorinated biphenyls were successfully collected at only three of ten locations during the Third Quarter 2001. All 21 PCB results from the analysis were non-detections. All analyses were verified as usable data points. There were no duplicates or rinsate samples collected in association with these samples. PCB results are included in the WQP Appendix.

Table 7-1
Relative Percent Differences (RPDs) and Duplicate Error Ratios (DERs) for Groundwater
Third Quarter, 2001

Location	Sample Date	Analyte	Real Result	Real 2 Sigma Error	Real LabQ/ Valid	Dup Result	Dup 2 Sigma Error	Dup LabQ/ Valid	Units	Absolute Value |Real-Dup|	Square Root of $(2SigR)^2+(2SigD)^2$	DER AbsVal/SqRt
					Radionuclides							
22896	9/12/01	AMERICIUM-241	0.009	0.013	U/V1	0.018	0.021	/V1	PCI/L	0.009	0.025	0.36
00597	7/19/01	URANIUM-233,-234	0.083	0.045	/V1	0.057	0.04	/V1	PCI/L	0.026	0.060	0.43
00597	7/19/01	URANIUM-235	0.049	0.031	/V1	0.021	0.02	/V1	PCI/L	0.028	0.037	0.76
00597	7/19/01	URANIUM-238	0.059	0.039	/V1	0.047	0.031	/V1	PCI/L	0.012	0.050	0.24
03991	8/7/01	URANIUM-233,-234	1.42	0.27	/V1	1.61	0.3	/V1	PCI/L	0.190	0.404	0.47
03991	8/7/01	URANIUM-238	1.09	0.22	/V1	0.98	0.2	/V1	PCI/L	0.110	0.297	0.37
37201	8/10/01	URANIUM-233,-234	1.46	0.35	/V1	1.42	0.35	/V1	PCI/L	0.040	0.495	0.08
37201	8/10/01	URANIUM-238	1.01	0.27	/V1	0.88	0.25	/V1	PCI/L	0.130	0.368	0.35
40299	7/23/01	URANIUM-233,-234	0.41	0.11	/V1	0.47	0.12	/V1	PCI/L	0.060	0.163	0.37
40299	7/23/01	URANIUM-235	0.056	0.037	/V1	0.056	0.04	/V1	PCI/L	0.000	0.054	0.00
40299	7/23/01	URANIUM-238	0.23	0.075	/V1	0.16	0.063	/V1	PCI/L	0.070	0.098	0.71
00597	7/19/01	TRITIUM	68	105	/V1	43	103	/V1	PCI/L	25.000	147.085	0.17
40299	7/23/01	TRITIUM	63	105	/V1	73	105	/V1	PCI/L	10.000	148.492	0.07

Location	Sample Date	Analyte	Real Result	Real Lab Qual	Real Valid-ation	Dup Result	Dup Lab Qual	Dup Valid-ation	Units	Absolute Value |Real-Dup|	Average (Real+Dup)/2	RPD AbsVal/AveX100
					Volatile Organic Compounds							
00597	7/19/01	1,1,1-TRICHLOROETHANE	5.4		V	6.3		V	UG/L	0.90	5.85	15.38%
00597	7/19/01	1,1-DICHLOROETHENE	3		V	3.6		V	UG/L	0.60	3.30	18.18%
00597	7/19/01	TRICHLOROETHENE	2.4		V	2.8		V	UG/L	0.40	2.60	15.38%
03991	8/7/01	CARBON TETRACHLORIDE	7.1		V1	7		V1	UG/L	0.10	7.05	1.42%
03991	8/7/01	TETRACHLOROETHENE	1.7		V1	1.6		V1	UG/L	0.10	1.65	6.06%
22896	9/12/01	BROMODICHLOROMETHANE	2	J	V1	2	J	V1	UG/L	0.00	2.00	0.00%
22896	9/12/01	CARBON TETRACHLORIDE	0.8	J	V1	1	J	V1	UG/L	0.20	0.90	22.22%
22896	9/12/01	CHLOROFORM	34		V1	38		V1	UG/L	4.00	36.00	11.11%
22896	9/12/01	METHYLENE CHLORIDE	0.6	J	JB1	1	J	JB1	UG/L	0.40	0.80	**50.00%**
22896	9/12/01	TRICHLOROETHENE	140		V1	170		V1	UG/L	30.00	155.00	19.35%
40299	7/23/01	1,1-DICHLOROETHANE	13		V	13		V	UG/L	0.00	13.00	0.00%
40299	7/23/01	1,1-DICHLOROETHENE	1.9		V	2		V	UG/L	0.10	1.95	5.13%
40299	7/23/01	cis-1,2-DICHLOROETHENE	8		V	8.2		V	UG/L	0.20	8.10	2.47%
40299	7/23/01	TETRACHLOROETHENE	52		V	56		V	UG/L	4.00	54.00	7.41%
40299	7/23/01	TRICHLOROETHENE	2.8		V	3		V	UG/L	0.20	2.90	6.90%
90099	8/22/01	CARBON TETRACHLORIDE	750		V1	780		V1	UG/L	30.00	765.00	3.92%
90099	8/22/01	CHLOROFORM	100		V1	96		V1	UG/L	4.00	98.00	4.08%
90099	8/22/01	cis-1,2-DICHLOROETHENE	20	J	V1	20	J	V1	UG/L	0.00	20.00	0.00%
90099	8/22/01	TETRACHLOROETHENE	40	J	V1	40	J	V1	UG/L	0.00	40.00	0.00%
90099	8/22/01	TRICHLOROETHENE	1400		V1	1400		V1	UG/L	0.00	1400.00	0.00%
P209389	7/23/01	1,1-DICHLOROETHENE	13		V1	11		V1	UG/L	2.00	12.00	16.67%
P209389	7/23/01	CARBON TETRACHLORIDE	1.9		V1	1.6		V1	UG/L	0.30	1.75	17.14%
P209389	7/23/01	CHLOROFORM	4.2		V1	4.2		V1	UG/L	0.00	4.20	0.00%
					Dissolved and Total Metals							
00597	7/19/01	ALUMINUM	7.6	B	V	4.4	B	V	UG/L	3.20	6.00	**53.33%**
00597	7/19/01	ANTIMONY	0.53	B	UJ	0.13	U	V	UG/L	0.40	0.33	**121.21%**
00597	7/19/01	ARSENIC	0.39	B	V	0.38	B	V	UG/L	0.01	0.39	2.60%
00597	7/19/01	BARIUM	92.9	B	V	94.4	B	V	UG/L	1.50	93.65	1.60%
00597	7/19/01	CADMIUM	0.58	B	UJ	0.52	B	UJ	UG/L	0.06	0.55	10.91%
00597	7/19/01	CALCIUM	28600		J	28600		J	UG/L	0.00	28600.00	0.00%
00597	7/19/01	COPPER	0.45	B	UJ	5.5		V	UG/L	5.05	2.98	**169.75%**
00597	7/19/01	IRON	10.2	B	UJ	4.7	B	UJ	UG/L	5.50	7.45	**73.83%**
00597	7/19/01	LEAD	0.052	B	UJ	0.066	B	UJ	UG/L	0.01	0.06	23.73%
00597	7/19/01	LITHIUM	8.2	B	UJ	7.8	B	UJ	UG/L	0.40	8.00	5.00%
00597	7/19/01	MAGNESIUM	5370		J	5400		J	UG/L	30.00	5385.00	0.56%

Table 7-1
Relative Percent Differences (RPDs) and Duplicate Error Ratios (DERs) for Groundwater
Third Quarter, 2001

Location	Sample Date	Analyte	Real Result	Real Lab Qual	Real Valid-ation	Dup Result	Dup Lab Qual	Dup Valid-ation	Units	Absolute Value |Real-Dup|	Average (Real+Dup)/2	RPD AbsVal/AveX100
00597	7/19/01	MOLYBDENUM	1.4	U	V	1.6	B	V	UG/L	0.20	1.50	13.33%
00597	7/19/01	NICKEL	1	U	V	1.1	B	V	UG/L	0.10	1.05	9.52%
00597	7/19/01	POTASSIUM	1140	B	UJ	1040	B	UJ	UG/L	100.00	1090.00	9.17%
00597	7/19/01	SELENIUM	0.74	B	V	0.71	B	V	UG/L	0.03	0.73	4.14%
00597	7/19/01	SILVER	0.045	B	J	0.025	U	J	UG/L	0.02	0.04	**57.14%**
00597	7/19/01	SODIUM	8200		J	8810		J	UG/L	610.00	8505.00	7.17%
00597	7/19/01	STRONTIUM	151	B	V	152	B	V	UG/L	1.00	151.50	0.66%
00597	7/19/01	THALLIUM	0.026	B	UJ	0.019	B	UJ	UG/L	0.01	0.02	**31.11%**
00597	7/19/01	VANADIUM	0.83	B	V	0.9	B	V	UG/L	0.07	0.87	8.09%
00597	7/19/01	ZINC	6.1	B	UJ	5.4	B	UJ	UG/L	0.70	5.75	12.17%
03991	8/7/01	ALUMINUM	6.5	BN	J1	48	N	J1	UG/L	41.50	27.25	**152.29%**
03991	8/7/01	ANTIMONY	3	B	UJ1	0.67	U	V1	UG/L	2.33	1.84	**126.98%**
03991	8/7/01	ARSENIC	0.67	B	V1	0.64	U	V1	UG/L	0.03	0.66	4.58%
03991	8/7/01	BARIUM	190		V1	190		V1	UG/L	0.00	190.00	0.00%
03991	8/7/01	CADMIUM	0.09	B	V1	0.061	B	V1	UG/L	0.03	0.08	**38.41%**
03991	8/7/01	CALCIUM	97000		V1	97000		V1	UG/L	0.00	97000.00	0.00%
03991	8/7/01	CHROMIUM	6		V1	6.8		V1	UG/L	0.80	6.40	12.50%
03991	8/7/01	IRON	150		V1	160		V1	UG/L	10.00	155.00	6.45%
03991	8/7/01	LEAD	0.59	U	V1	0.92	B	V1	UG/L	0.33	0.76	**43.71%**
03991	8/7/01	LITHIUM	6.6	B	V1	5.8	B	V1	UG/L	0.80	6.20	12.90%
03991	8/7/01	MAGNESIUM	11000		V1	11000		V1	UG/L	0.00	11000.00	0.00%
03991	8/7/01	POTASSIUM	810	B	J1	820		J1	UG/L	10.00	815.00	1.23%
03991	8/7/01	SELENIUM	1.3	B	V1	0.66	U	V1	UG/L	0.64	0.98	**65.31%**
03991	8/7/01	SILVER	0.19	B	V1	0.1	B	UJ1	UG/L	0.09	0.15	**62.07%**
03991	8/7/01	SODIUM	13000		V1	13000		V1	UG/L	0.00	13000.00	0.00%
03991	8/7/01	STRONTIUM	390		V1	390		V1	UG/L	0.00	390.00	0.00%
03991	8/7/01	URANIUM, TOTAL	2.8		V1	2.6		V1	UG/L	0.20	2.70	7.41%
03991	8/7/01	VANADIUM	2.4	B	V1	2.6	B	V1	UG/L	0.20	2.50	8.00%
22896	9/12/01	ALUMINUM	17	BN	UJ1	45	BN	J1	UG/L	28.00	31.00	**90.32%**
22896	9/12/01	ANTIMONY	0.34	U	V1	0.72	B	UJ1	UG/L	0.38	0.53	**71.70%**
22896	9/12/01	ARSENIC	0.37	B	V1	0.35	B	V1	UG/L	0.02	0.36	5.56%
22896	9/12/01	BARIUM	62	B	V1	110		V1	UG/L	48.00	86.00	**55.81%**
22896	9/12/01	CADMIUM	0.07	B	V1	0.08	B	V1	UG/L	0.01	0.08	13.33%
22896	9/12/01	CALCIUM	53000		V1	74000		V1	UG/L	21000.00	63500.00	**33.07%**
22896	9/12/01	CHROMIUM	3.7		V1	4.6		V1	UG/L	0.90	4.15	21.69%
22896	9/12/01	COBALT	0.71	B	V1	0.43	U	V1	UG/L	0.28	0.57	**49.12%**
22896	9/12/01	COPPER	37		V1	1.2	B	V1	UG/L	35.80	19.10	**187.43%**
22896	9/12/01	IRON	160		V1	360		V1	UG/L	200.00	260.00	**76.92%**
22896	9/12/01	LITHIUM	14	B	V1	8.5	B	V1	UG/L	5.50	11.25	**48.89%**
22896	9/12/01	MAGNESIUM	9900		V1	11000		V1	UG/L	1100.00	10450.00	10.53%
22896	9/12/01	MANGANESE	16		V1	220		V1	UG/L	204.00	118.00	**172.88%**
22896	9/12/01	NICKEL	63		V1	2.4	B	V1	UG/L	60.60	32.70	**185.32%**
22896	9/12/01	POTASSIUM	810	B	V1	1600	B	V1	UG/L	790.00	1205.00	**65.56%**
22896	9/12/01	SELENIUM	1.4	B	V1	1.5	B	V1	UG/L	0.10	1.45	6.90%
22896	9/12/01	SILVER	0.005	U	V1	0.051	B	UJ1	UG/L	0.05	0.03	**164.29%**
22896	9/12/01	SODIUM	26000		V1	27000		V1	UG/L	1000.00	26500.00	3.77%
22896	9/12/01	STRONTIUM	300		V1	290		V1	UG/L	10.00	295.00	3.39%
22896	9/12/01	THALLIUM	0.05	U	V1	0.39	B	J1	UG/L	0.34	0.22	**154.55%**
22896	9/12/01	URANIUM, TOTAL	0.093	BN	V1	0.14	BN	V1	UG/L	0.05	0.12	**40.34%**
22896	9/12/01	ZINC	1.6	B	J1	4.9	B	J1	UG/L	3.30	3.25	**101.54%**
37201	8/10/01	ALUMINUM	39	N	J1	53	N	J1	UG/L	14.00	46.00	**30.43%**
37201	8/10/01	ANTIMONY	1	B	UJ1	0.9	B	UJ1	UG/L	0.10	0.95	10.53%

Table 7-1
Relative Percent Differences (RPDs) and Duplicate Error Ratios (DERs) for Groundwater
Third Quarter, 2001

Location	Sample Date	Analyte	Real Result	Real Lab Qual	Real Valid-ation	Dup Result	Dup Lab Qual	Dup Valid-ation	Units	Absolute Value |Real-Dup|	Average (Real+Dup)/2	RPD AbsVal/AveX100
37201	8/10/01	BARIUM	330		V1	350		V1	UG/L	20.00	340.00	5.88%
37201	8/10/01	CADMIUM	0.18	B	V1	0.16	B	V1	UG/L	0.02	0.17	11.76%
37201	8/10/01	CALCIUM	120000		V1	120000		V1	UG/L	0.00	120000.00	0.00%
37201	8/10/01	CHROMIUM	2.7		V1	3.3		V1	UG/L	0.60	3.00	20.00%
37201	8/10/01	COBALT	0.43	U	V1	0.48	B	V1	UG/L	0.05	0.46	10.99%
37201	8/10/01	COPPER	4.1		V1	3.6	B	V1	UG/L	0.50	3.85	12.99%
37201	8/10/01	IRON	390		V1	430		V1	UG/L	40.00	410.00	9.76%
37201	8/10/01	LEAD	0.69	B	V1	0.99	B	V1	UG/L	0.30	0.84	**35.71%**
37201	8/10/01	LITHIUM	5.1	B	V1	6.2	B	V1	UG/L	1.10	5.65	19.47%
37201	8/10/01	MAGNESIUM	17000		V1	17000		V1	UG/L	0.00	17000.00	0.00%
37201	8/10/01	MANGANESE	200		V1	280		V1	UG/L	80.00	240.00	**33.33%**
37201	8/10/01	POTASSIUM	5300		V1	5600		V1	UG/L	300.00	5450.00	5.50%
37201	8/10/01	SILVER	0.11	B	UJ1	0.31		UJ1	UG/L	0.20	0.21	**95.24%**
37201	8/10/01	SODIUM	210000		V1	220000		V1	UG/L	10000.00	215000.00	4.65%
37201	8/10/01	STRONTIUM	690		V1	700		V1	UG/L	10.00	695.00	1.44%
37201	8/10/01	THALLIUM	0.17	B	V1	0.27	B	V1	UG/L	0.10	0.22	**45.45%**
37201	8/10/01	URANIUM, TOTAL	2.8		V1	2.8		V1	UG/L	0.00	2.80	0.00%
37201	8/10/01	ZINC	3.5	B	V1	3.1	B	V1	UG/L	0.40	3.30	12.12%
40299	7/23/01	ALUMINUM	3.7	B	V	3.9	B	V	UG/L	0.20	3.80	5.26%
40299	7/23/01	ARSENIC	0.23	B	V	0.26	B	V	UG/L	0.03	0.25	12.24%
40299	7/23/01	BARIUM	191		V	192		V	UG/L	1.00	191.50	0.52%
40299	7/23/01	CALCIUM	106000		J	107000		J	UG/L	1000.00	106500.00	0.94%
40299	7/23/01	COPPER	0.2	B	UJ	0.064	U	J	UG/L	0.14	0.13	**103.03%**
40299	7/23/01	IRON	11.5	B	UJ	7.9	B	UJ	UG/L	3.60	9.70	**37.11%**
40299	7/23/01	LEAD	0.047	B	UJ	0.047	B	UJ	UG/L	0.00	0.05	0.00%
40299	7/23/01	LITHIUM	11.7	B	UJ	10.4	B	UJ	UG/L	1.30	11.05	11.76%
40299	7/23/01	MAGNESIUM	15800		J	16000		J	UG/L	200.00	15900.00	1.26%
40299	7/23/01	MANGANESE	0.97	B	UJ	0.67	B	UJ	UG/L	0.30	0.82	**36.59%**
40299	7/23/01	POTASSIUM	1310	B	UJ	1850	B	UJ	UG/L	540.00	1580.00	**34.18%**
40299	7/23/01	SELENIUM	0.68	B	V	0.69	B	V	UG/L	0.01	0.69	1.46%
40299	7/23/01	SODIUM	17600		J	19600		J	UG/L	2000.00	18600.00	10.75%
40299	7/23/01	STRONTIUM	498		V	501		V	UG/L	3.00	499.50	0.60%
40299	7/23/01	THALLIUM	0.015	B	UJ	0.019	B	UJ	UG/L	0.00	0.02	23.53%
40299	7/23/01	VANADIUM	0.45	B	V	0.41	U	V	UG/L	0.04	0.43	9.30%
40299	7/23/01	ZINC	11.9	B	UJ	5.6	B	UJ	UG/L	6.30	8.75	**72.00%**
P209389	7/23/01	ALUMINUM	2.4	B	J1	2.8	B	J1	UG/L	0.40	2.60	15.38%
P209389	7/23/01	ARSENIC	0.57	B	V1	0.49	B	V1	UG/L	0.08	0.53	15.09%
P209389	7/23/01	BARIUM	109		V1	115		V1	UG/L	6.00	112.00	5.36%
P209389	7/23/01	CADMIUM	0.3	B	UJ1	0.37	B	UJ1	UG/L	0.07	0.34	20.90%
P209389	7/23/01	CALCIUM	113000		V1	113000		V1	UG/L	0.00	113000.00	0.00%
P209389	7/23/01	COPPER	1.8	B	V1	1.9	B	V1	UG/L	0.10	1.85	5.41%
P209389	7/23/01	IRON	5.8	B	UJ1	8.1	B	UJ1	UG/L	2.30	6.95	**33.09%**
P209389	7/23/01	LEAD	0.1	B	UJ1	0.13	B	UJ1	UG/L	0.03	0.12	26.09%
P209389	7/23/01	LITHIUM	14.6	B	J1	14.3	B	J1	UG/L	0.30	14.45	2.08%
P209389	7/23/01	MAGNESIUM	18800		V1	18900		V1	UG/L	100.00	18850.00	0.53%
P209389	7/23/01	MANGANESE	2.2	B	V1	2.2	B	V1	UG/L	0.00	2.20	0.00%
P209389	7/23/01	MOLYBDENUM	1.9	B	V1	1.4	U	V1	UG/L	0.50	1.65	**30.30%**
P209389	7/23/01	NICKEL	1.6	B	J1	1.8	B	J1	UG/L	0.20	1.70	11.76%
P209389	7/23/01	POTASSIUM	1510	B	J1	1720	B	J1	UG/L	210.00	1615.00	13.00%
P209389	7/23/01	SODIUM	58700		V1	59800		V1	UG/L	1100.00	59250.00	1.86%
P209389	7/23/01	STRONTIUM	587		V1	620		V1	UG/L	33.00	603.50	5.47%
P209389	7/23/01	THALLIUM	0.048	B	UJ1	0.054	B	UJ1	UG/L	0.01	0.05	11.76%
P209389	7/23/01	ZINC	6.2	B	V1	6.2	B	V1	UG/L	0.00	6.20	0.00%

Table 7-1
Relative Percent Differences (RPDs) and Duplicate Error Ratios (DERs) for Groundwater
Third Quarter, 2001

Location	Sample Date	Analyte	Real Result	Real Lab Qual	Real Valid-ation	Dup Result	Dup Lab Qual	Dup Valid-ation	Units	Absolute Value |Real-Dup|	Average (Real+Dup)/2	RPD AbsVal/AveX100
Water Quality Parameters (WQPs)												
90099	8/22/01	TOTAL ORGANIC CARBON	1.5		V1	1.3		V1	MG/L	0.20	1.40	14.29%
90099	8/22/01	CHLORIDE	64		V1	64		V1	MG/L	0.00	64.00	0.00%
40299	7/23/01	CYANIDE	0.002	U	V	0.0026	B	V	MG/L	0.00	0.00	26.09%
00597	7/19/01	FLUORIDE	0.4	B	V	0.44	B	V	MG/L	0.04	0.42	9.52%
P209389	7/24/01	FLUORIDE	0.46	B	V1	0.5		V1	MG/L	0.04	0.48	8.33%
90099	8/22/01	NITRATE	3.1		J1	3.2		J1	MG/L	0.10	3.15	3.17%
00597	7/19/01	NITRATE/NITRITE (DL1/DL1)	9.9		V	10		V	MG/L	0.10	9.95	1.01%
03991	8/7/01	NITRATE/NITRITE	4.5		V1	4.5		V1	MG/L	0.00	4.50	0.00%
22896	9/12/01	NITRATE/NITRITE	5.4		V1	4.2		V1	MG/L	1.20	4.80	25.00%
37201	8/10/01	NITRATE/NITRITE	0.84		V1	0.84		V1	MG/L	0.00	0.84	0.00%
40299	7/23/01	NITRATE/NITRITE	5.6		V	5.6		V	MG/L	0.00	5.60	0.00%
P209389	7/23/01	NITRATE/NITRITE	2		V1	2		V1	MG/L	0.00	2.00	0.00%
00597	7/19/01	TOTAL DISSOLVED SOLIDS	191		V	195		V	MG/L	4.00	193.00	2.07%
03991	8/7/01	TOTAL DISSOLVED SOLIDS	490		V1	470		V1	MG/L	20.00	480.00	4.17%
22896	9/12/01	TOTAL DISSOLVED SOLIDS	460		V1	450		V1	MG/L	10.00	455.00	2.20%
37201	8/10/01	TOTAL DISSOLVED SOLIDS	1100		J1	1100		J1	MG/L	0.00	1100.00	0.00%
40299	7/23/01	TOTAL DISSOLVED SOLIDS	587		V	594		V	MG/L	7.00	590.50	1.19%
90099	8/22/01	TOTAL DISSOLVED SOLIDS	560		V1	550		V1	MG/L	10.00	555.00	1.80%
P209389	7/24/01	TOTAL DISSOLVED SOLIDS	649		V1	657		V1	MG/L	8.00	653.00	1.23%
00597	7/19/01	SULFATE	26.8		V	27.2		V	MG/L	0.40	27.00	1.48%
90099	8/22/01	SULFATE	64		V1	64		V1	MG/L	0.00	64.00	0.00%
P209389	7/24/01	SULFATE (DL1/DL1)	136		V1	138		V1	MG/L	2.00	137.00	1.46%
90099	8/22/01	SULFIDE	0.08		V1	0.08		V1	MG/L	0.00	0.08	0.00%

Table 7-2
Summary of RPD and DER Results
Groundwater - Third Quarter, 2001

Analyte Group	QC Criterion for Acceptable RPD or DER Value	Original Number of Available Real/Dup Pairs	Number of Acceptable RPD/DER Calculations	Overall Precision Compliance (Goal = 85%)	Number of RPDs/DERs Shown In Table 7-1
Radionuclides	less than 1.96	30	30	100.0%	12
Organic Compounds	less than 30%	451	442	98.0%	23
Metals	less than 30%	168	126	75.0%	116
Water Quality Parameters	less than 30%	24	24	100.0%	23

Based on 673 original Real-Duplicate pairs.

Calculation and Display Criteria for Table 7-1	Lab Qualifier = "U"		Lab Qualifier = "B"		Lab Qualifier = "J"	
	Meaning	Action	Meaning	Action	Meaning	Action
Radionuclides	Non-detect	If both real and dup are "U", DER is not displayed in 7-1 and value is counted as acceptable	Activity in the method blank exceeded the minimal detectable activity (MDA).	If real or dup is "B", qualified, DER is shown in 7-1	Result is estimate.	If both real and dup are "J", or if one "U" and one "J", DER is not displayed in 7-1 and value is counted as acceptable if results are less than CRDLs for both real and dup.
Organics	Non-detect	If both real and dup are "U", RPD is not displayed in 7-1 and value is counted as acceptable	Analyte in both sample and associated method blank.	If real or dup is "B", qualified, DER is shown in 7-1	Result is estimate.	If both real and dup are "J" or "JB", or if one "U" and one "J" or "JB", DER is not displayed in 7-1 and value is counted as acceptable if results are less than CRDLs for both real and dup.
Metals	Non-detect	If both real and dup are "U", RPD is not displayed in 7-1 and value is counted as acceptable	Result detected was less than contract required detection limit (CRDL) but greater than the instrument detection limit (IDL).	If real or dup is "B", qualified, DER is shown in 7-1	Result is estimate.	If both real and dup are "J", or if one "U" and one "J", DER is not displayed in 7-1 and value is counted as acceptable if results are less than CRDLs for both real and dup.
Water Quality Parameters and Polychlorinated Biphenyls (PCBs)	Non-detect	If both real and dup are "U", RPD is not displayed in 7-1 and value is counted as acceptable	Result detected was less than contract required detection limit (CRDL) but greater than the instrument detection limit (IDL).	If real or dup is "B", qualified, DER is shown in 7-1	Result is estimate.	If both real and dup are "J", or if one "U" and one "J", DER is not displayed in 7-1 and value is counted as acceptable if results are less than CRDLs for both real and dup.

97

Table 7-3
Contract Required Detection Limits (CRDLs) for Groundwater Analytes

CAS #	Analyte	Required Method	RDL	Units
	Dissolved Gas Analyses			
74-84-0	Ethane	Method 8015M (GC/FID Headsp)	Task Order	µg/L
74-85-1	Ethene	Method 8015M (GC/FID Headsp)	Task Order	µg/L
1333-74-0	Hydrogen	Method 8015M (GC/FID Headsp)	Task Order	µg/L
74-82-8	Methane	Method 8015M (GC/FID Headsp)	Task Order	µg/L
CAS #	Analyte	Required Method	RDL	Units
	Volatile Organic Compounds (SW-846 Method 8260 Low Level)			
630-20-6	1,1,1,2-Tetrachloroethane	SW-846 Method 8260	1	µg/L
71-55-6	1,1,1-Trichloroethane	SW-846 Method 8260	1	µg/L
79-34-5	1,1,2,2-Tetrachloroethane	SW-846 Method 8260	1	µg/L
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	SW-846 Method 8260	1	µg/L
79-00-5	1,1,2-Trichloroethane	SW-846 Method 8260	1	µg/L
75-34-3	1,1-Dichloroethane	SW-846 Method 8260	1	µg/L
75-35-4	1,1-Dichloroethene	SW-846 Method 8260	1	µg/L
563-58-6	1,1-Dichloropropene	SW-846 Method 8260	1	µg/L
87-61-6	1,2,3-Trichlorobenzene	SW-846 Method 8260	1	µg/L
96-18-4	1,2,3-Trichloropropane	SW-846 Method 8260	1	µg/L
120-82-1	1,2,4-Trichlorobenzene	SW-846 Method 8260	1	µg/L
95-63-6	1,2,4-Trimethylbenzene	SW-846 Method 8260	1	µg/L
96-12-8	1,2-Dibromo-3-chloropropane	SW-846 Method 8260	1	µg/L
106-93-4	1,2-Dibromoethane	SW-846 Method 8260	1	µg/L
95-50-1	1,2-Dichlorobenzene	SW-846 Method 8260	1	µg/L
107-06-2	1,2-Dichloroethane	SW-846 Method 8260	1	µg/L
78-87-5	1,2-Dichloropropane	SW-846 Method 8260	1	µg/L
108-67-8	1,3,5-Trimethylbenzene	SW-846 Method 8260	1	µg/L
541-73-1	1,3-Dichlorobenzene	SW-846 Method 8260	1	µg/L
142-28-9	1,3-Dichloropropane	SW-846 Method 8260	1	µg/L
106-46-7	1,4-Dichlorobenzene	SW-846 Method 8260	1	µg/L
594-20-7	2,2-Dichloropropane	SW-846 Method 8260	1	µg/L
78-93-3	2-Butanone	SW-846 Method 8260	10	µg/L
95-49-8	2-Chlorotoluene	SW-846 Method 8260	1	µg/L
591-78-1	2-Hexanone	SW-846 Method 8260	10	µg/L
106-43-4	4-Chlorotoluene	SW-846 Method 8260	1	µg/L
108-10-1	4-Methyl-2-pentanone	SW-846 Method 8260	10	µg/L
67-64-1	Acetone	SW-846 Method 8260	10	µg/L
71-43-2	Benzene	SW-846 Method 8260	1	µg/L
108-86-1	Bromobenzene	SW-846 Method 8260	1	µg/L
74-97-5	Bromochloromethane	SW-846 Method 8260	1	µg/L
75-27-4	Bromodichloromethane	SW-846 Method 8260	1	µg/L
75-25-2	Bromoform	SW-846 Method 8260	1	µg/L
74-83-9	Bromomethane	SW-846 Method 8260	1	µg/L
75-15-0	Carbon Disulfide	SW-846 Method 8260	1	µg/L
56-23-5	Carbon Tetrachloride	SW-846 Method 8260	1	µg/L
108-90-7	Chlorobenzene	SW-846 Method 8260	1	µg/L
75-00-3	Chloroethane	SW-846 Method 8260	1	µg/L
67-66-3	Chloroform	SW-846 Method 8260	1	µg/L
74-87-3	Chloromethane	SW-846 Method 8260	1	µg/L
156-59-2	cis-1,2-Dichloroethene	SW-846 Method 8260	1	µg/L
10061-01-5	cis-1,3-Dichloropropene	SW-846 Method 8260	1	µg/L
124-48-1	Dibromochloromethane	SW-846 Method 8260	1	µg/L
74-95-3	Dibromomethane	SW-846 Method 8260	1	µg/L
75-71-8	Dichlorodifluoromethane	SW-846 Method 8260	1	µg/L
100-41-4	Ethylbenzene	SW-846 Method 8260	1	µg/L
87-68-3	Hexachlorobutadiene	SW-846 Method 8260	1	µg/L
98-82-8	Isopropylbenzene	SW-846 Method 8260	1	µg/L
75-09-2	Methylene Chloride	SW-846 Method 8260	1	µg/L
91-20-3	Naphthalene	SW-846 Method 8260	1	µg/L
104-51-8	n-Butylbenzene	SW-846 Method 8260	1	µg/L
103-65-1	n-Propylbenzene	SW-846 Method 8260	1	µg/L

ND = Achievable RDL Not Determined.
Task Order = Determined by individual Task Order for specialized analyses.

Table 7-3
Contract Required Detection Limits (CRDLs) for Groundwater Analytes

CAS #	Analyte	Required Method	RDL	Units
	Volatile Organic Compounds (SW-846 Method 8260 Low Level)			
99-87-6	p-Isopropyltoluene	SW-846 Method 8260	1	µg/L
135-98-8	sec-Butylbenzene	SW-846 Method 8260	1	µg/L
100-42-5	Styrene	SW-846 Method 8260	1	µg/L
98-06-6	tert-Butylbenzene	SW-846 Method 8260	1	µg/L
127-18-4	Tetrachloroethene	SW-846 Method 8260	1	µg/L
108-88-3	Toluene	SW-846 Method 8260	1	µg/L
1330-20-7	Total Xylenes	SW-846 Method 8260	1	µg/L
156-60-5	trans-1,2-Dichloroethene	SW-846 Method 8260	1	µg/L
10061-02-6	trans-1,3-Dichloropropene	SW-846 Method 8260	1	µg/L
79-01-6	Trichloroethene	SW-846 Method 8260	1	µg/L
75-69-4	Trichlorofluoromethane	SW-846 Method 8260	1	µg/L
75-01-4	Vinyl chloride	SW-846 Method 8260	1	µg/L
CAS #	Analyte	Required Method	RDL	Units
	PCB/Pesticides			
12674-11-2	Aroclor-1016	SW-846 Method 8082	0.50	µg/L
11104-28-2	Aroclor-1221	SW-846 Method 8082	0.50	µg/L
11141-16-5	Aroclor-1232	SW-846 Method 8082	0.50	µg/L
53469-21-9	Aroclor-1242	SW-846 Method 8082	0.50	µg/L
12672-29-6	Aroclor-1248	SW-846 Method 8082	0.50	µg/L
11097-69-1	Aroclor-1254	SW-846 Method 8082	0.50	µg/L
11096-82-5	Aroclor-1260	SW-846 Method 8082	0.50	µg/L
CAS #	Analyte	Required Method	RDL	Units
	Dissolved and Total Metals			
7429-90-5	Aluminum	EPA 600	17	µg/L
7440-36-0	Antimony	EPA 600	3	µg/L
7440-38-2	Arsenic	EPA 600	5	µg/L
7440-39-3	Barium	EPA 600	100	µg/L
7440-41-7	Beryllium	EPA 600	1	µg/L
7440-43-9	Cadmium	EPA 600	1	µg/L
7440-70-2	Calcium	EPA 600	5000	µg/L
7440-47-3	Chromium	EPA 600	2	µg/L
7440-48-4	Cobalt	EPA 600	50	µg/L
7440-50-8	Copper	EPA 600	3	µg/L
7439-89-6	Iron	EPA 600	100	µg/L
7439-92-1	Lead	EPA 600	2	µg/L
7439-93-2	Lithium	EPA 600	100	µg/L
7439-95-4	Magnesium	EPA 600	5000	µg/L
7439-96-5	Manganese	EPA 600	15	µg/L
7439-97-6	Mercury	EPA 600	0.1	µg/L
7439-98-7	Molybdenum	EPA 600	30	µg/L
7440-02-0	Nickel	EPA 600	20	µg/L
7440-09-7	Potassium	EPA 600	5000	µg/L
7782-49-2	Selenium	EPA 600	3	µg/L
7440-22-4	Silver	EPA 600	1	µg/L
7440-23-5	Sodium	EPA 600	5000	µg/L
7440-24-6	Strontium	EPA 600	200	µg/L
7440-28-0	Thallium	EPA 600	4	µg/L
7440-31-5	Tin	EPA 600	200	µg/L
7440-61-1	Uranium	EPA 600	No Value	µg/L
7440-62-2	Vanadium	EPA 600	40	µg/L
7440-66-6	Zinc	EPA 600	20	µg/L

ND = Achievable RDL Not Determined.
Task Order = Determined by individual Task Order for specialized analyses.

Table 7-3
Contract Required Detection Limits (CRDLs) for Groundwater Analytes

CAS #	Analyte	Required Method	RDL	Units
	Water Quality Parameters			
T-005	Alkalinity	EPA 310.1 or 310.2	10	mg/L
16887-00-6	Chloride	EPA 300.0	0.5	mg/L
10-30-0	Dissolved Organic Carbon-DOC	EPA 415.1	1.0	mg/L
16984-48-8	Fluoride	EPA 300.0	0.5	mg/L
14797-55-8	Nitrate as N	EPA 300.0	0.5	mg/L
C-005	Nitrate/Nitrite as N (Total)	EPA 353.1 or 353.2	0.05	mg/L
14808-79-8	Sulfate as SO_4^{2-}	EPA 375.1 or 375.2	5.0	mg/L
18496-25-8	Sulfide as S	EPA 376.1 or 376.3	0.002	mg/L
57-12-5	Total Cyanide	EPA 335.3 or 335.4	0.005	mg/L
10-33-3	Total Dissolved Solids-TDS	EPA 160.1	10.0	mg/L
11-59-6	Total Organic Carbon-TOC	EPA 415.1	1.0	mg/L
10-90-2	Total Petroleum Hydrocarbons-TPH	EPA 418.1	1	mg/L
10-32-2	Total Suspended Solids-TSS	EPA 160.2	5.0	mg/L
CAS #	**Analyte**	**Required Method**	**RDL**	**Units**
	Radionuclides			
14596-10-2	Americium-241	Alpha Spectrometry	0.03	pCi/L
10045-97-3	Cesium-137	Gamma Spectrometry	10	pCi/L
12587-46-1	Gross Alpha	Gas Proportional Counting	2	pCi/L
12587-47-2	Gross Beta	Gas Proportional Counting	4	pCi/L
13994-20-2	Neptunium-237	Alpha Spectrometry	1	pCi/L
10-12-8	Plutonium-239/240	Alpha Spectrometry	0.03	pCi/L
11-10-9	Strontium 89/90	Gas Proportional Counting	1.0	pCi/L
10028-17-8	Tritium	Liquid Scintillation Counting	400	pCi/L
11-08-5	Uranium-233/234	Alpha Spectrometry	1.0	pCi/L
15117-96-1	Uranium-235	Alpha Spectrometry	1.0	pCi/L
	Uranium-236	Alpha Spectrometry	Task Order	pCi/L
7440-61-1	Uranium-238	Alpha Spectrometry	1.0	pCi/L

ND = Achievable RDL Not Determined.
Task Order = Determined by individual Task Order for specialized analyses.

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Lab Sample #	Lab Batch #
Dissolved Gasses (Methane, Ethane, Ethene)														
SWRI	30900	7/31/01	01D1153	01D1153-001.012	ETHANE	MS1	77	%REC					GW07727RG/MSD	165506
SWRI	30900	7/31/01	01D1153	01D1153-001.012	ETHANE	MD1	75	%REC					GW07727RG/MSD	165506
SWRI	30900	7/31/01	01D1153	01D1153-001.012	ETHENE	MS1	80	%REC					GW07727RG/MSD	165506
SWRI	30900	7/31/01	01D1153	01D1153-001.012	ETHENE	MD1	77	%REC					GW07727RG/MSD	165506
SWRI	30900	7/31/01	01D1153	01D1153-001.012	METHANE	MS1	80	%REC					GW07727RG/MSD	165506
SWRI	30900	7/31/01	01D1153	01D1153-001.012	METHANE	MD1	75	%REC					GW07727RG/MSD	165506
SWRI	11791	8/22/01	01D1311	01D1311-011.009	ETHANE	MS1	75	%REC					GW07725RG/MSD	166661
SWRI	11791	8/22/01	01D1311	01D1311-011.009	ETHANE	MD1	80	%REC					GW07725RG/MSD	166661
SWRI	11791	8/22/01	01D1311	01D1311-011.009	ETHENE	MS1	71	%REC					GW07725RG/MSD	166661
SWRI	11791	8/22/01	01D1311	01D1311-011.009	ETHENE	MD1	74	%REC					GW07725RG/MSD	166661
SWRI	11791	8/22/01	01D1311	01D1311-011.009	METHANE	MS1	80	%REC					GW07725RG/MSD	166661
SWRI	11791	8/22/01	01D1311	01D1311-011.009	METHANE	MD1	80	%REC					GW07725RG/MSD	166661
SWRI	1187	8/27/01	01D1352	01D1352-005.009	ETHANE	MS1	85	%REC					GW07723RG/MSD/MS	166993
SWRI	1187	8/27/01	01D1352	01D1352-005.009	ETHANE	MD1	83	%REC					GW07723RG/MSD/MS	166993
SWRI	1187	8/27/01	01D1352	01D1352-005.009	ETHENE	MS1	86	%REC					GW07723RG/MSD/MS	166993
SWRI	1187	8/27/01	01D1352	01D1352-005.009	ETHENE	MD1	80	%REC					GW07723RG/MSD/MS	166993
SWRI	1187	8/27/01	01D1352	01D1352-005.009	METHANE	MS1	85	%REC					GW07723RG/MSD/MS	166993
SWRI	1187	8/27/01	01D1352	01D1352-005.009	METHANE	MD1	85	%REC					GW07723RG/MSD/MS	166993
SWRI	01497	9/4/01	01D1417	01D1417-007.008	ETHANE	MS1	96	%REC			2	1	GW07734RG/MSD	164291
SWRI	01497	9/4/01	01D1417	01D1417-007.008	ETHANE	MD1	88	%REC			2	1	GW07734RG/MSD	164291
SWRI	01497	9/4/01	01D1417	01D1417-007.008	ETHENE	MS1	100	%REC			2	1	GW07734RG/MSD	164291
SWRI	01497	9/4/01	01D1417	01D1417-007.008	ETHENE	MD1	91	%REC			2	1	GW07734RG/MSD	164291
SWRI	01497	9/4/01	01D1417	01D1417-007.008	METHANE	MS1	95	%REC			1	1	GW07734RG/MSD	164291
SWRI	01497	9/4/01	01D1417	01D1417-007.008	METHANE	MD1	90	%REC			1	1	GW07734RG/MSD	164291
SWRI	13091	9/25/01	01D1509	01D1509-004.007	ETHANE	MS1	91	%REC			2	1	GW07767RG/MSD	168129
SWRI	13091	9/25/01	01D1509	01D1509-004.007	ETHANE	MD1	86	%REC			2	1	GW07767RG/MSD	168129
SWRI	13091	9/25/01	01D1509	01D1509-004.007	ETHENE	MS1	96	%REC			2	1	GW07767RG/MSD	168129
SWRI	13091	9/25/01	01D1509	01D1509-004.007	ETHENE	MD1	91	%REC			2	1	GW07767RG/MSD	168129
SWRI	13091	9/25/01	01D1509	01D1509-004.007	METHANE	MS1	115	%REC			1	1	GW07767RG/MSD	168129
SWRI	13091	9/25/01	01D1509	01D1509-004.007	METHANE	MD1	110	%REC			1	1	GW07767RG/MSD	168129
Volatile Organic Compounds (VOCs)														
STLDEN	00491	7/12/01	01D1057	01D1057-003.002	1,1-DICHLOROETHENE	MS1	100	%REC				2	D1G130330-010S	1206477
STLDEN			01D1057		1,1-DICHLOROETHENE	MS1	110	%REC				1	D1G190295-004S	1207396
STLDEN	00491	7/12/01	01D1057	01D1057-003.002	1,1-DICHLOROETHENE	MD1	107	%REC				2	D1G130330-010D	1206477
STLDEN			01D1057		1,1-DICHLOROETHENE	MD1	113	%REC				1	D1G190295-004D	1207396
STLDEN	00491	7/12/01	01D1057	01D1057-003.002	BENZENE	MS1	100	%REC				2	D1G130330-010S	1206477
STLDEN			01D1057		BENZENE	MS1	101	%REC				1	D1G190295-004S	1207396
STLDEN	00491	7/12/01	01D1057	01D1057-003.002	BENZENE	MD1	102	%REC				2	D1G130330-010D	1206477
STLDEN			01D1057		BENZENE	MD1	98	%REC				1	D1G190295-004D	1207396
STLDEN	00491	7/12/01	01D1057	01D1057-003.002	CHLOROBENZENE	MS1	95	%REC				2	D1G130330-010S	1206477
STLDEN			01D1057		CHLOROBENZENE	MS1	100	%REC				1	D1G190295-004S	1207396
STLDEN	00491	7/12/01	01D1057	01D1057-003.002	CHLOROBENZENE	MD1	99	%REC				2	D1G130330-010D	1206477
STLDEN			01D1057		CHLOROBENZENE	MD1	101	%REC				1	D1G190295-004D	1207396
STLDEN	00491	7/12/01	01D1057	01D1057-003.002	TOLUENE	MS1	94	%REC				2	D1G130330-010S	1206477
STLDEN			01D1057		TOLUENE	MS1	99	%REC				1	D1G190295-004S	1207396
STLDEN	00491	7/12/01	01D1057	01D1057-003.002	TOLUENE	MD1	95	%REC				2	D1G130330-010D	1206477
STLDEN			01D1057		TOLUENE	MD1	105	%REC				1	D1G190295-004D	1207396
STLDEN	00491	7/12/01	01D1057	01D1057-003.002	TRICHLOROETHENE	MS1	287	%REC				2	D1G130330-010S	1206477
STLDEN			01D1057		TRICHLOROETHENE	MS1	104	%REC				1	D1G190295-004S	1207396
STLDEN	00491	7/12/01	01D1057	01D1057-003.002	TRICHLOROETHENE	MD1	289	%REC				2	D1G130330-010D	1206477
STLDEN			01D1057		TRICHLOROETHENE	MD1	105	%REC				1	D1G190295-004D	1207396
STLDEN			01D1075		1,1-DICHLOROETHENE	MS1	106	%REC		1		1	D1G180165-001S	1207434
STLDEN			01D1075		1,1-DICHLOROETHENE	MD1	100	%REC		1		1	D1G180165-001D	1207434

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Lab Sample #	Lab Batch #
STLDEN			01D1075		BENZENE	MS1	109	%REC		1		1	D1G180165-001S	1207434
STLDEN			01D1075		BENZENE	MD1	104	%REC		1		1	D1G180165-001D	1207434
STLDEN			01D1075		CHLOROBENZENE	MS1	102	%REC		1		1	D1G180165-001S	1207434
STLDEN			01D1075		CHLOROBENZENE	MD1	97	%REC		1		1	D1G180165-001D	1207434
STLDEN			01D1075		TOLUENE	MS1	99	%REC		1		1	D1G180165-001S	1207434
STLDEN			01D1075		TOLUENE	MD1	91	%REC		1		1	D1G180165-001D	1207434
STLDEN			01D1075		TRICHLOROETHENE	MS1	110	%REC		1		1	D1G180165-001S	1207434
STLDEN			01D1075		TRICHLOROETHENE	MD1	106	%REC		1		1	D1G180165-001D	1207434
STLDEN			01D1108		1,1-DICHLOROETHENE	MS1	101	%REC		1		5	D1G190289-001S	1211481
STLDEN			01D1108		1,1-DICHLOROETHENE	MD1	105	%REC		1		5	D1G190289-001D	1211481
STLDEN			01D1108		BENZENE	MS1	105	%REC		1		5	D1G190289-001S	1211481
STLDEN			01D1108		BENZENE	MD1	109	%REC		1		5	D1G190289-001D	1211481
STLDEN			01D1108		CHLOROBENZENE	MS1	96	%REC		1		5	D1G190289-001S	1211481
STLDEN			01D1108		CHLOROBENZENE	MD1	98	%REC		1		5	D1G190289-001D	1211481
STLDEN			01D1108		TOLUENE	MS1	93	%REC		1		5	D1G190289-001S	1211481
STLDEN			01D1108		TOLUENE	MD1	96	%REC		1		5	D1G190289-001D	1211481
STLDEN			01D1108		TRICHLOROETHENE	MS1	106	%REC		1		5	D1G190289-001S	1211481
STLDEN			01D1108		TRICHLOROETHENE	MD1	112	%REC		1		5	D1G190289-001D	1211481
STLDEN			01D1116		1,1-DICHLOROETHENE	MS2	98	%REC				1	D1G250111-039S	1214596
STLDEN			01D1116		1,1-DICHLOROETHENE	MS1	95	%REC				1	D1G210151-011S	1213378
STLDEN			01D1116		1,1-DICHLOROETHENE	MD2	95	%REC				1	D1G250111-039D	1214596
STLDEN			01D1116		1,1-DICHLOROETHENE	MD1	96	%REC				1	D1G210151-011D	1213378
STLDEN			01D1116		BENZENE	MS2	102	%REC				1	D1G250111-039S	1214596
STLDEN			01D1116		BENZENE	MS1	96	%REC				1	D1G210151-011S	1213378
STLDEN			01D1116		BENZENE	MD2	100	%REC				1	D1G250111-039D	1214596
STLDEN			01D1116		BENZENE	MD1	97	%REC				1	D1G210151-011D	1213378
STLDEN			01D1116		CHLOROBENZENE	MS2	98	%REC				1	D1G250111-039S	1214596
STLDEN			01D1116		CHLOROBENZENE	MS1	92	%REC				1	D1G210151-011S	1213378
STLDEN			01D1116		CHLOROBENZENE	MD2	96	%REC				1	D1G250111-039D	1214596
STLDEN			01D1116		CHLOROBENZENE	MD1	93	%REC				1	D1G210151-011D	1213378
STLDEN			01D1116		TOLUENE	MS2	99	%REC				1	D1G250111-039S	1214596
STLDEN			01D1116		TOLUENE	MS1	90	%REC				1	D1G210151-011S	1213378
STLDEN			01D1116		TOLUENE	MD2	95	%REC				1	D1G250111-039D	1214596
STLDEN			01D1116		TOLUENE	MD1	89	%REC				1	D1G210151-011D	1213378
STLDEN			01D1116		TRICHLOROETHENE	MS2	0	%REC				1	D1G250111-039S	1214596
STLDEN			01D1116		TRICHLOROETHENE	MS1	100	%REC				1	D1G210151-011S	1213378
STLDEN			01D1116		TRICHLOROETHENE	MD2	0	%REC				1	D1G250111-039D	1214596
STLDEN			01D1116		TRICHLOROETHENE	MD1	99	%REC				1	D1G210151-011D	1213378
STLDEN			01D1138		1,1-DICHLOROETHENE	MS2	98	%REC		1		10	D1G270346-001S	1219368
STLDEN			01D1138		1,1-DICHLOROETHENE	MS1	96	%REC		1		1	D1G270274-001S	1219461
STLDEN			01D1138		1,1-DICHLOROETHENE	MD2	97	%REC		1		10	D1G270346-001D	1219368
STLDEN			01D1138		1,1-DICHLOROETHENE	MD1	100	%REC		1		1	D1G270274-001D	1219461
STLDEN			01D1138		BENZENE	MS2	106	%REC		1		10	D1G270346-001S	1219368
STLDEN			01D1138		BENZENE	MD2	105	%REC		1		10	D1G270346-001D	1219368
STLDEN			01D1138		CHLOROBENZENE	MS2	105	%REC		1		10	D1G270346-001S	1219368
STLDEN			01D1138		CHLOROBENZENE	MD2	102	%REC		1		10	D1G270346-001D	1219368
STLDEN			01D1138		TOLUENE	MS2	105	%REC		1		10	D1G270346-001S	1219368
STLDEN			01D1138		TOLUENE	MD2	102	%REC		1		10	D1G270346-001D	1219368
STLDEN			01D1138		TRICHLOROETHENE	MS2	87	%REC		1		10	D1G270346-001S	1219368
STLDEN			01D1138		TRICHLOROETHENE	MD2	89	%REC		1		10	D1G270346-001D	1219368
ACCU	30900	7/31/01	01D1153	01D1153-001.001	1,1-DICHLOROETHENE	MS1	90	%REC						
ACCU	30900	7/31/01	01D1153	01D1153-001.001	1,2-DICHLOROBENZENE	MS1	100	%REC						
ACCU	30900	7/31/01	01D1153	01D1153-001.001	BENZENE	MS1	95	%REC						
ACCU	30900	7/31/01	01D1153	01D1153-001.001	CHLOROBENZENE	MS1	100	%REC						

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu tion	Lab Sample #	Lab Batch #
ACCU	30900	7/31/01	01D1153	01D1153-001.001	TOLUENE	MS1	100	%REC						
ACCU	30900	7/31/01	01D1153	01D1153-001.001	TRICHLOROETHENE	MS1	95	%REC						
ACCU	P219089	7/27/01	01D1169	01D1169-003.001	1,1-DICHLOROETHENE	MS1	90	%REC						
ACCU	P219089	7/27/01	01D1169	01D1169-003.001	1,2-DICHLOROBENZENE	MS1	105	%REC						
ACCU	P219089	7/27/01	01D1169	01D1169-003.001	BENZENE	MS1	90	%REC						
ACCU	P219089	7/27/01	01D1169	01D1169-003.001	CHLOROBENZENE	MS1	100	%REC						
ACCU	P219089	7/27/01	01D1169	01D1169-003.001	TOLUENE	MS1	100	%REC						
ACCU	P219089	7/27/01	01D1169	01D1169-003.001	TRICHLOROETHENE	MS1	100	%REC						
ACCU	03991	8/7/01	01D1211	01D1211-002.001	1,1-DICHLOROETHENE	MS1	103	%REC		1		1	G01080056-01AMS	R354
ACCU	03991	8/7/01	01D1211	01D1211-002.001	BENZENE	MS1	104	%REC		1		1	G01080056-01AMS	R354
ACCU	03991	8/7/01	01D1211	01D1211-002.001	CHLOROBENZENE	MS1	105	%REC		1		1	G01080056-01AMS	R354
ACCU	03991	8/7/01	01D1211	01D1211-002.001	TOLUENE	MS1	104	%REC		1		1	G01080056-01AMS	R354
ACCU	03991	8/7/01	01D1211	01D1211-002.001	TRICHLOROETHENE	MS1	103	%REC		1		1	G01080056-01AMS	R354
ACCU	03991	8/7/01	01D1234	01D1211-002.001	1,1-DICHLOROETHENE	MS1	103	%REC				1	G01080056-01AMS	R354
ACCU	B371BAS	8/14/01	01D1234	01D1234-019.001	1,1-DICHLOROETHENE	MS1	98.4	%REC				1	G01080183-14AMS	R449
ACCU	37501	8/14/01	01D1234	01D1234-015.001	1,1-DICHLOROETHENE	MS1	93.2	%REC				1	G01080183-10AMS	R448
ACCU	37501	8/14/01	01D1234	01D1234-015.002	1,1-DICHLOROETHENE	MS1	93.2	%REC				1	G01080183-10AMS	R448
ACCU	03991	8/7/01	01D1234	01D1211-002.001	BENZENE	MS1	104	%REC				1	G01080056-01AMS	R354
ACCU	B371BAS	8/14/01	01D1234	01D1234-019.001	BENZENE	MS1	105	%REC				1	G01080183-14AMS	R449
ACCU	37501	8/14/01	01D1234	01D1234-015.001	BENZENE	MS1	105	%REC				1	G01080183-10AMS	R448
ACCU	37501	8/14/01	01D1234	01D1234-015.002	BENZENE	MS1	105	%REC				1	G01080183-10AMS	R448
ACCU	03991	8/7/01	01D1234	01D1211-002.001	CHLOROBENZENE	MS1	105	%REC				1	G01080056-01AMS	R354
ACCU	B371BAS	8/14/01	01D1234	01D1234-019.001	CHLOROBENZENE	MS1	103	%REC				1	G01080183-14AMS	R449
ACCU	37501	8/14/01	01D1234	01D1234-015.001	CHLOROBENZENE	MS1	103	%REC				1	G01080183-10AMS	R448
ACCU	37501	8/14/01	01D1234	01D1234-015.002	CHLOROBENZENE	MS1	103	%REC				1	G01080183-10AMS	R448
ACCU	03991	8/7/01	01D1234	01D1211-002.001	TOLUENE	MS1	104	%REC				1	G01080056-01AMS	R354
ACCU	B371BAS	8/14/01	01D1234	01D1234-019.001	TOLUENE	MS1	103	%REC				1	G01080183-14AMS	R449
ACCU	37501	8/14/01	01D1234	01D1234-015.001	TOLUENE	MS1	104	%REC				1	G01080183-10AMS	R448
ACCU	37501	8/14/01	01D1234	01D1234-015.002	TOLUENE	MS1	104	%REC				1	G01080183-10AMS	R448
ACCU	03991	8/7/01	01D1234	01D1211-002.001	TRICHLOROETHENE	MS1	103	%REC				1	G01080056-01AMS	R354
ACCU	B371BAS	8/14/01	01D1234	01D1234-019.001	TRICHLOROETHENE	MS1	103	%REC				1	G01080183-14AMS	R449
ACCU	37501	8/14/01	01D1234	01D1234-015.001	TRICHLOROETHENE	MS1	104	%REC				1	G01080183-10AMS	R448
ACCU	37501	8/14/01	01D1234	01D1234-015.002	TRICHLOROETHENE	MS1	104	%REC				1	G01080183-10AMS	R448
ACCU	10194	8/16/01	01D1234	01D1311-008.001	TRICHLOROETHENE	MS1	102	%REC				1	G01080227-03AMS	R383
ACCU	P114389	8/24/01	01D1311	01D1352-007.001	1,1-DICHLOROETHENE	MS2	95.9	%REC				1	G01080461-01AMS	VW1090201A
ACCU	10194	8/16/01	01D1311	01D1311-008.001	1,1-DICHLOROETHENE	MS1	99.4	%REC		1		1	G01080227-03AMS	R383
ACCU	04591	8/21/01	01D1311	01D1311-010.001	1,1-DICHLOROETHENE	MS1	94.5	%REC				1	G01080316-01AMS	VW1090101A
ACCU	P114389	8/24/01	01D1311	01D1352-007.001	1,1-DICHLOROETHENE	MS1	95.9	%REC		1		1	G01080461-01AMS	VW1090201A
ACCU	P114389	8/24/01	01D1311	01D1352-007.001	BENZENE	MS2	101	%REC				1	G01080461-01AMS	VW1090201A
ACCU	10194	8/16/01	01D1311	01D1311-008.001	BENZENE	MS1	103	%REC		1		1	G01080227-03AMS	R383
ACCU	04591	8/21/01	01D1311	01D1311-010.001	BENZENE	MS1	97.7	%REC				1	G01080316-01AMS	VW1090101A
ACCU	P114389	8/24/01	01D1311	01D1352-007.001	BENZENE	MS1	101	%REC		1		1	G01080461-01AMS	VW1090201A
ACCU	P114389	8/24/01	01D1311	01D1352-007.001	CHLOROBENZENE	MS2	105	%REC				1	G01080461-01AMS	VW1090201A
ACCU	10194	8/16/01	01D1311	01D1311-008.001	CHLOROBENZENE	MS1	102	%REC		1		1	G01080227-03AMS	R383
ACCU	04591	8/21/01	01D1311	01D1311-010.001	CHLOROBENZENE	MS1	101	%REC				1	G01080316-01AMS	VW1090101A
ACCU	P114389	8/24/01	01D1311	01D1352-007.001	CHLOROBENZENE	MS1	105	%REC		1		1	G01080461-01AMS	VW1090201A
ACCU	P114389	8/24/01	01D1311	01D1352-007.001	TOLUENE	MS2	102	%REC				1	G01080461-01AMS	VW1090201A
ACCU	10194	8/16/01	01D1311	01D1311-008.001	TOLUENE	MS1	103	%REC		1		1	G01080227-03AMS	R383
ACCU	04591	8/21/01	01D1311	01D1311-010.001	TOLUENE	MS1	99.6	%REC				1	G01080316-01AMS	VW1090101A
ACCU	P114389	8/24/01	01D1311	01D1352-007.001	TOLUENE	MS1	102	%REC		1		1	G01080461-01AMS	VW1090201A
ACCU	P114389	8/24/01	01D1311	01D1352-007.001	TRICHLOROETHENE	MS2	101	%REC				1	G01080461-01AMS	VW1090201A
ACCU	10194	8/16/01	01D1311	01D1311-008.001	TRICHLOROETHENE	MS1	102	%REC		1		1	G01080227-03AMS	R383
ACCU	04591	8/21/01	01D1311	01D1311-010.001	TRICHLOROETHENE	MS1	98	%REC				1	G01080316-01AMS	VW1090101A
ACCU	P114389	8/24/01	01D1311	01D1352-007.001	TRICHLOROETHENE	MS1	101	%REC		1		1	G01080461-01AMS	VW1090201A

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Lab Sample #	Lab Batch #
ACCU	04591	8/21/01	01D1352	01D1311-010.001	1,1-DICHLOROETHENE	MS1	94.5	%REC		1		1	G01080316-01AMS	VW1090101A
ACCU	P114389	8/24/01	01D1352	01D1352-007.001	1,1-DICHLOROETHENE	MS1	95.9	%REC		1		1	G01080461-01AMS	VW1090201A
ACCU	75992	8/28/01	01D1352	01D1352-011.001	1,1-DICHLOROETHENE	MS1	94.8	%REC		1		1	G01080461-03A	R635
ACCU	75992	8/28/01	01D1352	01D1352-011.001	1,2-DICHLOROBENZENE	MS1	102	%REC		1		1	G01080461-03A	R635
ACCU	04591	8/21/01	01D1352	01D1311-010.001	BENZENE	MS1	97.7	%REC		1		1	G01080316-01AMS	VW1090101A
ACCU	P114389	8/24/01	01D1352	01D1352-007.001	BENZENE	MS1	101	%REC		1		1	G01080461-01AMS	VW1090201A
ACCU	75992	8/28/01	01D1352	01D1352-011.001	BENZENE	MS1	99.4	%REC		1		1	G01080461-03A	R635
ACCU	04591	8/21/01	01D1352	01D1311-010.001	CHLOROBENZENE	MS1	101	%REC		1		1	G01080316-01AMS	VW1090101A
ACCU	P114389	8/24/01	01D1352	01D1352-007.001	CHLOROBENZENE	MS1	105	%REC		1		1	G01080461-01AMS	VW1090201A
ACCU	75992	8/28/01	01D1352	01D1352-011.001	CHLOROBENZENE	MS1	96.6	%REC		1		1	G01080461-03A	R635
ACCU	04591	8/21/01	01D1352	01D1311-010.001	TOLUENE	MS1	99.6	%REC		1		1	G01080316-01AMS	VW1090101A
ACCU	P114389	8/24/01	01D1352	01D1352-007.001	TOLUENE	MS1	102	%REC		1		1	G01080461-01AMS	VW1090201A
ACCU	75992	8/28/01	01D1352	01D1352-011.001	TOLUENE	MS1	100	%REC		1		1	G01080461-03A	R635
ACCU	04591	8/21/01	01D1352	01D1311-010.001	TRICHLOROETHENE	MS1	98	%REC		1		1	G01080316-01AMS	VW1090101A
ACCU	P114389	8/24/01	01D1352	01D1352-007.001	TRICHLOROETHENE	MS1	101	%REC		1		1	G01080461-01AMS	VW1090201A
ACCU	75992	8/28/01	01D1352	01D1352-011.001	TRICHLOROETHENE	MS1	98	%REC		1		1	G01080461-03A	R635
ACCU	30900	8/28/01	01D1375	01D1375-001.001	1,1-DICHLOROETHENE	MS1	95.6	%REC		1		10	G01080425-01A	VW2091001A
ACCU	30900	8/28/01	01D1375	01D1375-001.002	1,1-DICHLOROETHENE	MS1	95.6	%REC		1		10	G01080425-01A	VW2091001A
ACCU	30900	8/28/01	01D1375	01D1375-001.001	1,1-DICHLOROETHENE	MD1	92.2	%REC		1		10	G01080425-01A	VW2091001A
ACCU	30900	8/28/01	01D1375	01D1375-001.002	1,1-DICHLOROETHENE	MD1	92.2	%REC		1		10	G01080425-01A	VW2091001A
ACCU	30900	8/28/01	01D1375	01D1375-001.001	1,2-DICHLOROBENZENE	MS1	103	%REC		1		10	G01080425-01A	VW2091001A
ACCU	30900	8/28/01	01D1375	01D1375-001.002	1,2-DICHLOROBENZENE	MS1	103	%REC		1		10	G01080425-01A	VW2091001A
ACCU	30900	8/28/01	01D1375	01D1375-001.001	1,2-DICHLOROBENZENE	MD1	100	%REC		1		10	G01080425-01A	VW2091001A
ACCU	30900	8/28/01	01D1375	01D1375-001.002	1,2-DICHLOROBENZENE	MD1	100	%REC		1		10	G01080425-01A	VW2091001A
ACCU	30900	8/28/01	01D1375	01D1375-001.001	BENZENE	MS1	103	%REC		1		10	G01080425-01A	VW2091001A
ACCU	30900	8/28/01	01D1375	01D1375-001.002	BENZENE	MS1	103	%REC		1		10	G01080425-01A	VW2091001A
ACCU	30900	8/28/01	01D1375	01D1375-001.001	BENZENE	MD1	99	%REC		1		10	G01080425-01A	VW2091001A
ACCU	30900	8/28/01	01D1375	01D1375-001.002	BENZENE	MD1	99	%REC		1		10	G01080425-01A	VW2091001A
ACCU	30900	8/28/01	01D1375	01D1375-001.001	CHLOROBENZENE	MS1	97.5	%REC		1		10	G01080425-01A	VW2091001A
ACCU	30900	8/28/01	01D1375	01D1375-001.002	CHLOROBENZENE	MS1	97.5	%REC		1		10	G01080425-01A	VW2091001A
ACCU	30900	8/28/01	01D1375	01D1375-001.001	CHLOROBENZENE	MD1	95.2	%REC		1		10	G01080425-01A	VW2091001A
ACCU	30900	8/28/01	01D1375	01D1375-001.002	CHLOROBENZENE	MD1	95.2	%REC		1		10	G01080425-01A	VW2091001A
ACCU	30900	8/28/01	01D1375	01D1375-001.001	TOLUENE	MS1	102	%REC		1		10	G01080425-01A	VW2091001A
ACCU	30900	8/28/01	01D1375	01D1375-001.002	TOLUENE	MS1	102	%REC		1		10	G01080425-01A	VW2091001A
ACCU	30900	8/28/01	01D1375	01D1375-001.001	TOLUENE	MD1	98.6	%REC		1		10	G01080425-01A	VW2091001A
ACCU	30900	8/28/01	01D1375	01D1375-001.002	TOLUENE	MD1	98.6	%REC		1		10	G01080425-01A	VW2091001A
ACCU	30900	8/28/01	01D1375	01D1375-001.001	TRICHLOROETHENE	MS1	100	%REC		1		10	G01080425-01A	VW2091001A
ACCU	30900	8/28/01	01D1375	01D1375-001.002	TRICHLOROETHENE	MS1	100	%REC		1		10	G01080425-01A	VW2091001A
ACCU	30900	8/28/01	01D1375	01D1375-001.001	TRICHLOROETHENE	MD1	96.8	%REC		1		10	G01080425-01A	VW2091001A
ACCU	30900	8/28/01	01D1375	01D1375-001.002	TRICHLOROETHENE	MD1	96.8	%REC		1		10	G01080425-01A	VW2091001A
ACCU	90299	9/5/01	01D1417	01D1417-010.001	1,1-DICHLOROETHENE	MS1	95.6	%REC				1	G01090160-01AMS	VW2901101A
ACCU	30900	8/28/01	01D1417	01D1375-001.001	1,1-DICHLOROETHENE	MS1	95.6	%REC				10	G01080425-01A	VW2091001A
ACCU	90299	9/5/01	01D1417	01D1417-010.001	1,2-DICHLOROBENZENE	MS1	105	%REC				1	G01090160-01AMS	VW2901101A
ACCU	30900	8/28/01	01D1417	01D1375-001.001	1,2-DICHLOROBENZENE	MS1	103	%REC				10	G01080425-01A	VW2091001A
ACCU	30900	8/28/01	01D1417	01D1375-001.001	1,2-DICHLOROBENZENE	MD1	100	%REC				10	G01080425-01A	VW2091001A
ACCU	90299	9/5/01	01D1417	01D1417-010.001	BENZENE	MS1	99.8	%REC				1	G01090160-01AMS	VW2901101A
ACCU	30900	8/28/01	01D1417	01D1375-001.001	BENZENE	MS1	103	%REC				10	G01080425-01A	VW2091001A
ACCU	30900	8/28/01	01D1417	01D1375-001.001	BENZENE	MD1	99	%REC				10	G01080425-01A	VW2091001A
ACCU	90299	9/5/01	01D1417	01D1417-010.001	CHLOROBENZENE	MS1	97	%REC				1	G01090160-01AMS	VW2901101A
ACCU	30900	8/28/01	01D1417	01D1375-001.001	CHLOROBENZENE	MS1	97.5	%REC				10	G01080425-01A	VW2091001A
ACCU	30900	8/28/01	01D1417	01D1375-001.001	CHLOROBENZENE	MD1	95.2	%REC				10	G01080425-01A	VW2091001A
ACCU	90299	9/5/01	01D1417	01D1417-010.001	TOLUENE	MS1	100	%REC				1	G01090160-01AMS	VW2901101A
ACCU	30900	8/28/01	01D1417	01D1375-001.001	TOLUENE	MS1	102	%REC				10	G01080425-01A	VW2091001A
ACCU	30900	8/28/01	01D1417	01D1375-001.001	TOLUENE	MD1	98.6	%REC				10	G01080425-01A	VW2091001A

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu tion	Lab Sample #	Lab Batch #
ACCU	90299	9/5/01	01D1417	01D1417-010.001	TRICHLOROETHENE	MS1	96.1	%REC				1	G01090160-01AMS	VW2901101A
ACCU	30900	8/28/01	01D1417	01D1375-001.001	TRICHLOROETHENE	MS1	100	%REC				10	G01080425-01A	VW2091001A
ACCU	30900	8/28/01	01D1417	01D1375-001.001	TRICHLOROETHENE	MD1	96.8	%REC				10	G01080425-01A	VW2091001A
ACCU	41591	9/10/01	01D1448	01D1448-001.001	1,1-DICHLOROETHENE	MS1	102	%REC		1		1	G01090257-01AMS	VW1092201
ACCU	41591	9/10/01	01D1448	01D1448-001.002	1,1-DICHLOROETHENE	MS1	102	%REC		1		1	G01090257-01AMS	VW1092201
ACCU	22896	9/12/01	01D1448	01D1448-006.001	1,1-DICHLOROETHENE	MS1	96	%REC		1		1	G01090291-01AMS	VW1092001A
ACCU	41591	9/10/01	01D1448	01D1448-001.001	1,2-DICHLOROBENZENE	MS1	102	%REC		1		1	G01090257-01AMS	VW1092201
ACCU	41591	9/10/01	01D1448	01D1448-001.002	1,2-DICHLOROBENZENE	MS1	102	%REC		1		1	G01090257-01AMS	VW1092201
ACCU	22896	9/12/01	01D1448	01D1448-006.001	1,2-DICHLOROBENZENE	MS1	100	%REC		1		1	G01090291-01AMS	VW1092001A
ACCU	41591	9/10/01	01D1448	01D1448-001.001	BENZENE	MS1	97.6	%REC		1		1	G01090257-01AMS	VW1092201
ACCU	41591	9/10/01	01D1448	01D1448-001.002	BENZENE	MS1	97.6	%REC		1		1	G01090257-01AMS	VW1092201
ACCU	22896	9/12/01	01D1448	01D1448-006.001	BENZENE	MS1	96.8	%REC		1		1	G01090291-01AMS	VW1092001A
ACCU	41591	9/10/01	01D1448	01D1448-001.001	CHLOROBENZENE	MS1	96.8	%REC		1		1	G01090257-01AMS	VW1092201
ACCU	41591	9/10/01	01D1448	01D1448-001.002	CHLOROBENZENE	MS1	96.8	%REC		1		1	G01090257-01AMS	VW1092201
ACCU	22896	9/12/01	01D1448	01D1448-006.001	CHLOROBENZENE	MS1	101	%REC		1		1	G01090291-01AMS	VW1092001A
ACCU	41591	9/10/01	01D1448	01D1448-001.001	TOLUENE	MS1	100	%REC		1		1	G01090257-01AMS	VW1092201
ACCU	41591	9/10/01	01D1448	01D1448-001.002	TOLUENE	MS1	100	%REC		1		1	G01090257-01AMS	VW1092201
ACCU	22896	9/12/01	01D1448	01D1448-006.001	TOLUENE	MS1	95.7	%REC		1		1	G01090291-01AMS	VW1092001A
ACCU	41591	9/10/01	01D1448	01D1448-001.001	TRICHLOROETHENE	MS1	104	%REC		1		1	G01090257-01AMS	VW1092201
ACCU	41591	9/10/01	01D1448	01D1448-001.002	TRICHLOROETHENE	MS1	104	%REC		1		1	G01090257-01AMS	VW1092201
ACCU	22896	9/12/01	01D1448	01D1448-006.001	TRICHLOROETHENE	MS1	59.3	%REC		1		1	G01090291-01AMS	VW1092001A
STLDEN			01D1495		1,1-DICHLOROETHENE	MS1	101	%REC		1		1	D1I190222-002S	1267399
STLDEN			01D1495		1,1-DICHLOROETHENE	MD1	96	%REC		1		1	D1I190222-002D	1267399
STLDEN			01D1495		BENZENE	MS1	100	%REC		1		1	D1I190222-002S	1267399
STLDEN			01D1495		BENZENE	MD1	98	%REC		1		1	D1I190222-002D	1267399
STLDEN			01D1495		CHLOROBENZENE	MS1	94	%REC		1		1	D1I190222-002S	1267399
STLDEN			01D1495		CHLOROBENZENE	MD1	92	%REC		1		1	D1I190222-002D	1267399
STLDEN			01D1495		TOLUENE	MS1	95	%REC		1		1	D1I190222-002S	1267399
STLDEN			01D1495		TOLUENE	MD1	89	%REC		1		1	D1I190222-002D	1267399
STLDEN			01D1495		TRICHLOROETHENE	MS1	104	%REC		1		1	D1I190222-002S	1267399
STLDEN			01D1495		TRICHLOROETHENE	MD1	101	%REC		1		1	D1I190222-002D	1267399
ACCU	13091	9/25/01	01D1509	01D1509-004.001	1,1-DICHLOROETHENE	MS1	103	%REC		1		1	G01090524-01AMS	VW1100601
ACCU	13091	9/25/01	01D1509	01D1509-004.001	1,2-DICHLOROBENZENE	MS1	103	%REC		1		1	G01090524-01AMS	VW1100601
ACCU	13091	9/25/01	01D1509	01D1509-004.001	BENZENE	MS1	98	%REC		1		1	G01090524-01AMS	VW1100601
ACCU	13091	9/25/01	01D1509	01D1509-004.001	CHLOROBENZENE	MS1	101	%REC		1		1	G01090524-01AMS	VW1100601
ACCU	13091	9/25/01	01D1509	01D1509-004.001	TOLUENE	MS1	99.8	%REC		1		1	G01090524-01AMS	VW1100601
ACCU	13091	9/25/01	01D1509	01D1509-004.001	TRICHLOROETHENE	MS1	103	%REC		1		1	G01090524-01AMS	VW1100601
Total and Dissolved Metals														
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	ALUMINUM	MS1	100	%REC		1		1	D1G130330-012S	1200382
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	ALUMINUM	MD1	103	%REC		1		1	D1G130330-012D	1200382
STLDEN	5887	7/12/01	01D1057	01D1057-004.004	ANTIMONY	MS1	99	%REC		1		1	D1G130330-018S	1201179
STLDEN	5887	7/12/01	01D1057	01D1057-004.004	ARSENIC	MS1	106	%REC		1		1	D1G130330-018S	1201179
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	BARIUM	MS1	101	%REC		1		1	D1G130330-012S	1200382
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	BARIUM	MD1	102	%REC		1		1	D1G130330-012D	1200382
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	BERYLLIUM	MS1	104	%REC		1		1	D1G130330-012S	1200382
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	BERYLLIUM	MD1	106	%REC		1		1	D1G130330-012D	1200382
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	CADMIUM	MS1	98	%REC		1		1	D1G130330-012S	1200382
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	CADMIUM	MD1	100	%REC		1		1	D1G130330-012D	1200382
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	CALCIUM	MS1	100	%REC		1		1	D1G130330-012S	1200382
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	CALCIUM	MD1	100	%REC		1		1	D1G130330-012D	1200382
STLDEN	5887	7/12/01	01D1057	01D1057-004.004	CHROMIUM	MS1	101	%REC		1		1	D1G130330-018S	1201179
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	COBALT	MS1	102	%REC		1		1	D1G130330-012S	1200382
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	COBALT	MD1	104	%REC		1		1	D1G130330-012D	1200382
STLDEN	5887	7/12/01	01D1057	01D1057-004.004	COPPER	MS1	101	%REC		1		1	D1G130330-018S	1201179

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Lab Sample #	Lab Batch #
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	IRON	MS1	100	%REC		1		1	D1G130330-012S	1200382
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	IRON	MD1	100	%REC		1		1	D1G130330-012D	1200382
STLDEN	5887	7/12/01	01D1057	01D1057-004.004	LEAD	MS1	99	%REC		1		1	D1G130330-018S	1201179
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	LITHIUM	MS1	99	%REC		1		1	D1G130330-012S	1200382
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	LITHIUM	MD1	99	%REC		1		1	D1G130330-012D	1200382
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	MAGNESIUM	MS1	104	%REC		1		1	D1G130330-012S	1200382
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	MAGNESIUM	MD1	104	%REC		1		1	D1G130330-012D	1200382
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	MANGANESE	MS1	101	%REC		1		1	D1G130330-012S	1200382
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	MANGANESE	MD1	103	%REC		1		1	D1G130330-012D	1200382
STLDEN	70393	7/11/01	01D1057	01D1057-002.004	MERCURY	MS1	100	%REC		1		1	D1G130330-006S	1200184
STLDEN	70393	7/11/01	01D1057	01D1057-002.004	MERCURY	MD1	101	%REC		1		1	D1G130330-006D	1200184
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	MOLYBDENUM	MS1	100	%REC		1		1	D1G130330-012S	1200382
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	MOLYBDENUM	MD1	102	%REC		1		1	D1G130330-012D	1200382
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	NICKEL	MS1	95	%REC		1		1	D1G130330-012S	1200382
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	NICKEL	MD1	96	%REC		1		1	D1G130330-012D	1200382
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	POTASSIUM	MS1	109	%REC		1		1	D1G130330-012S	1200382
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	POTASSIUM	MD1	109	%REC		1		1	D1G130330-012D	1200382
STLDEN	5887	7/12/01	01D1057	01D1057-004.004	SELENIUM	MS1	108	%REC		1		1	D1G130330-018S	1201179
STLDEN	5887	7/12/01	01D1057	01D1057-004.004	SILVER	MS1	99	%REC		1		1	D1G130330-018S	1201179
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	SODIUM	MS1	101	%REC		1		1	D1G130330-012S	1200382
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	SODIUM	MD1	103	%REC		1		1	D1G130330-012D	1200382
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	STRONTIUM	MS1	92	%REC		1		1	D1G130330-012S	1200382
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	STRONTIUM	MD1	93	%REC		1		1	D1G130330-012D	1200382
STLDEN	5887	7/12/01	01D1057	01D1057-004.004	THALLIUM	MS1	99	%REC		1		1	D1G130330-018S	1201179
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	TIN	MS1	97	%REC		1		1	D1G130330-012S	1200382
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	TIN	MD1	98	%REC		1		1	D1G130330-012D	1200382
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	URANIUM, TOTAL	MS1	101	%REC		1		1	D1G130330-012S	1200382
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	URANIUM, TOTAL	MD1	102	%REC		1		1	D1G130330-012D	1200382
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	VANADIUM	MS1	106	%REC		1		1	D1G130330-012S	1200382
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	VANADIUM	MD1	108	%REC		1		1	D1G130330-012D	1200382
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	ZINC	MS1	97	%REC		1		1	D1G130330-012S	1200382
STLDEN	00491	7/12/01	01D1057	01D1057-003.004	ZINC	MD1	98	%REC		1		1	D1G130330-012D	1200382
STLDEN			01D1075		ALUMINUM	MS1	100	%REC		1		1	D1G130330-012S	1200382
STLDEN			01D1075		ALUMINUM	MD1	103	%REC		1		1	D1G130330-012D	1200382
STLDEN			01D1075		ANTIMONY	MS1	99	%REC		1		1	D1G130330-018S	1201179
STLDEN			01D1075		ARSENIC	MS1	106	%REC		1		1	D1G130330-018S	1201179
STLDEN			01D1075		BARIUM	MS1	101	%REC		1		1	D1G130330-012S	1200382
STLDEN			01D1075		BARIUM	MD1	102	%REC		1		1	D1G130330-012D	1200382
STLDEN			01D1075		BERYLLIUM	MS1	104	%REC		1		1	D1G130330-012S	1200382
STLDEN			01D1075		BERYLLIUM	MD1	106	%REC		1		1	D1G130330-012D	1200382
STLDEN			01D1075		CADMIUM	MS1	98	%REC		1		1	D1G130330-012S	1200382
STLDEN			01D1075		CADMIUM	MD1	100	%REC		1		1	D1G130330-012D	1200382
STLDEN			01D1075		CALCIUM	MS1	100	%REC		1		1	D1G130330-012S	1200382
STLDEN			01D1075		CALCIUM	MD1	100	%REC		1		1	D1G130330-012D	1200382
STLDEN			01D1075		CHROMIUM	MS1	101	%REC		1		1	D1G130330-018S	1201179
STLDEN			01D1075		COBALT	MS1	102	%REC		1		1	D1G130330-012S	1200382
STLDEN			01D1075		COBALT	MD1	104	%REC		1		1	D1G130330-012D	1200382
STLDEN			01D1075		COPPER	MS1	101	%REC		1		1	D1G130330-018S	1201179
STLDEN			01D1075		IRON	MS1	100	%REC		1		1	D1G130330-012S	1200382
STLDEN			01D1075		IRON	MD1	100	%REC		1		1	D1G130330-012D	1200382
STLDEN			01D1075		LEAD	MS1	99	%REC		1		1	D1G130330-018S	1201179
STLDEN			01D1075		LITHIUM	MS1	99	%REC		1		1	D1G130330-012S	1200382
STLDEN			01D1075		LITHIUM	MD1	99	%REC		1		1	D1G130330-012D	1200382
STLDEN			01D1075		MAGNESIUM	MS1	104	%REC		1		1	D1G130330-012S	1200382

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

108

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Lab Sample #	Lab Batch #
STLDEN			01D1075		MAGNESIUM	MD1	104	%REC		1		1	D1G130330-012D	1200382
STLDEN			01D1075		MANGANESE	MS1	101	%REC		1		1	D1G130330-012S	1200382
STLDEN			01D1075		MANGANESE	MD1	103	%REC		1		1	D1G130330-012D	1200382
STLDEN			01D1075		MERCURY	MS1	100	%REC		1		1	D1G130330-006S	1200184
STLDEN			01D1075		MERCURY	MD1	101	%REC		1		1	D1G130330-006D	1200184
STLDEN			01D1075		MOLYBDENUM	MS1	100	%REC		1		1	D1G130330-012S	1200382
STLDEN			01D1075		MOLYBDENUM	MD1	102	%REC		1		1	D1G130330-012D	1200382
STLDEN			01D1075		NICKEL	MS1	95	%REC		1		1	D1G130330-012S	1200382
STLDEN			01D1075		NICKEL	MD1	96	%REC		1		1	D1G130330-012D	1200382
STLDEN			01D1075		POTASSIUM	MS1	109	%REC		1		1	D1G130330-012S	1200382
STLDEN			01D1075		POTASSIUM	MD1	109	%REC		1		1	D1G130330-012D	1200382
STLDEN			01D1075		SELENIUM	MS1	108	%REC		1		1	D1G130330-018S	1201179
STLDEN			01D1075		SILVER	MS1	99	%REC		1		1	D1G130330-018S	1201179
STLDEN			01D1075		SODIUM	MS1	101	%REC		1		1	D1G130330-012S	1200382
STLDEN			01D1075		SODIUM	MD1	103	%REC		1		1	D1G130330-012D	1200382
STLDEN			01D1075		STRONTIUM	MS1	92	%REC		1		1	D1G130330-012S	1200382
STLDEN			01D1075		STRONTIUM	MD1	93	%REC		1		1	D1G130330-012D	1200382
STLDEN			01D1075		THALLIUM	MS1	99	%REC		1		1	D1G130330-018S	1201179
STLDEN			01D1075		TIN	MS1	97	%REC		1		1	D1G130330-012S	1200382
STLDEN			01D1075		TIN	MD1	98	%REC		1		1	D1G130330-012D	1200382
STLDEN			01D1075		URANIUM, TOTAL	MS1	101	%REC		1		1	D1G130330-012S	1200382
STLDEN			01D1075		URANIUM, TOTAL	MD1	102	%REC		1		1	D1G130330-012D	1200382
STLDEN			01D1075		VANADIUM	MS1	106	%REC		1		1	D1G130330-012S	1200382
STLDEN			01D1075		VANADIUM	MD1	108	%REC		1		1	D1G130330-012D	1200382
STLDEN			01D1075		ZINC	MS1	97	%REC		1		1	D1G130330-012S	1200382
STLDEN			01D1075		ZINC	MD1	98	%REC		1		1	D1G130330-012D	1200382
STLDEN			01D1108		ALUMINUM	MS1	106	%REC		1		1	D1G130330-018S	1201179
STLDEN			01D1108		ANTIMONY	MS1	99	%REC		1		1	D1G130330-018S	1201179
STLDEN			01D1108		ARSENIC	MS1	106	%REC		1		1	D1G130330-018S	1201179
STLDEN			01D1108		BARIUM	MS1	106	%REC		1		1	D1G240209-004S	1212160
STLDEN			01D1108		BARIUM	MD1	107	%REC		1		1	D1G240209-004D	1212160
STLDEN			01D1108		BERYLLIUM	MS1	108	%REC		1		1	D1G240209-004S	1212160
STLDEN			01D1108		BERYLLIUM	MD1	108	%REC		1		1	D1G240209-004D	1212160
STLDEN			01D1108		CADMIUM	MS1	104	%REC		1		1	D1G240209-004S	1212160
STLDEN			01D1108		CADMIUM	MD1	104	%REC		1		1	D1G240209-004D	1212160
STLDEN			01D1108		CALCIUM	MS1	100	%REC		1		1	D1G240209-004S	1212160
STLDEN			01D1108		CALCIUM	MD1	100	%REC		1		1	D1G240209-004D	1212160
STLDEN			01D1108		CHROMIUM	MS1	101	%REC		1		1	D1G130330-018S	1201179
STLDEN			01D1108		COBALT	MS1	108	%REC		1		1	D1G240209-004S	1212160
STLDEN			01D1108		COBALT	MD1	107	%REC		1		1	D1G240209-004D	1212160
STLDEN			01D1108		COPPER	MS1	101	%REC		1		1	D1G130330-018S	1201179
STLDEN			01D1108		IRON	MS1	101	%REC		1		1	D1G240209-004S	1212160
STLDEN			01D1108		IRON	MD1	101	%REC		1		1	D1G240209-004D	1212160
STLDEN			01D1108		LEAD	MS1	99	%REC		1		1	D1G130330-018S	1201179
STLDEN			01D1108		LITHIUM	MS1	98	%REC		1		1	D1G240209-004S	1212160
STLDEN			01D1108		LITHIUM	MD1	98	%REC		1		1	D1G240209-004D	1212160
STLDEN			01D1108		MAGNESIUM	MS1	102	%REC		1		1	D1G240209-004S	1212160
STLDEN			01D1108		MAGNESIUM	MD1	102	%REC		1		1	D1G240209-004D	1212160
STLDEN			01D1108		MANGANESE	MS1	107	%REC		1		1	D1G240209-004S	1212160
STLDEN			01D1108		MANGANESE	MD1	107	%REC		1		1	D1G240209-004D	1212160
STLDEN	10992	7/18/01	01D1108	01D1108-001.004	MERCURY	MS1	106	%REC		1		1	D1G190283-004S	1205178
STLDEN	10992	7/18/01	01D1108	01D1108-001.004	MERCURY	MD1	104	%REC		1		1	D1G190283-004D	1205178
STLDEN			01D1108		MOLYBDENUM	MS1	106	%REC		1		1	D1G240209-004S	1212160
STLDEN			01D1108		MOLYBDENUM	MD1	106	%REC		1		1	D1G240209-004D	1212160

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Lab Sample #	Lab Batch #
STLDEN			01D1108		NICKEL	MS1	102	%REC		1		1	D1G240209-004S	1212160
STLDEN			01D1108		NICKEL	MD1	101	%REC		1		1	D1G240209-004D	1212160
STLDEN			01D1108		POTASSIUM	MS1	103	%REC		1		1	D1G240209-004S	1212160
STLDEN			01D1108		POTASSIUM	MD1	104	%REC		1		1	D1G240209-004D	1212160
STLDEN			01D1108		SELENIUM	MS1	108	%REC		1		1	D1G130330-018S	1201179
STLDEN			01D1108		SILVER	MS1	99	%REC		1		1	D1G130330-018S	1201179
STLDEN			01D1108		SODIUM	MS1	103	%REC		1		1	D1G240209-004S	1212160
STLDEN			01D1108		SODIUM	MD1	107	%REC		1		1	D1G240209-004D	1212160
STLDEN			01D1108		STRONTIUM	MS1	101	%REC		1		1	D1G240209-004S	1212160
STLDEN			01D1108		STRONTIUM	MD1	101	%REC		1		1	D1G240209-004D	1212160
STLDEN			01D1108		THALLIUM	MS1	99	%REC		1		1	D1G130330-018S	1201179
STLDEN			01D1108		TIN	MS1	102	%REC		1		1	D1G240209-004S	1212160
STLDEN			01D1108		TIN	MD1	102	%REC		1		1	D1G240209-004D	1212160
STLDEN			01D1108		URANIUM, TOTAL	MS1	107	%REC		1		1	D1G240209-004S	1212160
STLDEN			01D1108		URANIUM, TOTAL	MD1	107	%REC		1		1	D1G240209-004D	1212160
STLDEN			01D1108		VANADIUM	MS1	110	%REC		1		1	D1G240209-004S	1212160
STLDEN			01D1108		VANADIUM	MD1	110	%REC		1		1	D1G240209-004D	1212160
STLDEN			01D1108		ZINC	MS1	102	%REC		1		1	D1G240209-004S	1212160
STLDEN			01D1108		ZINC	MD1	103	%REC		1		1	D1G240209-004D	1212160
STLDEN			01D1116		ALUMINUM	MS1	98	%REC	B			1	D1G270304-004S	1214230
STLDEN			01D1116		ALUMINUM	MD1	101	%REC	B			1	D1G270304-004D	1214230
STLDEN			01D1116		ANTIMONY	MS1	108	%REC	B			1	D1G270304-004S	1214230
STLDEN			01D1116		ANTIMONY	MD1	106	%REC	B			1	D1G270304-004D	1214230
STLDEN			01D1116		ARSENIC	MS1	111	%REC	B			1	D1G270304-004S	1214230
STLDEN			01D1116		ARSENIC	MD1	111	%REC	B			1	D1G270304-004D	1214230
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	BARIUM	MS1	106	%REC				1	D1G240209-004S	1212160
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	BARIUM	MD1	107	%REC				1	D1G240209-004D	1212160
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	BERYLLIUM	MS1	108	%REC				1	D1G240209-004S	1212160
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	BERYLLIUM	MD1	108	%REC				1	D1G240209-004D	1212160
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	CADMIUM	MS1	104	%REC				1	D1G240209-004S	1212160
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	CADMIUM	MD1	104	%REC				1	D1G240209-004D	1212160
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	CALCIUM	MS1	100	%REC				1	D1G240209-004S	1212160
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	CALCIUM	MD1	100	%REC				1	D1G240209-004D	1212160
STLDEN			01D1116		CHROMIUM	MS1	96	%REC				1	D1G270304-004S	1214230
STLDEN			01D1116		CHROMIUM	MD1	95	%REC				1	D1G270304-004D	1214230
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	COBALT	MS1	108	%REC				1	D1G240209-004S	1212160
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	COBALT	MD1	107	%REC				1	D1G240209-004D	1212160
STLDEN			01D1116		COPPER	MS1	99	%REC	B			1	D1G270304-004S	1214230
STLDEN			01D1116		COPPER	MD1	98	%REC	B			1	D1G270304-004D	1214230
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	IRON	MS1	101	%REC				1	D1G240209-004S	1212160
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	IRON	MD1	101	%REC				1	D1G240209-004D	1212160
STLDEN			01D1116		LEAD	MS1	95	%REC	B			1	D1G270304-004S	1214230
STLDEN			01D1116		LEAD	MD1	95	%REC	B			1	D1G270304-004D	1214230
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	LITHIUM	MS1	98	%REC				1	D1G240209-004S	1212160
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	LITHIUM	MD1	98	%REC				1	D1G240209-004D	1212160
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	MAGNESIUM	MS1	102	%REC				1	D1G240209-004S	1212160
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	MAGNESIUM	MD1	102	%REC				1	D1G240209-004D	1212160
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	MANGANESE	MS1	107	%REC				1	D1G240209-004S	1212160
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	MANGANESE	MD1	107	%REC				1	D1G240209-004D	1212160
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	MERCURY	MS1	101	%REC				1	D1G240209-004S	1212208
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	MERCURY	MD1	95	%REC				1	D1G240209-004D	1212208
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	MOLYBDENUM	MS1	106	%REC				1	D1G240209-004S	1212160
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	MOLYBDENUM	MD1	106	%REC				1	D1G240209-004D	1212160
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	NICKEL	MS1	102	%REC				1	D1G240209-004S	1212160

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Lab Sample #	Lab Batch #
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	NICKEL	MD1	101	%REC				1	D1G240209-004D	1212160
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	POTASSIUM	MS1	103	%REC				1	D1G240209-004S	1212160
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	POTASSIUM	MD1	104	%REC				1	D1G240209-004D	1212160
STLDEN			01D1116		SELENIUM	MS1	120	%REC	B			1	D1G270304-004S	1214230
STLDEN			01D1116		SELENIUM	MD1	119	%REC	B			1	D1G270304-004D	1214230
STLDEN			01D1116		SILVER	MS1	44	%REC				1	D1G270304-004S	1214230
STLDEN			01D1116		SILVER	MD1	47	%REC				1	D1G270304-004D	1214230
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	SODIUM	MS1	103	%REC				1	D1G240209-004S	1212160
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	SODIUM	MD1	107	%REC				1	D1G240209-004D	1212160
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	STRONTIUM	MS1	101	%REC				1	D1G240209-004S	1212160
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	STRONTIUM	MD1	101	%REC				1	D1G240209-004D	1212160
STLDEN			01D1116		THALLIUM	MS1	95	%REC	B			1	D1G270304-004S	1214230
STLDEN			01D1116		THALLIUM	MD1	94	%REC	B			1	D1G270304-004D	1214230
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	TIN	MS1	102	%REC				1	D1G240209-004S	1212160
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	TIN	MD1	102	%REC				1	D1G240209-004D	1212160
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	URANIUM, TOTAL	MS1	107	%REC				1	D1G240209-004S	1212160
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	URANIUM, TOTAL	MD1	107	%REC				1	D1G240209-004D	1212160
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	VANADIUM	MS1	110	%REC				1	D1G240209-004S	1212160
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	VANADIUM	MD1	110	%REC				1	D1G240209-004D	1212160
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	ZINC	MS1	102	%REC				1	D1G240209-004S	1212160
STLDEN	00597	7/19/01	01D1116	01D1116-001.004	ZINC	MD1	103	%REC				1	D1G240209-004D	1212160
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	ALUMINUM	MS1	98	%REC	B	1		1	D1G270304-004S	1214230
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	ALUMINUM	MD1	101	%REC	B	1		1	D1G270304-004D	1214230
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	ANTIMONY	MS1	108	%REC	B	1		1	D1G270304-004S	1214230
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	ANTIMONY	MD1	106	%REC	B	1		1	D1G270304-004D	1214230
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	ARSENIC	MS1	111	%REC	B	1		1	D1G270304-004S	1214230
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	ARSENIC	MD1	111	%REC	B	1		1	D1G270304-004D	1214230
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	BARIUM	MS1	110	%REC		1		1	D1G270304-004S	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	BARIUM	MD1	110	%REC		1		1	D1G270304-004D	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	BERYLLIUM	MS1	110	%REC		1		1	D1G270304-004S	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	BERYLLIUM	MD1	109	%REC		1		1	D1G270304-004D	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	CADMIUM	MS1	108	%REC		1		1	D1G270304-004S	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	CADMIUM	MD1	107	%REC		1		1	D1G270304-004D	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	CALCIUM	MS1	95	%REC		1		1	D1G270304-004S	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	CALCIUM	MD1	94	%REC		1		1	D1G270304-004D	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	CHROMIUM	MS1	96	%REC		1		1	D1G270304-004S	1214230
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	CHROMIUM	MD1	95	%REC		1		1	D1G270304-004D	1214230
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	COBALT	MS1	111	%REC		1		1	D1G270304-004S	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	COBALT	MD1	110	%REC		1		1	D1G270304-004D	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	COPPER	MS1	99	%REC	B	1		1	D1G270304-004S	1214230
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	COPPER	MD1	98	%REC	B	1		1	D1G270304-004D	1214230
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	IRON	MS1	100	%REC		1		1	D1G270304-004S	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	IRON	MD1	100	%REC		1		1	D1G270304-004D	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	LEAD	MS1	95	%REC	B	1		1	D1G270304-004S	1214230
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	LEAD	MD1	95	%REC	B	1		1	D1G270304-004D	1214230
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	LITHIUM	MS1	96	%REC		1		1	D1G270304-004S	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	LITHIUM	MD1	96	%REC		1		1	D1G270304-004D	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	MAGNESIUM	MS1	99	%REC		1		1	D1G270304-004S	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	MAGNESIUM	MD1	98	%REC		1		1	D1G270304-004D	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	MANGANESE	MS1	109	%REC		1		1	D1G270304-004S	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	MANGANESE	MD1	109	%REC		1		1	D1G270304-004D	1219475
STLDEN			01D1138		MERCURY	MS1	101	%REC		1		1	D1G240209-004S	1212208
STLDEN			01D1138		MERCURY	MD1	95	%REC		1		1	D1G240209-004D	1212208
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	MOLYBDENUM	MS1	108	%REC		1		1	D1G270304-004S	1219475

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Lab Sample #	Lab Batch #
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	MOLYBDENUM	MD1	108	%REC		1		1	D1G270304-004D	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	NICKEL	MS1	105	%REC		1		1	D1G270304-004S	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	NICKEL	MD1	105	%REC		1		1	D1G270304-004D	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	POTASSIUM	MS1	97	%REC		1		1	D1G270304-004S	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	POTASSIUM	MD1	96	%REC		1		1	D1G270304-004D	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	SELENIUM	MS1	120	%REC	B	1		1	D1G270304-004S	1214230
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	SELENIUM	MD1	119	%REC	B	1		1	D1G270304-004D	1214230
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	SILVER	MS1	44	%REC		1		1	D1G270304-004S	1214230
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	SILVER	MD1	47	%REC		1		1	D1G270304-004D	1214230
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	SODIUM	MS1	98	%REC		1		1	D1G270304-004S	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	SODIUM	MD1	98	%REC		1		1	D1G270304-004D	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	STRONTIUM	MS1	103	%REC		1		1	D1G270304-004S	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	STRONTIUM	MD1	103	%REC		1		1	D1G270304-004D	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	THALLIUM	MS1	95	%REC	B	1		1	D1G270304-004S	1214230
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	THALLIUM	MD1	94	%REC	B	1		1	D1G270304-004D	1214230
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	TIN	MS1	104	%REC		1		1	D1G270304-004S	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	TIN	MD1	104	%REC		1		1	D1G270304-004D	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	URANIUM, TOTAL	MS1	109	%REC		1		1	D1G270304-004S	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	URANIUM, TOTAL	MD1	109	%REC		1		1	D1G270304-004D	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	VANADIUM	MS1	101	%REC		1		1	D1G270304-004S	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	VANADIUM	MD1	100	%REC		1		1	D1G270304-004D	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	ZINC	MS1	106	%REC		1		1	D1G270304-004S	1219475
STLDEN	10498	7/24/01	01D1138	01D1138-001.004	ZINC	MD1	105	%REC		1		1	D1G270304-004D	1219475
ACCU			01D1153		ALUMINUM	MS1	90	%REC		1	1.2		01-A15115S	1766082401
ACCU			01D1153		ANTIMONY	MS1	119	%REC		1	0.34		01-A15115S	1766082401
ACCU			01D1153		ARSENIC	MS1	111	%REC		1	0.32		01-A15115S	1766082401
ACCU			01D1153		BARIUM	MS1	99	%REC		1	0.25		01-A15115S	1718082101
ACCU			01D1153		BERYLLIUM	MS1	95	%REC		1	0.054		01-A15115S	1766082401
ACCU			01D1153		CADMIUM	MS1	104	%REC		1	0.016		01-A15115S	1766082401
ACCU			01D1153		CALCIUM	MS1	116	%REC		1	3.2		01-A15115S	1718082101
ACCU			01D1153		CHROMIUM	MS1	106	%REC		1	0.3		01-A15115S	1766082401
ACCU			01D1153		COBALT	MS1	96	%REC		1	0.43		01-A15115S	1718082101
ACCU			01D1153		COPPER	MS1	94	%REC		1	0.92		01-A15115S	1766082401
ACCU			01D1153		IRON	MS1	90	%REC		1	16		01-A15115S	1718082101
ACCU			01D1153		LEAD	MS1	112	%REC		1	0.29		01-A15115S	1766082401
ACCU			01D1153		LITHIUM	MS1	93	%REC		1	2.2		01-A15115S	1718082101
ACCU			01D1153		MAGNESIUM	MS1	98	%REC		1	25		01-A15115S	1718082101
ACCU			01D1153		MANGANESE	MS1	90	%REC		1	0.69		01-A15115S	1718082101
ACCU			01D1153		MERCURY	MS1	95	%REC		1	0.02		01-A15115S	1163082001
ACCU			01D1153		MOLYBDENUM	MS1	100	%REC		1	4		01-A15115S	1718082101
ACCU			01D1153		NICKEL	MS1	99	%REC		1	1		01-A15115S	1718082101
ACCU			01D1153		POTASSIUM	MS1	95	%REC		1	48		01-A15115S	1718082101
ACCU			01D1153		SELENIUM	MS1	113	%REC		1	0.33		01-A15115S	1766082401
ACCU			01D1153		SILVER	MS1	97	%REC		1	0.005		01-A15115S	1766082401
ACCU			01D1153		SODIUM	MS1	95	%REC		1	27		01-A15115S	1718082101
ACCU			01D1153		STRONTIUM	MS1	98	%REC		1	0.25		01-A15115S	1718082101
ACCU			01D1153		THALLIUM	MS1	91	%REC		1	0.05		01-A15115S	1766082401
ACCU			01D1153		TIN	MS1	106	%REC		1	6.9		01-A15115S	1718082101
ACCU			01D1153		URANIUM, TOTAL	MS1	102	%REC		1	0.005		01-A15115S	1718082101
ACCU			01D1153		VANADIUM	MS1	83	%REC		1	0.88		01-A15115S	1766082401
ACCU			01D1153		ZINC	MS1	102	%REC		1	1		01-A15115S	1718082101
ACCU			01D1169		ALUMINUM	MS1	90	%REC			1.2		01-A14997S	1766082401
ACCU			01D1169		ANTIMONY	MS1	119	%REC			0.34		01-A14997S	1766082401
ACCU			01D1169		ARSENIC	MS1	111	%REC			0.32		01-A14997S	1766082401

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Lab Sample #	Lab Batch #
ACCU			01D1169		BARIUM	MS1	103	%REC			0.25		01-A14997S	1718082101
ACCU			01D1169		BERYLLIUM	MS1	95	%REC			0.054		01-A14997S	1766082401
ACCU			01D1169		CADMIUM	MS1	104	%REC			0.016		01-A14997S	1766082401
ACCU			01D1169		CALCIUM	MS1	120	%REC			3.2		01-A14997S	1718082101
ACCU			01D1169		CHROMIUM	MS1	106	%REC			0.3		01-A14997S	1766082401
ACCU			01D1169		COBALT	MS1	96	%REC			0.43		01-A14997S	1718082101
ACCU			01D1169		COPPER	MS1	94	%REC			0.92		01-A14997S	1766082401
ACCU			01D1169		IRON	MS1	94	%REC			16		01-A14997S	1718082101
ACCU			01D1169		LEAD	MS1	103	%REC			0.29		01-A14997S	1766082401
ACCU			01D1169		LITHIUM	MS1	89	%REC			2.2		01-A14997S	1718082101
ACCU			01D1169		MAGNESIUM	MS1	95	%REC			25		01-A14997S	1718082101
ACCU			01D1169		MANGANESE	MS1	94	%REC			0.69		01-A14997S	1718082101
ACCU			01D1169		MERCURY	MS1	95	%REC			0.02		01-A14997S	1163082001
ACCU			01D1169		MOLYBDENUM	MS1	104	%REC			4		01-A14997S	1718082101
ACCU			01D1169		NICKEL	MS1	96	%REC			10		01-A14997S	1718082101
ACCU			01D1169		POTASSIUM	MS1	95	%REC			48		01-A14997S	1718082101
ACCU			01D1169		SELENIUM	MS1	113	%REC			0.33		01-A14997S	1766082401
ACCU			01D1169		SILVER	MS1	97	%REC			0.005		01-A14997S	1766082401
ACCU			01D1169		SODIUM	MS1	120	%REC			27		01-A14997S	1718082101
ACCU			01D1169		STRONTIUM	MS1	95	%REC			0.25		01-A14997S	1718082101
ACCU			01D1169		THALLIUM	MS1	91	%REC			0.05		01-A14997S	1766082401
ACCU			01D1169		TIN	MS1	108	%REC			6.9		01-A14997S	1718082101
ACCU			01D1169		URANIUM, TOTAL	MS1	108	%REC			0.005		01-A14997S	1718082101
ACCU			01D1169		VANADIUM	MS1	83	%REC			0.88		01-A14997S	1766082401
ACCU			01D1169		ZINC	MS1	101	%REC			1		01-A14997S	1718082101
ACCU	03991	8/7/01	01D1211	01D1211-002.004	ALUMINUM	MS1	85.1	%REC		1		2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1211	01D1234-001.004	ALUMINUM	MS1	67	%REC	N	1		2	G01080096-01AMS	R702
ACCU	5686	8/8/01	01D1211	01D1211-005.002	ALUMINUM	MS1	41.5	%REC		1		1	G01080068-04AMS	474
ACCU	5686	8/8/01	01D1211	01D1211-005.002	ALUMINUM	MD1	71.2	%REC		1		1	G01080068-04AMSD	474
ACCU	03991	8/7/01	01D1211	01D1211-002.004	ANTIMONY	MS1	102	%REC		1		2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1211	01D1234-001.004	ANTIMONY	MS1	99.5	%REC		1		2	G01080096-01AMS	R702
ACCU	5686	8/8/01	01D1211	01D1211-005.002	ANTIMONY	MS1	88.8	%REC		1		1	G01080068-04AMS	474
ACCU	5686	8/8/01	01D1211	01D1211-005.002	ANTIMONY	MD1	88.4	%REC		1		1	G01080068-04AMSD	474
ACCU	03991	8/7/01	01D1211	01D1211-002.004	ARSENIC	MS1	108	%REC		1		2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1211	01D1234-001.004	ARSENIC	MS1	104	%REC		1		2	G01080096-01AMS	R702
ACCU	5686	8/8/01	01D1211	01D1211-005.002	ARSENIC	MS1	95.9	%REC		1		1	G01080068-04AMS	474
ACCU	5686	8/8/01	01D1211	01D1211-005.002	ARSENIC	MD1	96.9	%REC		1		1	G01080068-04AMSD	474
ACCU	0386	8/2/01	01D1211	01D1211-001.004	BARIUM	MS1	97.5	%REC		1		1	G01080008-01AMS	473
ACCU	37201	8/10/01	01D1211	01D1234-001.004	BARIUM	MS1	107	%REC		1		1	G01080096-01AMS	R490
ACCU	4787	8/8/01	01D1211	01D1211-016.001	BARIUM	MS1	107	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1211	01D1311-010.004	BARIUM	MS1	104	%REC		1		1	G01080324-01AMS	R468
ACCU	0386	8/2/01	01D1211	01D1211-001.004	BARIUM	MD1	97.5	%REC		1		1	G01080008-01AMSD	473
ACCU	03991	8/7/01	01D1211	01D1211-002.004	BERYLLIUM	MS1	94.8	%REC		1		2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1211	01D1234-001.004	BERYLLIUM	MS1	97.1	%REC		1		2	G01080096-01AMS	R702
ACCU	5686	8/8/01	01D1211	01D1211-005.002	BERYLLIUM	MS1	90	%REC		1		1	G01080068-04AMS	474
ACCU	5686	8/8/01	01D1211	01D1211-005.002	BERYLLIUM	MD1	89.7	%REC		1		1	G01080068-04AMSD	474
ACCU	03991	8/7/01	01D1211	01D1211-002.004	CADMIUM	MS1	102	%REC		1		2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1211	01D1234-001.004	CADMIUM	MS1	97.3	%REC		1		2	G01080096-01AMS	R702
ACCU	5686	8/8/01	01D1211	01D1211-005.002	CADMIUM	MS1	99.2	%REC		1		1	G01080068-04AMS	474
ACCU	5686	8/8/01	01D1211	01D1211-005.002	CADMIUM	MD1	98.8	%REC		1		1	G01080068-04AMSD	474
ACCU	0386	8/2/01	01D1211	01D1211-001.004	CALCIUM	MS1	126	%REC		1		1	G01080008-01AMS	473
ACCU	37201	8/10/01	01D1211	01D1234-001.004	CALCIUM	MS1	79.4	%REC		1		1	G01080096-01AMS	R490
ACCU	4787	8/8/01	01D1211	01D1211-016.001	CALCIUM	MS1	108	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1211	01D1311-010.004	CALCIUM	MS1	95	%REC		1		1	G01080324-01AMS	R468

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Lab Sample #	Lab Batch #
ACCU	0386	8/2/01	01D1211	01D1211-001.004	CALCIUM	MD1	118	%REC		1		1	G01080008-01AMSD	473
ACCU	03991	8/7/01	01D1211	01D1211-002.004	CHROMIUM	MS1	98.3	%REC		1		2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1211	01D1234-001.004	CHROMIUM	MS1	93.2	%REC		1		2	G01080096-01AMS	R702
ACCU	5686	8/8/01	01D1211	01D1211-005.002	CHROMIUM	MS1	106	%REC		1		1	G01080068-04AMS	474
ACCU	5686	8/8/01	01D1211	01D1211-005.002	CHROMIUM	MD1	118	%REC		1		1	G01080068-04AMSD	474
ACCU	0386	8/2/01	01D1211	01D1211-001.004	COBALT	MS1	95.7	%REC		1		1	G01080008-01AMS	473
ACCU	37201	8/10/01	01D1211	01D1234-001.004	COBALT	MS1	102	%REC		1		1	G01080096-01AMS	R490
ACCU	4787	8/8/01	01D1211	01D1211-016.001	COBALT	MS1	102	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1211	01D1311-010.004	COBALT	MS1	100	%REC		1		1	G01080324-01AMS	R468
ACCU	0386	8/2/01	01D1211	01D1211-001.004	COBALT	MD1	95.2	%REC		1		1	G01080008-01AMSD	473
ACCU	03991	8/7/01	01D1211	01D1211-002.004	COPPER	MS1	93.8	%REC		1		2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1211	01D1234-001.004	COPPER	MS1	89.3	%REC		1		2	G01080096-01AMS	R702
ACCU	5686	8/8/01	01D1211	01D1211-005.002	COPPER	MS1	88.5	%REC		1		1	G01080068-04AMS	474
ACCU	5686	8/8/01	01D1211	01D1211-005.002	COPPER	MD1	87.3	%REC		1		1	G01080068-04AMSD	474
ACCU	0386	8/2/01	01D1211	01D1211-001.004	IRON	MS1	94.3	%REC		1		1	G01080008-01AMS	473
ACCU	37201	8/10/01	01D1211	01D1234-001.004	IRON	MS1	99.1	%REC		1		1	G01080096-01AMS	R490
ACCU	4787	8/8/01	01D1211	01D1211-016.001	IRON	MS1	99.8	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1211	01D1311-010.004	IRON	MS1	96.4	%REC		1		1	G01080324-01AMS	R468
ACCU	0386	8/2/01	01D1211	01D1211-001.004	IRON	MD1	94.5	%REC		1		1	G01080008-01AMSD	473
ACCU	03991	8/7/01	01D1211	01D1211-002.004	LEAD	MS1	100	%REC		1		2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1211	01D1234-001.004	LEAD	MS1	92.5	%REC		1		2	G01080096-01AMS	R702
ACCU	5686	8/8/01	01D1211	01D1211-005.002	LEAD	MS1	101	%REC		1		1	G01080068-04AMS	474
ACCU	5686	8/8/01	01D1211	01D1211-005.002	LEAD	MD1	100	%REC		1		1	G01080068-04AMSD	474
ACCU	0386	8/2/01	01D1211	01D1211-001.004	LITHIUM	MS1	97.9	%REC		1		1	G01080008-01AMS	473
ACCU	37201	8/10/01	01D1211	01D1234-001.004	LITHIUM	MS1	101	%REC		1		1	G01080096-01AMS	R490
ACCU	4787	8/8/01	01D1211	01D1211-016.001	LITHIUM	MS1	102	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1211	01D1311-010.004	LITHIUM	MS1	98.2	%REC		1		1	G01080324-01AMS	R468
ACCU	0386	8/2/01	01D1211	01D1211-001.004	LITHIUM	MD1	101	%REC		1		1	G01080008-01AMSD	473
ACCU	0386	8/2/01	01D1211	01D1211-001.004	MAGNESIUM	MS1	97.2	%REC		1		1	G01080008-01AMS	473
ACCU	37201	8/10/01	01D1211	01D1234-001.004	MAGNESIUM	MS1	99.1	%REC		1		1	G01080096-01AMS	R490
ACCU	4787	8/8/01	01D1211	01D1211-016.001	MAGNESIUM	MS1	101	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1211	01D1311-010.004	MAGNESIUM	MS1	104	%REC		1		1	G01080324-01AMS	R468
ACCU	0386	8/2/01	01D1211	01D1211-001.004	MAGNESIUM	MD1	97.2	%REC		1		1	G01080008-01AMSD	473
ACCU	0386	8/2/01	01D1211	01D1211-001.004	MANGANESE	MS1	99	%REC		1		1	G01080008-01AMS	473
ACCU	37201	8/10/01	01D1211	01D1234-001.004	MANGANESE	MS1	103	%REC		1		1	G01080096-01AMS	R490
ACCU	4787	8/8/01	01D1211	01D1211-016.001	MANGANESE	MS1	103	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1211	01D1311-010.004	MANGANESE	MS1	101	%REC		1		1	G01080324-01AMS	R468
ACCU	0386	8/2/01	01D1211	01D1211-001.004	MANGANESE	MD1	98.9	%REC		1		1	G01080008-01AMSD	473
ACCU	03991	8/7/01	01D1211	01D1211-002.004	MERCURY	MS1	78.8	%REC		1		1	G01080068-01AMS	481
ACCU	5686	8/8/01	01D1211	01D1211-005.002	MERCURY	MS1	103	%REC		1		1	G01080068-04AMS	496
ACCU	05391	8/16/01	01D1211	01D1311-006.004	MERCURY	MS1	94.4	%REC		1		1	G01080229-01AMS	481
ACCU	03991	8/7/01	01D1211	01D1211-002.004	MERCURY	MD1	85.1	%REC		1		1	G01080068-01AMSD	481
ACCU	5686	8/8/01	01D1211	01D1211-005.002	MERCURY	MD1	88.2	%REC		1		1	G01080068-04AMSD	496
ACCU	05391	8/16/01	01D1211	01D1311-006.004	MERCURY	MD1	93.8	%REC		1		1	G01080229-01AMSD	481
ACCU	0386	8/2/01	01D1211	01D1211-001.004	MOLYBDENUM	MS1	103	%REC		1		1	G01080008-01AMS	473
ACCU	37201	8/10/01	01D1211	01D1234-001.004	MOLYBDENUM	MS1	104	%REC		1		1	G01080096-01AMS	R490
ACCU	4787	8/8/01	01D1211	01D1211-016.001	MOLYBDENUM	MS1	106	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1211	01D1311-010.004	MOLYBDENUM	MS1	103	%REC		1		1	G01080324-01AMS	R468
ACCU	0386	8/2/01	01D1211	01D1211-001.004	MOLYBDENUM	MD1	103	%REC		1		1	G01080008-01AMSD	473
ACCU	0386	8/2/01	01D1211	01D1211-001.004	NICKEL	MS1	96.9	%REC		1		1	G01080008-01AMS	473
ACCU	37201	8/10/01	01D1211	01D1234-001.004	NICKEL	MS1	101	%REC		1		1	G01080096-01AMS	R490
ACCU	4787	8/8/01	01D1211	01D1211-016.001	NICKEL	MS1	102	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1211	01D1311-010.004	NICKEL	MS1	101	%REC		1		1	G01080324-01AMS	R468
ACCU	0386	8/2/01	01D1211	01D1211-001.004	NICKEL	MD1	96.8	%REC		1		1	G01080008-01AMSD	473

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu tion	Lab Sample #	Lab Batch #
ACCU	0386	8/2/01	01D1211	01D1211-001.004	POTASSIUM	MS1	98.6	%REC		1		1	G01080008-01AMS	473
ACCU	37201	8/10/01	01D1211	01D1234-001.004	POTASSIUM	MS1	107	%REC		1		1	G01080096-01AMS	R490
ACCU	4787	8/8/01	01D1211	01D1211-016.001	POTASSIUM	MS1	107	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1211	01D1311-010.004	POTASSIUM	MS1	104	%REC		1		1	G01080324-01AMS	R468
ACCU	0386	8/2/01	01D1211	01D1211-001.004	POTASSIUM	MD1	101	%REC		1		1	G01080008-01AMSD	473
ACCU	03991	8/7/01	01D1211	01D1211-002.004	SELENIUM	MS1	115	%REC		1		2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1211	01D1234-001.004	SELENIUM	MS1	112	%REC		1		2	G01080096-01AMS	R702
ACCU	5686	8/8/01	01D1211	01D1211-005.002	SELENIUM	MS1	90.1	%REC		1		1	G01080068-04AMS	474
ACCU	5686	8/8/01	01D1211	01D1211-005.002	SELENIUM	MD1	90.9	%REC		1		1	G01080068-04AMSD	474
ACCU	03991	8/7/01	01D1211	01D1211-002.004	SILVER	MS1	84	%REC		1		2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1211	01D1234-001.004	SILVER	MS1	81.8	%REC		1		2	G01080096-01AMS	R702
ACCU	5686	8/8/01	01D1211	01D1211-005.002	SILVER	MS1	97.8	%REC		1		1	G01080068-04AMS	474
ACCU	5686	8/8/01	01D1211	01D1211-005.002	SILVER	MD1	97.6	%REC		1		1	G01080068-04AMSD	474
ACCU	0386	8/2/01	01D1211	01D1211-001.004	SODIUM	MS1	106	%REC		1		1	G01080008-01AMS	473
ACCU	37201	8/10/01	01D1211	01D1234-001.004	SODIUM	MS1	57.7	%REC		1		1	G01080096-01AMS	R490
ACCU	4787	8/8/01	01D1211	01D1211-016.001	SODIUM	MS1	102	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1211	01D1311-010.004	SODIUM	MS1	88	%REC		1		1	G01080324-01AMS	R468
ACCU	0386	8/2/01	01D1211	01D1211-001.004	SODIUM	MD1	105	%REC		1		1	G01080008-01AMSD	473
ACCU	0386	8/2/01	01D1211	01D1211-001.004	STRONTIUM	MS1	101	%REC		1		1	G01080008-01AMS	473
ACCU	37201	8/10/01	01D1211	01D1234-001.004	STRONTIUM	MS1	106	%REC		1		1	G01080096-01AMS	R490
ACCU	4787	8/8/01	01D1211	01D1211-016.001	STRONTIUM	MS1	106	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1211	01D1311-010.004	STRONTIUM	MS1	101	%REC		1		1	G01080324-01AMS	R468
ACCU	0386	8/2/01	01D1211	01D1211-001.004	STRONTIUM	MD1	101	%REC		1		1	G01080008-01AMSD	473
ACCU	03991	8/7/01	01D1211	01D1211-002.004	THALLIUM	MS1	101	%REC		1		2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1211	01D1234-001.004	THALLIUM	MS1	93.3	%REC		1		2	G01080096-01AMS	R702
ACCU	5686	8/8/01	01D1211	01D1211-005.002	THALLIUM	MS1	87	%REC		1		1	G01080068-04AMS	474
ACCU	5686	8/8/01	01D1211	01D1211-005.002	THALLIUM	MD1	88.8	%REC		1		1	G01080068-04AMSD	474
ACCU	0386	8/2/01	01D1211	01D1211-001.004	TIN	MS1	104	%REC		1		1	G01080008-01AMS	473
ACCU	37201	8/10/01	01D1211	01D1234-001.004	TIN	MS1	107	%REC		1		1	G01080096-01AMS	R490
ACCU	4787	8/8/01	01D1211	01D1211-016.001	TIN	MS1	110	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1211	01D1311-010.004	TIN	MS1	107	%REC		1		1	G01080324-01AMS	R468
ACCU	0386	8/2/01	01D1211	01D1211-001.004	TIN	MD1	104	%REC		1		1	G01080008-01AMSD	473
ACCU	03991	8/7/01	01D1211	01D1211-002.004	URANIUM, TOTAL	MS1	104	%REC		1		1	G01080068-01AMS	R774
ACCU	37201	8/10/01	01D1211	01D1234-001.004	URANIUM, TOTAL	MS1	101	%REC		1		1	G01080096-01AMS	R774
ACCU	5686	8/8/01	01D1211	01D1211-005.002	URANIUM, TOTAL	MS1	103	%REC		1		1	G01080068-04AMS	474
ACCU	5686	8/8/01	01D1211	01D1211-005.002	URANIUM, TOTAL	MD1	103	%REC		1		1	G01080068-04AMSD	474
ACCU	03991	8/7/01	01D1211	01D1211-002.004	VANADIUM	MS1	89.8	%REC		1		2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1211	01D1234-001.004	VANADIUM	MS1	88.3	%REC		1		2	G01080096-01AMS	R702
ACCU	5686	8/8/01	01D1211	01D1211-005.002	VANADIUM	MS1	97.6	%REC		1		10	G01080068-04AMS	474
ACCU	5686	8/8/01	01D1211	01D1211-005.002	VANADIUM	MD1	104	%REC		1		10	G01080068-04AMSD	474
ACCU	0386	8/2/01	01D1211	01D1211-001.004	ZINC	MS1	99.8	%REC		1		1	G01080008-01AMS	473
ACCU	37201	8/10/01	01D1211	01D1234-001.004	ZINC	MS1	110	%REC		1		1	G01080096-01AMS	R490
ACCU	4787	8/8/01	01D1211	01D1211-016.001	ZINC	MS1	110	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1211	01D1311-010.004	ZINC	MS1	108	%REC		1		1	G01080324-01AMS	R468
ACCU	0386	8/2/01	01D1211	01D1211-001.004	ZINC	MD1	99.4	%REC		1		1	G01080008-01AMSD	473
ACCU	03991	8/7/01	01D1234	01D1211-002.004	ALUMINUM	MS1	85.1	%REC		1		2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1234	01D1234-001.004	ALUMINUM	MS1	67	%REC	N	1		2	G01080096-01AMS	R702
ACCU	40099	8/13/01	01D1234	01D1234-005.004	ALUMINUM	MS1	72.4	%REC		1		1	G01080210-01AMS	M091901D
ACCU	10994	8/14/01	01D1234	01D1234-016.007	ALUMINUM	MS1	67.7	%REC	N	1		1	G01080210-11AMS	M091901D
ACCU	23096	8/14/01	01D1234	01D1234-017.004	ALUMINUM	MS1	79.1	%REC		1		1	G01080210-12AMS	M092101DA
ACCU	05691	8/24/01	01D1234	01D1311-001.004	ALUMINUM	MS1	78.5	%REC		1		1	G01080346-01AMS	M092601A
ACCU	03991	8/7/01	01D1234	01D1211-002.004	ANTIMONY	MS1	102	%REC		1		2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1234	01D1234-001.004	ANTIMONY	MS1	99.5	%REC		1		2	G01080096-01AMS	R702
ACCU	40099	8/13/01	01D1234	01D1234-005.004	ANTIMONY	MS1	92.1	%REC		1		1	G01080210-01AMS	M091901D

115

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Lab Sample #	Lab Batch #
ACCU	10994	8/14/01	01D1234	01D1234-016.007	ANTIMONY	MS1	96.2	%REC		1		1	G01080210-11AMS	M091901D
ACCU	23096	8/14/01	01D1234	01D1234-017.004	ANTIMONY	MS1	90.5	%REC		1		1	G01080210-12AMS	M092101DA
ACCU	03991	8/7/01	01D1234	01D1211-002.004	ARSENIC	MS1	108	%REC		1		2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1234	01D1234-001.004	ARSENIC	MS1	104	%REC		1		2	G01080096-01AMS	R702
ACCU	40099	8/13/01	01D1234	01D1234-005.004	ARSENIC	MS1	118	%REC		1		1	G01080210-01AMS	M091901D
ACCU	10994	8/14/01	01D1234	01D1234-016.007	ARSENIC	MS1	117	%REC		1		1	G01080210-11AMS	M091901D
ACCU	23096	8/14/01	01D1234	01D1234-017.004	ARSENIC	MS1	116	%REC		1		1	G01080210-12AMS	M092101DA
ACCU	37201	8/10/01	01D1234	01D1234-001.004	BARIUM	MS1	107	%REC		1		1	G01080096-01AMS	R490
ACCU	05091	8/14/01	01D1234	01D1234-010.004	BARIUM	MS1	108	%REC		1		1	G01080210-06AMS	468B
ACCU	05391	8/16/01	01D1234	01D1311-006.004	BARIUM	MS1	107	%REC		1		1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1234	01D1211-016.001	BARIUM	MS1	107	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1234	01D1311-010.004	BARIUM	MS1	104	%REC		1		1	G01080324-01AMS	R468
ACCU	03991	8/7/01	01D1234	01D1211-002.004	BERYLLIUM	MS1	94.8	%REC		1		2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1234	01D1234-001.004	BERYLLIUM	MS1	97.1	%REC		1		2	G01080096-01AMS	R702
ACCU	40099	8/13/01	01D1234	01D1234-005.004	BERYLLIUM	MS1	99.3	%REC		1		1	G01080210-01AMS	M091901D
ACCU	10994	8/14/01	01D1234	01D1234-016.007	BERYLLIUM	MS1	67.8	%REC	N	1		1	G01080210-11AMS	M091901D
ACCU	23096	8/14/01	01D1234	01D1234-017.004	BERYLLIUM	MS1	91.1	%REC		1		1	G01080210-12AMS	M092101DA
ACCU	03991	8/7/01	01D1234	01D1211-002.004	CADMIUM	MS1	102	%REC		1		2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1234	01D1234-001.004	CADMIUM	MS1	97.3	%REC		1		2	G01080096-01AMS	R702
ACCU	40099	8/13/01	01D1234	01D1234-005.004	CADMIUM	MS1	108	%REC		1		1	G01080210-01AMS	M091901D
ACCU	10994	8/14/01	01D1234	01D1234-016.007	CADMIUM	MS1	110	%REC		1		1	G01080210-11AMS	M091901D
ACCU	23096	8/14/01	01D1234	01D1234-017.004	CADMIUM	MS1	101	%REC		1		1	G01080210-12AMS	M092101DA
ACCU	37201	8/10/01	01D1234	01D1234-001.004	CALCIUM	MS1	79.4	%REC		1		1	G01080096-01AMS	R490
ACCU	05091	8/14/01	01D1234	01D1234-010.004	CALCIUM	MS1	99	%REC		1		1	G01080210-06AMS	468B
ACCU	05391	8/16/01	01D1234	01D1311-006.004	CALCIUM	MS1	52.6	%REC		1		1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1234	01D1211-016.001	CALCIUM	MS1	108	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1234	01D1311-010.004	CALCIUM	MS1	95	%REC		1		1	G01080324-01AMS	R468
ACCU	03991	8/7/01	01D1234	01D1211-002.004	CHROMIUM	MS1	98.3	%REC		1		2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1234	01D1234-001.004	CHROMIUM	MS1	93.2	%REC		1		2	G01080096-01AMS	R702
ACCU	40099	8/13/01	01D1234	01D1234-005.004	CHROMIUM	MS1	96.9	%REC		1		1	G01080210-01AMS	M091901D
ACCU	10994	8/14/01	01D1234	01D1234-016.007	CHROMIUM	MS1	97.9	%REC		1		1	G01080210-11AMS	M091901D
ACCU	23096	8/14/01	01D1234	01D1234-017.004	CHROMIUM	MS1	98.1	%REC		1		1	G01080210-12AMS	M092101DA
ACCU	37201	8/10/01	01D1234	01D1234-001.004	COBALT	MS1	102	%REC		1		1	G01080096-01AMS	R490
ACCU	05091	8/14/01	01D1234	01D1234-010.004	COBALT	MS1	101	%REC		1		1	G01080210-06AMS	468B
ACCU	05391	8/16/01	01D1234	01D1311-006.004	COBALT	MS1	101	%REC		1		1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1234	01D1211-016.001	COBALT	MS1	102	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1234	01D1311-010.004	COBALT	MS1	100	%REC		1		1	G01080324-01AMS	R468
ACCU	03991	8/7/01	01D1234	01D1211-002.004	COPPER	MS1	93.8	%REC		1		2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1234	01D1234-001.004	COPPER	MS1	89.3	%REC		1		2	G01080096-01AMS	R702
ACCU	40099	8/13/01	01D1234	01D1234-005.004	COPPER	MS1	93.3	%REC		1		1	G01080210-01AMS	M091901D
ACCU	10994	8/14/01	01D1234	01D1234-016.007	COPPER	MS1	94.7	%REC		1		1	G01080210-11AMS	M091901D
ACCU	23096	8/14/01	01D1234	01D1234-017.004	COPPER	MS1	89.7	%REC		1		1	G01080210-12AMS	M092101DA
ACCU	37201	8/10/01	01D1234	01D1234-001.004	IRON	MS1	99.1	%REC		1		1	G01080096-01AMS	R490
ACCU	05091	8/14/01	01D1234	01D1234-010.004	IRON	MS1	98	%REC		1		1	G01080210-06AMS	468B
ACCU	05391	8/16/01	01D1234	01D1311-006.004	IRON	MS1	98.8	%REC		1		1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1234	01D1211-016.001	IRON	MS1	99.8	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1234	01D1311-010.004	IRON	MS1	96.4	%REC		1		1	G01080324-01AMS	R468
ACCU	03991	8/7/01	01D1234	01D1211-002.004	LEAD	MS1	100	%REC		1		2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1234	01D1234-001.004	LEAD	MS1	92.5	%REC		1		2	G01080096-01AMS	R702
ACCU	40099	8/13/01	01D1234	01D1234-005.004	LEAD	MS1	99.6	%REC		1		1	G01080210-01AMS	M091901D
ACCU	10994	8/14/01	01D1234	01D1234-016.007	LEAD	MS1	100	%REC		1		1	G01080210-11AMS	M091901D
ACCU	23096	8/14/01	01D1234	01D1234-017.004	LEAD	MS1	90.6	%REC		1		1	G01080210-12AMS	M092101DA
ACCU	37201	8/10/01	01D1234	01D1234-001.004	LITHIUM	MS1	101	%REC		1		1	G01080096-01AMS	R490
ACCU	05091	8/14/01	01D1234	01D1234-010.004	LITHIUM	MS1	102	%REC		1		1	G01080210-06AMS	468B

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Lab Sample #	Lab Batch #
ACCU	05391	8/16/01	01D1234	01D1311-006.004	LITHIUM	MS1	104	%REC		1		1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1234	01D1211-016.001	LITHIUM	MS1	102	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1234	01D1311-010.004	LITHIUM	MS1	98.2	%REC		1		1	G01080324-01AMS	R468
ACCU	37201	8/10/01	01D1234	01D1234-001.004	MAGNESIUM	MS1	99.1	%REC		1		1	G01080096-01AMS	R490
ACCU	05091	8/14/01	01D1234	01D1234-010.004	MAGNESIUM	MS1	106	%REC		1		1	G01080210-06AMS	468B
ACCU	05391	8/16/01	01D1234	01D1311-006.004	MAGNESIUM	MS1	104	%REC		1		1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1234	01D1211-016.001	MAGNESIUM	MS1	101	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1234	01D1311-010.004	MAGNESIUM	MS1	104	%REC		1		1	G01080324-01AMS	R468
ACCU	37201	8/10/01	01D1234	01D1234-001.004	MANGANESE	MS1	103	%REC		1		1	G01080096-01AMS	R490
ACCU	05091	8/14/01	01D1234	01D1234-010.004	MANGANESE	MS1	104	%REC		1		1	G01080210-06AMS	468B
ACCU	05391	8/16/01	01D1234	01D1311-006.004	MANGANESE	MS1	104	%REC		1		1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1234	01D1211-016.001	MANGANESE	MS1	103	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1234	01D1311-010.004	MANGANESE	MS1	101	%REC		1		1	G01080324-01AMS	R468
ACCU	37201	8/10/01	01D1234	01D1234-001.004	MERCURY	MS1	90	%REC		1		1	G01080096-01AMS	522
ACCU	40099	8/13/01	01D1234	01D1234-005.004	MERCURY	MS1	82.7	%REC		1		1	G01080210-01AMS	482
ACCU	10994	8/14/01	01D1234	01D1234-016.007	MERCURY	MS1	70.1	%REC		1		1	G01080210-11AMS	482
ACCU	37201	8/10/01	01D1234	01D1234-001.004	MERCURY	MD1	93.1	%REC		1		1	G01080096-01AMSD	522
ACCU	40099	8/13/01	01D1234	01D1234-005.004	MERCURY	MD1	79.5	%REC		1		1	G01080210-01AMSD	482
ACCU	10994	8/14/01	01D1234	01D1234-016.007	MERCURY	MD1	70.3	%REC		1		1	G01080210-11AMSD	482
ACCU	37201	8/10/01	01D1234	01D1234-001.004	MOLYBDENUM	MS1	104	%REC		1		1	G01080096-01AMS	R490
ACCU	05091	8/14/01	01D1234	01D1234-010.004	MOLYBDENUM	MS1	106	%REC		1		1	G01080210-06AMS	468B
ACCU	05391	8/16/01	01D1234	01D1311-006.004	MOLYBDENUM	MS1	106	%REC		1		1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1234	01D1211-016.001	MOLYBDENUM	MS1	106	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1234	01D1311-010.004	MOLYBDENUM	MS1	103	%REC		1		1	G01080324-01AMS	R468
ACCU	37201	8/10/01	01D1234	01D1234-001.004	NICKEL	MS1	101	%REC		1		1	G01080096-01AMS	R490
ACCU	05091	8/14/01	01D1234	01D1234-010.004	NICKEL	MS1	102	%REC		1		1	G01080210-06AMS	468B
ACCU	05391	8/16/01	01D1234	01D1311-006.004	NICKEL	MS1	102	%REC		1		1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1234	01D1211-016.001	NICKEL	MS1	102	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1234	01D1311-010.004	NICKEL	MS1	101	%REC		1		1	G01080324-01AMS	R468
ACCU	37201	8/10/01	01D1234	01D1234-001.004	POTASSIUM	MS1	107	%REC		1		1	G01080096-01AMS	R490
ACCU	05091	8/14/01	01D1234	01D1234-010.004	POTASSIUM	MS1	107	%REC		1		1	G01080210-06AMS	468B
ACCU	05391	8/16/01	01D1234	01D1311-006.004	POTASSIUM	MS1	110	%REC		1		1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1234	01D1211-016.001	POTASSIUM	MS1	107	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1234	01D1311-010.004	POTASSIUM	MS1	104	%REC		1		1	G01080324-01AMS	R468
ACCU	03991	8/7/01	01D1234	01D1211-002.004	SELENIUM	MS1	115	%REC		1		2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1234	01D1234-001.004	SELENIUM	MS1	112	%REC		1		2	G01080096-01AMS	R702
ACCU	40099	8/13/01	01D1234	01D1234-005.004	SELENIUM	MS1	137	%REC	N	1		1	G01080210-01AMS	M091901D
ACCU	10994	8/14/01	01D1234	01D1234-016.007	SELENIUM	MS1	129	%REC		1		1	G01080210-11AMS	M091901D
ACCU	23096	8/14/01	01D1234	01D1234-017.004	SELENIUM	MS1	132	%REC	N	1		1	G01080210-12AMS	M092101DA
ACCU	03991	8/7/01	01D1234	01D1211-002.004	SILVER	MS1	84	%REC		1		2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1234	01D1234-001.004	SILVER	MS1	81.8	%REC		1		2	G01080096-01AMS	R702
ACCU	40099	8/13/01	01D1234	01D1234-005.004	SILVER	MS1	78.6	%REC		1		1	G01080210-01AMS	M091901D
ACCU	10994	8/14/01	01D1234	01D1234-016.007	SILVER	MS1	84.3	%REC		1		1	G01080210-11AMS	M091901D
ACCU	23096	8/14/01	01D1234	01D1234-017.004	SILVER	MS1	81.7	%REC		1		1	G01080210-12AMS	M092101DA
ACCU	37201	8/10/01	01D1234	01D1234-001.004	SODIUM	MS1	57.7	%REC		1		1	G01080096-01AMS	R490
ACCU	05091	8/14/01	01D1234	01D1234-010.004	SODIUM	MS1	101	%REC		1		1	G01080210-06AMS	468B
ACCU	05391	8/16/01	01D1234	01D1311-006.004	SODIUM	MS1	101	%REC		1		1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1234	01D1211-016.001	SODIUM	MS1	102	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1234	01D1311-010.004	SODIUM	MS1	88	%REC		1		1	G01080324-01AMS	R468
ACCU	37201	8/10/01	01D1234	01D1234-001.004	STRONTIUM	MS1	106	%REC		1		1	G01080096-01AMS	R490
ACCU	05091	8/14/01	01D1234	01D1234-010.004	STRONTIUM	MS1	105	%REC		1		1	G01080210-06AMS	468B
ACCU	05391	8/16/01	01D1234	01D1311-006.004	STRONTIUM	MS1	102	%REC		1		1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1234	01D1211-016.001	STRONTIUM	MS1	106	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1234	01D1311-010.004	STRONTIUM	MS1	101	%REC		1		1	G01080324-01AMS	R468

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu tion	Lab Sample #	Lab Batch #
ACCU	03991	8/7/01	01D1234	01D1211-002.004	THALLIUM	MS1	101	%REC		1		2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1234	01D1234-001.004	THALLIUM	MS1	93.3	%REC		1		2	G01080096-01AMS	R702
ACCU	40099	8/13/01	01D1234	01D1234-005.004	THALLIUM	MS1	103	%REC		1		1	G01080210-01AMS	M091901D
ACCU	10994	8/14/01	01D1234	01D1234-016.007	THALLIUM	MS1	103	%REC		1		1	G01080210-11AMS	M091901D
ACCU	23096	8/14/01	01D1234	01D1234-017.004	THALLIUM	MS1	92.7	%REC		1		1	G01080210-12AMS	M092101DA
ACCU	37201	8/10/01	01D1234	01D1234-001.004	TIN	MS1	107	%REC		1		1	G01080096-01AMS	R490
ACCU	05091	8/14/01	01D1234	01D1234-010.004	TIN	MS1	111	%REC		1		1	G01080210-06AMS	468B
ACCU	05391	8/16/01	01D1234	01D1311-006.004	TIN	MS1	110	%REC		1		1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1234	01D1211-016.001	TIN	MS1	110	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1234	01D1311-010.004	TIN	MS1	107	%REC		1		1	G01080324-01AMS	R468
ACCU	03991	8/7/01	01D1234	01D1211-002.004	URANIUM, TOTAL	MS1	104	%REC		1		1	G01080068-01AMS	R774
ACCU	37201	8/10/01	01D1234	01D1234-001.004	URANIUM, TOTAL	MS1	101	%REC		1		1	G01080096-01AMS	R774
ACCU	40099	8/13/01	01D1234	01D1234-005.004	URANIUM, TOTAL	MS1	108	%REC		1		1	G01080210-01AMS	M091901D
ACCU	10994	8/14/01	01D1234	01D1234-016.007	URANIUM, TOTAL	MS1	105	%REC		1		1	G01080210-11AMS	M091901D
ACCU	23096	8/14/01	01D1234	01D1234-017.004	URANIUM, TOTAL	MS1	93.4	%REC		1		1	G01080210-12AMS	M092101DA
ACCU	03991	8/7/01	01D1234	01D1211-002.004	VANADIUM	MS1	89.8	%REC		1		2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1234	01D1234-001.004	VANADIUM	MS1	88.3	%REC		1		2	G01080096-01AMS	R702
ACCU	40099	8/13/01	01D1234	01D1234-005.004	VANADIUM	MS1	74.4	%REC		1		1	G01080210-01AMS	M091901D
ACCU	05091	8/14/01	01D1234	01D1234-010.004	VANADIUM	MS1	112	%REC		1		1	G01080210-06AMS	468B
ACCU	10994	8/14/01	01D1234	01D1234-016.007	VANADIUM	MS1	71.7	%REC		1		1	G01080210-11AMS	M091901D
ACCU	23096	8/14/01	01D1234	01D1234-017.004	VANADIUM	MS1	77.9	%REC		1		1	G01080210-12AMS	M092101DA
ACCU	37701	8/14/01	01D1234	01D1234-018.004	VANADIUM	MS1	92.1	%REC		1		5	G01080210-13AMS	092201A
ACCU	05391	8/16/01	01D1234	01D1311-006.004	VANADIUM	MS1	114	%REC		1		1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1234	01D1211-016.001	VANADIUM	MS1	111	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1234	01D1311-010.004	VANADIUM	MS1	109	%REC		1		1	G01080324-01AMS	R468
ACCU	37201	8/10/01	01D1234	01D1234-001.004	ZINC	MS1	110	%REC		1		1	G01080096-01AMS	R490
ACCU	05091	8/14/01	01D1234	01D1234-010.004	ZINC	MS1	111	%REC		1		1	G01080210-06AMS	468B
ACCU	05391	8/16/01	01D1234	01D1311-006.004	ZINC	MS1	111	%REC		1		1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1234	01D1211-016.001	ZINC	MS1	110	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1234	01D1311-010.004	ZINC	MS1	108	%REC		1		1	G01080324-01AMS	R468
ACCU	5686	8/8/01	01D1289	01D1211-005.002	ALUMINUM	MS1	41.5	%REC				1	G01080068-04AMS	474
ACCU	5686	8/8/01	01D1289	01D1211-005.002	ALUMINUM	MD1	71.2	%REC				1	G01080068-04AMSD	474
ACCU	5686	8/8/01	01D1289	01D1211-005.002	ANTIMONY	MS1	88.8	%REC				1	G01080068-04AMS	474
ACCU	5686	8/8/01	01D1289	01D1211-005.002	ANTIMONY	MD1	88.4	%REC				1	G01080068-04AMSD	474
ACCU	5686	8/8/01	01D1289	01D1211-005.002	ARSENIC	MS1	95.9	%REC				1	G01080068-04AMS	474
ACCU	5686	8/8/01	01D1289	01D1211-005.002	ARSENIC	MD1	96.9	%REC				1	G01080068-04AMSD	474
ACCU	0386	8/2/01	01D1289	01D1211-001.004	BARIUM	MS1	97.5	%REC				1	G01080008-01AMS	473
ACCU	0386	8/2/01	01D1289	01D1211-001.004	BARIUM	MD1	97.5	%REC				1	G01080008-01AMSD	473
ACCU	5686	8/8/01	01D1289	01D1211-005.002	BERYLLIUM	MS1	90	%REC				1	G01080068-04AMS	474
ACCU	5686	8/8/01	01D1289	01D1211-005.002	BERYLLIUM	MD1	89.7	%REC				1	G01080068-04AMSD	474
ACCU	5686	8/8/01	01D1289	01D1211-005.002	CADMIUM	MS1	99.2	%REC				1	G01080068-04AMS	474
ACCU	5686	8/8/01	01D1289	01D1211-005.002	CADMIUM	MD1	98.8	%REC				1	G01080068-04AMSD	474
ACCU	0386	8/2/01	01D1289	01D1211-001.004	CALCIUM	MS1	126	%REC				1	G01080008-01AMS	473
ACCU	0386	8/2/01	01D1289	01D1211-001.004	CALCIUM	MD1	118	%REC				1	G01080008-01AMSD	473
ACCU	5686	8/8/01	01D1289	01D1211-005.002	CHROMIUM	MS1	106	%REC				1	G01080068-04AMS	474
ACCU	5686	8/8/01	01D1289	01D1211-005.002	CHROMIUM	MD1	118	%REC				1	G01080068-04AMSD	474
ACCU	0386	8/2/01	01D1289	01D1211-001.004	COBALT	MS1	95.7	%REC				1	G01080008-01AMS	473
ACCU	0386	8/2/01	01D1289	01D1211-001.004	COBALT	MD1	95.2	%REC				1	G01080008-01AMSD	473
ACCU	5686	8/8/01	01D1289	01D1211-005.002	COPPER	MS1	88.5	%REC				1	G01080068-04AMS	474
ACCU	5686	8/8/01	01D1289	01D1211-005.002	COPPER	MD1	87.3	%REC				1	G01080068-04AMSD	474
ACCU	0386	8/2/01	01D1289	01D1211-001.004	IRON	MS1	94.3	%REC				1	G01080008-01AMS	473
ACCU	0386	8/2/01	01D1289	01D1211-001.004	IRON	MD1	94.5	%REC				1	G01080008-01AMSD	473
ACCU	5686	8/8/01	01D1289	01D1211-005.002	LEAD	MS1	101	%REC				1	G01080068-04AMS	474
ACCU	5686	8/8/01	01D1289	01D1211-005.002	LEAD	MD1	100	%REC				1	G01080068-04AMSD	474

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Lab Sample #	Lab Batch #
ACCU	0386	8/2/01	01D1289	01D1211-001.004	LITHIUM	MS1	97.9	%REC				1	G01080008-01AMS	473
ACCU	0386	8/2/01	01D1289	01D1211-001.004	LITHIUM	MD1	101	%REC				1	G01080008-01AMSD	473
ACCU	0386	8/2/01	01D1289	01D1211-001.004	MAGNESIUM	MS1	97.2	%REC				1	G01080008-01AMS	473
ACCU	0386	8/2/01	01D1289	01D1211-001.004	MAGNESIUM	MD1	97.2	%REC				1	G01080008-01AMSD	473
ACCU	0386	8/2/01	01D1289	01D1211-001.004	MANGANESE	MS1	99	%REC				1	G01080008-01AMS	473
ACCU	0386	8/2/01	01D1289	01D1211-001.004	MANGANESE	MD1	98.9	%REC				1	G01080008-01AMSD	473
ACCU	63093	8/14/01	01D1289	01D1289-002.003	MERCURY	MS1	98.1	%REC		V		1	G01080211-02AMS	630
ACCU	63093	8/14/01	01D1289	01D1289-002.003	MERCURY	MD1	94.5	%REC		V		1	G01080211-02AMSD	630
ACCU	0386	8/2/01	01D1289	01D1211-001.004	MOLYBDENUM	MS1	103	%REC				1	G01080008-01AMS	473
ACCU	0386	8/2/01	01D1289	01D1211-001.004	MOLYBDENUM	MD1	103	%REC				1	G01080008-01AMSD	473
ACCU	0386	8/2/01	01D1289	01D1211-001.004	NICKEL	MS1	96.9	%REC				1	G01080008-01AMS	473
ACCU	0386	8/2/01	01D1289	01D1211-001.004	NICKEL	MD1	96.8	%REC				1	G01080008-01AMSD	473
ACCU	0386	8/2/01	01D1289	01D1211-001.004	POTASSIUM	MS1	98.6	%REC				1	G01080008-01AMS	473
ACCU	0386	8/2/01	01D1289	01D1211-001.004	POTASSIUM	MD1	101	%REC				1	G01080008-01AMSD	473
ACCU	5686	8/8/01	01D1289	01D1211-005.002	SELENIUM	MS1	90.1	%REC				1	G01080068-04AMS	474
ACCU	5686	8/8/01	01D1289	01D1211-005.002	SELENIUM	MD1	90.9	%REC				1	G01080068-04AMSD	474
ACCU	5686	8/8/01	01D1289	01D1211-005.002	SILVER	MS1	97.8	%REC				1	G01080068-04AMS	474
ACCU	5686	8/8/01	01D1289	01D1211-005.002	SILVER	MD1	97.6	%REC				1	G01080068-04AMSD	474
ACCU	0386	8/2/01	01D1289	01D1211-001.004	SODIUM	MS1	106	%REC				1	G01080008-01AMS	473
ACCU	0386	8/2/01	01D1289	01D1211-001.004	SODIUM	MD1	105	%REC				1	G01080008-01AMSD	473
ACCU	0386	8/2/01	01D1289	01D1211-001.004	STRONTIUM	MS1	101	%REC				1	G01080008-01AMS	473
ACCU	0386	8/2/01	01D1289	01D1211-001.004	STRONTIUM	MD1	101	%REC				1	G01080008-01AMSD	473
ACCU	5686	8/8/01	01D1289	01D1211-005.002	THALLIUM	MS1	87	%REC				1	G01080068-04AMS	474
ACCU	5686	8/8/01	01D1289	01D1211-005.002	THALLIUM	MD1	88.8	%REC				1	G01080068-04AMSD	474
ACCU	0386	8/2/01	01D1289	01D1211-001.004	TIN	MS1	104	%REC				1	G01080008-01AMS	473
ACCU	0386	8/2/01	01D1289	01D1211-001.004	TIN	MD1	104	%REC				1	G01080008-01AMSD	473
ACCU	5686	8/8/01	01D1289	01D1211-005.002	URANIUM, TOTAL	MS1	103	%REC				1	G01080068-04AMS	474
ACCU	5686	8/8/01	01D1289	01D1211-005.002	URANIUM, TOTAL	MD1	103	%REC				1	G01080068-04AMSD	474
ACCU	0386	8/2/01	01D1289	01D1211-001.004	VANADIUM	MS1	103	%REC				1	G01080008-01AMS	473
ACCU	0386	8/2/01	01D1289	01D1211-001.004	VANADIUM	MD1	103	%REC				1	G01080008-01AMSD	473
ACCU	0386	8/2/01	01D1289	01D1211-001.004	ZINC	MS1	99.8	%REC				1	G01080008-01AMS	473
ACCU	0386	8/2/01	01D1289	01D1211-001.004	ZINC	MD1	99.4	%REC				1	G01080008-01AMSD	473
ACCU	05691	8/24/01	01D1311	01D1311-001.004	ALUMINUM	MS1	78.5	%REC		1		1	G01080346-01AMS	M092601A
ACCU	05691	8/24/01	01D1311	01D1311-001.004	ANTIMONY	MS1	92.8	%REC		1		1	G01080346-01AMS	M092601A
ACCU			01D1311		ANTIMONY	MS1	90.5	%REC		1		1	G01080210-12AMS	M092101DA
ACCU	05691	8/24/01	01D1311	01D1311-001.004	ARSENIC	MS1	120	%REC		1		1	G01080346-01AMS	M092601A
ACCU			01D1311		ARSENIC	MS1	116	%REC		1		1	G01080210-12AMS	M092101DA
ACCU	05391	8/16/01	01D1311	01D1311-006.004	BARIUM	MS3	107	%REC		1		1	G01080229-01AMS	468B
ACCU			01D1311		BARIUM	MS2	108	%REC		1		1	G01080210-06AMS	468B
ACCU	37201	8/10/01	01D1311	01D1234-001.004	BARIUM	MS1	107	%REC		1		1	G01080096-01AMS	R490
ACCU	05391	8/16/01	01D1311	01D1311-006.004	BARIUM	MS1	107	%REC		1		1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1311	01D1211-016.001	BARIUM	MS1	107	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1311	01D1311-010.004	BARIUM	MS1	104	%REC		1		1	G01080324-01AMS	R468
ACCU			01D1311		BARIUM	MS1	108	%REC		1		1	G01080210-06AMS	468B
ACCU	05691	8/24/01	01D1311	01D1311-001.004	BERYLLIUM	MS1	94.6	%REC		1		1	G01080346-01AMS	M092601A
ACCU			01D1311		BERYLLIUM	MS1	91.1	%REC		1		1	G01080210-12AMS	M092101DA
ACCU	05691	8/24/01	01D1311	01D1311-001.004	CADMIUM	MS1	104	%REC		1		1	G01080346-01AMS	M092601A
ACCU			01D1311		CADMIUM	MS1	101	%REC		1		1	G01080210-12AMS	M092101DA
ACCU	05391	8/16/01	01D1311	01D1311-006.004	CALCIUM	MS3	52.6	%REC		1		1	G01080229-01AMS	468B
ACCU			01D1311		CALCIUM	MS2	99	%REC		1		1	G01080210-06AMS	468B
ACCU	37201	8/10/01	01D1311	01D1234-001.004	CALCIUM	MS1	79.4	%REC		1		1	G01080096-01AMS	R490
ACCU	05391	8/16/01	01D1311	01D1311-006.004	CALCIUM	MS1	52.6	%REC		1		1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1311	01D1211-016.001	CALCIUM	MS1	108	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1311	01D1311-010.004	CALCIUM	MS1	95	%REC		1		1	G01080324-01AMS	R468

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Lab Sample #	Lab Batch #
ACCU			01D1311		CALCIUM	MS1	99	%REC		1		1	G01080210-06AMS	468B
ACCU	05691	8/24/01	01D1311	01D1311-001.004	CHROMIUM	MS1	88.8	%REC		1		1	G01080346-01AMS	M092601A
ACCU			01D1311		CHROMIUM	MS1	98.1	%REC		1		1	G01080210-12AMS	M092101DA
ACCU	05391	8/16/01	01D1311	01D1311-006.004	COBALT	MS3	101	%REC		1		1	G01080229-01AMS	468B
ACCU			01D1311		COBALT	MS2	101	%REC		1		1	G01080210-06AMS	468B
ACCU	37201	8/10/01	01D1311	01D1234-001.004	COBALT	MS1	102	%REC		1		1	G01080096-01AMS	R490
ACCU	05391	8/16/01	01D1311	01D1311-006.004	COBALT	MS1	101	%REC		1		1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1311	01D1211-016.001	COBALT	MS1	102	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1311	01D1311-010.004	COBALT	MS1	100	%REC		1		1	G01080324-01AMS	R468
ACCU			01D1311		COBALT	MS1	101	%REC		1		1	G01080210-06AMS	468B
ACCU	05691	8/24/01	01D1311	01D1311-001.004	COPPER	MS1	84.6	%REC		1		1	G01080346-01AMS	M092601A
ACCU			01D1311		COPPER	MS1	89.7	%REC		1		1	G01080210-12AMS	M092101DA
ACCU	05391	8/16/01	01D1311	01D1311-006.004	IRON	MS3	98.8	%REC		1		1	G01080229-01AMS	468B
ACCU			01D1311		IRON	MS2	98	%REC		1		1	G01080210-06AMS	468B
ACCU	37201	8/10/01	01D1311	01D1234-001.004	IRON	MS1	99.1	%REC		1		1	G01080096-01AMS	R490
ACCU	05391	8/16/01	01D1311	01D1311-006.004	IRON	MS1	98.8	%REC		1		1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1311	01D1211-016.001	IRON	MS1	99.8	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1311	01D1311-010.004	IRON	MS1	96.4	%REC		1		1	G01080324-01AMS	R468
ACCU			01D1311		IRON	MS1	98	%REC		1		1	G01080210-06AMS	468B
ACCU	05691	8/24/01	01D1311	01D1311-001.004	LEAD	MS1	89.3	%REC		1		1	G01080346-01AMS	M092601A
ACCU			01D1311		LEAD	MS1	90.6	%REC		1		1	G01080210-12AMS	M092101DA
ACCU	05391	8/16/01	01D1311	01D1311-006.004	LITHIUM	MS3	104	%REC		1		1	G01080229-01AMS	468B
ACCU			01D1311		LITHIUM	MS2	102	%REC		1		1	G01080210-06AMS	468B
ACCU	37201	8/10/01	01D1311	01D1234-001.004	LITHIUM	MS1	101	%REC		1		1	G01080096-01AMS	R490
ACCU	05391	8/16/01	01D1311	01D1311-006.004	LITHIUM	MS1	104	%REC		1		1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1311	01D1211-016.001	LITHIUM	MS1	102	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1311	01D1311-010.004	LITHIUM	MS1	98.2	%REC		1		1	G01080324-01AMS	R468
ACCU			01D1311		LITHIUM	MS1	102	%REC		1		1	G01080210-06AMS	468B
ACCU	05391	8/16/01	01D1311	01D1311-006.004	MAGNESIUM	MS3	104	%REC		1		1	G01080229-01AMS	468B
ACCU			01D1311		MAGNESIUM	MS2	106	%REC		1		1	G01080210-06AMS	468B
ACCU	37201	8/10/01	01D1311	01D1234-001.004	MAGNESIUM	MS1	99.1	%REC		1		1	G01080096-01AMS	R490
ACCU	05391	8/16/01	01D1311	01D1311-006.004	MAGNESIUM	MS1	104	%REC		1		1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1311	01D1211-016.001	MAGNESIUM	MS1	101	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1311	01D1311-010.004	MAGNESIUM	MS1	104	%REC		1		1	G01080324-01AMS	R468
ACCU			01D1311		MAGNESIUM	MS1	106	%REC		1		1	G01080210-06AMS	468B
ACCU	05391	8/16/01	01D1311	01D1311-006.004	MANGANESE	MS3	104	%REC		1		1	G01080229-01AMS	468B
ACCU			01D1311		MANGANESE	MS2	104	%REC		1		1	G01080210-06AMS	468B
ACCU	37201	8/10/01	01D1311	01D1234-001.004	MANGANESE	MS1	103	%REC		1		1	G01080096-01AMS	R490
ACCU	05391	8/16/01	01D1311	01D1311-006.004	MANGANESE	MS1	104	%REC		1		1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1311	01D1211-016.001	MANGANESE	MS1	103	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1311	01D1311-010.004	MANGANESE	MS1	101	%REC		1		1	G01080324-01AMS	R468
ACCU			01D1311		MANGANESE	MS1	104	%REC		1		1	G01080210-06AMS	468B
ACCU			01D1311		MERCURY	MS2	70.1	%REC		1		1	G01080210-11AMS	482
ACCU	03991	8/7/01	01D1311	01D1211-002.004	MERCURY	MS1	78.8	%REC		1		1	G01080068-01AMS	481
ACCU	40099	8/13/01	01D1311	01D1234-005.004	MERCURY	MS1	82.7	%REC		1		1	G01080210-01AMS	482
ACCU	05391	8/16/01	01D1311	01D1311-006.004	MERCURY	MS1	94.4	%REC		1		1	G01080229-01AMS	481
ACCU			01D1311		MERCURY	MD2	70.3	%REC		1		1	G01080210-11AMSD	482
ACCU	03991	8/7/01	01D1311	01D1211-002.004	MERCURY	MD1	85.1	%REC		1		1	G01080068-01AMSD	481
ACCU	40099	8/13/01	01D1311	01D1234-005.004	MERCURY	MD1	79.5	%REC		1		1	G01080210-01AMSD	482
ACCU	05391	8/16/01	01D1311	01D1311-006.004	MERCURY	MD1	93.8	%REC		1		1	G01080229-01AMSD	481
ACCU	05391	8/16/01	01D1311	01D1311-006.004	MOLYBDENUM	MS3	106	%REC		1		1	G01080229-01AMS	468B
ACCU			01D1311		MOLYBDENUM	MS2	106	%REC		1		1	G01080210-06AMS	468B
ACCU	37201	8/10/01	01D1311	01D1234-001.004	MOLYBDENUM	MS1	104	%REC		1		1	G01080096-01AMS	R490
ACCU	05391	8/16/01	01D1311	01D1311-006.004	MOLYBDENUM	MS1	106	%REC		1		1	G01080229-01AMS	468B

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Lab Sample #	Lab Batch #
ACCU	4787	8/8/01	01D1311	01D1211-016.001	MOLYBDENUM	MS1	106	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1311	01D1311-010.004	MOLYBDENUM	MS1	103	%REC		1		1	G01080324-01AMS	R468
ACCU			01D1311		MOLYBDENUM	MS1	106	%REC		1		1	G01080210-06AMS	468B
ACCU	05391	8/16/01	01D1311	01D1311-006.004	NICKEL	MS3	102	%REC		1		1	G01080229-01AMS	468B
ACCU			01D1311		NICKEL	MS2	102	%REC		1		1	G01080210-06AMS	468B
ACCU	37201	8/10/01	01D1311	01D1234-001.004	NICKEL	MS1	101	%REC		1		1	G01080096-01AMS	R490
ACCU	05391	8/16/01	01D1311	01D1311-006.004	NICKEL	MS1	102	%REC		1		1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1311	01D1211-016.001	NICKEL	MS1	102	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1311	01D1311-010.004	NICKEL	MS1	101	%REC		1		1	G01080324-01AMS	R468
ACCU			01D1311		NICKEL	MS1	102	%REC		1		1	G01080210-06AMS	468B
ACCU	05391	8/16/01	01D1311	01D1311-006.004	POTASSIUM	MS3	110	%REC		1		1	G01080229-01AMS	468B
ACCU			01D1311		POTASSIUM	MS2	107	%REC		1		1	G01080210-06AMS	468B
ACCU	37201	8/10/01	01D1311	01D1234-001.004	POTASSIUM	MS1	107	%REC		1		1	G01080096-01AMS	R490
ACCU	05391	8/16/01	01D1311	01D1311-006.004	POTASSIUM	MS1	110	%REC		1		1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1311	01D1211-016.001	POTASSIUM	MS1	107	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1311	01D1311-010.004	POTASSIUM	MS1	104	%REC		1		1	G01080324-01AMS	R468
ACCU			01D1311		POTASSIUM	MS1	107	%REC		1		1	G01080210-06AMS	468B
ACCU	05691	8/24/01	01D1311	01D1311-001.004	SELENIUM	MS1	135	%REC	N	1		1	G01080346-01AMS	M092601A
ACCU			01D1311		SELENIUM	MS1	132	%REC	N	1		1	G01080210-12AMS	M092101DA
ACCU	05691	8/24/01	01D1311	01D1311-001.004	SILVER	MS1	77.1	%REC		1		1	G01080346-01AMS	M092601A
ACCU			01D1311		SILVER	MS1	81.7	%REC		1		1	G01080210-12AMS	M092101DA
ACCU	05391	8/16/01	01D1311	01D1311-006.004	SODIUM	MS3	101	%REC		1		1	G01080229-01AMS	468B
ACCU			01D1311		SODIUM	MS2	101	%REC		1		1	G01080210-06AMS	468B
ACCU	37201	8/10/01	01D1311	01D1234-001.004	SODIUM	MS1	57.7	%REC		1		1	G01080096-01AMS	R490
ACCU	05391	8/16/01	01D1311	01D1311-006.004	SODIUM	MS1	101	%REC		1		1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1311	01D1211-016.001	SODIUM	MS1	102	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1311	01D1311-010.004	SODIUM	MS1	88	%REC		1		1	G01080324-01AMS	R468
ACCU			01D1311		SODIUM	MS1	101	%REC		1		1	G01080210-06AMS	468B
ACCU	05391	8/16/01	01D1311	01D1311-006.004	STRONTIUM	MS3	102	%REC		1		1	G01080229-01AMS	468B
ACCU			01D1311		STRONTIUM	MS2	105	%REC		1		1	G01080210-06AMS	468B
ACCU	37201	8/10/01	01D1311	01D1234-001.004	STRONTIUM	MS1	106	%REC		1		1	G01080096-01AMS	R490
ACCU	05391	8/16/01	01D1311	01D1311-006.004	STRONTIUM	MS1	102	%REC		1		1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1311	01D1211-016.001	STRONTIUM	MS1	106	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1311	01D1311-010.004	STRONTIUM	MS1	101	%REC		1		1	G01080324-01AMS	R468
ACCU			01D1311		STRONTIUM	MS1	105	%REC		1		1	G01080210-06AMS	468B
ACCU	05691	8/24/01	01D1311	01D1311-001.004	THALLIUM	MS1	91.1	%REC		1		1	G01080346-01AMS	M092601A
ACCU			01D1311		THALLIUM	MS1	92.7	%REC		1		1	G01080210-12AMS	M092101DA
ACCU	05391	8/16/01	01D1311	01D1311-006.004	TIN	MS3	110	%REC		1		1	G01080229-01AMS	468B
ACCU			01D1311		TIN	MS2	111	%REC		1		1	G01080210-06AMS	468B
ACCU	37201	8/10/01	01D1311	01D1234-001.004	TIN	MS1	107	%REC		1		1	G01080096-01AMS	R490
ACCU	05391	8/16/01	01D1311	01D1311-006.004	TIN	MS1	110	%REC		1		1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1311	01D1211-016.001	TIN	MS1	110	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1311	01D1311-010.004	TIN	MS1	107	%REC		1		1	G01080324-01AMS	R468
ACCU			01D1311		TIN	MS1	111	%REC		1		1	G01080210-06AMS	468B
ACCU	05691	8/24/01	01D1311	01D1311-001.004	URANIUM, TOTAL	MS1	87.5	%REC		1		1	G01080346-01AMS	M092601A
ACCU			01D1311		URANIUM, TOTAL	MS1	93.4	%REC		1		1	G01080210-12AMS	M092101DA
ACCU	05391	8/16/01	01D1311	01D1311-006.004	VANADIUM	MS1	114	%REC		1		1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1311	01D1211-016.001	VANADIUM	MS1	111	%REC		1		1	G01080068-10AMS	R468
ACCU	05691	8/24/01	01D1311	01D1311-001.004	VANADIUM	MS1	80.3	%REC		1		1	G01080346-01AMS	M092601A
ACCU	04591	8/21/01	01D1311	01D1311-010.004	VANADIUM	MS1	109	%REC		1		1	G01080324-01AMS	R468
ACCU			01D1311		VANADIUM	MS1	112	%REC		1		1	G01080210-06AMS	468B
ACCU			01D1311		VANADIUM	MS1	92.1	%REC		1		5	G01080210-13AMS	092201A
ACCU	05391	8/16/01	01D1311	01D1311-006.004	ZINC	MS3	111	%REC		1		1	G01080229-01AMS	468B
ACCU			01D1311		ZINC	MS2	111	%REC		1		1	G01080210-06AMS	468B

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

121

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Lab Sample #	Lab Batch #
ACCU	37201	8/10/01	01D1311	01D1234-001.004	ZINC	MS1	110	%REC		1		1	G01080096-01AMS	R490
ACCU	05391	8/16/01	01D1311	01D1311-006.004	ZINC	MS1	111	%REC		1		1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1311	01D1211-016.001	ZINC	MS1	110	%REC		1		1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1311	01D1311-010.004	ZINC	MS1	108	%REC		1		1	G01080324-01AMS	R468
ACCU			01D1311		ZINC	MS1	111	%REC		1		1	G01080210-06AMS	468B
ACCU	5686	8/8/01	01D1352	01D1211-005.002	ALUMINUM	MS1	41.5	%REC		1		1	G01080068-04AMS	474
ACCU	05691	8/24/01	01D1352	01D1311-001.004	ALUMINUM	MS1	78.5	%REC		1		1	G01080346-01AMS	M092601A
ACCU	5686	8/8/01	01D1352	01D1211-005.002	ALUMINUM	MD1	71.2	%REC		1		1	G01080068-04AMSD	474
ACCU	5686	8/8/01	01D1352	01D1211-005.002	ANTIMONY	MS1	88.8	%REC		1		1	G01080068-04AMS	474
ACCU	05691	8/24/01	01D1352	01D1311-001.004	ANTIMONY	MS1	92.8	%REC		1		1	G01080346-01AMS	M092601A
ACCU	5686	8/8/01	01D1352	01D1211-005.002	ANTIMONY	MD1	88.4	%REC		1		1	G01080068-04AMSD	474
ACCU	5686	8/8/01	01D1352	01D1211-005.002	ARSENIC	MS1	95.9	%REC		1		1	G01080068-04AMS	474
ACCU	05691	8/24/01	01D1352	01D1311-001.004	ARSENIC	MS1	120	%REC		1		1	G01080346-01AMS	M092601A
ACCU	5686	8/8/01	01D1352	01D1211-005.002	ARSENIC	MD1	96.9	%REC		1		1	G01080068-04AMSD	474
ACCU	0386	8/2/01	01D1352	01D1211-001.004	BARIUM	MS1	97.5	%REC		1		1	G01080008-01AMS	473
ACCU	05391	8/16/01	01D1352	01D1311-006.004	BARIUM	MS1	107	%REC		1		1	G01080229-01AMS	468B
ACCU			01D1352		BARIUM	MS1	108	%REC		1		1	G01080210-06AMS	468B
ACCU	0386	8/2/01	01D1352	01D1211-001.004	BARIUM	MD1	97.5	%REC		1		1	G01080008-01AMSD	473
ACCU	5686	8/8/01	01D1352	01D1211-005.002	BERYLLIUM	MS1	90	%REC		1		1	G01080068-04AMS	474
ACCU	05691	8/24/01	01D1352	01D1311-001.004	BERYLLIUM	MS1	94.6	%REC		1		1	G01080346-01AMS	M092601A
ACCU	5686	8/8/01	01D1352	01D1211-005.002	BERYLLIUM	MD1	89.7	%REC		1		1	G01080068-04AMSD	474
ACCU	5686	8/8/01	01D1352	01D1211-005.002	CADMIUM	MS1	99.2	%REC		1		1	G01080068-04AMS	474
ACCU	05691	8/24/01	01D1352	01D1311-001.004	CADMIUM	MS1	104	%REC		1		1	G01080346-01AMS	M092601A
ACCU	5686	8/8/01	01D1352	01D1211-005.002	CADMIUM	MD1	98.8	%REC		1		1	G01080068-04AMSD	474
ACCU	0386	8/2/01	01D1352	01D1211-001.004	CALCIUM	MS1	126	%REC		1		1	G01080008-01AMS	473
ACCU	05391	8/16/01	01D1352	01D1311-006.004	CALCIUM	MS1	52.6	%REC		1		1	G01080229-01AMS	468B
ACCU			01D1352		CALCIUM	MS1	99	%REC		1		1	G01080210-06AMS	468B
ACCU	0386	8/2/01	01D1352	01D1211-001.004	CALCIUM	MD1	118	%REC		1		1	G01080008-01AMSD	473
ACCU	5686	8/8/01	01D1352	01D1211-005.002	CHROMIUM	MS1	106	%REC		1		1	G01080068-04AMS	474
ACCU	05691	8/24/01	01D1352	01D1311-001.004	CHROMIUM	MS1	88.8	%REC		1		1	G01080346-01AMS	M092601A
ACCU	5686	8/8/01	01D1352	01D1211-005.002	CHROMIUM	MD1	118	%REC		1		1	G01080068-04AMSD	474
ACCU	0386	8/2/01	01D1352	01D1211-001.004	COBALT	MS1	95.7	%REC		1		1	G01080008-01AMS	473
ACCU	05391	8/16/01	01D1352	01D1311-006.004	COBALT	MS1	101	%REC		1		1	G01080229-01AMS	468B
ACCU			01D1352		COBALT	MS1	101	%REC		1		1	G01080210-06AMS	468B
ACCU	0386	8/2/01	01D1352	01D1211-001.004	COBALT	MD1	95.2	%REC		1		1	G01080008-01AMSD	473
ACCU	5686	8/8/01	01D1352	01D1211-005.002	COPPER	MS1	88.5	%REC		1		1	G01080068-04AMS	474
ACCU	05691	8/24/01	01D1352	01D1311-001.004	COPPER	MS1	84.6	%REC		1		1	G01080346-01AMS	M092601A
ACCU	5686	8/8/01	01D1352	01D1211-005.002	COPPER	MD1	87.3	%REC		1		1	G01080068-04AMSD	474
ACCU	0386	8/2/01	01D1352	01D1211-001.004	IRON	MS1	94.3	%REC		1		1	G01080008-01AMS	473
ACCU	05391	8/16/01	01D1352	01D1311-006.004	IRON	MS1	98.8	%REC		1		1	G01080229-01AMS	468B
ACCU			01D1352		IRON	MS1	98	%REC		1		1	G01080210-06AMS	468B
ACCU	0386	8/2/01	01D1352	01D1211-001.004	IRON	MD1	94.5	%REC		1		1	G01080008-01AMSD	473
ACCU	5686	8/8/01	01D1352	01D1211-005.002	LEAD	MS1	101	%REC		1		1	G01080068-04AMS	474
ACCU	05691	8/24/01	01D1352	01D1311-001.004	LEAD	MS1	89.3	%REC		1		1	G01080346-01AMS	M092601A
ACCU	5686	8/8/01	01D1352	01D1211-005.002	LEAD	MD1	100	%REC		1		1	G01080068-04AMSD	474
ACCU	0386	8/2/01	01D1352	01D1211-001.004	LITHIUM	MS1	97.9	%REC		1		1	G01080008-01AMS	473
ACCU	05391	8/16/01	01D1352	01D1311-006.004	LITHIUM	MS1	104	%REC		1		1	G01080229-01AMS	468B
ACCU			01D1352		LITHIUM	MS1	102	%REC		1		1	G01080210-06AMS	468B
ACCU	0386	8/2/01	01D1352	01D1211-001.004	LITHIUM	MD1	101	%REC		1		1	G01080008-01AMSD	473
ACCU	0386	8/2/01	01D1352	01D1211-001.004	MAGNESIUM	MS1	97.2	%REC		1		1	G01080008-01AMS	473
ACCU	05391	8/16/01	01D1352	01D1311-006.004	MAGNESIUM	MS1	104	%REC		1		1	G01080229-01AMS	468B
ACCU			01D1352		MAGNESIUM	MS1	106	%REC		1		1	G01080210-06AMS	468B
ACCU	0386	8/2/01	01D1352	01D1211-001.004	MAGNESIUM	MD1	97.2	%REC		1		1	G01080008-01AMSD	473
ACCU	0386	8/2/01	01D1352	01D1211-001.004	MANGANESE	MS1	99	%REC		1		1	G01080008-01AMS	473

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

122

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Lab Sample #	Lab Batch #
ACCU	05391	8/16/01	01D1352	01D1311-006.004	MANGANESE	MS1	104	%REC		1		1	G01080229-01AMS	468B
ACCU			01D1352		MANGANESE	MS1	104	%REC		1		1	G01080210-06AMS	468B
ACCU	0386	8/2/01	01D1352	01D1211-001.004	MANGANESE	MD1	98.9	%REC		1		1	G01080008-01AMSD	473
ACCU	03991	8/7/01	01D1352	01D1211-002.004	MERCURY	MS1	78.8	%REC		1		1	G01080068-01AMS	481
ACCU	40099	8/13/01	01D1352	01D1234-005.004	MERCURY	MS1	82.7	%REC		1		1	G01080210-01AMS	482
ACCU	05391	8/16/01	01D1352	01D1311-006.004	MERCURY	MS1	94.4	%REC		1		1	G01080229-01AMS	481
ACCU	06091	8/24/01	01D1352	01D1352-003.004	MERCURY	MS1	87	%REC		V1		1	G01080369-03AMS	728
ACCU	P114389	8/28/01	01D1352	01D1352-007.004	MERCURY	MS1	92.4	%REC		V1		1	G01080465-01AMS	732
ACCU			01D1352		MERCURY	MS1	70.1	%REC		1		1	G01080210-11AMS	482
ACCU	03991	8/7/01	01D1352	01D1211-002.004	MERCURY	MD1	85.1	%REC		1		1	G01080068-01AMSD	481
ACCU	40099	8/13/01	01D1352	01D1234-005.004	MERCURY	MD1	79.5	%REC		1		1	G01080210-01AMSD	482
ACCU	05391	8/16/01	01D1352	01D1311-006.004	MERCURY	MD1	93.8	%REC		1		1	G01080229-01AMSD	481
ACCU	06091	8/24/01	01D1352	01D1352-003.004	MERCURY	MD1	92.2	%REC		V1		1	G01080369-03AMSD	728
ACCU	P114389	8/28/01	01D1352	01D1352-007.004	MERCURY	MD1	95.4	%REC		V1		1	G01080465-01AMSD	732
ACCU			01D1352		MERCURY	MD1	70.3	%REC		1		1	G01080210-11AMSD	482
ACCU	0386	8/2/01	01D1352	01D1211-001.004	MOLYBDENUM	MS1	103	%REC		1		1	G01080008-01AMS	473
ACCU	05391	8/16/01	01D1352	01D1311-006.004	MOLYBDENUM	MS1	106	%REC		1		1	G01080229-01AMS	468B
ACCU			01D1352		MOLYBDENUM	MS1	106	%REC		1		1	G01080210-06AMS	468B
ACCU	0386	8/2/01	01D1352	01D1211-001.004	MOLYBDENUM	MD1	103	%REC		1		1	G01080008-01AMSD	473
ACCU	0386	8/2/01	01D1352	01D1211-001.004	NICKEL	MS1	96.9	%REC		1		1	G01080008-01AMS	473
ACCU	05391	8/16/01	01D1352	01D1311-006.004	NICKEL	MS1	102	%REC		1		1	G01080229-01AMS	468B
ACCU			01D1352		NICKEL	MS1	102	%REC		1		1	G01080210-06AMS	468B
ACCU	0386	8/2/01	01D1352	01D1211-001.004	NICKEL	MD1	96.8	%REC		1		1	G01080008-01AMSD	473
ACCU	0386	8/2/01	01D1352	01D1211-001.004	POTASSIUM	MS1	98.6	%REC		1		1	G01080008-01AMS	473
ACCU	05391	8/16/01	01D1352	01D1311-006.004	POTASSIUM	MS1	110	%REC		1		1	G01080229-01AMS	468B
ACCU			01D1352		POTASSIUM	MS1	107	%REC		1		1	G01080210-06AMS	468B
ACCU	0386	8/2/01	01D1352	01D1211-001.004	POTASSIUM	MD1	101	%REC		1		1	G01080008-01AMSD	473
ACCU	5686	8/8/01	01D1352	01D1211-005.002	SELENIUM	MS1	90.1	%REC		1		1	G01080068-04AMS	474
ACCU	05691	8/24/01	01D1352	01D1311-001.004	SELENIUM	MS1	135	%REC	N	1		1	G01080346-01AMS	M092601A
ACCU	5686	8/8/01	01D1352	01D1211-005.002	SELENIUM	MD1	90.9	%REC		1		1	G01080068-04AMSD	474
ACCU	5686	8/8/01	01D1352	01D1211-005.002	SILVER	MS1	97.8	%REC		1		1	G01080068-04AMS	474
ACCU	05691	8/24/01	01D1352	01D1311-001.004	SILVER	MS1	77.1	%REC		1		1	G01080346-01AMS	M092601A
ACCU	5686	8/8/01	01D1352	01D1211-005.002	SILVER	MD1	97.6	%REC		1		1	G01080068-04AMSD	474
ACCU	0386	8/2/01	01D1352	01D1211-001.004	SODIUM	MS1	106	%REC		1		1	G01080008-01AMS	473
ACCU	05391	8/16/01	01D1352	01D1311-006.004	SODIUM	MS1	101	%REC		1		1	G01080229-01AMS	468B
ACCU			01D1352		SODIUM	MS1	101	%REC		1		1	G01080210-06AMS	468B
ACCU	0386	8/2/01	01D1352	01D1211-001.004	SODIUM	MD1	105	%REC		1		1	G01080008-01AMSD	473
ACCU	0386	8/2/01	01D1352	01D1211-001.004	STRONTIUM	MS1	101	%REC		1		1	G01080008-01AMS	473
ACCU	05391	8/16/01	01D1352	01D1311-006.004	STRONTIUM	MS1	102	%REC		1		1	G01080229-01AMS	468B
ACCU			01D1352		STRONTIUM	MS1	105	%REC		1		1	G01080210-06AMS	468B
ACCU	0386	8/2/01	01D1352	01D1211-001.004	STRONTIUM	MD1	101	%REC		1		1	G01080008-01AMSD	473
ACCU	5686	8/8/01	01D1352	01D1211-005.002	THALLIUM	MS1	87	%REC		1		1	G01080068-04AMS	474
ACCU	05691	8/24/01	01D1352	01D1311-001.004	THALLIUM	MS1	91.1	%REC		1		1	G01080346-01AMS	M092601A
ACCU	5686	8/8/01	01D1352	01D1211-005.002	THALLIUM	MD1	88.8	%REC		1		1	G01080068-04AMSD	474
ACCU	0386	8/2/01	01D1352	01D1211-001.004	TIN	MS1	104	%REC		1		1	G01080008-01AMS	473
ACCU	05391	8/16/01	01D1352	01D1311-006.004	TIN	MS1	110	%REC		1		1	G01080229-01AMS	468B
ACCU			01D1352		TIN	MS1	111	%REC		1		1	G01080210-06AMS	468B
ACCU	0386	8/2/01	01D1352	01D1211-001.004	TIN	MD1	104	%REC		1		1	G01080008-01AMSD	473
ACCU	5686	8/8/01	01D1352	01D1211-005.002	URANIUM, TOTAL	MS1	103	%REC		1		1	G01080068-04AMS	474
ACCU	05691	8/24/01	01D1352	01D1311-001.004	URANIUM, TOTAL	MS1	87.5	%REC		1		1	G01080346-01AMS	M092601A
ACCU	5686	8/8/01	01D1352	01D1211-005.002	URANIUM, TOTAL	MD1	103	%REC		1		1	G01080068-04AMSD	474
ACCU	0386	8/2/01	01D1352	01D1211-001.004	VANADIUM	MS1	103	%REC		1		1	G01080008-01AMS	473
ACCU	5686	8/8/01	01D1352	01D1211-005.002	VANADIUM	MS1	97.6	%REC		1		10	G01080068-04AMS	474
ACCU	05391	8/16/01	01D1352	01D1311-006.004	VANADIUM	MS1	114	%REC		1		1	G01080229-01AMS	468B

123

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Lab Sample #	Lab Batch #
ACCU	05691	8/24/01	01D1352	01D1311-001.004	VANADIUM	MS1	80.3	%REC		1		1	G01080346-01AMS	M092601A
ACCU			01D1352		VANADIUM	MS1	112	%REC		1		1	G01080210-06AMS	468B
ACCU	0386	8/2/01	01D1352	01D1211-001.004	VANADIUM	MD1	103	%REC		1		1	G01080008-01AMSD	473
ACCU	5686	8/8/01	01D1352	01D1211-005.002	VANADIUM	MD1	104	%REC		1		10	G01080068-04AMSD	474
ACCU	0386	8/2/01	01D1352	01D1211-001.004	ZINC	MS1	99.8	%REC		1		1	G01080008-01AMS	473
ACCU	05391	8/16/01	01D1352	01D1311-006.004	ZINC	MS1	111	%REC		1		1	G01080229-01AMS	468B
ACCU			01D1352		ZINC	MS1	111	%REC		1		1	G01080210-06AMS	468B
ACCU	0386	8/2/01	01D1352	01D1211-001.004	ZINC	MD1	99.4	%REC		1		1	G01080008-01AMSD	473
ACCU	03991	8/7/01	01D1375	01D1211-002.004	ALUMINUM	MS1	85.1	%REC				2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1375	01D1234-001.004	ALUMINUM	MS1	67	%REC	N			2	G01080096-01AMS	R702
ACCU	5686	8/8/01	01D1375	01D1211-005.002	ALUMINUM	MS1	41.5	%REC				1	G01080068-04AMS	474
ACCU	05691	8/24/01	01D1375	01D1311-001.004	ALUMINUM	MS1	78.5	%REC				1	G01080346-01AMS	M092601A
ACCU	22896	9/12/01	01D1375	01D1448-007.004	ALUMINUM	MS1	71.8	%REC				10	G01090296-03AMS	747
ACCU	5686	8/8/01	01D1375	01D1211-005.002	ALUMINUM	MD1	71.2	%REC				1	G01080068-04AMSD	474
ACCU	22896	9/12/01	01D1375	01D1448-007.004	ALUMINUM	MD1	68.8	%REC	N			10	G01090296-03AMSD	747
ACCU	03991	8/7/01	01D1375	01D1211-002.004	ANTIMONY	MS1	102	%REC				2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1375	01D1234-001.004	ANTIMONY	MS1	99.5	%REC				2	G01080096-01AMS	R702
ACCU	5686	8/8/01	01D1375	01D1211-005.002	ANTIMONY	MS1	88.8	%REC				1	G01080068-04AMS	474
ACCU	05691	8/24/01	01D1375	01D1311-001.004	ANTIMONY	MS1	92.8	%REC				1	G01080346-01AMS	M092601A
ACCU	22896	9/12/01	01D1375	01D1448-007.004	ANTIMONY	MS1	124	%REC				1	G01090296-03AMS	747
ACCU	5686	8/8/01	01D1375	01D1211-005.002	ANTIMONY	MD1	88.4	%REC				1	G01080068-04AMSD	474
ACCU	22896	9/12/01	01D1375	01D1448-007.004	ANTIMONY	MD1	125	%REC				1	G01090296-03AMSD	747
ACCU	03991	8/7/01	01D1375	01D1211-002.004	ARSENIC	MS1	108	%REC				2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1375	01D1234-001.004	ARSENIC	MS1	104	%REC				2	G01080096-01AMS	R702
ACCU	5686	8/8/01	01D1375	01D1211-005.002	ARSENIC	MS1	95.9	%REC				1	G01080068-04AMS	474
ACCU	05691	8/24/01	01D1375	01D1311-001.004	ARSENIC	MS1	120	%REC				1	G01080346-01AMS	M092601A
ACCU	22896	9/12/01	01D1375	01D1448-007.004	ARSENIC	MS1	114	%REC				1	G01090296-03AMS	747
ACCU	5686	8/8/01	01D1375	01D1211-005.002	ARSENIC	MD1	96.9	%REC				1	G01080068-04AMSD	474
ACCU	22896	9/12/01	01D1375	01D1448-007.004	ARSENIC	MD1	115	%REC				1	G01090296-03AMSD	747
ACCU	0386	8/2/01	01D1375	01D1211-001.004	BARIUM	MS1	97.5	%REC				1	G01080008-01AMS	473
ACCU	05391	8/16/01	01D1375	01D1311-006.004	BARIUM	MS1	107	%REC				1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1375	01D1211-016.001	BARIUM	MS1	107	%REC				1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1375	01D1311-010.004	BARIUM	MS1	104	%REC				1	G01080324-01AMS	R468
ACCU	22896	9/12/01	01D1375	01D1448-007.004	BARIUM	MS1	91.3	%REC				1	G01090296-03AMS	745
ACCU			01D1375		BARIUM	MS1	108	%REC				1	G01080210-06AMS	468B
ACCU	0386	8/2/01	01D1375	01D1211-001.004	BARIUM	MD1	97.5	%REC				1	G01080008-01AMSD	473
ACCU	22896	9/12/01	01D1375	01D1448-007.004	BARIUM	MD1	91	%REC				1	G01090296-03AMSD	745
ACCU	03991	8/7/01	01D1375	01D1211-002.004	BERYLLIUM	MS1	94.8	%REC				2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1375	01D1234-001.004	BERYLLIUM	MS1	97.1	%REC				2	G01080096-01AMS	R702
ACCU	5686	8/8/01	01D1375	01D1211-005.002	BERYLLIUM	MS1	90	%REC				1	G01080068-04AMS	474
ACCU	05691	8/24/01	01D1375	01D1311-001.004	BERYLLIUM	MS1	94.6	%REC				1	G01080346-01AMS	M092601A
ACCU	22896	9/12/01	01D1375	01D1448-007.004	BERYLLIUM	MS1	95.1	%REC				1	G01090296-03AMS	747
ACCU	5686	8/8/01	01D1375	01D1211-005.002	BERYLLIUM	MD1	89.7	%REC				1	G01080068-04AMSD	474
ACCU	22896	9/12/01	01D1375	01D1448-007.004	BERYLLIUM	MD1	96.9	%REC				1	G01090296-03AMSD	747
ACCU	03991	8/7/01	01D1375	01D1211-002.004	CADMIUM	MS1	102	%REC				2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1375	01D1234-001.004	CADMIUM	MS1	97.3	%REC				2	G01080096-01AMS	R702
ACCU	5686	8/8/01	01D1375	01D1211-005.002	CADMIUM	MS1	99.2	%REC				1	G01080068-04AMS	474
ACCU	05691	8/24/01	01D1375	01D1311-001.004	CADMIUM	MS1	104	%REC				1	G01080346-01AMS	M092601A
ACCU	22896	9/12/01	01D1375	01D1448-007.004	CADMIUM	MS1	118	%REC				1	G01090296-03AMS	747
ACCU	5686	8/8/01	01D1375	01D1211-005.002	CADMIUM	MD1	98.8	%REC				1	G01080068-04AMSD	474
ACCU	22896	9/12/01	01D1375	01D1448-007.004	CADMIUM	MD1	118	%REC				1	G01090296-03AMSD	747
ACCU	0386	8/2/01	01D1375	01D1211-001.004	CALCIUM	MS1	126	%REC				1	G01080008-01AMS	473
ACCU	05391	8/16/01	01D1375	01D1311-006.004	CALCIUM	MS1	52.6	%REC				1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1375	01D1211-016.001	CALCIUM	MS1	108	%REC				1	G01080068-10AMS	R468

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

124

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Lab Sample #	Lab Batch #
ACCU	04591	8/21/01	01D1375	01D1311-010.004	CALCIUM	MS1	95	%REC				1	G01080324-01AMS	R468
ACCU	22896	9/12/01	01D1375	01D1448-007.004	CALCIUM	MS1	102	%REC				1	G01090296-03AMS	745
ACCU			01D1375		CALCIUM	MS1	99	%REC				1	G01080210-06AMS	468B
ACCU	0386	8/2/01	01D1375	01D1211-001.004	CALCIUM	MD1	118	%REC				1	G01080008-01AMSD	473
ACCU	22896	9/12/01	01D1375	01D1448-007.004	CALCIUM	MD1	88.7	%REC				1	G01090296-03AMSD	745
ACCU	03991	8/7/01	01D1375	01D1211-002.004	CHROMIUM	MS1	98.3	%REC				2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1375	01D1234-001.004	CHROMIUM	MS1	93.2	%REC				2	G01080096-01AMS	R702
ACCU	5686	8/8/01	01D1375	01D1211-005.002	CHROMIUM	MS1	106	%REC				1	G01080068-04AMS	474
ACCU	05691	8/24/01	01D1375	01D1311-001.004	CHROMIUM	MS1	88.8	%REC				1	G01080346-01AMS	M092601A
ACCU	22896	9/12/01	01D1375	01D1448-007.004	CHROMIUM	MS1	113	%REC				1	G01090296-03AMS	747
ACCU	5686	8/8/01	01D1375	01D1211-005.002	CHROMIUM	MD1	118	%REC				1	G01080068-04AMSD	474
ACCU	22896	9/12/01	01D1375	01D1448-007.004	CHROMIUM	MD1	115	%REC				1	G01090296-03AMSD	747
ACCU	0386	8/2/01	01D1375	01D1211-001.004	COBALT	MS1	95.7	%REC				1	G01080008-01AMS	473
ACCU	05391	8/16/01	01D1375	01D1311-006.004	COBALT	MS1	101	%REC				1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1375	01D1211-016.001	COBALT	MS1	102	%REC				1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1375	01D1311-010.004	COBALT	MS1	100	%REC				1	G01080324-01AMS	R468
ACCU	22896	9/12/01	01D1375	01D1448-007.004	COBALT	MS1	90.1	%REC				1	G01090296-03AMS	745
ACCU			01D1375		COBALT	MS1	101	%REC				1	G01080210-06AMS	468B
ACCU	0386	8/2/01	01D1375	01D1211-001.004	COBALT	MD1	95.2	%REC				1	G01080008-01AMSD	473
ACCU	22896	9/12/01	01D1375	01D1448-007.004	COBALT	MD1	89.7	%REC				1	G01090296-03AMSD	745
ACCU	03991	8/7/01	01D1375	01D1211-002.004	COPPER	MS1	93.8	%REC				2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1375	01D1234-001.004	COPPER	MS1	89.3	%REC				2	G01080096-01AMS	R702
ACCU	5686	8/8/01	01D1375	01D1211-005.002	COPPER	MS1	88.5	%REC				1	G01080068-04AMS	474
ACCU	05691	8/24/01	01D1375	01D1311-001.004	COPPER	MS1	84.6	%REC				1	G01080346-01AMS	M092601A
ACCU	22896	9/12/01	01D1375	01D1448-007.004	COPPER	MS1	111	%REC				1	G01090296-03AMS	747
ACCU	5686	8/8/01	01D1375	01D1211-005.002	COPPER	MD1	87.3	%REC				1	G01080068-04AMSD	474
ACCU	22896	9/12/01	01D1375	01D1448-007.004	COPPER	MD1	112	%REC				1	G01090296-03AMSD	747
ACCU	0386	8/2/01	01D1375	01D1211-001.004	IRON	MS1	94.3	%REC				1	G01080008-01AMS	473
ACCU	05391	8/16/01	01D1375	01D1311-006.004	IRON	MS1	98.8	%REC				1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1375	01D1211-016.001	IRON	MS1	99.8	%REC				1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1375	01D1311-010.004	IRON	MS1	96.4	%REC				1	G01080324-01AMS	R468
ACCU	22896	9/12/01	01D1375	01D1448-007.004	IRON	MS1	92.5	%REC				1	G01090296-03AMS	745
ACCU			01D1375		IRON	MS1	98	%REC				1	G01080210-06AMS	468B
ACCU	0386	8/2/01	01D1375	01D1211-001.004	IRON	MD1	94.5	%REC				1	G01080008-01AMSD	473
ACCU	22896	9/12/01	01D1375	01D1448-007.004	IRON	MD1	91.7	%REC				1	G01090296-03AMSD	745
ACCU	03991	8/7/01	01D1375	01D1211-002.004	LEAD	MS1	100	%REC				2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1375	01D1234-001.004	LEAD	MS1	92.5	%REC				2	G01080096-01AMS	R702
ACCU	5686	8/8/01	01D1375	01D1211-005.002	LEAD	MS1	101	%REC				1	G01080068-04AMS	474
ACCU	05691	8/24/01	01D1375	01D1311-001.004	LEAD	MS1	89.3	%REC				1	G01080346-01AMS	M092601A
ACCU	22896	9/12/01	01D1375	01D1448-007.004	LEAD	MS1	125	%REC				1	G01090296-03AMS	747
ACCU	5686	8/8/01	01D1375	01D1211-005.002	LEAD	MD1	100	%REC				1	G01080068-04AMSD	474
ACCU	22896	9/12/01	01D1375	01D1448-007.004	LEAD	MD1	123	%REC				1	G01090296-03AMSD	747
ACCU	0386	8/2/01	01D1375	01D1211-001.004	LITHIUM	MS1	97.9	%REC				1	G01080008-01AMS	473
ACCU	05391	8/16/01	01D1375	01D1311-006.004	LITHIUM	MS1	104	%REC				1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1375	01D1211-016.001	LITHIUM	MS1	102	%REC				1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1375	01D1311-010.004	LITHIUM	MS1	98.2	%REC				1	G01080324-01AMS	R468
ACCU	22896	9/12/01	01D1375	01D1448-007.004	LITHIUM	MS1	92.6	%REC				1	G01090296-03AMS	745
ACCU			01D1375		LITHIUM	MS1	102	%REC				1	G01080210-06AMS	468B
ACCU	0386	8/2/01	01D1375	01D1211-001.004	LITHIUM	MD1	101	%REC				1	G01080008-01AMSD	473
ACCU	22896	9/12/01	01D1375	01D1448-007.004	LITHIUM	MD1	92.5	%REC				1	G01090296-03AMSD	745
ACCU	0386	8/2/01	01D1375	01D1211-001.004	MAGNESIUM	MS1	97.2	%REC				1	G01080008-01AMS	473
ACCU	05391	8/16/01	01D1375	01D1311-006.004	MAGNESIUM	MS1	104	%REC				1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1375	01D1211-016.001	MAGNESIUM	MS1	101	%REC				1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1375	01D1311-010.004	MAGNESIUM	MS1	104	%REC				1	G01080324-01AMS	R468

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Lab Sample #	Lab Batch #
ACCU	22896	9/12/01	01D1375	01D1448-007.004	MAGNESIUM	MS1	92.3	%REC				1	G01090296-03AMS	745
ACCU			01D1375		MAGNESIUM	MS1	106	%REC				1	G01080210-06AMS	468B
ACCU	0386	8/2/01	01D1375	01D1211-001.004	MAGNESIUM	MD1	97.2	%REC				1	G01080008-01AMSD	473
ACCU	22896	9/12/01	01D1375	01D1448-007.004	MAGNESIUM	MD1	94.5	%REC				1	G01090296-03AMSD	745
ACCU	0386	8/2/01	01D1375	01D1211-001.004	MANGANESE	MS1	99	%REC				1	G01080008-01AMS	473
ACCU	05391	8/16/01	01D1375	01D1311-006.004	MANGANESE	MS1	104	%REC				1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1375	01D1211-016.001	MANGANESE	MS1	103	%REC				1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1375	01D1311-010.004	MANGANESE	MS1	101	%REC				1	G01080324-01AMS	R468
ACCU	22896	9/12/01	01D1375	01D1448-007.004	MANGANESE	MS1	92.5	%REC				1	G01090296-03AMS	745
ACCU			01D1375		MANGANESE	MS1	104	%REC				1	G01080210-06AMS	468B
ACCU	0386	8/2/01	01D1375	01D1211-001.004	MANGANESE	MD1	98.9	%REC				1	G01080008-01AMSD	473
ACCU	22896	9/12/01	01D1375	01D1448-007.004	MANGANESE	MD1	92.1	%REC				1	G01090296-03AMSD	745
ACCU	03991	8/7/01	01D1375	01D1211-002.004	MERCURY	MS1	78.8	%REC				1	G01080068-01AMS	481
ACCU	05391	8/16/01	01D1375	01D1311-006.004	MERCURY	MS1	94.4	%REC				1	G01080229-01AMS	481
ACCU	06091	8/24/01	01D1375	01D1352-003.004	MERCURY	MS1	87	%REC				1	G01080369-03AMS	728
ACCU	P114389	8/28/01	01D1375	01D1352-007.004	MERCURY	MS1	92.4	%REC				1	G01080465-01AMS	732
ACCU	30900	8/28/01	01D1375	01D1375-001.005	MERCURY	MS1	106	%REC				1	G01080426-02AMS	670
ACCU	03991	8/7/01	01D1375	01D1211-002.004	MERCURY	MD1	85.1	%REC				1	G01080068-01AMSD	481
ACCU	05391	8/16/01	01D1375	01D1311-006.004	MERCURY	MD1	93.8	%REC				1	G01080229-01AMSD	481
ACCU	06091	8/24/01	01D1375	01D1352-003.004	MERCURY	MD1	92.2	%REC				1	G01080369-03AMSD	728
ACCU	P114389	8/28/01	01D1375	01D1352-007.004	MERCURY	MD1	95.4	%REC				1	G01080465-01AMSD	732
ACCU	30900	8/28/01	01D1375	01D1375-001.005	MERCURY	MD1	104	%REC				1	G01080426-02AMSD	670
ACCU	0386	8/2/01	01D1375	01D1211-001.004	MOLYBDENUM	MS1	103	%REC				1	G01080008-01AMS	473
ACCU	05391	8/16/01	01D1375	01D1311-006.004	MOLYBDENUM	MS1	106	%REC				1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1375	01D1211-016.001	MOLYBDENUM	MS1	106	%REC				1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1375	01D1311-010.004	MOLYBDENUM	MS1	103	%REC				1	G01080324-01AMS	R468
ACCU	22896	9/12/01	01D1375	01D1448-007.004	MOLYBDENUM	MS1	91.4	%REC				1	G01090296-03AMS	745
ACCU			01D1375		MOLYBDENUM	MS1	106	%REC				1	G01080210-06AMS	468B
ACCU	0386	8/2/01	01D1375	01D1211-001.004	MOLYBDENUM	MD1	103	%REC				1	G01080008-01AMSD	473
ACCU	22896	9/12/01	01D1375	01D1448-007.004	MOLYBDENUM	MD1	91.1	%REC				1	G01090296-03AMSD	745
ACCU	0386	8/2/01	01D1375	01D1211-001.004	NICKEL	MS1	96.9	%REC				1	G01080008-01AMS	473
ACCU	05391	8/16/01	01D1375	01D1311-006.004	NICKEL	MS1	102	%REC				1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1375	01D1211-016.001	NICKEL	MS1	102	%REC				1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1375	01D1311-010.004	NICKEL	MS1	101	%REC				1	G01080324-01AMS	R468
ACCU	22896	9/12/01	01D1375	01D1448-007.004	NICKEL	MS1	89.2	%REC				1	G01090296-03AMS	745
ACCU			01D1375		NICKEL	MS1	102	%REC				1	G01080210-06AMS	468B
ACCU	0386	8/2/01	01D1375	01D1211-001.004	NICKEL	MD1	96.8	%REC				1	G01080008-01AMSD	473
ACCU	22896	9/12/01	01D1375	01D1448-007.004	NICKEL	MD1	88.6	%REC				1	G01090296-03AMSD	745
ACCU	0386	8/2/01	01D1375	01D1211-001.004	POTASSIUM	MS1	98.6	%REC				1	G01080008-01AMS	473
ACCU	05391	8/16/01	01D1375	01D1311-006.004	POTASSIUM	MS1	110	%REC				1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1375	01D1211-016.001	POTASSIUM	MS1	107	%REC				1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1375	01D1311-010.004	POTASSIUM	MS1	104	%REC				1	G01080324-01AMS	R468
ACCU	22896	9/12/01	01D1375	01D1448-007.004	POTASSIUM	MS1	93.9	%REC				1	G01090296-03AMS	745
ACCU			01D1375		POTASSIUM	MS1	107	%REC				1	G01080210-06AMS	468B
ACCU	0386	8/2/01	01D1375	01D1211-001.004	POTASSIUM	MD1	101	%REC				1	G01080008-01AMSD	473
ACCU	22896	9/12/01	01D1375	01D1448-007.004	POTASSIUM	MD1	93.3	%REC				1	G01090296-03AMSD	745
ACCU	03991	8/7/01	01D1375	01D1211-002.004	SELENIUM	MS1	115	%REC				2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1375	01D1234-001.004	SELENIUM	MS1	112	%REC				2	G01080096-01AMS	R702
ACCU	5686	8/8/01	01D1375	01D1211-005.002	SELENIUM	MS1	90.1	%REC				1	G01080068-04AMS	474
ACCU	05691	8/24/01	01D1375	01D1311-001.004	SELENIUM	MS1	135	%REC	N			1	G01080346-01AMS	M092601A
ACCU	22896	9/12/01	01D1375	01D1448-007.004	SELENIUM	MS1	110	%REC				1	G01090296-03AMS	747
ACCU	5686	8/8/01	01D1375	01D1211-005.002	SELENIUM	MD1	90.9	%REC				1	G01080068-04AMSD	474
ACCU	22896	9/12/01	01D1375	01D1448-007.004	SELENIUM	MD1	114	%REC				1	G01090296-03AMSD	747
ACCU	03991	8/7/01	01D1375	01D1211-002.004	SILVER	MS1	84	%REC				2	G01080068-01AMS	R702

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Lab Sample #	Lab Batch #
ACCU	37201	8/10/01	01D1375	01D1234-001.004	SILVER	MS1	81.8	%REC				2	G01080096-01AMS	R702
ACCU	5686	8/8/01	01D1375	01D1211-005.002	SILVER	MS1	97.8	%REC				1	G01080068-04AMS	474
ACCU	05691	8/24/01	01D1375	01D1311-001.004	SILVER	MS1	77.1	%REC				1	G01080346-01AMS	M092601A
ACCU	22896	9/12/01	01D1375	01D1448-007.004	SILVER	MS1	118	%REC				1	G01090296-03AMS	747
ACCU	5686	8/8/01	01D1375	01D1211-005.002	SILVER	MD1	97.6	%REC				1	G01080068-04AMSD	474
ACCU	22896	9/12/01	01D1375	01D1448-007.004	SILVER	MD1	118	%REC				1	G01090296-03AMSD	747
ACCU	0386	8/2/01	01D1375	01D1211-001.004	SODIUM	MS1	106	%REC				1	G01080008-01AMS	473
ACCU	05391	8/16/01	01D1375	01D1311-006.004	SODIUM	MS1	101	%REC				1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1375	01D1211-016.001	SODIUM	MS1	102	%REC				1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1375	01D1311-010.004	SODIUM	MS1	88	%REC				1	G01080324-01AMS	R468
ACCU	22896	9/12/01	01D1375	01D1448-007.004	SODIUM	MS1	95.5	%REC				1	G01090296-03AMS	745
ACCU			01D1375		SODIUM	MS1	101	%REC				1	G01080210-06AMS	468B
ACCU	0386	8/2/01	01D1375	01D1211-001.004	SODIUM	MD1	105	%REC				1	G01080008-01AMSD	473
ACCU	22896	9/12/01	01D1375	01D1448-007.004	SODIUM	MD1	89.8	%REC				1	G01090296-03AMSD	745
ACCU	0386	8/2/01	01D1375	01D1211-001.004	STRONTIUM	MS1	101	%REC				1	G01080008-01AMS	473
ACCU	05391	8/16/01	01D1375	01D1311-006.004	STRONTIUM	MS1	102	%REC				1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1375	01D1211-016.001	STRONTIUM	MS1	106	%REC				1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1375	01D1311-010.004	STRONTIUM	MS1	101	%REC				1	G01080324-01AMS	R468
ACCU	22896	9/12/01	01D1375	01D1448-007.004	STRONTIUM	MS1	93.3	%REC				1	G01090296-03AMS	745
ACCU			01D1375		STRONTIUM	MS1	105	%REC				1	G01080210-06AMS	468B
ACCU	0386	8/2/01	01D1375	01D1211-001.004	STRONTIUM	MD1	101	%REC				1	G01080008-01AMSD	473
ACCU	22896	9/12/01	01D1375	01D1448-007.004	STRONTIUM	MD1	91.8	%REC				1	G01090296-03AMSD	745
ACCU	03991	8/7/01	01D1375	01D1211-002.004	THALLIUM	MS1	101	%REC				2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1375	01D1234-001.004	THALLIUM	MS1	93.3	%REC				2	G01080096-01AMS	R702
ACCU	5686	8/8/01	01D1375	01D1211-005.002	THALLIUM	MS1	87	%REC				1	G01080068-04AMS	474
ACCU	05691	8/24/01	01D1375	01D1311-001.004	THALLIUM	MS1	91.1	%REC				1	G01080346-01AMS	M092601A
ACCU	22896	9/12/01	01D1375	01D1448-007.004	THALLIUM	MS1	118	%REC				1	G01090296-03AMS	747
ACCU	5686	8/8/01	01D1375	01D1211-005.002	THALLIUM	MD1	88.8	%REC				1	G01080068-04AMSD	474
ACCU	22896	9/12/01	01D1375	01D1448-007.004	THALLIUM	MD1	116	%REC				1	G01090296-03AMSD	747
ACCU	0386	8/2/01	01D1375	01D1211-001.004	TIN	MS1	104	%REC				1	G01080008-01AMS	473
ACCU	05391	8/16/01	01D1375	01D1311-006.004	TIN	MS1	110	%REC				1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1375	01D1211-016.001	TIN	MS1	110	%REC				1	G01080068-10AMS	R468
ACCU	04591	8/21/01	01D1375	01D1311-010.004	TIN	MS1	107	%REC				1	G01080324-01AMS	R468
ACCU	22896	9/12/01	01D1375	01D1448-007.004	TIN	MS1	96	%REC				1	G01090296-03AMS	745
ACCU			01D1375		TIN	MS1	111	%REC				1	G01080210-06AMS	468B
ACCU	0386	8/2/01	01D1375	01D1211-001.004	TIN	MD1	104	%REC				1	G01080008-01AMSD	473
ACCU	22896	9/12/01	01D1375	01D1448-007.004	TIN	MD1	95.6	%REC				1	G01090296-03AMSD	745
ACCU	03991	8/7/01	01D1375	01D1211-002.004	URANIUM, TOTAL	MS1	104	%REC				1	G01080068-01AMS	R774
ACCU	37201	8/10/01	01D1375	01D1234-001.004	URANIUM, TOTAL	MS1	101	%REC				1	G01080096-01AMS	R774
ACCU	5686	8/8/01	01D1375	01D1211-005.002	URANIUM, TOTAL	MS1	103	%REC				1	G01080068-04AMS	474
ACCU	05691	8/24/01	01D1375	01D1311-001.004	URANIUM, TOTAL	MS1	87.5	%REC				1	G01080346-01AMS	M092601A
ACCU	22896	9/12/01	01D1375	01D1448-007.004	URANIUM, TOTAL	MS1	138	%REC	N			1	G01090296-03AMS	747
ACCU	5686	8/8/01	01D1375	01D1211-005.002	URANIUM, TOTAL	MD1	103	%REC				1	G01080068-04AMSD	474
ACCU	22896	9/12/01	01D1375	01D1448-007.004	URANIUM, TOTAL	MD1	137	%REC	N			1	G01090296-03AMSD	747
ACCU	03991	8/7/01	01D1375	01D1211-002.004	VANADIUM	MS1	89.8	%REC				2	G01080068-01AMS	R702
ACCU	37201	8/10/01	01D1375	01D1234-001.004	VANADIUM	MS1	88.3	%REC				2	G01080096-01AMS	R702
ACCU	5686	8/8/01	01D1375	01D1211-005.002	VANADIUM	MS1	97.6	%REC				10	G01080068-04AMS	474
ACCU	05691	8/24/01	01D1375	01D1311-001.004	VANADIUM	MS1	80.3	%REC				1	G01080346-01AMS	M092601A
ACCU	22896	9/12/01	01D1375	01D1448-007.004	VANADIUM	MS1	101	%REC				10	G01090296-03AMS	747
ACCU	5686	8/8/01	01D1375	01D1211-005.002	VANADIUM	MD1	104	%REC				10	G01080068-04AMSD	474
ACCU	22896	9/12/01	01D1375	01D1448-007.004	VANADIUM	MD1	102	%REC				10	G01090296-03AMSD	747
ACCU	0386	8/2/01	01D1375	01D1211-001.004	ZINC	MS1	99.8	%REC				1	G01080008-01AMS	473
ACCU	05391	8/16/01	01D1375	01D1311-006.004	ZINC	MS1	111	%REC				1	G01080229-01AMS	468B
ACCU	4787	8/8/01	01D1375	01D1211-016.001	ZINC	MS1	110	%REC				1	G01080068-10AMS	R468

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Lab Sample #	Lab Batch #
ACCU	04591	8/21/01	01D1375	01D1311-010.004	ZINC	MS1	108	%REC				1	G01080324-01AMS	R468
ACCU	22896	9/12/01	01D1375	01D1448-007.004	ZINC	MS1	92.9	%REC				1	G01090296-03AMS	745
ACCU			01D1375		ZINC	MS1	111	%REC				1	G01080210-06AMS	468B
ACCU	0386	8/2/01	01D1375	01D1211-001.004	ZINC	MD1	99.4	%REC				1	G01080008-01AMSD	473
ACCU	22896	9/12/01	01D1375	01D1448-007.004	ZINC	MD1	92.4	%REC				1	G01090296-03AMSD	745
ACCU	22896	9/12/01	01D1417	01D1448-007.004	ALUMINUM	MS1	71.8	%REC		1		10	G01090296-03AMS	747
ACCU	P313589	9/6/01	01D1417	01D1417-001.006	ALUMINUM	MS1	88.4	%REC		1		10	G01090175-01AMS	M101001A
ACCU	22896	9/12/01	01D1417	01D1448-007.004	ALUMINUM	MD1	68.8	%REC	N	1		10	G01090296-03AMSD	747
ACCU	22896	9/12/01	01D1417	01D1448-007.004	ANTIMONY	MS1	124	%REC		1		1	G01090296-03AMS	747
ACCU	P313589	9/6/01	01D1417	01D1417-001.006	ANTIMONY	MS1	93.8	%REC		1		5	G01090175-01AMS	M101001A
ACCU	22896	9/12/01	01D1417	01D1448-007.004	ANTIMONY	MD1	125	%REC		1		1	G01090296-03AMSD	747
ACCU	22896	9/12/01	01D1417	01D1448-007.004	ARSENIC	MS1	114	%REC		1		1	G01090296-03AMS	747
ACCU	P313589	9/6/01	01D1417	01D1417-001.006	ARSENIC	MS1	99.3	%REC		1		5	G01090175-01AMS	M101001A
ACCU	22896	9/12/01	01D1417	01D1448-007.004	ARSENIC	MD1	115	%REC		1		1	G01090296-03AMSD	747
ACCU	22896	9/12/01	01D1417	01D1448-007.004	BARIUM	MS1	91.3	%REC		1		1	G01090296-03AMS	745
ACCU	P313589	9/6/01	01D1417	01D1417-001.006	BARIUM	MS1	90.8	%REC		1		1	G01090175-01AMS	ID100401A
ACCU	22896	9/12/01	01D1417	01D1448-007.004	BARIUM	MD1	91	%REC		1		1	G01090296-03AMSD	745
ACCU	22896	9/12/01	01D1417	01D1448-007.004	BERYLLIUM	MS1	95.1	%REC		1		1	G01090296-03AMS	747
ACCU	P313589	9/6/01	01D1417	01D1417-001.006	BERYLLIUM	MS1	92.7	%REC		1		10	G01090175-01AMS	M101001A
ACCU	22896	9/12/01	01D1417	01D1448-007.004	BERYLLIUM	MD1	96.9	%REC		1		1	G01090296-03AMSD	747
ACCU	22896	9/12/01	01D1417	01D1448-007.004	CADMIUM	MS1	118	%REC		1		1	G01090296-03AMS	747
ACCU	P313589	9/6/01	01D1417	01D1417-001.006	CADMIUM	MS1	96.3	%REC		1		5	G01090175-01AMS	M101001A
ACCU	22896	9/12/01	01D1417	01D1448-007.004	CADMIUM	MD1	118	%REC		1		1	G01090296-03AMSD	747
ACCU	22896	9/12/01	01D1417	01D1448-007.004	CALCIUM	MS1	102	%REC		1		1	G01090296-03AMS	745
ACCU	P313589	9/6/01	01D1417	01D1417-001.006	CALCIUM	MS1	4.23	%REC		1		1	G01090175-01AMS	ID100401A
ACCU	22896	9/12/01	01D1417	01D1448-007.004	CALCIUM	MD1	88.7	%REC		1		1	G01090296-03AMSD	745
ACCU	22896	9/12/01	01D1417	01D1448-007.004	CHROMIUM	MS1	113	%REC		1		1	G01090296-03AMS	747
ACCU	P313589	9/6/01	01D1417	01D1417-001.006	CHROMIUM	MS1	95.2	%REC		1		5	G01090175-01AMS	M101001A
ACCU	22896	9/12/01	01D1417	01D1448-007.004	CHROMIUM	MD1	115	%REC		1		1	G01090296-03AMSD	747
ACCU	22896	9/12/01	01D1417	01D1448-007.004	COBALT	MS1	90.1	%REC		1		1	G01090296-03AMS	745
ACCU	P313589	9/6/01	01D1417	01D1417-001.006	COBALT	MS1	92.6	%REC		1		1	G01090175-01AMS	ID100401A
ACCU	22896	9/12/01	01D1417	01D1448-007.004	COBALT	MD1	89.7	%REC		1		1	G01090296-03AMSD	745
ACCU	22896	9/12/01	01D1417	01D1448-007.004	COPPER	MS1	111	%REC		1		1	G01090296-03AMS	747
ACCU	P313589	9/6/01	01D1417	01D1417-001.006	COPPER	MS1	90.9	%REC		1		5	G01090175-01AMS	M101001A
ACCU	22896	9/12/01	01D1417	01D1448-007.004	COPPER	MD1	112	%REC		1		1	G01090296-03AMSD	747
ACCU	22896	9/12/01	01D1417	01D1448-007.004	IRON	MS1	92.5	%REC		1		1	G01090296-03AMS	745
ACCU	P313589	9/6/01	01D1417	01D1417-001.006	IRON	MS1	95.2	%REC		1		1	G01090175-01AMS	ID100401A
ACCU	22896	9/12/01	01D1417	01D1448-007.004	IRON	MD1	91.7	%REC		1		1	G01090296-03AMSD	745
ACCU	22896	9/12/01	01D1417	01D1448-007.004	LEAD	MS1	125	%REC		1		1	G01090296-03AMS	747
ACCU	P313589	9/6/01	01D1417	01D1417-001.006	LEAD	MS1	92.1	%REC		1		5	G01090175-01AMS	M101001A
ACCU	22896	9/12/01	01D1417	01D1448-007.004	LEAD	MD1	123	%REC		1		1	G01090296-03AMSD	747
ACCU	22896	9/12/01	01D1417	01D1448-007.004	LITHIUM	MS1	92.6	%REC		1		1	G01090296-03AMS	745
ACCU	P313589	9/6/01	01D1417	01D1417-001.006	LITHIUM	MS1	94.4	%REC		1		1	G01090175-01AMS	ID100401A
ACCU	22896	9/12/01	01D1417	01D1448-007.004	LITHIUM	MD1	92.5	%REC		1		1	G01090296-03AMSD	745
ACCU	22896	9/12/01	01D1417	01D1448-007.004	MAGNESIUM	MS1	92.3	%REC		1		1	G01090296-03AMS	745
ACCU	P313589	9/6/01	01D1417	01D1417-001.006	MAGNESIUM	MS1	80.8	%REC		1		1	G01090175-01AMS	ID100401A
ACCU	22896	9/12/01	01D1417	01D1448-007.004	MAGNESIUM	MD1	94.5	%REC		1		1	G01090296-03AMSD	745
ACCU	22896	9/12/01	01D1417	01D1448-007.004	MANGANESE	MS1	92.5	%REC		1		1	G01090296-03AMS	745
ACCU	P313589	9/6/01	01D1417	01D1417-001.006	MANGANESE	MS1	96.1	%REC		1		1	G01090175-01AMS	ID100401A
ACCU	22896	9/12/01	01D1417	01D1448-007.004	MANGANESE	MD1	92.1	%REC		1		1	G01090296-03AMSD	745
ACCU	06091	8/24/01	01D1417	01D1352-003.004	MERCURY	MS1	87	%REC		1		1	G01080369-03AMS	728
ACCU	P114389	8/28/01	01D1417	01D1352-007.004	MERCURY	MS1	92.4	%REC		1		1	G01080465-01AMS	732
ACCU	06091	8/24/01	01D1417	01D1352-003.004	MERCURY	MD1	92.2	%REC		1		1	G01080369-03AMSD	728
ACCU	P114389	8/28/01	01D1417	01D1352-007.004	MERCURY	MD1	95.4	%REC		1		1	G01080465-01AMSD	732

128

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Lab Sample #	Lab Batch #
ACCU	22896	9/12/01	01D1417	01D1448-007.004	MOLYBDENUM	MS1	91.4	%REC		1		1	G01090296-03AMS	745
ACCU	P313589	9/6/01	01D1417	01D1417-001.006	MOLYBDENUM	MS1	98.7	%REC		1		1	G01090175-01AMS	ID100401A
ACCU	22896	9/12/01	01D1417	01D1448-007.004	MOLYBDENUM	MD1	91.1	%REC		1		1	G01090296-03AMSD	745
ACCU	22896	9/12/01	01D1417	01D1448-007.004	NICKEL	MS1	89.2	%REC		1		1	G01090296-03AMS	745
ACCU	P313589	9/6/01	01D1417	01D1417-001.006	NICKEL	MS1	92.3	%REC		1		1	G01090175-01AMS	ID100401A
ACCU	22896	9/12/01	01D1417	01D1448-007.004	NICKEL	MD1	88.6	%REC		1		1	G01090296-03AMSD	745
ACCU	22896	9/12/01	01D1417	01D1448-007.004	POTASSIUM	MS1	93.9	%REC		1		1	G01090296-03AMS	745
ACCU	P313589	9/6/01	01D1417	01D1417-001.006	POTASSIUM	MS1	93.4	%REC		1		1	G01090175-01AMS	ID100401A
ACCU	22896	9/12/01	01D1417	01D1448-007.004	POTASSIUM	MD1	93.3	%REC		1		1	G01090296-03AMSD	745
ACCU	22896	9/12/01	01D1417	01D1448-007.004	SELENIUM	MS1	110	%REC		1		1	G01090296-03AMS	747
ACCU	P313589	9/6/01	01D1417	01D1417-001.006	SELENIUM	MS1	106	%REC		1		5	G01090175-01AMS	M101001A
ACCU	22896	9/12/01	01D1417	01D1448-007.004	SELENIUM	MD1	114	%REC		1		1	G01090296-03AMSD	747
ACCU	22896	9/12/01	01D1417	01D1448-007.004	SILVER	MS1	118	%REC		1		1	G01090296-03AMS	747
ACCU	P313589	9/6/01	01D1417	01D1417-001.006	SILVER	MS1	85.3	%REC		1		5	G01090175-01AMS	M101001A
ACCU	22896	9/12/01	01D1417	01D1448-007.004	SILVER	MD1	118	%REC		1		1	G01090296-03AMSD	747
ACCU	22896	9/12/01	01D1417	01D1448-007.004	SODIUM	MS1	95.5	%REC		1		1	G01090296-03AMS	745
ACCU	P313589	9/6/01	01D1417	01D1417-001.006	SODIUM	MS1	64.9	%REC		1		1	G01090175-01AMS	ID100401A
ACCU	22896	9/12/01	01D1417	01D1448-007.004	SODIUM	MD1	89.8	%REC		1		1	G01090296-03AMSD	745
ACCU	22896	9/12/01	01D1417	01D1448-007.004	STRONTIUM	MS1	93.3	%REC		1		1	G01090296-03AMS	745
ACCU	P313589	9/6/01	01D1417	01D1417-001.006	STRONTIUM	MS1	88.3	%REC		1		1	G01090175-01AMS	ID100401A
ACCU	22896	9/12/01	01D1417	01D1448-007.004	STRONTIUM	MD1	91.8	%REC		1		1	G01090296-03AMSD	745
ACCU	22896	9/12/01	01D1417	01D1448-007.004	THALLIUM	MS1	118	%REC		1		1	G01090296-03AMS	747
ACCU	P313589	9/6/01	01D1417	01D1417-001.006	THALLIUM	MS1	92.4	%REC		1		5	G01090175-01AMS	M101001A
ACCU	22896	9/12/01	01D1417	01D1448-007.004	THALLIUM	MD1	116	%REC		1		1	G01090296-03AMSD	747
ACCU	22896	9/12/01	01D1417	01D1448-007.004	TIN	MS1	96	%REC		1		1	G01090296-03AMS	745
ACCU	P313589	9/6/01	01D1417	01D1417-001.006	TIN	MS1	103	%REC		1		1	G01090175-01AMS	ID100401A
ACCU	22896	9/12/01	01D1417	01D1448-007.004	TIN	MD1	95.6	%REC		1		1	G01090296-03AMSD	745
ACCU	22896	9/12/01	01D1417	01D1448-007.004	URANIUM, TOTAL	MS1	138	%REC	N	1		1	G01090296-03AMS	747
ACCU	P313589	9/6/01	01D1417	01D1417-001.006	URANIUM, TOTAL	MS1	93.8	%REC		1		5	G01090175-01AMS	M101001A
ACCU	22896	9/12/01	01D1417	01D1448-007.004	URANIUM, TOTAL	MD1	137	%REC	N	1		1	G01090296-03AMSD	747
ACCU	22896	9/12/01	01D1417	01D1448-007.004	VANADIUM	MS1	101	%REC		1		10	G01090296-03AMS	747
ACCU	P313589	9/6/01	01D1417	01D1417-001.006	VANADIUM	MS1	95.1	%REC		1		10	G01090175-01AMS	M101001A
ACCU	22896	9/12/01	01D1417	01D1448-007.004	VANADIUM	MD1	102	%REC		1		10	G01090296-03AMSD	747
ACCU	22896	9/12/01	01D1417	01D1448-007.004	ZINC	MS1	92.9	%REC		1		1	G01090296-03AMS	745
ACCU	P313589	9/6/01	01D1417	01D1417-001.006	ZINC	MS1	94.3	%REC		1		1	G01090175-01AMS	ID100401A
ACCU	22896	9/12/01	01D1417	01D1448-007.004	ZINC	MD1	92.4	%REC		1		1	G01090296-03AMSD	745
ACCU	22896	9/12/01	01D1448	01D1448-007.004	ALUMINUM	MS1	71.8	%REC		1		10	G01090296-03AMS	747
ACCU	P313589	9/6/01	01D1448	01D1417-001.006	ALUMINUM	MS1	88.4	%REC		1		10	G01090175-01AMS	M101001A
ACCU	22896	9/12/01	01D1448	01D1448-007.004	ALUMINUM	MD1	68.8	%REC	N	1		10	G01090296-03AMSD	747
ACCU	22896	9/12/01	01D1448	01D1448-007.004	ANTIMONY	MS1	124	%REC		1		1	G01090296-03AMS	747
ACCU	P313589	9/6/01	01D1448	01D1417-001.006	ANTIMONY	MS1	93.8	%REC		1		5	G01090175-01AMS	M101001A
ACCU	22896	9/12/01	01D1448	01D1448-007.004	ANTIMONY	MD1	125	%REC		1		1	G01090296-03AMSD	747
ACCU	22896	9/12/01	01D1448	01D1448-007.004	ARSENIC	MS1	114	%REC		1		1	G01090296-03AMS	747
ACCU	P313589	9/6/01	01D1448	01D1417-001.006	ARSENIC	MS1	99.3	%REC		1		5	G01090175-01AMS	M101001A
ACCU	22896	9/12/01	01D1448	01D1448-007.004	ARSENIC	MD1	115	%REC		1		1	G01090296-03AMSD	747
ACCU	22896	9/12/01	01D1448	01D1448-007.004	BARIUM	MS1	91.3	%REC		1		1	G01090296-03AMS	745
ACCU	P313589	9/6/01	01D1448	01D1417-001.006	BARIUM	MS1	90.8	%REC		1		1	G01090175-01AMS	ID100401A
ACCU	22896	9/12/01	01D1448	01D1448-007.004	BARIUM	MD1	91	%REC		1		1	G01090296-03AMSD	745
ACCU	22896	9/12/01	01D1448	01D1448-007.004	BERYLLIUM	MS1	95.1	%REC		1		1	G01090296-03AMS	747
ACCU	P313589	9/6/01	01D1448	01D1417-001.006	BERYLLIUM	MS1	92.7	%REC		1		10	G01090175-01AMS	M101001A
ACCU	22896	9/12/01	01D1448	01D1448-007.004	BERYLLIUM	MD1	96.9	%REC		1		1	G01090296-03AMSD	747
ACCU	22896	9/12/01	01D1448	01D1448-007.004	CADMIUM	MS1	118	%REC		1		1	G01090296-03AMS	747
ACCU	P313589	9/6/01	01D1448	01D1417-001.006	CADMIUM	MS1	96.3	%REC		1		5	G01090175-01AMS	M101001A
ACCU	22896	9/12/01	01D1448	01D1448-007.004	CADMIUM	MD1	118	%REC		1		1	G01090296-03AMSD	747

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

129

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Lab Sample #	Lab Batch #
ACCU	22896	9/12/01	01D1448	01D1448-007.004	CALCIUM	MS1	102	%REC		1		1	G01090296-03AMS	745
ACCU	P313589	9/6/01	01D1448	01D1417-001.006	CALCIUM	MS1	4.23	%REC		1		1	G01090175-01AMS	ID100401A
ACCU	22896	9/12/01	01D1448	01D1448-007.004	CALCIUM	MD1	88.7	%REC		1		1	G01090296-03AMSD	745
ACCU	22896	9/12/01	01D1448	01D1448-007.004	CHROMIUM	MS1	113	%REC		1		1	G01090296-03AMS	747
ACCU	P313589	9/6/01	01D1448	01D1417-001.006	CHROMIUM	MS1	95.2	%REC		1		5	G01090175-01AMS	M101001A
ACCU	22896	9/12/01	01D1448	01D1448-007.004	CHROMIUM	MD1	115	%REC		1		1	G01090296-03AMSD	747
ACCU	22896	9/12/01	01D1448	01D1448-007.004	COBALT	MS1	90.1	%REC		1		1	G01090296-03AMS	745
ACCU	P313589	9/6/01	01D1448	01D1417-001.006	COBALT	MS1	92.6	%REC		1		1	G01090175-01AMS	ID100401A
ACCU	22896	9/12/01	01D1448	01D1448-007.004	COBALT	MD1	89.7	%REC		1		1	G01090296-03AMSD	745
ACCU	22896	9/12/01	01D1448	01D1448-007.004	COPPER	MS1	111	%REC		1		1	G01090296-03AMS	747
ACCU	P313589	9/6/01	01D1448	01D1417-001.006	COPPER	MS1	90.9	%REC		1		5	G01090175-01AMS	M101001A
ACCU	22896	9/12/01	01D1448	01D1448-007.004	COPPER	MD1	112	%REC		1		1	G01090296-03AMSD	747
ACCU	22896	9/12/01	01D1448	01D1448-007.004	IRON	MS1	92.5	%REC		1		1	G01090296-03AMS	745
ACCU	P313589	9/6/01	01D1448	01D1417-001.006	IRON	MS1	95.2	%REC		1		1	G01090175-01AMS	ID100401A
ACCU	22896	9/12/01	01D1448	01D1448-007.004	IRON	MD1	91.7	%REC		1		1	G01090296-03AMSD	745
ACCU	22896	9/12/01	01D1448	01D1448-007.004	LEAD	MS1	125	%REC		1		1	G01090296-03AMS	747
ACCU	P313589	9/6/01	01D1448	01D1417-001.006	LEAD	MS1	92.1	%REC		1		5	G01090175-01AMS	M101001A
ACCU	22896	9/12/01	01D1448	01D1448-007.004	LEAD	MD1	123	%REC		1		1	G01090296-03AMSD	747
ACCU	22896	9/12/01	01D1448	01D1448-007.004	LITHIUM	MS1	92.6	%REC		1		1	G01090296-03AMS	745
ACCU	P313589	9/6/01	01D1448	01D1417-001.006	LITHIUM	MS1	94.4	%REC		1		1	G01090175-01AMS	ID100401A
ACCU	22896	9/12/01	01D1448	01D1448-007.004	LITHIUM	MD1	92.5	%REC		1		1	G01090296-03AMSD	745
ACCU	22896	9/12/01	01D1448	01D1448-007.004	MAGNESIUM	MS1	92.3	%REC		1		1	G01090296-03AMS	745
ACCU	P313589	9/6/01	01D1448	01D1417-001.006	MAGNESIUM	MS1	80.8	%REC		1		1	G01090175-01AMS	ID100401A
ACCU	22896	9/12/01	01D1448	01D1448-007.004	MAGNESIUM	MD1	94.5	%REC		1		1	G01090296-03AMSD	745
ACCU	22896	9/12/01	01D1448	01D1448-007.004	MANGANESE	MS1	92.5	%REC		1		1	G01090296-03AMS	745
ACCU	P313589	9/6/01	01D1448	01D1417-001.006	MANGANESE	MS1	96.1	%REC		1		1	G01090175-01AMS	ID100401A
ACCU	22896	9/12/01	01D1448	01D1448-007.004	MANGANESE	MD1	92.1	%REC		1		1	G01090296-03AMSD	745
ACCU	06091	8/24/01	01D1448	01D1352-003.004	MERCURY	MS1	87	%REC		1		1	G01080369-03AMS	728
ACCU	P114389	8/28/01	01D1448	01D1352-007.004	MERCURY	MS1	92.4	%REC		1		1	G01080465-01AMS	732
ACCU	04991	9/12/01	01D1448	01D1448-005.005	MERCURY	MS1	95	%REC		1		1	G01090296-01AMS	1020
ACCU	06091	8/24/01	01D1448	01D1352-003.004	MERCURY	MD1	92.2	%REC		1		1	G01080369-03AMSD	728
ACCU	P114389	8/28/01	01D1448	01D1352-007.004	MERCURY	MD1	95.4	%REC		1		1	G01080465-01AMSD	732
ACCU	04991	9/12/01	01D1448	01D1448-005.005	MERCURY	MD1	96	%REC		1		1	G01090296-01AMSD	1020
ACCU	22896	9/12/01	01D1448	01D1448-007.004	MOLYBDENUM	MS1	91.4	%REC		1		1	G01090296-03AMS	745
ACCU	P313589	9/6/01	01D1448	01D1417-001.006	MOLYBDENUM	MS1	98.7	%REC		1		1	G01090175-01AMS	ID100401A
ACCU	22896	9/12/01	01D1448	01D1448-007.004	MOLYBDENUM	MD1	91.1	%REC		1		1	G01090296-03AMSD	745
ACCU	22896	9/12/01	01D1448	01D1448-007.004	NICKEL	MS1	89.2	%REC		1		1	G01090296-03AMS	745
ACCU	P313589	9/6/01	01D1448	01D1417-001.006	NICKEL	MS1	92.3	%REC		1		1	G01090175-01AMS	ID100401A
ACCU	22896	9/12/01	01D1448	01D1448-007.004	NICKEL	MD1	88.6	%REC		1		1	G01090296-03AMSD	745
ACCU	22896	9/12/01	01D1448	01D1448-007.004	POTASSIUM	MS1	93.9	%REC		1		1	G01090296-03AMS	745
ACCU	P313589	9/6/01	01D1448	01D1417-001.006	POTASSIUM	MS1	93.4	%REC		1		1	G01090175-01AMS	ID100401A
ACCU	22896	9/12/01	01D1448	01D1448-007.004	POTASSIUM	MD1	93.3	%REC		1		1	G01090296-03AMSD	745
ACCU	22896	9/12/01	01D1448	01D1448-007.004	SELENIUM	MS1	110	%REC		1		1	G01090296-03AMS	747
ACCU	P313589	9/6/01	01D1448	01D1417-001.006	SELENIUM	MS1	106	%REC		1		5	G01090175-01AMS	M101001A
ACCU	22896	9/12/01	01D1448	01D1448-007.004	SELENIUM	MD1	114	%REC		1		1	G01090296-03AMSD	747
ACCU	22896	9/12/01	01D1448	01D1448-007.004	SILVER	MS1	118	%REC		1		1	G01090296-03AMS	747
ACCU	P313589	9/6/01	01D1448	01D1417-001.006	SILVER	MS1	85.3	%REC		1		5	G01090175-01AMS	M101001A
ACCU	22896	9/12/01	01D1448	01D1448-007.004	SILVER	MD1	118	%REC		1		1	G01090296-03AMSD	747
ACCU	22896	9/12/01	01D1448	01D1448-007.004	SODIUM	MS1	95.5	%REC		1		1	G01090296-03AMS	745
ACCU	P313589	9/6/01	01D1448	01D1417-001.006	SODIUM	MS1	64.9	%REC		1		1	G01090175-01AMS	ID100401A
ACCU	22896	9/12/01	01D1448	01D1448-007.004	SODIUM	MD1	89.8	%REC		1		1	G01090296-03AMSD	745
ACCU	22896	9/12/01	01D1448	01D1448-007.004	STRONTIUM	MS1	93.3	%REC		1		1	G01090296-03AMS	745
ACCU	P313589	9/6/01	01D1448	01D1417-001.006	STRONTIUM	MS1	88.3	%REC		1		1	G01090175-01AMS	ID100401A
ACCU	22896	9/12/01	01D1448	01D1448-007.004	STRONTIUM	MD1	91.8	%REC		1		1	G01090296-03AMSD	745

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Lab Sample #	Lab Batch #
ACCU	22896	9/12/01	01D1448	01D1448-007.004	THALLIUM	MS1	118	%REC		1		1	G01090296-03AMS	747
ACCU	P313589	9/6/01	01D1448	01D1417-001.006	THALLIUM	MS1	92.4	%REC		1		5	G01090175-01AMS	M101001A
ACCU	22896	9/12/01	01D1448	01D1448-007.004	THALLIUM	MD1	116	%REC		1		1	G01090296-03AMSD	747
ACCU	22896	9/12/01	01D1448	01D1448-007.004	TIN	MS1	96	%REC		1		1	G01090296-03AMS	745
ACCU	P313589	9/6/01	01D1448	01D1417-001.006	TIN	MS1	103	%REC		1		1	G01090175-01AMS	ID100401A
ACCU	22896	9/12/01	01D1448	01D1448-007.004	TIN	MD1	95.6	%REC		1		1	G01090296-03AMSD	745
ACCU	22896	9/12/01	01D1448	01D1448-007.004	URANIUM, TOTAL	MS1	138	%REC	N	1		1	G01090296-03AMS	747
ACCU	P313589	9/6/01	01D1448	01D1417-001.006	URANIUM, TOTAL	MS1	93.8	%REC		1		5	G01090175-01AMS	M101001A
ACCU	22896	9/12/01	01D1448	01D1448-007.004	URANIUM, TOTAL	MD1	137	%REC	N	1		1	G01090296-03AMSD	747
ACCU	22896	9/12/01	01D1448	01D1448-007.004	VANADIUM	MS1	101	%REC		1		10	G01090296-03AMS	747
ACCU	P313589	9/6/01	01D1448	01D1417-001.006	VANADIUM	MS1	95.1	%REC		1		10	G01090175-01AMS	M101001A
ACCU	22896	9/12/01	01D1448	01D1448-007.004	VANADIUM	MD1	102	%REC		1		10	G01090296-03AMSD	747
ACCU	22896	9/12/01	01D1448	01D1448-007.004	ZINC	MS1	92.9	%REC		1		1	G01090296-03AMS	745
ACCU	P313589	9/6/01	01D1448	01D1417-001.006	ZINC	MS1	94.3	%REC		1		1	G01090175-01AMS	ID100401A
ACCU	22896	9/12/01	01D1448	01D1448-007.004	ZINC	MD1	92.4	%REC		1		1	G01090296-03AMSD	745
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	ALUMINUM	MS1	99	%REC		1		1	D1I220108-002S	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	ALUMINUM	MD1	99	%REC		1		1	D1I220108-002D	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	ANTIMONY	MS1	99	%REC		1		1	D1I220108-002S	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	ANTIMONY	MD1	100	%REC		1		1	D1I220108-002D	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	ARSENIC	MS1	104	%REC		1		1	D1I220108-002S	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	ARSENIC	MD1	104	%REC		1		1	D1I220108-002D	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	BARIUM	MS1	98	%REC		1		1	D1I220108-002S	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	BARIUM	MD1	98	%REC		1		1	D1I220108-002D	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	BERYLLIUM	MS1	93	%REC		1		1	D1I220108-002S	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	BERYLLIUM	MD1	93	%REC		1		1	D1I220108-002D	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	CADMIUM	MS1	95	%REC		1		1	D1I220108-002S	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	CADMIUM	MD1	96	%REC		1		1	D1I220108-002D	1269407
STLDEN	6586	9/17/01	01D1495	01D1495-001.004	CALCIUM	MS1	101	%REC		1		1	D1I220108-001S	1268362
STLDEN	6586	9/17/01	01D1495	01D1495-001.004	CALCIUM	MD1	99	%REC		1		1	D1I220108-001D	1268362
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	CHROMIUM	MS1	96	%REC		1		1	D1I220108-002S	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	CHROMIUM	MD1	96	%REC		1		1	D1I220108-002D	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	COBALT	MS1	95	%REC		1		1	D1I220108-002S	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	COBALT	MD1	96	%REC		1		1	D1I220108-002D	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	COPPER	MS1	102	%REC		1		1	D1I220108-002S	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	COPPER	MD1	102	%REC		1		1	D1I220108-002D	1269407
STLDEN	6586	9/17/01	01D1495	01D1495-001.004	IRON	MS1	100	%REC		1		1	D1I220108-001S	1268362
STLDEN	6586	9/17/01	01D1495	01D1495-001.004	IRON	MD1	99	%REC		1		1	D1I220108-001D	1268362
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	LEAD	MS1	99	%REC		1		1	D1I220108-002S	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	LEAD	MD1	99	%REC		1		1	D1I220108-002D	1269407
STLDEN	6586	9/17/01	01D1495	01D1495-001.004	LITHIUM	MS1	104	%REC		1		1	D1I220108-001S	1268362
STLDEN	6586	9/17/01	01D1495	01D1495-001.004	LITHIUM	MD1	103	%REC		1		1	D1I220108-001D	1268362
STLDEN	6586	9/17/01	01D1495	01D1495-001.004	MAGNESIUM	MS1	106	%REC		1		1	D1I220108-001S	1268362
STLDEN	6586	9/17/01	01D1495	01D1495-001.004	MAGNESIUM	MD1	106	%REC		1		1	D1I220108-001D	1268362
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	MANGANESE	MS1	96	%REC		1		1	D1I220108-002S	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	MANGANESE	MD1	96	%REC		1		1	D1I220108-002D	1269407
STLDEN	6586	9/17/01	01D1495	01D1495-001.004	MERCURY	MS1	106	%REC		1		1	D1I220108-001S	1280122
STLDEN	6586	9/17/01	01D1495	01D1495-001.004	MERCURY	MD1	105	%REC		1		1	D1I220108-001D	1280122
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	MOLYBDENUM	MS1	96	%REC		1		1	D1I220108-002S	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	MOLYBDENUM	MD1	96	%REC		1		1	D1I220108-002D	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	NICKEL	MS1	96	%REC		1		1	D1I220108-002S	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	NICKEL	MD1	96	%REC		1		1	D1I220108-002D	1269407
STLDEN	6586	9/17/01	01D1495	01D1495-001.004	POTASSIUM	MS1	104	%REC		1		1	D1I220108-001S	1268362
STLDEN	6586	9/17/01	01D1495	01D1495-001.004	POTASSIUM	MD1	103	%REC		1		1	D1I220108-001D	1268362
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	SELENIUM	MS1	107	%REC		1		1	D1I220108-002S	1269407

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Lab Sample #	Lab Batch #
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	SELENIUM	MD1	108	%REC		1		1	D1I220108-002D	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	SILVER	MS1	102	%REC		1		1	D1I220108-002S	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	SILVER	MD1	102	%REC		1		1	D1I220108-002D	1269407
STLDEN	6586	9/17/01	01D1495	01D1495-001.004	SODIUM	MS1	108	%REC		1		1	D1I220108-001S	1268362
STLDEN	6586	9/17/01	01D1495	01D1495-001.004	SODIUM	MD1	106	%REC		1		1	D1I220108-001D	1268362
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	STRONTIUM	MS1	92	%REC		1		1	D1I220108-002S	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	STRONTIUM	MD1	93	%REC		1		1	D1I220108-002D	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	THALLIUM	MS1	96	%REC		1		1	D1I220108-002S	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	THALLIUM	MD1	97	%REC		1		1	D1I220108-002D	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	TIN	MS1	97	%REC		1		1	D1I220108-002S	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	TIN	MD1	97	%REC		1		1	D1I220108-002D	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	URANIUM, TOTAL	MS1	100	%REC		1		1	D1I220108-002S	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	URANIUM, TOTAL	MD1	100	%REC		1		1	D1I220108-002D	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	VANADIUM	MS1	99	%REC		1		1	D1I220108-002S	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	VANADIUM	MD1	99	%REC		1		1	D1I220108-002D	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	ZINC	MS1	92	%REC		1		1	D1I220108-002S	1269407
STLDEN	10398	9/13/01	01D1495	01D1495-003.001	ZINC	MD1	92	%REC		1		1	D1I220108-002D	1269407
STLDEN			01D1509		ALUMINUM	MS1	96	%REC				1	D1J020194-001S	1277386
STLDEN			01D1509		ALUMINUM	MD1	95	%REC				1	D1J020194-001D	1277386
STLDEN			01D1509		ANTIMONY	MS1	97	%REC				1	D1J020194-001S	1277386
STLDEN			01D1509		ANTIMONY	MD1	95	%REC				1	D1J020194-001D	1277386
STLDEN			01D1509		ARSENIC	MS1	102	%REC				1	D1J020194-001S	1277386
STLDEN			01D1509		ARSENIC	MD1	101	%REC				1	D1J020194-001D	1277386
STLDEN			01D1509		BARIUM	MS1	97	%REC				1	D1J020194-001S	1277386
STLDEN			01D1509		BARIUM	MD1	96	%REC				1	D1J020194-001D	1277386
STLDEN			01D1509		BERYLLIUM	MS1	96	%REC				1	D1J020194-001S	1277386
STLDEN			01D1509		BERYLLIUM	MD1	94	%REC				1	D1J020194-001D	1277386
STLDEN			01D1509		CADMIUM	MS1	96	%REC				1	D1J020194-001S	1277386
STLDEN			01D1509		CADMIUM	MD1	94	%REC				1	D1J020194-001D	1277386
STLDEN	40999	9/20/01	01D1509	01D1509-003.001	CALCIUM	MS1	91	%REC				1	D1I250158-001S	1277378
STLDEN	40999	9/20/01	01D1509	01D1509-003.001	CALCIUM	MD1	92	%REC				1	D1I250158-001D	1277378
STLDEN			01D1509		CHROMIUM	MS1	98	%REC				1	D1J020194-001S	1277386
STLDEN			01D1509		CHROMIUM	MD1	96	%REC				1	D1J020194-001D	1277386
STLDEN			01D1509		COBALT	MS1	96	%REC				1	D1J020194-001S	1277386
STLDEN			01D1509		COBALT	MD1	95	%REC				1	D1J020194-001D	1277386
STLDEN			01D1509		COPPER	MS1	96	%REC				1	D1J020194-001S	1277386
STLDEN			01D1509		COPPER	MD1	95	%REC				1	D1J020194-001D	1277386
STLDEN	40999	9/20/01	01D1509	01D1509-003.001	IRON	MS1	96	%REC				1	D1I250158-001S	1277378
STLDEN	40999	9/20/01	01D1509	01D1509-003.001	IRON	MD1	96	%REC				1	D1I250158-001D	1277378
STLDEN			01D1509		LEAD	MS1	98	%REC				1	D1J020194-001S	1277386
STLDEN			01D1509		LEAD	MD1	96	%REC				1	D1J020194-001D	1277386
STLDEN	40999	9/20/01	01D1509	01D1509-003.001	LITHIUM	MS1	100	%REC				1	D1I250158-001S	1277378
STLDEN	40999	9/20/01	01D1509	01D1509-003.001	LITHIUM	MD1	100	%REC				1	D1I250158-001D	1277378
STLDEN	40999	9/20/01	01D1509	01D1509-003.001	MAGNESIUM	MS1	101	%REC				1	D1I250158-001S	1277378
STLDEN	40999	9/20/01	01D1509	01D1509-003.001	MAGNESIUM	MD1	102	%REC				1	D1I250158-001D	1277378
STLDEN			01D1509		MANGANESE	MS1	99	%REC				1	D1J020194-001S	1277386
STLDEN			01D1509		MANGANESE	MD1	91	%REC				1	D1J020194-001D	1277386
STLDEN			01D1509		MERCURY	MS1	106	%REC				1	D1I220108-001S	1280122
STLDEN			01D1509		MERCURY	MD1	105	%REC				1	D1I220108-001D	1280122
STLDEN			01D1509		MOLYBDENUM	MS1	96	%REC				1	D1J020194-001S	1277386
STLDEN			01D1509		MOLYBDENUM	MD1	94	%REC				1	D1J020194-001D	1277386
STLDEN			01D1509		NICKEL	MS1	95	%REC				1	D1J020194-001S	1277386
STLDEN			01D1509		NICKEL	MD1	94	%REC				1	D1J020194-001D	1277386
STLDEN	40999	9/20/01	01D1509	01D1509-003.001	POTASSIUM	MS1	100	%REC				1	D1I250158-001S	1277378

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

132

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Lab Sample #	Lab Batch #
STLDEN	40999	9/20/01	01D1509	01D1509-003.001	POTASSIUM	MD1	100	%REC				1	D1I250158-001D	1277378
STLDEN			01D1509		SELENIUM	MS1	106	%REC				1	D1J020194-001S	1277386
STLDEN			01D1509		SELENIUM	MD1	104	%REC				1	D1J020194-001D	1277386
STLDEN			01D1509		SILVER	MS1	101	%REC				1	D1J020194-001S	1277386
STLDEN			01D1509		SILVER	MD1	100	%REC				1	D1J020194-001D	1277386
STLDEN	40999	9/20/01	01D1509	01D1509-003.001	SODIUM	MS1	95	%REC				1	D1I250158-001S	1277378
STLDEN	40999	9/20/01	01D1509	01D1509-003.001	SODIUM	MD1	99	%REC				1	D1I250158-001D	1277378
STLDEN			01D1509		STRONTIUM	MS1	94	%REC				1	D1J020194-001S	1277386
STLDEN			01D1509		STRONTIUM	MD1	92	%REC				1	D1J020194-001D	1277386
STLDEN			01D1509		THALLIUM	MS1	95	%REC				1	D1J020194-001S	1277386
STLDEN			01D1509		THALLIUM	MD1	94	%REC				1	D1J020194-001D	1277386
STLDEN			01D1509		TIN	MS1	96	%REC				1	D1J020194-001S	1277386
STLDEN			01D1509		TIN	MD1	95	%REC				1	D1J020194-001D	1277386
STLDEN			01D1509		URANIUM, TOTAL	MS1	101	%REC				1	D1J020194-001S	1277386
STLDEN			01D1509		URANIUM, TOTAL	MD1	100	%REC				1	D1J020194-001D	1277386
STLDEN			01D1509		VANADIUM	MS1	101	%REC				1	D1J020194-001S	1277386
STLDEN			01D1509		VANADIUM	MD1	99	%REC				1	D1J020194-001D	1277386
STLDEN			01D1509		ZINC	MS1	95	%REC				1	D1J020194-001S	1277386
STLDEN			01D1509		ZINC	MD1	93	%REC				1	D1J020194-001D	1277386
Water Quality Parameters (WQPs)														
ACCU			01D1153		Alkalinity,Total as CaCO3	MS1	95	%REC		1	5		01-A14785S	990080601
ACCU			01D1153		Alkalinity,Total as CaCO3	MS1	98	%REC		1	5		01-A15637S	1386080901
ACCU			01D1417		Alkalinity,Total as CaCO3	MS1	94	%REC				1	G01090023-07AMS	ALK091501A
ACCU			01D1153		CHLORIDE	MS1	92	%REC		1	0.5		01-A15222S	1654082001
ACCU	07391	8/23/01	01D1311	01D1311-023.007	CHLORIDE	MS1	101	%REC					G0108336-08A	
ACCU	90399	8/27/01	01D1352	01D1352-004.005	CHLORIDE	MS1	103	%REC		1		5	G01080380-01AMS	RIC091701A
ACCU	01097	8/29/01	01D1352	01D1352-012.007	CHLORIDE	MS1	105	%REC		1		1	G01080460-09AMS	ANION083101A
ACCU	01097	8/29/01	01D1375	01D1352-012.007	CHLORIDE	MS1	105	%REC		1		1	G01080460-09AMS	ANION083101A
ACCU	30900	8/28/01	01D1375	01D1375-001.009	CHLORIDE	MS1	107	%REC		1		1	G01080420-03ADMS	ANION082901B
ACCU	01497	9/4/01	01D1417	01D1417-007.007	CHLORIDE	MS1	106	%REC				1	G01090051-03AMS	ANION090601B
ACCU	02097	9/6/01	01D1417	01D1417-012.007	CHLORIDE	MS1	99.2	%REC				1	G01090152-03AMS	ICF092501A
ACCU	13091	9/25/01	01D1509	01D1509-004.006	CHLORIDE	MS1	112	%REC		V1		1	G01090525-02A-MS	ICR100201A
STLDEN			01D1108	01D1108-008.007	CYANIDE	MS1	98	%REC					D1G190283-043S	1208303
STLDEN			01D1108	01D1108-008.007	CYANIDE	MD1	102	%REC					D1G190283-043D	1208303
STLDEN	40299	7/23/01	01D1116	01D1116-004.007	CYANIDE	MD1	98	%REC				1	D1G240209-025D	1213250
STLDEN	40299	7/23/01	01D1116	01D1116-004.007	CYANIDE	MS1	100	%REC				1	D1G240209-025S	1213250
STLDEN	10498	7/24/01	01D1138	01D1138-001.007	CYANIDE	MD1	99	%REC		1		1	D1G270304-007D	1215325
STLDEN	10498	7/24/01	01D1138	01D1138-001.007	CYANIDE	MS1	99	%REC		1		1	D1G270304-007S	1215325
ACCU			01D1169		CYANIDE	MS1	102	%REC		1	0.005		01-A15217S	632080401
ACCU	10198	8/6/01	01D1211	01D1211-010.001	CYANIDE	MS1	100	%REC		1		1	G01080006-03AMS	1
ACCU	40399	8/13/01	01D1234	01D1234-006.007	CYANIDE	MS1	88.9	%REC		1		1	G01080173-06AMS	2
ACCU	10098	8/30/01	01D1417	01D1417-002.001	CYANIDE	MS1	100	%REC				1	G01090008-03AMS	CNT091001A
STLDEN			01D1057		FLUORIDE	MS1	98	%REC	B	1		1	D1G170166-002S	1213189
STLDEN			01D1057		FLUORIDE	MD1	97	%REC	B	1		1	D1G170166-002D	1213189
STLDEN	10394	7/16/01	01D1075	01D1075-001.006	FLUORIDE	MS1	104	%REC		1		1	D1G170284-006S	1222261
STLDEN	10394	7/16/01	01D1075	01D1075-001.006	FLUORIDE	MD1	105	%REC		1		1	D1G170284-006D	1222261
STLDEN			01D1108		FLUORIDE	MD1	105	%REC		1		1	D1H150288-001D	1215190
STLDEN			01D1108		FLUORIDE	MS1	104	%REC		1		1	D1H150288-001S	1215190
STLDEN			01D1116		FLUORIDE	MS1	106	%REC				1	D1H100137-001S	1219403
STLDEN			01D1116		FLUORIDE	MD1	106	%REC				1	D1H100137-001D	1219403
STLDEN			01D1138		FLUORIDE	MD1	106	%REC		1		1	D1H100137-001D	1219403
STLDEN			01D1138		FLUORIDE	MS1	106	%REC		1		1	D1H100137-001S	1219403
ACCU			01D1169		FLUORIDE	MS1	102	%REC		1	0.05		01-A13659S	865080601
ACCU	0386	8/2/01	01D1211	01D1211-001.006	FLUORIDE	MS1	99	%REC		1		1	G01080006-02AMS	IC300090501A

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

133

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu tion	Lab Sample #	Lab Batch #
ACCU	41691	8/30/01	01D1417	01D1417-004.006	FLUORIDE	MS1	95	%REC				1	G01090008-06AMS	IC091801A
ACCU	41591	9/10/01	01D1448	01D1448-001.006	FLUORIDE	MS1	92.1	%REC				10	G01090256-02AMS	ICF100401A
ACCU			01D1153		NITRATE	MS1	93	%REC		1	0.05		01-A15092S	769080201
ACCU	90099	8/22/01	01D1311	01D1311-014.006	NITRATE	MS1	75	%REC		1		1	G01080311-13AMS	ICR092401A
ACCU	11791	8/22/01	01D1311	01D1311-011.004	NITRATE	MS1	86.2	%REC		1		5	G01080311-03AMS	RIC091701C
ACCU	01097	8/29/01	01D1352	01D1352-012.007	NITRATE	MS1	98.2	%REC		1		1	G01080460-09AMS	N03(300)083101B
ACCU	30900	8/28/01	01D1352	01D1375-001.009	NITRATE	MS1	84.2	%REC		1		1	G01080420-03AMS	620
ACCU	01097	8/29/01	01D1375	01D1352-012.007	NITRATE	MS1	98.2	%REC		1		1	G01080460-09AMS	N03(300)083101B
ACCU	30900	8/28/01	01D1375	01D1375-001.009	NITRATE	MS1	84.2	%REC		1		1	G01080420-03AMS	620
ACCU	01497	9/4/01	01D1417	01D1417-007.007	NITRATE	MS1	88.4	%REC				10	G01090051-03AMS	587
ACCU	02097	9/6/01	01D1417	01D1417-012.007	NITRATE	MS1	85.1	%REC				10	G01090152-03AMS	607
ACCU	13091	9/25/01	01D1509	01D1509-004.006	NITRATE	MS1	104	%REC		V1		1	G01090525-02AMS	1131
STLDEN	5887	7/12/01	01D1057	01D1057-004.005	NITRATE/NITRITE	MS1	93	%REC		1		1	D1G130330-019S	1215238
STLDEN	5887	7/12/01	01D1057	01D1057-004.005	NITRATE/NITRITE	MD1	90	%REC		1		1	D1G130330-019D	1215238
STLDEN			01D1075		NITRATE/NITRITE	MD1	122	%REC		1		1	D1H100137-001D	1218499
STLDEN			01D1075		NITRATE/NITRITE	MS1	125	%REC		1		1	D1H100137-001S	1218499
STLDEN			01D1108		NITRATE/NITRITE	MD2	97	%REC		1		1	D1H150288-001D	1221396
STLDEN			01D1108		NITRATE/NITRITE	MS2	100	%REC		1		1	D1H150288-001S	1221396
STLDEN			01D1108		NITRATE/NITRITE	MD1	101	%REC		1		1	D1H010326-012D	1220276
STLDEN			01D1108		NITRATE/NITRITE	MS1	101	%REC		1		1	D1H010326-012S	1220276
STLDEN			01D1116		NITRATE/NITRITE	MS1	100	%REC				1	D1H270126-001S	1226534
STLDEN			01D1116		NITRATE/NITRITE	MD1	101	%REC				1	D1H270126-001D	1226534
STLDEN	10598	7/24/01	01D1138	01D1138-002.002	NITRATE/NITRITE	MS1	98	%REC		1		1	D1G270304-009S	1228237
STLDEN	10598	7/24/01	01D1138	01D1138-002.002	NITRATE/NITRITE	MD1	96	%REC		1		1	D1G270304-009D	1228237
STLDEN			01D1138		NITRATE/NITRITE	MD1	90	%REC		1		1	D1H020206-003D	1229251
STLDEN			01D1138		NITRATE/NITRITE	MS1	92	%REC		1		1	D1H020206-003S	1229251
ACCU			01D1169		NITRATE/NITRITE	MS1	100	%REC		1	0.05		01-A15225S	696080301
ACCU	0386	8/2/01	01D1211	01D1211-001.005	NITRATE/NITRITE	MS1	102	%REC		1		2	G01080006-01AMS	NO3081001A
ACCU	03991	8/7/01	01D1211	01D1211-003.005	NITRATE/NITRITE	MS1	104	%REC		1		5	G01080064-03AMS	NO3+081901D
ACCU			01D1211		NITRATE/NITRITE	MS1	110	%REC		1		5	G01080114-03AMS	NO3+081901D
ACCU	03991	8/7/01	01D1234	01D1211-003.005	NITRATE/NITRITE	MS1	104	%REC		1		5	G01080064-03AMS	NO3+081901D
ACCU	05091	8/13/01	01D1234	01D1234-010.005	NITRATE/NITRITE	MS1	113	%REC		1		5	G01080173-16AMS	NO3+081901E
ACCU	70099	8/14/01	01D1234	01D1234-021.001	NITRATE/NITRITE	MS1	103	%REC		1		5	G01080173-42AMS	NO3+081901E
ACCU			01D1234		NITRATE/NITRITE	MS1	110	%REC		1		5	G01080114-03AMS	NO3+081901D
ACCU	10298	8/23/01	01D1311	01D1311-002.001	NITRATE/NITRITE	MS1	111	%REC		1		10	G01080336-03AMS	NO2NO3010825G
ACCU	05391	8/16/01	01D1311	01D1311-006.005	NITRATE/NITRITE	MS1	108	%REC		V1		5	G01080225-03AMS	NO2NO3010825B
ACCU	37601	8/21/01	01D1311	01D1311-018.001	NITRATE/NITRITE	MS1	112	%REC		1		5	G01080311-15AMS	NO2NO3010825D
ACCU	12691	8/24/01	01D1352	01D1352-002.005	NITRATE/NITRITE	MS1	103	%REC		1		1	G01080364-03AMS	NO2NO3-090201F
ACCU	P313589	8/30/01	01D1417	01D1417-001.004	NITRATE/NITRITE	MS1	99	%REC				2	G01090008-01AMS	NON092101A
ACCU	04991	9/7/01	01D1417	01D1448-005.004	NITRATE/NITRITE	MS1	100	%REC				10	G01090256-07AMS	NON092101A
ACCU	P313589	8/30/01	01D1448	01D1417-001.004	NITRATE/NITRITE	MS1	99	%REC				2	G01090008-01AMS	NON092101A
ACCU	04991	9/7/01	01D1448	01D1448-005.004	NITRATE/NITRITE	MS1	100	%REC				10	G01090256-07AMS	NON092101A
STLDEN	10098	9/13/01	01D1495	01D1495-002.001	NITRATE/NITRITE	MS1	84	%REC	N	1		1	D1I200236-003S	1279153
STLDEN	10098	9/13/01	01D1495	01D1495-002.001	NITRATE/NITRITE	MD1	83	%REC	N	1		1	D1I200236-003D	1279153
STLDEN	40999	9/24/01	01D1509	01D1509-003.002	NITRATE/NITRITE	MS1	118	%REC	N			1	D1I270184-001S	1294107
STLDEN	40999	9/24/01	01D1509	01D1509-003.002	NITRATE/NITRITE	MD1	117	%REC	N			1	D1I270184-001D	1294107
STLDEN			01D1509		NITRATE/NITRITE	MS1	92	%REC				1	D1J050274-004S	1287131
STLDEN			01D1509		NITRATE/NITRITE	MD1	91	%REC				1	D1J050274-004D	1287131
STLDEN			01D1057		SULFATE	MD1	93	%REC		1		1	D1G170166-002D	1213190
STLDEN			01D1057		SULFATE	MS1	95	%REC		1		1	D1G170166-002S	1213190
STLDEN			01D1057		SULFATE	MD1	104	%REC		1		1	D1G260180-001D	1214093
STLDEN			01D1057		SULFATE	MS1	104	%REC		1		1	D1G260180-001S	1214093
STLDEN			01D1075		SULFATE	MD1	110	%REC		1		1	D1H100137-001D	1222262
STLDEN			01D1075		SULFATE	MS1	109	%REC		1		1	D1H100137-001S	1222262

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

Table 7-4
Matrix Spike Recovery For Dissolved Gas - VOC - Metal - WQP Samples
Groundwater - Third Quarter, 2001

Lab	Location	Sample Date	RIN	Bottle #	Analyte	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Lab Sample #	Lab Batch #
STLDEN			01D1108		SULFATE	MS1	109	%REC					D1H020237-001S	1215194
STLDEN			01D1108		SULFATE	MD1	110	%REC					D1H020237-001D	1215194
STLDEN			01D1116		SULFATE	MS1	99	%REC				1	D1H270126-001S	1219404
STLDEN			01D1116		SULFATE	MD1	100	%REC				1	D1H270126-001D	1219404
STLDEN			01D1138		SULFATE	MS1	99	%REC		1		1	D1H270126-001S	1219404
STLDEN			01D1138		SULFATE	MD1	100	%REC		1		1	D1H270126-001D	1219404
ACCU			01D1153		SULFATE	MS1	106	%REC		1	1		01-A15222S	1654082001
ACCU			01D1153		SULFATE	MS1	99	%REC		1	1		01-A15092S	1783082401
ACCU			01D1169		SULFATE	MS1	105	%REC		1	1		01-A13659S	1268080801
ACCU			01D1169		SULFATE	MS1	107	%REC		1	1		01-A15222S	1654082001
ACCU	0386	8/2/01	01D1211	01D1211-001.006	SULFATE	MS1	102	%REC		1		1	G01080006-02AMS	ANION082901A
ACCU	07391	8/23/01	01D1234	01D1311-023.007	SULFATE	MS1	97.8	%REC		1		25	G01080336-08AMS	IC091101A
ACCU	0487	8/13/01	01D1234	01D1234-011.006	SULFATE	MS1	99.4	%REC		1		10	G01080173-19AMS	IC091101A
ACCU	07391	8/23/01	01D1311	01D1311-023.007	SULFATE	MS1	97.8	%REC		1		25	G01080336-08AMS	IC091101A
ACCU	0487	8/13/01	01D1311	01D1234-011.006	SULFATE	MS1	99.4	%REC		1		10	G01080173-19AMS	IC091101A
ACCU	90399	8/27/01	01D1352	01D1352-004.005	SULFATE	MS1	98.6	%REC		1		5	G01080380-01AMS	RIC091701A
ACCU	01097	8/29/01	01D1352	01D1352-012.007	SULFATE	MS1	102	%REC		1		1	G01080460-09AMS	ANION083101A
ACCU	01097	8/29/01	01D1375	01D1352-012.007	SULFATE	MS1	102	%REC		1		1	G01080460-09AMS	ANION083101A
ACCU	30900	8/28/01	01D1375	01D1375-001.009	SULFATE	MS1	106	%REC		1		1	G01080420-03ADMS	ANION082901B
ACCU	41691	8/30/01	01D1417	01D1417-004.006	SULFATE	MS1	103	%REC				2	G01090008-06AMS	RAPIC092101A
ACCU	01497	9/4/01	01D1417	01D1417-007.007	SULFATE	MS1	103	%REC				1	G01090051-03AMS	ANION090601B
ACCU	02097	9/6/01	01D1417	01D1417-012.007	SULFATE	MS1	98.4	%REC				1	G01090152-03AMS	ICF092501A
ACCU	41591	9/10/01	01D1448	01D1448-001.006	SULFATE	MS1	87.9	%REC				10	G01090256-02AMS	ICF100401A
ACCU	13091	9/25/01	01D1509	01D1509-004.006	SULFATE	MS1	97.6	%REC		V1		1	G01090525-02A-MS	ICR100201A
ACCU			01D1153		SULFIDE	MS1	65	%REC	N	1	0.002		01-A15094S	514080201
ACCU	11791	8/22/01	01D1311	01D1311-011.005	SULFIDE	MS1	85	%REC		1		1	G01080311-04AMS	441
ACCU	11791	8/22/01	01D1352	01D1311-011.005	SULFIDE	MS1	85	%REC		1		1	G01080311-04AMS	441
ACCU	01097	8/29/01	01D1352	01D1352-012.006	SULFIDE	MS1	30	%REC	N	1		1	G01080460-08AMS	508
ACCU	01097	8/29/01	01D1375	01D1352-012.006	SULFIDE	MS1	30	%REC	N			1	G01080460-08AMS	508
ACCU	01497	9/4/01	01D1417	01D1417-007.006	SULFIDE	MS1	47.5	%REC	N			1	G01090051-02AMS	641
ACCU	13091	9/25/01	01D1509	01D1509-004.005	SULFIDE	MS1	100	%REC		V1		1	G01090525-01AMS	965
ACCU			01D1153		TOTAL ORG. CARBON	MS1	106	%REC		1	1		01-A15108S	385080101
ACCU	11791	8/22/01	01D1311	01D1311-011.006	TOTAL ORG. CARBON	MS1	94.2	%REC		1		1	G01080321-01AMS	TOC082701A
ACCU	90399	8/27/01	01D1352	01D1352-004.008	TOTAL ORG. CARBON	MS1	109	%REC		1		1	G01080383-01AMS	TOC090501A
ACCU	90399	8/27/01	01D1375	01D1352-004.008	TOTAL ORG. CARBON	MS1	109	%REC				1	G01080383-01AMS	TOC090501A
ACCU	01497	9/4/01	01D1417	01D1417-007.005	TOTAL ORG. CARBON	MS1	110	%REC				1	G01090058-01AMS	TOC9/14/01A
ACCU	13091	9/25/01	01D1509	01D1509-004.004	TOTAL ORG. CARBON	MS1	120	%REC		1		1	G01090523-01AMS	TC4101501

MS1 = Matrix Spike
MD1 = Matrix Spike Duplicate

Table 7-5
Lab Control Sample Recovery For Radionuclides
Groundwater - Third Quarter, 2001

Lab	RIN	Analyte	Result Type	LCS Yield Fraction	LCS Units	Result	2 Sigma Error	Detect Limit	Result Units	Lab Qual	Test Method	Lab Sample #	Lab Batch #
ACCU	01D1057	AMERICIUM-241	LC1	88	%REC	1.571	0.262	0.025	PCI/L		ALPHA SPEC	9822082301LCS	9822082301
ACCU	01D1075	AMERICIUM-241	LC1	88	%REC	1.571	0.262	0.025	PCI/L		ALPHA SPEC	9822082301LCS	9822082301
ACCU	01D1108	AMERICIUM-241	LC1	88	%REC	1.571	0.262	0.025	PCI/L		ALPHA SPEC	9822082301LCS	9822082301
ACCU	01D1116	AMERICIUM-241	LC1	88	%REC	1.571	0.262	0.025	PCI/L		ALPHA SPEC	9822082301LCS	9822082301
GEL	01D1138	AMERICIUM-241	LC1	103	%REC		0.333	0.017	PCI/L		ALPHA SPEC	1200067745	104088
GEL	01D1169	AMERICIUM-241	LC1	103	%REC		0.333	0.017	PCI/L		ALPHA SPEC	1200067745	104088
ACCU	01D1211	AMERICIUM-241	LC1	89	%REC	1.33	0.22	0.027	PCI/L		ALPHA SPEC	AS00037LCS1	AS00037
ACCU	01D1211	AMERICIUM-241	LC1	91	%REC	1.37	0.22	0.023	PCI/L		ALPHA SPEC	AS00027LCS1	AS00027
ACCU	01D1234	AMERICIUM-241	LC1	91	%REC	1.37	0.22	0.025	PCI/L		ALPHA SPEC	AS00027LCS1	AS00027
SCA	01D1311	AMERICIUM-241	LC1	89.6	%REC	1.93	0.435	0.006	PCI/L		ALPHA SPEC	SCAQC-2541-LC1	2541
ACCU	01D1352	AMERICIUM-241	LC1	96	%REC	1.15	0.19	0.025	PCI/L		ALPHA SPEC	AS00043LCS1	AS00043
ACCU	01D1417	AMERICIUM-241	LC1	96	%REC	1.15	0.19	0.025	PCI/L		ALPHA SPEC	AS00043LCS1	AS00043
ACCU	01D1448	AMERICIUM-241	LC1	90	%REC	1.08	0.19	0.025	PCI/L		ALPHA SPEC	AS00127LCS1	AS00127
GEL	01D1495	AMERICIUM-241	LC1	101	%REC		0.392	0.022	PCI/L		ALPHA SPEC	1200091630	113589
ACCU	01D1075	CESIUM-137	LC1	102	%REC	42200	1141	480	PCI/L		GAMMA SPEC	1761081601LCS	1761081601
ACCU	01D1075	CESIUM-137	LC2	104	%REC	43260	1153	452	PCI/L		GAMMA SPEC	1761081601LCSD	1761081601
GEL	01D1138	CESIUM-137	LC1	104	%REC		47.8	5.67	PCI/L		GAMMA SPEC	1200066296	103517
GEL	01D1169	CESIUM-137	LC1	104	%REC		47.8	5.67	PCI/L		GAMMA SPEC	1200066296	103517
ACCU	01D1211	CESIUM-137	LC1	108	%REC	39600	6900		PCI/L		GAMMA SPEC	GS00036LCS1	GS00036
ACCU	01D1311	CESIUM-137	LC1	109	%REC	40100	7000		PCI/L		GAMMA SPEC	GS00037LCS1	GS00037
GEL	01D1169	NEPTUNIUM-237	LC1	112	%REC		3.37	0.312	PCI/L		ALPHA SPEC	1200069908	104866
ACCU	01D1448	NEPTUNIUM-237	LC1	79	%REC	1.85	0.34	0.053	PCI/L		ALPHA SPEC	AS00131LCS1	AS00131
ACCU	01D1057	PLUTONIUM-239/240	LC1	91	%REC	1.812	0.296	0.025	PCI/L		ALPHA SPEC	9822082301LCS	9822082301
ACCU	01D1075	PLUTONIUM-239/240	LC1	91	%REC	1.812	0.296	0.025	PCI/L		ALPHA SPEC	9822082301LCS	9822082301
ACCU	01D1108	PLUTONIUM-239/240	LC1	91	%REC	1.812	0.296	0.025	PCI/L		ALPHA SPEC	9822082301LCS	9822082301
ACCU	01D1116	PLUTONIUM-239/240	LC1	91	%REC	1.812	0.296	0.025	PCI/L		ALPHA SPEC	9822082301LCS	9822082301
GEL	01D1138	PLUTONIUM-239/240	LC1	83	%REC		0.279	0.021	PCI/L		ALPHA SPEC	1200067748	104089
GEL	01D1169	PLUTONIUM-239/240	LC1	83	%REC		0.279	0.021	PCI/L		ALPHA SPEC	1200067748	104089
ACCU	01D1211	PLUTONIUM-239/240	LC1	104	%REC	1.73	0.28	0.005	PCI/L		ALPHA SPEC	AS00037LCS1	AS00037
ACCU	01D1234	PLUTONIUM-239/240	LC1	106	%REC	1.76	0.28	0.024	PCI/L		ALPHA SPEC	AS00027LCS1	AS00027
SCA	01D1311	PLUTONIUM-239/240	LC1	102	%REC	2.01	0.448	0.006	PCI/L		ALPHA SPEC	SCAQC-2541-LC1	2541
ACCU	01D1352	PLUTONIUM-239/240	LC1	100	%REC	0.001	0.005	0.01	PCI/L	U	ALPHA SPEC	AS00043LCS1	AS00043
ACCU	01D1417	PLUTONIUM-239/240	LC1	100	%REC	0.001	0.005	0.01	PCI/L	U	ALPHA SPEC	AS00043LCS1	AS00043
ACCU	01D1448	PLUTONIUM-239/240	LC1	100	%REC	0	0.007	0.015	PCI/L	U	ALPHA SPEC	AS00127LCS1	AS00127
GEL	01D1495	PLUTONIUM-239/240	LC1	96	%REC		0.303	0.024	PCI/L		ALPHA SPEC	1200091639	113590
ACCU	01D1075	STRONTIUM-89,90	LC1	89	%REC	34.74	1.54	0.68	PCI/L		GAS PROP. COUNT.	1756082201LCS	1756082201
GEL	01D1138	STRONTIUM-89,90	LC1	93	%REC		6.67	0.24	PCI/L		GAS PROP. COUNT.	1200063071	102301
ACCU	01D1234	STRONTIUM-89,90	LC1	85	%REC	33.5	1.3		PCI/L		GAS PROP. COUNT.	GP00052LCS1	GP00052
ACCU	01D1417	STRONTIUM-89,90	LC1	85	%REC	33.5	1.3	0.47	PCI/L		GAS PROP. COUNT.	GP00052LCS1	GP00052
ACCU	01D1417	STRONTIUM-89,90	LC2		%REC	33.4	1.3	0.5	PCI/L		GAS PROP. COUNT.	GP00052LCS1-D1	GP00052
ACCU	01D1448	STRONTIUM-89,90	LC1		%REC	54.65	1.65	0.487	PCI/L		GAS PROP. COUNT.	GP00088LCS1	GP00088
ACCU	01D1057	TRITIUM	LC1	110	%REC	10740	1400	179	PCI/L		LIQUID SCINT. COUNT.	414080101LCS	414080101
ACCU	01D1075	TRITIUM	LC1	110	%REC	10740	1400	179	PCI/L		LIQUID SCINT. COUNT.	414080101LCS	414080101
ACCU	01D1108	TRITIUM	LC1	110	%REC	10740	1400	179	PCI/L		LIQUID SCINT. COUNT.	414080101LCS	414080101
ACCU	01D1116	TRITIUM	LC1	110	%REC	10740	1400	179	PCI/L		LIQUID SCINT. COUNT.	414080101LCS	414080101
GEL	01D1138	TRITIUM	LC1	119	%REC		574	361	PCI/L		LIQUID SCINT. COUNT.	1200069787	104829
GEL	01D1169	TRITIUM	LC1	119	%REC		574	361	PCI/L		LIQUID SCINT. COUNT.	1200069787	104829
ACCU	01D1211	TRITIUM	LC1	97	%REC	9300	1200	180	PCI/L		LIQUID SCINT. COUNT.	LS00013LCS1	LS00013
ACCU	01D1234	TRITIUM	LC1	97	%REC	9300	1200	180	PCI/L		LIQUID SCINT. COUNT.	LS00013LCS1	LS00013
ACCU	01D1417	TRITIUM	LC1	89	%REC	8500	1100	180	PCI/L		LIQUID SCINT. COUNT.	LS00042LCS1	LS00042
ACCU	01D1448	TRITIUM	LC1	89	%REC	8500	1100	180	PCI/L		LIQUID SCINT. COUNT.	LS00042LCS1	LS00042
GEL	01D1495	TRITIUM	LC1	89	%REC		418	266	PCI/L		LIQUID SCINT. COUNT.	1200092123	113730

137

Table 7-5
Lab Control Sample Recovery For Radionuclides
Groundwater - Third Quarter, 2001

Lab	RIN	Analyte	Result Type	LCS Yield Fraction	LCS Units	Result	2 Sigma Error	Detect Limit	Result Units	Lab Qual	Test Method	Lab Sample #	Lab Batch #
ACCU	01D1057	URANIUM-233,-234	LC1	114	%REC	5.85	0.88	0.085	PCI/L		ALPHA SPEC	1597081701LCS	15970817
ACCU	01D1057	URANIUM-233,-234	LC1	113	%REC	5.791	0.95	0.188	PCI/L		ALPHA SPEC	1694082301LCS	1694082301
ACCU	01D1075	URANIUM-233,-234	LC1	114	%REC	5.85	0.88	0.085	PCI/L		ALPHA SPEC	1597081701LCS	1597081701
ACCU	01D1108	URANIUM-233,-234	LC1	114	%REC	5.85	0.88	0.085	PCI/L		ALPHA SPEC	1597081701LCS	15970817
ACCU	01D1116	URANIUM-233,-234	LC1	114	%REC	5.85	0.88	0.085	PCI/L		ALPHA SPEC	1597081701LCS	1597081701
ACCU	01D1211	URANIUM-233,-234	LC1	102	%REC	12.2	1.9	0.096	PCI/L		ALPHA SPEC	AS00038LCS1	AS00038
ACCU	01D1211	URANIUM-233,-234	LC1	95	%REC	11.4	1.8	0.057	PCI/L		ALPHA SPEC	AS00034LCS1	AS00034
ACCU	01D1234	URANIUM-233,-234	LC1		%REC	23.9	3.8	0.34	PCI/L		ALPHA SPEC	AS00028LCS1	AS00028
ACCU	01D1234	URANIUM-233,-234	LC1	95	%REC	11.4	1.8	0.057	PCI/L		ALPHA SPEC	AS00034LCS1	AS00034
ACCU	01D1289	URANIUM-233,-234	LC1	95	%REC	11.4	1.8	0.057	PCI/L		ALPHA SPEC	AS00034LCS1	AS00034
ACCU	01D1311	URANIUM-233,-234	LC1	103	%REC	12.4	1.9	0.07	PCI/L		ALPHA SPEC	AS00042LCS1	AS00042
SCA	01D1311	URANIUM-233,-234	LC1	107	%REC	4.38	1.02	0.033	PCI/L		ALPHA SPEC	SCAQC-2542-LC1	2542
ACCU	01D1417	URANIUM-233,-234	LC1	104	%REC	12.4	1.9	0.07	PCI/L		ALPHA SPEC	AS00042LCS1	AS00042
ACCU	01D1057	URANIUM-235	LC1	103	%REC	5.276	0.874	0.087	PCI/L		ALPHA SPEC	1694082301LCS	16940823
ACCU	01D1057	URANIUM-235	LC1	119	%REC	6.11	0.092	0.015	PCI/L		ALPHA SPEC	1597081701LCS	15970817
ACCU	01D1075	URANIUM-235	LC1	119	%REC	6.11	0.092	0.015	PCI/L		ALPHA SPEC	1597081701LCS	1597081701
ACCU	01D1108	URANIUM-235	LC1	119	%REC	6.11	0.092	0.015	PCI/L		ALPHA SPEC	1597081701LCS	1597081701
ACCU	01D1116	URANIUM-235	LC1	119	%REC	6.11	0.092	0.015	PCI/L		ALPHA SPEC	1597081701LCS	15970817
ACCU	01D1211	URANIUM-235	LC1	100	%REC	0.44	0.12	0.045	PCI/L		ALPHA SPEC	AS00034LCS1	AS00034
ACCU	01D1211	URANIUM-235	LC1		%REC	0.5	0.14	0.02	PCI/L		ALPHA SPEC	AS00038LCS1	AS00038
ACCU	01D1234	URANIUM-235	LC1	100	%REC	1.21	0.32	0.14	PCI/L		ALPHA SPEC	AS00028LCS1	AS00028
ACCU	01D1234	URANIUM-235	LC1	100	%REC	0.44	0.12	0.045	PCI/L	J	ALPHA SPEC	AS00034LCS1	AS00034
ACCU	01D1289	URANIUM-235	LC1	100	%REC	0.44	0.12	0.045	PCI/L	J	ALPHA SPEC	AS00034LCS1	AS00034
ACCU	01D1311	URANIUM-235	LC1	100	%REC	0.43	0.12	0.064	PCI/L	J	ALPHA SPEC	AS00042LCS1	AS00042
ACCU	01D1352	URANIUM-235	LC1	100	%REC	0.43	0.12	0.064	PCI/L	J	ALPHA SPEC	AS00042LCS1	AS00042
ACCU	01D1417	URANIUM-235	LC1	100	%REC	0.43	0.12	0.064	PCI/L	J	ALPHA SPEC	AS00042LCS1	AS00042
ACCU	01D1448	URANIUM-235	LC1	100	%REC	0.74	0.19	0.021	PCI/L	J	ALPHA SPEC	AS00109LCS1	AS00109
GEL	01D1138	URANIUM-238	LC1	89	%REC		2.04	0.186	PCI/L		ALPHA SPEC	1200067763	104097
GEL	01D1169	URANIUM-238	LC1	89	%REC		2.04	0.186	PCI/L		ALPHA SPEC	1200067763	104097
ACCU	01D1211	URANIUM-238	LC1	101	%REC	12	1.9	0.054	PCI/L		ALPHA SPEC	AS00038LCS1	AS00038
ACCU	01D1211	URANIUM-238	LC1	96	%REC	11.5	1.8	0.066	PCI/L		ALPHA SPEC	AS00034LCS1	AS00034
ACCU	01D1234	URANIUM-238	LC1	106	%REC	25.4	4	0.04	PCI/L		ALPHA SPEC	AS00028LCS1	AS00028
ACCU	01D1234	URANIUM-238	LC1	96	%REC	11.5	1.8	0.066	PCI/L		ALPHA SPEC	AS00034LCS1	AS00034
ACCU	01D1289	URANIUM-238	LC1	96	%REC	11.5	1.8	0.066	PCI/L		ALPHA SPEC	AS00034LCS1	AS00034
ACCU	01D1311	URANIUM-238	LC1	101	%REC	12.1	1.8	0.049	PCI/L		ALPHA SPEC	AS00042LCS1	AS00042
SCA	01D1311	URANIUM-238	LC1	124	%REC	5.07	1.17	0.019	PCI/L		ALPHA SPEC	SCAQC-2542-LC1	2542
ACCU	01D1352	URANIUM-238	LC1	101	%REC	12.1	1.8	0.049	PCI/L		ALPHA SPEC	AS00042LCS1	AS00042
ACCU	01D1417	URANIUM-238	LC1	101	%REC	12.1	1.8	0.049	PCI/L		ALPHA SPEC	AS00042LCS1	AS00042
ACCU	01D1448	URANIUM-238	LC1	100	%REC	12	1.9	0.021	PCI/L		ALPHA SPEC	AS00109LCS1	AS0010
GEL	01D1495	URANIUM-238	LC1	86	%REC		1.7	0.117	PCI/L		ALPHA SPEC	1200091676	113604

138

Table 7-6
Equipment Rinsate and Field Blank Results
Groundwater - Third Quarter, 2001

Location	Sample Date	Analyte	GW Sample #	Result	Tier II	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion
Radionuclides										
03991	8/7/01	AMERICIUM-241	GW07633RG	0.004	0.145	PCI/L	U	V1	0.022	
12691	8/24/01	AMERICIUM-241	GW07656RG	0.001	0.145	PCI/L	U	V1	0.022	
37201	8/10/01	AMERICIUM-241	GW07683RG	0.004	0.145	PCI/L	U	V1	0.026	
P209389	7/24/01	AMERICIUM-241	GW07671RG	0.0153	0.145	PCI/L	U	V	0.0211	
03991	8/7/01	PLUTONIUM-239/240	GW07633RG	0	0.151	PCI/L	U	V1	0.013	
12691	8/24/01	PLUTONIUM-239/240	GW07656RG	-0.0041	0.151	PCI/L	U	V1	0.017	
37201	8/10/01	PLUTONIUM-239/240	GW07683RG	-0.0033	0.151	PCI/L	U	J1	0.022	
P209389	7/24/01	PLUTONIUM-239/240	GW07671RG	0.0089	0.151	PCI/L	U	V	0.0169	
00597	7/19/01	URANIUM-233,-234	GW07627RG	0.05	1.06	PCI/L		V1	0.052	
03991	8/7/01	URANIUM-233,-234	GW07633RG	0.011	1.06	PCI/L	U	V1	0.039	
12691	8/24/01	URANIUM-233,-234	GW07656RG	0.039	1.06	PCI/L	J	V1	0.036	
37201	8/10/01	URANIUM-233,-234	GW07683RG	0.087	1.06	PCI/L	U	V1	0.18	
40299	7/23/01	URANIUM-233,-234	GW07741RG	0.048	1.06	PCI/L		V1	0.057	
P209389	7/23/01	URANIUM-233,-234	GW07671RG	0.242	1.06	PCI/L	U	V	0.303	
00597	7/19/01	URANIUM-235	GW07627RG	0.006	1.01	PCI/L		V1	0.041	
03991	8/7/01	URANIUM-235	GW07633RG	0.016	1.01	PCI/L	J	V1	0.014	
12691	8/24/01	URANIUM-235	GW07656RG	0.005	1.01	PCI/L	U	V1	0.036	
37201	8/10/01	URANIUM-235	GW07683RG	0.043	1.01	PCI/L	U	V1	0.16	
40299	7/23/01	URANIUM-235	GW07741RG	0.021	1.01	PCI/L		V1	0.014	
P209389	7/23/01	URANIUM-235	GW07671RG	0.101	1.01	PCI/L	U	V	0.215	
00597	7/19/01	URANIUM-238	GW07627RG	0.017	0.768	PCI/L		V1	0.041	
03991	8/7/01	URANIUM-238	GW07633RG	0.011	0.768	PCI/L	U	V1	0.049	
12691	8/24/01	URANIUM-238	GW07656RG	-0.005	0.768	PCI/L	U	V1	0.045	
37201	8/10/01	URANIUM-238	GW07683RG	0.022	0.768	PCI/L	U	V1	0.11	
40299	7/23/01	URANIUM-238	GW07741RG	0.037	0.768	PCI/L		V1	0.014	
P209389	7/23/01	URANIUM-238	GW07671RG	0.0086	0.768	PCI/L	U	V	0.214	
P209389	7/23/01	STRONTIUM-89,90	GW07671RG	0.162	0.852	PCI/L	U	V1	0.306	
00597	7/19/01	TRITIUM	GW07627RG	23	666	PCI/L		V1	179	
40299	7/23/01	TRITIUM	GW07741RG	18	666	PCI/L		V1	179	
P209389	7/23/01	TRITIUM	GW07671RG	-268	666	PCI/L	U	V1	359	
Dissolved Gasses and Volatile Organic Compounds (VOCs)										
90099	8/22/01	ETHANE	GW07718RG	2		UG/L	U		2	1
90099	8/22/01	ETHENE	GW07718RG	2		UG/L	U		2	1
90099	8/22/01	METHANE	GW07718RG	1		UG/L	U		1	1
00597	7/19/01	1,1,1,2-TETRACHLOROETHANE	GW07627RG	1		UG/L	U	V	0.22	1
00597	7/19/01	1,1,1-TRICHLOROETHANE	GW07627RG	1	200	UG/L	U	V	0.26	1
00597	7/19/01	1,1,2,2-TETRACHLOROETHANE	GW07627RG	1	0.426	UG/L	U	V	0.31	1
00597	7/19/01	1,1,2-TRICHLOROETHANE	GW07627RG	1	5	UG/L	U	V	0.39	1
00597	7/19/01	1,1,2-TRICHLOROTRIFLUOROETHANE	GW07627RG	1		UG/L	U	V	0.21	1
00597	7/19/01	1,1-DICHLOROETHANE	GW07627RG	1	3650	UG/L	U	V	0.17	1
00597	7/19/01	1,1-DICHLOROETHENE	GW07627RG	1	7	UG/L	U	V	0.2	1
00597	7/19/01	1,1-DICHLOROPROPENE	GW07627RG	1		UG/L	U	V	0.22	1
00597	7/19/01	1,2,3-TRICHLOROBENZENE	GW07627RG	1		UG/L	U	UJ	0.16	1
00597	7/19/01	1,2,3-TRICHLOROPROPANE	GW07627RG	1		UG/L	U	V	0.29	1
00597	7/19/01	1,2,4-TRICHLOROBENZENE	GW07627RG	1	70	UG/L	U	UJ	0.2	1
00597	7/19/01	1,2-DIBROMOETHANE	GW07627RG	1		UG/L	U	V	0.36	1
00597	7/19/01	1,2-DICHLOROBENZENE	GW07627RG	1	600	UG/L	U	UJ	0.24	1
00597	7/19/01	1,2-DICHLOROETHANE	GW07627RG	1	5	UG/L	U	V	0.28	1
00597	7/19/01	1,2-DICHLOROPROPANE	GW07627RG	1	5	UG/L	U	V	0.21	1
00597	7/19/01	1,3-DICHLOROBENZENE	GW07627RG	1	600	UG/L	U	UJ	0.26	1
00597	7/19/01	1,3-DICHLOROPROPANE	GW07627RG	1		UG/L	U	V	0.26	1
00597	7/19/01	1,4-DICHLOROBENZENE	GW07627RG	1	75	UG/L	U	UJ	0.24	1
00597	7/19/01	2,2-DICHLOROPROPANE	GW07627RG	1		UG/L	U	V	0.21	1

139

Table 7-6
Equipment Rinsate and Field Blank Results
Groundwater - Third Quarter, 2001

Location	Sample Date	Analyte	GW Sample #	Result	Tier II	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion
00597	7/19/01	2-BUTANONE	GW07627RG	5	21900	UG/L	U	V	0.93	1
00597	7/19/01	2-HEXANONE	GW07627RG	5		UG/L	U	V	0.7	1
00597	7/19/01	4-ISOPROPYLTOLUENE	GW07627RG	1		UG/L	U	UJ	0.3	1
00597	7/19/01	4-METHYL-2-PENTANONE	GW07627RG	5	2920	UG/L	U	V	0.79	1
00597	7/19/01	ACETONE	GW07627RG	10	3650	UG/L	U	V	1.9	1
00597	7/19/01	BENZENE	GW07627RG	1	5	UG/L	U	UJ	0.21	1
00597	7/19/01	BENZENE, 1,2,4-TRIMETHYL	GW07627RG	1		UG/L	U	UJ	0.22	1
00597	7/19/01	BENZENE, 1,3,5-TRIMETHYL-	GW07627RG	1		UG/L	U	UJ	0.29	1
00597	7/19/01	BROMOBENZENE	GW07627RG	1		UG/L	U	UJ	0.24	1
00597	7/19/01	BROMOCHLOROMETHANE	GW07627RG	1		UG/L	U	V	0.21	1
00597	7/19/01	BROMODICHLOROMETHANE	GW07627RG	1	100	UG/L	U	V	0.22	1
00597	7/19/01	BROMOFORM	GW07627RG	1	100	UG/L	U	V	0.32	1
00597	7/19/01	BROMOMETHANE	GW07627RG	1	51.1	UG/L	U	V	0.3	1
00597	7/19/01	CARBON DISULFIDE	GW07627RG	1	3650	UG/L	U	V	0.19	1
00597	7/19/01	CARBON TETRACHLORIDE	GW07627RG	1	5	UG/L	U	V	0.19	1
00597	7/19/01	CHLOROBENZENE	GW07627RG	1	100	UG/L	U	UJ	0.3	1
00597	7/19/01	CHLOROETHANE	GW07627RG	1	29.4	UG/L	U	V	0.25	1
00597	7/19/01	CHLOROFORM	GW07627RG	1	100	UG/L	U	V	0.23	1
00597	7/19/01	CHLOROMETHANE	GW07627RG	1.1	6.55	UG/L		V	0.3	1
00597	7/19/01	cis-1,2-DICHLOROETHENE	GW07627RG	1	70	UG/L	U	V	0.26	1
00597	7/19/01	cis-1,3-DICHLOROPROPENE	GW07627RG	1	0.473	UG/L	U	V	0.28	1
00597	7/19/01	DIBROMOCHLOROMETHANE	GW07627RG	1	1.01	UG/L	U	V	0.38	1
00597	7/19/01	DIBROMOMETHANE	GW07627RG	1		UG/L	U	V	0.44	1
00597	7/19/01	DICHLORODIFLUOROMETHANE	GW07627RG	1		UG/L	U	V	0.23	1
00597	7/19/01	ETHYLBENZENE	GW07627RG	1	700	UG/L	U	UJ	0.28	1
00597	7/19/01	HEXACHLOROBUTADIENE	GW07627RG	1	1.09	UG/L	U	V	0.29	1
00597	7/19/01	ISOPROPYLBENZENE	GW07627RG	1		UG/L	U	UJ	0.31	1
00597	7/19/01	METHYLENE CHLORIDE	GW07627RG	1	5	UG/L	U	V	0.89	1
00597	7/19/01	NAPHTHALENE	GW07627RG	1	1460	UG/L	U	UJ	0.15	1
00597	7/19/01	n-BUTYLBENZENE	GW07627RG	1		UG/L	U	UJ	0.26	1
00597	7/19/01	n-PROPYLBENZENE	GW07627RG	1		UG/L	U	UJ	0.23	1
00597	7/19/01	o-CHLOROTOLUENE	GW07627RG	1		UG/L	U	UJ	0.31	1
00597	7/19/01	p-CHLOROTOLUENE	GW07627RG	1		UG/L	U	UJ	0.25	1
00597	7/19/01	PROPANE, 1,2-DIBROMO-3-CHLORO-	GW07627RG	1	0.2	UG/L	U	V	0.25	1
00597	7/19/01	sec-BUTYLBENZENE	GW07627RG	1		UG/L	U	UJ	0.26	1
00597	7/19/01	STYRENE	GW07627RG	1	100	UG/L	U	UJ	0.27	1
00597	7/19/01	tert-BUTYLBENZENE	GW07627RG	1		UG/L	U	UJ	0.29	1
00597	7/19/01	TETRACHLOROETHENE	GW07627RG	1	5	UG/L	U	V	0.36	1
00597	7/19/01	TOLUENE	GW07627RG	1	1000	UG/L	U	UJ	0.29	1
00597	7/19/01	TOTAL XYLENES	GW07627RG	1	10000	UG/L	U	UJ	0.95	1
00597	7/19/01	trans-1,2-DICHLOROETHENE	GW07627RG	0.5	70	UG/L	U	V	0.27	1
00597	7/19/01	trans-1,3-DICHLOROPROPENE	GW07627RG	1	0.473	UG/L	U	V	0.42	1
00597	7/19/01	TRICHLOROETHENE	GW07627RG	1	5	UG/L	U	V	0.22	1
00597	7/19/01	TRICHLOROFLUOROMETHANE	GW07627RG	1		UG/L	U	V	0.28	1
00597	7/19/01	VINYL CHLORIDE	GW07627RG	1	2	UG/L	U	V	0.21	1
03991	8/7/01	1,1,1,2-TETRACHLOROETHANE	GW07633RG	1		UG/L	U	V1	1	1
03991	8/7/01	1,1,1-TRICHLOROETHANE	GW07633RG	1	200	UG/L	U	V1	1	1
03991	8/7/01	1,1,2,2-TETRACHLOROETHANE	GW07633RG	1	0.426	UG/L	U	V1	1	1
03991	8/7/01	1,1,2-TRICHLOROETHANE	GW07633RG	1	5	UG/L	U	V1	1	1
03991	8/7/01	1,1,2-TRICHLOROTRIFLUOROETHANE	GW07633RG	1		UG/L	U	V1	1	1
03991	8/7/01	1,1-DICHLOROETHANE	GW07633RG	1	3650	UG/L	U	V1	1	1
03991	8/7/01	1,1-DICHLOROETHENE	GW07633RG	1	7	UG/L	U	V1	1	1
03991	8/7/01	1,1-DICHLOROPROPENE	GW07633RG	1		UG/L	U	V1	1	1
03991	8/7/01	1,2,3-TRICHLOROBENZENE	GW07633RG	1		UG/L	U	UJ1	1	1

Table 7-6
Equipment Rinsate and Field Blank Results
Groundwater - Third Quarter, 2001

Location	Sample Date	Analyte	GW Sample #	Result	Tier II	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion
03991	8/7/01	1,2,3-TRICHLOROPROPANE	GW07633RG	1		UG/L	U	V1	1	1
03991	8/7/01	1,2,4-TRICHLOROBENZENE	GW07633RG	1	70	UG/L	U	UJ1	1	1
03991	8/7/01	1,2-DIBROMOETHANE	GW07633RG	1		UG/L	U	V1	1	1
03991	8/7/01	1,2-DICHLOROBENZENE	GW07633RG	1	600	UG/L	U	UJ1	1	1
03991	8/7/01	1,2-DICHLOROETHANE	GW07633RG	1	5	UG/L	U	V1	1	1
03991	8/7/01	1,2-DICHLOROPROPANE	GW07633RG	1	5	UG/L	U	V1	1	1
03991	8/7/01	1,3-DICHLOROBENZENE	GW07633RG	1	600	UG/L	U	UJ1	1	1
03991	8/7/01	1,3-DICHLOROPROPANE	GW07633RG	1		UG/L	U	V1	1	1
03991	8/7/01	1,4-DICHLOROBENZENE	GW07633RG	1	75	UG/L	U	UJ1	1	1
03991	8/7/01	2,2-DICHLOROPROPANE	GW07633RG	1		UG/L	U	V1	1	1
03991	8/7/01	2-BUTANONE	GW07633RG	5	21900	UG/L	U	R1	5	1
03991	8/7/01	2-HEXANONE	GW07633RG	10		UG/L	U	V1	10	1
03991	8/7/01	4-ISOPROPYLTOLUENE	GW07633RG	1		UG/L	U	UJ1	1	1
03991	8/7/01	4-METHYL-2-PENTANONE	GW07633RG	10	2920	UG/L	U	V1	10	1
03991	8/7/01	ACETONE	GW07633RG	10	3650	UG/L	U	R1	10	1
03991	8/7/01	BENZENE	GW07633RG	1	5	UG/L	U	UJ1	1	1
03991	8/7/01	BENZENE, 1,2,4-TRIMETHYL	GW07633RG	1		UG/L	U	UJ1	1	1
03991	8/7/01	BENZENE, 1,3,5-TRIMETHYL-	GW07633RG	1		UG/L	U	UJ1	1	1
03991	8/7/01	BROMOBENZENE	GW07633RG	1		UG/L	U	UJ1	1	1
03991	8/7/01	BROMOCHLOROMETHANE	GW07633RG	1		UG/L	U	V1	1	1
03991	8/7/01	BROMODICHLOROMETHANE	GW07633RG	1	100	UG/L	U	V1	1	1
03991	8/7/01	BROMOFORM	GW07633RG	1	100	UG/L	U	V1	1	1
03991	8/7/01	BROMOMETHANE	GW07633RG	1	51.1	UG/L	U	V1	1	1
03991	8/7/01	CARBON DISULFIDE	GW07633RG	1	3650	UG/L	U	V1	1	1
03991	8/7/01	CARBON TETRACHLORIDE	GW07633RG	1	5	UG/L	U	V1	1	1
03991	8/7/01	CHLOROBENZENE	GW07633RG	1	100	UG/L	U	UJ1	1	1
03991	8/7/01	CHLOROETHANE	GW07633RG	1	29.4	UG/L	U	V1	1	1
03991	8/7/01	CHLOROFORM	GW07633RG	1	100	UG/L	U	V1	1	1
03991	8/7/01	CHLOROMETHANE	GW07633RG	1	6.55	UG/L	U	V1	1	1
03991	8/7/01	cis-1,2-DICHLOROETHENE	GW07633RG	1	70	UG/L	U	V1	1	1
03991	8/7/01	cis-1,3-DICHLOROPROPENE	GW07633RG	1	0.473	UG/L	U	V1	1	1
03991	8/7/01	DIBROMOCHLOROMETHANE	GW07633RG	1	1.01	UG/L	U	V1	1	1
03991	8/7/01	DIBROMOMETHANE	GW07633RG	1		UG/L	U	V1	1	1
03991	8/7/01	DICHLORODIFLUOROMETHANE	GW07633RG	1		UG/L	U	V1	1	1
03991	8/7/01	ETHYLBENZENE	GW07633RG	1	700	UG/L	U	UJ1	1	1
03991	8/7/01	HEXACHLOROBUTADIENE	GW07633RG	1	1.09	UG/L	U	V1	1	1
03991	8/7/01	ISOPROPYLBENZENE	GW07633RG	1		UG/L	U	UJ1	1	1
03991	8/7/01	METHYLENE CHLORIDE	GW07633RG	1	5	UG/L	U	V1	1	1
03991	8/7/01	NAPHTHALENE	GW07633RG	1	1460	UG/L	U	UJ1	1	1
03991	8/7/01	n-BUTYLBENZENE	GW07633RG	1		UG/L	U	UJ1	1	1
03991	8/7/01	n-PROPYLBENZENE	GW07633RG	1		UG/L	U	UJ1	1	1
03991	8/7/01	o-CHLOROTOLUENE	GW07633RG	1		UG/L	U	UJ1	1	1
03991	8/7/01	p-CHLOROTOLUENE	GW07633RG	1		UG/L	U	UJ1	1	1
03991	8/7/01	PROPANE, 1,2-DIBROMO-3-CHLORO-	GW07633RG	1	0.2	UG/L	U	R1	1	1
03991	8/7/01	sec-BUTYLBENZENE	GW07633RG	1		UG/L	U	UJ1	1	1
03991	8/7/01	STYRENE	GW07633RG	1	100	UG/L	U	UJ1	1	1
03991	8/7/01	tert-BUTYLBENZENE	GW07633RG	1		UG/L	U	UJ1	1	1
03991	8/7/01	TETRACHLOROETHENE	GW07633RG	1	5	UG/L	U	V1	1	1
03991	8/7/01	TOLUENE	GW07633RG	1	1000	UG/L	U	UJ1	1	1
03991	8/7/01	TOTAL XYLENES	GW07633RG	3	10000	UG/L	U	UJ1	3	1
03991	8/7/01	trans-1,2-DICHLOROETHENE	GW07633RG	1	70	UG/L	U	V1	1	1
03991	8/7/01	trans-1,3-DICHLOROPROPENE	GW07633RG	1	0.473	UG/L	U	V1	1	1
03991	8/7/01	TRICHLOROETHENE	GW07633RG	1	5	UG/L	U	V1	1	1
03991	8/7/01	TRICHLOROFLUOROMETHANE	GW07633RG	1		UG/L	U	V1	1	1

141

Table 7-6
Equipment Rinsate and Field Blank Results
Groundwater - Third Quarter, 2001

Location	Sample Date	Analyte	GW Sample #	Result	Tier II	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion
03991	8/7/01	VINYL CHLORIDE	GW07633RG	1	2	UG/L	U	V1	1	1
07391	8/23/01	1,1,1,2-TETRACHLOROETHANE	GW07765RG	1		UG/L	U	V1	1	1
07391	8/23/01	1,1,1-TRICHLOROETHANE	GW07765RG	1	200	UG/L	U	V1	1	1
07391	8/23/01	1,1,2,2-TETRACHLOROETHANE	GW07765RG	1	0.426	UG/L	U	V1	1	1
07391	8/23/01	1,1,2-TRICHLOROETHANE	GW07765RG	1	5	UG/L	U	V1	1	1
07391	8/23/01	1,1,2-TRICHLOROTRIFLUOROETHANE	GW07765RG	1		UG/L	U	V1	1	1
07391	8/23/01	1,1-DICHLOROETHANE	GW07765RG	1	3650	UG/L	U	V1	1	1
07391	8/23/01	1,1-DICHLOROETHENE	GW07765RG	1	7	UG/L	U	V1	1	1
07391	8/23/01	1,1-DICHLOROPROPENE	GW07765RG	1		UG/L	U	V1	1	1
07391	8/23/01	1,2,3-TRICHLOROBENZENE	GW07765RG	1		UG/L	U	UJ1	1	1
07391	8/23/01	1,2,3-TRICHLOROPROPANE	GW07765RG	1		UG/L	U	V1	1	1
07391	8/23/01	1,2,4-TRICHLOROBENZENE	GW07765RG	1	70	UG/L	U	UJ1	1	1
07391	8/23/01	1,2-DIBROMOETHANE	GW07765RG	1		UG/L	U	V1	1	1
07391	8/23/01	1,2-DICHLOROBENZENE	GW07765RG	1	600	UG/L	U	UJ1	1	1
07391	8/23/01	1,2-DICHLOROETHANE	GW07765RG	1	5	UG/L	U	V1	1	1
07391	8/23/01	1,2-DICHLOROPROPANE	GW07765RG	1	5	UG/L	U	V1	1	1
07391	8/23/01	1,3-DICHLOROBENZENE	GW07765RG	1	600	UG/L	U	UJ1	1	1
07391	8/23/01	1,3-DICHLOROPROPANE	GW07765RG	1		UG/L	U	V1	1	1
07391	8/23/01	1,4-DICHLOROBENZENE	GW07765RG	1	75	UG/L	U	UJ1	1	1
07391	8/23/01	2,2-DICHLOROPROPANE	GW07765RG	1		UG/L	U	V1	1	1
07391	8/23/01	2-BUTANONE	GW07765RG	5	21900	UG/L	U	R1	5	1
07391	8/23/01	2-HEXANONE	GW07765RG	5		UG/L	U	V1	5	1
07391	8/23/01	4-ISOPROPYLTOLUENE	GW07765RG	1		UG/L	U	UJ1	1	1
07391	8/23/01	4-METHYL-2-PENTANONE	GW07765RG	5	2920	UG/L	U	V1	5	1
07391	8/23/01	ACETONE	GW07765RG	5	3650	UG/L	U	R1	5	1
07391	8/23/01	BENZENE	GW07765RG	1	5	UG/L	U	UJ1	1	1
07391	8/23/01	BENZENE, 1,2,4-TRIMETHYL	GW07765RG	1		UG/L	U	UJ1	1	1
07391	8/23/01	BENZENE, 1,3,5-TRIMETHYL-	GW07765RG	1		UG/L	U	UJ1	1	1
07391	8/23/01	BROMOBENZENE	GW07765RG	1		UG/L	U	UJ1	1	1
07391	8/23/01	BROMOCHLOROMETHANE	GW07765RG	1		UG/L	U	V1	1	1
07391	8/23/01	BROMODICHLOROMETHANE	GW07765RG	1	100	UG/L	U	V1	1	1
07391	8/23/01	BROMOFORM	GW07765RG	1	100	UG/L	U	V1	1	1
07391	8/23/01	BROMOMETHANE	GW07765RG	1	51.1	UG/L	U	V1	1	1
07391	8/23/01	CARBON DISULFIDE	GW07765RG	1	3650	UG/L	U	V1	1	1
07391	8/23/01	CARBON TETRACHLORIDE	GW07765RG	1	5	UG/L	U	V1	1	1
07391	8/23/01	CHLOROBENZENE	GW07765RG	1	100	UG/L	U	UJ1	1	1
07391	8/23/01	CHLOROETHANE	GW07765RG	1	29.4	UG/L	U	V1	1	1
07391	8/23/01	CHLOROFORM	GW07765RG	1	100	UG/L	U	V1	1	1
07391	8/23/01	CHLOROMETHANE	GW07765RG	1	6.55	UG/L	U	V1	1	1
07391	8/23/01	cis-1,2-DICHLOROETHENE	GW07765RG	1	70	UG/L	U	V1	1	1
07391	8/23/01	cis-1,3-DICHLOROPROPENE	GW07765RG	1	0.473	UG/L	U	V1	1	1
07391	8/23/01	DIBROMOCHLOROMETHANE	GW07765RG	1	1.01	UG/L	U	V1	1	1
07391	8/23/01	DIBROMOMETHANE	GW07765RG	1		UG/L	U	V1	1	1
07391	8/23/01	DICHLORODIFLUOROMETHANE	GW07765RG	1		UG/L	U	V1	1	1
07391	8/23/01	ETHYLBENZENE	GW07765RG	1	700	UG/L	U	UJ1	1	1
07391	8/23/01	HEXACHLOROBUTADIENE	GW07765RG	1	1.09	UG/L	U	V1	1	1
07391	8/23/01	ISOPROPYLBENZENE	GW07765RG	1		UG/L	U	UJ1	1	1
07391	8/23/01	METHYLENE CHLORIDE	GW07765RG	1	5	UG/L	U	V1	1	1
07391	8/23/01	NAPHTHALENE	GW07765RG	1	1460	UG/L	U	UJ1	1	1
07391	8/23/01	n-BUTYLBENZENE	GW07765RG	1		UG/L	U	UJ1	1	1
07391	8/23/01	n-PROPYLBENZENE	GW07765RG	1		UG/L	U	UJ1	1	1
07391	8/23/01	o-CHLOROTOLUENE	GW07765RG	1		UG/L	U	UJ1	1	1
07391	8/23/01	p-CHLOROTOLUENE	GW07765RG	1		UG/L	U	UJ1	1	1
07391	8/23/01	PROPANE, 1,2-DIBROMO-3-CHLORO-	GW07765RG	1	0.2	UG/L	U	R1	1	1

Table 7-6
Equipment Rinsate and Field Blank Results
Groundwater - Third Quarter, 2001

Location	Sample Date	Analyte	GW Sample #	Result	Tier II	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion
07391	8/23/01	sec-BUTYLBENZENE	GW07765RG	1		UG/L	U	UJ1	1	1
07391	8/23/01	STYRENE	GW07765RG	1	100	UG/L	U	UJ1	1	1
07391	8/23/01	tert-BUTYLBENZENE	GW07765RG	1		UG/L	U	UJ1	1	1
07391	8/23/01	TETRACHLOROETHENE	GW07765RG	1	5	UG/L	U	V1	1	1
07391	8/23/01	TOLUENE	GW07765RG	1	1000	UG/L	U	UJ1	1	1
07391	8/23/01	TOTAL XYLENES	GW07765RG	3	10000	UG/L	U	UJ1	3	1
07391	8/23/01	trans-1,2-DICHLOROETHENE	GW07765RG	1	70	UG/L	U	V1	1	1
07391	8/23/01	trans-1,3-DICHLOROPROPENE	GW07765RG	1	0.473	UG/L	U	V1	1	1
07391	8/23/01	TRICHLOROETHENE	GW07765RG	4.9	5	UG/L		V1	1	1
07391	8/23/01	TRICHLOROFLUOROMETHANE	GW07765RG	1		UG/L	U	V1	1	1
07391	8/23/01	VINYL CHLORIDE	GW07765RG	1	2	UG/L	U	V1	1	1
12691	8/24/01	1,1,1,2-TETRACHLOROETHANE	GW07656RG	1		UG/L	U	V1	1	1
12691	8/24/01	1,1,1-TRICHLOROETHANE	GW07656RG	1	200	UG/L	U	V1	1	1
12691	8/24/01	1,1,2,2-TETRACHLOROETHANE	GW07656RG	1	0.426	UG/L	U	V1	1	1
12691	8/24/01	1,1,2-TRICHLOROETHANE	GW07656RG	1	5	UG/L	U	V1	1	1
12691	8/24/01	1,1,2-TRICHLOROTRIFLUOROETHANE	GW07656RG	1		UG/L	U	V1	1	1
12691	8/24/01	1,1-DICHLOROETHANE	GW07656RG	1	3650	UG/L	U	V1	1	1
12691	8/24/01	1,1-DICHLOROETHENE	GW07656RG	1	7	UG/L	U	V1	1	1
12691	8/24/01	1,1-DICHLOROPROPENE	GW07656RG	1		UG/L	U	V1	1	1
12691	8/24/01	1,2,3-TRICHLOROBENZENE	GW07656RG	1		UG/L	U	V1	1	1
12691	8/24/01	1,2,3-TRICHLOROPROPANE	GW07656RG	1		UG/L	U	V1	1	1
12691	8/24/01	1,2,4-TRICHLOROBENZENE	GW07656RG	1	70	UG/L	U	V1	1	1
12691	8/24/01	1,2-DIBROMOETHANE	GW07656RG	1		UG/L	U	V1	1	1
12691	8/24/01	1,2-DICHLOROBENZENE	GW07656RG	1	600	UG/L	U	V1	1	1
12691	8/24/01	1,2-DICHLOROETHANE	GW07656RG	1	5	UG/L	U	V1	1	1
12691	8/24/01	1,2-DICHLOROPROPANE	GW07656RG	1	5	UG/L	U	V1	1	1
12691	8/24/01	1,3-DICHLOROBENZENE	GW07656RG	1	600	UG/L	U	V1	1	1
12691	8/24/01	1,3-DICHLOROPROPANE	GW07656RG	1		UG/L	U	V1	1	1
12691	8/24/01	1,4-DICHLOROBENZENE	GW07656RG	1	75	UG/L	U	V1	1	1
12691	8/24/01	2,2-DICHLOROPROPANE	GW07656RG	1		UG/L	U	V1	1	1
12691	8/24/01	2-BUTANONE	GW07656RG	5	21900	UG/L	U	R1	5	1
12691	8/24/01	2-HEXANONE	GW07656RG	5		UG/L	U	UJ1	5	1
12691	8/24/01	4-ISOPROPYLTOLUENE	GW07656RG	1		UG/L	U	V1	1	1
12691	8/24/01	4-METHYL-2-PENTANONE	GW07656RG	5	2920	UG/L	U	V1	5	1
12691	8/24/01	ACETONE	GW07656RG	5	3650	UG/L	J	J1	5	1
12691	8/24/01	BENZENE	GW07656RG	1	5	UG/L	U	V1	1	1
12691	8/24/01	BENZENE, 1,2,4-TRIMETHYL	GW07656RG	1		UG/L	U	V1	1	1
12691	8/24/01	BENZENE, 1,3,5-TRIMETHYL-	GW07656RG	1		UG/L	U	V1	1	1
12691	8/24/01	BROMOBENZENE	GW07656RG	1		UG/L	U	V1	1	1
12691	8/24/01	BROMOCHLOROMETHANE	GW07656RG	1		UG/L	U	V1	1	1
12691	8/24/01	BROMODICHLOROMETHANE	GW07656RG	1	100	UG/L	U	V1	1	1
12691	8/24/01	BROMOFORM	GW07656RG	1	100	UG/L	U	V1	1	1
12691	8/24/01	BROMOMETHANE	GW07656RG	1	51.1	UG/L	U	V1	1	1
12691	8/24/01	CARBON DISULFIDE	GW07656RG	1	3650	UG/L	U	V1	1	1
12691	8/24/01	CARBON TETRACHLORIDE	GW07656RG	1	5	UG/L	U	V1	1	1
12691	8/24/01	CHLOROBENZENE	GW07656RG	1	100	UG/L	U	V1	1	1
12691	8/24/01	CHLOROETHANE	GW07656RG	1	29.4	UG/L	U	V1	1	1
12691	8/24/01	CHLOROFORM	GW07656RG	1	100	UG/L	U	V1	1	1
12691	8/24/01	CHLOROMETHANE	GW07656RG	0.2	6.55	UG/L	J	V1	1	1
12691	8/24/01	cis-1,2-DICHLOROETHENE	GW07656RG	1	70	UG/L	U	V1	1	1
12691	8/24/01	cis-1,3-DICHLOROPROPENE	GW07656RG	1	0.473	UG/L	U	V1	1	1
12691	8/24/01	DIBROMOCHLOROMETHANE	GW07656RG	1	1.01	UG/L	U	V1	1	1
12691	8/24/01	DIBROMOMETHANE	GW07656RG	1		UG/L	U	V1	1	1
12691	8/24/01	DICHLORODIFLUOROMETHANE	GW07656RG	1		UG/L	U	V1	1	1

143

Table 7-6
Equipment Rinsate and Field Blank Results
Groundwater - Third Quarter, 2001

Location	Sample Date	Analyte	GW Sample #	Result	Tier II	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion
12691	8/24/01	ETHYLBENZENE	GW07656RG	1	700	UG/L	U	V1	1	1
12691	8/24/01	HEXACHLOROBUTADIENE	GW07656RG	1	1.09	UG/L	U	V1	1	1
12691	8/24/01	ISOPROPYLBENZENE	GW07656RG	1		UG/L	U	V1	1	1
12691	8/24/01	METHYLENE CHLORIDE	GW07656RG	1	5	UG/L	U	V1	1	1
12691	8/24/01	NAPHTHALENE	GW07656RG	1	1460	UG/L	U	V1	1	1
12691	8/24/01	n-BUTYLBENZENE	GW07656RG	1		UG/L	U	V1	1	1
12691	8/24/01	n-PROPYLBENZENE	GW07656RG	1		UG/L	U	V1	1	1
12691	8/24/01	o-CHLOROTOLUENE	GW07656RG	1		UG/L	U	V1	1	1
12691	8/24/01	p-CHLOROTOLUENE	GW07656RG	1		UG/L	U	V1	1	1
12691	8/24/01	PROPANE, 1,2-DIBROMO-3-CHLORO-	GW07656RG	1	0.2	UG/L	U	R1	1	1
12691	8/24/01	sec-BUTYLBENZENE	GW07656RG	1		UG/L	U	V1	1	1
12691	8/24/01	STYRENE	GW07656RG	1	100	UG/L	U	V1	1	1
12691	8/24/01	tert-BUTYLBENZENE	GW07656RG	1		UG/L	U	V1	1	1
12691	8/24/01	TETRACHLOROETHENE	GW07656RG	1	5	UG/L	U	V1	1	1
12691	8/24/01	TOLUENE	GW07656RG	1	1000	UG/L	U	V1	1	1
12691	8/24/01	TOTAL XYLENES	GW07656RG	3	10000	UG/L	U	V1	3	1
12691	8/24/01	trans-1,2-DICHLOROETHENE	GW07656RG	1	70	UG/L	U	V1	1	1
12691	8/24/01	trans-1,3-DICHLOROPROPENE	GW07656RG	1	0.473	UG/L	U	V1	1	1
12691	8/24/01	TRICHLOROETHENE	GW07656RG	0.1	5	UG/L	J	JB1	1	1
12691	8/24/01	TRICHLOROFLUOROMETHANE	GW07656RG	1		UG/L	U	V1	1	1
12691	8/24/01	VINYL CHLORIDE	GW07656RG	1	2	UG/L	U	V1	1	1
37201	8/10/01	1,1,1,2-TETRACHLOROETHANE	GW07683RG	1		UG/L	U	V	1	1
37201	8/10/01	1,1,1-TRICHLOROETHANE	GW07683RG	1	200	UG/L	U	V	1	1
37201	8/10/01	1,1,2,2-TETRACHLOROETHANE	GW07683RG	1	0.426	UG/L	U	V	1	1
37201	8/10/01	1,1,2-TRICHLOROETHANE	GW07683RG	1	5	UG/L	U	V	1	1
37201	8/10/01	1,1,2-TRICHLOROTRIFLUOROETHANE	GW07683RG	1		UG/L	U	V	1	1
37201	8/10/01	1,1-DICHLOROETHANE	GW07683RG	1	3650	UG/L	U	V	1	1
37201	8/10/01	1,1-DICHLOROETHENE	GW07683RG	1	7	UG/L	U	V	1	1
37201	8/10/01	1,1-DICHLOROPROPENE	GW07683RG	1		UG/L	U	V	1	1
37201	8/10/01	1,2,3-TRICHLOROBENZENE	GW07683RG	1		UG/L	U	UJ	1	1
37201	8/10/01	1,2,3-TRICHLOROPROPANE	GW07683RG	1		UG/L	U	V	1	1
37201	8/10/01	1,2,4-TRICHLOROBENZENE	GW07683RG	1	70	UG/L	U	UJ	1	1
37201	8/10/01	1,2-DIBROMOETHANE	GW07683RG	1		UG/L	U	V	1	1
37201	8/10/01	1,2-DICHLOROBENZENE	GW07683RG	1	600	UG/L	U	UJ	1	1
37201	8/10/01	1,2-DICHLOROETHANE	GW07683RG	1	5	UG/L	U	V	1	1
37201	8/10/01	1,2-DICHLOROPROPANE	GW07683RG	1	5	UG/L	U	V	1	1
37201	8/10/01	1,3-DICHLOROBENZENE	GW07683RG	1	600	UG/L	U	UJ	1	1
37201	8/10/01	1,3-DICHLOROPROPANE	GW07683RG	1		UG/L	U	V	1	1
37201	8/10/01	1,4-DICHLOROBENZENE	GW07683RG	1	75	UG/L	U	UJ	1	1
37201	8/10/01	2,2-DICHLOROPROPANE	GW07683RG	1		UG/L	U	V	1	1
37201	8/10/01	2-BUTANONE	GW07683RG	5	21900	UG/L	U	R	5	1
37201	8/10/01	2-HEXANONE	GW07683RG	10		UG/L	U	V	10	1
37201	8/10/01	4-ISOPROPYLTOLUENE	GW07683RG	1		UG/L	U	UJ	1	1
37201	8/10/01	4-METHYL-2-PENTANONE	GW07683RG	10	2920	UG/L	U	V	10	1
37201	8/10/01	ACETONE	GW07683RG	6	3650	UG/L	J	J	10	1
37201	8/10/01	BENZENE	GW07683RG	1	5	UG/L	U	UJ	1	1
37201	8/10/01	BENZENE, 1,2,4-TRIMETHYL	GW07683RG	1		UG/L	U	UJ	1	1
37201	8/10/01	BENZENE, 1,3,5-TRIMETHYL-	GW07683RG	1		UG/L	U	UJ	1	1
37201	8/10/01	BROMOBENZENE	GW07683RG	1		UG/L	U	UJ	1	1
37201	8/10/01	BROMOCHLOROMETHANE	GW07683RG	1		UG/L	U	V	1	1
37201	8/10/01	BROMODICHLOROMETHANE	GW07683RG	1	100	UG/L	U	V	1	1
37201	8/10/01	BROMOFORM	GW07683RG	1	100	UG/L	U	V	1	1
37201	8/10/01	BROMOMETHANE	GW07683RG	1	51.1	UG/L	U	V	1	1
37201	8/10/01	CARBON DISULFIDE	GW07683RG	1	3650	UG/L	U	V	1	1

Table 7-6
Equipment Rinsate and Field Blank Results
Groundwater - Third Quarter, 2001

Location	Sample Date	Analyte	GW Sample #	Result	Tier II	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion
37201	8/10/01	CARBON TETRACHLORIDE	GW07683RG	1	5	UG/L	U	V	1	1
37201	8/10/01	CHLOROBENZENE	GW07683RG	1	100	UG/L	U	UJ	1	1
37201	8/10/01	CHLOROETHANE	GW07683RG	1	29.4	UG/L	U	V	1	1
37201	8/10/01	CHLOROFORM	GW07683RG	1	100	UG/L	U	V	1	1
37201	8/10/01	CHLOROMETHANE	GW07683RG	0.7	6.55	UG/L	J	V	1	1
37201	8/10/01	cis-1,2-DICHLOROETHENE	GW07683RG	1	70	UG/L	U	V	1	1
37201	8/10/01	cis-1,3-DICHLOROPROPENE	GW07683RG	1	0.473	UG/L	U	V	1	1
37201	8/10/01	DIBROMOCHLOROMETHANE	GW07683RG	1	1.01	UG/L	U	V	1	1
37201	8/10/01	DIBROMOMETHANE	GW07683RG	1		UG/L	U	V	1	1
37201	8/10/01	DICHLORODIFLUOROMETHANE	GW07683RG	1		UG/L	U	V	1	1
37201	8/10/01	ETHYLBENZENE	GW07683RG	1	700	UG/L	U	UJ	1	1
37201	8/10/01	HEXACHLOROBUTADIENE	GW07683RG	1	1.09	UG/L	U	V	1	1
37201	8/10/01	ISOPROPYLBENZENE	GW07683RG	1		UG/L	U	UJ	1	1
37201	8/10/01	METHYLENE CHLORIDE	GW07683RG	1	5	UG/L	U	V	1	1
37201	8/10/01	NAPHTHALENE	GW07683RG	1	1460	UG/L	U	UJ	1	1
37201	8/10/01	n-BUTYLBENZENE	GW07683RG	1		UG/L	U	UJ	1	1
37201	8/10/01	n-PROPYLBENZENE	GW07683RG	1		UG/L	U	UJ	1	1
37201	8/10/01	o-CHLOROTOLUENE	GW07683RG	1		UG/L	U	UJ	1	1
37201	8/10/01	p-CHLOROTOLUENE	GW07683RG	1		UG/L	U	UJ	1	1
37201	8/10/01	PROPANE, 1,2-DIBROMO-3-CHLORO-	GW07683RG	1	0.2	UG/L	U	R	1	1
37201	8/10/01	sec-BUTYLBENZENE	GW07683RG	1		UG/L	U	UJ	1	1
37201	8/10/01	STYRENE	GW07683RG	1	100	UG/L	U	UJ	1	1
37201	8/10/01	tert-BUTYLBENZENE	GW07683RG	1		UG/L	U	UJ	1	1
37201	8/10/01	TETRACHLOROETHENE	GW07683RG	1	5	UG/L	U	V	1	1
37201	8/10/01	TOLUENE	GW07683RG	1	1000	UG/L	U	UJ	1	1
37201	8/10/01	TOTAL XYLENES	GW07683RG	3	10000	UG/L	U	UJ	3	1
37201	8/10/01	trans-1,2-DICHLOROETHENE	GW07683RG	1	70	UG/L	U	V	1	1
37201	8/10/01	trans-1,3-DICHLOROPROPENE	GW07683RG	1	0.473	UG/L	U	V	1	1
37201	8/10/01	TRICHLOROETHENE	GW07683RG	1	5	UG/L	U	V	1	1
37201	8/10/01	TRICHLOROFLUOROMETHANE	GW07683RG	1		UG/L	U	V	1	1
37201	8/10/01	VINYL CHLORIDE	GW07683RG	1	2	UG/L	U	V	1	1
40299	7/23/01	1,1,1,2-TETRACHLOROETHANE	GW07741RG	1		UG/L	U	V	0.22	1
40299	7/23/01	1,1,1-TRICHLOROETHANE	GW07741RG	1	200	UG/L	U	V	0.26	1
40299	7/23/01	1,1,2,2-TETRACHLOROETHANE	GW07741RG	1	0.426	UG/L	U	V	0.31	1
40299	7/23/01	1,1,2-TRICHLOROETHANE	GW07741RG	1	5	UG/L	U	V	0.39	1
40299	7/23/01	1,1,2-TRICHLOROTRIFLUOROETHANE	GW07741RG	1		UG/L	U	V	0.21	1
40299	7/23/01	1,1-DICHLOROETHANE	GW07741RG	1	3650	UG/L	U	V	0.17	1
40299	7/23/01	1,1-DICHLOROETHENE	GW07741RG	1	7	UG/L	U	V	0.2	1
40299	7/23/01	1,1-DICHLOROPROPENE	GW07741RG	1		UG/L	U	V	0.22	1
40299	7/23/01	1,2,3-TRICHLOROBENZENE	GW07741RG	1		UG/L	U	UJ	0.16	1
40299	7/23/01	1,2,3-TRICHLOROPROPANE	GW07741RG	1		UG/L	U	V	0.29	1
40299	7/23/01	1,2,4-TRICHLOROBENZENE	GW07741RG	1	70	UG/L	U	UJ	0.2	1
40299	7/23/01	1,2-DIBROMOETHANE	GW07741RG	1		UG/L	U	V	0.36	1
40299	7/23/01	1,2-DICHLOROBENZENE	GW07741RG	1	600	UG/L	U	UJ	0.24	1
40299	7/23/01	1,2-DICHLOROETHANE	GW07741RG	1	5	UG/L	U	V	0.28	1
40299	7/23/01	1,2-DICHLOROPROPANE	GW07741RG	1	5	UG/L	U	V	0.21	1
40299	7/23/01	1,3-DICHLOROBENZENE	GW07741RG	1	600	UG/L	U	UJ	0.26	1
40299	7/23/01	1,3-DICHLOROPROPANE	GW07741RG	1		UG/L	U	V	0.26	1
40299	7/23/01	1,4-DICHLOROBENZENE	GW07741RG	1	75	UG/L	U	UJ	0.24	1
40299	7/23/01	2,2-DICHLOROPROPANE	GW07741RG	1		UG/L	U	V	0.21	1
40299	7/23/01	2-BUTANONE	GW07741RG	5	21900	UG/L	U	V	0.93	1
40299	7/23/01	2-HEXANONE	GW07741RG	5		UG/L	U	V	0.7	1
40299	7/23/01	4-ISOPROPYLTOLUENE	GW07741RG	1		UG/L	U	UJ	0.3	1
40299	7/23/01	4-METHYL-2-PENTANONE	GW07741RG	5	2920	UG/L	U	V	0.79	1

145

Table 7-6
Equipment Rinsate and Field Blank Results
Groundwater - Third Quarter, 2001

Location	Sample Date	Analyte	GW Sample #	Result	Tier II	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion
40299	7/23/01	ACETONE	GW07741RG	10	3650	UG/L	U	V	1.9	1
40299	7/23/01	BENZENE	GW07741RG	1	5	UG/L	U	UJ	0.21	1
40299	7/23/01	BENZENE, 1,2,4-TRIMETHYL	GW07741RG	1		UG/L	U	UJ	0.22	1
40299	7/23/01	BENZENE, 1,3,5-TRIMETHYL-	GW07741RG	1		UG/L	U	UJ	0.29	1
40299	7/23/01	BROMOBENZENE	GW07741RG	1		UG/L	U	UJ	0.24	1
40299	7/23/01	BROMOCHLOROMETHANE	GW07741RG	1		UG/L	U	V	0.21	1
40299	7/23/01	BROMODICHLOROMETHANE	GW07741RG	1	100	UG/L	U	V	0.22	1
40299	7/23/01	BROMOFORM	GW07741RG	1	100	UG/L	U	V	0.32	1
40299	7/23/01	BROMOMETHANE	GW07741RG	1	51.1	UG/L	U	V	0.3	1
40299	7/23/01	CARBON DISULFIDE	GW07741RG	1	3650	UG/L	U	V	0.19	1
40299	7/23/01	CARBON TETRACHLORIDE	GW07741RG	1	5	UG/L	U	V	0.19	1
40299	7/23/01	CHLOROBENZENE	GW07741RG	1	100	UG/L	U	UJ	0.3	1
40299	7/23/01	CHLOROETHANE	GW07741RG	1	29.4	UG/L	U	V	0.25	1
40299	7/23/01	CHLOROFORM	GW07741RG	1	100	UG/L	U	V	0.23	1
40299	7/23/01	CHLOROMETHANE	GW07741RG	0.6	6.55	UG/L	J	V	0.3	1
40299	7/23/01	cis-1,2-DICHLOROETHENE	GW07741RG	1	70	UG/L	U	V	0.26	1
40299	7/23/01	cis-1,3-DICHLOROPROPENE	GW07741RG	1	0.473	UG/L	U	V	0.28	1
40299	7/23/01	DIBROMOCHLOROMETHANE	GW07741RG	1	1.01	UG/L	U	V	0.38	1
40299	7/23/01	DIBROMOMETHANE	GW07741RG	1		UG/L	U	V	0.44	1
40299	7/23/01	DICHLORODIFLUOROMETHANE	GW07741RG	1		UG/L	U	V	0.23	1
40299	7/23/01	ETHYLBENZENE	GW07741RG	1	700	UG/L	U	UJ	0.28	1
40299	7/23/01	HEXACHLOROBUTADIENE	GW07741RG	1	1.09	UG/L	U	V	0.29	1
40299	7/23/01	ISOPROPYLBENZENE	GW07741RG	1		UG/L	U	UJ	0.31	1
40299	7/23/01	METHYLENE CHLORIDE	GW07741RG	1	5	UG/L	U	V	0.89	1
40299	7/23/01	NAPHTHALENE	GW07741RG	1	1460	UG/L	U	UJ	0.15	1
40299	7/23/01	n-BUTYLBENZENE	GW07741RG	1		UG/L	U	UJ	0.26	1
40299	7/23/01	n-PROPYLBENZENE	GW07741RG	1		UG/L	U	UJ	0.23	1
40299	7/23/01	o-CHLOROTOLUENE	GW07741RG	1		UG/L	U	UJ	0.31	1
40299	7/23/01	p-CHLOROTOLUENE	GW07741RG	1		UG/L	U	UJ	0.25	1
40299	7/23/01	PROPANE, 1,2-DIBROMO-3-CHLORO-	GW07741RG	1	0.2	UG/L	U	V	0.25	1
40299	7/23/01	sec-BUTYLBENZENE	GW07741RG	1		UG/L	U	UJ	0.26	1
40299	7/23/01	STYRENE	GW07741RG	1	100	UG/L	U	UJ	0.27	1
40299	7/23/01	tert-BUTYLBENZENE	GW07741RG	1		UG/L	U	UJ	0.29	1
40299	7/23/01	TETRACHLOROETHENE	GW07741RG	1	5	UG/L	U	V	0.36	1
40299	7/23/01	TOLUENE	GW07741RG	1	1000	UG/L	U	UJ	0.29	1
40299	7/23/01	TOTAL XYLENES	GW07741RG	1	10000	UG/L	U	UJ	0.95	1
40299	7/23/01	trans-1,2-DICHLOROETHENE	GW07741RG	0.5	70	UG/L	U	V	0.27	1
40299	7/23/01	trans-1,3-DICHLOROPROPENE	GW07741RG	1	0.473	UG/L	U	V	0.42	1
40299	7/23/01	TRICHLOROETHENE	GW07741RG	1	5	UG/L	U	V	0.22	1
40299	7/23/01	TRICHLOROFLUOROMETHANE	GW07741RG	1		UG/L	U	V	0.28	1
40299	7/23/01	VINYL CHLORIDE	GW07741RG	1	2	UG/L	U	V	0.21	1
90099	8/22/01	1,1,1,2-TETRACHLOROETHANE	GW07718RG	1		UG/L	U	V1	1	1
90099	8/22/01	1,1,1-TRICHLOROETHANE	GW07718RG	1	200	UG/L	U	V1	1	1
90099	8/22/01	1,1,2,2-TETRACHLOROETHANE	GW07718RG	1	0.426	UG/L	U	V1	1	1
90099	8/22/01	1,1,2-TRICHLOROETHANE	GW07718RG	1	5	UG/L	U	V1	1	1
90099	8/22/01	1,1,2-TRICHLOROTRIFLUOROETHANE	GW07718RG	1		UG/L	U	V1	1	1
90099	8/22/01	1,1-DICHLOROETHANE	GW07718RG	1	3650	UG/L	U	V1	1	1
90099	8/22/01	1,1-DICHLOROETHENE	GW07718RG	1	7	UG/L	U	V1	1	1
90099	8/22/01	1,1-DICHLOROPROPENE	GW07718RG	1		UG/L	U	V1	1	1
90099	8/22/01	1,2,3-TRICHLOROBENZENE	GW07718RG	1		UG/L	U	UJ1	1	1
90099	8/22/01	1,2,3-TRICHLOROPROPANE	GW07718RG	1		UG/L	U	V1	1	1
90099	8/22/01	1,2,4-TRICHLOROBENZENE	GW07718RG	1	70	UG/L	U	UJ1	1	1
90099	8/22/01	1,2-DIBROMOETHANE	GW07718RG	1		UG/L	U	V1	1	1
90099	8/22/01	1,2-DICHLOROBENZENE	GW07718RG	1	600	UG/L	U	UJ1	1	1

Table 7-6
Equipment Rinsate and Field Blank Results
Groundwater - Third Quarter, 2001

Location	Sample Date	Analyte	GW Sample #	Result	Tier II	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion
90099	8/22/01	1,2-DICHLOROETHANE	GW07718RG	1	5	UG/L	U	V1	1	1
90099	8/22/01	1,2-DICHLOROPROPANE	GW07718RG	1	5	UG/L	U	V1	1	1
90099	8/22/01	1,3-DICHLOROBENZENE	GW07718RG	1	600	UG/L	U	UJ1	1	1
90099	8/22/01	1,3-DICHLOROPROPANE	GW07718RG	1		UG/L	U	V1	1	1
90099	8/22/01	1,4-DICHLOROBENZENE	GW07718RG	1	75	UG/L	U	UJ1	1	1
90099	8/22/01	2,2-DICHLOROPROPANE	GW07718RG	1		UG/L	U	V1	1	1
90099	8/22/01	2-BUTANONE	GW07718RG	5	21900	UG/L	U	R1	5	1
90099	8/22/01	2-HEXANONE	GW07718RG	5		UG/L	U	UJ1	5	1
90099	8/22/01	4-ISOPROPYLTOLUENE	GW07718RG	1		UG/L	U	UJ1	1	1
90099	8/22/01	4-METHYL-2-PENTANONE	GW07718RG	5	2920	UG/L	U	V1	5	1
90099	8/22/01	ACETONE	GW07718RG	2	3650	UG/L	J	R1	5	1
90099	8/22/01	BENZENE	GW07718RG	1	5	UG/L	U	UJ1	1	1
90099	8/22/01	BENZENE, 1,2,4-TRIMETHYL	GW07718RG	1		UG/L	U	UJ1	1	1
90099	8/22/01	BENZENE, 1,3,5-TRIMETHYL-	GW07718RG	1		UG/L	U	UJ1	1	1
90099	8/22/01	BROMOBENZENE	GW07718RG	1		UG/L	U	UJ1	1	1
90099	8/22/01	BROMOCHLOROMETHANE	GW07718RG	1		UG/L	U	V1	1	1
90099	8/22/01	BROMODICHLOROMETHANE	GW07718RG	1	100	UG/L	U	V1	1	1
90099	8/22/01	BROMOFORM	GW07718RG	1	100	UG/L	U	V1	1	1
90099	8/22/01	BROMOMETHANE	GW07718RG	1	51.1	UG/L	U	V1	1	1
90099	8/22/01	CARBON DISULFIDE	GW07718RG	1	3650	UG/L	U	V1	1	1
90099	8/22/01	CARBON TETRACHLORIDE	GW07718RG	1	5	UG/L	U	V1	1	1
90099	8/22/01	CHLOROBENZENE	GW07718RG	1	100	UG/L	U	UJ1	1	1
90099	8/22/01	CHLOROETHANE	GW07718RG	1	29.4	UG/L	U	V1	1	1
90099	8/22/01	CHLOROFORM	GW07718RG	1	100	UG/L	U	V1	1	1
90099	8/22/01	CHLOROMETHANE	GW07718RG	0.4	6.55	UG/L	J	V1	1	1
90099	8/22/01	cis-1,2-DICHLOROETHENE	GW07718RG	1	70	UG/L	U	V1	1	1
90099	8/22/01	cis-1,3-DICHLOROPROPENE	GW07718RG	1	0.473	UG/L	U	V1	1	1
90099	8/22/01	DIBROMOCHLOROMETHANE	GW07718RG	1	1.01	UG/L	U	V1	1	1
90099	8/22/01	DIBROMOMETHANE	GW07718RG	1		UG/L	U	V1	1	1
90099	8/22/01	DICHLORODIFLUOROMETHANE	GW07718RG	1		UG/L	U	V1	1	1
90099	8/22/01	ETHYLBENZENE	GW07718RG	1	700	UG/L	U	UJ1	1	1
90099	8/22/01	HEXACHLOROBUTADIENE	GW07718RG	1	1.09	UG/L	U	V1	1	1
90099	8/22/01	ISOPROPYLBENZENE	GW07718RG	1		UG/L	U	UJ1	1	1
90099	8/22/01	METHYLENE CHLORIDE	GW07718RG	1	5	UG/L	U	V1	1	1
90099	8/22/01	NAPHTHALENE	GW07718RG	1	1460	UG/L	U	UJ1	1	1
90099	8/22/01	n-BUTYLBENZENE	GW07718RG	1		UG/L	U	UJ1	1	1
90099	8/22/01	n-PROPYLBENZENE	GW07718RG	1		UG/L	U	UJ1	1	1
90099	8/22/01	o-CHLOROTOLUENE	GW07718RG	1		UG/L	U	UJ1	1	1
90099	8/22/01	p-CHLOROTOLUENE	GW07718RG	1		UG/L	U	UJ1	1	1
90099	8/22/01	PROPANE, 1,2-DIBROMO-3-CHLORO-	GW07718RG	1	0.2	UG/L	U	V1	1	1
90099	8/22/01	sec-BUTYLBENZENE	GW07718RG	1		UG/L	U	UJ1	1	1
90099	8/22/01	STYRENE	GW07718RG	1	100	UG/L	U	UJ1	1	1
90099	8/22/01	tert-BUTYLBENZENE	GW07718RG	1		UG/L	U	UJ1	1	1
90099	8/22/01	TETRACHLOROETHENE	GW07718RG	1	5	UG/L	U	V1	1	1
90099	8/22/01	TOLUENE	GW07718RG	1	1000	UG/L	U	UJ1	1	1
90099	8/22/01	TOTAL XYLENES	GW07718RG	3	10000	UG/L	U	UJ1	3	1
90099	8/22/01	trans-1,2-DICHLOROETHENE	GW07718RG	1	70	UG/L	U	V1	1	1
90099	8/22/01	trans-1,3-DICHLOROPROPENE	GW07718RG	1	0.473	UG/L	U	V1	1	1
90099	8/22/01	TRICHLOROETHENE	GW07718RG	1	5	UG/L	U	V1	1	1
90099	8/22/01	TRICHLOROFLUOROMETHANE	GW07718RG	1		UG/L	U	V1	1	1
90099	8/22/01	VINYL CHLORIDE	GW07718RG	1	2	UG/L	U	V1	1	1
P209389	7/23/01	1,1,1,2-TETRACHLOROETHANE	GW07671RG	1		UG/L	U	V1	0.22	1
P209389	7/23/01	1,1,1-TRICHLOROETHANE	GW07671RG	1	200	UG/L	U	V1	0.26	1
P209389	7/23/01	1,1,2,2-TETRACHLOROETHANE	GW07671RG	1	0.426	UG/L	U	V1	0.31	1

Table 7-6
Equipment Rinsate and Field Blank Results
Groundwater - Third Quarter, 2001

Location	Sample Date	Analyte	GW Sample #	Result	Tier II	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion
P209389	7/23/01	1,1,2-TRICHLOROETHANE	GW07671RG	1	5	UG/L	U	V1	0.39	1
P209389	7/23/01	1,1,2-TRICHLOROTRIFLUOROETHANE	GW07671RG	1		UG/L	U	V1	0.21	1
P209389	7/23/01	1,1-DICHLOROETHANE	GW07671RG	1	3650	UG/L	U	V1	0.17	1
P209389	7/23/01	1,1-DICHLOROETHENE	GW07671RG	1	7	UG/L	U	V1	0.2	1
P209389	7/23/01	1,1-DICHLOROPROPENE	GW07671RG	1		UG/L	U	V1	0.22	1
P209389	7/23/01	1,2,3-TRICHLOROBENZENE	GW07671RG	1		UG/L	U	V1	0.16	1
P209389	7/23/01	1,2,3-TRICHLOROPROPANE	GW07671RG	1		UG/L	U	V1	0.29	1
P209389	7/23/01	1,2,4-TRICHLOROBENZENE	GW07671RG	1	70	UG/L	U	V1	0.2	1
P209389	7/23/01	1,2-DIBROMOETHANE	GW07671RG	1		UG/L	U	V1	0.36	1
P209389	7/23/01	1,2-DICHLOROBENZENE	GW07671RG	1	600	UG/L	U	V1	0.24	1
P209389	7/23/01	1,2-DICHLOROETHANE	GW07671RG	1	5	UG/L	U	V1	0.28	1
P209389	7/23/01	1,2-DICHLOROPROPANE	GW07671RG	1	5	UG/L	U	V1	0.21	1
P209389	7/23/01	1,3-DICHLOROBENZENE	GW07671RG	1	600	UG/L	U	V1	0.26	1
P209389	7/23/01	1,3-DICHLOROPROPANE	GW07671RG	1		UG/L	U	V1	0.26	1
P209389	7/23/01	1,4-DICHLOROBENZENE	GW07671RG	1	75	UG/L	U	V1	0.24	1
P209389	7/23/01	2,2-DICHLOROPROPANE	GW07671RG	1		UG/L	U	V1	0.21	1
P209389	7/23/01	2-BUTANONE	GW07671RG	1.1	21900	UG/L	J	J1	0.93	1
P209389	7/23/01	2-HEXANONE	GW07671RG	5		UG/L	U	V1	0.7	1
P209389	7/23/01	4-ISOPROPYLTOLUENE	GW07671RG	1		UG/L	U	V1	0.3	1
P209389	7/23/01	4-METHYL-2-PENTANONE	GW07671RG	5	2920	UG/L	U	V1	0.79	1
P209389	7/23/01	ACETONE	GW07671RG	10	3650	UG/L	U	UJ1	1.9	1
P209389	7/23/01	BENZENE	GW07671RG	1	5	UG/L	U	V1	0.21	1
P209389	7/23/01	BENZENE, 1,2,4-TRIMETHYL	GW07671RG	1		UG/L	U	V1	0.22	1
P209389	7/23/01	BENZENE, 1,3,5-TRIMETHYL-	GW07671RG	1		UG/L	U	V1	0.29	1
P209389	7/23/01	BROMOBENZENE	GW07671RG	1		UG/L	U	V1	0.24	1
P209389	7/23/01	BROMOCHLOROMETHANE	GW07671RG	1		UG/L	U	V1	0.21	1
P209389	7/23/01	BROMODICHLOROMETHANE	GW07671RG	1	100	UG/L	U	V1	0.22	1
P209389	7/23/01	BROMOFORM	GW07671RG	1	100	UG/L	U	V1	0.32	1
P209389	7/23/01	BROMOMETHANE	GW07671RG	1	51.1	UG/L	U	UJ1	0.3	1
P209389	7/23/01	CARBON DISULFIDE	GW07671RG	1	3650	UG/L	U	V1	0.19	1
P209389	7/23/01	CARBON TETRACHLORIDE	GW07671RG	1	5	UG/L	U	V1	0.19	1
P209389	7/23/01	CHLOROBENZENE	GW07671RG	1	100	UG/L	U	V1	0.3	1
P209389	7/23/01	CHLOROETHANE	GW07671RG	1	29.4	UG/L	U	V1	0.25	1
P209389	7/23/01	CHLOROFORM	GW07671RG	1	100	UG/L	U	V1	0.23	1
P209389	7/23/01	CHLOROMETHANE	GW07671RG	1.3	6.55	UG/L		V1	0.3	1
P209389	7/23/01	cis-1,2-DICHLOROETHENE	GW07671RG	1	70	UG/L	U	V1	0.26	1
P209389	7/23/01	cis-1,3-DICHLOROPROPENE	GW07671RG	1	0.473	UG/L	U	V1	0.28	1
P209389	7/23/01	DIBROMOCHLOROMETHANE	GW07671RG	1	1.01	UG/L	U	V1	0.38	1
P209389	7/23/01	DIBROMOMETHANE	GW07671RG	1		UG/L	U	V1	0.44	1
P209389	7/23/01	DICHLORODIFLUOROMETHANE	GW07671RG	1		UG/L	U	V1	0.23	1
P209389	7/23/01	ETHYLBENZENE	GW07671RG	1	700	UG/L	U	V1	0.28	1
P209389	7/23/01	HEXACHLOROBUTADIENE	GW07671RG	1	1.09	UG/L	U	V1	0.29	1
P209389	7/23/01	ISOPROPYLBENZENE	GW07671RG	1		UG/L	U	V1	0.31	1
P209389	7/23/01	METHYLENE CHLORIDE	GW07671RG	1	5	UG/L	U	V1	0.89	1
P209389	7/23/01	NAPHTHALENE	GW07671RG	1	1460	UG/L	U	V1	0.15	1
P209389	7/23/01	n-BUTYLBENZENE	GW07671RG	1		UG/L	U	V1	0.26	1
P209389	7/23/01	n-PROPYLBENZENE	GW07671RG	1		UG/L	U	V1	0.23	1
P209389	7/23/01	o-CHLOROTOLUENE	GW07671RG	1		UG/L	U	V1	0.31	1
P209389	7/23/01	p-CHLOROTOLUENE	GW07671RG	1		UG/L	U	V1	0.25	1
P209389	7/23/01	PROPANE, 1,2-DIBROMO-3-CHLORO-	GW07671RG	1	0.2	UG/L	U	UJ1	0.25	1
P209389	7/23/01	sec-BUTYLBENZENE	GW07671RG	1		UG/L	U	V1	0.26	1
P209389	7/23/01	STYRENE	GW07671RG	1	100	UG/L	U	V1	0.27	1
P209389	7/23/01	tert-BUTYLBENZENE	GW07671RG	1		UG/L	U	V1	0.29	1
P209389	7/23/01	TETRACHLOROETHENE	GW07671RG	1	5	UG/L	U	V1	0.36	1

148

Table 7-6
Equipment Rinsate and Field Blank Results
Groundwater - Third Quarter, 2001

Location	Sample Date	Analyte	GW Sample #	Result	Tier II	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion
P209389	7/23/01	TETRAHYDROFURAN	GW07671RG	1.1		UG/L		V1		1
P209389	7/23/01	TOLUENE	GW07671RG	1	1000	UG/L	U	V1	0.29	1
P209389	7/23/01	TOTAL XYLENES	GW07671RG	1	10000	UG/L	U	V1	0.95	1
P209389	7/23/01	trans-1,2-DICHLOROETHENE	GW07671RG	0.5	70	UG/L	U	V1	0.27	1
P209389	7/23/01	trans-1,3-DICHLOROPROPENE	GW07671RG	1	0.473	UG/L	U	V1	0.42	1
P209389	7/23/01	TRICHLOROETHENE	GW07671RG	1	5	UG/L	U	V1	0.22	1
P209389	7/23/01	TRICHLOROFLUOROMETHANE	GW07671RG	1		UG/L	U	V1	0.28	1
P209389	7/23/01	VINYL CHLORIDE	GW07671RG	1	2	UG/L	U	V1	0.21	1
Total and Dissolved Metals										
00597	7/19/01	ALUMINUM	GW07627RG	1.7	36500	UG/L	U	V	1.7	1
00597	7/19/01	ANTIMONY	GW07627RG	0.13	6	UG/L	U	V	0.13	1
00597	7/19/01	ARSENIC	GW07627RG	0.087	50	UG/L	U	V	0.087	1
00597	7/19/01	BARIUM	GW07627RG	0.86	2000	UG/L	B	UJ	0.044	1
00597	7/19/01	BERYLLIUM	GW07627RG	0.19	4	UG/L	U	V	0.19	1
00597	7/19/01	CADMIUM	GW07627RG	0.34	5	UG/L	B	UJ	0.3	1
00597	7/19/01	CALCIUM	GW07627RG	77.8		UG/L	B	UJ	11	1
00597	7/19/01	CHROMIUM	GW07627RG	0.12	100	UG/L	U	J	0.12	1
00597	7/19/01	COBALT	GW07627RG	0.6	2190	UG/L	U	V	0.6	1
00597	7/19/01	COPPER	GW07627RG	0.72	1300	UG/L	B	V	0.064	1
00597	7/19/01	IRON	GW07627RG	28.9		UG/L	B	J	3.5	1
00597	7/19/01	LEAD	GW07627RG	0.079	15	UG/L	B	UJ	0.0099	1
00597	7/19/01	LITHIUM	GW07627RG	2.6	730	UG/L	B	UJ	2.1	1
00597	7/19/01	MAGNESIUM	GW07627RG	24		UG/L	U	J	24	1
00597	7/19/01	MANGANESE	GW07627RG	2.3	1720	UG/L	B	V	0.094	1
00597	7/19/01	MERCURY	GW07627RG	0.026	2	UG/L	U	V	0.026	1
00597	7/19/01	MOLYBDENUM	GW07627RG	1.4	183	UG/L	U	V	1.4	1
00597	7/19/01	NICKEL	GW07627RG	1	140	UG/L	U	V	1	1
00597	7/19/01	POTASSIUM	GW07627RG	701		UG/L	B	UJ	510	1
00597	7/19/01	SELENIUM	GW07627RG	0.2	50	UG/L	U	V	0.2	1
00597	7/19/01	SILVER	GW07627RG	0.025	183	UG/L	U	J	0.025	1
00597	7/19/01	SODIUM	GW07627RG	1400		UG/L	U	J	1400	1
00597	7/19/01	STRONTIUM	GW07627RG	0.46	21900	UG/L	B	UJ	0.03	1
00597	7/19/01	THALLIUM	GW07627RG	0.013	2	UG/L	U	V	0.013	1
00597	7/19/01	TIN	GW07627RG	3.3	21900	UG/L	B	UJ	2.4	1
00597	7/19/01	URANIUM, TOTAL	GW07627RG	7.8		UG/L	B	J	6.6	1
00597	7/19/01	VANADIUM	GW07627RG	0.41	256	UG/L	U	V	0.41	1
00597	7/19/01	ZINC	GW07627RG	4.5	11000	UG/L	B	UJ	2.5	1
03991	8/7/01	ALUMINUM	GW07633RG	61	36500	UG/L	N	J1	2.4	2
03991	8/7/01	ANTIMONY	GW07633RG	0.67	6	UG/L	U	V1	0.67	2
03991	8/7/01	ARSENIC	GW07633RG	0.64	50	UG/L	U	V1	0.64	2
03991	8/7/01	BARIUM	GW07633RG	0.82	2000	UG/L	B	V1	0.25	1
03991	8/7/01	BERYLLIUM	GW07633RG	0.11	4	UG/L	U	V1	0.11	2
03991	8/7/01	CADMIUM	GW07633RG	0.032	5	UG/L	U	V1	0.032	2
03991	8/7/01	CALCIUM	GW07633RG	27		UG/L	B	V1	3.2	1
03991	8/7/01	CHROMIUM	GW07633RG	0.6	100	UG/L	U	V1	0.6	2
03991	8/7/01	COBALT	GW07633RG	0.43	2190	UG/L	U	V1	0.43	1
03991	8/7/01	COPPER	GW07633RG	1.8	1300	UG/L	U	V1	1.8	2
03991	8/7/01	IRON	GW07633RG	16		UG/L	U	V1	16	1
03991	8/7/01	LEAD	GW07633RG	0.97	15	UG/L	B	V1	0.59	2
03991	8/7/01	LITHIUM	GW07633RG	2.2	730	UG/L	U	V1	2.2	1
03991	8/7/01	MAGNESIUM	GW07633RG	25		UG/L	U	V1	25	1
03991	8/7/01	MANGANESE	GW07633RG	0.69	1720	UG/L	U	V1	0.69	1
03991	8/7/01	MERCURY	GW07633RG	0.02	2	UG/L	U	V1	0.02	1
03991	8/7/01	MOLYBDENUM	GW07633RG	4	183	UG/L	U	V1	4	1

Table 7-6
Equipment Rinsate and Field Blank Results
Groundwater - Third Quarter, 2001

Location	Sample Date	Analyte	GW Sample #	Result	Tier II	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion
03991	8/7/01	NICKEL	GW07633RG	1	140	UG/L	U	V1	1	1
03991	8/7/01	POTASSIUM	GW07633RG	48		UG/L	U	R1	48	1
03991	8/7/01	SELENIUM	GW07633RG	0.66	50	UG/L	U	V1	0.66	2
03991	8/7/01	SILVER	GW07633RG	0.054	183	UG/L	B	UJ1	0.01	2
03991	8/7/01	SODIUM	GW07633RG	30		UG/L	B	V1	27	1
03991	8/7/01	STRONTIUM	GW07633RG	0.28	21900	UG/L	B	V1	0.25	1
03991	8/7/01	THALLIUM	GW07633RG	0.34	2	UG/L	B	UJ1	0.1	2
03991	8/7/01	TIN	GW07633RG	6.9	21900	UG/L	U	V1	6.9	1
03991	8/7/01	URANIUM, TOTAL	GW07633RG	0.005		UG/L	U	V1	0.005	1
03991	8/7/01	VANADIUM	GW07633RG	1.7	256	UG/L	U	V1	1.7	2
03991	8/7/01	ZINC	GW07633RG	1	11000	UG/L	B	J1	1	1
12691	8/24/01	ALUMINUM	GW07656RG	1.2	36500	UG/L	U	V1	1.2	1
12691	8/24/01	ANTIMONY	GW07656RG	0.34	6	UG/L	U	V1	0.34	1
12691	8/24/01	ARSENIC	GW07656RG	0.32	50	UG/L	U	V1	0.32	1
12691	8/24/01	BARIUM	GW07656RG	1.7	2000	UG/L	B	J1	0.25	1
12691	8/24/01	BERYLLIUM	GW07656RG	0.054	4	UG/L	U	V1	0.054	1
12691	8/24/01	CADMIUM	GW07656RG	0.016	5	UG/L	U	V1	0.016	1
12691	8/24/01	CALCIUM	GW07656RG	32		UG/L	B	J1	3.2	1
12691	8/24/01	CHROMIUM	GW07656RG	0.3	100	UG/L	U	V1	0.3	1
12691	8/24/01	COBALT	GW07656RG	0.43	2190	UG/L	U	V1	0.43	1
12691	8/24/01	COPPER	GW07656RG	1.4	1300	UG/L	B	V1	0.92	1
12691	8/24/01	IRON	GW07656RG	16		UG/L	U	V1	16	1
12691	8/24/01	LEAD	GW07656RG	0.29	15	UG/L	U	V1	0.29	1
12691	8/24/01	LITHIUM	GW07656RG	2.2	730	UG/L	U	V1	2.2	1
12691	8/24/01	MAGNESIUM	GW07656RG	25		UG/L	U	J1	25	1
12691	8/24/01	MANGANESE	GW07656RG	2.2	1720	UG/L	B	V1	0.69	1
12691	8/24/01	MERCURY	GW07656RG	0.038	2	UG/L	B	V1	0.02	1
12691	8/24/01	MOLYBDENUM	GW07656RG	4	183	UG/L	U	V1	4	1
12691	8/24/01	NICKEL	GW07656RG	1	140	UG/L	U	V1	1	1
12691	8/24/01	POTASSIUM	GW07656RG	48		UG/L	U	R1	48	1
12691	8/24/01	SELENIUM	GW07656RG	0.33	50	UG/L	UN	V1	0.33	1
12691	8/24/01	SILVER	GW07656RG	0.005	183	UG/L	U	V1	0.005	1
12691	8/24/01	SODIUM	GW07656RG	150		UG/L	B	J1	27	1
12691	8/24/01	STRONTIUM	GW07656RG	0.34	21900	UG/L	B	R1	0.25	1
12691	8/24/01	THALLIUM	GW07656RG	0.05	2	UG/L	U	R1	0.05	1
12691	8/24/01	TIN	GW07656RG	6.9	21900	UG/L	U	V1	6.9	1
12691	8/24/01	URANIUM, TOTAL	GW07656RG	0.0065		UG/L	B	V1	0.005	1
12691	8/24/01	VANADIUM	GW07656RG	1	256	UG/L	U	V1	1	1
12691	8/24/01	VANADIUM	GW07656RG	0.87	256	UG/L	U	V1	0.87	1
12691	8/24/01	ZINC	GW07656RG	1	11000	UG/L	U	V1	1	1
37201	8/10/01	ALUMINUM	GW07683RG	58	36500	UG/L	N	J1	2.4	2
37201	8/10/01	ANTIMONY	GW07683RG	0.67	6	UG/L	U	V1	0.67	2
37201	8/10/01	ARSENIC	GW07683RG	0.64	50	UG/L	U	V1	0.64	2
37201	8/10/01	BARIUM	GW07683RG	0.46	2000	UG/L	B	V1	0.25	1
37201	8/10/01	BERYLLIUM	GW07683RG	0.11	4	UG/L	U	V1	0.11	2
37201	8/10/01	CADMIUM	GW07683RG	0.032	5	UG/L	U	V1	0.032	2
37201	8/10/01	CALCIUM	GW07683RG	30		UG/L	B	V1	3.2	1
37201	8/10/01	CHROMIUM	GW07683RG	0.6	100	UG/L	U	V1	0.6	2
37201	8/10/01	COBALT	GW07683RG	0.43	2190	UG/L	U	V1	0.43	1
37201	8/10/01	COPPER	GW07683RG	1.8	1300	UG/L	U	V1	1.8	2
37201	8/10/01	IRON	GW07683RG	16		UG/L	U	V1	16	1
37201	8/10/01	LEAD	GW07683RG	1	15	UG/L	B	V1	0.59	2
37201	8/10/01	LITHIUM	GW07683RG	2.2	730	UG/L	U	V1	2.2	1
37201	8/10/01	MAGNESIUM	GW07683RG	25		UG/L	U	V1	25	1

Table 7-6
Equipment Rinsate and Field Blank Results
Groundwater - Third Quarter, 2001

Location	Sample Date	Analyte	GW Sample #	Result	Tier II	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion
37201	8/10/01	MANGANESE	GW07683RG	3.4	1720	UG/L	B	V1	0.69	1
37201	8/10/01	MERCURY	GW07683RG	0.029	2	UG/L	U	V1	0.029	1
37201	8/10/01	MOLYBDENUM	GW07683RG	4	183	UG/L	U	V1	4	1
37201	8/10/01	NICKEL	GW07683RG	1	140	UG/L	U	V1	1	1
37201	8/10/01	POTASSIUM	GW07683RG	100		UG/L	B	UJ1	48	1
37201	8/10/01	SELENIUM	GW07683RG	0.66	50	UG/L	U	V1	0.66	2
37201	8/10/01	SILVER	GW07683RG	0.23	183	UG/L		UJ1	0.01	2
37201	8/10/01	SODIUM	GW07683RG	160		UG/L	B	V1	27	1
37201	8/10/01	STRONTIUM	GW07683RG	0.25	21900	UG/L	U	V1	0.25	1
37201	8/10/01	THALLIUM	GW07683RG	0.28	2	UG/L	B	V1	0.1	2
37201	8/10/01	TIN	GW07683RG	6.9	21900	UG/L	U	V1	6.9	1
37201	8/10/01	URANIUM, TOTAL	GW07683RG	0.005		UG/L	U	V1	0.005	1
37201	8/10/01	VANADIUM	GW07683RG	1.7	256	UG/L	U	V1	1.7	2
37201	8/10/01	ZINC	GW07683RG	1	11000	UG/L	U	V1	1	1
40299	7/23/01	ALUMINUM	GW07741RG	1.7	36500	UG/L	U	V	1.7	1
40299	7/23/01	ANTIMONY	GW07741RG	0.13	6	UG/L	U	V	0.13	1
40299	7/23/01	ARSENIC	GW07741RG	0.087	50	UG/L	U	V	0.087	1
40299	7/23/01	BARIUM	GW07741RG	0.84	2000	UG/L	B	UJ	0.044	1
40299	7/23/01	BERYLLIUM	GW07741RG	0.19	4	UG/L	U	V	0.19	1
40299	7/23/01	CADMIUM	GW07741RG	0.33	5	UG/L	B	UJ	0.3	1
40299	7/23/01	CALCIUM	GW07741RG	93.7		UG/L	B	UJ	11	1
40299	7/23/01	CHROMIUM	GW07741RG	0.12	100	UG/L	U	J	0.12	1
40299	7/23/01	COBALT	GW07741RG	0.6	2190	UG/L	U	V	0.6	1
40299	7/23/01	COPPER	GW07741RG	0.86	1300	UG/L	B	V	0.064	1
40299	7/23/01	IRON	GW07741RG	8.9		UG/L	B	UJ	3.5	1
40299	7/23/01	LEAD	GW07741RG	0.11	15	UG/L	B	UJ	0.0099	1
40299	7/23/01	LITHIUM	GW07741RG	2.1	730	UG/L	U	J	2.1	1
40299	7/23/01	MAGNESIUM	GW07741RG	24		UG/L	U	J	24	1
40299	7/23/01	MANGANESE	GW07741RG	2.2	1720	UG/L	B	V	0.094	1
40299	7/23/01	MERCURY	GW07741RG	0.026	2	UG/L	U	V	0.026	1
40299	7/23/01	MOLYBDENUM	GW07741RG	1.4	183	UG/L	U	V	1.4	1
40299	7/23/01	NICKEL	GW07741RG	1	140	UG/L	U	V	1	1
40299	7/23/01	POTASSIUM	GW07741RG	510		UG/L	U	J	510	1
40299	7/23/01	SELENIUM	GW07741RG	0.2	50	UG/L	U	V	0.2	1
40299	7/23/01	SILVER	GW07741RG	0.025	183	UG/L	U	J	0.025	1
40299	7/23/01	SODIUM	GW07741RG	1400		UG/L	U	J	1400	1
40299	7/23/01	STRONTIUM	GW07741RG	0.61	21900	UG/L	B	UJ	0.03	1
40299	7/23/01	THALLIUM	GW07741RG	0.027	2	UG/L	B	UJ	0.013	1
40299	7/23/01	TIN	GW07741RG	2.4	21900	UG/L	U	V	2.4	1
40299	7/23/01	URANIUM, TOTAL	GW07741RG	6.7		UG/L	B	J	6.6	1
40299	7/23/01	VANADIUM	GW07741RG	0.41	256	UG/L	U	V	0.41	1
40299	7/23/01	ZINC	GW07741RG	4.5	11000	UG/L	B	UJ	2.5	1
P209389	7/23/01	ALUMINUM	GW07671RG	1.7	36500	UG/L	U	J1	1.7	1
P209389	7/23/01	ANTIMONY	GW07671RG	0.13	6	UG/L	U	V1	0.13	1
P209389	7/23/01	ARSENIC	GW07671RG	0.087	50	UG/L	U	V1	0.087	1
P209389	7/23/01	BARIUM	GW07671RG	1.7	2000	UG/L	B	V1	0.044	1
P209389	7/23/01	BERYLLIUM	GW07671RG	0.19	4	UG/L	U	V1	0.19	1
P209389	7/23/01	CADMIUM	GW07671RG	0.3	5	UG/L	U	V1	0.3	1
P209389	7/23/01	CALCIUM	GW07671RG	41.3		UG/L	B	V1	11	1
P209389	7/23/01	CHROMIUM	GW07671RG	0.12	100	UG/L	U	V1	0.12	1
P209389	7/23/01	COBALT	GW07671RG	0.6	2190	UG/L	U	V1	0.6	1
P209389	7/23/01	COPPER	GW07671RG	1.8	1300	UG/L	B	V1	0.064	1
P209389	7/23/01	IRON	GW07671RG	3.5		UG/L	U	V1	3.5	1
P209389	7/23/01	LEAD	GW07671RG	0.16	15	UG/L	B	UJ1	0.0099	1

Table 7-6
Equipment Rinsate and Field Blank Results
Groundwater - Third Quarter, 2001

Location	Sample Date	Analyte	GW Sample #	Result	Tier II	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion
P209389	7/23/01	LITHIUM	GW07671RG	2.1	730	UG/L	U	J1	2.1	1
P209389	7/23/01	MAGNESIUM	GW07671RG	24		UG/L	U	V1	24	1
P209389	7/23/01	MANGANESE	GW07671RG	3	1720	UG/L	B	V1	0.094	1
P209389	7/23/01	MERCURY	GW07671RG	0.026	2	UG/L	U	V1	0.026	1
P209389	7/23/01	MOLYBDENUM	GW07671RG	1.4	183	UG/L	U	V1	1.4	1
P209389	7/23/01	NICKEL	GW07671RG	1	140	UG/L	U	J1	1	1
P209389	7/23/01	POTASSIUM	GW07671RG	510		UG/L	U	J1	510	1
P209389	7/23/01	SELENIUM	GW07671RG	0.2	50	UG/L	U	V1	0.2	1
P209389	7/23/01	SILVER	GW07671RG	0.025	183	UG/L	U	J1	0.025	1
P209389	7/23/01	SODIUM	GW07671RG	1400		UG/L	U	V1	1400	1
P209389	7/23/01	STRONTIUM	GW07671RG	0.6	21900	UG/L	B	V1	0.03	1
P209389	7/23/01	THALLIUM	GW07671RG	0.015	2	UG/L	B	UJ1	0.013	1
P209389	7/23/01	TIN	GW07671RG	2.4	21900	UG/L	U	J1	2.4	1
P209389	7/23/01	URANIUM, TOTAL	GW07671RG	6.6		UG/L	U	V1	6.6	1
P209389	7/23/01	VANADIUM	GW07671RG	0.41	256	UG/L	U	V1	0.41	1
P209389	7/23/01	ZINC	GW07671RG	7.1	11000	UG/L	B	V1	2.5	1
Water Quality Parameters (WQPs)										
90099	8/22/01	CHLORIDE	GW07718RG	0.5		MG/L	U	V1	0.5	1
40299	7/23/01	CYANIDE	GW07741RG	0.0028	200	MG/L	B	V	0.002	1
00597	7/19/01	FLUORIDE	GW07627RG	0.03	4	MG/L	U	V	0.03	1
P209389	7/24/01	FLUORIDE	GW07671RG	0.03	4	MG/L	U	V1	0.03	1
90099	8/22/01	NITRATE	GW07718RG	0.1	10	MG/L		J1	0.05	1
00597	7/19/01	NITRATE/NITRITE	GW07627RG	0.12	10	MG/L		V	0.021	1
03991	8/7/01	NITRATE/NITRITE	GW07633RG	0.05	10	MG/L	U	V1	0.05	1
12691	8/24/01	NITRATE/NITRITE	GW07656RG	0.056	10	MG/L		V1	0.01	1
37201	8/10/01	NITRATE/NITRITE	GW07683RG	0.071	10	MG/L		V1	0.05	1
40299	7/23/01	NITRATE/NITRITE	GW07741RG	0.047	10	MG/L	B	V	0.021	1
P209389	7/23/01	NITRATE/NITRITE	GW07671RG	0.021	10	MG/L	U	V1	0.021	1
37201	8/10/01	PETROLEUM HYDROCARBONS, TOTAL RECOV	GW07683RG	1		MG/L	U	V1	1	1
00597	7/19/01	TOTAL DISSOLVED SOLIDS	GW07627RG	4.8		MG/L	U	V	4.8	1
03991	8/7/01	TOTAL DISSOLVED SOLIDS	GW07633RG	34		MG/L		V1	10	1
12691	8/24/01	TOTAL DISSOLVED SOLIDS	GW07656RG	4.6		MG/L	U	V1	4.6	1
37201	8/10/01	TOTAL DISSOLVED SOLIDS	GW07683RG	10		MG/L	U	J1	10	1
40299	7/23/01	TOTAL DISSOLVED SOLIDS	GW07741RG	4.8		MG/L	U	V	4.8	1
90099	8/22/01	TOTAL DISSOLVED SOLIDS	GW07718RG	20		MG/L		V1	10	1
P209389	7/24/01	TOTAL DISSOLVED SOLIDS	GW07671RG	4.8		MG/L	U	V1	4.8	1
90099	8/22/01	TOTAL ORGANIC CARBON	GW07718RG	1		MG/L	U	V1	1	1
00597	7/19/01	SULFATE	GW07627RG	0.1	500	MG/L	U	V	0.1	1
90099	8/22/01	SULFATE	GW07718RG	1	500	MG/L	U	V1	1	1
P209389	7/24/01	SULFATE	GW07671RG	0.1	500	MG/L	U	V1	0.1	1
90099	8/22/01	SULFIDE	GW07718RG	0.003		MG/L			0.002	1

Table 7-7
RFCA Groundwater Monitoring Sample Comparison:
Required versus Actual Third Quarter, 2001

Sample Types		Required Number of Visits	Actual Number of Visits*	Actual Number of Locations Sampled	Deviation	Success Ratio; % Samples Collected (or Wells Visited)	Discrepancy Justification
Groundwater Wells (Visits)		111	111	NA	0	100.0	
VOCs		112	112	98	14	87.5	Dry
Dissolved Gasses (Methane/Ethane/Ethene)		9	9	9	0	100.0	
Metals		104	104	81	23	77.9	Dry or Insw
PCBs		10	10	3	7	30.0	Dry or Insw
	Radionuclides						
	Pu/Am	66	66	54	12	81.8	Dry or Insw
	U-isotope	106	106	84	22	79.2	Dry or Insw
	Tritium	37	37	26	11	70.3	Dry or Insw
	^{137}Cesium	6	6	6	0	100.0	
	$^{89/90}$Strontium	12	12	6	6	50.0	Dry or Insw
	^{237}Neptunium	9	9	2	7	22.2	Dry or Insw
	Water Quality Parameters						
	Total Cyanide	13	13	13	0	100.0	
	Chloride	9	9	9	0	100.0	
	Fluoride	21	21	14	7	66.7	Dry or Insw
	Nitrate (sole)	9	9	9	0	100.0	
	Nitrate/Nitrite	101	101	82	19	81.2	Dry or Insw
	Sulfate	51	51	37	14	72.5	Dry or Insw
	Sulfide as H_2S	9	9	9	0	100.0	
	Total Diss. Solids	109	109	82	17	75.2	Dry or Insw
	Total Organic Carb.	9	9	9	0	100.0	
	T. Rcvr. Petroleum Hydrocarbon	9	9	9	0	100.0	
Totals		811	811	642	159	79.2	Dry or Insw

*Does not reflect multiple visits to wells with limited water or totally dry wells.
Dry = Well did not recharge after purging. No samples collected.
Insw = Insufficient water to complete sample suite.

Table 7-8
Summary of Validation / Verification Completeness
Groundwater - Third Quarter, 2001

		Usable Data Points - Dp_u	Non-usable Data Points - DP_n	Total Data Points - DP_t	Percent of Usable Data Points	No Validation / Verification
VOC's		6595	154	7325	90.0%	576*
Methane/Ethane				33		33
Metals		2606	47	2654	98.2%	1*
PCBs		21	0	21	100.0%	
Radionuclides						
	Pu / Am	122	0	122	100.0%	
	U-isotope	246	0	297	82.8%	51*
	Tritium	32	0	32	100.0%	
	^{137}Cesium	4	0	6	66.7%	2
	$^{89/90}$Strontium	8	0	8	100.0%	
	^{237}Neptunium	2	0	2	100.0%	
Water Quality Parameters						
	Alkalinity	4	0	4	100.0%	
	Chloride	11	0	11	100.0%	
	Fluoride	15	0	16	93.8%	1*
	Nitrate	10	0	11	90.9%	1*
	Nitrate/Nitrite	101	0	105	96.2%	4*
	Sulfate	39	0	43	90.7%	4*
	Sulfide as H_2S	8	1	11	72.7%	
	Total Cyanide	14	0	14	100.0%	
Total Dissolved Solids		94	0	98	95.9%	4*
Total Organic Carbon		11	0	11	100.0%	
Total Recoverable Petroleum Hydrocarbons		11	0	11	100.0%	
Totals		9954	202	10835	91.9%	642

Usable data points include the following Validation/Verification qualifiers: J/J1, JB/JB1, U/U1, UJ/UJ1, V/V1.
Non-usable data points include the following Validation/Verification qualifiers: R/R1.

Because Cesium and Methane analyses are set up via special contracts they are not being validated at this time.

With respect to TR1-DL1 or TR1-TR2 analytical series, only one Result from a pair (with a validation qualifier) is counted here.

Completeness = $Dp_u = \frac{DP_t - DP_n}{DP_t} \times 100$ (in percent)

The acceptable QC criterion is **>90%.**

* These analyses are currently undergoing validation/verification but results were not available at the time this report was prepared.

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
00491	7/12/01	GW07623RG	ALUMINUM	REAL	TR1	16	UG/L	B	UJ1	8.3	1	36500	NO	Plume Definition
00491	7/12/01	GW07623RG	ANTIMONY	REAL	TR1	0.16	UG/L	B	UJ1	0.13	1	6	NO	Plume Definition
00491	7/12/01	GW07623RG	ARSENIC	REAL	TR1	0.61	UG/L	B	V1	0.087	1	50	NO	Plume Definition
00491	7/12/01	GW07623RG	BARIUM	REAL	TR1	89.6	UG/L	B	V1	0.044	1	2000	NO	Plume Definition
00491	7/12/01	GW07623RG	BERYLLIUM	REAL	TR1	0.19	UG/L	U	V1	0.19	1	4	NO	Plume Definition
00491	7/12/01	GW07623RG	CADMIUM	REAL	TR1	0.35	UG/L	B	UJ1	0.3	1	5	NO	Plume Definition
00491	7/12/01	GW07623RG	CALCIUM	REAL	TR1	79400	UG/L		V1	11	1		NO	Plume Definition
00491	7/12/01	GW07623RG	CHROMIUM	REAL	TR1	1.3	UG/L	B	V1	0.12	1	100	NO	Plume Definition
00491	7/12/01	GW07623RG	COBALT	REAL	TR1	0.6	UG/L	U	V1	0.6	1	2190	NO	Plume Definition
00491	7/12/01	GW07623RG	COPPER	REAL	TR1	0.29	UG/L	B	J1	0.064	1	1300	NO	Plume Definition
00491	7/12/01	GW07623RG	IRON	REAL	TR1	19.9	UG/L	B	UJ1	3.5	1		NO	Plume Definition
00491	7/12/01	GW07623RG	LEAD	REAL	TR1	0.02	UG/L	B	V1	0.01	1	15	NO	Plume Definition
00491	7/12/01	GW07623RG	LITHIUM	REAL	TR1	16	UG/L	B	V1	2.1	1	730	NO	Plume Definition
00491	7/12/01	GW07623RG	MAGNESIUM	REAL	TR1	17900	UG/L		V1	24	1		NO	Plume Definition
00491	7/12/01	GW07623RG	MANGANESE	REAL	TR1	0.56	UG/L	B	UJ1	0.094	1	1720	NO	Plume Definition
00491	7/12/01	GW07623RG	MERCURY	REAL	TR1	0.026	UG/L	U	V1	0.026	1	2	NO	Plume Definition
00491	7/12/01	GW07623RG	MOLYBDENUM	REAL	TR1	5.7	UG/L	B	V1	1.4	1	183	NO	Plume Definition
00491	7/12/01	GW07623RG	NICKEL	REAL	TR1	7.9	UG/L	B	V1	1	1	140	NO	Plume Definition
00491	7/12/01	GW07623RG	POTASSIUM	REAL	TR1	864	UG/L	B	UJ1	510	1		NO	Plume Definition
00491	7/12/01	GW07623RG	SELENIUM	REAL	TR1	3.4	UG/L		V1	0.2	1	50	NO	Plume Definition
00491	7/12/01	GW07623RG	SILVER	REAL	TR1	0.054	UG/L	U	V1	0.054	1	183	NO	Plume Definition
00491	7/12/01	GW07623RG	SODIUM	REAL	TR1	59100	UG/L		V1	1400	1		NO	Plume Definition
00491	7/12/01	GW07623RG	STRONTIUM	REAL	TR1	511	UG/L		V1	0.03	1	21900	NO	Plume Definition
00491	7/12/01	GW07623RG	THALLIUM	REAL	TR1	0.013	UG/L	U	V1	0.013	1	2	NO	Plume Definition
00491	7/12/01	GW07623RG	TIN	REAL	TR1	2.4	UG/L	U	V1	2.4	1	21900	NO	Plume Definition
00491	7/12/01	GW07623RG	URANIUM, TOTAL	REAL	TR1	11.6	UG/L	B	V1	6.6	1		NO	Plume Definition
00491	7/12/01	GW07623RG	VANADIUM	REAL	TR1	0.84	UG/L	B	V1	0.41	1	256	NO	Plume Definition
00491	7/12/01	GW07623RG	ZINC	REAL	TR1	13.6	UG/L	B	UJ1	2.5	1	11000	NO	Plume Definition
00597	7/19/01	GW07625RG	ALUMINUM	REAL	TR1	7.6	UG/L	B	V	1.7	1	36500	YES	Plume Definition
00597	7/19/01	GW07626RG	ALUMINUM	DUP	TR1	4.4	UG/L	B	V	1.7	1	36500	YES	Plume Definition
00597	7/19/01	GW07625RG	ANTIMONY	REAL	TR1	0.53	UG/L	B	UJ	0.13	1	6	YES	Plume Definition
00597	7/19/01	GW07626RG	ANTIMONY	DUP	TR1	0.13	UG/L	U	V	0.13	1	6	YES	Plume Definition
00597	7/19/01	GW07625RG	ARSENIC	REAL	TR1	0.39	UG/L	B	V	0.087	1	50	YES	Plume Definition
00597	7/19/01	GW07626RG	ARSENIC	DUP	TR1	0.38	UG/L	B	V	0.087	1	50	YES	Plume Definition
00597	7/19/01	GW07625RG	BARIUM	REAL	TR1	92.9	UG/L	B	V	0.044	1	2000	YES	Plume Definition
00597	7/19/01	GW07626RG	BARIUM	DUP	TR1	94.4	UG/L	B	V	0.044	1	2000	YES	Plume Definition
00597	7/19/01	GW07625RG	BERYLLIUM	REAL	TR1	0.19	UG/L	U	V	0.19	1	4	YES	Plume Definition
00597	7/19/01	GW07626RG	BERYLLIUM	DUP	TR1	0.19	UG/L	U	V	0.19	1	4	YES	Plume Definition
00597	7/19/01	GW07625RG	CADMIUM	REAL	TR1	0.58	UG/L	B	UJ	0.3	1	5	YES	Plume Definition
00597	7/19/01	GW07626RG	CADMIUM	DUP	TR1	0.52	UG/L	B	UJ	0.3	1	5	YES	Plume Definition
00597	7/19/01	GW07625RG	CALCIUM	REAL	TR1	28600	UG/L		J	11	1		YES	Plume Definition
00597	7/19/01	GW07626RG	CALCIUM	DUP	TR1	28600	UG/L		J	11	1		YES	Plume Definition
00597	7/19/01	GW07625RG	CHROMIUM	REAL	TR1	0.12	UG/L	U	J	0.12	1	100	YES	Plume Definition
00597	7/19/01	GW07626RG	CHROMIUM	DUP	TR1	0.12	UG/L	U	J	0.12	1	100	YES	Plume Definition
00597	7/19/01	GW07625RG	COBALT	REAL	TR1	0.6	UG/L	U	V	0.6	1	2190	YES	Plume Definition
00597	7/19/01	GW07626RG	COBALT	DUP	TR1	0.6	UG/L	U	V	0.6	1	2190	YES	Plume Definition
00597	7/19/01	GW07625RG	COPPER	REAL	TR1	0.45	UG/L	B	UJ	0.064	1	1300	YES	Plume Definition
00597	7/19/01	GW07626RG	COPPER	DUP	TR1	5.5	UG/L		V	0.064	1	1300	YES	Plume Definition
00597	7/19/01	GW07625RG	IRON	REAL	TR1	10.2	UG/L	B	UJ	3.5	1		YES	Plume Definition
00597	7/19/01	GW07626RG	IRON	DUP	TR1	4.7	UG/L	B	UJ	3.5	1		YES	Plume Definition
00597	7/19/01	GW07625RG	LEAD	REAL	TR1	0.052	UG/L	B	UJ	0.01	1	15	YES	Plume Definition
00597	7/19/01	GW07626RG	LEAD	DUP	TR1	0.066	UG/L	B	UJ	0.01	1	15	YES	Plume Definition
00597	7/19/01	GW07625RG	LITHIUM	REAL	TR1	8.2	UG/L	B	UJ	2.1	1	730	YES	Plume Definition
00597	7/19/01	GW07626RG	LITHIUM	DUP	TR1	7.8	UG/L	B	UJ	2.1	1	730	YES	Plume Definition
00597	7/19/01	GW07625RG	MAGNESIUM	REAL	TR1	5370	UG/L		J	24	1		YES	Plume Definition
00597	7/19/01	GW07626RG	MAGNESIUM	DUP	TR1	5400	UG/L		J	24	1		YES	Plume Definition
00597	7/19/01	GW07625RG	MANGANESE	REAL	TR1	0.67	UG/L	B	UJ	0.094	1	1720	YES	Plume Definition

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
00597	7/19/01	GW07626RG	MANGANESE	DUP	TR1	0.73	UG/L	B	UJ	0.094	1	1720	YES	Plume Definition
00597	7/19/01	GW07625RG	MERCURY	REAL	TR1	0.026	UG/L	U	V	0.026	1	2	YES	Plume Definition
00597	7/19/01	GW07626RG	MERCURY	DUP	TR1	0.026	UG/L	U	V	0.026	1	2	YES	Plume Definition
00597	7/19/01	GW07625RG	MOLYBDENUM	REAL	TR1	1.4	UG/L	U	V	1.4	1	183	YES	Plume Definition
00597	7/19/01	GW07626RG	MOLYBDENUM	DUP	TR1	1.6	UG/L	B	V	1.4	1	183	YES	Plume Definition
00597	7/19/01	GW07625RG	NICKEL	REAL	TR1	1	UG/L	U	V	1	1	140	YES	Plume Definition
00597	7/19/01	GW07626RG	NICKEL	DUP	TR1	1.1	UG/L	B	V	1	1	140	YES	Plume Definition
00597	7/19/01	GW07625RG	POTASSIUM	REAL	TR1	1140	UG/L	B	UJ	510	1		YES	Plume Definition
00597	7/19/01	GW07626RG	POTASSIUM	DUP	TR1	1040	UG/L	B	UJ	510	1		YES	Plume Definition
00597	7/19/01	GW07625RG	SELENIUM	REAL	TR1	0.74	UG/L	B	V	0.2	1	50	YES	Plume Definition
00597	7/19/01	GW07626RG	SELENIUM	DUP	TR1	0.71	UG/L	B	V	0.2	1	50	YES	Plume Definition
00597	7/19/01	GW07625RG	SILVER	REAL	TR1	0.045	UG/L	B	J	0.025	1	183	YES	Plume Definition
00597	7/19/01	GW07626RG	SILVER	DUP	TR1	0.025	UG/L	U	J	0.025	1	183	YES	Plume Definition
00597	7/19/01	GW07625RG	SODIUM	REAL	TR1	8200	UG/L		J	1400	1		YES	Plume Definition
00597	7/19/01	GW07626RG	SODIUM	DUP	TR1	8810	UG/L		J	1400	1		YES	Plume Definition
00597	7/19/01	GW07625RG	STRONTIUM	REAL	TR1	151	UG/L	B	V	0.03	1	21900	YES	Plume Definition
00597	7/19/01	GW07626RG	STRONTIUM	DUP	TR1	152	UG/L	B	V	0.03	1	21900	YES	Plume Definition
00597	7/19/01	GW07625RG	THALLIUM	REAL	TR1	0.026	UG/L	B	UJ	0.013	1	2	YES	Plume Definition
00597	7/19/01	GW07626RG	THALLIUM	DUP	TR1	0.019	UG/L	B	UJ	0.013	1	2	YES	Plume Definition
00597	7/19/01	GW07625RG	TIN	REAL	TR1	2.4	UG/L	U	V	2.4	1	21900	YES	Plume Definition
00597	7/19/01	GW07626RG	TIN	DUP	TR1	2.4	UG/L	U	V	2.4	1	21900	YES	Plume Definition
00597	7/19/01	GW07625RG	URANIUM, TOTAL	REAL	TR1	6.6	UG/L	U	R	6.6	1		YES	Plume Definition
00597	7/19/01	GW07626RG	URANIUM, TOTAL	DUP	TR1	6.6	UG/L	U	R	6.6	1		YES	Plume Definition
00597	7/19/01	GW07625RG	VANADIUM	REAL	TR1	0.83	UG/L	B	V	0.41	1	256	YES	Plume Definition
00597	7/19/01	GW07626RG	VANADIUM	DUP	TR1	0.9	UG/L	B	V	0.41	1	256	YES	Plume Definition
00597	7/19/01	GW07625RG	ZINC	REAL	TR1	6.1	UG/L	B	UJ	2.5	1	11000	YES	Plume Definition
00597	7/19/01	GW07626RG	ZINC	DUP	TR1	5.4	UG/L	B	UJ	2.5	1	11000	YES	Plume Definition
00597	7/19/01	GW07627RG	ALUMINUM	RNS	TR1	1.7	UG/L	U	V	1.7	1	36500	YES	Plume Definition
00597	7/19/01	GW07627RG	ANTIMONY	RNS	TR1	0.13	UG/L	U	V	0.13	1	6	YES	Plume Definition
00597	7/19/01	GW07627RG	ARSENIC	RNS	TR1	0.087	UG/L	U	V	0.087	1	50	YES	Plume Definition
00597	7/19/01	GW07627RG	BARIUM	RNS	TR1	0.86	UG/L	B	UJ	0.044	1	2000	YES	Plume Definition
00597	7/19/01	GW07627RG	BERYLLIUM	RNS	TR1	0.19	UG/L	U	V	0.19	1	4	YES	Plume Definition
00597	7/19/01	GW07627RG	CADMIUM	RNS	TR1	0.34	UG/L	B	UJ	0.3	1	5	YES	Plume Definition
00597	7/19/01	GW07627RG	CALCIUM	RNS	TR1	77.8	UG/L	B	UJ	11	1		YES	Plume Definition
00597	7/19/01	GW07627RG	CHROMIUM	RNS	TR1	0.12	UG/L	U	J	0.12	1	100	YES	Plume Definition
00597	7/19/01	GW07627RG	COBALT	RNS	TR1	0.6	UG/L	U	V	0.6	1	2190	YES	Plume Definition
00597	7/19/01	GW07627RG	COPPER	RNS	TR1	0.72	UG/L	B	V	0.064	1	1300	YES	Plume Definition
00597	7/19/01	GW07627RG	IRON	RNS	TR1	28.9	UG/L	B	J	3.5	1		YES	Plume Definition
00597	7/19/01	GW07627RG	LEAD	RNS	TR1	0.079	UG/L	B	UJ	0.01	1	15	YES	Plume Definition
00597	7/19/01	GW07627RG	LITHIUM	RNS	TR1	2.6	UG/L	B	UJ	2.1	1	730	YES	Plume Definition
00597	7/19/01	GW07627RG	MAGNESIUM	RNS	TR1	24	UG/L	U	J	24	1		YES	Plume Definition
00597	7/19/01	GW07627RG	MANGANESE	RNS	TR1	2.3	UG/L	B	V	0.094	1	1720	YES	Plume Definition
00597	7/19/01	GW07627RG	MERCURY	RNS	TR1	0.026	UG/L	U	V	0.026	1	2	YES	Plume Definition
00597	7/19/01	GW07627RG	MOLYBDENUM	RNS	TR1	1.4	UG/L	U	V	1.4	1	183	YES	Plume Definition
00597	7/19/01	GW07627RG	NICKEL	RNS	TR1	1	UG/L	U	V	1	1	140	YES	Plume Definition
00597	7/19/01	GW07627RG	POTASSIUM	RNS	TR1	701	UG/L	B	UJ	510	1		YES	Plume Definition
00597	7/19/01	GW07627RG	SELENIUM	RNS	TR1	0.2	UG/L	U	V	0.2	1	50	YES	Plume Definition
00597	7/19/01	GW07627RG	SILVER	RNS	TR1	0.025	UG/L	U	J	0.025	1	183	YES	Plume Definition
00597	7/19/01	GW07627RG	SODIUM	RNS	TR1	1400	UG/L	U	J	1400	1		YES	Plume Definition
00597	7/19/01	GW07627RG	STRONTIUM	RNS	TR1	0.46	UG/L	B	UJ	0.03	1	21900	YES	Plume Definition
00597	7/19/01	GW07627RG	THALLIUM	RNS	TR1	0.013	UG/L	U	V	0.013	1	2	YES	Plume Definition
00597	7/19/01	GW07627RG	TIN	RNS	TR1	3.3	UG/L	B	UJ	2.4	1	21900	YES	Plume Definition
00597	7/19/01	GW07627RG	URANIUM, TOTAL	RNS	TR1	7.8	UG/L	B	J	6.6	1		YES	Plume Definition
00597	7/19/01	GW07627RG	VANADIUM	RNS	TR1	0.41	UG/L	U	V	0.41	1	256	YES	Plume Definition
00597	7/19/01	GW07627RG	ZINC	RNS	TR1	4.5	UG/L	B	UJ	2.5	1	11000	YES	Plume Definition
00797	8/16/01	GW07628RG	ALUMINUM	REAL	TR1	6	UG/L	U	V1	6	5	36500	YES	Perf Monitoring
00797	8/16/01	GW07628RG	ANTIMONY	REAL	TR1	0.34	UG/L	U	V1	0.34	1	6	YES	Perf Monitoring

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
00797	8/16/01	GW07628RG	ARSENIC	REAL	TR1	3.2	UG/L	B	V1	0.32	1	50	YES	Perf Monitoring
00797	8/16/01	GW07628RG	BARIUM	REAL	TR1	34	UG/L		V1	0.25	1	2000	YES	Perf Monitoring
00797	8/16/01	GW07628RG	BERYLLIUM	REAL	TR1	0.054	UG/L	U	V1	0.054	1	4	YES	Perf Monitoring
00797	8/16/01	GW07628RG	CADMIUM	REAL	TR1	0.16	UG/L		V1	0.016	1	5	YES	Perf Monitoring
00797	8/16/01	GW07628RG	CALCIUM	REAL	TR1	160000	UG/L		V1	3.2	1		YES	Perf Monitoring
00797	8/16/01	GW07628RG	CHROMIUM	REAL	TR1	11	UG/L		V1	0.3	1	100	YES	Perf Monitoring
00797	8/16/01	GW07628RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	Perf Monitoring
00797	8/16/01	GW07628RG	COPPER	REAL	TR1	2.6	UG/L		V1	0.92	1	1300	YES	Perf Monitoring
00797	8/16/01	GW07628RG	IRON	REAL	TR1	240	UG/L	B	V1	16	1		YES	Perf Monitoring
00797	8/16/01	GW07628RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	Perf Monitoring
00797	8/16/01	GW07628RG	LITHIUM	REAL	TR1	36	UG/L		V1	2.2	1	730	YES	Perf Monitoring
00797	8/16/01	GW07628RG	MAGNESIUM	REAL	TR1	40000	UG/L		J1	25	1		YES	Perf Monitoring
00797	8/16/01	GW07628RG	MANGANESE	REAL	TR1	0.69	UG/L	U	V1	0.69	1	1720	YES	Perf Monitoring
00797	8/16/01	GW07628RG	MERCURY	REAL	TR1	0.02	UG/L	U	V1	0.02	1	2	YES	Perf Monitoring
00797	8/16/01	GW07628RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	Perf Monitoring
00797	8/16/01	GW07628RG	NICKEL	REAL	TR1	1	UG/L	U	V1	1	1	140	YES	Perf Monitoring
00797	8/16/01	GW07628RG	POTASSIUM	REAL	TR1	930	UG/L		J1	48	1		YES	Perf Monitoring
00797	8/16/01	GW07628RG	SELENIUM	REAL	TR1	36	UG/L	N	J1	0.33	1	50	YES	Perf Monitoring
00797	8/16/01	GW07628RG	SILVER	REAL	TR1	0.005	UG/L	U	V1	0.005	1	183	YES	Perf Monitoring
00797	8/16/01	GW07628RG	SODIUM	REAL	TR1	120000	UG/L		V1	27	1		YES	Perf Monitoring
00797	8/16/01	GW07628RG	STRONTIUM	REAL	TR1	1200	UG/L		V1	0.25	1	21900	YES	Perf Monitoring
00797	8/16/01	GW07628RG	THALLIUM	REAL	TR1	0.05	UG/L	U	R1	0.05	1	2	YES	Perf Monitoring
00797	8/16/01	GW07628RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	Perf Monitoring
00797	8/16/01	GW07628RG	URANIUM, TOTAL	REAL	TR1	16	UG/L		V1	0.005	1		YES	Perf Monitoring
00797	8/16/01	GW07628RG	VANADIUM	REAL	TR1	1	UG/L	U	V1	1	1	256	YES	Perf Monitoring
00797	8/16/01	GW07628RG	VANADIUM	REAL	TR1	4.4	UG/L	U	V1	4.4	5	256	YES	Perf Monitoring
00797	8/16/01	GW07628RG	ZINC	REAL	TR1	1	UG/L	U	V1	1	1	11000	YES	Perf Monitoring
00997	7/13/01	GW07629RG	ALUMINUM	REAL	TR1	17.4	UG/L		UJ1	8.3	1	36500	YES	Drainage
00997	7/13/01	GW07629RG	ANTIMONY	REAL	TR1	0.19	UG/L	B	UJ1	0.13	1	6	YES	Drainage
00997	7/13/01	GW07629RG	ARSENIC	REAL	TR1	2.4	UG/L	B	V1	0.087	1	50	YES	Drainage
00997	7/13/01	GW07629RG	BARIUM	REAL	TR1	138	UG/L		V1	0.044	1	2000	YES	Drainage
00997	7/13/01	GW07629RG	BERYLLIUM	REAL	TR1	0.19	UG/L	U	V1	0.19	1	4	YES	Drainage
00997	7/13/01	GW07629RG	CADMIUM	REAL	TR1	0.45	UG/L	B	UJ1	0.3	1	5	YES	Drainage
00997	7/13/01	GW07629RG	CALCIUM	REAL	TR1	104000	UG/L		V1	11	1		YES	Drainage
00997	7/13/01	GW07629RG	CHROMIUM	REAL	TR1	0.14	UG/L	B	UJ1	0.12	1	100	YES	Drainage
00997	7/13/01	GW07629RG	COBALT	REAL	TR1	1	UG/L	B	V1	0.6	1	2190	YES	Drainage
00997	7/13/01	GW07629RG	COPPER	REAL	TR1	1.1	UG/L	B	J1	0.064	1	1300	YES	Drainage
00997	7/13/01	GW07629RG	IRON	REAL	TR1	377	UG/L		V1	3.5	1		YES	Drainage
00997	7/13/01	GW07629RG	LEAD	REAL	TR1	0.22	UG/L	B	V1	0.01	1	15	YES	Drainage
00997	7/13/01	GW07629RG	LITHIUM	REAL	TR1	43.9	UG/L	B	V1	2.1	1	730	YES	Drainage
00997	7/13/01	GW07629RG	MAGNESIUM	REAL	TR1	27500	UG/L		V1	24	1		YES	Drainage
00997	7/13/01	GW07629RG	MANGANESE	REAL	TR1	111	UG/L		V1	0.094	1	1720	YES	Drainage
00997	7/13/01	GW07629RG	MERCURY	REAL	TR1	0.026	UG/L	U	V1	0.026	1	2	YES	Drainage
00997	7/13/01	GW07629RG	MOLYBDENUM	REAL	TR1	4.8	UG/L	B	V1	1.4	1	183	YES	Drainage
00997	7/13/01	GW07629RG	NICKEL	REAL	TR1	7.6	UG/L	B	V1	1	1	140	YES	Drainage
00997	7/13/01	GW07629RG	POTASSIUM	REAL	TR1	2010	UG/L	B	UJ1	510	1		YES	Drainage
00997	7/13/01	GW07629RG	SELENIUM	REAL	TR1	0.2	UG/L	U	V1	0.2	1	50	YES	Drainage
00997	7/13/01	GW07629RG	SILVER	REAL	TR1	0.054	UG/L	U	V1	0.054	1	183	YES	Drainage
00997	7/13/01	GW07629RG	SODIUM	REAL	TR1	125000	UG/L		V1	1400	1		YES	Drainage
00997	7/13/01	GW07629RG	STRONTIUM	REAL	TR1	825	UG/L		V1	0.03	1	21900	YES	Drainage
00997	7/13/01	GW07629RG	THALLIUM	REAL	TR1	0.013	UG/L	U	V1	0.013	1	2	YES	Drainage
00997	7/13/01	GW07629RG	TIN	REAL	TR1	2.4	UG/L	U	V1	2.4	1	21900	YES	Drainage
00997	7/13/01	GW07629RG	URANIUM, TOTAL	REAL	TR1	16.6	UG/L	B	V1	6.6	1		YES	Drainage
00997	7/13/01	GW07629RG	VANADIUM	REAL	TR1	0.65	UG/L	B	V1	0.41	1	256	YES	Drainage
00997	7/13/01	GW07629RG	ZINC	REAL	TR1	15.4	UG/L	B	UJ1	2.5	1	11000	YES	Drainage
02197	7/18/01	GW07612RG	ALUMINUM	REAL	TR1	3.9	UG/L	B	J1	1.7	1	36500	YES	Plume Extent
02197	7/18/01	GW07612RG	ANTIMONY	REAL	TR1	0.16	UG/L	B	UJ1	0.13	1	6	YES	Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
02197	7/18/01	GW07612RG	ARSENIC	REAL	TR1	2.1	UG/L	B	V1	0.087	1	50	YES	Plume Extent
02197	7/18/01	GW07612RG	BARIUM	REAL	TR1	73	UG/L	B	V1	0.044	1	2000	YES	Plume Extent
02197	7/18/01	GW07612RG	BERYLLIUM	REAL	TR1	0.19	UG/L	U	V1	0.19	1	4	YES	Plume Extent
02197	7/18/01	GW07612RG	CADMIUM	REAL	TR1	0.45	UG/L	B	UJ1	0.3	1	5	YES	Plume Extent
02197	7/18/01	GW07612RG	CALCIUM	REAL	TR1	86300	UG/L		V1	11	1		YES	Plume Extent
02197	7/18/01	GW07612RG	CHROMIUM	REAL	TR1	0.26	UG/L	B	J1	0.12	1	100	YES	Plume Extent
02197	7/18/01	GW07612RG	COBALT	REAL	TR1	0.6	UG/L	U	V1	0.6	1	2190	YES	Plume Extent
02197	7/18/01	GW07612RG	COPPER	REAL	TR1	4.1	UG/L		J1	0.064	1	1300	YES	Plume Extent
02197	7/18/01	GW07612RG	IRON	REAL	TR1	5.2	UG/L	B	V1	3.5	1		YES	Plume Extent
02197	7/18/01	GW07612RG	LEAD	REAL	TR1	0.098	UG/L	B	V1	0.01	1	15	YES	Plume Extent
02197	7/18/01	GW07612RG	LITHIUM	REAL	TR1	13.1	UG/L	B	UJ1	2.1	1	730	YES	Plume Extent
02197	7/18/01	GW07612RG	MAGNESIUM	REAL	TR1	17700	UG/L		V1	24	1		YES	Plume Extent
02197	7/18/01	GW07612RG	MANGANESE	REAL	TR1	1.4	UG/L	B	V1	0.094	1	1720	YES	Plume Extent
02197	7/18/01	GW07612RG	MERCURY	REAL	TR1	0.026	UG/L	U	V1	0.026	1	2	YES	Plume Extent
02197	7/18/01	GW07612RG	MOLYBDENUM	REAL	TR1	3.8	UG/L	B	V1	1.4	1	183	YES	Plume Extent
02197	7/18/01	GW07612RG	NICKEL	REAL	TR1	1	UG/L	U	V1	1	1	140	YES	Plume Extent
02197	7/18/01	GW07612RG	POTASSIUM	REAL	TR1	1490	UG/L	B	UJ1	510	1		YES	Plume Extent
02197	7/18/01	GW07612RG	SELENIUM	REAL	TR1	31.9	UG/L		V1	0.2	1	50	YES	Plume Extent
02197	7/18/01	GW07612RG	SILVER	REAL	TR1	0.054	UG/L	U	V1	0.054	1	183	YES	Plume Extent
02197	7/18/01	GW07612RG	SODIUM	REAL	TR1	34100	UG/L		V1	1400	1		YES	Plume Extent
02197	7/18/01	GW07612RG	STRONTIUM	REAL	TR1	609	UG/L		V1	0.03	1	21900	YES	Plume Extent
02197	7/18/01	GW07612RG	THALLIUM	REAL	TR1	0.013	UG/L	U	J1	0.013	1	2	YES	Plume Extent
02197	7/18/01	GW07612RG	TIN	REAL	TR1	5.4	UG/L	B	UJ1	2.4	1	21900	YES	Plume Extent
02197	7/18/01	GW07612RG	URANIUM, TOTAL	REAL	TR1	14	UG/L	B	J1	6.6	1		YES	Plume Extent
02197	7/18/01	GW07612RG	VANADIUM	REAL	TR1	1.4	UG/L	B	V1	0.41	1	256	YES	Plume Extent
02197	7/18/01	GW07612RG	ZINC	REAL	TR1	7.5	UG/L	B	UJ1	2.5	1	11000	YES	Plume Extent
0386	8/2/01	GW07630RG	ALUMINUM	REAL	TR1	5.4	UG/L	B	J1	1.2	1	36500	NO	Boundary
0386	8/2/01	GW07630RG	ANTIMONY	REAL	TR1	0.35	UG/L	B	UJ1	0.34	1	6	NO	Boundary
0386	8/2/01	GW07630RG	ARSENIC	REAL	TR1	0.32	UG/L	U	V1	0.32	1	50	NO	Boundary
0386	8/2/01	GW07630RG	BARIUM	REAL	TR1	220	UG/L		V1	0.25	1	2000	NO	Boundary
0386	8/2/01	GW07630RG	BERYLLIUM	REAL	TR1	0.54	UG/L	U	V1	0.54	10	4	NO	Boundary
0386	8/2/01	GW07630RG	CADMIUM	REAL	TR1	0.047	UG/L	B	V1	0.016	1	5	NO	Boundary
0386	8/2/01	GW07630RG	CALCIUM	REAL	TR1	83000	UG/L		V1	3.2	1		NO	Boundary
0386	8/2/01	GW07630RG	CHROMIUM	REAL	TR1	0.61	UG/L	B	J1	0.3	1	100	NO	Boundary
0386	8/2/01	GW07630RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	NO	Boundary
0386	8/2/01	GW07630RG	COPPER	REAL	TR1	1.7	UG/L	B	V1	0.92	1	1300	NO	Boundary
0386	8/2/01	GW07630RG	IRON	REAL	TR1	150	UG/L		V1	16	1		NO	Boundary
0386	8/2/01	GW07630RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	NO	Boundary
0386	8/2/01	GW07630RG	LITHIUM	REAL	TR1	87	UG/L	B	V1	2.2	1	730	NO	Boundary
0386	8/2/01	GW07630RG	MAGNESIUM	REAL	TR1	32000	UG/L		V1	25	1		NO	Boundary
0386	8/2/01	GW07630RG	MANGANESE	REAL	TR1	0.69	UG/L	U	V1	0.69	1	1720	NO	Boundary
0386	8/2/01	GW07630RG	MERCURY	REAL	TR1	0.02	UG/L	U	UJ1	0.02	1	2	NO	Boundary
0386	8/2/01	GW07630RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	NO	Boundary
0386	8/2/01	GW07630RG	NICKEL	REAL	TR1	4.6	UG/L	B	J1	1	1	140	NO	Boundary
0386	8/2/01	GW07630RG	POTASSIUM	REAL	TR1	2500	UG/L	B	J1	48	1		NO	Boundary
0386	8/2/01	GW07630RG	SELENIUM	REAL	TR1	45	UG/L		V1	0.33	1	50	NO	Boundary
0386	8/2/01	GW07630RG	SILVER	REAL	TR1	0.021	UG/L	B	UJ1	0.005	1	183	NO	Boundary
0386	8/2/01	GW07630RG	SODIUM	REAL	TR1	55000	UG/L		V1	27	1		NO	Boundary
0386	8/2/01	GW07630RG	STRONTIUM	REAL	TR1	1400	UG/L		V1	0.25	1	21900	NO	Boundary
0386	8/2/01	GW07630RG	THALLIUM	REAL	TR1	0.4	UG/L	B	UJ1	0.05	1	2	NO	Boundary
0386	8/2/01	GW07630RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	NO	Boundary
0386	8/2/01	GW07630RG	URANIUM, TOTAL	REAL	TR1	25	UG/L		V1	0.005	1		NO	Boundary
0386	8/2/01	GW07630RG	VANADIUM	REAL	TR1	0.87	UG/L	U	V1	0.87	1	256	NO	Boundary
0386	8/2/01	GW07630RG	ZINC	REAL	TR1	1.2	UG/L	B	J1	1	1	11000	NO	Boundary
03991	8/7/01	GW07631RG	ALUMINUM	REAL	TR1	6.5	UG/L	BN	J1	2.4	2	36500	YES	Plume Definition
03991	8/7/01	GW07632RG	ALUMINUM	DUP	TR1	48	UG/L	N	J1	2.4	2	36500	YES	Plume Definition
03991	8/7/01	GW07631RG	ANTIMONY	REAL	TR1	3	UG/L	B	UJ1	0.67	2	6	YES	Plume Definition

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
03991	8/7/01	GW07632RG	ANTIMONY	DUP	TR1	0.67	UG/L	U	V1	0.67	2	6	YES	Plume Definition
03991	8/7/01	GW07631RG	ARSENIC	REAL	TR1	0.67	UG/L	B	V1	0.64	2	50	YES	Plume Definition
03991	8/7/01	GW07632RG	ARSENIC	DUP	TR1	0.64	UG/L	U	V1	0.64	2	50	YES	Plume Definition
03991	8/7/01	GW07631RG	BARIUM	REAL	TR1	190	UG/L		V1	0.25	1	2000	YES	Plume Definition
03991	8/7/01	GW07632RG	BARIUM	DUP	TR1	190	UG/L		V1	0.25	1	2000	YES	Plume Definition
03991	8/7/01	GW07631RG	BERYLLIUM	REAL	TR1	0.11	UG/L	U	V1	0.11	2	4	YES	Plume Definition
03991	8/7/01	GW07632RG	BERYLLIUM	DUP	TR1	0.11	UG/L	U	V1	0.11	2	4	YES	Plume Definition
03991	8/7/01	GW07631RG	CADMIUM	REAL	TR1	0.09	UG/L	B	V1	0.032	2	5	YES	Plume Definition
03991	8/7/01	GW07632RG	CADMIUM	DUP	TR1	0.061	UG/L	B	V1	0.032	2	5	YES	Plume Definition
03991	8/7/01	GW07631RG	CALCIUM	REAL	TR1	97000	UG/L		V1	3.2	1		YES	Plume Definition
03991	8/7/01	GW07632RG	CALCIUM	DUP	TR1	97000	UG/L		V1	3.2	1		YES	Plume Definition
03991	8/7/01	GW07631RG	CHROMIUM	REAL	TR1	6	UG/L		V1	0.6	2	100	YES	Plume Definition
03991	8/7/01	GW07632RG	CHROMIUM	DUP	TR1	6.8	UG/L		V1	0.6	2	100	YES	Plume Definition
03991	8/7/01	GW07631RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	Plume Definition
03991	8/7/01	GW07632RG	COBALT	DUP	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	Plume Definition
03991	8/7/01	GW07631RG	COPPER	REAL	TR1	1.8	UG/L	U	V1	1.8	2	1300	YES	Plume Definition
03991	8/7/01	GW07632RG	COPPER	DUP	TR1	1.8	UG/L	U	V1	1.8	2	1300	YES	Plume Definition
03991	8/7/01	GW07631RG	IRON	REAL	TR1	150	UG/L		V1	16	1		YES	Plume Definition
03991	8/7/01	GW07632RG	IRON	DUP	TR1	160	UG/L		V1	16	1		YES	Plume Definition
03991	8/7/01	GW07631RG	LEAD	REAL	TR1	0.59	UG/L	U	V1	0.59	2	15	YES	Plume Definition
03991	8/7/01	GW07632RG	LEAD	DUP	TR1	0.92	UG/L	B	V1	0.59	2	15	YES	Plume Definition
03991	8/7/01	GW07631RG	LITHIUM	REAL	TR1	6.6	UG/L	B	V1	2.2	1	730	YES	Plume Definition
03991	8/7/01	GW07632RG	LITHIUM	DUP	TR1	5.8	UG/L	B	V1	2.2	1	730	YES	Plume Definition
03991	8/7/01	GW07631RG	MAGNESIUM	REAL	TR1	11000	UG/L		V1	25	1		YES	Plume Definition
03991	8/7/01	GW07632RG	MAGNESIUM	DUP	TR1	11000	UG/L		V1	25	1		YES	Plume Definition
03991	8/7/01	GW07631RG	MANGANESE	REAL	TR1	0.69	UG/L	U	V1	0.69	1	1720	YES	Plume Definition
03991	8/7/01	GW07632RG	MANGANESE	DUP	TR1	0.69	UG/L	U	V1	0.69	1	1720	YES	Plume Definition
03991	8/7/01	GW07631RG	MERCURY	REAL	TR1	0.02	UG/L	U	V1	0.02	1	2	YES	Plume Definition
03991	8/7/01	GW07632RG	MERCURY	DUP	TR1	0.02	UG/L	U	V1	0.02	1	2	YES	Plume Definition
03991	8/7/01	GW07631RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	Plume Definition
03991	8/7/01	GW07632RG	MOLYBDENUM	DUP	TR1	4	UG/L	U	V1	4	1	183	YES	Plume Definition
03991	8/7/01	GW07631RG	NICKEL	REAL	TR1	1	UG/L	U	V1	1	1	140	YES	Plume Definition
03991	8/7/01	GW07632RG	NICKEL	DUP	TR1	1	UG/L	U	V1	1	1	140	YES	Plume Definition
03991	8/7/01	GW07631RG	POTASSIUM	REAL	TR1	810	UG/L	B	J1	48	1		YES	Plume Definition
03991	8/7/01	GW07632RG	POTASSIUM	DUP	TR1	820	UG/L		J1	48	1		YES	Plume Definition
03991	8/7/01	GW07631RG	SELENIUM	REAL	TR1	1.3	UG/L	B	V1	0.66	2	50	YES	Plume Definition
03991	8/7/01	GW07632RG	SELENIUM	DUP	TR1	0.66	UG/L	U	V1	0.66	2	50	YES	Plume Definition
03991	8/7/01	GW07631RG	SILVER	REAL	TR1	0.19	UG/L	B	V1	0.01	2	183	YES	Plume Definition
03991	8/7/01	GW07632RG	SILVER	DUP	TR1	0.1	UG/L	B	UJ1	0.01	2	183	YES	Plume Definition
03991	8/7/01	GW07631RG	SODIUM	REAL	TR1	13000	UG/L		V1	27	1		YES	Plume Definition
03991	8/7/01	GW07632RG	SODIUM	DUP	TR1	13000	UG/L		V1	27	1		YES	Plume Definition
03991	8/7/01	GW07631RG	STRONTIUM	REAL	TR1	390	UG/L		V1	0.25	1	21900	YES	Plume Definition
03991	8/7/01	GW07632RG	STRONTIUM	DUP	TR1	390	UG/L		V1	0.25	1	21900	YES	Plume Definition
03991	8/7/01	GW07631RG	THALLIUM	REAL	TR1	0.1	UG/L	U	R1	0.1	2	2	YES	Plume Definition
03991	8/7/01	GW07632RG	THALLIUM	DUP	TR1	0.3	UG/L	B	UJ1	0.1	2	2	YES	Plume Definition
03991	8/7/01	GW07631RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	Plume Definition
03991	8/7/01	GW07632RG	TIN	DUP	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	Plume Definition
03991	8/7/01	GW07631RG	URANIUM, TOTAL	REAL	TR1	2.8	UG/L		V1	0.005	1		YES	Plume Definition
03991	8/7/01	GW07632RG	URANIUM, TOTAL	DUP	TR1	2.6	UG/L		V1	0.005	1		YES	Plume Definition
03991	8/7/01	GW07631RG	VANADIUM	REAL	TR1	2.4	UG/L	B	V1	1.7	2	256	YES	Plume Definition
03991	8/7/01	GW07632RG	VANADIUM	DUP	TR1	2.6	UG/L	B	V1	1.7	2	256	YES	Plume Definition
03991	8/7/01	GW07631RG	ZINC	REAL	TR1	1	UG/L	U	V1	1	1	11000	YES	Plume Definition
03991	8/7/01	GW07632RG	ZINC	DUP	TR1	1	UG/L	U	V1	1	1	11000	YES	Plume Definition
03991	8/7/01	GW07633RG	ALUMINUM	RNS	TR1	61	UG/L	N	J1	2.4	2	36500	YES	Plume Definition
03991	8/7/01	GW07633RG	ANTIMONY	RNS	TR1	0.67	UG/L	U	V1	0.67	2	6	YES	Plume Definition
03991	8/7/01	GW07633RG	ARSENIC	RNS	TR1	0.64	UG/L	U	V1	0.64	2	50	YES	Plume Definition
03991	8/7/01	GW07633RG	BARIUM	RNS	TR1	0.82	UG/L	B	V1	0.25	1	2000	YES	Plume Definition

163

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
03991	8/7/01	GW07633RG	BERYLLIUM	RNS	TR1	0.11	UG/L	U	V1	0.11	2	4	YES	Plume Definition
03991	8/7/01	GW07633RG	CADMIUM	RNS	TR1	0.032	UG/L	U	V1	0.032	2	5	YES	Plume Definition
03991	8/7/01	GW07633RG	CALCIUM	RNS	TR1	27	UG/L	B	V1	3.2	1		YES	Plume Definition
03991	8/7/01	GW07633RG	CHROMIUM	RNS	TR1	0.6	UG/L	U	V1	0.6	2	100	YES	Plume Definition
03991	8/7/01	GW07633RG	COBALT	RNS	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	Plume Definition
03991	8/7/01	GW07633RG	COPPER	RNS	TR1	1.8	UG/L	U	V1	1.8	2	1300	YES	Plume Definition
03991	8/7/01	GW07633RG	IRON	RNS	TR1	16	UG/L	U	V1	16	1		YES	Plume Definition
03991	8/7/01	GW07633RG	LEAD	RNS	TR1	0.97	UG/L	B	V1	0.59	2	15	YES	Plume Definition
03991	8/7/01	GW07633RG	LITHIUM	RNS	TR1	2.2	UG/L	U	V1	2.2	1	730	YES	Plume Definition
03991	8/7/01	GW07633RG	MAGNESIUM	RNS	TR1	25	UG/L	U	V1	25	1		YES	Plume Definition
03991	8/7/01	GW07633RG	MANGANESE	RNS	TR1	0.69	UG/L	U	V1	0.69	1	1720	YES	Plume Definition
03991	8/7/01	GW07633RG	MERCURY	RNS	TR1	0.02	UG/L	U	V1	0.02	1	2	YES	Plume Definition
03991	8/7/01	GW07633RG	MOLYBDENUM	RNS	TR1	4	UG/L	U	V1	4	1	183	YES	Plume Definition
03991	8/7/01	GW07633RG	NICKEL	RNS	TR1	1	UG/L	U	V1	1	1	140	YES	Plume Definition
03991	8/7/01	GW07633RG	POTASSIUM	RNS	TR1	48	UG/L	U	R1	48	1		YES	Plume Definition
03991	8/7/01	GW07633RG	SELENIUM	RNS	TR1	0.66	UG/L	U	V1	0.66	2	50	YES	Plume Definition
03991	8/7/01	GW07633RG	SILVER	RNS	TR1	0.054	UG/L	B	UJ1	0.01	2	183	YES	Plume Definition
03991	8/7/01	GW07633RG	SODIUM	RNS	TR1	30	UG/L	B	V1	27	1		YES	Plume Definition
03991	8/7/01	GW07633RG	STRONTIUM	RNS	TR1	0.28	UG/L	B	V1	0.25	1	21900	YES	Plume Definition
03991	8/7/01	GW07633RG	THALLIUM	RNS	TR1	0.34	UG/L	B	UJ1	0.1	2	2	YES	Plume Definition
03991	8/7/01	GW07633RG	TIN	RNS	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	Plume Definition
03991	8/7/01	GW07633RG	URANIUM, TOTAL	RNS	TR1	0.005	UG/L	U	V1	0.005	1		YES	Plume Definition
03991	8/7/01	GW07633RG	VANADIUM	RNS	TR1	1.7	UG/L	U	V1	1.7	2	256	YES	Plume Definition
03991	8/7/01	GW07633RG	ZINC	RNS	TR1	1	UG/L	B	J1	1	1	11000	YES	Plume Definition
04091	8/22/01	GW07613RG	ALUMINUM	REAL	TR1	1.5	UG/L	B	J1	1.2	1	36500	YES	Plume Extent
04091	8/22/01	GW07613RG	ANTIMONY	REAL	TR1	0.43	UG/L	B	UJ1	0.34	1	6	YES	Plume Extent
04091	8/22/01	GW07613RG	ARSENIC	REAL	TR1	0.32	UG/L	U	V1	0.32	1	50	YES	Plume Extent
04091	8/22/01	GW07613RG	BARIUM	REAL	TR1	180	UG/L		V1	0.25	1	2000	YES	Plume Extent
04091	8/22/01	GW07613RG	BERYLLIUM	REAL	TR1	0.054	UG/L	U	V1	0.054	1	4	YES	Plume Extent
04091	8/22/01	GW07613RG	CADMIUM	REAL	TR1	0.29	UG/L		V1	0.016	1	5	YES	Plume Extent
04091	8/22/01	GW07613RG	CALCIUM	REAL	TR1	72000	UG/L		V1	3.2	1		YES	Plume Extent
04091	8/22/01	GW07613RG	CHROMIUM	REAL	TR1	11	UG/L		V1	0.3	1	100	YES	Plume Extent
04091	8/22/01	GW07613RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	Plume Extent
04091	8/22/01	GW07613RG	COPPER	REAL	TR1	0.92	UG/L	U	V1	0.92	1	1300	YES	Plume Extent
04091	8/22/01	GW07613RG	IRON	REAL	TR1	110	UG/L		V1	16	1		YES	Plume Extent
04091	8/22/01	GW07613RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	Plume Extent
04091	8/22/01	GW07613RG	LITHIUM	REAL	TR1	6.8	UG/L	B	V1	2.2	1	730	YES	Plume Extent
04091	8/22/01	GW07613RG	MAGNESIUM	REAL	TR1	10000	UG/L		J1	25	1		YES	Plume Extent
04091	8/22/01	GW07613RG	MANGANESE	REAL	TR1	0.69	UG/L	U	V1	0.69	1	1720	YES	Plume Extent
04091	8/22/01	GW07613RG	MERCURY	REAL	TR1	0.02	UG/L	U	V1	0.02	1	2	YES	Plume Extent
04091	8/22/01	GW07613RG	MOLYBDENUM	REAL	TR1	6.1	UG/L	B	V1	4	1	183	YES	Plume Extent
04091	8/22/01	GW07613RG	NICKEL	REAL	TR1	1	UG/L	U	V1	1	1	140	YES	Plume Extent
04091	8/22/01	GW07613RG	POTASSIUM	REAL	TR1	760	UG/L		J1	48	1		YES	Plume Extent
04091	8/22/01	GW07613RG	SELENIUM	REAL	TR1	1.7	UG/L	B	V1	0.33	1	50	YES	Plume Extent
04091	8/22/01	GW07613RG	SILVER	REAL	TR1	0.0053	UG/L	B	UJ1	0.005	1	183	YES	Plume Extent
04091	8/22/01	GW07613RG	SODIUM	REAL	TR1	25000	UG/L		V1	27	1		YES	Plume Extent
04091	8/22/01	GW07613RG	STRONTIUM	REAL	TR1	340	UG/L		J1	0.25	1	21900	YES	Plume Extent
04091	8/22/01	GW07613RG	THALLIUM	REAL	TR1	0.05	UG/L	U	R1	0.05	1	2	YES	Plume Extent
04091	8/22/01	GW07613RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	Plume Extent
04091	8/22/01	GW07613RG	URANIUM, TOTAL	REAL	TR1	3.1	UG/L		V1	0.005	1		YES	Plume Extent
04091	8/22/01	GW07613RG	VANADIUM	REAL	TR1	1	UG/L	U	V1	1	1	256	YES	Plume Extent
04091	8/22/01	GW07613RG	ZINC	REAL	TR1	1	UG/L	U	V1	1	1	11000	YES	Plume Extent
04591	8/21/01	GW07634RG	ALUMINUM	REAL	TR1	8.9	UG/L	B	J1	1.2	1	36500	YES	Plume Extent
04591	8/21/01	GW07634RG	ANTIMONY	REAL	TR1	0.69	UG/L	B	UJ1	0.34	1	6	YES	Plume Extent
04591	8/21/01	GW07634RG	ARSENIC	REAL	TR1	1.7	UG/L	B	V1	0.32	1	50	YES	Plume Extent
04591	8/21/01	GW07634RG	BARIUM	REAL	TR1	96	UG/L		V1	0.25	1	2000	YES	Plume Extent
04591	8/21/01	GW07634RG	BERYLLIUM	REAL	TR1	0.054	UG/L	U	V1	0.054	1	4	YES	Plume Extent

164

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
04591	8/21/01	GW07634RG	CADMIUM	REAL	TR1	0.079	UG/L	B	V1	0.016	1	5	YES	Plume Extent
04591	8/21/01	GW07634RG	CALCIUM	REAL	TR1	48000	UG/L		V1	3.2	1		YES	Plume Extent
04591	8/21/01	GW07634RG	CHROMIUM	REAL	TR1	9.5	UG/L		V1	0.3	1	100	YES	Plume Extent
04591	8/21/01	GW07634RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	Plume Extent
04591	8/21/01	GW07634RG	COPPER	REAL	TR1	1.2	UG/L	B	V1	0.92	1	1300	YES	Plume Extent
04591	8/21/01	GW07634RG	IRON	REAL	TR1	100	UG/L	B	V1	16	1		YES	Plume Extent
04591	8/21/01	GW07634RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	Plume Extent
04591	8/21/01	GW07634RG	LITHIUM	REAL	TR1	12	UG/L		V1	2.2	1	730	YES	Plume Extent
04591	8/21/01	GW07634RG	MAGNESIUM	REAL	TR1	9700	UG/L		J1	25	1		YES	Plume Extent
04591	8/21/01	GW07634RG	MANGANESE	REAL	TR1	0.69	UG/L	U	V1	0.69	1	1720	YES	Plume Extent
04591	8/21/01	GW07634RG	MERCURY	REAL	TR1	0.02	UG/L	U	V1	0.02	1	2	YES	Plume Extent
04591	8/21/01	GW07634RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	Plume Extent
04591	8/21/01	GW07634RG	NICKEL	REAL	TR1	1	UG/L	U	V1	1	1	140	YES	Plume Extent
04591	8/21/01	GW07634RG	POTASSIUM	REAL	TR1	1800	UG/L		J1	48	1		YES	Plume Extent
04591	8/21/01	GW07634RG	SELENIUM	REAL	TR1	6	UG/L		V1	0.33	1	50	YES	Plume Extent
04591	8/21/01	GW07634RG	SILVER	REAL	TR1	0.046	UG/L	B	UJ1	0.005	1	183	YES	Plume Extent
04591	8/21/01	GW07634RG	SODIUM	REAL	TR1	50000	UG/L		V1	27	1		YES	Plume Extent
04591	8/21/01	GW07634RG	STRONTIUM	REAL	TR1	350	UG/L		J1	0.25	1	21900	YES	Plume Extent
04591	8/21/01	GW07634RG	THALLIUM	REAL	TR1	0.05	UG/L	U	R1	0.05	1	2	YES	Plume Extent
04591	8/21/01	GW07634RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	Plume Extent
04591	8/21/01	GW07634RG	URANIUM, TOTAL	REAL	TR1	3.7	UG/L		V1	0.005	1		YES	Plume Extent
04591	8/21/01	GW07634RG	VANADIUM	REAL	TR1	1	UG/L	U	V1	1	1	256	YES	Plume Extent
04591	8/21/01	GW07634RG	ZINC	REAL	TR1	1	UG/L	U	V1	1	1	11000	YES	Plume Extent
0487	8/14/01	GW07635RG	ALUMINUM	REAL	TR1	2.7	UG/L	BN	J1	1.2	1	36500	YES	Plume Definition
0487	8/14/01	GW07635RG	ANTIMONY	REAL	TR1	0.34	UG/L	U	V1	0.34	1	6	YES	Plume Definition
0487	8/14/01	GW07635RG	ARSENIC	REAL	TR1	0.32	UG/L	U	V1	0.32	1	50	YES	Plume Definition
0487	8/14/01	GW07635RG	BARIUM	REAL	TR1	33	UG/L		J1	0.25	1	2000	YES	Plume Definition
0487	8/14/01	GW07635RG	BERYLLIUM	REAL	TR1	0.054	UG/L	UN	J1	0.054	1	4	YES	Plume Definition
0487	8/14/01	GW07635RG	CADMIUM	REAL	TR1	0.13	UG/L		V1	0.016	1	5	YES	Plume Definition
0487	8/14/01	GW07635RG	CALCIUM	REAL	TR1	120000	UG/L		J1	3.2	1		YES	Plume Definition
0487	8/14/01	GW07635RG	CHROMIUM	REAL	TR1	18	UG/L		J1	0.3	1	100	YES	Plume Definition
0487	8/14/01	GW07635RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	Plume Definition
0487	8/14/01	GW07635RG	COPPER	REAL	TR1	2.7	UG/L		V1	0.92	1	1300	YES	Plume Definition
0487	8/14/01	GW07635RG	IRON	REAL	TR1	170	UG/L		V1	16	1		YES	Plume Definition
0487	8/14/01	GW07635RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	Plume Definition
0487	8/14/01	GW07635RG	LITHIUM	REAL	TR1	18	UG/L		V1	2.2	1	730	YES	Plume Definition
0487	8/14/01	GW07635RG	MAGNESIUM	REAL	TR1	24000	UG/L		J1	25	1		YES	Plume Definition
0487	8/14/01	GW07635RG	MANGANESE	REAL	TR1	0.69	UG/L	U	V1	0.69	1	1720	YES	Plume Definition
0487	8/14/01	GW07635RG	MERCURY	REAL	TR1	0.02	UG/L	U	J1	0.02	1	2	YES	Plume Definition
0487	8/14/01	GW07635RG	MOLYBDENUM	REAL	TR1	6.2	UG/L	B	V1	4	1	183	YES	Plume Definition
0487	8/14/01	GW07635RG	NICKEL	REAL	TR1	22	UG/L		V1	1	1	140	YES	Plume Definition
0487	8/14/01	GW07635RG	POTASSIUM	REAL	TR1	100	UG/L	B	J1	48	1		YES	Plume Definition
0487	8/14/01	GW07635RG	SELENIUM	REAL	TR1	110	UG/L	N	J1	0.33	1	50	YES	Plume Definition
0487	8/14/01	GW07635RG	SILVER	REAL	TR1	0.005	UG/L	U	V1	0.005	1	183	YES	Plume Definition
0487	8/14/01	GW07635RG	SODIUM	REAL	TR1	120000	UG/L		J1	27	1		YES	Plume Definition
0487	8/14/01	GW07635RG	STRONTIUM	REAL	TR1	780	UG/L		J1	0.25	1	21900	YES	Plume Definition
0487	8/14/01	GW07635RG	THALLIUM	REAL	TR1	0.05	UG/L	U	R1	0.05	1	2	YES	Plume Definition
0487	8/14/01	GW07635RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	Plume Definition
0487	8/14/01	GW07635RG	URANIUM, TOTAL	REAL	TR1	22	UG/L		V1	0.005	1		YES	Plume Definition
0487	8/14/01	GW07635RG	VANADIUM	REAL	TR1	1	UG/L	U	V1	1	1	256	YES	Plume Definition
0487	8/14/01	GW07635RG	VANADIUM	REAL	TR1	3.3	UG/L		V1	0.87	1	256	YES	Plume Definition
0487	8/14/01	GW07635RG	ZINC	REAL	TR1	1	UG/L	U	V1	1	1	11000	YES	Plume Definition
04991	9/12/01	GW07614RG	ALUMINUM	REAL	TR1	12	UG/L	UN	J1	12	10	36500	YES	Plume Extent
04991	9/12/01	GW07614RG	ANTIMONY	REAL	TR1	0.55	UG/L	B	UJ1	0.34	1	6	YES	Plume Extent
04991	9/12/01	GW07614RG	ARSENIC	REAL	TR1	1.9	UG/L	B	V1	0.32	1	50	YES	Plume Extent
04991	9/12/01	GW07614RG	BARIUM	REAL	TR1	65	UG/L	B	V1	0.25	1	2000	YES	Plume Extent
04991	9/12/01	GW07614RG	BERYLLIUM	REAL	TR1	0.054	UG/L	U	V1	0.054	1	4	YES	Plume Extent

1165

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
04991	9/12/01	GW07614RG	CADMIUM	REAL	TR1	0.2	UG/L		V1	0.016	1	5	YES	Plume Extent
04991	9/12/01	GW07614RG	CALCIUM	REAL	TR1	45000	UG/L		V1	3.2	1		YES	Plume Extent
04991	9/12/01	GW07614RG	CHROMIUM	REAL	TR1	0.3	UG/L	U	V1	0.3	1	100	YES	Plume Extent
04991	9/12/01	GW07614RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	Plume Extent
04991	9/12/01	GW07614RG	COPPER	REAL	TR1	3.2	UG/L		V1	0.92	1	1300	YES	Plume Extent
04991	9/12/01	GW07614RG	IRON	REAL	TR1	55	UG/L	B	V1	16	1		YES	Plume Extent
04991	9/12/01	GW07614RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	Plume Extent
04991	9/12/01	GW07614RG	LITHIUM	REAL	TR1	15	UG/L	B	V1	2.2	1	730	YES	Plume Extent
04991	9/12/01	GW07614RG	MAGNESIUM	REAL	TR1	6000	UG/L		V1	25	1		YES	Plume Extent
04991	9/12/01	GW07614RG	MANGANESE	REAL	TR1	0.8	UG/L	B	V1	0.69	1	1720	YES	Plume Extent
04991	9/12/01	GW07614RG	MERCURY	REAL	TR1	0.017	UG/L	U	V1	0.017	1	2	YES	Plume Extent
04991	9/12/01	GW07614RG	MOLYBDENUM	REAL	TR1	5.9	UG/L	B	V1	4	1	183	YES	Plume Extent
04991	9/12/01	GW07614RG	NICKEL	REAL	TR1	4.8	UG/L	B	V1	1	1	140	YES	Plume Extent
04991	9/12/01	GW07614RG	POTASSIUM	REAL	TR1	1600	UG/L	B	V1	48	1		YES	Plume Extent
04991	9/12/01	GW07614RG	SELENIUM	REAL	TR1	0.61	UG/L	B	V1	0.33	1	50	YES	Plume Extent
04991	9/12/01	GW07614RG	SILVER	REAL	TR1	0.005	UG/L	U	V1	0.005	1	183	YES	Plume Extent
04991	9/12/01	GW07614RG	SODIUM	REAL	TR1	110000	UG/L		V1	27	1		YES	Plume Extent
04991	9/12/01	GW07614RG	STRONTIUM	REAL	TR1	260	UG/L		V1	0.25	1	21900	YES	Plume Extent
04991	9/12/01	GW07614RG	THALLIUM	REAL	TR1	0.05	UG/L	U	V1	0.05	1	2	YES	Plume Extent
04991	9/12/01	GW07614RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	Plume Extent
04991	9/12/01	GW07614RG	URANIUM, TOTAL	REAL	TR1	9.1	UG/L	N	V1	0.005	1		YES	Plume Extent
04991	9/12/01	GW07614RG	VANADIUM	REAL	TR1	8.7	UG/L	U	V1	8.7	10	256	YES	Plume Extent
04991	9/12/01	GW07614RG	ZINC	REAL	TR1	3	UG/L	B	J1	1	1	11000	YES	Plume Extent
05091	8/14/01	GW07636RG	ALUMINUM	REAL	TR1	1.2	UG/L	UN	J1	1.2	1	36500	YES	Plume Extent
05091	8/14/01	GW07636RG	ANTIMONY	REAL	TR1	0.34	UG/L	U	V1	0.34	1	6	YES	Plume Extent
05091	8/14/01	GW07636RG	ARSENIC	REAL	TR1	0.79	UG/L	B	V1	0.32	1	50	YES	Plume Extent
05091	8/14/01	GW07636RG	BARIUM	REAL	TR1	170	UG/L		J1	0.25	1	2000	YES	Plume Extent
05091	8/14/01	GW07636RG	BERYLLIUM	REAL	TR1	0.054	UG/L	UN	J1	0.054	1	4	YES	Plume Extent
05091	8/14/01	GW07636RG	CADMIUM	REAL	TR1	0.16	UG/L		V1	0.016	1	5	YES	Plume Extent
05091	8/14/01	GW07636RG	CALCIUM	REAL	TR1	85000	UG/L		J1	3.2	1		YES	Plume Extent
05091	8/14/01	GW07636RG	CHROMIUM	REAL	TR1	6.2	UG/L		J1	0.3	1	100	YES	Plume Extent
05091	8/14/01	GW07636RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	Plume Extent
05091	8/14/01	GW07636RG	COPPER	REAL	TR1	0.92	UG/L	U	V1	0.92	1	1300	YES	Plume Extent
05091	8/14/01	GW07636RG	IRON	REAL	TR1	140	UG/L	B	V1	16	1		YES	Plume Extent
05091	8/14/01	GW07636RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	Plume Extent
05091	8/14/01	GW07636RG	LITHIUM	REAL	TR1	10	UG/L		V1	2.2	1	730	YES	Plume Extent
05091	8/14/01	GW07636RG	MAGNESIUM	REAL	TR1	14000	UG/L		J1	25	1		YES	Plume Extent
05091	8/14/01	GW07636RG	MANGANESE	REAL	TR1	0.69	UG/L	U	V1	0.69	1	1720	YES	Plume Extent
05091	8/14/01	GW07636RG	MERCURY	REAL	TR1	0.02	UG/L	U	J1	0.02	1	2	YES	Plume Extent
05091	8/14/01	GW07636RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	Plume Extent
05091	8/14/01	GW07636RG	NICKEL	REAL	TR1	1.2	UG/L	B	V1	1	1	140	YES	Plume Extent
05091	8/14/01	GW07636RG	POTASSIUM	REAL	TR1	1500	UG/L		J1	48	1		YES	Plume Extent
05091	8/14/01	GW07636RG	SELENIUM	REAL	TR1	2.4	UG/L	BN	UJ1	0.33	1	50	YES	Plume Extent
05091	8/14/01	GW07636RG	SILVER	REAL	TR1	0.005	UG/L	U	V1	0.005	1	183	YES	Plume Extent
05091	8/14/01	GW07636RG	SODIUM	REAL	TR1	25000	UG/L		J1	27	1		YES	Plume Extent
05091	8/14/01	GW07636RG	STRONTIUM	REAL	TR1	500	UG/L		J1	0.25	1	21900	YES	Plume Extent
05091	8/14/01	GW07636RG	THALLIUM	REAL	TR1	0.05	UG/L	U	R1	0.05	1	2	YES	Plume Extent
05091	8/14/01	GW07636RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	Plume Extent
05091	8/14/01	GW07636RG	URANIUM, TOTAL	REAL	TR1	5.5	UG/L		V1	0.005	1		YES	Plume Extent
05091	8/14/01	GW07636RG	VANADIUM	REAL	TR1	1	UG/L	U	V1	1	1	256	YES	Plume Extent
05091	8/14/01	GW07636RG	VANADIUM	REAL	TR1	2.2	UG/L	B	V1	0.87	1	256	YES	Plume Extent
05091	8/14/01	GW07636RG	ZINC	REAL	TR1	1	UG/L	U	V1	1	1	11000	YES	Plume Extent
05391	8/16/01	GW07637RG	ALUMINUM	REAL	TR1	6	UG/L	U	V1	6	5	36500	YES	Plume Definition
05391	8/16/01	GW07637RG	ANTIMONY	REAL	TR1	0.34	UG/L	U	V1	0.34	1	6	YES	Plume Definition
05391	8/16/01	GW07637RG	ARSENIC	REAL	TR1	0.65	UG/L	B	V1	0.32	1	50	YES	Plume Definition
05391	8/16/01	GW07637RG	BARIUM	REAL	TR1	320	UG/L		V1	0.25	1	2000	YES	Plume Definition
05391	8/16/01	GW07637RG	BERYLLIUM	REAL	TR1	0.054	UG/L	U	V1	0.054	1	4	YES	Plume Definition

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
05391	8/16/01	GW07637RG	CADMIUM	REAL	TR1	0.11	UG/L		V1	0.016	1	5	YES	Plume Definition
05391	8/16/01	GW07637RG	CALCIUM	REAL	TR1	170000	UG/L		V1	3.2	1		YES	Plume Definition
05391	8/16/01	GW07637RG	CHROMIUM	REAL	TR1	8.3	UG/L		V1	0.3	1	100	YES	Plume Definition
05391	8/16/01	GW07637RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	Plume Definition
05391	8/16/01	GW07637RG	COPPER	REAL	TR1	0.92	UG/L	U	V1	0.92	1	1300	YES	Plume Definition
05391	8/16/01	GW07637RG	IRON	REAL	TR1	240	UG/L		V1	16	1		YES	Plume Definition
05391	8/16/01	GW07637RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	Plume Definition
05391	8/16/01	GW07637RG	LITHIUM	REAL	TR1	9.3	UG/L	B	V1	2.2	1	730	YES	Plume Definition
05391	8/16/01	GW07637RG	MAGNESIUM	REAL	TR1	13000	UG/L		J1	25	1		YES	Plume Definition
05391	8/16/01	GW07637RG	MANGANESE	REAL	TR1	0.69	UG/L	U	V1	0.69	1	1720	YES	Plume Definition
05391	8/16/01	GW07637RG	MERCURY	REAL	TR1	0.042	UG/L	B	V1	0.02	1	2	YES	Plume Definition
05391	8/16/01	GW07637RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	Plume Definition
05391	8/16/01	GW07637RG	NICKEL	REAL	TR1	1	UG/L	U	V1	1	1	140	YES	Plume Definition
05391	8/16/01	GW07637RG	POTASSIUM	REAL	TR1	1200	UG/L		J1	48	1		YES	Plume Definition
05391	8/16/01	GW07637RG	SELENIUM	REAL	TR1	1.5	UG/L	BN	J1	0.33	1	50	YES	Plume Definition
05391	8/16/01	GW07637RG	SILVER	REAL	TR1	0.005	UG/L	U	V1	0.005	1	183	YES	Plume Definition
05391	8/16/01	GW07637RG	SODIUM	REAL	TR1	14000	UG/L		V1	27	1		YES	Plume Definition
05391	8/16/01	GW07637RG	STRONTIUM	REAL	TR1	540	UG/L		V1	0.25	1	21900	YES	Plume Definition
05391	8/16/01	GW07637RG	THALLIUM	REAL	TR1	0.05	UG/L	U	R1	0.05	1	2	YES	Plume Definition
05391	8/16/01	GW07637RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	Plume Definition
05391	8/16/01	GW07637RG	URANIUM, TOTAL	REAL	TR1	3.2	UG/L		V1	0.005	1		YES	Plume Definition
05391	8/16/01	GW07637RG	VANADIUM	REAL	TR1	4.6	UG/L	B	V1	4.4	5	256	YES	Plume Definition
05391	8/16/01	GW07637RG	VANADIUM	REAL	TR1	1	UG/L	U	V1	1	1	256	YES	Plume Definition
05391	8/16/01	GW07637RG	ZINC	REAL	TR1	1	UG/L	U	V1	1	1	11000	YES	Plume Definition
05691	8/24/01	GW07638RG	ALUMINUM	REAL	TR1	1.9	UG/L	B	V1	1.2	1	36500	NO	Perf Monitoring
05691	8/24/01	GW07638RG	ANTIMONY	REAL	TR1	1.2	UG/L	B	UJ1	0.34	1	6	NO	Perf Monitoring
05691	8/24/01	GW07638RG	ARSENIC	REAL	TR1	0.73	UG/L	B	V1	0.32	1	50	NO	Perf Monitoring
05691	8/24/01	GW07638RG	BARIUM	REAL	TR1	310	UG/L		V1	0.25	1	2000	NO	Perf Monitoring
05691	8/24/01	GW07638RG	BERYLLIUM	REAL	TR1	0.054	UG/L	U	V1	0.054	1	4	NO	Perf Monitoring
05691	8/24/01	GW07638RG	CADMIUM	REAL	TR1	0.041	UG/L	B	V1	0.016	1	5	NO	Perf Monitoring
05691	8/24/01	GW07638RG	CALCIUM	REAL	TR1	150000	UG/L		V1	3.2	1		NO	Perf Monitoring
05691	8/24/01	GW07638RG	CHROMIUM	REAL	TR1	16	UG/L		V1	0.3	1	100	NO	Perf Monitoring
05691	8/24/01	GW07638RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	NO	Perf Monitoring
05691	8/24/01	GW07638RG	COPPER	REAL	TR1	0.92	UG/L	U	V1	0.92	1	1300	NO	Perf Monitoring
05691	8/24/01	GW07638RG	IRON	REAL	TR1	380	UG/L		V1	16	1		NO	Perf Monitoring
05691	8/24/01	GW07638RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	NO	Perf Monitoring
05691	8/24/01	GW07638RG	LITHIUM	REAL	TR1	7.9	UG/L	B	V1	2.2	1	730	NO	Perf Monitoring
05691	8/24/01	GW07638RG	MAGNESIUM	REAL	TR1	16000	UG/L		V1	25	1		NO	Perf Monitoring
05691	8/24/01	GW07638RG	MANGANESE	REAL	TR1	4.3	UG/L	B	V1	0.69	1	1720	NO	Perf Monitoring
05691	8/24/01	GW07638RG	MERCURY	REAL	TR1	0.02	UG/L	U	J1	0.02	1	2	NO	Perf Monitoring
05691	8/24/01	GW07638RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	NO	Perf Monitoring
05691	8/24/01	GW07638RG	NICKEL	REAL	TR1	19	UG/L		V1	1	1	140	NO	Perf Monitoring
05691	8/24/01	GW07638RG	POTASSIUM	REAL	TR1	1300	UG/L		J1	48	1		NO	Perf Monitoring
05691	8/24/01	GW07638RG	SELENIUM	REAL	TR1	2.4	UG/L	BN	J1	0.33	1	50	NO	Perf Monitoring
05691	8/24/01	GW07638RG	SILVER	REAL	TR1	0.042	UG/L	B	UJ1	0.005	1	183	NO	Perf Monitoring
05691	8/24/01	GW07638RG	SODIUM	REAL	TR1	16000	UG/L		V1	27	1		NO	Perf Monitoring
05691	8/24/01	GW07638RG	STRONTIUM	REAL	TR1	630	UG/L		V1	0.25	1	21900	NO	Perf Monitoring
05691	8/24/01	GW07638RG	THALLIUM	REAL	TR1	0.05	UG/L	U	R1	0.05	1	2	NO	Perf Monitoring
05691	8/24/01	GW07638RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	NO	Perf Monitoring
05691	8/24/01	GW07638RG	URANIUM, TOTAL	REAL	TR1	4.6	UG/L		V1	0.005	1		NO	Perf Monitoring
05691	8/24/01	GW07638RG	VANADIUM	REAL	TR1	4	UG/L		V1	0.87	1	256	NO	Perf Monitoring
05691	8/24/01	GW07638RG	ZINC	REAL	TR1	1	UG/L	U	V1	1	1	11000	NO	Perf Monitoring
06091	8/24/01	GW07615RG	ALUMINUM	REAL	TR1	4.2	UG/L	B	V1	1.2	1	36500	NO	Plume Extent
06091	8/24/01	GW07615RG	ANTIMONY	REAL	TR1	0.34	UG/L	U	V1	0.34	1	6	NO	Plume Extent
06091	8/24/01	GW07615RG	ARSENIC	REAL	TR1	0.56	UG/L	B	V1	0.32	1	50	NO	Plume Extent
06091	8/24/01	GW07615RG	BARIUM	REAL	TR1	270	UG/L		J1	0.25	1	2000	NO	Plume Extent
06091	8/24/01	GW07615RG	BERYLLIUM	REAL	TR1	0.054	UG/L	U	V1	0.054	1	4	NO	Plume Extent

167

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
06091	8/24/01	GW07615RG	CADMIUM	REAL	TR1	0.016	UG/L	U	V1	0.016	1	5	NO	Plume Extent
06091	8/24/01	GW07615RG	CALCIUM	REAL	TR1	140000	UG/L		J1	3.2	1		NO	Plume Extent
06091	8/24/01	GW07615RG	CHROMIUM	REAL	TR1	9.9	UG/L		V1	0.3	1	100	NO	Plume Extent
06091	8/24/01	GW07615RG	COBALT	REAL	TR1	0.56	UG/L	B	V1	0.43	1	2190	NO	Plume Extent
06091	8/24/01	GW07615RG	COPPER	REAL	TR1	0.92	UG/L	U	V1	0.92	1	1300	NO	Plume Extent
06091	8/24/01	GW07615RG	IRON	REAL	TR1	300	UG/L		V1	16	1		NO	Plume Extent
06091	8/24/01	GW07615RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	NO	Plume Extent
06091	8/24/01	GW07615RG	LITHIUM	REAL	TR1	11	UG/L	B	V1	2.2	1	730	NO	Plume Extent
06091	8/24/01	GW07615RG	MAGNESIUM	REAL	TR1	18000	UG/L		J1	25	1		NO	Plume Extent
06091	8/24/01	GW07615RG	MANGANESE	REAL	TR1	1.9	UG/L	B	V1	0.69	1	1720	NO	Plume Extent
06091	8/24/01	GW07615RG	MERCURY	REAL	TR1	0.029	UG/L	U	V1	0.029	1	2	NO	Plume Extent
06091	8/24/01	GW07615RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	NO	Plume Extent
06091	8/24/01	GW07615RG	NICKEL	REAL	TR1	50	UG/L		V1	1	1	140	NO	Plume Extent
06091	8/24/01	GW07615RG	POTASSIUM	REAL	TR1	2100	UG/L	B	J1	48	1		NO	Plume Extent
06091	8/24/01	GW07615RG	SELENIUM	REAL	TR1	0.89	UG/L	B	J1	0.33	1	50	NO	Plume Extent
06091	8/24/01	GW07615RG	SILVER	REAL	TR1	0.005	UG/L	U	V1	0.005	1	183	NO	Plume Extent
06091	8/24/01	GW07615RG	SODIUM	REAL	TR1	19000	UG/L		J1	27	1		NO	Plume Extent
06091	8/24/01	GW07615RG	STRONTIUM	REAL	TR1	650	UG/L		R1	0.25	1	21900	NO	Plume Extent
06091	8/24/01	GW07615RG	THALLIUM	REAL	TR1	0.08	UG/L	B	UJ1	0.05	1	2	NO	Plume Extent
06091	8/24/01	GW07615RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	NO	Plume Extent
06091	8/24/01	GW07615RG	URANIUM, TOTAL	REAL	TR1	6.5	UG/L		V1	0.005	1		NO	Plume Extent
06091	8/24/01	GW07615RG	VANADIUM	REAL	TR1	2	UG/L	B	V1	0.87	1	256	NO	Plume Extent
06091	8/24/01	GW07615RG	VANADIUM	REAL	TR1	1	UG/L	U	V1	1	1	256	NO	Plume Extent
06091	8/24/01	GW07615RG	ZINC	REAL	TR1	1	UG/L	U	V1	1	1	11000	NO	Plume Extent
06491	8/23/01	GW07639RG	ALUMINUM	REAL	TR1	1.7	UG/L	B	V1	1.2	1	36500	YES	Boundary
06491	8/23/01	GW07639RG	ANTIMONY	REAL	TR1	0.34	UG/L	U	V1	0.34	1	6	YES	Boundary
06491	8/23/01	GW07639RG	ARSENIC	REAL	TR1	1.9	UG/L	B	V1	0.32	1	50	YES	Boundary
06491	8/23/01	GW07639RG	BARIUM	REAL	TR1	25	UG/L		V1	0.25	1	2000	YES	Boundary
06491	8/23/01	GW07639RG	BERYLLIUM	REAL	TR1	2.7	UG/L	U	V1	2.7	50	4	YES	Boundary
06491	8/23/01	GW07639RG	CADMIUM	REAL	TR1	0.52	UG/L		V1	0.016	1	5	YES	Boundary
06491	8/23/01	GW07639RG	CALCIUM	REAL	TR1	65000	UG/L		V1	3.2	1		YES	Boundary
06491	8/23/01	GW07639RG	CHROMIUM	REAL	TR1	14	UG/L		V1	0.3	1	100	YES	Boundary
06491	8/23/01	GW07639RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	Boundary
06491	8/23/01	GW07639RG	COPPER	REAL	TR1	37	UG/L		V1	0.92	1	1300	YES	Boundary
06491	8/23/01	GW07639RG	IRON	REAL	TR1	110	UG/L	B	V1	16	1		YES	Boundary
06491	8/23/01	GW07639RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	Boundary
06491	8/23/01	GW07639RG	LITHIUM	REAL	TR1	310	UG/L		V1	2.2	1	730	YES	Boundary
06491	8/23/01	GW07639RG	MAGNESIUM	REAL	TR1	21000	UG/L		V1	25	1		YES	Boundary
06491	8/23/01	GW07639RG	MANGANESE	REAL	TR1	0.69	UG/L	U	V1	0.69	1	1720	YES	Boundary
06491	8/23/01	GW07639RG	MERCURY	REAL	TR1	0.028	UG/L	B	UJ1	0.02	1	2	YES	Boundary
06491	8/23/01	GW07639RG	MOLYBDENUM	REAL	TR1	6.7	UG/L	B	V1	4	1	183	YES	Boundary
06491	8/23/01	GW07639RG	NICKEL	REAL	TR1	1	UG/L	U	V1	1	1	140	YES	Boundary
06491	8/23/01	GW07639RG	POTASSIUM	REAL	TR1	5400	UG/L		J1	48	1		YES	Boundary
06491	8/23/01	GW07639RG	SELENIUM	REAL	TR1	26	UG/L	N	J1	0.33	1	50	YES	Boundary
06491	8/23/01	GW07639RG	SILVER	REAL	TR1	0.005	UG/L	U	V1	0.005	1	183	YES	Boundary
06491	8/23/01	GW07639RG	SODIUM	REAL	TR1	510000	UG/L		V1	27	1		YES	Boundary
06491	8/23/01	GW07639RG	STRONTIUM	REAL	TR1	1200	UG/L		V1	0.25	1	21900	YES	Boundary
06491	8/23/01	GW07639RG	THALLIUM	REAL	TR1	0.05	UG/L	U	R1	0.05	1	2	YES	Boundary
06491	8/23/01	GW07639RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	Boundary
06491	8/23/01	GW07639RG	URANIUM, TOTAL	REAL	TR1	69	UG/L		V1	0.005	1		YES	Boundary
06491	8/23/01	GW07639RG	VANADIUM	REAL	TR1	3.4	UG/L		V1	0.87	1	256	YES	Boundary
06491	8/23/01	GW07639RG	ZINC	REAL	TR1	1.9	UG/L	B	V1	1	1	11000	YES	Boundary
10098	8/23/01	GW07674RG	ALUMINUM	REAL	TR1	1.2	UG/L	U	V1	1.2	1	36500	YES	D&D Bldg 123
10098	8/23/01	GW07674RG	ANTIMONY	REAL	TR1	0.34	UG/L	U	V1	0.34	1	6	YES	D&D Bldg 123
10098	8/23/01	GW07674RG	ARSENIC	REAL	TR1	0.46	UG/L	B	V1	0.32	1	50	YES	D&D Bldg 123
10098	8/23/01	GW07674RG	BARIUM	REAL	TR1	1000	UG/L		V1	0.25	1	2000	YES	D&D Bldg 123
10098	8/23/01	GW07674RG	BERYLLIUM	REAL	TR1	0.054	UG/L	U	V1	0.054	1	4	YES	D&D Bldg 123

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
10098	8/23/01	GW07674RG	CADMIUM	REAL	TR1	2.9	UG/L		V1	0.016	1	5	YES	D&D Bldg 123
10098	8/23/01	GW07674RG	CALCIUM	REAL	TR1	520000	UG/L		V1	3.2	1		YES	D&D Bldg 123
10098	8/23/01	GW07674RG	CHROMIUM	REAL	TR1	5.9	UG/L		V1	0.3	1	100	YES	D&D Bldg 123
10098	8/23/01	GW07674RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	D&D Bldg 123
10098	8/23/01	GW07674RG	COPPER	REAL	TR1	45	UG/L		V1	0.92	1	1300	YES	D&D Bldg 123
10098	8/23/01	GW07674RG	IRON	REAL	TR1	480	UG/L		V1	16	1		YES	D&D Bldg 123
10098	8/23/01	GW07674RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	D&D Bldg 123
10098	8/23/01	GW07674RG	LITHIUM	REAL	TR1	7.9	UG/L	B	V1	2.2	1	730	YES	D&D Bldg 123
10098	8/23/01	GW07674RG	MAGNESIUM	REAL	TR1	64000	UG/L		V1	25	1		YES	D&D Bldg 123
10098	8/23/01	GW07674RG	MANGANESE	REAL	TR1	8.7	UG/L		V1	0.69	1	1720	YES	D&D Bldg 123
10098	8/23/01	GW07674RG	MERCURY	REAL	TR1	0.031	UG/L	B	UJ1	0.02	1	2	YES	D&D Bldg 123
10098	8/23/01	GW07674RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	D&D Bldg 123
10098	8/23/01	GW07674RG	NICKEL	REAL	TR1	1.4	UG/L	B	V1	1	1	140	YES	D&D Bldg 123
10098	8/23/01	GW07674RG	POTASSIUM	REAL	TR1	2800	UG/L		J1	48	1		YES	D&D Bldg 123
10098	8/23/01	GW07674RG	SELENIUM	REAL	TR1	1.9	UG/L	BN	J1	0.33	1	50	YES	D&D Bldg 123
10098	8/23/01	GW07674RG	SILVER	REAL	TR1	0.054	UG/L	B	UJ1	0.005	1	183	YES	D&D Bldg 123
10098	8/23/01	GW07674RG	SODIUM	REAL	TR1	710000	UG/L		V1	27	1		YES	D&D Bldg 123
10098	8/23/01	GW07674RG	STRONTIUM	REAL	TR1	2500	UG/L		V1	0.25	1	21900	YES	D&D Bldg 123
10098	8/23/01	GW07674RG	THALLIUM	REAL	TR1	0.05	UG/L	U	R1	0.05	1	2	YES	D&D Bldg 123
10098	8/23/01	GW07674RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	D&D Bldg 123
10098	8/23/01	GW07674RG	URANIUM, TOTAL	REAL	TR1	2.6	UG/L		V1	0.005	1		YES	D&D Bldg 123
10098	8/23/01	GW07674RG	VANADIUM	REAL	TR1	1.4	UG/L	B	V1	0.87	1	256	YES	D&D Bldg 123
10098	8/23/01	GW07674RG	ZINC	REAL	TR1	8	UG/L		V1	1	1	11000	YES	D&D Bldg 123
10194	8/16/01	GW07648RG	ALUMINUM	REAL	TR1	6	UG/L	U	V1	6	5	36500	YES	Plume Extent
10194	8/16/01	GW07648RG	ANTIMONY	REAL	TR1	0.34	UG/L	U	V1	0.34	1	6	YES	Plume Extent
10194	8/16/01	GW07648RG	ARSENIC	REAL	TR1	0.56	UG/L	B	V1	0.32	1	50	YES	Plume Extent
10194	8/16/01	GW07648RG	BARIUM	REAL	TR1	200	UG/L		V1	0.25	1	2000	YES	Plume Extent
10194	8/16/01	GW07648RG	BERYLLIUM	REAL	TR1	0.054	UG/L	U	V1	0.054	1	4	YES	Plume Extent
10194	8/16/01	GW07648RG	CADMIUM	REAL	TR1	0.2	UG/L		V1	0.016	1	5	YES	Plume Extent
10194	8/16/01	GW07648RG	CALCIUM	REAL	TR1	71000	UG/L		V1	3.2	1		YES	Plume Extent
10194	8/16/01	GW07648RG	CHROMIUM	REAL	TR1	5.5	UG/L		V1	0.3	1	100	YES	Plume Extent
10194	8/16/01	GW07648RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	Plume Extent
10194	8/16/01	GW07648RG	COPPER	REAL	TR1	0.92	UG/L	U	V1	0.92	1	1300	YES	Plume Extent
10194	8/16/01	GW07648RG	IRON	REAL	TR1	120	UG/L		V1	16	1		YES	Plume Extent
10194	8/16/01	GW07648RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	Plume Extent
10194	8/16/01	GW07648RG	LITHIUM	REAL	TR1	6	UG/L	B	V1	2.2	1	730	YES	Plume Extent
10194	8/16/01	GW07648RG	MAGNESIUM	REAL	TR1	8100	UG/L		J1	25	1		YES	Plume Extent
10194	8/16/01	GW07648RG	MANGANESE	REAL	TR1	0.69	UG/L	U	V1	0.69	1	1720	YES	Plume Extent
10194	8/16/01	GW07648RG	MERCURY	REAL	TR1	0.02	UG/L	U	V1	0.02	1	2	YES	Plume Extent
10194	8/16/01	GW07648RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	Plume Extent
10194	8/16/01	GW07648RG	NICKEL	REAL	TR1	1	UG/L	U	V1	1	1	140	YES	Plume Extent
10194	8/16/01	GW07648RG	POTASSIUM	REAL	TR1	910	UG/L		J1	48	1		YES	Plume Extent
10194	8/16/01	GW07648RG	SELENIUM	REAL	TR1	4.9	UG/L	N	J1	0.33	1	50	YES	Plume Extent
10194	8/16/01	GW07648RG	SILVER	REAL	TR1	0.005	UG/L	U	V1	0.005	1	183	YES	Plume Extent
10194	8/16/01	GW07648RG	SODIUM	REAL	TR1	12000	UG/L		V1	27	1		YES	Plume Extent
10194	8/16/01	GW07648RG	STRONTIUM	REAL	TR1	330	UG/L		V1	0.25	1	21900	YES	Plume Extent
10194	8/16/01	GW07648RG	THALLIUM	REAL	TR1	0.05	UG/L	U	R1	0.05	1	2	YES	Plume Extent
10194	8/16/01	GW07648RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	Plume Extent
10194	8/16/01	GW07648RG	URANIUM, TOTAL	REAL	TR1	3.3	UG/L		V1	0.005	1		YES	Plume Extent
10194	8/16/01	GW07648RG	VANADIUM	REAL	TR1	1	UG/L	U	V1	1	1	256	YES	Plume Extent
10194	8/16/01	GW07648RG	VANADIUM	REAL	TR1	4.4	UG/L	U	V1	4.4	5	256	YES	Plume Extent
10194	8/16/01	GW07648RG	ZINC	REAL	TR1	2.3	UG/L	B	J1	1	1	11000	YES	Plume Extent
10198	8/20/01	GW07675RG	ALUMINUM	REAL	TR1	38	UG/L		J1	2.4	2	36500	YES	D&D Bldg 123
10198	8/20/01	GW07675RG	ANTIMONY	REAL	TR1	0.46	UG/L	B	UJ1	0.34	1	6	YES	D&D Bldg 123
10198	8/20/01	GW07675RG	ARSENIC	REAL	TR1	0.8	UG/L	B	V1	0.32	1	50	YES	D&D Bldg 123
10198	8/20/01	GW07675RG	BARIUM	REAL	TR1	380	UG/L		V1	0.25	1	2000	YES	D&D Bldg 123
10198	8/20/01	GW07675RG	BERYLLIUM	REAL	TR1	0.054	UG/L	U	V1	0.054	1	4	YES	D&D Bldg 123

169

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
10198	8/20/01	GW07675RG	CADMIUM	REAL	TR1	1	UG/L		V1	0.016	1	5	YES	D&D Bldg 123
10198	8/20/01	GW07675RG	CALCIUM	REAL	TR1	210000	UG/L		V1	3.2	1		YES	D&D Bldg 123
10198	8/20/01	GW07675RG	CHROMIUM	REAL	TR1	7.3	UG/L		V1	0.3	1	100	YES	D&D Bldg 123
10198	8/20/01	GW07675RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	D&D Bldg 123
10198	8/20/01	GW07675RG	COPPER	REAL	TR1	2.9	UG/L		V1	0.92	1	1300	YES	D&D Bldg 123
10198	8/20/01	GW07675RG	IRON	REAL	TR1	290	UG/L		V1	16	1		YES	D&D Bldg 123
10198	8/20/01	GW07675RG	LEAD	REAL	TR1	0.3	UG/L	B	V1	0.29	1	15	YES	D&D Bldg 123
10198	8/20/01	GW07675RG	LITHIUM	REAL	TR1	10	UG/L		V1	2.2	1	730	YES	D&D Bldg 123
10198	8/20/01	GW07675RG	MAGNESIUM	REAL	TR1	37000	UG/L		J1	25	1		YES	D&D Bldg 123
10198	8/20/01	GW07675RG	MANGANESE	REAL	TR1	67	UG/L		V1	0.69	1	1720	YES	D&D Bldg 123
10198	8/20/01	GW07675RG	MERCURY	REAL	TR1	0.02	UG/L	U	V1	0.02	1	2	YES	D&D Bldg 123
10198	8/20/01	GW07675RG	MOLYBDENUM	REAL	TR1	19	UG/L		V1	4	1	183	YES	D&D Bldg 123
10198	8/20/01	GW07675RG	NICKEL	REAL	TR1	4	UG/L	B	V1	1	1	140	YES	D&D Bldg 123
10198	8/20/01	GW07675RG	POTASSIUM	REAL	TR1	1800	UG/L		J1	48	1		YES	D&D Bldg 123
10198	8/20/01	GW07675RG	SELENIUM	REAL	TR1	0.7	UG/L	B	V1	0.33	1	50	YES	D&D Bldg 123
10198	8/20/01	GW07675RG	SILVER	REAL	TR1	0.021	UG/L	B	UJ1	0.005	1	183	YES	D&D Bldg 123
10198	8/20/01	GW07675RG	SODIUM	REAL	TR1	150000	UG/L		V1	27	1		YES	D&D Bldg 123
10198	8/20/01	GW07675RG	STRONTIUM	REAL	TR1	1100	UG/L		J1	0.25	1	21900	YES	D&D Bldg 123
10198	8/20/01	GW07675RG	THALLIUM	REAL	TR1	0.05	UG/L	U	R1	0.05	1	2	YES	D&D Bldg 123
10198	8/20/01	GW07675RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	D&D Bldg 123
10198	8/20/01	GW07675RG	URANIUM, TOTAL	REAL	TR1	0.71	UG/L	B	V1	0.005	1		YES	D&D Bldg 123
10198	8/20/01	GW07675RG	VANADIUM	REAL	TR1	1	UG/L	U	V1	1	1	256	YES	D&D Bldg 123
10198	8/20/01	GW07675RG	ZINC	REAL	TR1	1.5	UG/L	B	V1	1	1	11000	YES	D&D Bldg 123
10294	7/27/01	GW07649RG	ALUMINUM	REAL	TR1	16	UG/L	B	UJ	1.2		36500	NO	Boundary
10294	7/27/01	GW07649RG	ANTIMONY	REAL	TR1	0.64	UG/L	B	UJ	0.34		6	NO	Boundary
10294	7/27/01	GW07649RG	ARSENIC	REAL	TR1	3.9	UG/L	B	V	0.32		50	NO	Boundary
10294	7/27/01	GW07649RG	BARIUM	REAL	TR1	75	UG/L	B	V	0.25		2000	NO	Boundary
10294	7/27/01	GW07649RG	BERYLLIUM	REAL	TR1	0.54	UG/L	U	V	0.54	10	4	NO	Boundary
10294	7/27/01	GW07649RG	CADMIUM	REAL	TR1	0.24	UG/L	B	V	0.016		5	NO	Boundary
10294	7/27/01	GW07649RG	CALCIUM	REAL	TR1	160000	UG/L		V	3.2			NO	Boundary
10294	7/27/01	GW07649RG	CHROMIUM	REAL	TR1	0.3	UG/L	U	V	0.3		100	NO	Boundary
10294	7/27/01	GW07649RG	COBALT	REAL	TR1	7.7	UG/L	B	V	0.43		2190	NO	Boundary
10294	7/27/01	GW07649RG	COPPER	REAL	TR1	2.8	UG/L	B	J	0.92		1300	NO	Boundary
10294	7/27/01	GW07649RG	IRON	REAL	TR1	430	UG/L		V	16			NO	Boundary
10294	7/27/01	GW07649RG	LEAD	REAL	TR1	0.29	UG/L	U	V	0.29		15	NO	Boundary
10294	7/27/01	GW07649RG	LITHIUM	REAL	TR1	84.6	UG/L	B	V	2.2		730	NO	Boundary
10294	7/27/01	GW07649RG	MAGNESIUM	REAL	TR1	90000	UG/L		V	25			NO	Boundary
10294	7/27/01	GW07649RG	MANGANESE	REAL	TR1	1200	UG/L		V	0.69		1720	NO	Boundary
10294	7/27/01	GW07649RG	MERCURY	REAL	TR1	0.02	UG/L	U	V	0.02		2	NO	Boundary
10294	7/27/01	GW07649RG	MOLYBDENUM	REAL	TR1	7.2	UG/L	B	UJ	4		183	NO	Boundary
10294	7/27/01	GW07649RG	NICKEL	REAL	TR1	9.6	UG/L	B	V	1		140	NO	Boundary
10294	7/27/01	GW07649RG	POTASSIUM	REAL	TR1	2700	UG/L	B	V	48			NO	Boundary
10294	7/27/01	GW07649RG	SELENIUM	REAL	TR1	2	UG/L	B	V	0.33		50	NO	Boundary
10294	7/27/01	GW07649RG	SILVER	REAL	TR1	0.026	UG/L	B	UJ	0.005		183	NO	Boundary
10294	7/27/01	GW07649RG	SODIUM	REAL	TR1	340000	UG/L		V	27			NO	Boundary
10294	7/27/01	GW07649RG	STRONTIUM	REAL	TR1	2700	UG/L		V	0.25		21900	NO	Boundary
10294	7/27/01	GW07649RG	THALLIUM	REAL	TR1	0.38	UG/L	B	UJ	0.05		2	NO	Boundary
10294	7/27/01	GW07649RG	TIN	REAL	TR1	6.9	UG/L	U	V	6.9		21900	NO	Boundary
10294	7/27/01	GW07649RG	URANIUM, TOTAL	REAL	TR1	61	UG/L		V	0.005			NO	Boundary
10294	7/27/01	GW07649RG	VANADIUM	REAL	TR1	0.88	UG/L	U	V	0.88		256	NO	Boundary
10294	7/27/01	GW07649RG	ZINC	REAL	TR1	2.6	UG/L	B	J	1		11000	NO	Boundary
10298	8/6/01	GW07676RG	ALUMINUM	REAL	TR1	2.7	UG/L	B	J1	1.2	1	36500	YES	D&D Bldg 123
10298	8/6/01	GW07676RG	ANTIMONY	REAL	TR1	0.34	UG/L	U	V1	0.34	1	6	YES	D&D Bldg 123
10298	8/6/01	GW07676RG	ARSENIC	REAL	TR1	0.46	UG/L	B	V1	0.32	1	50	YES	D&D Bldg 123
10298	8/6/01	GW07676RG	BARIUM	REAL	TR1	160	UG/L		V1	0.25	1	2000	YES	D&D Bldg 123
10298	8/6/01	GW07676RG	BERYLLIUM	REAL	TR1	0.054	UG/L	U	V1	0.054	1	4	YES	D&D Bldg 123
10298	8/6/01	GW07676RG	CADMIUM	REAL	TR1	1.6	UG/L		V1	0.016	1	5	YES	D&D Bldg 123

170

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
10298	8/6/01	GW07676RG	CALCIUM	REAL	TR1	89000	UG/L		V1	3.2	1		YES	D&D Bldg 123
10298	8/6/01	GW07676RG	CHROMIUM	REAL	TR1	7.3	UG/L		V1	0.3	1	100	YES	D&D Bldg 123
10298	8/6/01	GW07676RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	D&D Bldg 123
10298	8/6/01	GW07676RG	COPPER	REAL	TR1	0.92	UG/L	U	V1	0.92	1	1300	YES	D&D Bldg 123
10298	8/6/01	GW07676RG	IRON	REAL	TR1	170	UG/L		V1	16	1		YES	D&D Bldg 123
10298	8/6/01	GW07676RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	D&D Bldg 123
10298	8/6/01	GW07676RG	LITHIUM	REAL	TR1	4.9	UG/L	B	V1	2.2	1	730	YES	D&D Bldg 123
10298	8/6/01	GW07676RG	MAGNESIUM	REAL	TR1	11000	UG/L		V1	25	1		YES	D&D Bldg 123
10298	8/6/01	GW07676RG	MANGANESE	REAL	TR1	0.69	UG/L	U	V1	0.69	1	1720	YES	D&D Bldg 123
10298	8/6/01	GW07676RG	MERCURY	REAL	TR1	0.029	UG/L	U	UJ1	0.029	1	2	YES	D&D Bldg 123
10298	8/6/01	GW07676RG	MOLYBDENUM	REAL	TR1	31	UG/L		V1	4	1	183	YES	D&D Bldg 123
10298	8/6/01	GW07676RG	NICKEL	REAL	TR1	1	UG/L	U	J1	1	1	140	YES	D&D Bldg 123
10298	8/6/01	GW07676RG	POTASSIUM	REAL	TR1	700	UG/L		J1	48	1		YES	D&D Bldg 123
10298	8/6/01	GW07676RG	SELENIUM	REAL	TR1	1.2	UG/L	B	V1	0.33	1	50	YES	D&D Bldg 123
10298	8/6/01	GW07676RG	SILVER	REAL	TR1	0.005	UG/L	U	V1	0.005	1	183	YES	D&D Bldg 123
10298	8/6/01	GW07676RG	SODIUM	REAL	TR1	19000	UG/L		V1	27	1		YES	D&D Bldg 123
10298	8/6/01	GW07676RG	STRONTIUM	REAL	TR1	400	UG/L		V1	0.25	1	21900	YES	D&D Bldg 123
10298	8/6/01	GW07676RG	THALLIUM	REAL	TR1	0.05	UG/L	U	R1	0.05	1	2	YES	D&D Bldg 123
10298	8/6/01	GW07676RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	D&D Bldg 123
10298	8/6/01	GW07676RG	URANIUM, TOTAL	REAL	TR1	1.5	UG/L		V1	0.005	1		YES	D&D Bldg 123
10298	8/6/01	GW07676RG	VANADIUM	REAL	TR1	1.8	UG/L	B	V1	0.87	1	256	YES	D&D Bldg 123
10298	8/6/01	GW07676RG	ZINC	REAL	TR1	3.2	UG/L	B	J1	1	1	11000	YES	D&D Bldg 123
10394	7/16/01	GW07650RG	ALUMINUM	REAL	TR1	13.2	UG/L	B	UJ1	8.3	1	36500	NO	Boundary
10394	7/16/01	GW07650RG	ANTIMONY	REAL	TR1	0.13	UG/L	U	V1	0.13	1	6	NO	Boundary
10394	7/16/01	GW07650RG	ARSENIC	REAL	TR1	0.79	UG/L	B	V1	0.087	1	50	NO	Boundary
10394	7/16/01	GW07650RG	BARIUM	REAL	TR1	191	UG/L		V1	0.044	1	2000	NO	Boundary
10394	7/16/01	GW07650RG	BERYLLIUM	REAL	TR1	0.19	UG/L	U	V1	0.19	1	4	NO	Boundary
10394	7/16/01	GW07650RG	CADMIUM	REAL	TR1	0.3	UG/L	U	V1	0.3	1	5	NO	Boundary
10394	7/16/01	GW07650RG	CALCIUM	REAL	TR1	106000	UG/L		V1	11	1		NO	Boundary
10394	7/16/01	GW07650RG	CHROMIUM	REAL	TR1	0.97	UG/L	B	UJ1	0.12	1	100	NO	Boundary
10394	7/16/01	GW07650RG	COBALT	REAL	TR1	0.6	UG/L	U	V1	0.6	1	2190	NO	Boundary
10394	7/16/01	GW07650RG	COPPER	REAL	TR1	1.3	UG/L	B	J1	0.064	1	1300	NO	Boundary
10394	7/16/01	GW07650RG	IRON	REAL	TR1	100	UG/L		V1	3.5	1		NO	Boundary
10394	7/16/01	GW07650RG	LEAD	REAL	TR1	0.15	UG/L	B	V1	0.01	1	15	NO	Boundary
10394	7/16/01	GW07650RG	LITHIUM	REAL	TR1	19.4	UG/L	B	V1	2.1	1	730	NO	Boundary
10394	7/16/01	GW07650RG	MAGNESIUM	REAL	TR1	26800	UG/L		V1	24	1		NO	Boundary
10394	7/16/01	GW07650RG	MANGANESE	REAL	TR1	2.6	UG/L	B	UJ1	0.094	1	1720	NO	Boundary
10394	7/16/01	GW07650RG	MERCURY	REAL	TR1	0.026	UG/L	U	V1	0.026	1	2	NO	Boundary
10394	7/16/01	GW07650RG	MOLYBDENUM	REAL	TR1	1.6	UG/L	B	V1	1.4	1	183	NO	Boundary
10394	7/16/01	GW07650RG	NICKEL	REAL	TR1	7.1	UG/L	B	V1	1	1	140	NO	Boundary
10394	7/16/01	GW07650RG	POTASSIUM	REAL	TR1	3140	UG/L	B	UJ1	510	1		NO	Boundary
10394	7/16/01	GW07650RG	SELENIUM	REAL	TR1	0.24	UG/L	B	V1	0.2	1	50	NO	Boundary
10394	7/16/01	GW07650RG	SILVER	REAL	TR1	0.054	UG/L	U	V1	0.054	1	183	NO	Boundary
10394	7/16/01	GW07650RG	SODIUM	REAL	TR1	85500	UG/L		V1	1400	1		NO	Boundary
10394	7/16/01	GW07650RG	STRONTIUM	REAL	TR1	738	UG/L		V1	0.03	1	21900	NO	Boundary
10394	7/16/01	GW07650RG	THALLIUM	REAL	TR1	0.013	UG/L	U	V1	0.013	1	2	NO	Boundary
10394	7/16/01	GW07650RG	TIN	REAL	TR1	2.4	UG/L	U	V1	2.4	1	21900	NO	Boundary
10394	7/16/01	GW07650RG	URANIUM, TOTAL	REAL	TR1	6.6	UG/L	U	V1	6.6	1		NO	Boundary
10394	7/16/01	GW07650RG	VANADIUM	REAL	TR1	1.5	UG/L	B	V1	0.41	1	256	NO	Boundary
10394	7/16/01	GW07650RG	ZINC	REAL	TR1	16.7	UG/L	B	UJ1	2.5	1	11000	NO	Boundary
10398	9/13/01	GW07677RG	ALUMINUM	REAL	TR1	6.5	UG/L	B	J1	4.2	1	36500	YES	D&D Bldg 123
10398	9/13/01	GW07677RG	ANTIMONY	REAL	TR1	1.3	UG/L	U	V1	1.3	1	6	YES	D&D Bldg 123
10398	9/13/01	GW07677RG	ARSENIC	REAL	TR1	1.4	UG/L	U	J1	1.4	1	50	YES	D&D Bldg 123
10398	9/13/01	GW07677RG	BARIUM	REAL	TR1	146	UG/L		V1	0.3	1	2000	YES	D&D Bldg 123
10398	9/13/01	GW07677RG	BERYLLIUM	REAL	TR1	0.18	UG/L	U	V1	0.18	1	4	YES	D&D Bldg 123
10398	9/13/01	GW07677RG	CADMIUM	REAL	TR1	0.35	UG/L	B	UJ1	0.15	1	5	YES	D&D Bldg 123
10398	9/13/01	GW07677RG	CALCIUM	REAL	TR1	142000	UG/L		V1	11	1		YES	D&D Bldg 123

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
10398	9/13/01	GW07677RG	CHROMIUM	REAL	TR1	0.28	UG/L	U	J1	0.28	1	100	YES	D&D Bldg 123
10398	9/13/01	GW07677RG	COBALT	REAL	TR1	1.6	UG/L	U	V1	1.6	1	2190	YES	D&D Bldg 123
10398	9/13/01	GW07677RG	COPPER	REAL	TR1	2	UG/L	B	V1	1	1	1300	YES	D&D Bldg 123
10398	9/13/01	GW07677RG	IRON	REAL	TR1	8	UG/L	U	V1	8	1		YES	D&D Bldg 123
10398	9/13/01	GW07677RG	LEAD	REAL	TR1	0.6	UG/L	U	J1	0.6	1	15	YES	D&D Bldg 123
10398	9/13/01	GW07677RG	LITHIUM	REAL	TR1	2.1	UG/L	B	V1	2.1	1	730	YES	D&D Bldg 123
10398	9/13/01	GW07677RG	MAGNESIUM	REAL	TR1	16400	UG/L		V1	24	1		YES	D&D Bldg 123
10398	9/13/01	GW07677RG	MANGANESE	REAL	TR1	1	UG/L	B	J1	0.24	1	1720	YES	D&D Bldg 123
10398	9/13/01	GW07677RG	MERCURY	REAL	TR1	0.026	UG/L	U	V1	0.026	1	2	YES	D&D Bldg 123
10398	9/13/01	GW07677RG	MOLYBDENUM	REAL	TR1	38.2	UG/L		V1	0.7	1	183	YES	D&D Bldg 123
10398	9/13/01	GW07677RG	NICKEL	REAL	TR1	3	UG/L	U	V1	3	1	140	YES	D&D Bldg 123
10398	9/13/01	GW07677RG	POTASSIUM	REAL	TR1	712	UG/L	BJ	UJ1	510	1		YES	D&D Bldg 123
10398	9/13/01	GW07677RG	SELENIUM	REAL	TR1	2	UG/L	U	V1	2	1	50	YES	D&D Bldg 123
10398	9/13/01	GW07677RG	SILVER	REAL	TR1	0.32	UG/L	U	J1	0.32	1	183	YES	D&D Bldg 123
10398	9/13/01	GW07677RG	SODIUM	REAL	TR1	55800	UG/L		J1	1400	1		YES	D&D Bldg 123
10398	9/13/01	GW07677RG	STRONTIUM	REAL	TR1	535	UG/L		V1	0.12	1	21900	YES	D&D Bldg 123
10398	9/13/01	GW07677RG	THALLIUM	REAL	TR1	2	UG/L	BJ	UJ1	1.8	1	2	YES	D&D Bldg 123
10398	9/13/01	GW07677RG	TIN	REAL	TR1	1.3	UG/L	BJ	UJ1	1.2	1	21900	YES	D&D Bldg 123
10398	9/13/01	GW07677RG	URANIUM, TOTAL	REAL	TR1	36	UG/L	U	V1	36	1		YES	D&D Bldg 123
10398	9/13/01	GW07677RG	VANADIUM	REAL	TR1	3	UG/L	U	V1	3	1	256	YES	D&D Bldg 123
10398	9/13/01	GW07677RG	ZINC	REAL	TR1	24.7	UG/L		V1	2.6	1	11000	YES	D&D Bldg 123
10498	7/24/01	GW07678RG	ALUMINUM	REAL	TR1	16.9	UG/L		J1	1.7	1	36500	YES	D&D Bldg 123
10498	7/24/01	GW07678RG	ANTIMONY	REAL	TR1	0.44	UG/L	B	UJ1	0.13	1	6	YES	D&D Bldg 123
10498	7/24/01	GW07678RG	ARSENIC	REAL	TR1	0.82	UG/L	B	V1	0.087	1	50	YES	D&D Bldg 123
10498	7/24/01	GW07678RG	BARIUM	REAL	TR1	88.2	UG/L	B	V1	0.044	1	2000	YES	D&D Bldg 123
10498	7/24/01	GW07678RG	BERYLLIUM	REAL	TR1	0.19	UG/L	U	V1	0.19	1	4	YES	D&D Bldg 123
10498	7/24/01	GW07678RG	CADMIUM	REAL	TR1	1.1	UG/L		UJ1	0.3	1	5	YES	D&D Bldg 123
10498	7/24/01	GW07678RG	CALCIUM	REAL	TR1	34000	UG/L		V1	11	1		YES	D&D Bldg 123
10498	7/24/01	GW07678RG	CHROMIUM	REAL	TR1	0.12	UG/L	U	V1	0.12	1	100	YES	D&D Bldg 123
10498	7/24/01	GW07678RG	COBALT	REAL	TR1	0.6	UG/L	U	V1	0.6	1	2190	YES	D&D Bldg 123
10498	7/24/01	GW07678RG	COPPER	REAL	TR1	1.6	UG/L	B	V1	0.064	1	1300	YES	D&D Bldg 123
10498	7/24/01	GW07678RG	IRON	REAL	TR1	14	UG/L	B	UJ1	3.5	1		YES	D&D Bldg 123
10498	7/24/01	GW07678RG	LEAD	REAL	TR1	0.18	UG/L	B	UJ1	0.01	1	15	YES	D&D Bldg 123
10498	7/24/01	GW07678RG	LITHIUM	REAL	TR1	2.1	UG/L	U	J1	2.1	1	730	YES	D&D Bldg 123
10498	7/24/01	GW07678RG	MAGNESIUM	REAL	TR1	5210	UG/L		V1	24	1		YES	D&D Bldg 123
10498	7/24/01	GW07678RG	MANGANESE	REAL	TR1	2.8	UG/L	B	V1	0.094	1	1720	YES	D&D Bldg 123
10498	7/24/01	GW07678RG	MERCURY	REAL	TR1	0.026	UG/L	U	V1	0.026	1	2	YES	D&D Bldg 123
10498	7/24/01	GW07678RG	MOLYBDENUM	REAL	TR1	5	UG/L	B	V1	1.4	1	183	YES	D&D Bldg 123
10498	7/24/01	GW07678RG	NICKEL	REAL	TR1	1	UG/L	U	J1	1	1	140	YES	D&D Bldg 123
10498	7/24/01	GW07678RG	POTASSIUM	REAL	TR1	7370	UG/L		J1	510	1		YES	D&D Bldg 123
10498	7/24/01	GW07678RG	SELENIUM	REAL	TR1	2.8	UG/L	B	V1	0.2	1	50	YES	D&D Bldg 123
10498	7/24/01	GW07678RG	SILVER	REAL	TR1	0.025	UG/L	U	J1	0.025	1	183	YES	D&D Bldg 123
10498	7/24/01	GW07678RG	SODIUM	REAL	TR1	76800	UG/L		V1	1400	1		YES	D&D Bldg 123
10498	7/24/01	GW07678RG	STRONTIUM	REAL	TR1	198	UG/L	B	V1	0.03	1	21900	YES	D&D Bldg 123
10498	7/24/01	GW07678RG	THALLIUM	REAL	TR1	0.014	UG/L	B	UJ1	0.013	1	2	YES	D&D Bldg 123
10498	7/24/01	GW07678RG	TIN	REAL	TR1	2.4	UG/L	U	J1	2.4	1	21900	YES	D&D Bldg 123
10498	7/24/01	GW07678RG	URANIUM, TOTAL	REAL	TR1	6.6	UG/L	U	V1	6.6	1		YES	D&D Bldg 123
10498	7/24/01	GW07678RG	VANADIUM	REAL	TR1	2.2	UG/L	B	UJ1	0.41	1	256	YES	D&D Bldg 123
10498	7/24/01	GW07678RG	ZINC	REAL	TR1	6.6	UG/L	B	V1	2.5	1	11000	YES	D&D Bldg 123
10592	7/27/01	GW07619RG	ALUMINUM	REAL	TR1	6.6	UG/L	B	UJ	1.2		36500	YES	Perf Monitoring
10592	7/27/01	GW07619RG	ANTIMONY	REAL	TR1	1.3	UG/L	B	UJ	0.34		6	YES	Perf Monitoring
10592	7/27/01	GW07619RG	ARSENIC	REAL	TR1	1.3	UG/L	B	V	0.32		50	YES	Perf Monitoring
10592	7/27/01	GW07619RG	BARIUM	REAL	TR1	35	UG/L	B	V	0.25		2000	YES	Perf Monitoring
10592	7/27/01	GW07619RG	BERYLLIUM	REAL	TR1	0.54	UG/L	U	V	0.54	10	4	YES	Perf Monitoring
10592	7/27/01	GW07619RG	CADMIUM	REAL	TR1	0.51	UG/L	B	V	0.016		5	YES	Perf Monitoring
10592	7/27/01	GW07619RG	CALCIUM	REAL	TR1	160000	UG/L		V	3.2			YES	Perf Monitoring
10592	7/27/01	GW07619RG	CHROMIUM	REAL	TR1	0.3	UG/L	U	V	0.3		100	YES	Perf Monitoring

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
10592	7/27/01	GW07619RG	COBALT	REAL	TR1	0.43	UG/L	U	V	0.43		2190	YES	Perf Monitoring
10592	7/27/01	GW07619RG	COPPER	REAL	TR1	2.4	UG/L	B	J	0.92		1300	YES	Perf Monitoring
10592	7/27/01	GW07619RG	IRON	REAL	TR1	91.2	UG/L	B	V	16			YES	Perf Monitoring
10592	7/27/01	GW07619RG	LEAD	REAL	TR1	0.29	UG/L	U	V	0.29		15	YES	Perf Monitoring
10592	7/27/01	GW07619RG	LITHIUM	REAL	TR1	89	UG/L	B	V	2.2		730	YES	Perf Monitoring
10592	7/27/01	GW07619RG	MAGNESIUM	REAL	TR1	54000	UG/L		V	25			YES	Perf Monitoring
10592	7/27/01	GW07619RG	MANGANESE	REAL	TR1	17	UG/L	B	V	0.69		1720	YES	Perf Monitoring
10592	7/27/01	GW07619RG	MERCURY	REAL	TR1	0.02	UG/L	U	V	0.02		2	YES	Perf Monitoring
10592	7/27/01	GW07619RG	MOLYBDENUM	REAL	TR1	9.2	UG/L	B	UJ	4		183	YES	Perf Monitoring
10592	7/27/01	GW07619RG	NICKEL	REAL	TR1	1.4	UG/L	B	UJ	1		140	YES	Perf Monitoring
10592	7/27/01	GW07619RG	POTASSIUM	REAL	TR1	2300	UG/L	B	V	48			YES	Perf Monitoring
10592	7/27/01	GW07619RG	SELENIUM	REAL	TR1	170	UG/L		V	0.33		50	YES	Perf Monitoring
10592	7/27/01	GW07619RG	SILVER	REAL	TR1	0.054	UG/L	B	UJ	0.005		183	YES	Perf Monitoring
10592	7/27/01	GW07619RG	SODIUM	REAL	TR1	190000	UG/L		V	27			YES	Perf Monitoring
10592	7/27/01	GW07619RG	STRONTIUM	REAL	TR1	1600	UG/L		V	0.25		21900	YES	Perf Monitoring
10592	7/27/01	GW07619RG	THALLIUM	REAL	TR1	0.44	UG/L	B	UJ	0.05		2	YES	Perf Monitoring
10592	7/27/01	GW07619RG	TIN	REAL	TR1	6.9	UG/L	U	V	6.9		21900	YES	Perf Monitoring
10592	7/27/01	GW07619RG	URANIUM, TOTAL	REAL	TR1	34	UG/L		V	0.005			YES	Perf Monitoring
10592	7/27/01	GW07619RG	VANADIUM	REAL	TR1	0.88	UG/L	U	V	0.88		256	YES	Perf Monitoring
10592	7/27/01	GW07619RG	ZINC	REAL	TR1	7.5	UG/L	B	J	1		11000	YES	Perf Monitoring
10598	7/24/01	GW07679RG	ALUMINUM	REAL	TR1	56.2	UG/L		J1	1.7	1	36500	YES	D&D Bldg 123
10598	7/24/01	GW07679RG	ANTIMONY	REAL	TR1	0.62	UG/L	B	UJ1	0.13	1	6	YES	D&D Bldg 123
10598	7/24/01	GW07679RG	ARSENIC	REAL	TR1	0.73	UG/L	B	V1	0.087	1	50	YES	D&D Bldg 123
10598	7/24/01	GW07679RG	BARIUM	REAL	TR1	201	UG/L		V1	0.044	1	2000	YES	D&D Bldg 123
10598	7/24/01	GW07679RG	BERYLLIUM	REAL	TR1	0.19	UG/L	U	V1	0.19	1	4	YES	D&D Bldg 123
10598	7/24/01	GW07679RG	CADMIUM	REAL	TR1	0.46	UG/L	B	UJ1	0.3	1	5	YES	D&D Bldg 123
10598	7/24/01	GW07679RG	CALCIUM	REAL	TR1	46600	UG/L		V1	11	1		YES	D&D Bldg 123
10598	7/24/01	GW07679RG	CHROMIUM	REAL	TR1	0.12	UG/L	U	V1	0.12	1	100	YES	D&D Bldg 123
10598	7/24/01	GW07679RG	COBALT	REAL	TR1	0.6	UG/L	U	V1	0.6	1	2190	YES	D&D Bldg 123
10598	7/24/01	GW07679RG	COPPER	REAL	TR1	2.8	UG/L		V1	0.064	1	1300	YES	D&D Bldg 123
10598	7/24/01	GW07679RG	IRON	REAL	TR1	32.6	UG/L	B	V1	3.5	1		YES	D&D Bldg 123
10598	7/24/01	GW07679RG	LEAD	REAL	TR1	0.14	UG/L	B	UJ1	0.01	1	15	YES	D&D Bldg 123
10598	7/24/01	GW07679RG	LITHIUM	REAL	TR1	2.1	UG/L	U	J1	2.1	1	730	YES	D&D Bldg 123
10598	7/24/01	GW07679RG	MAGNESIUM	REAL	TR1	5580	UG/L		V1	24	1		YES	D&D Bldg 123
10598	7/24/01	GW07679RG	MANGANESE	REAL	TR1	76.8	UG/L		V1	0.094	1	1720	YES	D&D Bldg 123
10598	7/24/01	GW07679RG	MERCURY	REAL	TR1	0.026	UG/L	U	V1	0.026	1	2	YES	D&D Bldg 123
10598	7/24/01	GW07679RG	MOLYBDENUM	REAL	TR1	3.2	UG/L	B	V1	1.4	1	183	YES	D&D Bldg 123
10598	7/24/01	GW07679RG	NICKEL	REAL	TR1	2	UG/L	B	J1	1	1	140	YES	D&D Bldg 123
10598	7/24/01	GW07679RG	POTASSIUM	REAL	TR1	6840	UG/L		J1	510	1		YES	D&D Bldg 123
10598	7/24/01	GW07679RG	SELENIUM	REAL	TR1	0.2	UG/L	U	V1	0.2	1	50	YES	D&D Bldg 123
10598	7/24/01	GW07679RG	SILVER	REAL	TR1	0.085	UG/L	B	J1	0.025	1	183	YES	D&D Bldg 123
10598	7/24/01	GW07679RG	SODIUM	REAL	TR1	317000	UG/L		V1	1400	1		YES	D&D Bldg 123
10598	7/24/01	GW07679RG	STRONTIUM	REAL	TR1	270	UG/L		V1	0.03	1	21900	YES	D&D Bldg 123
10598	7/24/01	GW07679RG	THALLIUM	REAL	TR1	0.014	UG/L	B	UJ1	0.013	1	2	YES	D&D Bldg 123
10598	7/24/01	GW07679RG	TIN	REAL	TR1	2.4	UG/L	U	J1	2.4	1	21900	YES	D&D Bldg 123
10598	7/24/01	GW07679RG	URANIUM, TOTAL	REAL	TR1	6.6	UG/L	U	V1	6.6	1		YES	D&D Bldg 123
10598	7/24/01	GW07679RG	VANADIUM	REAL	TR1	1.3	UG/L	B	UJ1	0.41	1	256	YES	D&D Bldg 123
10598	7/24/01	GW07679RG	ZINC	REAL	TR1	17.6	UG/L	B	V1	2.5	1	11000	YES	D&D Bldg 123
10692	7/27/01	GW07651RG	ALUMINUM	REAL	TR1	4	UG/L	B	UJ	1.2		36500	YES	Perf Monitoring
10692	7/27/01	GW07651RG	ANTIMONY	REAL	TR1	0.54	UG/L	B	UJ	0.34		6	YES	Perf Monitoring
10692	7/27/01	GW07651RG	ARSENIC	REAL	TR1	4.6	UG/L	B	V	0.32		50	YES	Perf Monitoring
10692	7/27/01	GW07651RG	BARIUM	REAL	TR1	50	UG/L	B	V	0.25		2000	YES	Perf Monitoring
10692	7/27/01	GW07651RG	BERYLLIUM	REAL	TR1	0.054	UG/L	U	V	0.054		4	YES	Perf Monitoring
10692	7/27/01	GW07651RG	CADMIUM	REAL	TR1	0.15	UG/L	B	V	0.016		5	YES	Perf Monitoring
10692	7/27/01	GW07651RG	CALCIUM	REAL	TR1	190000	UG/L		V	3.2			YES	Perf Monitoring
10692	7/27/01	GW07651RG	CHROMIUM	REAL	TR1	0.3	UG/L	U	V	0.3		100	YES	Perf Monitoring
10692	7/27/01	GW07651RG	COBALT	REAL	TR1	0.43	UG/L	U	V	0.43		2190	YES	Perf Monitoring

173

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
10692	7/27/01	GW07651RG	COPPER	REAL	TR1	1.8	UG/L	B	J	0.92		1300	YES	Perf Monitoring
10692	7/27/01	GW07651RG	IRON	REAL	TR1	104	UG/L		V	16			YES	Perf Monitoring
10692	7/27/01	GW07651RG	LEAD	REAL	TR1	0.29	UG/L	U	V	0.29		15	YES	Perf Monitoring
10692	7/27/01	GW07651RG	LITHIUM	REAL	TR1	23.9	UG/L	B	V	2.2		730	YES	Perf Monitoring
10692	7/27/01	GW07651RG	MAGNESIUM	REAL	TR1	56000	UG/L		V	25			YES	Perf Monitoring
10692	7/27/01	GW07651RG	MANGANESE	REAL	TR1	5.5	UG/L	B	V	0.69		1720	YES	Perf Monitoring
10692	7/27/01	GW07651RG	MERCURY	REAL	TR1	0.02	UG/L	U	V	0.02		2	YES	Perf Monitoring
10692	7/27/01	GW07651RG	MOLYBDENUM	REAL	TR1	6.4	UG/L	B	UJ	4		183	YES	Perf Monitoring
10692	7/27/01	GW07651RG	NICKEL	REAL	TR1	1	UG/L	U	V	1		140	YES	Perf Monitoring
10692	7/27/01	GW07651RG	POTASSIUM	REAL	TR1	744	UG/L	B	V	48			YES	Perf Monitoring
10692	7/27/01	GW07651RG	SELENIUM	REAL	TR1	3.5	UG/L		V	0.33		50	YES	Perf Monitoring
10692	7/27/01	GW07651RG	SILVER	REAL	TR1	0.073	UG/L	B	UJ	0.005		183	YES	Perf Monitoring
10692	7/27/01	GW07651RG	SODIUM	REAL	TR1	210000	UG/L		V	27			YES	Perf Monitoring
10692	7/27/01	GW07651RG	STRONTIUM	REAL	TR1	1600	UG/L		V	0.25		21900	YES	Perf Monitoring
10692	7/27/01	GW07651RG	THALLIUM	REAL	TR1	0.84	UG/L	B	UJ	0.05		2	YES	Perf Monitoring
10692	7/27/01	GW07651RG	TIN	REAL	TR1	6.9	UG/L	U	V	6.9		21900	YES	Perf Monitoring
10692	7/27/01	GW07651RG	URANIUM, TOTAL	REAL	TR1	35	UG/L		V	0.005			YES	Perf Monitoring
10692	7/27/01	GW07651RG	VANADIUM	REAL	TR1	0.88	UG/L	U	V	0.88		256	YES	Perf Monitoring
10692	7/27/01	GW07651RG	ZINC	REAL	TR1	2.3	UG/L	B	J	1		11000	YES	Perf Monitoring
10792	7/26/01	GW07620RG	ALUMINUM	REAL	TR1	8.2	UG/L	B	J1	1.7	1	36500	YES	Perf Monitoring
10792	7/26/01	GW07620RG	ANTIMONY	REAL	TR1	0.74	UG/L	B	UJ1	0.13	1	6	YES	Perf Monitoring
10792	7/26/01	GW07620RG	ARSENIC	REAL	TR1	6.9	UG/L		V1	0.087	1	50	YES	Perf Monitoring
10792	7/26/01	GW07620RG	BARIUM	REAL	TR1	25.8	UG/L	B	V1	0.044	1	2000	YES	Perf Monitoring
10792	7/26/01	GW07620RG	BERYLLIUM	REAL	TR1	0.19	UG/L	U	V1	0.19	1	4	YES	Perf Monitoring
10792	7/26/01	GW07620RG	CADMIUM	REAL	TR1	0.3	UG/L	U	V1	0.3	1	5	YES	Perf Monitoring
10792	7/26/01	GW07620RG	CALCIUM	REAL	TR1	60100	UG/L		V1	11	1		YES	Perf Monitoring
10792	7/26/01	GW07620RG	CHROMIUM	REAL	TR1	4	UG/L		V1	0.12	1	100	YES	Perf Monitoring
10792	7/26/01	GW07620RG	COBALT	REAL	TR1	0.6	UG/L	U	V1	0.6	1	2190	YES	Perf Monitoring
10792	7/26/01	GW07620RG	COPPER	REAL	TR1	1.3	UG/L	B	V1	0.064	1	1300	YES	Perf Monitoring
10792	7/26/01	GW07620RG	IRON	REAL	TR1	9.6	UG/L	B	UJ1	3.5	1		YES	Perf Monitoring
10792	7/26/01	GW07620RG	LEAD	REAL	TR1	0.27	UG/L	B	UJ1	0.01	1	15	YES	Perf Monitoring
10792	7/26/01	GW07620RG	LITHIUM	REAL	TR1	44.3	UG/L	B	J1	2.1	1	730	YES	Perf Monitoring
10792	7/26/01	GW07620RG	MAGNESIUM	REAL	TR1	17000	UG/L		V1	24	1		YES	Perf Monitoring
10792	7/26/01	GW07620RG	MANGANESE	REAL	TR1	0.81	UG/L	B	V1	0.094	1	1720	YES	Perf Monitoring
10792	7/26/01	GW07620RG	MERCURY	REAL	TR1	0.026	UG/L	U	V1	0.026	1	2	YES	Perf Monitoring
10792	7/26/01	GW07620RG	MOLYBDENUM	REAL	TR1	12.5	UG/L	B	V1	1.4	1	183	YES	Perf Monitoring
10792	7/26/01	GW07620RG	NICKEL	REAL	TR1	1	UG/L	U	J1	1	1	140	YES	Perf Monitoring
10792	7/26/01	GW07620RG	POTASSIUM	REAL	TR1	2010	UG/L	B	J1	510	1		YES	Perf Monitoring
10792	7/26/01	GW07620RG	SELENIUM	REAL	TR1	53.1	UG/L		V1	0.2	1	50	YES	Perf Monitoring
10792	7/26/01	GW07620RG	SILVER	REAL	TR1	0.025	UG/L	U	J1	0.025	1	183	YES	Perf Monitoring
10792	7/26/01	GW07620RG	SODIUM	REAL	TR1	128000	UG/L		V1	1400	1		YES	Perf Monitoring
10792	7/26/01	GW07620RG	STRONTIUM	REAL	TR1	674	UG/L		V1	0.03	1	21900	YES	Perf Monitoring
10792	7/26/01	GW07620RG	THALLIUM	REAL	TR1	0.013	UG/L	U	V1	0.013	1	2	YES	Perf Monitoring
10792	7/26/01	GW07620RG	TIN	REAL	TR1	2.4	UG/L	U	J1	2.4	1	21900	YES	Perf Monitoring
10792	7/26/01	GW07620RG	URANIUM, TOTAL	REAL	TR1	14.4	UG/L	B	V1	6.6	1		YES	Perf Monitoring
10792	7/26/01	GW07620RG	VANADIUM	REAL	TR1	4.4	UG/L	B	UJ1	0.41	1	256	YES	Perf Monitoring
10792	7/26/01	GW07620RG	ZINC	REAL	TR1	4.6	UG/L	B	V1	2.5	1	11000	YES	Perf Monitoring
10992	7/18/01	GW07652RG	ALUMINUM	REAL	TR1	10.3	UG/L	B	J1	1.7	1	36500	YES	Perf Monitoring
10992	7/18/01	GW07652RG	ANTIMONY	REAL	TR1	0.19	UG/L	B	UJ1	0.13	1	6	YES	Perf Monitoring
10992	7/18/01	GW07652RG	ARSENIC	REAL	TR1	20.3	UG/L		V1	0.087	1	50	YES	Perf Monitoring
10992	7/18/01	GW07652RG	BARIUM	REAL	TR1	58.8	UG/L	B	V1	0.044	1	2000	YES	Perf Monitoring
10992	7/18/01	GW07652RG	BERYLLIUM	REAL	TR1	0.19	UG/L	U	V1	0.19	1	4	YES	Perf Monitoring
10992	7/18/01	GW07652RG	CADMIUM	REAL	TR1	0.49	UG/L	B	UJ1	0.3	1	5	YES	Perf Monitoring
10992	7/18/01	GW07652RG	CALCIUM	REAL	TR1	88400	UG/L		V1	11	1		YES	Perf Monitoring
10992	7/18/01	GW07652RG	CHROMIUM	REAL	TR1	0.83	UG/L	B	J1	0.12	1	100	YES	Perf Monitoring
10992	7/18/01	GW07652RG	COBALT	REAL	TR1	0.6	UG/L	U	V1	0.6	1	2190	YES	Perf Monitoring
10992	7/18/01	GW07652RG	COPPER	REAL	TR1	0.93	UG/L	B	J1	0.064	1	1300	YES	Perf Monitoring

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
10992	7/18/01	GW07652RG	IRON	REAL	TR1	11.6	UG/L	B	V1	3.5	1		YES	Perf Monitoring
10992	7/18/01	GW07652RG	LEAD	REAL	TR1	0.14	UG/L	B	V1	0.01	1	15	YES	Perf Monitoring
10992	7/18/01	GW07652RG	LITHIUM	REAL	TR1	61.9	UG/L	B	V1	2.1	1	730	YES	Perf Monitoring
10992	7/18/01	GW07652RG	MAGNESIUM	REAL	TR1	30500	UG/L		V1	24	1		YES	Perf Monitoring
10992	7/18/01	GW07652RG	MANGANESE	REAL	TR1	0.83	UG/L	B	UJ1	0.094	1	1720	YES	Perf Monitoring
10992	7/18/01	GW07652RG	MERCURY	REAL	TR1	0.026	UG/L	U	V1	0.026	1	2	YES	Perf Monitoring
10992	7/18/01	GW07652RG	MOLYBDENUM	REAL	TR1	7.5	UG/L	B	V1	1.4	1	183	YES	Perf Monitoring
10992	7/18/01	GW07652RG	NICKEL	REAL	TR1	1	UG/L	U	V1	1	1	140	YES	Perf Monitoring
10992	7/18/01	GW07652RG	POTASSIUM	REAL	TR1	3090	UG/L	B	UJ1	510	1		YES	Perf Monitoring
10992	7/18/01	GW07652RG	SELENIUM	REAL	TR1	464	UG/L		V1	0.2	1	50	YES	Perf Monitoring
10992	7/18/01	GW07652RG	SILVER	REAL	TR1	0.054	UG/L	U	V1	0.054	1	183	YES	Perf Monitoring
10992	7/18/01	GW07652RG	SODIUM	REAL	TR1	95400	UG/L		V1	1400	1		YES	Perf Monitoring
10992	7/18/01	GW07652RG	STRONTIUM	REAL	TR1	1030	UG/L		V1	0.03	1	21900	YES	Perf Monitoring
10992	7/18/01	GW07652RG	THALLIUM	REAL	TR1	0.013	UG/L	U	J1	0.013	1	2	YES	Perf Monitoring
10992	7/18/01	GW07652RG	TIN	REAL	TR1	2.8	UG/L	B	UJ1	2.4	1	21900	YES	Perf Monitoring
10992	7/18/01	GW07652RG	URANIUM, TOTAL	REAL	TR1	18.7	UG/L	B	J1	6.6	1		YES	Perf Monitoring
10992	7/18/01	GW07652RG	VANADIUM	REAL	TR1	1.2	UG/L	B	V1	0.41	1	256	YES	Perf Monitoring
10992	7/18/01	GW07652RG	ZINC	REAL	TR1	5.2	UG/L	B	UJ1	2.5	1	11000	YES	Perf Monitoring
10994	8/14/01	GW07653RG	ALUMINUM	REAL	TR1	1.2	UG/L	UN	J1	1.2	1	36500	YES	Plume Extent
10994	8/14/01	GW07653RG	ANTIMONY	REAL	TR1	0.34	UG/L	U	V1	0.34	1	6	YES	Plume Extent
10994	8/14/01	GW07653RG	ARSENIC	REAL	TR1	0.32	UG/L	U	V1	0.32	1	50	YES	Plume Extent
10994	8/14/01	GW07653RG	BARIUM	REAL	TR1	100	UG/L		J1	0.25	1	2000	YES	Plume Extent
10994	8/14/01	GW07653RG	BERYLLIUM	REAL	TR1	0.054	UG/L	UN	J1	0.054	1	4	YES	Plume Extent
10994	8/14/01	GW07653RG	CADMIUM	REAL	TR1	0.07	UG/L	B	V1	0.016	1	5	YES	Plume Extent
10994	8/14/01	GW07653RG	CALCIUM	REAL	TR1	120000	UG/L		J1	3.2	1		YES	Plume Extent
10994	8/14/01	GW07653RG	CHROMIUM	REAL	TR1	4.6	UG/L		J1	0.3	1	100	YES	Plume Extent
10994	8/14/01	GW07653RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	Plume Extent
10994	8/14/01	GW07653RG	COPPER	REAL	TR1	1.6	UG/L	B	V1	0.92	1	1300	YES	Plume Extent
10994	8/14/01	GW07653RG	IRON	REAL	TR1	190	UG/L		V1	16	1		YES	Plume Extent
10994	8/14/01	GW07653RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	Plume Extent
10994	8/14/01	GW07653RG	LITHIUM	REAL	TR1	43	UG/L		V1	2.2	1	730	YES	Plume Extent
10994	8/14/01	GW07653RG	MAGNESIUM	REAL	TR1	29000	UG/L		J1	25	1		YES	Plume Extent
10994	8/14/01	GW07653RG	MANGANESE	REAL	TR1	0.69	UG/L	U	V1	0.69	1	1720	YES	Plume Extent
10994	8/14/01	GW07653RG	MERCURY	REAL	TR1	0.045	UG/L	B	J1	0.02	1	2	YES	Plume Extent
10994	8/14/01	GW07653RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	Plume Extent
10994	8/14/01	GW07653RG	NICKEL	REAL	TR1	1	UG/L	U	V1	1	1	140	YES	Plume Extent
10994	8/14/01	GW07653RG	POTASSIUM	REAL	TR1	2500	UG/L		J1	48	1		YES	Plume Extent
10994	8/14/01	GW07653RG	SELENIUM	REAL	TR1	790	UG/L	N	J1	0.33	1	50	YES	Plume Extent
10994	8/14/01	GW07653RG	SILVER	REAL	TR1	0.005	UG/L	U	V1	0.005	1	183	YES	Plume Extent
10994	8/14/01	GW07653RG	SODIUM	REAL	TR1	68000	UG/L		J1	27	1		YES	Plume Extent
10994	8/14/01	GW07653RG	STRONTIUM	REAL	TR1	880	UG/L		J1	0.25	1	21900	YES	Plume Extent
10994	8/14/01	GW07653RG	THALLIUM	REAL	TR1	0.05	UG/L	U	R1	0.05	1	2	YES	Plume Extent
10994	8/14/01	GW07653RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	Plume Extent
10994	8/14/01	GW07653RG	URANIUM, TOTAL	REAL	TR1	17	UG/L		V1	0.005	1		YES	Plume Extent
10994	8/14/01	GW07653RG	VANADIUM	REAL	TR1	1.1	UG/L	B	V1	0.87	1	256	YES	Plume Extent
10994	8/14/01	GW07653RG	VANADIUM	REAL	TR1	1	UG/L	U	V1	1	1	256	YES	Plume Extent
10994	8/14/01	GW07653RG	ZINC	REAL	TR1	1	UG/L	U	V1	1	1	11000	YES	Plume Extent
12691	8/24/01	GW07654RG	ALUMINUM	REAL	TR1	160	UG/L		V1	2.4	2	36500	YES	Perf Monitoring
12691	8/24/01	GW07654RG	ANTIMONY	REAL	TR1	0.34	UG/L	U	V1	0.34	1	6	YES	Perf Monitoring
12691	8/24/01	GW07654RG	ARSENIC	REAL	TR1	0.41	UG/L	B	V1	0.32	1	50	YES	Perf Monitoring
12691	8/24/01	GW07654RG	BARIUM	REAL	TR1	250	UG/L		J1	0.25	1	2000	YES	Perf Monitoring
12691	8/24/01	GW07654RG	BERYLLIUM	REAL	TR1	0.054	UG/L	U	V1	0.054	1	4	YES	Perf Monitoring
12691	8/24/01	GW07654RG	CADMIUM	REAL	TR1	0.043	UG/L	B	V1	0.016	1	5	YES	Perf Monitoring
12691	8/24/01	GW07654RG	CALCIUM	REAL	TR1	150000	UG/L		J1	3.2	1		YES	Perf Monitoring
12691	8/24/01	GW07654RG	CHROMIUM	REAL	TR1	11	UG/L		V1	0.3	1	100	YES	Perf Monitoring
12691	8/24/01	GW07654RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	Perf Monitoring
12691	8/24/01	GW07654RG	COPPER	REAL	TR1	0.92	UG/L	U	V1	0.92	1	1300	YES	Perf Monitoring

175

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
12691	8/24/01	GW07654RG	IRON	REAL	TR1	330	UG/L		V1	16	1		YES	Perf Monitoring
12691	8/24/01	GW07654RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	Perf Monitoring
12691	8/24/01	GW07654RG	LITHIUM	REAL	TR1	9	UG/L	B	V1	2.2	1	730	YES	Perf Monitoring
12691	8/24/01	GW07654RG	MAGNESIUM	REAL	TR1	11000	UG/L		J1	25	1		YES	Perf Monitoring
12691	8/24/01	GW07654RG	MANGANESE	REAL	TR1	3.4	UG/L	B	V1	0.69	1	1720	YES	Perf Monitoring
12691	8/24/01	GW07654RG	MERCURY	REAL	TR1	0.02	UG/L	B	V1	0.02	1	2	YES	Perf Monitoring
12691	8/24/01	GW07654RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	Perf Monitoring
12691	8/24/01	GW07654RG	NICKEL	REAL	TR1	1	UG/L	U	V1	1	1	140	YES	Perf Monitoring
12691	8/24/01	GW07654RG	POTASSIUM	REAL	TR1	1100	UG/L		J1	48	1		YES	Perf Monitoring
12691	8/24/01	GW07654RG	SELENIUM	REAL	TR1	1.5	UG/L	BN	J1	0.33	1	50	YES	Perf Monitoring
12691	8/24/01	GW07654RG	SILVER	REAL	TR1	0.005	UG/L	U	V1	0.005	1	183	YES	Perf Monitoring
12691	8/24/01	GW07654RG	SODIUM	REAL	TR1	15000	UG/L		J1	27	1		YES	Perf Monitoring
12691	8/24/01	GW07654RG	STRONTIUM	REAL	TR1	450	UG/L		R1	0.25	1	21900	YES	Perf Monitoring
12691	8/24/01	GW07654RG	THALLIUM	REAL	TR1	0.05	UG/L	U	R1	0.05	1	2	YES	Perf Monitoring
12691	8/24/01	GW07654RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	Perf Monitoring
12691	8/24/01	GW07654RG	URANIUM, TOTAL	REAL	TR1	5	UG/L		V1	0.005	1		YES	Perf Monitoring
12691	8/24/01	GW07654RG	VANADIUM	REAL	TR1	4.7	UG/L	B	V1	1.7	2	256	YES	Perf Monitoring
12691	8/24/01	GW07654RG	VANADIUM	REAL	TR1	1	UG/L	U	V1	1	1	256	YES	Perf Monitoring
12691	8/24/01	GW07654RG	ZINC	REAL	TR1	1	UG/L	U	V1	1	1	11000	YES	Perf Monitoring
12691	8/24/01	GW07656RG	ALUMINUM	RNS	TR1	1.2	UG/L	U	V1	1.2	1	36500	YES	Perf Monitoring
12691	8/24/01	GW07656RG	ANTIMONY	RNS	TR1	0.34	UG/L	U	V1	0.34	1	6	YES	Perf Monitoring
12691	8/24/01	GW07656RG	ARSENIC	RNS	TR1	0.32	UG/L	U	V1	0.32	1	50	YES	Perf Monitoring
12691	8/24/01	GW07656RG	BARIUM	RNS	TR1	1.7	UG/L	B	J1	0.25	1	2000	YES	Perf Monitoring
12691	8/24/01	GW07656RG	BERYLLIUM	RNS	TR1	0.054	UG/L	U	V1	0.054	1	4	YES	Perf Monitoring
12691	8/24/01	GW07656RG	CADMIUM	RNS	TR1	0.016	UG/L	U	V1	0.016	1	5	YES	Perf Monitoring
12691	8/24/01	GW07656RG	CALCIUM	RNS	TR1	32	UG/L	B	J1	3.2	1		YES	Perf Monitoring
12691	8/24/01	GW07656RG	CHROMIUM	RNS	TR1	0.3	UG/L	U	V1	0.3	1	100	YES	Perf Monitoring
12691	8/24/01	GW07656RG	COBALT	RNS	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	Perf Monitoring
12691	8/24/01	GW07656RG	COPPER	RNS	TR1	1.4	UG/L	B	V1	0.92	1	1300	YES	Perf Monitoring
12691	8/24/01	GW07656RG	IRON	RNS	TR1	16	UG/L	U	V1	16	1		YES	Perf Monitoring
12691	8/24/01	GW07656RG	LEAD	RNS	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	Perf Monitoring
12691	8/24/01	GW07656RG	LITHIUM	RNS	TR1	2.2	UG/L	U	V1	2.2	1	730	YES	Perf Monitoring
12691	8/24/01	GW07656RG	MAGNESIUM	RNS	TR1	25	UG/L	U	J1	25	1		YES	Perf Monitoring
12691	8/24/01	GW07656RG	MANGANESE	RNS	TR1	2.2	UG/L	B	V1	0.69	1	1720	YES	Perf Monitoring
12691	8/24/01	GW07656RG	MERCURY	RNS	TR1	0.038	UG/L	B	V1	0.02	1	2	YES	Perf Monitoring
12691	8/24/01	GW07656RG	MOLYBDENUM	RNS	TR1	4	UG/L	U	V1	4	1	183	YES	Perf Monitoring
12691	8/24/01	GW07656RG	NICKEL	RNS	TR1	1	UG/L	U	V1	1	1	140	YES	Perf Monitoring
12691	8/24/01	GW07656RG	POTASSIUM	RNS	TR1	48	UG/L	U	R1	48	1		YES	Perf Monitoring
12691	8/24/01	GW07656RG	SELENIUM	RNS	TR1	0.33	UG/L	UN	V1	0.33	1	50	YES	Perf Monitoring
12691	8/24/01	GW07656RG	SILVER	RNS	TR1	0.005	UG/L	U	V1	0.005	1	183	YES	Perf Monitoring
12691	8/24/01	GW07656RG	SODIUM	RNS	TR1	150	UG/L	B	J1	27	1		YES	Perf Monitoring
12691	8/24/01	GW07656RG	STRONTIUM	RNS	TR1	0.34	UG/L	B	R1	0.25	1	21900	YES	Perf Monitoring
12691	8/24/01	GW07656RG	THALLIUM	RNS	TR1	0.05	UG/L	U	R1	0.05	1	2	YES	Perf Monitoring
12691	8/24/01	GW07656RG	TIN	RNS	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	Perf Monitoring
12691	8/24/01	GW07656RG	URANIUM, TOTAL	RNS	TR1	0.0065	UG/L	B	V1	0.005	1		YES	Perf Monitoring
12691	8/24/01	GW07656RG	VANADIUM	RNS	TR1	0.87	UG/L	U	V1	0.87	1	256	YES	Perf Monitoring
12691	8/24/01	GW07656RG	VANADIUM	RNS	TR1	1	UG/L	U	V1	1	1	256	YES	Perf Monitoring
12691	8/24/01	GW07656RG	ZINC	RNS	TR1	1	UG/L	U	V1	1	1	11000	YES	Perf Monitoring
18199	9/10/01	GW07745RG	ALUMINUM	REAL	TR1	55	UG/L	BN	J1	12	10	36500	NO	Plume Degradation
18199	9/10/01	GW07745RG	ANTIMONY	REAL	TR1	0.34	UG/L	U	J1	0.34	1	6	NO	Plume Degradation
18199	9/10/01	GW07745RG	ARSENIC	REAL	TR1	0.87	UG/L	B	V1	0.32	1	50	NO	Plume Degradation
18199	9/10/01	GW07745RG	BARIUM	REAL	TR1	110	UG/L		V1	0.25	1	2000	NO	Plume Degradation
18199	9/10/01	GW07745RG	BERYLLIUM	REAL	TR1	0.54	UG/L	U	V1	0.54	10	4	NO	Plume Degradation
18199	9/10/01	GW07745RG	CADMIUM	REAL	TR1	0.2	UG/L		V1	0.016	1	5	NO	Plume Degradation
18199	9/10/01	GW07745RG	CALCIUM	REAL	TR1	75000	UG/L		V1	3.2	1		NO	Plume Degradation
18199	9/10/01	GW07745RG	CHROMIUM	REAL	TR1	0.3	UG/L	U	V1	0.3	1	100	NO	Plume Degradation
18199	9/10/01	GW07745RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	NO	Plume Degradation

176

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
18199	9/10/01	GW07745RG	COPPER	REAL	TR1	1.7	UG/L	B	V1	0.92	1	1300	NO	Plume Degradation
18199	9/10/01	GW07745RG	IRON	REAL	TR1	380	UG/L		V1	16	1		NO	Plume Degradation
18199	9/10/01	GW07745RG	LEAD	REAL	TR1	0.37	UG/L	B	V1	0.29	1	15	NO	Plume Degradation
18199	9/10/01	GW07745RG	LITHIUM	REAL	TR1	7.5	UG/L	B	V1	2.2	1	730	NO	Plume Degradation
18199	9/10/01	GW07745RG	MAGNESIUM	REAL	TR1	11000	UG/L		R1	25	1		NO	Plume Degradation
18199	9/10/01	GW07745RG	MANGANESE	REAL	TR1	220	UG/L		V1	0.69	1	1720	NO	Plume Degradation
18199	9/10/01	GW07745RG	MERCURY	REAL	TR1	0.029	UG/L	U	V1	0.029	1	2	NO	Plume Degradation
18199	9/10/01	GW07745RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	NO	Plume Degradation
18199	9/10/01	GW07745RG	NICKEL	REAL	TR1	2.9	UG/L	B	V1	1	1	140	NO	Plume Degradation
18199	9/10/01	GW07745RG	POTASSIUM	REAL	TR1	1500	UG/L	B	V1	48	1		NO	Plume Degradation
18199	9/10/01	GW07745RG	SELENIUM	REAL	TR1	0.33	UG/L	U	J1	0.33	1	50	NO	Plume Degradation
18199	9/10/01	GW07745RG	SILVER	REAL	TR1	0.0052	UG/L	B	J1	0.005	1	183	NO	Plume Degradation
18199	9/10/01	GW07745RG	SODIUM	REAL	TR1	27000	UG/L		V1	27	1		NO	Plume Degradation
18199	9/10/01	GW07745RG	STRONTIUM	REAL	TR1	300	UG/L		V1	0.25	1	21900	NO	Plume Degradation
18199	9/10/01	GW07745RG	THALLIUM	REAL	TR1	0.05	UG/L	U	V1	0.05	1	2	NO	Plume Degradation
18199	9/10/01	GW07745RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	NO	Plume Degradation
18199	9/10/01	GW07745RG	URANIUM, TOTAL	REAL	TR1	0.76	UG/L	BN	V1	0.005	1		NO	Plume Degradation
18199	9/10/01	GW07745RG	VANADIUM	REAL	TR1	8.7	UG/L	U	V1	8.7	10	256	NO	Plume Degradation
18199	9/10/01	GW07745RG	ZINC	REAL	TR1	5.2	UG/L	B	J1	1	1	11000	NO	Plume Degradation
22596	8/1/01	GW07657RG	ALUMINUM	REAL	TR1	13	UG/L	B	J	1.2		36500	NO	Plume Extent
22596	8/1/01	GW07657RG	ANTIMONY	REAL	TR1	0.34	UG/L	U	J	0.34		6	NO	Plume Extent
22596	8/1/01	GW07657RG	ARSENIC	REAL	TR1	2.2	UG/L	B	J	0.32		50	NO	Plume Extent
22596	8/1/01	GW07657RG	BARIUM	REAL	TR1	160	UG/L		J	0.25		2000	NO	Plume Extent
22596	8/1/01	GW07657RG	BERYLLIUM	REAL	TR1	0.054	UG/L	U	J	0.054		4	NO	Plume Extent
22596	8/1/01	GW07657RG	CADMIUM	REAL	TR1	0.046	UG/L	B	J	0.016		5	NO	Plume Extent
22596	8/1/01	GW07657RG	CALCIUM	REAL	TR1	61000	UG/L		J	3.2			NO	Plume Extent
22596	8/1/01	GW07657RG	CHROMIUM	REAL	TR1	37	UG/L		J	0.3		100	NO	Plume Extent
22596	8/1/01	GW07657RG	COBALT	REAL	TR1	0.43	UG/L	B	J	0.43		2190	NO	Plume Extent
22596	8/1/01	GW07657RG	COPPER	REAL	TR1	0.92	UG/L	U	J	0.92		1300	NO	Plume Extent
22596	8/1/01	GW07657RG	IRON	REAL	TR1	200	UG/L		J	16			NO	Plume Extent
22596	8/1/01	GW07657RG	LEAD	REAL	TR1	0.29	UG/L	U	J	0.29		15	NO	Plume Extent
22596	8/1/01	GW07657RG	LITHIUM	REAL	TR1	4.4	UG/L	B	J	2.2		730	NO	Plume Extent
22596	8/1/01	GW07657RG	MAGNESIUM	REAL	TR1	11000	UG/L		J	25			NO	Plume Extent
22596	8/1/01	GW07657RG	MANGANESE	REAL	TR1	63	UG/L		J	0.69		1720	NO	Plume Extent
22596	8/1/01	GW07657RG	MERCURY	REAL	TR1	0.02	UG/L	U	V	0.02		2	NO	Plume Extent
22596	8/1/01	GW07657RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	J	4		183	NO	Plume Extent
22596	8/1/01	GW07657RG	NICKEL	REAL	TR1	16	UG/L	B	J	1		140	NO	Plume Extent
22596	8/1/01	GW07657RG	POTASSIUM	REAL	TR1	700	UG/L	B	J	48			NO	Plume Extent
22596	8/1/01	GW07657RG	SELENIUM	REAL	TR1	1.1	UG/L	B	J	0.33		50	NO	Plume Extent
22596	8/1/01	GW07657RG	SILVER	REAL	TR1	0.027	UG/L	B	J	0.005		183	NO	Plume Extent
22596	8/1/01	GW07657RG	SODIUM	REAL	TR1	26000	UG/L		J	27			NO	Plume Extent
22596	8/1/01	GW07657RG	STRONTIUM	REAL	TR1	290	UG/L		J	0.25		21900	NO	Plume Extent
22596	8/1/01	GW07657RG	THALLIUM	REAL	TR1	0.16	UG/L	B	J	0.05		2	NO	Plume Extent
22596	8/1/01	GW07657RG	TIN	REAL	TR1	6.9	UG/L	U	J	6.9		21900	NO	Plume Extent
22596	8/1/01	GW07657RG	URANIUM, TOTAL	REAL	TR1	0.16	UG/L	B	J	0.005			NO	Plume Extent
22596	8/1/01	GW07657RG	VANADIUM	REAL	TR1	0.88	UG/L	U	J	0.88		256	NO	Plume Extent
22596	8/1/01	GW07657RG	ZINC	REAL	TR1	2	UG/L	B	J	1		11000	NO	Plume Extent
22696	7/23/01	GW07658RG	ALUMINUM	REAL	TR1	2.8	UG/L	B	V	1.7	1	36500	YES	Plume Extent
22696	7/23/01	GW07658RG	ANTIMONY	REAL	TR1	0.14	UG/L	B	UJ	0.13	1	6	YES	Plume Extent
22696	7/23/01	GW07658RG	ARSENIC	REAL	TR1	0.44	UG/L	B	V	0.087	1	50	YES	Plume Extent
22696	7/23/01	GW07658RG	BARIUM	REAL	TR1	217	UG/L		V	0.044	1	2000	YES	Plume Extent
22696	7/23/01	GW07658RG	BERYLLIUM	REAL	TR1	0.19	UG/L	U	V	0.19	1	4	YES	Plume Extent
22696	7/23/01	GW07658RG	CADMIUM	REAL	TR1	0.39	UG/L	B	UJ	0.3	1	5	YES	Plume Extent
22696	7/23/01	GW07658RG	CALCIUM	REAL	TR1	158000	UG/L		J	11	1		YES	Plume Extent
22696	7/23/01	GW07658RG	CHROMIUM	REAL	TR1	0.12	UG/L	U	J	0.12	1	100	YES	Plume Extent
22696	7/23/01	GW07658RG	COBALT	REAL	TR1	0.6	UG/L	U	V	0.6	1	2190	YES	Plume Extent
22696	7/23/01	GW07658RG	COPPER	REAL	TR1	0.4	UG/L	B	UJ	0.064	1	1300	YES	Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
22696	7/23/01	GW07658RG	IRON	REAL	TR1	26.4	UG/L	B	J	3.5	1		YES	Plume Extent
22696	7/23/01	GW07658RG	LEAD	REAL	TR1	0.074	UG/L	B	UJ	0.01	1	15	YES	Plume Extent
22696	7/23/01	GW07658RG	LITHIUM	REAL	TR1	25.4	UG/L	B	J	2.1	1	730	YES	Plume Extent
22696	7/23/01	GW07658RG	MAGNESIUM	REAL	TR1	32300	UG/L		J	24	1		YES	Plume Extent
22696	7/23/01	GW07658RG	MANGANESE	REAL	TR1	17.7	UG/L		V	0.094	1	1720	YES	Plume Extent
22696	7/23/01	GW07658RG	MERCURY	REAL	TR1	0.026	UG/L	U	V	0.026	1	2	YES	Plume Extent
22696	7/23/01	GW07658RG	MOLYBDENUM	REAL	TR1	15.8	UG/L	B	V	1.4	1	183	YES	Plume Extent
22696	7/23/01	GW07658RG	NICKEL	REAL	TR1	1.1	UG/L	B	V	1	1	140	YES	Plume Extent
22696	7/23/01	GW07658RG	POTASSIUM	REAL	TR1	1640	UG/L	B	UJ	510	1		YES	Plume Extent
22696	7/23/01	GW07658RG	SELENIUM	REAL	TR1	0.8	UG/L	B	V	0.2	1	50	YES	Plume Extent
22696	7/23/01	GW07658RG	SILVER	REAL	TR1	0.025	UG/L	U	J	0.025	1	183	YES	Plume Extent
22696	7/23/01	GW07658RG	SODIUM	REAL	TR1	60100	UG/L		J	1400	1		YES	Plume Extent
22696	7/23/01	GW07658RG	STRONTIUM	REAL	TR1	944	UG/L		V	0.03	1	21900	YES	Plume Extent
22696	7/23/01	GW07658RG	THALLIUM	REAL	TR1	0.028	UG/L	B	UJ	0.013	1	2	YES	Plume Extent
22696	7/23/01	GW07658RG	TIN	REAL	TR1	2.4	UG/L	U	V	2.4	1	21900	YES	Plume Extent
22696	7/23/01	GW07658RG	URANIUM, TOTAL	REAL	TR1	21.3	UG/L	B	J	6.6	1		YES	Plume Extent
22696	7/23/01	GW07658RG	VANADIUM	REAL	TR1	0.45	UG/L	B	V	0.41	1	256	YES	Plume Extent
22696	7/23/01	GW07658RG	ZINC	REAL	TR1	5.2	UG/L	B	UJ	2.5	1	11000	YES	Plume Extent
22896	9/12/01	GW07659RG	ALUMINUM	REAL	TR1	17	UG/L	BN	UJ1	12	10	36500	YES	Plume Definition
22896	9/12/01	GW07660RG	ALUMINUM	DUP	TR1	45	UG/L	BN	J1	12	10	36500	YES	Plume Definition
22896	9/12/01	GW07659RG	ANTIMONY	REAL	TR1	0.34	UG/L	U	V1	0.34	1	6	YES	Plume Definition
22896	9/12/01	GW07660RG	ANTIMONY	DUP	TR1	0.72	UG/L	B	UJ1	0.34	1	6	YES	Plume Definition
22896	9/12/01	GW07659RG	ARSENIC	REAL	TR1	0.37	UG/L	B	V1	0.32	1	50	YES	Plume Definition
22896	9/12/01	GW07660RG	ARSENIC	DUP	TR1	0.35	UG/L	B	V1	0.32	1	50	YES	Plume Definition
22896	9/12/01	GW07659RG	BARIUM	REAL	TR1	62	UG/L	B	V1	0.25	1	2000	YES	Plume Definition
22896	9/12/01	GW07660RG	BARIUM	DUP	TR1	110	UG/L		V1	0.25	1	2000	YES	Plume Definition
22896	9/12/01	GW07659RG	BERYLLIUM	REAL	TR1	0.054	UG/L	U	V1	0.054	1	4	YES	Plume Definition
22896	9/12/01	GW07660RG	BERYLLIUM	DUP	TR1	0.054	UG/L	U	V1	0.054	1	4	YES	Plume Definition
22896	9/12/01	GW07659RG	CADMIUM	REAL	TR1	0.07	UG/L	B	V1	0.016	1	5	YES	Plume Definition
22896	9/12/01	GW07660RG	CADMIUM	DUP	TR1	0.08	UG/L	B	V1	0.016	1	5	YES	Plume Definition
22896	9/12/01	GW07659RG	CALCIUM	REAL	TR1	53000	UG/L		V1	3.2	1		YES	Plume Definition
22896	9/12/01	GW07660RG	CALCIUM	DUP	TR1	74000	UG/L		V1	3.2	1		YES	Plume Definition
22896	9/12/01	GW07659RG	CHROMIUM	REAL	TR1	3.7	UG/L		V1	0.3	1	100	YES	Plume Definition
22896	9/12/01	GW07660RG	CHROMIUM	DUP	TR1	4.6	UG/L		V1	0.3	1	100	YES	Plume Definition
22896	9/12/01	GW07659RG	COBALT	REAL	TR1	0.71	UG/L	B	V1	0.43	1	2190	YES	Plume Definition
22896	9/12/01	GW07660RG	COBALT	DUP	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	Plume Definition
22896	9/12/01	GW07659RG	COPPER	REAL	TR1	37	UG/L		V1	0.92	1	1300	YES	Plume Definition
22896	9/12/01	GW07660RG	COPPER	DUP	TR1	1.2	UG/L	B	V1	0.92	1	1300	YES	Plume Definition
22896	9/12/01	GW07659RG	IRON	REAL	TR1	160	UG/L		V1	16	1		YES	Plume Definition
22896	9/12/01	GW07660RG	IRON	DUP	TR1	360	UG/L		V1	16	1		YES	Plume Definition
22896	9/12/01	GW07659RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	Plume Definition
22896	9/12/01	GW07660RG	LEAD	DUP	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	Plume Definition
22896	9/12/01	GW07659RG	LITHIUM	REAL	TR1	14	UG/L	B	V1	2.2	1	730	YES	Plume Definition
22896	9/12/01	GW07660RG	LITHIUM	DUP	TR1	8.5	UG/L	B	V1	2.2	1	730	YES	Plume Definition
22896	9/12/01	GW07659RG	MAGNESIUM	REAL	TR1	9900	UG/L		V1	25	1		YES	Plume Definition
22896	9/12/01	GW07660RG	MAGNESIUM	DUP	TR1	11000	UG/L		V1	25	1		YES	Plume Definition
22896	9/12/01	GW07659RG	MANGANESE	REAL	TR1	16	UG/L		V1	0.69	1	1720	YES	Plume Definition
22896	9/12/01	GW07660RG	MANGANESE	DUP	TR1	220	UG/L		V1	0.69	1	1720	YES	Plume Definition
22896	9/12/01	GW07659RG	MERCURY	REAL	TR1	0.017	UG/L	U	V1	0.017	1	2	YES	Plume Definition
22896	9/12/01	GW07660RG	MERCURY	DUP	TR1	0.017	UG/L	U	V1	0.017	1	2	YES	Plume Definition
22896	9/12/01	GW07659RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	Plume Definition
22896	9/12/01	GW07660RG	MOLYBDENUM	DUP	TR1	4	UG/L	U	V1	4	1	183	YES	Plume Definition
22896	9/12/01	GW07659RG	NICKEL	REAL	TR1	63	UG/L		V1	1	1	140	YES	Plume Definition
22896	9/12/01	GW07660RG	NICKEL	DUP	TR1	2.4	UG/L	B	V1	1	1	140	YES	Plume Definition
22896	9/12/01	GW07659RG	POTASSIUM	REAL	TR1	810	UG/L	B	V1	48	1		YES	Plume Definition
22896	9/12/01	GW07660RG	POTASSIUM	DUP	TR1	1600	UG/L	B	V1	48	1		YES	Plume Definition
22896	9/12/01	GW07659RG	SELENIUM	REAL	TR1	1.4	UG/L	B	V1	0.33	1	50	YES	Plume Definition

178

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
22896	9/12/01	GW07660RG	SELENIUM	DUP	TR1	1.5	UG/L	B	V1	0.33	1	50	YES	Plume Definition
22896	9/12/01	GW07659RG	SILVER	REAL	TR1	0.005	UG/L	U	V1	0.005	1	183	YES	Plume Definition
22896	9/12/01	GW07660RG	SILVER	DUP	TR1	0.051	UG/L	B	UJ1	0.005	1	183	YES	Plume Definition
22896	9/12/01	GW07659RG	SODIUM	REAL	TR1	26000	UG/L		V1	27	1		YES	Plume Definition
22896	9/12/01	GW07660RG	SODIUM	DUP	TR1	27000	UG/L		V1	27	1		YES	Plume Definition
22896	9/12/01	GW07659RG	STRONTIUM	REAL	TR1	300	UG/L		V1	0.25	1	21900	YES	Plume Definition
22896	9/12/01	GW07660RG	STRONTIUM	DUP	TR1	290	UG/L		V1	0.25	1	21900	YES	Plume Definition
22896	9/12/01	GW07659RG	THALLIUM	REAL	TR1	0.05	UG/L	U	V1	0.05	1	2	YES	Plume Definition
22896	9/12/01	GW07660RG	THALLIUM	DUP	TR1	0.39	UG/L	B	J1	0.05	1	2	YES	Plume Definition
22896	9/12/01	GW07659RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	Plume Definition
22896	9/12/01	GW07660RG	TIN	DUP	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	Plume Definition
22896	9/12/01	GW07659RG	URANIUM, TOTAL	REAL	TR1	0.093	UG/L	BN	V1	0.005	1		YES	Plume Definition
22896	9/12/01	GW07660RG	URANIUM, TOTAL	DUP	TR1	0.14	UG/L	BN	V1	0.005	1		YES	Plume Definition
22896	9/12/01	GW07659RG	VANADIUM	REAL	TR1	8.7	UG/L	U	V1	8.7	10	256	YES	Plume Definition
22896	9/12/01	GW07660RG	VANADIUM	DUP	TR1	8.7	UG/L	U	V1	8.7	10	256	YES	Plume Definition
22896	9/12/01	GW07659RG	ZINC	REAL	TR1	1.6	UG/L	B	J1	1	1	11000	YES	Plume Definition
22896	9/12/01	GW07660RG	ZINC	DUP	TR1	4.9	UG/L	B	J1	1	1	11000	YES	Plume Definition
22996	8/1/01	GW07694RG	ALUMINUM	REAL	TR1	160	UG/L		J	1.2		36500	NO	D&D Bldg 886
22996	8/1/01	GW07694RG	ANTIMONY	REAL	TR1	0.44	UG/L	B	J	0.34		6	NO	D&D Bldg 886
22996	8/1/01	GW07694RG	ARSENIC	REAL	TR1	0.8	UG/L	U	J	0.32		50	NO	D&D Bldg 886
22996	8/1/01	GW07694RG	BARIUM	REAL	TR1	75	UG/L	B	J	0.25		2000	NO	D&D Bldg 886
22996	8/1/01	GW07694RG	BERYLLIUM	REAL	TR1	0.054	UG/L	U	J	0.054		4	NO	D&D Bldg 886
22996	8/1/01	GW07694RG	CADMIUM	REAL	TR1	0.03	UG/L	B	J	0.016		5	NO	D&D Bldg 886
22996	8/1/01	GW07694RG	CALCIUM	REAL	TR1	33000	UG/L		J	3.2			NO	D&D Bldg 886
22996	8/1/01	GW07694RG	CHROMIUM	REAL	TR1	0.3	UG/L	U	J	0.3		100	NO	D&D Bldg 886
22996	8/1/01	GW07694RG	COBALT	REAL	TR1	0.43	UG/L	U	J	0.43		2190	NO	D&D Bldg 886
22996	8/1/01	GW07694RG	COPPER	REAL	TR1	1.4	UG/L	B	J	0.92		1300	NO	D&D Bldg 886
22996	8/1/01	GW07694RG	IRON	REAL	TR1	290	UG/L		J	16			NO	D&D Bldg 886
22996	8/1/01	GW07694RG	LEAD	REAL	TR1	0.29	UG/L	U	J	0.29		15	NO	D&D Bldg 886
22996	8/1/01	GW07694RG	LITHIUM	REAL	TR1	3.3	UG/L	B	J	2.2		730	NO	D&D Bldg 886
22996	8/1/01	GW07694RG	MAGNESIUM	REAL	TR1	5300	UG/L		J	25			NO	D&D Bldg 886
22996	8/1/01	GW07694RG	MANGANESE	REAL	TR1	3.7	UG/L	B	J	0.69		1720	NO	D&D Bldg 886
22996	8/1/01	GW07694RG	MERCURY	REAL	TR1	0.02	UG/L	U	J	0.02		2	NO	D&D Bldg 886
22996	8/1/01	GW07694RG	MOLYBDENUM	REAL	TR1	22	UG/L	B	J	4		183	NO	D&D Bldg 886
22996	8/1/01	GW07694RG	NICKEL	REAL	TR1	1	UG/L	U	J	1		140	NO	D&D Bldg 886
22996	8/1/01	GW07694RG	POTASSIUM	REAL	TR1	1500	UG/L	B	J	48			NO	D&D Bldg 886
22996	8/1/01	GW07694RG	SELENIUM	REAL	TR1	1.2	UG/L	B	J	0.33		50	NO	D&D Bldg 886
22996	8/1/01	GW07694RG	SILVER	REAL	TR1	0.024	UG/L	B	J	0.005		183	NO	D&D Bldg 886
22996	8/1/01	GW07694RG	SODIUM	REAL	TR1	53000	UG/L		J	27			NO	D&D Bldg 886
22996	8/1/01	GW07694RG	STRONTIUM	REAL	TR1	260	UG/L		J	0.25		21900	NO	D&D Bldg 886
22996	8/1/01	GW07694RG	THALLIUM	REAL	TR1	0.017	UG/L	B	J	0.05		2	NO	D&D Bldg 886
22996	8/1/01	GW07694RG	TIN	REAL	TR1	6.9	UG/L	U	J	6.9		21900	NO	D&D Bldg 886
22996	8/1/01	GW07694RG	URANIUM, TOTAL	REAL	TR1	3.8	UG/L		J	0.005			NO	D&D Bldg 886
22996	8/1/01	GW07694RG	VANADIUM	REAL	TR1	1.3	UG/L	B	J	0.88		256	NO	D&D Bldg 886
22996	8/1/01	GW07694RG	ZINC	REAL	TR1	2.7	UG/L	B	J	1		11000	NO	D&D Bldg 886
23096	8/14/01	GW07661RG	ALUMINUM	REAL	TR1	6.8	UG/L	B	J1	1.2	1	36500	YES	Plume Extent
23096	8/14/01	GW07661RG	ANTIMONY	REAL	TR1	0.5	UG/L	B	UJ1	0.34	1	6	YES	Plume Extent
23096	8/14/01	GW07661RG	ARSENIC	REAL	TR1	0.61	UG/L	B	V1	0.32	1	50	YES	Plume Extent
23096	8/14/01	GW07661RG	BARIUM	REAL	TR1	190	UG/L		J1	0.25	1	2000	YES	Plume Extent
23096	8/14/01	GW07661RG	BERYLLIUM	REAL	TR1	0.054	UG/L	U	J1	0.054	1	4	YES	Plume Extent
23096	8/14/01	GW07661RG	CADMIUM	REAL	TR1	0.097	UG/L	B	V1	0.016	1	5	YES	Plume Extent
23096	8/14/01	GW07661RG	CALCIUM	REAL	TR1	80000	UG/L		J1	3.2	1		YES	Plume Extent
23096	8/14/01	GW07661RG	CHROMIUM	REAL	TR1	8.1	UG/L		J1	0.3	1	100	YES	Plume Extent
23096	8/14/01	GW07661RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	Plume Extent
23096	8/14/01	GW07661RG	COPPER	REAL	TR1	2.7	UG/L		V1	0.92	1	1300	YES	Plume Extent
23096	8/14/01	GW07661RG	IRON	REAL	TR1	140	UG/L		V1	16	1		YES	Plume Extent
23096	8/14/01	GW07661RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	Plume Extent

179

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
23096	8/14/01	GW07661RG	LITHIUM	REAL	TR1	14	UG/L		V1	2.2	1	730	YES	Plume Extent
23096	8/14/01	GW07661RG	MAGNESIUM	REAL	TR1	19000	UG/L		J1	25	1		YES	Plume Extent
23096	8/14/01	GW07661RG	MANGANESE	REAL	TR1	0.69	UG/L	U	V1	0.69	1	1720	YES	Plume Extent
23096	8/14/01	GW07661RG	MERCURY	REAL	TR1	0.02	UG/L	U	J1	0.02	1	2	YES	Plume Extent
23096	8/14/01	GW07661RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	Plume Extent
23096	8/14/01	GW07661RG	NICKEL	REAL	TR1	1	UG/L	U	V1	1	1	140	YES	Plume Extent
23096	8/14/01	GW07661RG	POTASSIUM	REAL	TR1	520	UG/L		J1	48	1		YES	Plume Extent
23096	8/14/01	GW07661RG	SELENIUM	REAL	TR1	1.8	UG/L	BN	UJ1	0.33	1	50	YES	Plume Extent
23096	8/14/01	GW07661RG	SILVER	REAL	TR1	0.031	UG/L	B	UJ1	0.005	1	183	YES	Plume Extent
23096	8/14/01	GW07661RG	SODIUM	REAL	TR1	110000	UG/L		J1	27	1		YES	Plume Extent
23096	8/14/01	GW07661RG	STRONTIUM	REAL	TR1	680	UG/L		J1	0.25	1	21900	YES	Plume Extent
23096	8/14/01	GW07661RG	THALLIUM	REAL	TR1	0.05	UG/L	U	R1	0.05	1	2	YES	Plume Extent
23096	8/14/01	GW07661RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	Plume Extent
23096	8/14/01	GW07661RG	URANIUM, TOTAL	REAL	TR1	6.2	UG/L		V1	0.005	1		YES	Plume Extent
23096	8/14/01	GW07661RG	VANADIUM	REAL	TR1	1.9	UG/L	B	V1	0.87	1	256	YES	Plume Extent
23096	8/14/01	GW07661RG	VANADIUM	REAL	TR1	1	UG/L	U	V1	1	1	256	YES	Plume Extent
23096	8/14/01	GW07661RG	ZINC	REAL	TR1	1	UG/L	U	V1	1	1	11000	YES	Plume Extent
37101	8/9/01	GW07680RG	ALUMINUM	REAL	TR1	49	UG/L	BN	J1	12	10	36500	YES	D&D Bldg 371
37101	8/9/01	GW07680RG	ANTIMONY	REAL	TR1	0.67	UG/L	U	V1	0.67	2	6	YES	D&D Bldg 371
37101	8/9/01	GW07680RG	ARSENIC	REAL	TR1	0.64	UG/L	U	V1	0.64	2	50	YES	D&D Bldg 371
37101	8/9/01	GW07680RG	BARIUM	REAL	TR1	110	UG/L		V1	0.25	1	2000	YES	D&D Bldg 371
37101	8/9/01	GW07680RG	BERYLLIUM	REAL	TR1	0.54	UG/L	U	V1	0.54	10	4	YES	D&D Bldg 371
37101	8/9/01	GW07680RG	CADMIUM	REAL	TR1	0.25	UG/L		V1	0.032	2	5	YES	D&D Bldg 371
37101	8/9/01	GW07680RG	CALCIUM	REAL	TR1	49000	UG/L		V1	3.2	1		YES	D&D Bldg 371
37101	8/9/01	GW07680RG	CHROMIUM	REAL	TR1	0.93	UG/L	B	V1	0.6	2	100	YES	D&D Bldg 371
37101	8/9/01	GW07680RG	COBALT	REAL	TR1	3.5	UG/L	B	V1	0.43	1	2190	YES	D&D Bldg 371
37101	8/9/01	GW07680RG	COPPER	REAL	TR1	1.8	UG/L	U	V1	1.8	2	1300	YES	D&D Bldg 371
37101	8/9/01	GW07680RG	IRON	REAL	TR1	200	UG/L		V1	16	1		YES	D&D Bldg 371
37101	8/9/01	GW07680RG	LEAD	REAL	TR1	0.82	UG/L	B	V1	0.59	2	15	YES	D&D Bldg 371
37101	8/9/01	GW07680RG	LITHIUM	REAL	TR1	12	UG/L		V1	2.2	1	730	YES	D&D Bldg 371
37101	8/9/01	GW07680RG	MAGNESIUM	REAL	TR1	9300	UG/L		V1	25	1		YES	D&D Bldg 371
37101	8/9/01	GW07680RG	MANGANESE	REAL	TR1	360	UG/L		V1	0.69	1	1720	YES	D&D Bldg 371
37101	8/9/01	GW07680RG	MERCURY	REAL	TR1	0.02	UG/L	U	V1	0.02	1	2	YES	D&D Bldg 371
37101	8/9/01	GW07680RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	D&D Bldg 371
37101	8/9/01	GW07680RG	NICKEL	REAL	TR1	2.1	UG/L	B	V1	1	1	140	YES	D&D Bldg 371
37101	8/9/01	GW07680RG	POTASSIUM	REAL	TR1	1300	UG/L		J1	48	1		YES	D&D Bldg 371
37101	8/9/01	GW07680RG	SELENIUM	REAL	TR1	0.66	UG/L	U	V1	0.66	2	50	YES	D&D Bldg 371
37101	8/9/01	GW07680RG	SILVER	REAL	TR1	0.05	UG/L	B	UJ1	0.01	2	183	YES	D&D Bldg 371
37101	8/9/01	GW07680RG	SODIUM	REAL	TR1	18000	UG/L		V1	27	1		YES	D&D Bldg 371
37101	8/9/01	GW07680RG	STRONTIUM	REAL	TR1	270	UG/L		V1	0.25	1	21900	YES	D&D Bldg 371
37101	8/9/01	GW07680RG	THALLIUM	REAL	TR1	0.3	UG/L	B	UJ1	0.1	2	2	YES	D&D Bldg 371
37101	8/9/01	GW07680RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	D&D Bldg 371
37101	8/9/01	GW07680RG	URANIUM, TOTAL	REAL	TR1	0.019	UG/L	B	UJ1	0.005	1		YES	D&D Bldg 371
37101	8/9/01	GW07680RG	VANADIUM	REAL	TR1	8.7	UG/L	U	V1	8.7	10	256	YES	D&D Bldg 371
37101	8/9/01	GW07680RG	ZINC	REAL	TR1	2.3	UG/L	B	J1	1	1	11000	YES	D&D Bldg 371
37201	8/10/01	GW07681RG	ALUMINUM	REAL	TR1	39	UG/L	N	J1	2.4	2	36500	YES	D&D Bldg 371
37201	8/10/01	GW07682RG	ALUMINUM	DUP	TR1	53	UG/L	N	J1	2.4	2	36500	YES	D&D Bldg 371
37201	8/10/01	GW07681RG	ANTIMONY	REAL	TR1	1	UG/L	B	UJ1	0.67	2	6	YES	D&D Bldg 371
37201	8/10/01	GW07682RG	ANTIMONY	DUP	TR1	0.9	UG/L	B	UJ1	0.67	2	6	YES	D&D Bldg 371
37201	8/10/01	GW07681RG	ARSENIC	REAL	TR1	0.7	UG/L	B	V1	0.64	2	50	YES	D&D Bldg 371
37201	8/10/01	GW07682RG	ARSENIC	DUP	TR1	0.77	UG/L	B	V1	0.64	2	50	YES	D&D Bldg 371
37201	8/10/01	GW07681RG	BARIUM	REAL	TR1	330	UG/L		V1	0.25	1	2000	YES	D&D Bldg 371
37201	8/10/01	GW07682RG	BARIUM	DUP	TR1	350	UG/L		V1	0.25	1	2000	YES	D&D Bldg 371
37201	8/10/01	GW07681RG	BERYLLIUM	REAL	TR1	0.11	UG/L	U	V1	0.11	2	4	YES	D&D Bldg 371
37201	8/10/01	GW07682RG	BERYLLIUM	DUP	TR1	0.11	UG/L	U	V1	0.11	2	4	YES	D&D Bldg 371
37201	8/10/01	GW07681RG	CADMIUM	REAL	TR1	0.18	UG/L	B	V1	0.032	2	5	YES	D&D Bldg 371
37201	8/10/01	GW07682RG	CADMIUM	DUP	TR1	0.16	UG/L	B	V1	0.032	2	5	YES	D&D Bldg 371

180

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
37201	8/10/01	GW07681RG	CALCIUM	REAL	TR1	120000	UG/L		V1	3.2	1		YES	D&D Bldg 371
37201	8/10/01	GW07682RG	CALCIUM	DUP	TR1	120000	UG/L		V1	3.2	1		YES	D&D Bldg 371
37201	8/10/01	GW07681RG	CHROMIUM	REAL	TR1	2.7	UG/L		V1	0.6	2	100	YES	D&D Bldg 371
37201	8/10/01	GW07682RG	CHROMIUM	DUP	TR1	3.3	UG/L		V1	0.6	2	100	YES	D&D Bldg 371
37201	8/10/01	GW07681RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	D&D Bldg 371
37201	8/10/01	GW07682RG	COBALT	DUP	TR1	0.48	UG/L	B	V1	0.43	1	2190	YES	D&D Bldg 371
37201	8/10/01	GW07681RG	COPPER	REAL	TR1	4.1	UG/L		V1	1.8	2	1300	YES	D&D Bldg 371
37201	8/10/01	GW07682RG	COPPER	DUP	TR1	3.6	UG/L	B	V1	1.8	2	1300	YES	D&D Bldg 371
37201	8/10/01	GW07681RG	IRON	REAL	TR1	390	UG/L		V1	16	1		YES	D&D Bldg 371
37201	8/10/01	GW07682RG	IRON	DUP	TR1	430	UG/L		V1	16	1		YES	D&D Bldg 371
37201	8/10/01	GW07681RG	LEAD	REAL	TR1	0.69	UG/L	B	V1	0.59	2	15	YES	D&D Bldg 371
37201	8/10/01	GW07682RG	LEAD	DUP	TR1	0.99	UG/L	B	V1	0.59	2	15	YES	D&D Bldg 371
37201	8/10/01	GW07681RG	LITHIUM	REAL	TR1	5.1	UG/L	B	V1	2.2	1	730	YES	D&D Bldg 371
37201	8/10/01	GW07682RG	LITHIUM	DUP	TR1	6.2	UG/L	B	V1	2.2	1	730	YES	D&D Bldg 371
37201	8/10/01	GW07681RG	MAGNESIUM	REAL	TR1	17000	UG/L		V1	25	1		YES	D&D Bldg 371
37201	8/10/01	GW07682RG	MAGNESIUM	DUP	TR1	17000	UG/L		V1	25	1		YES	D&D Bldg 371
37201	8/10/01	GW07681RG	MANGANESE	REAL	TR1	200	UG/L		V1	0.69	1	1720	YES	D&D Bldg 371
37201	8/10/01	GW07682RG	MANGANESE	DUP	TR1	280	UG/L		V1	0.69	1	1720	YES	D&D Bldg 371
37201	8/10/01	GW07681RG	MERCURY	REAL	TR1	0.029	UG/L	U	V1	0.029	1	2	YES	D&D Bldg 371
37201	8/10/01	GW07682RG	MERCURY	DUP	TR1	0.029	UG/L	U	V1	0.029	1	2	YES	D&D Bldg 371
37201	8/10/01	GW07681RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	D&D Bldg 371
37201	8/10/01	GW07682RG	MOLYBDENUM	DUP	TR1	4	UG/L	U	V1	4	1	183	YES	D&D Bldg 371
37201	8/10/01	GW07681RG	NICKEL	REAL	TR1	1	UG/L	U	V1	1	1	140	YES	D&D Bldg 371
37201	8/10/01	GW07682RG	NICKEL	DUP	TR1	1	UG/L	U	V1	1	1	140	YES	D&D Bldg 371
37201	8/10/01	GW07681RG	POTASSIUM	REAL	TR1	5300	UG/L		V1	48	1		YES	D&D Bldg 371
37201	8/10/01	GW07682RG	POTASSIUM	DUP	TR1	5600	UG/L		V1	48	1		YES	D&D Bldg 371
37201	8/10/01	GW07681RG	SELENIUM	REAL	TR1	0.66	UG/L	U	V1	0.66	2	50	YES	D&D Bldg 371
37201	8/10/01	GW07682RG	SELENIUM	DUP	TR1	0.66	UG/L	U	V1	0.66	2	50	YES	D&D Bldg 371
37201	8/10/01	GW07681RG	SILVER	REAL	TR1	0.11	UG/L	B	UJ1	0.01	2	183	YES	D&D Bldg 371
37201	8/10/01	GW07682RG	SILVER	DUP	TR1	0.31	UG/L		UJ1	0.01	2	183	YES	D&D Bldg 371
37201	8/10/01	GW07681RG	SODIUM	REAL	TR1	210000	UG/L		V1	27	1		YES	D&D Bldg 371
37201	8/10/01	GW07682RG	SODIUM	DUP	TR1	220000	UG/L		V1	27	1		YES	D&D Bldg 371
37201	8/10/01	GW07681RG	STRONTIUM	REAL	TR1	690	UG/L		V1	0.25	1	21900	YES	D&D Bldg 371
37201	8/10/01	GW07682RG	STRONTIUM	DUP	TR1	700	UG/L		V1	0.25	1	21900	YES	D&D Bldg 371
37201	8/10/01	GW07681RG	THALLIUM	REAL	TR1	0.17	UG/L	B	V1	0.1	2	2	YES	D&D Bldg 371
37201	8/10/01	GW07682RG	THALLIUM	DUP	TR1	0.27	UG/L	B	V1	0.1	2	2	YES	D&D Bldg 371
37201	8/10/01	GW07681RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	D&D Bldg 371
37201	8/10/01	GW07682RG	TIN	DUP	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	D&D Bldg 371
37201	8/10/01	GW07681RG	URANIUM, TOTAL	REAL	TR1	2.8	UG/L		V1	0.005	1		YES	D&D Bldg 371
37201	8/10/01	GW07682RG	URANIUM, TOTAL	DUP	TR1	2.8	UG/L		V1	0.005	1		YES	D&D Bldg 371
37201	8/10/01	GW07681RG	VANADIUM	REAL	TR1	1.7	UG/L	U	V1	1.7	2	256	YES	D&D Bldg 371
37201	8/10/01	GW07682RG	VANADIUM	DUP	TR1	1.7	UG/L	U	V1	1.7	2	256	YES	D&D Bldg 371
37201	8/10/01	GW07681RG	ZINC	REAL	TR1	3.5	UG/L	B	V1	1	1	11000	YES	D&D Bldg 371
37201	8/10/01	GW07682RG	ZINC	DUP	TR1	3.1	UG/L	B	V1	1	1	11000	YES	D&D Bldg 371
37201	8/10/01	GW07683RG	ALUMINUM	RNS	TR1	58	UG/L	N	J1	2.4	2	36500	YES	D&D Bldg 371
37201	8/10/01	GW07683RG	ANTIMONY	RNS	TR1	0.67	UG/L	U	V1	0.67	2	6	YES	D&D Bldg 371
37201	8/10/01	GW07683RG	ARSENIC	RNS	TR1	0.64	UG/L	U	V1	0.64	2	50	YES	D&D Bldg 371
37201	8/10/01	GW07683RG	BARIUM	RNS	TR1	0.46	UG/L	B	V1	0.25	1	2000	YES	D&D Bldg 371
37201	8/10/01	GW07683RG	BERYLLIUM	RNS	TR1	0.11	UG/L	U	V1	0.11	2	4	YES	D&D Bldg 371
37201	8/10/01	GW07683RG	CADMIUM	RNS	TR1	0.032	UG/L	U	V1	0.032	2	5	YES	D&D Bldg 371
37201	8/10/01	GW07683RG	CALCIUM	RNS	TR1	30	UG/L	B	V1	3.2	1		YES	D&D Bldg 371
37201	8/10/01	GW07683RG	CHROMIUM	RNS	TR1	0.6	UG/L	U	V1	0.6	2	100	YES	D&D Bldg 371
37201	8/10/01	GW07683RG	COBALT	RNS	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	D&D Bldg 371
37201	8/10/01	GW07683RG	COPPER	RNS	TR1	1.8	UG/L	U	V1	1.8	2	1300	YES	D&D Bldg 371
37201	8/10/01	GW07683RG	IRON	RNS	TR1	16	UG/L	U	V1	16	1		YES	D&D Bldg 371
37201	8/10/01	GW07683RG	LEAD	RNS	TR1	1	UG/L	B	V1	0.59	2	15	YES	D&D Bldg 371
37201	8/10/01	GW07683RG	LITHIUM	RNS	TR1	2.2	UG/L	U	V1	2.2	1	730	YES	D&D Bldg 371

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
37201	8/10/01	GW07683RG	MAGNESIUM	RNS	TR1	25	UG/L	U	V1	25	1		YES	D&D Bldg 371
37201	8/10/01	GW07683RG	MANGANESE	RNS	TR1	3.4	UG/L	B	V1	0.69	1	1720	YES	D&D Bldg 371
37201	8/10/01	GW07683RG	MERCURY	RNS	TR1	0.029	UG/L	U	V1	0.029	1	2	YES	D&D Bldg 371
37201	8/10/01	GW07683RG	MOLYBDENUM	RNS	TR1	4	UG/L	U	V1	4	1	183	YES	D&D Bldg 371
37201	8/10/01	GW07683RG	NICKEL	RNS	TR1	1	UG/L	U	V1	1	1	140	YES	D&D Bldg 371
37201	8/10/01	GW07683RG	POTASSIUM	RNS	TR1	100	UG/L	B	UJ1	48	1		YES	D&D Bldg 371
37201	8/10/01	GW07683RG	SELENIUM	RNS	TR1	0.66	UG/L	U	V1	0.66	2	50	YES	D&D Bldg 371
37201	8/10/01	GW07683RG	SILVER	RNS	TR1	0.23	UG/L		UJ1	0.01	2	183	YES	D&D Bldg 371
37201	8/10/01	GW07683RG	SODIUM	RNS	TR1	160	UG/L	B	V1	27	1		YES	D&D Bldg 371
37201	8/10/01	GW07683RG	STRONTIUM	RNS	TR1	0.25	UG/L	U	V1	0.25	1	21900	YES	D&D Bldg 371
37201	8/10/01	GW07683RG	THALLIUM	RNS	TR1	0.28	UG/L	B	V1	0.1	2	2	YES	D&D Bldg 371
37201	8/10/01	GW07683RG	TIN	RNS	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	D&D Bldg 371
37201	8/10/01	GW07683RG	URANIUM, TOTAL	RNS	TR1	0.005	UG/L	U	V1	0.005	1		YES	D&D Bldg 371
37201	8/10/01	GW07683RG	VANADIUM	RNS	TR1	1.7	UG/L	U	V1	1.7	2	256	YES	D&D Bldg 371
37201	8/10/01	GW07683RG	ZINC	RNS	TR1	1	UG/L	U	V1	1	1	11000	YES	D&D Bldg 371
37301	8/9/01	GW07684RG	ALUMINUM	REAL	TR1	47	UG/L	N	J1	2.4	2	36500	YES	D&D Bldg 371
37301	8/9/01	GW07684RG	ANTIMONY	REAL	TR1	0.67	UG/L	U	V1	0.67	2	6	YES	D&D Bldg 371
37301	8/9/01	GW07684RG	ARSENIC	REAL	TR1	3.1	UG/L	B	V1	0.64	2	50	YES	D&D Bldg 371
37301	8/9/01	GW07684RG	BARIUM	REAL	TR1	2300	UG/L		V1	0.25	1	2000	YES	D&D Bldg 371
37301	8/9/01	GW07684RG	BERYLLIUM	REAL	TR1	0.11	UG/L	U	V1	0.11	2	4	YES	D&D Bldg 371
37301	8/9/01	GW07684RG	CADMIUM	REAL	TR1	0.098	UG/L	B	V1	0.032	2	5	YES	D&D Bldg 371
37301	8/9/01	GW07684RG	CALCIUM	REAL	TR1	220000	UG/L		V1	3.2	1		YES	D&D Bldg 371
37301	8/9/01	GW07684RG	CHROMIUM	REAL	TR1	3.2	UG/L		V1	0.6	2	100	YES	D&D Bldg 371
37301	8/9/01	GW07684RG	COBALT	REAL	TR1	9.3	UG/L		V1	0.43	1	2190	YES	D&D Bldg 371
37301	8/9/01	GW07684RG	COPPER	REAL	TR1	3.9	UG/L	B	V1	1.8	2	1300	YES	D&D Bldg 371
37301	8/9/01	GW07684RG	IRON	REAL	TR1	1100	UG/L		V1	16	1		YES	D&D Bldg 371
37301	8/9/01	GW07684RG	LEAD	REAL	TR1	0.68	UG/L	B	V1	0.59	2	15	YES	D&D Bldg 371
37301	8/9/01	GW07684RG	LITHIUM	REAL	TR1	8.6	UG/L	B	V1	2.2	1	730	YES	D&D Bldg 371
37301	8/9/01	GW07684RG	MAGNESIUM	REAL	TR1	37000	UG/L		V1	25	1		YES	D&D Bldg 371
37301	8/9/01	GW07684RG	MANGANESE	REAL	TR1	8400	UG/L		V1	0.69	1	1720	YES	D&D Bldg 371
37301	8/9/01	GW07684RG	MERCURY	REAL	TR1	0.067	UG/L	B	V1	0.02	1	2	YES	D&D Bldg 371
37301	8/9/01	GW07684RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	D&D Bldg 371
37301	8/9/01	GW07684RG	NICKEL	REAL	TR1	4.2	UG/L	B	V1	1	1	140	YES	D&D Bldg 371
37301	8/9/01	GW07684RG	POTASSIUM	REAL	TR1	3800	UG/L		J1	48	1		YES	D&D Bldg 371
37301	8/9/01	GW07684RG	SELENIUM	REAL	TR1	0.66	UG/L	U	V1	0.66	2	50	YES	D&D Bldg 371
37301	8/9/01	GW07684RG	SILVER	REAL	TR1	0.036	UG/L	B	UJ1	0.01	2	183	YES	D&D Bldg 371
37301	8/9/01	GW07684RG	SODIUM	REAL	TR1	160000	UG/L		V1	27	1		YES	D&D Bldg 371
37301	8/9/01	GW07684RG	STRONTIUM	REAL	TR1	1700	UG/L		V1	0.25	1	21900	YES	D&D Bldg 371
37301	8/9/01	GW07684RG	THALLIUM	REAL	TR1	0.23	UG/L	B	UJ1	0.1	2	2	YES	D&D Bldg 371
37301	8/9/01	GW07684RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	D&D Bldg 371
37301	8/9/01	GW07684RG	URANIUM, TOTAL	REAL	TR1	0.73	UG/L	B	V1	0.005	1		YES	D&D Bldg 371
37301	8/9/01	GW07684RG	VANADIUM	REAL	TR1	1.7	UG/L	U	V1	1.7	2	256	YES	D&D Bldg 371
37301	8/9/01	GW07684RG	ZINC	REAL	TR1	1	UG/L	U	V1	1	1	11000	YES	D&D Bldg 371
37401	8/13/01	GW07685RG	ALUMINUM	REAL	TR1	2.2	UG/L	BN	J1	1.2	1	36500	YES	D&D Bldg 371
37401	8/13/01	GW07685RG	ANTIMONY	REAL	TR1	0.34	UG/L	U	V1	0.34	1	6	YES	D&D Bldg 371
37401	8/13/01	GW07685RG	ARSENIC	REAL	TR1	0.65	UG/L	B	V1	0.32	1	50	YES	D&D Bldg 371
37401	8/13/01	GW07685RG	BARIUM	REAL	TR1	53	UG/L		J1	0.25	1	2000	YES	D&D Bldg 371
37401	8/13/01	GW07685RG	BERYLLIUM	REAL	TR1	0.054	UG/L	UN	J1	0.054	1	4	YES	D&D Bldg 371
37401	8/13/01	GW07685RG	CADMIUM	REAL	TR1	1.7	UG/L		V1	0.016	1	5	YES	D&D Bldg 371
37401	8/13/01	GW07685RG	CALCIUM	REAL	TR1	580000	UG/L		J1	3.2	1		YES	D&D Bldg 371
37401	8/13/01	GW07685RG	CHROMIUM	REAL	TR1	2.5	UG/L		J1	0.3	1	100	YES	D&D Bldg 371
37401	8/13/01	GW07685RG	COBALT	REAL	TR1	0.7	UG/L	B	V1	0.43	1	2190	YES	D&D Bldg 371
37401	8/13/01	GW07685RG	COPPER	REAL	TR1	5.1	UG/L		V1	0.92	1	1300	YES	D&D Bldg 371
37401	8/13/01	GW07685RG	IRON	REAL	TR1	390	UG/L		V1	16	1		YES	D&D Bldg 371
37401	8/13/01	GW07685RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	D&D Bldg 371
37401	8/13/01	GW07685RG	LITHIUM	REAL	TR1	42	UG/L		V1	2.2	1	730	YES	D&D Bldg 371
37401	8/13/01	GW07685RG	MAGNESIUM	REAL	TR1	100000	UG/L		J1	25	1		YES	D&D Bldg 371

182

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
37401	8/13/01	GW07685RG	MANGANESE	REAL	TR1	490	UG/L		V1	0.69	1	1720	YES	D&D Bldg 371
37401	8/13/01	GW07685RG	MERCURY	REAL	TR1	0.02	UG/L	U	J1	0.02	1	2	YES	D&D Bldg 371
37401	8/13/01	GW07685RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	D&D Bldg 371
37401	8/13/01	GW07685RG	NICKEL	REAL	TR1	8.8	UG/L	B	V1	1	1	140	YES	D&D Bldg 371
37401	8/13/01	GW07685RG	POTASSIUM	REAL	TR1	4700	UG/L		J1	48	1		YES	D&D Bldg 371
37401	8/13/01	GW07685RG	SELENIUM	REAL	TR1	3.5	UG/L	N	J1	0.33	1	50	YES	D&D Bldg 371
37401	8/13/01	GW07685RG	SILVER	REAL	TR1	0.005	UG/L	U	V1	0.005	1	183	YES	D&D Bldg 371
37401	8/13/01	GW07685RG	SODIUM	REAL	TR1	270000	UG/L		J1	27	1		YES	D&D Bldg 371
37401	8/13/01	GW07685RG	STRONTIUM	REAL	TR1	2900	UG/L		J1	0.25	1	21900	YES	D&D Bldg 371
37401	8/13/01	GW07685RG	THALLIUM	REAL	TR1	0.05	UG/L	U	R1	0.05	1	2	YES	D&D Bldg 371
37401	8/13/01	GW07685RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	D&D Bldg 371
37401	8/13/01	GW07685RG	URANIUM, TOTAL	REAL	TR1	53	UG/L		V1	0.005	1		YES	D&D Bldg 371
37401	8/13/01	GW07685RG	VANADIUM	REAL	TR1	1	UG/L	U	V1	1	1	256	YES	D&D Bldg 371
37401	8/13/01	GW07685RG	VANADIUM	REAL	TR1	0.87	UG/L	U	V1	0.87	1	256	YES	D&D Bldg 371
37401	8/13/01	GW07685RG	ZINC	REAL	TR1	5.8	UG/L		J1	1	1	11000	YES	D&D Bldg 371
37501	8/14/01	GW07686RG	ALUMINUM	REAL	TR1	1.2	UG/L	UN	J1	1.2	1	36500	YES	D&D Bldg 371
37501	8/14/01	GW07686RG	ANTIMONY	REAL	TR1	0.34	UG/L	U	V1	0.34	1	6	YES	D&D Bldg 371
37501	8/14/01	GW07686RG	ARSENIC	REAL	TR1	0.32	UG/L	U	V1	0.32	1	50	YES	D&D Bldg 371
37501	8/14/01	GW07686RG	BARIUM	REAL	TR1	2100	UG/L		J1	0.25	1	2000	YES	D&D Bldg 371
37501	8/14/01	GW07686RG	BERYLLIUM	REAL	TR1	0.054	UG/L	UN	J1	0.054	1	4	YES	D&D Bldg 371
37501	8/14/01	GW07686RG	CADMIUM	REAL	TR1	2.1	UG/L		V1	0.016	1	5	YES	D&D Bldg 371
37501	8/14/01	GW07686RG	CALCIUM	REAL	TR1	590000	UG/L		J1	3.2	1		YES	D&D Bldg 371
37501	8/14/01	GW07686RG	CHROMIUM	REAL	TR1	3.4	UG/L		J1	0.3	1	100	YES	D&D Bldg 371
37501	8/14/01	GW07686RG	COBALT	REAL	TR1	8.7	UG/L		V1	0.43	1	2190	YES	D&D Bldg 371
37501	8/14/01	GW07686RG	COPPER	REAL	TR1	6.9	UG/L		V1	0.92	1	1300	YES	D&D Bldg 371
37501	8/14/01	GW07686RG	IRON	REAL	TR1	420	UG/L		V1	16	1		YES	D&D Bldg 371
37501	8/14/01	GW07686RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	D&D Bldg 371
37501	8/14/01	GW07686RG	LITHIUM	REAL	TR1	18	UG/L		V1	2.2	1	730	YES	D&D Bldg 371
37501	8/14/01	GW07686RG	MAGNESIUM	REAL	TR1	92000	UG/L		J1	25	1		YES	D&D Bldg 371
37501	8/14/01	GW07686RG	MANGANESE	REAL	TR1	820	UG/L		V1	0.69	1	1720	YES	D&D Bldg 371
37501	8/14/01	GW07686RG	MERCURY	REAL	TR1	0.033	UG/L	B	J1	0.02	1	2	YES	D&D Bldg 371
37501	8/14/01	GW07686RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	D&D Bldg 371
37501	8/14/01	GW07686RG	NICKEL	REAL	TR1	21	UG/L		V1	1	1	140	YES	D&D Bldg 371
37501	8/14/01	GW07686RG	POTASSIUM	REAL	TR1	17000	UG/L		J1	48	1		YES	D&D Bldg 371
37501	8/14/01	GW07686RG	SELENIUM	REAL	TR1	1.5	UG/L	BN	UJ1	0.33	1	50	YES	D&D Bldg 371
37501	8/14/01	GW07686RG	SILVER	REAL	TR1	0.022	UG/L	B	UJ1	0.005	1	183	YES	D&D Bldg 371
37501	8/14/01	GW07686RG	SODIUM	REAL	TR1	450000	UG/L		J1	27	1		YES	D&D Bldg 371
37501	8/14/01	GW07686RG	STRONTIUM	REAL	TR1	3900	UG/L		J1	0.25	1	21900	YES	D&D Bldg 371
37501	8/14/01	GW07686RG	THALLIUM	REAL	TR1	0.05	UG/L	U	R1	0.05	1	2	YES	D&D Bldg 371
37501	8/14/01	GW07686RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	D&D Bldg 371
37501	8/14/01	GW07686RG	URANIUM, TOTAL	REAL	TR1	1.1	UG/L		V1	0.005	1		YES	D&D Bldg 371
37501	8/14/01	GW07686RG	VANADIUM	REAL	TR1	0.87	UG/L	U	V1	0.87	1	256	YES	D&D Bldg 371
37501	8/14/01	GW07686RG	VANADIUM	REAL	TR1	1	UG/L	U	V1	1	1	256	YES	D&D Bldg 371
37501	8/14/01	GW07686RG	ZINC	REAL	TR1	10	UG/L		J1	1	1	11000	YES	D&D Bldg 371
37601	8/13/01	GW07687RG	ALUMINUM	REAL	TR1	8.2	UG/L	BN	J1	1.2	1	36500	YES	D&D Bldg 371
37601	8/13/01	GW07687RG	ANTIMONY	REAL	TR1	0.34	UG/L	U	V1	0.34	1	6	YES	D&D Bldg 371
37601	8/13/01	GW07687RG	ARSENIC	REAL	TR1	0.52	UG/L	B	V1	0.32	1	50	YES	D&D Bldg 371
37601	8/13/01	GW07687RG	BARIUM	REAL	TR1	130	UG/L		J1	0.25	1	2000	YES	D&D Bldg 371
37601	8/13/01	GW07687RG	BERYLLIUM	REAL	TR1	0.054	UG/L	UN	J1	0.054	1	4	YES	D&D Bldg 371
37601	8/13/01	GW07687RG	CADMIUM	REAL	TR1	1.1	UG/L		V1	0.016	1	5	YES	D&D Bldg 371
37601	8/13/01	GW07687RG	CALCIUM	REAL	TR1	44000	UG/L		J1	3.2	1		YES	D&D Bldg 371
37601	8/13/01	GW07687RG	CHROMIUM	REAL	TR1	2.9	UG/L		J1	0.3	1	100	YES	D&D Bldg 371
37601	8/13/01	GW07687RG	COBALT	REAL	TR1	0.68	UG/L	B	V1	0.43	1	2190	YES	D&D Bldg 371
37601	8/13/01	GW07687RG	COPPER	REAL	TR1	0.98	UG/L	B	V1	0.92	1	1300	YES	D&D Bldg 371
37601	8/13/01	GW07687RG	IRON	REAL	TR1	81	UG/L	B	V1	16	1		YES	D&D Bldg 371
37601	8/13/01	GW07687RG	LEAD	REAL	TR1	0.3	UG/L	B	J1	0.29	1	15	YES	D&D Bldg 371
37601	8/13/01	GW07687RG	LITHIUM	REAL	TR1	13	UG/L		V1	2.2	1	730	YES	D&D Bldg 371

183

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
37601	8/13/01	GW07687RG	MAGNESIUM	REAL	TR1	8400	UG/L		J1	25	1		YES	D&D Bldg 371
37601	8/13/01	GW07687RG	MANGANESE	REAL	TR1	220	UG/L		V1	0.69	1	1720	YES	D&D Bldg 371
37601	8/13/01	GW07687RG	MERCURY	REAL	TR1	0.034	UG/L	B	J1	0.02	1	2	YES	D&D Bldg 371
37601	8/13/01	GW07687RG	MOLYBDENUM	REAL	TR1	41	UG/L		V1	4	1	183	YES	D&D Bldg 371
37601	8/13/01	GW07687RG	NICKEL	REAL	TR1	1	UG/L	U	V1	1	1	140	YES	D&D Bldg 371
37601	8/13/01	GW07687RG	POTASSIUM	REAL	TR1	2000	UG/L		J1	48	1		YES	D&D Bldg 371
37601	8/13/01	GW07687RG	SELENIUM	REAL	TR1	1.1	UG/L	BN	UJ1	0.33	1	50	YES	D&D Bldg 371
37601	8/13/01	GW07687RG	SILVER	REAL	TR1	0.005	UG/L	U	V1	0.005	1	183	YES	D&D Bldg 371
37601	8/13/01	GW07687RG	SODIUM	REAL	TR1	18000	UG/L		J1	27	1		YES	D&D Bldg 371
37601	8/13/01	GW07687RG	STRONTIUM	REAL	TR1	280	UG/L		J1	0.25	1	21900	YES	D&D Bldg 371
37601	8/13/01	GW07687RG	THALLIUM	REAL	TR1	0.05	UG/L	U	R1	0.05	1	2	YES	D&D Bldg 371
37601	8/13/01	GW07687RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	D&D Bldg 371
37601	8/13/01	GW07687RG	URANIUM, TOTAL	REAL	TR1	3	UG/L		V1	0.005	1		YES	D&D Bldg 371
37601	8/13/01	GW07687RG	VANADIUM	REAL	TR1	0.91	UG/L	B	V1	0.87	1	256	YES	D&D Bldg 371
37601	8/13/01	GW07687RG	VANADIUM	REAL	TR1	1	UG/L	U	V1	1	1	256	YES	D&D Bldg 371
37601	8/13/01	GW07687RG	ZINC	REAL	TR1	6.8	UG/L		J1	1	1	11000	YES	D&D Bldg 371
37701	8/14/01	GW07688RG	ALUMINUM	REAL	TR1	1.2	UG/L	U	J1	1.2	1	36500	YES	D&D Bldg 371
37701	8/14/01	GW07688RG	ANTIMONY	REAL	TR1	0.34	UG/L	U	V1	0.34	1	6	YES	D&D Bldg 371
37701	8/14/01	GW07688RG	ARSENIC	REAL	TR1	0.69	UG/L	B	V1	0.32	1	50	YES	D&D Bldg 371
37701	8/14/01	GW07688RG	BARIUM	REAL	TR1	360	UG/L		J1	0.25	1	2000	YES	D&D Bldg 371
37701	8/14/01	GW07688RG	BERYLLIUM	REAL	TR1	0.054	UG/L	U	J1	0.054	1	4	YES	D&D Bldg 371
37701	8/14/01	GW07688RG	CADMIUM	REAL	TR1	0.59	UG/L		V1	0.016	1	5	YES	D&D Bldg 371
37701	8/14/01	GW07688RG	CALCIUM	REAL	TR1	120000	UG/L		J1	3.2	1		YES	D&D Bldg 371
37701	8/14/01	GW07688RG	CHROMIUM	REAL	TR1	9.3	UG/L		J1	0.3	1	100	YES	D&D Bldg 371
37701	8/14/01	GW07688RG	COBALT	REAL	TR1	2.7	UG/L	B	V1	0.43	1	2190	YES	D&D Bldg 371
37701	8/14/01	GW07688RG	COPPER	REAL	TR1	0.92	UG/L	U	V1	0.92	1	1300	YES	D&D Bldg 371
37701	8/14/01	GW07688RG	IRON	REAL	TR1	190	UG/L		V1	16	1		YES	D&D Bldg 371
37701	8/14/01	GW07688RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	D&D Bldg 371
37701	8/14/01	GW07688RG	LITHIUM	REAL	TR1	30	UG/L		V1	2.2	1	730	YES	D&D Bldg 371
37701	8/14/01	GW07688RG	MAGNESIUM	REAL	TR1	24000	UG/L		J1	25	1		YES	D&D Bldg 371
37701	8/14/01	GW07688RG	MANGANESE	REAL	TR1	130	UG/L		V1	0.69	1	1720	YES	D&D Bldg 371
37701	8/14/01	GW07688RG	MERCURY	REAL	TR1	0.036	UG/L	B	J1	0.02	1	2	YES	D&D Bldg 371
37701	8/14/01	GW07688RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	D&D Bldg 371
37701	8/14/01	GW07688RG	NICKEL	REAL	TR1	12	UG/L		V1	1	1	140	YES	D&D Bldg 371
37701	8/14/01	GW07688RG	POTASSIUM	REAL	TR1	1400	UG/L		J1	48	1		YES	D&D Bldg 371
37701	8/14/01	GW07688RG	SELENIUM	REAL	TR1	0.93	UG/L	BN	UJ1	0.33	1	50	YES	D&D Bldg 371
37701	8/14/01	GW07688RG	SILVER	REAL	TR1	0.005	UG/L	U	V1	0.005	1	183	YES	D&D Bldg 371
37701	8/14/01	GW07688RG	SODIUM	REAL	TR1	19000	UG/L		J1	27	1		YES	D&D Bldg 371
37701	8/14/01	GW07688RG	STRONTIUM	REAL	TR1	390	UG/L		J1	0.25	1	21900	YES	D&D Bldg 371
37701	8/14/01	GW07688RG	THALLIUM	REAL	TR1	0.14	UG/L	B	R1	0.05	1	2	YES	D&D Bldg 371
37701	8/14/01	GW07688RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	D&D Bldg 371
37701	8/14/01	GW07688RG	URANIUM, TOTAL	REAL	TR1	13	UG/L		V1	0.005	1		YES	D&D Bldg 371
37701	8/14/01	GW07688RG	VANADIUM	REAL	TR1	4.4	UG/L	U	V1	4.4	5	256	YES	D&D Bldg 371
37701	8/14/01	GW07688RG	VANADIUM	REAL	TR1	1	UG/L	U	V1	1	1	256	YES	D&D Bldg 371
37701	8/14/01	GW07688RG	ZINC	REAL	TR1	4.7	UG/L	B	J1	1	1	11000	YES	D&D Bldg 371
40099	8/13/01	GW07737RG	ALUMINUM	REAL	TR1	4	UG/L	BN	J1	1.2	1	36500	YES	D&D Bldg 444
40099	8/13/01	GW07737RG	ANTIMONY	REAL	TR1	0.5	UG/L	B	UJ1	0.34	1	6	YES	D&D Bldg 444
40099	8/13/01	GW07737RG	ARSENIC	REAL	TR1	1.6	UG/L	B	V1	0.32	1	50	YES	D&D Bldg 444
40099	8/13/01	GW07737RG	BARIUM	REAL	TR1	160	UG/L		J1	0.25	1	2000	YES	D&D Bldg 444
40099	8/13/01	GW07737RG	BERYLLIUM	REAL	TR1	0.054	UG/L	UN	J1	0.054	1	4	YES	D&D Bldg 444
40099	8/13/01	GW07737RG	CADMIUM	REAL	TR1	0.25	UG/L		V1	0.016	1	5	YES	D&D Bldg 444
40099	8/13/01	GW07737RG	CALCIUM	REAL	TR1	120000	UG/L		J1	3.2	1		YES	D&D Bldg 444
40099	8/13/01	GW07737RG	CHROMIUM	REAL	TR1	4.2	UG/L		J1	0.3	1	100	YES	D&D Bldg 444
40099	8/13/01	GW07737RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	D&D Bldg 444
40099	8/13/01	GW07737RG	COPPER	REAL	TR1	0.92	UG/L	U	V1	0.92	1	1300	YES	D&D Bldg 444
40099	8/13/01	GW07737RG	IRON	REAL	TR1	190	UG/L	B	V1	16	1		YES	D&D Bldg 444
40099	8/13/01	GW07737RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	D&D Bldg 444

181

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
40099	8/13/01	GW07737RG	LITHIUM	REAL	TR1	6.5	UG/L	B	V1	2.2	1	730	YES	D&D Bldg 444
40099	8/13/01	GW07737RG	MAGNESIUM	REAL	TR1	17000	UG/L		J1	25	1		YES	D&D Bldg 444
40099	8/13/01	GW07737RG	MANGANESE	REAL	TR1	1.4	UG/L	B	V1	0.69	1	1720	YES	D&D Bldg 444
40099	8/13/01	GW07737RG	MERCURY	REAL	TR1	0.045	UG/L	B	J1	0.02	1	2	YES	D&D Bldg 444
40099	8/13/01	GW07737RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	D&D Bldg 444
40099	8/13/01	GW07737RG	NICKEL	REAL	TR1	1	UG/L	U	V1	1	1	140	YES	D&D Bldg 444
40099	8/13/01	GW07737RG	POTASSIUM	REAL	TR1	1200	UG/L		J1	48	1		YES	D&D Bldg 444
40099	8/13/01	GW07737RG	SELENIUM	REAL	TR1	2.4	UG/L	BN	UJ1	0.33	1	50	YES	D&D Bldg 444
40099	8/13/01	GW07737RG	SILVER	REAL	TR1	0.036	UG/L	B	UJ1	0.005	1	183	YES	D&D Bldg 444
40099	8/13/01	GW07737RG	SODIUM	REAL	TR1	22000	UG/L		J1	27	1		YES	D&D Bldg 444
40099	8/13/01	GW07737RG	STRONTIUM	REAL	TR1	540	UG/L		J1	0.25	1	21900	YES	D&D Bldg 444
40099	8/13/01	GW07737RG	THALLIUM	REAL	TR1	0.05	UG/L	U	R1	0.05	1	2	YES	D&D Bldg 444
40099	8/13/01	GW07737RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	D&D Bldg 444
40099	8/13/01	GW07737RG	URANIUM, TOTAL	REAL	TR1	0.44	UG/L	B	V1	0.005	1		YES	D&D Bldg 444
40099	8/13/01	GW07737RG	VANADIUM	REAL	TR1	1.1	UG/L	B	V1	0.87	1	256	YES	D&D Bldg 444
40099	8/13/01	GW07737RG	VANADIUM	REAL	TR1	1	UG/L	U	V1	1	1	256	YES	D&D Bldg 444
40099	8/13/01	GW07737RG	ZINC	REAL	TR1	1	UG/L	U	V1	1	1	11000	YES	D&D Bldg 444
40199	8/13/01	GW07738RG	ALUMINUM	REAL	TR1	6.7	UG/L	B	J1	6	5	36500	YES	D&D Bldg 444
40199	8/13/01	GW07738RG	ANTIMONY	REAL	TR1	0.34	UG/L	U	V1	0.34	1	6	YES	D&D Bldg 444
40199	8/13/01	GW07738RG	ARSENIC	REAL	TR1	0.32	UG/L	U	V1	0.32	1	50	YES	D&D Bldg 444
40199	8/13/01	GW07738RG	BARIUM	REAL	TR1	460	UG/L		J1	0.25	1	2000	YES	D&D Bldg 444
40199	8/13/01	GW07738RG	BERYLLIUM	REAL	TR1	0.054	UG/L	UN	J1	0.054	1	4	YES	D&D Bldg 444
40199	8/13/01	GW07738RG	CADMIUM	REAL	TR1	0.92	UG/L		V1	0.016	1	5	YES	D&D Bldg 444
40199	8/13/01	GW07738RG	CALCIUM	REAL	TR1	220000	UG/L		J1	3.2	1		YES	D&D Bldg 444
40199	8/13/01	GW07738RG	CHROMIUM	REAL	TR1	4.5	UG/L		J1	0.3	1	100	YES	D&D Bldg 444
40199	8/13/01	GW07738RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	D&D Bldg 444
40199	8/13/01	GW07738RG	COPPER	REAL	TR1	1.6	UG/L	B	V1	0.92	1	1300	YES	D&D Bldg 444
40199	8/13/01	GW07738RG	IRON	REAL	TR1	290	UG/L		V1	16	1		YES	D&D Bldg 444
40199	8/13/01	GW07738RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	D&D Bldg 444
40199	8/13/01	GW07738RG	LITHIUM	REAL	TR1	11	UG/L		V1	2.2	1	730	YES	D&D Bldg 444
40199	8/13/01	GW07738RG	MAGNESIUM	REAL	TR1	28000	UG/L		J1	25	1		YES	D&D Bldg 444
40199	8/13/01	GW07738RG	MANGANESE	REAL	TR1	0.69	UG/L	U	V1	0.69	1	1720	YES	D&D Bldg 444
40199	8/13/01	GW07738RG	MERCURY	REAL	TR1	0.02	UG/L	U	J1	0.02	1	2	YES	D&D Bldg 444
40199	8/13/01	GW07738RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	D&D Bldg 444
40199	8/13/01	GW07738RG	NICKEL	REAL	TR1	1	UG/L	U	V1	1	1	140	YES	D&D Bldg 444
40199	8/13/01	GW07738RG	POTASSIUM	REAL	TR1	1200	UG/L		J1	48	1		YES	D&D Bldg 444
40199	8/13/01	GW07738RG	SELENIUM	REAL	TR1	1.1	UG/L	BN	UJ1	0.33	1	50	YES	D&D Bldg 444
40199	8/13/01	GW07738RG	SILVER	REAL	TR1	0.005	UG/L	U	V1	0.005	1	183	YES	D&D Bldg 444
40199	8/13/01	GW07738RG	SODIUM	REAL	TR1	45000	UG/L		J1	27	1		YES	D&D Bldg 444
40199	8/13/01	GW07738RG	STRONTIUM	REAL	TR1	900	UG/L		J1	0.25	1	21900	YES	D&D Bldg 444
40199	8/13/01	GW07738RG	THALLIUM	REAL	TR1	0.05	UG/L	U	R1	0.05	1	2	YES	D&D Bldg 444
40199	8/13/01	GW07738RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	D&D Bldg 444
40199	8/13/01	GW07738RG	URANIUM, TOTAL	REAL	TR1	1.5	UG/L		V1	0.005	1		YES	D&D Bldg 444
40199	8/13/01	GW07738RG	VANADIUM	REAL	TR1	4.4	UG/L	U	V1	4.4	5	256	YES	D&D Bldg 444
40199	8/13/01	GW07738RG	VANADIUM	REAL	TR1	1	UG/L	U	V1	1	1	256	YES	D&D Bldg 444
40199	8/13/01	GW07738RG	ZINC	REAL	TR1	1	UG/L	U	V1	1	1	11000	YES	D&D Bldg 444
40299	7/23/01	GW07739RG	ALUMINUM	REAL	TR1	3.7	UG/L	B	V	1.7	1	36500	YES	D&D Bldg 444
40299	7/23/01	GW07740RG	ALUMINUM	DUP	TR1	3.9	UG/L	B	V	1.7	1	36500	YES	D&D Bldg 444
40299	7/23/01	GW07739RG	ANTIMONY	REAL	TR1	0.13	UG/L	U	V	0.13	1	6	YES	D&D Bldg 444
40299	7/23/01	GW07740RG	ANTIMONY	DUP	TR1	0.13	UG/L	U	V	0.13	1	6	YES	D&D Bldg 444
40299	7/23/01	GW07739RG	ARSENIC	REAL	TR1	0.23	UG/L	B	V	0.087	1	50	YES	D&D Bldg 444
40299	7/23/01	GW07740RG	ARSENIC	DUP	TR1	0.26	UG/L	B	V	0.087	1	50	YES	D&D Bldg 444
40299	7/23/01	GW07739RG	BARIUM	REAL	TR1	191	UG/L		V	0.044	1	2000	YES	D&D Bldg 444
40299	7/23/01	GW07740RG	BARIUM	DUP	TR1	192	UG/L		V	0.044	1	2000	YES	D&D Bldg 444
40299	7/23/01	GW07739RG	BERYLLIUM	REAL	TR1	0.19	UG/L	U	V	0.19	1	4	YES	D&D Bldg 444
40299	7/23/01	GW07740RG	BERYLLIUM	DUP	TR1	0.19	UG/L	U	V	0.19	1	4	YES	D&D Bldg 444
40299	7/23/01	GW07739RG	CADMIUM	REAL	TR1	0.3	UG/L	U	V	0.3	1	5	YES	D&D Bldg 444

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
40299	7/23/01	GW07740RG	CADMIUM	DUP	TR1	0.3	UG/L	U	V	0.3	1	5	YES	D&D Bldg 444
40299	7/23/01	GW07739RG	CALCIUM	REAL	TR1	106000	UG/L		J	11	1		YES	D&D Bldg 444
40299	7/23/01	GW07740RG	CALCIUM	DUP	TR1	107000	UG/L		J	11	1		YES	D&D Bldg 444
40299	7/23/01	GW07739RG	CHROMIUM	REAL	TR1	0.12	UG/L	U	J	0.12	1	100	YES	D&D Bldg 444
40299	7/23/01	GW07740RG	CHROMIUM	DUP	TR1	0.12	UG/L	U	J	0.12	1	100	YES	D&D Bldg 444
40299	7/23/01	GW07739RG	COBALT	REAL	TR1	0.6	UG/L	U	V	0.6	1	2190	YES	D&D Bldg 444
40299	7/23/01	GW07740RG	COBALT	DUP	TR1	0.6	UG/L	U	V	0.6	1	2190	YES	D&D Bldg 444
40299	7/23/01	GW07739RG	COPPER	REAL	TR1	0.2	UG/L	B	UJ	0.064	1	1300	YES	D&D Bldg 444
40299	7/23/01	GW07740RG	COPPER	DUP	TR1	0.064	UG/L	U	J	0.064	1	1300	YES	D&D Bldg 444
40299	7/23/01	GW07739RG	IRON	REAL	TR1	11.5	UG/L	B	UJ	3.5	1		YES	D&D Bldg 444
40299	7/23/01	GW07740RG	IRON	DUP	TR1	7.9	UG/L	B	UJ	3.5	1		YES	D&D Bldg 444
40299	7/23/01	GW07739RG	LEAD	REAL	TR1	0.047	UG/L	B	UJ	0.01	1	15	YES	D&D Bldg 444
40299	7/23/01	GW07740RG	LEAD	DUP	TR1	0.047	UG/L	B	UJ	0.01	1	15	YES	D&D Bldg 444
40299	7/23/01	GW07739RG	LITHIUM	REAL	TR1	11.7	UG/L	B	UJ	2.1	1	730	YES	D&D Bldg 444
40299	7/23/01	GW07740RG	LITHIUM	DUP	TR1	10.4	UG/L	B	UJ	2.1	1	730	YES	D&D Bldg 444
40299	7/23/01	GW07739RG	MAGNESIUM	REAL	TR1	15800	UG/L		J	24	1		YES	D&D Bldg 444
40299	7/23/01	GW07740RG	MAGNESIUM	DUP	TR1	16000	UG/L		J	24	1		YES	D&D Bldg 444
40299	7/23/01	GW07739RG	MANGANESE	REAL	TR1	0.97	UG/L	B	UJ	0.094	1	1720	YES	D&D Bldg 444
40299	7/23/01	GW07740RG	MANGANESE	DUP	TR1	0.67	UG/L	B	UJ	0.094	1	1720	YES	D&D Bldg 444
40299	7/23/01	GW07739RG	MERCURY	REAL	TR1	0.026	UG/L	U	V	0.026	1	2	YES	D&D Bldg 444
40299	7/23/01	GW07740RG	MERCURY	DUP	TR1	0.026	UG/L	U	V	0.026	1	2	YES	D&D Bldg 444
40299	7/23/01	GW07739RG	MOLYBDENUM	REAL	TR1	1.4	UG/L	U	V	1.4	1	183	YES	D&D Bldg 444
40299	7/23/01	GW07740RG	MOLYBDENUM	DUP	TR1	1.4	UG/L	U	V	1.4	1	183	YES	D&D Bldg 444
40299	7/23/01	GW07739RG	NICKEL	REAL	TR1	1	UG/L	U	V	1	1	140	YES	D&D Bldg 444
40299	7/23/01	GW07740RG	NICKEL	DUP	TR1	1	UG/L	U	V	1	1	140	YES	D&D Bldg 444
40299	7/23/01	GW07739RG	POTASSIUM	REAL	TR1	1310	UG/L	B	UJ	510	1		YES	D&D Bldg 444
40299	7/23/01	GW07740RG	POTASSIUM	DUP	TR1	1850	UG/L	B	UJ	510	1		YES	D&D Bldg 444
40299	7/23/01	GW07739RG	SELENIUM	REAL	TR1	0.68	UG/L	B	V	0.2	1	50	YES	D&D Bldg 444
40299	7/23/01	GW07740RG	SELENIUM	DUP	TR1	0.69	UG/L	B	V	0.2	1	50	YES	D&D Bldg 444
40299	7/23/01	GW07739RG	SILVER	REAL	TR1	0.025	UG/L	U	J	0.025	1	183	YES	D&D Bldg 444
40299	7/23/01	GW07740RG	SILVER	DUP	TR1	0.025	UG/L	U	J	0.025	1	183	YES	D&D Bldg 444
40299	7/23/01	GW07739RG	SODIUM	REAL	TR1	17600	UG/L		J	1400	1		YES	D&D Bldg 444
40299	7/23/01	GW07740RG	SODIUM	DUP	TR1	19600	UG/L		J	1400	1		YES	D&D Bldg 444
40299	7/23/01	GW07739RG	STRONTIUM	REAL	TR1	498	UG/L		V	0.03	1	21900	YES	D&D Bldg 444
40299	7/23/01	GW07740RG	STRONTIUM	DUP	TR1	501	UG/L		V	0.03	1	21900	YES	D&D Bldg 444
40299	7/23/01	GW07739RG	THALLIUM	REAL	TR1	0.015	UG/L	B	UJ	0.013	1	2	YES	D&D Bldg 444
40299	7/23/01	GW07740RG	THALLIUM	DUP	TR1	0.019	UG/L	B	UJ	0.013	1	2	YES	D&D Bldg 444
40299	7/23/01	GW07739RG	TIN	REAL	TR1	2.4	UG/L	U	V	2.4	1	21900	YES	D&D Bldg 444
40299	7/23/01	GW07740RG	TIN	DUP	TR1	2.4	UG/L	U	V	2.4	1	21900	YES	D&D Bldg 444
40299	7/23/01	GW07739RG	URANIUM, TOTAL	REAL	TR1	6.6	UG/L	U	R	6.6	1		YES	D&D Bldg 444
40299	7/23/01	GW07740RG	URANIUM, TOTAL	DUP	TR1	6.6	UG/L	U	R	6.6	1		YES	D&D Bldg 444
40299	7/23/01	GW07739RG	VANADIUM	REAL	TR1	0.45	UG/L	B	V	0.41	1	256	YES	D&D Bldg 444
40299	7/23/01	GW07740RG	VANADIUM	DUP	TR1	0.41	UG/L	U	V	0.41	1	256	YES	D&D Bldg 444
40299	7/23/01	GW07739RG	ZINC	REAL	TR1	11.9	UG/L	B	UJ	2.5	1	11000	YES	D&D Bldg 444
40299	7/23/01	GW07740RG	ZINC	DUP	TR1	5.6	UG/L	B	UJ	2.5	1	11000	YES	D&D Bldg 444
40299	7/23/01	GW07741RG	ALUMINUM	RNS	TR1	1.7	UG/L	U	V	1.7	1	36500	YES	D&D Bldg 444
40299	7/23/01	GW07741RG	ANTIMONY	RNS	TR1	0.13	UG/L	U	V	0.13	1	6	YES	D&D Bldg 444
40299	7/23/01	GW07741RG	ARSENIC	RNS	TR1	0.087	UG/L	U	V	0.087	1	50	YES	D&D Bldg 444
40299	7/23/01	GW07741RG	BARIUM	RNS	TR1	0.84	UG/L	B	UJ	0.044	1	2000	YES	D&D Bldg 444
40299	7/23/01	GW07741RG	BERYLLIUM	RNS	TR1	0.19	UG/L	U	V	0.19	1	4	YES	D&D Bldg 444
40299	7/23/01	GW07741RG	CADMIUM	RNS	TR1	0.33	UG/L	B	UJ	0.3	1	5	YES	D&D Bldg 444
40299	7/23/01	GW07741RG	CALCIUM	RNS	TR1	93.7	UG/L	B	UJ	11	1		YES	D&D Bldg 444
40299	7/23/01	GW07741RG	CHROMIUM	RNS	TR1	0.12	UG/L	U	J	0.12	1	100	YES	D&D Bldg 444
40299	7/23/01	GW07741RG	COBALT	RNS	TR1	0.6	UG/L	U	V	0.6	1	2190	YES	D&D Bldg 444
40299	7/23/01	GW07741RG	COPPER	RNS	TR1	0.86	UG/L	B	V	0.064	1	1300	YES	D&D Bldg 444
40299	7/23/01	GW07741RG	IRON	RNS	TR1	8.9	UG/L	B	UJ	3.5	1		YES	D&D Bldg 444
40299	7/23/01	GW07741RG	LEAD	RNS	TR1	0.11	UG/L	B	UJ	0.01	1	15	YES	D&D Bldg 444

186

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
40299	7/23/01	GW07741RG	LITHIUM	RNS	TR1	2.1	UG/L	U	J	2.1	1	730	YES	D&D Bldg 444
40299	7/23/01	GW07741RG	MAGNESIUM	RNS	TR1	24	UG/L	U	J	24	1		YES	D&D Bldg 444
40299	7/23/01	GW07741RG	MANGANESE	RNS	TR1	2.2	UG/L	B	V	0.094	1	1720	YES	D&D Bldg 444
40299	7/23/01	GW07741RG	MERCURY	RNS	TR1	0.026	UG/L	U	V	0.026	1	2	YES	D&D Bldg 444
40299	7/23/01	GW07741RG	MOLYBDENUM	RNS	TR1	1.4	UG/L	U	V	1.4	1	183	YES	D&D Bldg 444
40299	7/23/01	GW07741RG	NICKEL	RNS	TR1	1	UG/L	U	V	1	1	140	YES	D&D Bldg 444
40299	7/23/01	GW07741RG	POTASSIUM	RNS	TR1	510	UG/L	U	J	510	1		YES	D&D Bldg 444
40299	7/23/01	GW07741RG	SELENIUM	RNS	TR1	0.2	UG/L	U	V	0.2	1	50	YES	D&D Bldg 444
40299	7/23/01	GW07741RG	SILVER	RNS	TR1	0.025	UG/L	U	J	0.025	1	183	YES	D&D Bldg 444
40299	7/23/01	GW07741RG	SODIUM	RNS	TR1	1400	UG/L	U	J	1400	1		YES	D&D Bldg 444
40299	7/23/01	GW07741RG	STRONTIUM	RNS	TR1	0.61	UG/L	B	UJ	0.03	1	21900	YES	D&D Bldg 444
40299	7/23/01	GW07741RG	THALLIUM	RNS	TR1	0.027	UG/L	B	UJ	0.013	1	2	YES	D&D Bldg 444
40299	7/23/01	GW07741RG	TIN	RNS	TR1	2.4	UG/L	U	V	2.4	1	21900	YES	D&D Bldg 444
40299	7/23/01	GW07741RG	URANIUM, TOTAL	RNS	TR1	6.7	UG/L	B	J	6.6	1		YES	D&D Bldg 444
40299	7/23/01	GW07741RG	VANADIUM	RNS	TR1	0.41	UG/L	U	V	0.41	1	256	YES	D&D Bldg 444
40299	7/23/01	GW07741RG	ZINC	RNS	TR1	4.5	UG/L	B	UJ	2.5	1	11000	YES	D&D Bldg 444
40399	8/13/01	GW07742RG	ALUMINUM	REAL	TR1	97	UG/L		J1	6	5	36500	YES	D&D Bldg 444
40399	8/13/01	GW07742RG	ANTIMONY	REAL	TR1	0.34	UG/L	U	V1	0.34	1	6	YES	D&D Bldg 444
40399	8/13/01	GW07742RG	ARSENIC	REAL	TR1	0.52	UG/L	B	V1	0.32	1	50	YES	D&D Bldg 444
40399	8/13/01	GW07742RG	BARIUM	REAL	TR1	220	UG/L		J1	0.25	1	2000	YES	D&D Bldg 444
40399	8/13/01	GW07742RG	BERYLLIUM	REAL	TR1	0.054	UG/L	UN	J1	0.054	1	4	YES	D&D Bldg 444
40399	8/13/01	GW07742RG	CADMIUM	REAL	TR1	1	UG/L		V1	0.016	1	5	YES	D&D Bldg 444
40399	8/13/01	GW07742RG	CALCIUM	REAL	TR1	100000	UG/L		J1	3.2	1		YES	D&D Bldg 444
40399	8/13/01	GW07742RG	CHROMIUM	REAL	TR1	8.3	UG/L		J1	0.3	1	100	YES	D&D Bldg 444
40399	8/13/01	GW07742RG	COBALT	REAL	TR1	0.61	UG/L	B	V1	0.43	1	2190	YES	D&D Bldg 444
40399	8/13/01	GW07742RG	COPPER	REAL	TR1	0.92	UG/L	U	V1	0.92	1	1300	YES	D&D Bldg 444
40399	8/13/01	GW07742RG	IRON	REAL	TR1	160	UG/L	B	V1	16	1		YES	D&D Bldg 444
40399	8/13/01	GW07742RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	D&D Bldg 444
40399	8/13/01	GW07742RG	LITHIUM	REAL	TR1	12	UG/L		V1	2.2	1	730	YES	D&D Bldg 444
40399	8/13/01	GW07742RG	MAGNESIUM	REAL	TR1	16000	UG/L		J1	25	1		YES	D&D Bldg 444
40399	8/13/01	GW07742RG	MANGANESE	REAL	TR1	75	UG/L		V1	0.69	1	1720	YES	D&D Bldg 444
40399	8/13/01	GW07742RG	MERCURY	REAL	TR1	0.081	UG/L	B	J1	0.02	1	2	YES	D&D Bldg 444
40399	8/13/01	GW07742RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	D&D Bldg 444
40399	8/13/01	GW07742RG	NICKEL	REAL	TR1	1.1	UG/L	B	V1	1	1	140	YES	D&D Bldg 444
40399	8/13/01	GW07742RG	POTASSIUM	REAL	TR1	1200	UG/L		J1	48	1		YES	D&D Bldg 444
40399	8/13/01	GW07742RG	SELENIUM	REAL	TR1	0.75	UG/L	BN	UJ1	0.33	1	50	YES	D&D Bldg 444
40399	8/13/01	GW07742RG	SILVER	REAL	TR1	0.005	UG/L	U	V1	0.005	1	183	YES	D&D Bldg 444
40399	8/13/01	GW07742RG	SODIUM	REAL	TR1	27000	UG/L		J1	27	1		YES	D&D Bldg 444
40399	8/13/01	GW07742RG	STRONTIUM	REAL	TR1	470	UG/L		J1	0.25	1	21900	YES	D&D Bldg 444
40399	8/13/01	GW07742RG	THALLIUM	REAL	TR1	0.62	UG/L	B	1	0.25	5	2	YES	D&D Bldg 444
40399	8/13/01	GW07742RG	THALLIUM	REAL	TR1	0.05	UG/L	U	R1	0.05	1	2	YES	D&D Bldg 444
40399	8/13/01	GW07742RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	D&D Bldg 444
40399	8/13/01	GW07742RG	URANIUM, TOTAL	REAL	TR1	0.34	UG/L	B	V1	0.005	1		YES	D&D Bldg 444
40399	8/13/01	GW07742RG	VANADIUM	REAL	TR1	4.4	UG/L	U	V1	4.4	5	256	YES	D&D Bldg 444
40399	8/13/01	GW07742RG	VANADIUM	REAL	TR1	1	UG/L	U	V1	1	1	256	YES	D&D Bldg 444
40399	8/13/01	GW07742RG	ZINC	REAL	TR1	1	UG/L	U	V1	1	1	11000	YES	D&D Bldg 444
40499	8/13/01	GW07743RG	ALUMINUM	REAL	TR1	24	UG/L	B	J1	6	5	36500	YES	D&D Bldg 444
40499	8/13/01	GW07743RG	ANTIMONY	REAL	TR1	0.34	UG/L	U	V1	0.34	1	6	YES	D&D Bldg 444
40499	8/13/01	GW07743RG	ARSENIC	REAL	TR1	0.39	UG/L	B	V1	0.32	1	50	YES	D&D Bldg 444
40499	8/13/01	GW07743RG	BARIUM	REAL	TR1	210	UG/L		J1	0.25	1	2000	YES	D&D Bldg 444
40499	8/13/01	GW07743RG	BERYLLIUM	REAL	TR1	0.054	UG/L	UN	J1	0.054	1	4	YES	D&D Bldg 444
40499	8/13/01	GW07743RG	CADMIUM	REAL	TR1	0.56	UG/L		V1	0.016	1	5	YES	D&D Bldg 444
40499	8/13/01	GW07743RG	CALCIUM	REAL	TR1	95000	UG/L		J1	3.2	1		YES	D&D Bldg 444
40499	8/13/01	GW07743RG	CHROMIUM	REAL	TR1	3.8	UG/L		J1	0.3	1	100	YES	D&D Bldg 444
40499	8/13/01	GW07743RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	D&D Bldg 444
40499	8/13/01	GW07743RG	COPPER	REAL	TR1	1.1	UG/L	B	V1	0.92	1	1300	YES	D&D Bldg 444
40499	8/13/01	GW07743RG	IRON	REAL	TR1	150	UG/L	B	V1	16	1		YES	D&D Bldg 444

187

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
40499	8/13/01	GW07743RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	D&D Bldg 444
40499	8/13/01	GW07743RG	LITHIUM	REAL	TR1	9.4	UG/L	B	V1	2.2	1	730	YES	D&D Bldg 444
40499	8/13/01	GW07743RG	MAGNESIUM	REAL	TR1	13000	UG/L		J1	25	1		YES	D&D Bldg 444
40499	8/13/01	GW07743RG	MANGANESE	REAL	TR1	2.5	UG/L	B	V1	0.69	1	1720	YES	D&D Bldg 444
40499	8/13/01	GW07743RG	MERCURY	REAL	TR1	0.02	UG/L	U	J1	0.02	1	2	YES	D&D Bldg 444
40499	8/13/01	GW07743RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	D&D Bldg 444
40499	8/13/01	GW07743RG	NICKEL	REAL	TR1	1	UG/L	U	V1	1	1	140	YES	D&D Bldg 444
40499	8/13/01	GW07743RG	POTASSIUM	REAL	TR1	1100	UG/L		J1	48	1		YES	D&D Bldg 444
40499	8/13/01	GW07743RG	SELENIUM	REAL	TR1	2.7	UG/L	BN	UJ1	0.33	1	50	YES	D&D Bldg 444
40499	8/13/01	GW07743RG	SILVER	REAL	TR1	0.005	UG/L	U	V1	0.005	1	183	YES	D&D Bldg 444
40499	8/13/01	GW07743RG	SODIUM	REAL	TR1	29000	UG/L		J1	27	1		YES	D&D Bldg 444
40499	8/13/01	GW07743RG	STRONTIUM	REAL	TR1	410	UG/L		J1	0.25	1	21900	YES	D&D Bldg 444
40499	8/13/01	GW07743RG	THALLIUM	REAL	TR1	0.05	UG/L	U	R1	0.05	1	2	YES	D&D Bldg 444
40499	8/13/01	GW07743RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	D&D Bldg 444
40499	8/13/01	GW07743RG	URANIUM, TOTAL	REAL	TR1	0.31	UG/L	B	V1	0.005	1		YES	D&D Bldg 444
40499	8/13/01	GW07743RG	VANADIUM	REAL	TR1	4.4	UG/L	U	V1	4.4	5	256	YES	D&D Bldg 444
40499	8/13/01	GW07743RG	VANADIUM	REAL	TR1	1	UG/L	U	V1	1	1	256	YES	D&D Bldg 444
40499	8/13/01	GW07743RG	ZINC	REAL	TR1	4.3	UG/L	B	J1	1	1	11000	YES	D&D Bldg 444
4087	7/16/01	GW07698RG	ALUMINUM	REAL	TR1	10.6	UG/L	B	UJ1	8.3	1	36500	YES	RCRA
4087	7/16/01	GW07698RG	ANTIMONY	REAL	TR1	0.59	UG/L	B	UJ1	0.13	1	6	YES	RCRA
4087	7/16/01	GW07698RG	ARSENIC	REAL	TR1	2.5	UG/L	B	V1	0.087	1	50	YES	RCRA
4087	7/16/01	GW07698RG	BARIUM	REAL	TR1	34	UG/L	B	V1	0.044	1	2000	YES	RCRA
4087	7/16/01	GW07698RG	BERYLLIUM	REAL	TR1	0.19	UG/L	U	V1	0.19	1	4	YES	RCRA
4087	7/16/01	GW07698RG	CADMIUM	REAL	TR1	0.89	UG/L	B	UJ1	0.3	1	5	YES	RCRA
4087	7/16/01	GW07698RG	CALCIUM	REAL	TR1	86300	UG/L		V1	11	1		YES	RCRA
4087	7/16/01	GW07698RG	CHROMIUM	REAL	TR1	44.5	UG/L		V1	0.12	1	100	YES	RCRA
4087	7/16/01	GW07698RG	COBALT	REAL	TR1	0.6	UG/L	U	V1	0.6	1	2190	YES	RCRA
4087	7/16/01	GW07698RG	COPPER	REAL	TR1	3.1	UG/L		J1	0.064	1	1300	YES	RCRA
4087	7/16/01	GW07698RG	IRON	REAL	TR1	18.6	UG/L	B	UJ1	3.5	1		YES	RCRA
4087	7/16/01	GW07698RG	LEAD	REAL	TR1	0.34	UG/L	B	V1	0.01	1	15	YES	RCRA
4087	7/16/01	GW07698RG	LITHIUM	REAL	TR1	148	UG/L		V1	2.1	1	730	YES	RCRA
4087	7/16/01	GW07698RG	MAGNESIUM	REAL	TR1	31700	UG/L		V1	24	1		YES	RCRA
4087	7/16/01	GW07698RG	MANGANESE	REAL	TR1	0.86	UG/L	B	UJ1	0.094	1	1720	YES	RCRA
4087	7/16/01	GW07698RG	MERCURY	REAL	TR1	0.026	UG/L	U	V1	0.026	1	2	YES	RCRA
4087	7/16/01	GW07698RG	MOLYBDENUM	REAL	TR1	6.7	UG/L	B	V1	1.4	1	183	YES	RCRA
4087	7/16/01	GW07698RG	NICKEL	REAL	TR1	7.4	UG/L	B	V1	1	1	140	YES	RCRA
4087	7/16/01	GW07698RG	POTASSIUM	REAL	TR1	1390	UG/L	B	UJ1	510	1		YES	RCRA
4087	7/16/01	GW07698RG	SELENIUM	REAL	TR1	13.1	UG/L		V1	0.2	1	50	YES	RCRA
4087	7/16/01	GW07698RG	SILVER	REAL	TR1	0.054	UG/L	U	V1	0.054	1	183	YES	RCRA
4087	7/16/01	GW07698RG	SODIUM	REAL	TR1	316000	UG/L		V1	1400	1		YES	RCRA
4087	7/16/01	GW07698RG	STRONTIUM	REAL	TR1	896	UG/L		V1	0.03	1	21900	YES	RCRA
4087	7/16/01	GW07698RG	THALLIUM	REAL	TR1	0.013	UG/L	U	V1	0.013	1	2	YES	RCRA
4087	7/16/01	GW07698RG	TIN	REAL	TR1	2.4	UG/L	U	V1	2.4	1	21900	YES	RCRA
4087	7/16/01	GW07698RG	URANIUM, TOTAL	REAL	TR1	37	UG/L	B	V1	6.6	1		YES	RCRA
4087	7/16/01	GW07698RG	VANADIUM	REAL	TR1	1.6	UG/L	B	V1	0.41	1	256	YES	RCRA
4087	7/16/01	GW07698RG	ZINC	REAL	TR1	10.8	UG/L	B	UJ1	2.5	1	11000	YES	RCRA
40999	9/20/01	GW07691RG	ALUMINUM	REAL	TR1	5	UG/L	B	J	4.2	1	36500	YES	D&D Bldg 886/865
40999	9/20/01	GW07691RG	ANTIMONY	REAL	TR1	1.3	UG/L	U	V	1.3	1	6	YES	D&D Bldg 886/865
40999	9/20/01	GW07691RG	ARSENIC	REAL	TR1	1.4	UG/L	U	J	1.4	1	50	YES	D&D Bldg 886/865
40999	9/20/01	GW07691RG	BARIUM	REAL	TR1	103	UG/L		V	0.3	1	2000	YES	D&D Bldg 886/865
40999	9/20/01	GW07691RG	BERYLLIUM	REAL	TR1	0.18	UG/L	U	V	0.18	1	4	YES	D&D Bldg 886/865
40999	9/20/01	GW07691RG	CADMIUM	REAL	TR1	0.3	UG/L	B	UJ	0.15	1	5	YES	D&D Bldg 886/865
40999	9/20/01	GW07691RG	CALCIUM	REAL	TR1	88500	UG/L		V	11	1		YES	D&D Bldg 886/865
40999	9/20/01	GW07691RG	CHROMIUM	REAL	TR1	0.28	UG/L	U	J	0.28	1	100	YES	D&D Bldg 886/865
40999	9/20/01	GW07691RG	COBALT	REAL	TR1	1.6	UG/L	U	V	1.6	1	2190	YES	D&D Bldg 886/865
40999	9/20/01	GW07691RG	COPPER	REAL	TR1	1.9	UG/L	B	V	1	1	1300	YES	D&D Bldg 886/865
40999	9/20/01	GW07691RG	IRON	REAL	TR1	8	UG/L	U	J	8	1		YES	D&D Bldg 886/865

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
40999	9/20/01	GW07691RG	LEAD	REAL	TR1	0.6	UG/L	U	J	0.6	1	15	YES	D&D Bldg 886/865
40999	9/20/01	GW07691RG	LITHIUM	REAL	TR1	58.9	UG/L	B	V	2.1	1	730	YES	D&D Bldg 886/865
40999	9/20/01	GW07691RG	MAGNESIUM	REAL	TR1	60600	UG/L		V	24	1		YES	D&D Bldg 886/865
40999	9/20/01	GW07691RG	MANGANESE	REAL	TR1	0.72	UG/L	B	UJ	0.24	1	1720	YES	D&D Bldg 886/865
40999	9/20/01	GW07691RG	MERCURY	REAL	TR1	0.026	UG/L	U	V	0.026	1	2	YES	D&D Bldg 886/865
40999	9/20/01	GW07691RG	MOLYBDENUM	REAL	TR1	17.4	UG/L	B	V	0.7	1	183	YES	D&D Bldg 886/865
40999	9/20/01	GW07691RG	NICKEL	REAL	TR1	3	UG/L	U	V	3	1	140	YES	D&D Bldg 886/865
40999	9/20/01	GW07691RG	POTASSIUM	REAL	TR1	980	UG/L	B	J	510	1		YES	D&D Bldg 886/865
40999	9/20/01	GW07691RG	SELENIUM	REAL	TR1	2.2	UG/L	B	V	2	1	50	YES	D&D Bldg 886/865
40999	9/20/01	GW07691RG	SILVER	REAL	TR1	0.32	UG/L	U	J	0.32	1	183	YES	D&D Bldg 886/865
40999	9/20/01	GW07691RG	SODIUM	REAL	TR1	147000	UG/L		V	1400	1		YES	D&D Bldg 886/865
40999	9/20/01	GW07691RG	STRONTIUM	REAL	TR1	1370	UG/L		V	0.12	1	21900	YES	D&D Bldg 886/865
40999	9/20/01	GW07691RG	THALLIUM	REAL	TR1	1.8	UG/L	U	V	1.8	1	2	YES	D&D Bldg 886/865
40999	9/20/01	GW07691RG	TIN	REAL	TR1	1.4	UG/L	B	V	1.2	1	21900	YES	D&D Bldg 886/865
40999	9/20/01	GW07691RG	URANIUM, TOTAL	REAL	TR1	36	UG/L	U	V	36	1		YES	D&D Bldg 886/865
40999	9/20/01	GW07691RG	VANADIUM	REAL	TR1	3	UG/L	U	V	3	1	256	YES	D&D Bldg 886/865
40999	9/20/01	GW07691RG	ZINC	REAL	TR1	2.6	UG/L	B	UJ	2.6	1	11000	YES	D&D Bldg 886/865
41099	8/7/01	GW07692RG	ALUMINUM	REAL	TR1	48	UG/L	N	J1	2.4	2	36500	YES	D&D Bldg 886
41099	8/7/01	GW07692RG	ANTIMONY	REAL	TR1	1.1	UG/L	B	UJ1	0.67	2	6	YES	D&D Bldg 886
41099	8/7/01	GW07692RG	ARSENIC	REAL	TR1	1.1	UG/L	B	V1	0.64	2	50	YES	D&D Bldg 886
41099	8/7/01	GW07692RG	BARIUM	REAL	TR1	230	UG/L		V1	0.25	1	2000	YES	D&D Bldg 886
41099	8/7/01	GW07692RG	BERYLLIUM	REAL	TR1	0.11	UG/L	U	V1	0.11	2	4	YES	D&D Bldg 886
41099	8/7/01	GW07692RG	CADMIUM	REAL	TR1	2.3	UG/L		V1	0.032	2	5	YES	D&D Bldg 886
41099	8/7/01	GW07692RG	CALCIUM	REAL	TR1	200000	UG/L		V1	3.2	1		YES	D&D Bldg 886
41099	8/7/01	GW07692RG	CHROMIUM	REAL	TR1	4.2	UG/L		V1	0.6	2	100	YES	D&D Bldg 886
41099	8/7/01	GW07692RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	D&D Bldg 886
41099	8/7/01	GW07692RG	COPPER	REAL	TR1	8.4	UG/L		V1	1.8	2	1300	YES	D&D Bldg 886
41099	8/7/01	GW07692RG	IRON	REAL	TR1	260	UG/L		V1	16	1		YES	D&D Bldg 886
41099	8/7/01	GW07692RG	LEAD	REAL	TR1	1.3	UG/L	B	V1	0.59	2	15	YES	D&D Bldg 886
41099	8/7/01	GW07692RG	LITHIUM	REAL	TR1	68	UG/L		V1	2.2	1	730	YES	D&D Bldg 886
41099	8/7/01	GW07692RG	MAGNESIUM	REAL	TR1	120000	UG/L		V1	25	1		YES	D&D Bldg 886
41099	8/7/01	GW07692RG	MANGANESE	REAL	TR1	0.69	UG/L	U	V1	0.69	1	1720	YES	D&D Bldg 886
41099	8/7/01	GW07692RG	MERCURY	REAL	TR1	0.02	UG/L	U	V1	0.02	1	2	YES	D&D Bldg 886
41099	8/7/01	GW07692RG	MOLYBDENUM	REAL	TR1	5.7	UG/L	B	V1	4	1	183	YES	D&D Bldg 886
41099	8/7/01	GW07692RG	NICKEL	REAL	TR1	1	UG/L	U	V1	1	1	140	YES	D&D Bldg 886
41099	8/7/01	GW07692RG	POTASSIUM	REAL	TR1	380	UG/L	B	J1	48	1		YES	D&D Bldg 886
41099	8/7/01	GW07692RG	SELENIUM	REAL	TR1	4.4	UG/L	B	V1	0.66	2	50	YES	D&D Bldg 886
41099	8/7/01	GW07692RG	SILVER	REAL	TR1	0.12	UG/L	B	UJ1	0.01	2	183	YES	D&D Bldg 886
41099	8/7/01	GW07692RG	SODIUM	REAL	TR1	470000	UG/L		V1	27	1		YES	D&D Bldg 886
41099	8/7/01	GW07692RG	STRONTIUM	REAL	TR1	3200	UG/L		V1	0.25	1	21900	YES	D&D Bldg 886
41099	8/7/01	GW07692RG	THALLIUM	REAL	TR1	0.25	UG/L	B	UJ1	0.1	2	2	YES	D&D Bldg 886
41099	8/7/01	GW07692RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	D&D Bldg 886
41099	8/7/01	GW07692RG	URANIUM, TOTAL	REAL	TR1	38	UG/L		V1	0.005	1		YES	D&D Bldg 886
41099	8/7/01	GW07692RG	VANADIUM	REAL	TR1	2.6	UG/L	B	V1	1.7	2	256	YES	D&D Bldg 886
41099	8/7/01	GW07692RG	ZINC	REAL	TR1	1.3	UG/L	B	J1	1	1	11000	YES	D&D Bldg 886
41199	7/16/01	GW07693RG	ALUMINUM	REAL	TR1	13.8	UG/L	B	UJ1	8.3	1	36500	YES	D&D Bldg 886
41199	7/16/01	GW07693RG	ANTIMONY	REAL	TR1	0.21	UG/L	B	UJ1	0.13	1	6	YES	D&D Bldg 886
41199	7/16/01	GW07693RG	ARSENIC	REAL	TR1	0.53	UG/L	B	V1	0.087	1	50	YES	D&D Bldg 886
41199	7/16/01	GW07693RG	BARIUM	REAL	TR1	66.7	UG/L	B	V1	0.044	1	2000	YES	D&D Bldg 886
41199	7/16/01	GW07693RG	BERYLLIUM	REAL	TR1	0.19	UG/L	U	V1	0.19	1	4	YES	D&D Bldg 886
41199	7/16/01	GW07693RG	CADMIUM	REAL	TR1	0.71	UG/L	B	UJ1	0.3	1	5	YES	D&D Bldg 886
41199	7/16/01	GW07693RG	CALCIUM	REAL	TR1	64400	UG/L		V1	11	1		YES	D&D Bldg 886
41199	7/16/01	GW07693RG	CHROMIUM	REAL	TR1	0.12	UG/L	U	UJ1	0.12	1	100	YES	D&D Bldg 886
41199	7/16/01	GW07693RG	COBALT	REAL	TR1	0.6	UG/L	U	V1	0.6	1	2190	YES	D&D Bldg 886
41199	7/16/01	GW07693RG	COPPER	REAL	TR1	0.95	UG/L	B	J1	0.064	1	1300	YES	D&D Bldg 886
41199	7/16/01	GW07693RG	IRON	REAL	TR1	19.2	UG/L	B	UJ1	3.5	1		YES	D&D Bldg 886
41199	7/16/01	GW07693RG	LEAD	REAL	TR1	0.058	UG/L	B	V1	0.01	1	15	YES	D&D Bldg 886

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
41199	7/16/01	GW07693RG	LITHIUM	REAL	TR1	15.4	UG/L	B	V1	2.1	1	730	YES	D&D Bldg 886
41199	7/16/01	GW07693RG	MAGNESIUM	REAL	TR1	28800	UG/L		V1	24	1		YES	D&D Bldg 886
41199	7/16/01	GW07693RG	MANGANESE	REAL	TR1	2.5	UG/L	B	UJ1	0.094	1	1720	YES	D&D Bldg 886
41199	7/16/01	GW07693RG	MERCURY	REAL	TR1	0.026	UG/L	U	V1	0.026	1	2	YES	D&D Bldg 886
41199	7/16/01	GW07693RG	MOLYBDENUM	REAL	TR1	8.7	UG/L	B	V1	1.4	1	183	YES	D&D Bldg 886
41199	7/16/01	GW07693RG	NICKEL	REAL	TR1	2	UG/L	B	V1	1	1	140	YES	D&D Bldg 886
41199	7/16/01	GW07693RG	POTASSIUM	REAL	TR1	1400	UG/L	B	UJ1	510	1		YES	D&D Bldg 886
41199	7/16/01	GW07693RG	SELENIUM	REAL	TR1	2.7	UG/L	B	V1	0.2	1	50	YES	D&D Bldg 886
41199	7/16/01	GW07693RG	SILVER	REAL	TR1	0.054	UG/L	U	V1	0.054	1	183	YES	D&D Bldg 886
41199	7/16/01	GW07693RG	SODIUM	REAL	TR1	61500	UG/L		V1	1400	1		YES	D&D Bldg 886
41199	7/16/01	GW07693RG	STRONTIUM	REAL	TR1	681	UG/L		V1	0.03	1	21900	YES	D&D Bldg 886
41199	7/16/01	GW07693RG	THALLIUM	REAL	TR1	0.013	UG/L	U	V1	0.013	1	2	YES	D&D Bldg 886
41199	7/16/01	GW07693RG	TIN	REAL	TR1	3.3	UG/L	B	J1	2.4	1	21900	YES	D&D Bldg 886
41199	7/16/01	GW07693RG	URANIUM, TOTAL	REAL	TR1	10.1	UG/L	B	V1	6.6	1		YES	D&D Bldg 886
41199	7/16/01	GW07693RG	VANADIUM	REAL	TR1	2.2	UG/L	B	V1	0.41	1	256	YES	D&D Bldg 886
41199	7/16/01	GW07693RG	ZINC	REAL	TR1	11.6	UG/L	B	UJ1	2.5	1	11000	YES	D&D Bldg 886
41299	7/17/01	GW07744RG	ALUMINUM	REAL	TR1	6.7	UG/L	B	J1	1.7	1	36500	YES	D&D Bldg 444
41299	7/17/01	GW07744RG	ANTIMONY	REAL	TR1	0.13	UG/L	U	V1	0.13	1	6	YES	D&D Bldg 444
41299	7/17/01	GW07744RG	ARSENIC	REAL	TR1	0.66	UG/L	B	V1	0.087	1	50	YES	D&D Bldg 444
41299	7/17/01	GW07744RG	BARIUM	REAL	TR1	269	UG/L		V1	0.044	1	2000	YES	D&D Bldg 444
41299	7/17/01	GW07744RG	BERYLLIUM	REAL	TR1	0.19	UG/L	U	V1	0.19	1	4	YES	D&D Bldg 444
41299	7/17/01	GW07744RG	CADMIUM	REAL	TR1	0.3	UG/L	U	V1	0.3	1	5	YES	D&D Bldg 444
41299	7/17/01	GW07744RG	CALCIUM	REAL	TR1	137000	UG/L		V1	11	1		YES	D&D Bldg 444
41299	7/17/01	GW07744RG	CHROMIUM	REAL	TR1	260	UG/L		V1	0.12	1	100	YES	D&D Bldg 444
41299	7/17/01	GW07744RG	COBALT	REAL	TR1	0.6	UG/L	U	V1	0.6	1	2190	YES	D&D Bldg 444
41299	7/17/01	GW07744RG	COPPER	REAL	TR1	0.41	UG/L	B	J1	0.064	1	1300	YES	D&D Bldg 444
41299	7/17/01	GW07744RG	IRON	REAL	TR1	4.8	UG/L	B	V1	3.5	1		YES	D&D Bldg 444
41299	7/17/01	GW07744RG	LEAD	REAL	TR1	0.047	UG/L	B	V1	0.01	1	15	YES	D&D Bldg 444
41299	7/17/01	GW07744RG	LITHIUM	REAL	TR1	11.4	UG/L	B	UJ1	2.1	1	730	YES	D&D Bldg 444
41299	7/17/01	GW07744RG	MAGNESIUM	REAL	TR1	16500	UG/L		V1	24	1		YES	D&D Bldg 444
41299	7/17/01	GW07744RG	MANGANESE	REAL	TR1	1.3	UG/L	B	V1	0.094	1	1720	YES	D&D Bldg 444
41299	7/17/01	GW07744RG	MERCURY	REAL	TR1	0.026	UG/L	U	V1	0.026	1	2	YES	D&D Bldg 444
41299	7/17/01	GW07744RG	MOLYBDENUM	REAL	TR1	2.6	UG/L	B	V1	1.4	1	183	YES	D&D Bldg 444
41299	7/17/01	GW07744RG	NICKEL	REAL	TR1	1	UG/L	U	V1	1	1	140	YES	D&D Bldg 444
41299	7/17/01	GW07744RG	POTASSIUM	REAL	TR1	1510	UG/L	B	UJ1	510	1		YES	D&D Bldg 444
41299	7/17/01	GW07744RG	SELENIUM	REAL	TR1	0.64	UG/L	B	V1	0.2	1	50	YES	D&D Bldg 444
41299	7/17/01	GW07744RG	SILVER	REAL	TR1	0.054	UG/L	U	V1	0.054	1	183	YES	D&D Bldg 444
41299	7/17/01	GW07744RG	SODIUM	REAL	TR1	23800	UG/L		V1	1400	1		YES	D&D Bldg 444
41299	7/17/01	GW07744RG	STRONTIUM	REAL	TR1	540	UG/L		V1	0.03	1	21900	YES	D&D Bldg 444
41299	7/17/01	GW07744RG	THALLIUM	REAL	TR1	0.013	UG/L	U	J1	0.013	1	2	YES	D&D Bldg 444
41299	7/17/01	GW07744RG	TIN	REAL	TR1	2.4	UG/L	U	V1	2.4	1	21900	YES	D&D Bldg 444
41299	7/17/01	GW07744RG	URANIUM, TOTAL	REAL	TR1	6.6	UG/L	U	R1	6.6	1		YES	D&D Bldg 444
41299	7/17/01	GW07744RG	VANADIUM	REAL	TR1	0.79	UG/L	B	V1	0.41	1	256	YES	D&D Bldg 444
41299	7/17/01	GW07744RG	ZINC	REAL	TR1	3.6	UG/L	B	UJ1	2.5	1	11000	YES	D&D Bldg 444
41591	9/10/01	GW07663RG	ALUMINUM	REAL	TR1	400	UG/L	B	J1	60	50	36500	YES	Boundary
41591	9/10/01	GW07663RG	ANTIMONY	REAL	TR1	3.4	UG/L	U	J1	3.4	10	6	YES	Boundary
41591	9/10/01	GW07663RG	ARSENIC	REAL	TR1	16	UG/L	U	V1	16	50	50	YES	Boundary
41591	9/10/01	GW07663RG	BARIUM	REAL	TR1	410	UG/L		V1	0.25	1	2000	YES	Boundary
41591	9/10/01	GW07663RG	BERYLLIUM	REAL	TR1	2.7	UG/L	U	V1	2.7	50	4	YES	Boundary
41591	9/10/01	GW07663RG	CADMIUM	REAL	TR1	0.16	UG/L	U	V1	0.16	10	5	YES	Boundary
41591	9/10/01	GW07663RG	CALCIUM	REAL	TR1	120000	UG/L		V1	3.2	1		YES	Boundary
41591	9/10/01	GW07663RG	CHROMIUM	REAL	TR1	15	UG/L	U	V1	15	50	100	YES	Boundary
41591	9/10/01	GW07663RG	COBALT	REAL	TR1	0.76	UG/L	B	V1	0.43	1	2190	YES	Boundary.
41591	9/10/01	GW07663RG	COPPER	REAL	TR1	46	UG/L	U	V1	46	50	1300	YES	Boundary
41591	9/10/01	GW07663RG	IRON	REAL	TR1	100	UG/L	B	V1	16	1		YES	Boundary
41591	9/10/01	GW07663RG	LEAD	REAL	TR1	1.5	UG/L	U	V1	1.5	5	15	YES	Boundary
41591	9/10/01	GW07663RG	LITHIUM	REAL	TR1	170	UG/L		V1	2.2	1	730	YES	Boundary

140

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
41591	9/10/01	GW07663RG	MAGNESIUM	REAL	TR1	220000	UG/L		R1	25	1		YES	Boundary
41591	9/10/01	GW07663RG	MANGANESE	REAL	TR1	4	UG/L	B	V1	0.69	1	1720	YES	Boundary
41591	9/10/01	GW07663RG	MERCURY	REAL	TR1	0.029	UG/L	U	V1	0.029	1	2	YES	Boundary
41591	9/10/01	GW07663RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	Boundary
41591	9/10/01	GW07663RG	NICKEL	REAL	TR1	180	UG/L		V1	1	1	140	YES	Boundary
41591	9/10/01	GW07663RG	POTASSIUM	REAL	TR1	300	UG/L	B	V1	48	1		YES	Boundary
41591	9/10/01	GW07663RG	SELENIUM	REAL	TR1	16	UG/L	U	J1	16	50	50	YES	Boundary
41591	9/10/01	GW07663RG	SILVER	REAL	TR1	0.05	UG/L	U	J1	0.05	10	183	YES	Boundary
41591	9/10/01	GW07663RG	SODIUM	REAL	TR1	220000	UG/L		V1	27	1		YES	Boundary
41591	9/10/01	GW07663RG	STRONTIUM	REAL	TR1	5800	UG/L		V1	0.25	1	21900	YES	Boundary
41591	9/10/01	GW07663RG	THALLIUM	REAL	TR1	0.25	UG/L	U	V1	0.25	5	2	YES	Boundary
41591	9/10/01	GW07663RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	Boundary
41591	9/10/01	GW07663RG	URANIUM, TOTAL	REAL	TR1	17	UG/L		V1	0.025	5		YES	Boundary
41591	9/10/01	GW07663RG	VANADIUM	REAL	TR1	44	UG/L	U	V1	44	50	256	YES	Boundary
41591	9/10/01	GW07663RG	ZINC	REAL	TR1	1	UG/L	U	V1	1	1	11000	YES	Boundary
41691	8/30/01	GW07664RG	ALUMINUM	REAL	TR1	27	UG/L	BN	J1	12	10	36500	NO	Boundary
41691	8/30/01	GW07664RG	ANTIMONY	REAL	TR1	0.38	UG/L	B	UJ1	0.34	1	6	NO	Boundary
41691	8/30/01	GW07664RG	ARSENIC	REAL	TR1	1.3	UG/L	B	V1	0.32	1	50	NO	Boundary
41691	8/30/01	GW07664RG	BARIUM	REAL	TR1	170	UG/L		V1	0.25	1	2000	NO	Boundary
41691	8/30/01	GW07664RG	BERYLLIUM	REAL	TR1	0.54	UG/L	U	V1	0.54	10	4	NO	Boundary
41691	8/30/01	GW07664RG	CADMIUM	REAL	TR1	0.045	UG/L	B	V1	0.016	1	5	NO	Boundary
41691	8/30/01	GW07664RG	CALCIUM	REAL	TR1	76000	UG/L		V1	3.2	1		NO	Boundary
41691	8/30/01	GW07664RG	CHROMIUM	REAL	TR1	25	UG/L		V1	0.3	1	100	NO	Boundary
41691	8/30/01	GW07664RG	COBALT	REAL	TR1	3.3	UG/L	B	V1	0.43	1	2190	NO	Boundary
41691	8/30/01	GW07664RG	COPPER	REAL	TR1	5.1	UG/L		V1	0.92	1	1300	NO	Boundary
41691	8/30/01	GW07664RG	IRON	REAL	TR1	1700	UG/L		V1	16	1		NO	Boundary
41691	8/30/01	GW07664RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	NO	Boundary
41691	8/30/01	GW07664RG	LITHIUM	REAL	TR1	38	UG/L	B	V1	2.2	1	730	NO	Boundary
41691	8/30/01	GW07664RG	MAGNESIUM	REAL	TR1	18000	UG/L		V1	25	1		NO	Boundary
41691	8/30/01	GW07664RG	MANGANESE	REAL	TR1	980	UG/L		V1	0.69	1	1720	NO	Boundary
41691	8/30/01	GW07664RG	MERCURY	REAL	TR1	0.029	UG/L	U	V1	0.029	1	2	NO	Boundary
41691	8/30/01	GW07664RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	NO	Boundary
41691	8/30/01	GW07664RG	NICKEL	REAL	TR1	48	UG/L		V1	1	1	140	NO	Boundary
41691	8/30/01	GW07664RG	POTASSIUM	REAL	TR1	6000	UG/L		V1	48	1		NO	Boundary
41691	8/30/01	GW07664RG	SELENIUM	REAL	TR1	0.33	UG/L	U	V1	0.33	1	50	NO	Boundary
41691	8/30/01	GW07664RG	SILVER	REAL	TR1	0.018	UG/L	B	UJ1	0.005	1	183	NO	Boundary
41691	8/30/01	GW07664RG	SODIUM	REAL	TR1	92000	UG/L		V1	27	1		NO	Boundary
41691	8/30/01	GW07664RG	STRONTIUM	REAL	TR1	510	UG/L		V1	0.25	1	21900	NO	Boundary
41691	8/30/01	GW07664RG	THALLIUM	REAL	TR1	0.05	UG/L	U	V1	0.05	1	2	NO	Boundary
41691	8/30/01	GW07664RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	NO	Boundary
41691	8/30/01	GW07664RG	URANIUM, TOTAL	REAL	TR1	3.6	UG/L	N	V1	0.005	1		NO	Boundary
41691	8/30/01	GW07664RG	VANADIUM	REAL	TR1	8.7	UG/L	U	V1	8.7	10	256	NO	Boundary
41691	8/30/01	GW07664RG	ZINC	REAL	TR1	1.4	UG/L	B	J1	1	1	11000	NO	Boundary
43392	7/18/01	GW07665RG	ALUMINUM	REAL	TR1	5.6	UG/L	B	J1	1.7	1	36500	YES	Plume Extent
43392	7/18/01	GW07665RG	ANTIMONY	REAL	TR1	0.14	UG/L	B	UJ1	0.13	1	6	YES	Plume Extent
43392	7/18/01	GW07665RG	ARSENIC	REAL	TR1	0.41	UG/L	B	V1	0.087	1	50	YES	Plume Extent
43392	7/18/01	GW07665RG	BARIUM	REAL	TR1	230	UG/L		V1	0.044	1	2000	YES	Plume Extent
43392	7/18/01	GW07665RG	BERYLLIUM	REAL	TR1	0.19	UG/L	U	V1	0.19	1	4	YES	Plume Extent
43392	7/18/01	GW07665RG	CADMIUM	REAL	TR1	0.31	UG/L	B	UJ1	0.3	1	5	YES	Plume Extent
43392	7/18/01	GW07665RG	CALCIUM	REAL	TR1	86100	UG/L		V1	11	1		YES	Plume Extent
43392	7/18/01	GW07665RG	CHROMIUM	REAL	TR1	0.12	UG/L	U	J1	0.12	1	100	YES	Plume Extent
43392	7/18/01	GW07665RG	COBALT	REAL	TR1	0.6	UG/L	U	V1	0.6	1	2190	YES	Plume Extent
43392	7/18/01	GW07665RG	COPPER	REAL	TR1	0.12	UG/L	B	J1	0.064	1	1300	YES	Plume Extent
43392	7/18/01	GW07665RG	IRON	REAL	TR1	9	UG/L	B	V1	3.5	1		YES	Plume Extent
43392	7/18/01	GW07665RG	LEAD	REAL	TR1	0.046	UG/L	B	V1	0.01	1	15	YES	Plume Extent
43392	7/18/01	GW07665RG	LITHIUM	REAL	TR1	7	UG/L	B	UJ1	2.1	1	730	YES	Plume Extent
43392	7/18/01	GW07665RG	MAGNESIUM	REAL	TR1	11800	UG/L		V1	24	1		YES	Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
43392	7/18/01	GW07665RG	MANGANESE	REAL	TR1	0.74	UG/L	B	UJ1	0.094	1	1720	YES	Plume Extent
43392	7/18/01	GW07665RG	MERCURY	REAL	TR1	0.026	UG/L	U	V1	0.026	1	2	YES	Plume Extent
43392	7/18/01	GW07665RG	MOLYBDENUM	REAL	TR1	2.4	UG/L	B	V1	1.4	1	183	YES	Plume Extent
43392	7/18/01	GW07665RG	NICKEL	REAL	TR1	1	UG/L	U	V1	1	1	140	YES	Plume Extent
43392	7/18/01	GW07665RG	POTASSIUM	REAL	TR1	1410	UG/L	B	UJ1	510	1		YES	Plume Extent
43392	7/18/01	GW07665RG	SELENIUM	REAL	TR1	0.67	UG/L	B	V1	0.2	1	50	YES	Plume Extent
43392	7/18/01	GW07665RG	SILVER	REAL	TR1	0.054	UG/L	U	V1	0.054	1	183	YES	Plume Extent
43392	7/18/01	GW07665RG	SODIUM	REAL	TR1	9850	UG/L		V1	1400	1		YES	Plume Extent
43392	7/18/01	GW07665RG	STRONTIUM	REAL	TR1	388	UG/L		V1	0.03	1	21900	YES	Plume Extent
43392	7/18/01	GW07665RG	THALLIUM	REAL	TR1	0.013	UG/L	U	J1	0.013	1	2	YES	Plume Extent
43392	7/18/01	GW07665RG	TIN	REAL	TR1	2.4	UG/L	U	V1	2.4	1	21900	YES	Plume Extent
43392	7/18/01	GW07665RG	URANIUM, TOTAL	REAL	TR1	6.6	UG/L	U	R1	6.6	1		YES	Plume Extent
43392	7/18/01	GW07665RG	VANADIUM	REAL	TR1	0.41	UG/L	U	V1	0.41	1	256	YES	Plume Extent
43392	7/18/01	GW07665RG	ZINC	REAL	TR1	3.7	UG/L	B	UJ1	2.5	1	11000	YES	Plume Extent
4787	8/8/01	GW07640RG	ALUMINUM	REAL	TR1	37	UG/L	BN	J1	12	10	36500	YES	Plume Extent
4787	8/8/01	GW07640RG	ANTIMONY	REAL	TR1	1.2	UG/L	B	UJ1	0.67	2	6	YES	Plume Extent
4787	8/8/01	GW07640RG	ARSENIC	REAL	TR1	0.98	UG/L	B	V1	0.64	2	50	YES	Plume Extent
4787	8/8/01	GW07640RG	BARIUM	REAL	TR1	130	UG/L		V1	0.25	1	2000	YES	Plume Extent
4787	8/8/01	GW07640RG	BERYLLIUM	REAL	TR1	0.54	UG/L	U	V1	0.54	10	4	YES	Plume Extent
4787	8/8/01	GW07640RG	CADMIUM	REAL	TR1	0.45	UG/L		V1	0.032	2	5	YES	Plume Extent
4787	8/8/01	GW07640RG	CALCIUM	REAL	TR1	100000	UG/L		V1	3.2	1		YES	Plume Extent
4787	8/8/01	GW07640RG	CHROMIUM	REAL	TR1	8.5	UG/L		V1	0.6	2	100	YES	Plume Extent
4787	8/8/01	GW07640RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	Plume Extent
4787	8/8/01	GW07640RG	COPPER	REAL	TR1	49	UG/L		V1	1.8	2	1300	YES	Plume Extent
4787	8/8/01	GW07640RG	IRON	REAL	TR1	170	UG/L		V1	16	1		YES	Plume Extent
4787	8/8/01	GW07640RG	LEAD	REAL	TR1	0.89	UG/L	B	V1	0.59	2	15	YES	Plume Extent
4787	8/8/01	GW07640RG	LITHIUM	REAL	TR1	14	UG/L		V1	2.2	1	730	YES	Plume Extent
4787	8/8/01	GW07640RG	MAGNESIUM	REAL	TR1	27000	UG/L		V1	25	1		YES	Plume Extent
4787	8/8/01	GW07640RG	MANGANESE	REAL	TR1	3.4	UG/L	B	V1	0.69	1	1720	YES	Plume Extent
4787	8/8/01	GW07640RG	MERCURY	REAL	TR1	0.022	UG/L	B	V1	0.02	1	2	YES	Plume Extent
4787	8/8/01	GW07640RG	MOLYBDENUM	REAL	TR1	28	UG/L		V1	4	1	183	YES	Plume Extent
4787	8/8/01	GW07640RG	NICKEL	REAL	TR1	69	UG/L		V1	1	1	140	YES	Plume Extent
4787	8/8/01	GW07640RG	POTASSIUM	REAL	TR1	900	UG/L		J1	48	1		YES	Plume Extent
4787	8/8/01	GW07640RG	SELENIUM	REAL	TR1	0.91	UG/L	B	V1	0.66	2	50	YES	Plume Extent
4787	8/8/01	GW07640RG	SILVER	REAL	TR1	0.063	UG/L	B	UJ1	0.01	2	183	YES	Plume Extent
4787	8/8/01	GW07640RG	SODIUM	REAL	TR1	74000	UG/L		V1	27	1		YES	Plume Extent
4787	8/8/01	GW07640RG	STRONTIUM	REAL	TR1	980	UG/L		V1	0.25	1	21900	YES	Plume Extent
4787	8/8/01	GW07640RG	THALLIUM	REAL	TR1	0.35	UG/L	B	UJ1	0.1	2	2	YES	Plume Extent
4787	8/8/01	GW07640RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	Plume Extent
4787	8/8/01	GW07640RG	URANIUM, TOTAL	REAL	TR1	10	UG/L		V1	0.005	1		YES	Plume Extent
4787	8/8/01	GW07640RG	VANADIUM	REAL	TR1	8.7	UG/L	U	V1	8.7	10	256	YES	Plume Extent
4787	8/8/01	GW07640RG	ZINC	REAL	TR1	14	UG/L		J1	1	1	11000	YES	Plume Extent
52894	7/17/01	GW07700RG	ALUMINUM	REAL	TR1	45.9	UG/L		J1	1.7	1	36500	YES	RCRA
52894	7/17/01	GW07700RG	ANTIMONY	REAL	TR1	0.45	UG/L	B	UJ1	0.13	1	6	YES	RCRA
52894	7/17/01	GW07700RG	ARSENIC	REAL	TR1	1.1	UG/L	B	V1	0.087	1	50	YES	RCRA
52894	7/17/01	GW07700RG	BARIUM	REAL	TR1	76.8	UG/L	B	V1	0.044	1	2000	YES	RCRA
52894	7/17/01	GW07700RG	BERYLLIUM	REAL	TR1	0.19	UG/L	U	V1	0.19	1	4	YES	RCRA
52894	7/17/01	GW07700RG	CADMIUM	REAL	TR1	0.35	UG/L	B	UJ1	0.3	1	5	YES	RCRA
52894	7/17/01	GW07700RG	CALCIUM	REAL	TR1	42200	UG/L		V1	11	1		YES	RCRA
52894	7/17/01	GW07700RG	CHROMIUM	REAL	TR1	0.32	UG/L	B	J1	0.12	1	100	YES	RCRA
52894	7/17/01	GW07700RG	COBALT	REAL	TR1	0.6	UG/L	U	V1	0.6	1	2190	YES	RCRA
52894	7/17/01	GW07700RG	COPPER	REAL	TR1	2.9	UG/L		J1	0.064	1	1300	YES	RCRA
52894	7/17/01	GW07700RG	IRON	REAL	TR1	30.8	UG/L	B	V1	3.5	1		YES	RCRA
52894	7/17/01	GW07700RG	LEAD	REAL	TR1	0.086	UG/L	B	V1	0.01	1	15	YES	RCRA
52894	7/17/01	GW07700RG	LITHIUM	REAL	TR1	127	UG/L		V1	2.1	1	730	YES	RCRA
52894	7/17/01	GW07700RG	MAGNESIUM	REAL	TR1	14600	UG/L		V1	24	1		YES	RCRA
52894	7/17/01	GW07700RG	MANGANESE	REAL	TR1	12.5	UG/L	B	V1	0.094	1	1720	YES	RCRA

192

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
52894	7/17/01	GW07700RG	MERCURY	REAL	TR1	0.026	UG/L	U	V1	0.026	1	2	YES	RCRA
52894	7/17/01	GW07700RG	MOLYBDENUM	REAL	TR1	5.1	UG/L	B	V1	1.4	1	183	YES	RCRA
52894	7/17/01	GW07700RG	NICKEL	REAL	TR1	2.2	UG/L	B	V1	1	1	140	YES	RCRA
52894	7/17/01	GW07700RG	POTASSIUM	REAL	TR1	1380	UG/L	B	UJ1	510	1		YES	RCRA
52894	7/17/01	GW07700RG	SELENIUM	REAL	TR1	5.2	UG/L		V1	0.2	1	50	YES	RCRA
52894	7/17/01	GW07700RG	SILVER	REAL	TR1	0.054	UG/L	U	V1	0.054	1	183	YES	RCRA
52894	7/17/01	GW07700RG	SODIUM	REAL	TR1	159000	UG/L		V1	1400	1		YES	RCRA
52894	7/17/01	GW07700RG	STRONTIUM	REAL	TR1	463	UG/L		V1	0.03	1	21900	YES	RCRA
52894	7/17/01	GW07700RG	THALLIUM	REAL	TR1	0.013	UG/L	U	J1	0.013	1	2	YES	RCRA
52894	7/17/01	GW07700RG	TIN	REAL	TR1	2.4	UG/L	U	V1	2.4	1	21900	YES	RCRA
52894	7/17/01	GW07700RG	URANIUM, TOTAL	REAL	TR1	52.7	UG/L	B	J1	6.6	1		YES	RCRA
52894	7/17/01	GW07700RG	VANADIUM	REAL	TR1	0.91	UG/L	B	V1	0.41	1	256	YES	RCRA
52894	7/17/01	GW07700RG	ZINC	REAL	TR1	4	UG/L	B	UJ1	2.5	1	11000	YES	RCRA
5387	7/24/01	GW07617RG	ALUMINUM	REAL	TR1	8	UG/L	B	J1	1.7	1	36500	YES	Plume Extent
5387	7/24/01	GW07617RG	ANTIMONY	REAL	TR1	0.51	UG/L	B	UJ1	0.13	1	6	YES	Plume Extent
5387	7/24/01	GW07617RG	ARSENIC	REAL	TR1	2.5	UG/L	B	V1	0.087	1	50	YES	Plume Extent
5387	7/24/01	GW07617RG	BARIUM	REAL	TR1	71.1	UG/L	B	V1	0.044	1	2000	YES	Plume Extent
5387	7/24/01	GW07617RG	BERYLLIUM	REAL	TR1	0.19	UG/L	U	V1	0.19	1	4	YES	Plume Extent
5387	7/24/01	GW07617RG	CADMIUM	REAL	TR1	0.3	UG/L	U	V1	0.3	1	5	YES	Plume Extent
5387	7/24/01	GW07617RG	CALCIUM	REAL	TR1	152000	UG/L		V1	11	1		YES	Plume Extent
5387	7/24/01	GW07617RG	CHROMIUM	REAL	TR1	1.2	UG/L	B	V1	0.12	1	100	YES	Plume Extent
5387	7/24/01	GW07617RG	COBALT	REAL	TR1	0.6	UG/L	U	V1	0.6	1	2190	YES	Plume Extent
5387	7/24/01	GW07617RG	COPPER	REAL	TR1	53	UG/L		V1	0.064	1	1300	YES	Plume Extent
5387	7/24/01	GW07617RG	IRON	REAL	TR1	8.9	UG/L	B	UJ1	3.5	1		YES	Plume Extent
5387	7/24/01	GW07617RG	LEAD	REAL	TR1	0.18	UG/L	B	UJ1	0.01	1	15	YES	Plume Extent
5387	7/24/01	GW07617RG	LITHIUM	REAL	TR1	24.6	UG/L	B	J1	2.1	1	730	YES	Plume Extent
5387	7/24/01	GW07617RG	MAGNESIUM	REAL	TR1	49200	UG/L		V1	24	1		YES	Plume Extent
5387	7/24/01	GW07617RG	MANGANESE	REAL	TR1	7.5	UG/L	B	V1	0.094	1	1720	YES	Plume Extent
5387	7/24/01	GW07617RG	MERCURY	REAL	TR1	0.026	UG/L	U	V1	0.026	1	2	YES	Plume Extent
5387	7/24/01	GW07617RG	MOLYBDENUM	REAL	TR1	7.3	UG/L	B	V1	1.4	1	183	YES	Plume Extent
5387	7/24/01	GW07617RG	NICKEL	REAL	TR1	42.2	UG/L		V1	1	1	140	YES	Plume Extent
5387	7/24/01	GW07617RG	POTASSIUM	REAL	TR1	1110	UG/L	B	J1	510	1		YES	Plume Extent
5387	7/24/01	GW07617RG	SELENIUM	REAL	TR1	3.9	UG/L		V1	0.2	1	50	YES	Plume Extent
5387	7/24/01	GW07617RG	SILVER	REAL	TR1	0.025	UG/L	U	J1	0.025	1	183	YES	Plume Extent
5387	7/24/01	GW07617RG	SODIUM	REAL	TR1	151000	UG/L		V1	1400	1		YES	Plume Extent
5387	7/24/01	GW07617RG	STRONTIUM	REAL	TR1	1240	UG/L		V1	0.03	1	21900	YES	Plume Extent
5387	7/24/01	GW07617RG	THALLIUM	REAL	TR1	0.016	UG/L	B	UJ1	0.013	1	2	YES	Plume Extent
5387	7/24/01	GW07617RG	TIN	REAL	TR1	2.4	UG/L	U	J1	2.4	1	21900	YES	Plume Extent
5387	7/24/01	GW07617RG	URANIUM, TOTAL	REAL	TR1	18.4	UG/L	B	V1	6.6	1		YES	Plume Extent
5387	7/24/01	GW07617RG	VANADIUM	REAL	TR1	5.4	UG/L	B	V1	0.41	1	256	YES	Plume Extent
5387	7/24/01	GW07617RG	ZINC	REAL	TR1	113	UG/L		V1	2.5	1	11000	YES	Plume Extent
5887	7/12/01	GW07699RG	ALUMINUM	REAL	TR1	12.8	UG/L	B	UJ1	8.3	1	36500	NO	RCRA
5887	7/12/01	GW07699RG	ANTIMONY	REAL	TR1	0.13	UG/L	U	V1	0.13	1	6	NO	RCRA
5887	7/12/01	GW07699RG	ARSENIC	REAL	TR1	0.26	UG/L	B	V1	0.087	1	50	NO	RCRA
5887	7/12/01	GW07699RG	BARIUM	REAL	TR1	57.8	UG/L	B	V1	0.044	1	2000	NO	RCRA
5887	7/12/01	GW07699RG	BERYLLIUM	REAL	TR1	0.25	UG/L	B	UJ1	0.19	1	4	NO	RCRA
5887	7/12/01	GW07699RG	CADMIUM	REAL	TR1	0.44	UG/L	B	UJ1	0.3	1	5	NO	RCRA
5887	7/12/01	GW07699RG	CALCIUM	REAL	TR1	19500	UG/L		V1	11	1		NO	RCRA
5887	7/12/01	GW07699RG	CHROMIUM	REAL	TR1	1.2	UG/L	B	V1	0.12	1	100	NO	RCRA
5887	7/12/01	GW07699RG	COBALT	REAL	TR1	0.6	UG/L	U	V1	0.6	1	2190	NO	RCRA
5887	7/12/01	GW07699RG	COPPER	REAL	TR1	2.1	UG/L		J1	0.064	1	1300	NO	RCRA
5887	7/12/01	GW07699RG	IRON	REAL	TR1	10.4	UG/L	B	UJ1	3.5	1		NO	RCRA
5887	7/12/01	GW07699RG	LEAD	REAL	TR1	0.035	UG/L	B	V1	0.01	1	15	NO	RCRA
5887	7/12/01	GW07699RG	LITHIUM	REAL	TR1	2.8	UG/L	B	V1	2.1	1	730	NO	RCRA
5887	7/12/01	GW07699RG	MAGNESIUM	REAL	TR1	4260	UG/L	B	V1	24	1		NO	RCRA
5887	7/12/01	GW07699RG	MANGANESE	REAL	TR1	0.85	UG/L	B	UJ1	0.094	1	1720	NO	RCRA
5887	7/12/01	GW07699RG	MERCURY	REAL	TR1	0.026	UG/L	U	V1	0.026	1	2	NO	RCRA

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
5887	7/12/01	GW07699RG	MOLYBDENUM	REAL	TR1	2	UG/L	B	V1	1.4	1	183	NO	RCRA
5887	7/12/01	GW07699RG	NICKEL	REAL	TR1	3.1	UG/L	B	UJ1	1	1	140	NO	RCRA
5887	7/12/01	GW07699RG	POTASSIUM	REAL	TR1	1090	UG/L	B	UJ1	510	1		NO	RCRA
5887	7/12/01	GW07699RG	SELENIUM	REAL	TR1	0.99	UG/L	B	V1	0.2	1	50	NO	RCRA
5887	7/12/01	GW07699RG	SILVER	REAL	TR1	0.054	UG/L	U	V1	0.054	1	183	NO	RCRA
5887	7/12/01	GW07699RG	SODIUM	REAL	TR1	6880	UG/L		V1	1400	1		NO	RCRA
5887	7/12/01	GW07699RG	STRONTIUM	REAL	TR1	115	UG/L	B	V1	0.03	1	21900	NO	RCRA
5887	7/12/01	GW07699RG	THALLIUM	REAL	TR1	0.013	UG/L	U	V1	0.013	1	2	NO	RCRA
5887	7/12/01	GW07699RG	TIN	REAL	TR1	2.4	UG/L	U	V1	2.4	1	21900	NO	RCRA
5887	7/12/01	GW07699RG	URANIUM, TOTAL	REAL	TR1	6.6	UG/L	U	J1	6.6	1		NO	RCRA
5887	7/12/01	GW07699RG	VANADIUM	REAL	TR1	0.66	UG/L	B	V1	0.41	1	256	NO	RCRA
5887	7/12/01	GW07699RG	ZINC	REAL	TR1	12.1	UG/L	B	UJ1	2.5	1	11000	NO	RCRA
6186	8/21/01	GW07642RG	ALUMINUM	REAL	TR1	2.7	UG/L	B	J1	1.2	1	36500	YES	Plume Extent
6186	8/21/01	GW07642RG	ANTIMONY	REAL	TR1	0.52	UG/L	B	UJ1	0.34	1	6	YES	Plume Extent
6186	8/21/01	GW07642RG	ARSENIC	REAL	TR1	0.32	UG/L	U	V1	0.32	1	50	YES	Plume Extent
6186	8/21/01	GW07642RG	BARIUM	REAL	TR1	110	UG/L		V1	0.25	1	2000	YES	Plume Extent
6186	8/21/01	GW07642RG	BERYLLIUM	REAL	TR1	0.054	UG/L	U	V1	0.054	1	4	YES	Plume Extent
6186	8/21/01	GW07642RG	CADMIUM	REAL	TR1	0.39	UG/L		V1	0.016	1	5	YES	Plume Extent
6186	8/21/01	GW07642RG	CALCIUM	REAL	TR1	65000	UG/L		V1	3.2	1		YES	Plume Extent
6186	8/21/01	GW07642RG	CHROMIUM	REAL	TR1	11	UG/L		V1	0.3	1	100	YES	Plume Extent
6186	8/21/01	GW07642RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	Plume Extent
6186	8/21/01	GW07642RG	COPPER	REAL	TR1	0.92	UG/L	U	V1	0.92	1	1300	YES	Plume Extent
6186	8/21/01	GW07642RG	IRON	REAL	TR1	120	UG/L		V1	16	1		YES	Plume Extent
6186	8/21/01	GW07642RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	Plume Extent
6186	8/21/01	GW07642RG	LITHIUM	REAL	TR1	9.4	UG/L	B	V1	2.2	1	730	YES	Plume Extent
6186	8/21/01	GW07642RG	MAGNESIUM	REAL	TR1	11000	UG/L		J1	25	1		YES	Plume Extent
6186	8/21/01	GW07642RG	MANGANESE	REAL	TR1	0.69	UG/L	U	V1	0.69	1	1720	YES	Plume Extent
6186	8/21/01	GW07642RG	MERCURY	REAL	TR1	0.02	UG/L	U	V1	0.02	1	2	YES	Plume Extent
6186	8/21/01	GW07642RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	Plume Extent
6186	8/21/01	GW07642RG	NICKEL	REAL	TR1	1	UG/L	U	V1	1	1	140	YES	Plume Extent
6186	8/21/01	GW07642RG	POTASSIUM	REAL	TR1	710	UG/L		J1	48	1		YES	Plume Extent
6186	8/21/01	GW07642RG	SELENIUM	REAL	TR1	1.6	UG/L	B	V1	0.33	1	50	YES	Plume Extent
6186	8/21/01	GW07642RG	SILVER	REAL	TR1	0.015	UG/L	B	UJ1	0.005	1	183	YES	Plume Extent
6186	8/21/01	GW07642RG	SODIUM	REAL	TR1	8800	UG/L		V1	27	1		YES	Plume Extent
6186	8/21/01	GW07642RG	STRONTIUM	REAL	TR1	350	UG/L		J1	0.25	1	21900	YES	Plume Extent
6186	8/21/01	GW07642RG	THALLIUM	REAL	TR1	0.05	UG/L	U	R1	0.05	1	2	YES	Plume Extent
6186	8/21/01	GW07642RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	Plume Extent
6186	8/21/01	GW07642RG	URANIUM, TOTAL	REAL	TR1	4.9	UG/L		V1	0.005	1		YES	Plume Extent
6186	8/21/01	GW07642RG	VANADIUM	REAL	TR1	1	UG/L	U	V1	1	1	256	YES	Plume Extent
6186	8/21/01	GW07642RG	ZINC	REAL	TR1	1.9	UG/L	B	V1	1	1	11000	YES	Plume Extent
6286	7/18/01	GW07643RG	ALUMINUM	REAL	TR1	6.7	UG/L	B	J1	1.7	1	36500	YES	Plume Definition
6286	7/18/01	GW07643RG	ANTIMONY	REAL	TR1	0.49	UG/L	B	UJ1	0.13	1	6	YES	Plume Definition
6286	7/18/01	GW07643RG	ARSENIC	REAL	TR1	4.2	UG/L	B	V1	0.087	1	50	YES	Plume Definition
6286	7/18/01	GW07643RG	BARIUM	REAL	TR1	48.9	UG/L	B	V1	0.044	1	2000	YES	Plume Definition
6286	7/18/01	GW07643RG	BERYLLIUM	REAL	TR1	0.19	UG/L	U	V1	0.19	1	4	YES	Plume Definition
6286	7/18/01	GW07643RG	CADMIUM	REAL	TR1	0.3	UG/L	U	V1	0.3	1	5	YES	Plume Definition
6286	7/18/01	GW07643RG	CALCIUM	REAL	TR1	39700	UG/L		V1	11	1		YES	Plume Definition
6286	7/18/01	GW07643RG	CHROMIUM	REAL	TR1	35.4	UG/L		V1	0.12	1	100	YES	Plume Definition
6286	7/18/01	GW07643RG	COBALT	REAL	TR1	0.6	UG/L	U	V1	0.6	1	2190	YES	Plume Definition
6286	7/18/01	GW07643RG	COPPER	REAL	TR1	64	UG/L		V1	0.064	1	1300	YES	Plume Definition
6286	7/18/01	GW07643RG	IRON	REAL	TR1	9	UG/L	B	V1	3.5	1		YES	Plume Definition
6286	7/18/01	GW07643RG	LEAD	REAL	TR1	1.2	UG/L		V1	0.01	1	15	YES	Plume Definition
6286	7/18/01	GW07643RG	LITHIUM	REAL	TR1	59.2	UG/L	B	V1	2.1	1	730	YES	Plume Definition
6286	7/18/01	GW07643RG	MAGNESIUM	REAL	TR1	13100	UG/L		V1	24	1		YES	Plume Definition
6286	7/18/01	GW07643RG	MANGANESE	REAL	TR1	0.57	UG/L	B	UJ1	0.094	1	1720	YES	Plume Definition
6286	7/18/01	GW07643RG	MERCURY	REAL	TR1	0.026	UG/L	U	V1	0.026	1	2	YES	Plume Definition
6286	7/18/01	GW07643RG	MOLYBDENUM	REAL	TR1	10.7	UG/L	B	V1	1.4	1	183	YES	Plume Definition

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
6286	7/18/01	GW07643RG	NICKEL	REAL	TR1	2.1	UG/L	B	V1	1	1	140	YES	Plume Definition
6286	7/18/01	GW07643RG	POTASSIUM	REAL	TR1	2800	UG/L	B	UJ1	510	1		YES	Plume Definition
6286	7/18/01	GW07643RG	SELENIUM	REAL	TR1	82.9	UG/L		V1	0.2	1	50	YES	Plume Definition
6286	7/18/01	GW07643RG	SILVER	REAL	TR1	0.054	UG/L	U	V1	0.054	1	183	YES	Plume Definition
6286	7/18/01	GW07643RG	SODIUM	REAL	TR1	47800	UG/L		V1	1400	1		YES	Plume Definition
6286	7/18/01	GW07643RG	STRONTIUM	REAL	TR1	477	UG/L		V1	0.03	1	21900	YES	Plume Definition
6286	7/18/01	GW07643RG	THALLIUM	REAL	TR1	0.013	UG/L	U	J1	0.013	1	2	YES	Plume Definition
6286	7/18/01	GW07643RG	TIN	REAL	TR1	2.8	UG/L	B	UJ1	2.4	1	21900	YES	Plume Definition
6286	7/18/01	GW07643RG	URANIUM, TOTAL	REAL	TR1	15.1	UG/L	B	J1	6.6	1		YES	Plume Definition
6286	7/18/01	GW07643RG	VANADIUM	REAL	TR1	5.2	UG/L	B	V1	0.41	1	256	YES	Plume Definition
6286	7/18/01	GW07643RG	ZINC	REAL	TR1	4.8	UG/L	B	UJ1	2.5	1	11000	YES	Plume Definition
6386	8/8/01	GW07644RG	ALUMINUM	REAL	TR1	50	UG/L	N	J1	2.4	2	36500	YES	Plume Definition
6386	8/8/01	GW07644RG	ANTIMONY	REAL	TR1	0.67	UG/L	U	V1	0.67	2	6	YES	Plume Definition
6386	8/8/01	GW07644RG	ARSENIC	REAL	TR1	0.64	UG/L	U	V1	0.64	2	50	YES	Plume Definition
6386	8/8/01	GW07644RG	BARIUM	REAL	TR1	68	UG/L		V1	0.25	1	2000	YES	Plume Definition
6386	8/8/01	GW07644RG	BERYLLIUM	REAL	TR1	0.11	UG/L	U	V1	0.11	2	4	YES	Plume Definition
6386	8/8/01	GW07644RG	CADMIUM	REAL	TR1	0.24	UG/L		V1	0.032	2	5	YES	Plume Definition
6386	8/8/01	GW07644RG	CALCIUM	REAL	TR1	60000	UG/L		V1	3.2	1		YES	Plume Definition
6386	8/8/01	GW07644RG	CHROMIUM	REAL	TR1	15	UG/L		V1	0.6	2	100	YES	Plume Definition
6386	8/8/01	GW07644RG	COBALT	REAL	TR1	2.9	UG/L	B	V1	0.43	1	2190	YES	Plume Definition
6386	8/8/01	GW07644RG	COPPER	REAL	TR1	3.1	UG/L	B	V1	1.8	2	1300	YES	Plume Definition
6386	8/8/01	GW07644RG	IRON	REAL	TR1	330	UG/L		V1	16	1		YES	Plume Definition
6386	8/8/01	GW07644RG	LEAD	REAL	TR1	0.83	UG/L	B	V1	0.59	2	15	YES	Plume Definition
6386	8/8/01	GW07644RG	LITHIUM	REAL	TR1	6.6	UG/L	B	V1	2.2	1	730	YES	Plume Definition
6386	8/8/01	GW07644RG	MAGNESIUM	REAL	TR1	10000	UG/L		V1	25	1		YES	Plume Definition
6386	8/8/01	GW07644RG	MANGANESE	REAL	TR1	33	UG/L		V1	0.69	1	1720	YES	Plume Definition
6386	8/8/01	GW07644RG	MERCURY	REAL	TR1	0.027	UG/L	B	V1	0.02	1	2	YES	Plume Definition
6386	8/8/01	GW07644RG	MOLYBDENUM	REAL	TR1	9	UG/L	B	V1	4	1	183	YES	Plume Definition
6386	8/8/01	GW07644RG	NICKEL	REAL	TR1	280	UG/L		V1	1	1	140	YES	Plume Definition
6386	8/8/01	GW07644RG	POTASSIUM	REAL	TR1	290	UG/L	B	J1	48	1		YES	Plume Definition
6386	8/8/01	GW07644RG	SELENIUM	REAL	TR1	66	UG/L		V1	0.66	2	50	YES	Plume Definition
6386	8/8/01	GW07644RG	SILVER	REAL	TR1	0.05	UG/L	B	UJ1	0.01	2	183	YES	Plume Definition
6386	8/8/01	GW07644RG	SODIUM	REAL	TR1	100000	UG/L		V1	27	1		YES	Plume Definition
6386	8/8/01	GW07644RG	STRONTIUM	REAL	TR1	340	UG/L		V1	0.25	1	21900	YES	Plume Definition
6386	8/8/01	GW07644RG	THALLIUM	REAL	TR1	0.32	UG/L	B	UJ1	0.1	2	2	YES	Plume Definition
6386	8/8/01	GW07644RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	Plume Definition
6386	8/8/01	GW07644RG	URANIUM, TOTAL	REAL	TR1	16	UG/L		V1	0.005	1		YES	Plume Definition
6386	8/8/01	GW07644RG	VANADIUM	REAL	TR1	2.1	UG/L	B	V1	1.7	2	256	YES	Plume Definition
6386	8/8/01	GW07644RG	ZINC	REAL	TR1	1	UG/L	U	V1	1	1	11000	YES	Plume Definition
6586	9/17/01	GW07646RG	ALUMINUM	REAL	TR1	4.6	UG/L	B	J1	4.2	1	36500	NO	Drainage
6586	9/17/01	GW07646RG	ANTIMONY	REAL	TR1	1.3	UG/L	U	V1	1.3	1	6	NO	Drainage
6586	9/17/01	GW07646RG	ARSENIC	REAL	TR1	1.4	UG/L	U	J1	1.4	1	50	NO	Drainage
6586	9/17/01	GW07646RG	BARIUM	REAL	TR1	208	UG/L		V1	0.3	1	2000	NO	Drainage
6586	9/17/01	GW07646RG	BERYLLIUM	REAL	TR1	0.18	UG/L	U	V1	0.18	1	4	NO	Drainage
6586	9/17/01	GW07646RG	CADMIUM	REAL	TR1	0.15	UG/L	U	V1	0.15	1	5	NO	Drainage
6586	9/17/01	GW07646RG	CALCIUM	REAL	TR1	130000	UG/L		V1	11	1		NO	Drainage
6586	9/17/01	GW07646RG	CHROMIUM	REAL	TR1	69	UG/L		V1	0.28	1	100	NO	Drainage
6586	9/17/01	GW07646RG	COBALT	REAL	TR1	2.8	UG/L	B	V1	1.6	1	2190	NO	Drainage
6586	9/17/01	GW07646RG	COPPER	REAL	TR1	1.6	UG/L	B	V1	1	1	1300	NO	Drainage
6586	9/17/01	GW07646RG	IRON	REAL	TR1	538	UG/L		V1	8	1		NO	Drainage
6586	9/17/01	GW07646RG	LEAD	REAL	TR1	0.6	UG/L	U	J1	0.6	1	15	NO	Drainage
6586	9/17/01	GW07646RG	LITHIUM	REAL	TR1	31.9	UG/L	B	V1	2.1	1	730	NO	Drainage
6586	9/17/01	GW07646RG	MAGNESIUM	REAL	TR1	32000	UG/L		V1	24	1		NO	Drainage.
6586	9/17/01	GW07646RG	MANGANESE	REAL	TR1	337	UG/L		V1	0.24	1	1720	NO	Drainage
6586	9/17/01	GW07646RG	MERCURY	REAL	TR1	0.026	UG/L	U	V1	0.026	1	2	NO	Drainage
6586	9/17/01	GW07646RG	MOLYBDENUM	REAL	TR1	3.1	UG/L	B	V1	0.7	1	183	NO	Drainage
6586	9/17/01	GW07646RG	NICKEL	REAL	TR1	391	UG/L		V1	3	1	140	NO	Drainage

195

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
6586	9/17/01	GW07646RG	POTASSIUM	REAL	TR1	1970	UG/L	BJ	UJ1	510	1		NO	Drainage
6586	9/17/01	GW07646RG	SELENIUM	REAL	TR1	2.4	UG/L	B	V1	2	1	50	NO	Drainage
6586	9/17/01	GW07646RG	SILVER	REAL	TR1	0.32	UG/L	U	J1	0.32	1	183	NO	Drainage
6586	9/17/01	GW07646RG	SODIUM	REAL	TR1	98800	UG/L		J1	1400	1		NO	Drainage
6586	9/17/01	GW07646RG	STRONTIUM	REAL	TR1	1020	UG/L		V1	0.12	1	21900	NO	Drainage
6586	9/17/01	GW07646RG	THALLIUM	REAL	TR1	2.7	UG/L	BJ	UJ1	1.8	1	2	NO	Drainage
6586	9/17/01	GW07646RG	TIN	REAL	TR1	1.7	UG/L	BJ	UJ1	1.2	1	21900	NO	Drainage
6586	9/17/01	GW07646RG	URANIUM, TOTAL	REAL	TR1	36	UG/L	U	V1	36	1		NO	Drainage
6586	9/17/01	GW07646RG	VANADIUM	REAL	TR1	3	UG/L	U	V1	3	1	256	NO	Drainage
6586	9/17/01	GW07646RG	ZINC	REAL	TR1	2.6	UG/L	U	V1	2.6	1	11000	NO	Drainage
70193	7/25/01	GW07702RG	ALUMINUM	REAL	TR1	7.7	UG/L	B	J1	1.7	1	36500	YES	RCRA
70193	7/25/01	GW07702RG	ANTIMONY	REAL	TR1	0.13	UG/L	U	V1	0.13	1	6	YES	RCRA
70193	7/25/01	GW07702RG	ARSENIC	REAL	TR1	0.83	UG/L	B	V1	0.087	1	50	YES	RCRA
70193	7/25/01	GW07702RG	BARIUM	REAL	TR1	101	UG/L		V1	0.044	1	2000	YES	RCRA
70193	7/25/01	GW07702RG	BERYLLIUM	REAL	TR1	0.19	UG/L	U	V1	0.19	1	4	YES	RCRA
70193	7/25/01	GW07702RG	CADMIUM	REAL	TR1	0.3	UG/L	U	V1	0.3	1	5	YES	RCRA
70193	7/25/01	GW07702RG	CALCIUM	REAL	TR1	24100	UG/L		V1	11	1		YES	RCRA
70193	7/25/01	GW07702RG	CHROMIUM	REAL	TR1	0.12	UG/L	U	V1	0.12	1	100	YES	RCRA
70193	7/25/01	GW07702RG	COBALT	REAL	TR1	0.6	UG/L	U	V1	0.6	1	2190	YES	RCRA
70193	7/25/01	GW07702RG	COPPER	REAL	TR1	0.32	UG/L	B	J1	0.064	1	1300	YES	RCRA
70193	7/25/01	GW07702RG	IRON	REAL	TR1	6.8	UG/L	B	UJ1	3.5	1		YES	RCRA
70193	7/25/01	GW07702RG	LEAD	REAL	TR1	0.1	UG/L	B	UJ1	0.01	1	15	YES	RCRA
70193	7/25/01	GW07702RG	LITHIUM	REAL	TR1	5.4	UG/L	B	J1	2.1	1	730	YES	RCRA
70193	7/25/01	GW07702RG	MAGNESIUM	REAL	TR1	5070	UG/L		V1	24	1		YES	RCRA
70193	7/25/01	GW07702RG	MANGANESE	REAL	TR1	0.54	UG/L	B	UJ1	0.094	1	1720	YES	RCRA
70193	7/25/01	GW07702RG	MERCURY	REAL	TR1	0.026	UG/L	U	V1	0.026	1	2	YES	RCRA
70193	7/25/01	GW07702RG	MOLYBDENUM	REAL	TR1	1.4	UG/L	U	V1	1.4	1	183	YES	RCRA
70193	7/25/01	GW07702RG	NICKEL	REAL	TR1	1	UG/L	U	J1	1	1	140	YES	RCRA
70193	7/25/01	GW07702RG	POTASSIUM	REAL	TR1	1170	UG/L	B	J1	510	1		YES	RCRA
70193	7/25/01	GW07702RG	SELENIUM	REAL	TR1	11.2	UG/L		V1	0.2	1	50	YES	RCRA
70193	7/25/01	GW07702RG	SILVER	REAL	TR1	0.025	UG/L	U	J1	0.025	1	183	YES	RCRA
70193	7/25/01	GW07702RG	SODIUM	REAL	TR1	12000	UG/L		V1	1400	1		YES	RCRA
70193	7/25/01	GW07702RG	STRONTIUM	REAL	TR1	170	UG/L	B	V1	0.03	1	21900	YES	RCRA
70193	7/25/01	GW07702RG	THALLIUM	REAL	TR1	0.013	UG/L	U	V1	0.013	1	2	YES	RCRA
70193	7/25/01	GW07702RG	TIN	REAL	TR1	2.4	UG/L	U	J1	2.4	1	21900	YES	RCRA
70193	7/25/01	GW07702RG	URANIUM, TOTAL	REAL	TR1	6.6	UG/L	U	V1	6.6	1		YES	RCRA
70193	7/25/01	GW07702RG	VANADIUM	REAL	TR1	0.47	UG/L	B	UJ1	0.41	1	256	YES	RCRA
70193	7/25/01	GW07702RG	ZINC	REAL	TR1	4.5	UG/L	B	V1	2.5	1	11000	YES	RCRA
70393	7/11/01	GW07703RG	ALUMINUM	REAL	TR1	8.3	UG/L	U	V1	8.3	1	36500	NO	RCRA
70393	7/11/01	GW07703RG	ANTIMONY	REAL	TR1	0.35	UG/L	B	UJ1	0.13	1	6	NO	RCRA
70393	7/11/01	GW07703RG	ARSENIC	REAL	TR1	0.49	UG/L	B	V1	0.087	1	50	NO	RCRA
70393	7/11/01	GW07703RG	BARIUM	REAL	TR1	59.4	UG/L	B	V1	0.044	1	2000	NO	RCRA
70393	7/11/01	GW07703RG	BERYLLIUM	REAL	TR1	0.19	UG/L	U	V1	0.19	1	4	NO	RCRA
70393	7/11/01	GW07703RG	CADMIUM	REAL	TR1	0.48	UG/L	B	UJ1	0.3	1	5	NO	RCRA
70393	7/11/01	GW07703RG	CALCIUM	REAL	TR1	20300	UG/L		V1	11	1		NO	RCRA
70393	7/11/01	GW07703RG	CHROMIUM	REAL	TR1	0.12	UG/L	U	V1	0.12	1	100	NO	RCRA
70393	7/11/01	GW07703RG	COBALT	REAL	TR1	0.6	UG/L	U	V1	0.6	1	2190	NO	RCRA
70393	7/11/01	GW07703RG	COPPER	REAL	TR1	0.24	UG/L	B	J1	0.064	1	1300	NO	RCRA
70393	7/11/01	GW07703RG	IRON	REAL	TR1	12.4	UG/L	B	UJ1	3.5	1		NO	RCRA
70393	7/11/01	GW07703RG	LEAD	REAL	TR1	0.063	UG/L	B	V1	0.01	1	15	NO	RCRA
70393	7/11/01	GW07703RG	LITHIUM	REAL	TR1	5.1	UG/L	B	V1	2.1	1	730	NO	RCRA
70393	7/11/01	GW07703RG	MAGNESIUM	REAL	TR1	4140	UG/L	B	V1	24	1		NO	RCRA
70393	7/11/01	GW07703RG	MANGANESE	REAL	TR1	0.9	UG/L	B	UJ1	0.094	1	1720	NO	RCRA
70393	7/11/01	GW07703RG	MERCURY	REAL	TR1	0.026	UG/L	U	V1	0.026	1	2	NO	RCRA
70393	7/11/01	GW07703RG	MOLYBDENUM	REAL	TR1	1.4	UG/L	U	V1	1.4	1	183	NO	RCRA
70393	7/11/01	GW07703RG	NICKEL	REAL	TR1	3.2	UG/L	B	UJ1	1	1	140	NO	RCRA
70393	7/11/01	GW07703RG	POTASSIUM	REAL	TR1	510	UG/L	U	V1	510	1		NO	RCRA

196

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
70393	7/11/01	GW07703RG	SELENIUM	REAL	TR1	0.62	UG/L	B	V1	0.2	1	50	NO	RCRA
70393	7/11/01	GW07703RG	SILVER	REAL	TR1	0.054	UG/L	U	V1	0.054	1	183	NO	RCRA
70393	7/11/01	GW07703RG	SODIUM	REAL	TR1	12800	UG/L		V1	1400	1		NO	RCRA
70393	7/11/01	GW07703RG	STRONTIUM	REAL	TR1	113	UG/L	B	V1	0.03	1	21900	NO	RCRA
70393	7/11/01	GW07703RG	THALLIUM	REAL	TR1	0.013	UG/L	U	V1	0.013	1	2	NO	RCRA
70393	7/11/01	GW07703RG	TIN	REAL	TR1	2.4	UG/L	U	V1	2.4	1	21900	NO	RCRA
70393	7/11/01	GW07703RG	URANIUM, TOTAL	REAL	TR1	6.6	UG/L	U	J1	6.6	1		NO	RCRA
70393	7/11/01	GW07703RG	VANADIUM	REAL	TR1	0.84	UG/L	B	V1	0.41	1	256	NO	RCRA
70393	7/11/01	GW07703RG	ZINC	REAL	TR1	9.8	UG/L	B	UJ1	2.5	1	11000	NO	RCRA
70493	7/26/01	GW07704RG	ALUMINUM	REAL	TR1	4	UG/L	B	J1	1.7	1	36500	YES	RCRA
70493	7/26/01	GW07704RG	ANTIMONY	REAL	TR1	0.13	UG/L	U	V1	0.13	1	6	YES	RCRA
70493	7/26/01	GW07704RG	ARSENIC	REAL	TR1	0.42	UG/L	B	V1	0.087	1	50	YES	RCRA
70493	7/26/01	GW07704RG	BARIUM	REAL	TR1	100	UG/L		V1	0.044	1	2000	YES	RCRA
70493	7/26/01	GW07704RG	BERYLLIUM	REAL	TR1	0.19	UG/L	U	V1	0.19	1	4	YES	RCRA
70493	7/26/01	GW07704RG	CADMIUM	REAL	TR1	0.3	UG/L	U	V1	0.3	1	5	YES	RCRA
70493	7/26/01	GW07704RG	CALCIUM	REAL	TR1	28900	UG/L		V1	11	1		YES	RCRA
70493	7/26/01	GW07704RG	CHROMIUM	REAL	TR1	0.12	UG/L	U	V1	0.12	1	100	YES	RCRA
70493	7/26/01	GW07704RG	COBALT	REAL	TR1	0.6	UG/L	U	V1	0.6	1	2190	YES	RCRA
70493	7/26/01	GW07704RG	COPPER	REAL	TR1	0.47	UG/L	B	J1	0.064	1	1300	YES	RCRA
70493	7/26/01	GW07704RG	IRON	REAL	TR1	4.7	UG/L	B	UJ1	3.5	1		YES	RCRA
70493	7/26/01	GW07704RG	LEAD	REAL	TR1	0.1	UG/L	B	UJ1	0.01	1	15	YES	RCRA
70493	7/26/01	GW07704RG	LITHIUM	REAL	TR1	10.4	UG/L	B	J1	2.1	1	730	YES	RCRA
70493	7/26/01	GW07704RG	MAGNESIUM	REAL	TR1	6870	UG/L		V1	24	1		YES	RCRA
70493	7/26/01	GW07704RG	MANGANESE	REAL	TR1	0.63	UG/L	B	V1	0.094	1	1720	YES	RCRA
70493	7/26/01	GW07704RG	MERCURY	REAL	TR1	0.026	UG/L	U	V1	0.026	1	2	YES	RCRA
70493	7/26/01	GW07704RG	MOLYBDENUM	REAL	TR1	1.6	UG/L	B	V1	1.4	1	183	YES	RCRA
70493	7/26/01	GW07704RG	NICKEL	REAL	TR1	1	UG/L	U	J1	1	1	140	YES	RCRA
70493	7/26/01	GW07704RG	POTASSIUM	REAL	TR1	1380	UG/L	B	J1	510	1		YES	RCRA
70493	7/26/01	GW07704RG	SELENIUM	REAL	TR1	1.6	UG/L	B	V1	0.2	1	50	YES	RCRA
70493	7/26/01	GW07704RG	SILVER	REAL	TR1	0.23	UG/L	B	J1	0.025	1	183	YES	RCRA
70493	7/26/01	GW07704RG	SODIUM	REAL	TR1	14300	UG/L		V1	1400	1		YES	RCRA
70493	7/26/01	GW07704RG	STRONTIUM	REAL	TR1	222	UG/L		V1	0.03	1	21900	YES	RCRA
70493	7/26/01	GW07704RG	THALLIUM	REAL	TR1	0.021	UG/L	B	UJ1	0.013	1	2	YES	RCRA
70493	7/26/01	GW07704RG	TIN	REAL	TR1	2.4	UG/L	U	J1	2.4	1	21900	YES	RCRA
70493	7/26/01	GW07704RG	URANIUM, TOTAL	REAL	TR1	6.6	UG/L	U	V1	6.6	1		YES	RCRA
70493	7/26/01	GW07704RG	VANADIUM	REAL	TR1	0.78	UG/L	B	UJ1	0.41	1	256	YES	RCRA
70493	7/26/01	GW07704RG	ZINC	REAL	TR1	6.8	UG/L	B	V1	2.5	1	11000	YES	RCRA
7086	9/10/01	GW08647RG	ALUMINUM	REAL	TR1	110	UG/L	B	J1	60	50	36500	YES	Plume Extent
7086	9/10/01	GW08647RG	ANTIMONY	REAL	TR1	3.4	UG/L	U	J1	3.4	10	6	YES	Plume Extent
7086	9/10/01	GW08647RG	ARSENIC	REAL	TR1	16	UG/L	U	V1	16	50	50	YES	Plume Extent
7086	9/10/01	GW08647RG	BARIUM	REAL	TR1	110	UG/L		V1	0.25	1	2000	YES	Plume Extent
7086	9/10/01	GW08647RG	BERYLLIUM	REAL	TR1	2.7	UG/L	U	V1	2.7	50	4	YES	Plume Extent
7086	9/10/01	GW08647RG	CADMIUM	REAL	TR1	0.16	UG/L	U	V1	0.16	10	5	YES	Plume Extent
7086	9/10/01	GW08647RG	CALCIUM	REAL	TR1	56000	UG/L		V1	3.2	1		YES	Plume Extent
7086	9/10/01	GW08647RG	CHROMIUM	REAL	TR1	18	UG/L	B	V1	15	50	100	YES	Plume Extent
7086	9/10/01	GW08647RG	COBALT	REAL	TR1	2.1	UG/L	B	V1	0.43	1	2190	YES	Plume Extent
7086	9/10/01	GW08647RG	COPPER	REAL	TR1	46	UG/L	U	V1	46	50	1300	YES	Plume Extent
7086	9/10/01	GW08647RG	IRON	REAL	TR1	190	UG/L		V1	16	1		YES	Plume Extent
7086	9/10/01	GW08647RG	LEAD	REAL	TR1	1.5	UG/L	U	V1	1.5	5	15	YES	Plume Extent
7086	9/10/01	GW08647RG	LITHIUM	REAL	TR1	8.8	UG/L	B	V1	2.2	1	730	YES	Plume Extent
7086	9/10/01	GW08647RG	MAGNESIUM	REAL	TR1	14000	UG/L		R1	25	1		YES	Plume Extent
7086	9/10/01	GW08647RG	MANGANESE	REAL	TR1	170	UG/L		V1	0.69	1	1720	YES	Plume Extent
7086	9/10/01	GW08647RG	MERCURY	REAL	TR1	0.029	UG/L	U	V1	0.029	1	2	YES	Plume Extent
7086	9/10/01	GW08647RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	Plume Extent
7086	9/10/01	GW08647RG	NICKEL	REAL	TR1	55	UG/L		V1	1	1	140	YES	Plume Extent
7086	9/10/01	GW08647RG	POTASSIUM	REAL	TR1	820	UG/L		V1	48	1		YES	Plume Extent
7086	9/10/01	GW08647RG	SELENIUM	REAL	TR1	16	UG/L	U	J1	16	50	50	YES	Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
7086	9/10/01	GW08647RG	SILVER	REAL	TR1	0.05	UG/L	U	J1	0.05	10	183	YES	Plume Extent
7086	9/10/01	GW08647RG	SODIUM	REAL	TR1	29000	UG/L		V1	27	1		YES	Plume Extent
7086	9/10/01	GW08647RG	STRONTIUM	REAL	TR1	340	UG/L		V1	0.25	1	21900	YES	Plume Extent
7086	9/10/01	GW08647RG	THALLIUM	REAL	TR1	0.25	UG/L	U	V1	0.25	5	2	YES	Plume Extent
7086	9/10/01	GW08647RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	Plume Extent
7086	9/10/01	GW08647RG	URANIUM, TOTAL	REAL	TR1	2.2	UG/L	B	V1	0.025	5		YES	Plume Extent
7086	9/10/01	GW08647RG	VANADIUM	REAL	TR1	44	UG/L	U	V1	44	50	256	YES	Plume Extent
7086	9/10/01	GW08647RG	ZINC	REAL	TR1	1	UG/L	U	V1	1	1	11000	YES	Plume Extent
891COLWEL	9/6/01	GW07707RG	ALUMINUM	REAL	TR1	1300	UG/L		V1	60	50	36500	YES	Perf Monitoring
891COLWEL	9/6/01	GW07707RG	ANTIMONY	REAL	TR1	5.3	UG/L	B	UJ1	3.4	10	6	YES	Perf Monitoring
891COLWEL	9/6/01	GW07707RG	ARSENIC	REAL	TR1	16	UG/L	U	V1	16	50	50	YES	Perf Monitoring
891COLWEL	9/6/01	GW07707RG	BARIUM	REAL	TR1	69	UG/L		V1	0.25	1	2000	YES	Perf Monitoring
891COLWEL	9/6/01	GW07707RG	BERYLLIUM	REAL	TR1	2.7	UG/L	U	V1	2.7	50	4	YES	Perf Monitoring
891COLWEL	9/6/01	GW07707RG	CADMIUM	REAL	TR1	0.16	UG/L	U	V1	0.16	10	5	YES	Perf Monitoring
891COLWEL	9/6/01	GW07707RG	CALCIUM	REAL	TR1	180000	UG/L		V1	3.2	1		YES	Perf Monitoring
891COLWEL	9/6/01	GW07707RG	CHROMIUM	REAL	TR1	15	UG/L	U	V1	15	50	100	YES	Perf Monitoring
891COLWEL	9/6/01	GW07707RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	Perf Monitoring
891COLWEL	9/6/01	GW07707RG	COPPER	REAL	TR1	46	UG/L	U	V1	46	50	1300	YES	Perf Monitoring
891COLWEL	9/6/01	GW07707RG	IRON	REAL	TR1	140	UG/L	B	V1	16	1		YES	Perf Monitoring
891COLWEL	9/6/01	GW07707RG	LEAD	REAL	TR1	1.5	UG/L	U	V1	1.5	5	15	YES	Perf Monitoring
891COLWEL	9/6/01	GW07707RG	LITHIUM	REAL	TR1	32	UG/L		V1	2.2	1	730	YES	Perf Monitoring
891COLWEL	9/6/01	GW07707RG	MAGNESIUM	REAL	TR1	37000	UG/L		V1	25	1		YES	Perf Monitoring
891COLWEL	9/6/01	GW07707RG	MANGANESE	REAL	TR1	1.1	UG/L	B	V1	0.69	1	1720	YES	Perf Monitoring
891COLWEL	9/6/01	GW07707RG	MERCURY	REAL	TR1	0.029	UG/L	U	V1	0.029	1	2	YES	Perf Monitoring
891COLWEL	9/6/01	GW07707RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	Perf Monitoring
891COLWEL	9/6/01	GW07707RG	NICKEL	REAL	TR1	13	UG/L		V1	1	1	140	YES	Perf Monitoring
891COLWEL	9/6/01	GW07707RG	POTASSIUM	REAL	TR1	550	UG/L	B	V1	48	1		YES	Perf Monitoring
891COLWEL	9/6/01	GW07707RG	SELENIUM	REAL	TR1	590	UG/L		V1	16	50	50	YES	Perf Monitoring
891COLWEL	9/6/01	GW07707RG	SILVER	REAL	TR1	0.05	UG/L	U	V1	0.05	10	183	YES	Perf Monitoring
891COLWEL	9/6/01	GW07707RG	SODIUM	REAL	TR1	140000	UG/L		V1	27	1		YES	Perf Monitoring
891COLWEL	9/6/01	GW07707RG	STRONTIUM	REAL	TR1	1200	UG/L		V1	0.25	1	21900	YES	Perf Monitoring
891COLWEL	9/6/01	GW07707RG	THALLIUM	REAL	TR1	0.25	UG/L	U	V1	0.25	5	2	YES	Perf Monitoring
891COLWEL	9/6/01	GW07707RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	Perf Monitoring
891COLWEL	9/6/01	GW07707RG	URANIUM, TOTAL	REAL	TR1	22	UG/L		V1	0.025	5		YES	Perf Monitoring
891COLWEL	9/6/01	GW07707RG	VANADIUM	REAL	TR1	44	UG/L	U	V1	44	50	256	YES	Perf Monitoring
891COLWEL	9/6/01	GW07707RG	ZINC	REAL	TR1	1	UG/L	U	J1	1	1	11000	YES	Perf Monitoring
90299	9/12/01	GW07721RG	ALUMINUM	REAL	TR1	3.9	UG/L	BN	UJ1	1.2	1	36500	YES	Plume Degradation
90299	9/12/01	GW07721RG	ANTIMONY	REAL	TR1	0.34	UG/L	U	V1	0.34	1	6	YES	Plume Degradation
90299	9/12/01	GW07721RG	ARSENIC	REAL	TR1	0.73	UG/L	B	V1	0.32	1	50	YES	Plume Degradation
90299	9/12/01	GW07721RG	BARIUM	REAL	TR1	56	UG/L	B	V1	0.25	1	2000	YES	Plume Degradation
90299	9/12/01	GW07721RG	BERYLLIUM	REAL	TR1	0.54	UG/L	U	V1	0.54	10	4	YES	Plume Degradation
90299	9/12/01	GW07721RG	CADMIUM	REAL	TR1	0.36	UG/L		V1	0.016	1	5	YES	Plume Degradation
90299	9/12/01	GW07721RG	CALCIUM	REAL	TR1	120000	UG/L		V1	3.2	1		YES	Plume Degradation
90299	9/12/01	GW07721RG	CHROMIUM	REAL	TR1	0.3	UG/L	U	V1	0.3	1	100	YES	Plume Degradation
90299	9/12/01	GW07721RG	COBALT	REAL	TR1	0.81	UG/L	B	V1	0.43	1	2190	YES	Plume Degradation
90299	9/12/01	GW07721RG	COPPER	REAL	TR1	4.2	UG/L		V1	0.92	1	1300	YES	Plume Degradation
90299	9/12/01	GW07721RG	IRON	REAL	TR1	120	UG/L		V1	16	1		YES	Plume Degradation
90299	9/12/01	GW07721RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	Plume Degradation
90299	9/12/01	GW07721RG	LITHIUM	REAL	TR1	140	UG/L		V1	2.2	1	730	YES	Plume Degradation
90299	9/12/01	GW07721RG	MAGNESIUM	REAL	TR1	44000	UG/L		V1	25	1		YES	Plume Degradation
90299	9/12/01	GW07721RG	MANGANESE	REAL	TR1	450	UG/L		V1	0.69	1	1720	YES	Plume Degradation
90299	9/12/01	GW07721RG	MERCURY	REAL	TR1	0.017	UG/L	U	V1	0.017	1	2	YES	Plume Degradation
90299	9/12/01	GW07721RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	Plume Degradation
90299	9/12/01	GW07721RG	NICKEL	REAL	TR1	1.6	UG/L	B	V1	1	1	140	YES	Plume Degradation
90299	9/12/01	GW07721RG	POTASSIUM	REAL	TR1	2000	UG/L	B	V1	48	1		YES	Plume Degradation
90299	9/12/01	GW07721RG	SELENIUM	REAL	TR1	0.92	UG/L	B	V1	0.33	1	50	YES	Plume Degradation
90299	9/12/01	GW07721RG	SILVER	REAL	TR1	0.005	UG/L	U	V1	0.005	1	183	YES	Plume Degradation

198

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
90299	9/12/01	GW07721RG	SODIUM	REAL	TR1	200000	UG/L		V1	27	1		YES	Plume Degradation
90299	9/12/01	GW07721RG	STRONTIUM	REAL	TR1	1600	UG/L		V1	0.25	1	21900	YES	Plume Degradation
90299	9/12/01	GW07721RG	THALLIUM	REAL	TR1	0.05	UG/L	U	V1	0.05	1	2	YES	Plume Degradation
90299	9/12/01	GW07721RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	Plume Degradation
90299	9/12/01	GW07721RG	URANIUM, TOTAL	REAL	TR1	53	UG/L	N	V1	0.005	1		YES	Plume Degradation
90299	9/12/01	GW07721RG	VANADIUM	REAL	TR1	0.87	UG/L	U	V1	0.87	1	256	YES	Plume Degradation
90299	9/12/01	GW07721RG	ZINC	REAL	TR1	4.9	UG/L	B	J1	1	1	11000	YES	Plume Degradation
90399	8/27/01	GW07722RG	ALUMINUM	REAL	TR1	1.6	UG/L	B	V1	1.2	1	36500	YES	Plume Degradation
90399	8/27/01	GW07722RG	ANTIMONY	REAL	TR1	0.34	UG/L	U	V1	0.34	1	6	YES	Plume Degradation
90399	8/27/01	GW07722RG	ARSENIC	REAL	TR1	0.49	UG/L	B	V1	0.32	1	50	YES	Plume Degradation
90399	8/27/01	GW07722RG	BARIUM	REAL	TR1	46	UG/L		J1	0.25	1	2000	YES	Plume Degradation
90399	8/27/01	GW07722RG	BERYLLIUM	REAL	TR1	0.54	UG/L	U	V1	0.54	10	4	YES	Plume Degradation
90399	8/27/01	GW07722RG	CADMIUM	REAL	TR1	0.066	UG/L	B	V1	0.016	1	5	YES	Plume Degradation
90399	8/27/01	GW07722RG	CALCIUM	REAL	TR1	38000	UG/L		J1	3.2	1		YES	Plume Degradation
90399	8/27/01	GW07722RG	CHROMIUM	REAL	TR1	8.3	UG/L		V1	0.3	1	100	YES	Plume Degradation
90399	8/27/01	GW07722RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	Plume Degradation
90399	8/27/01	GW07722RG	COPPER	REAL	TR1	2.4	UG/L		V1	0.92	1	1300	YES	Plume Degradation
90399	8/27/01	GW07722RG	IRON	REAL	TR1	59	UG/L	B	V1	16	1		YES	Plume Degradation
90399	8/27/01	GW07722RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	Plume Degradation
90399	8/27/01	GW07722RG	LITHIUM	REAL	TR1	76	UG/L		V1	2.2	1	730	YES	Plume Degradation
90399	8/27/01	GW07722RG	MAGNESIUM	REAL	TR1	14000	UG/L		J1	25	1		YES	Plume Degradation
90399	8/27/01	GW07722RG	MANGANESE	REAL	TR1	0.69	UG/L	U	V1	0.69	1	1720	YES	Plume Degradation
90399	8/27/01	GW07722RG	MERCURY	REAL	TR1	0.02	UG/L	U	V1	0.02	1	2	YES	Plume Degradation
90399	8/27/01	GW07722RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	Plume Degradation
90399	8/27/01	GW07722RG	NICKEL	REAL	TR1	1	UG/L	U	V1	1	1	140	YES	Plume Degradation
90399	8/27/01	GW07722RG	POTASSIUM	REAL	TR1	1800	UG/L		J1	48	1		YES	Plume Degradation
90399	8/27/01	GW07722RG	SELENIUM	REAL	TR1	21	UG/L	N	J1	0.33	1	50	YES	Plume Degradation
90399	8/27/01	GW07722RG	SILVER	REAL	TR1	0.005	UG/L	U	V1	0.005	1	183	YES	Plume Degradation
90399	8/27/01	GW07722RG	SODIUM	REAL	TR1	130000	UG/L		J1	27	1		YES	Plume Degradation
90399	8/27/01	GW07722RG	STRONTIUM	REAL	TR1	510	UG/L		J1	0.25	1	21900	YES	Plume Degradation
90399	8/27/01	GW07722RG	THALLIUM	REAL	TR1	0.05	UG/L	U	R1	0.05	1	2	YES	Plume Degradation
90399	8/27/01	GW07722RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	Plume Degradation
90399	8/27/01	GW07722RG	URANIUM, TOTAL	REAL	TR1	15	UG/L		V1	0.005	1		YES	Plume Degradation
90399	8/27/01	GW07722RG	VANADIUM	REAL	TR1	1.5	UG/L	B	V1	0.87	1	256	YES	Plume Degradation
90399	8/27/01	GW07722RG	ZINC	REAL	TR1	1	UG/L	U	V1	1	1	11000	YES	Plume Degradation
B206989	8/7/01	GW07705RG	ALUMINUM	REAL	TR1	48	UG/L	N	J1	2.4	2	36500	YES	RCRA
B206989	8/7/01	GW07705RG	ANTIMONY	REAL	TR1	1.7	UG/L	B	UJ1	0.67	2	6	YES	RCRA
B206989	8/7/01	GW07705RG	ARSENIC	REAL	TR1	0.64	UG/L	U	V1	0.64	2	50	YES	RCRA
B206989	8/7/01	GW07705RG	BARIUM	REAL	TR1	14	UG/L		V1	0.25	1	2000	YES	RCRA
B206989	8/7/01	GW07705RG	BERYLLIUM	REAL	TR1	2.7	UG/L	U	V1	2.7	50	4	YES	RCRA
B206989	8/7/01	GW07705RG	CADMIUM	REAL	TR1	0.46	UG/L		V1	0.032	2	5	YES	RCRA
B206989	8/7/01	GW07705RG	CALCIUM	REAL	TR1	490000	UG/L		V1	3.2	1		YES	RCRA
B206989	8/7/01	GW07705RG	CHROMIUM	REAL	TR1	9.8	UG/L		V1	0.6	2	100	YES	RCRA
B206989	8/7/01	GW07705RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	RCRA
B206989	8/7/01	GW07705RG	COPPER	REAL	TR1	16	UG/L		V1	1.8	2	1300	YES	RCRA
B206989	8/7/01	GW07705RG	IRON	REAL	TR1	390	UG/L		V1	16	1		YES	RCRA
B206989	8/7/01	GW07705RG	LEAD	REAL	TR1	1.2	UG/L	B	V1	0.59	2	15	YES	RCRA
B206989	8/7/01	GW07705RG	LITHIUM	REAL	TR1	1100	UG/L		V1	2.2	1	730	YES	RCRA
B206989	8/7/01	GW07705RG	MAGNESIUM	REAL	TR1	190000	UG/L		V1	25	1		YES	RCRA
B206989	8/7/01	GW07705RG	MANGANESE	REAL	TR1	2.2	UG/L	B	V1	0.69	1	1720	YES	RCRA
B206989	8/7/01	GW07705RG	MERCURY	REAL	TR1	0.02	UG/L	U	V1	0.02	1	2	YES	RCRA
B206989	8/7/01	GW07705RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	RCRA
B206989	8/7/01	GW07705RG	NICKEL	REAL	TR1	1.7	UG/L	B	V1	1	1	140	YES	RCRA
B206989	8/7/01	GW07705RG	POTASSIUM	REAL	TR1	16000	UG/L		V1	48	1		YES	RCRA
B206989	8/7/01	GW07705RG	SELENIUM	REAL	TR1	280	UG/L		V1	0.66	2	50	YES	RCRA
B206989	8/7/01	GW07705RG	SILVER	REAL	TR1	0.05	UG/L	B	UJ1	0.01	2	183	YES	RCRA
B206989	8/7/01	GW07705RG	SODIUM	REAL	TR1	700000	UG/L		V1	27	1		YES	RCRA

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
B206989	8/7/01	GW07705RG	STRONTIUM	REAL	TR1	6400	UG/L		V1	0.25	1	21900	YES	RCRA
B206989	8/7/01	GW07705RG	THALLIUM	REAL	TR1	0.6	UG/L	B	UJ1	0.1	2	2	YES	RCRA
B206989	8/7/01	GW07705RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	RCRA
B206989	8/7/01	GW07705RG	URANIUM, TOTAL	REAL	TR1	80	UG/L		V1	0.005	1		YES	RCRA
B206989	8/7/01	GW07705RG	VANADIUM	REAL	TR1	2.5	UG/L	B	V1	1.7	2	256	YES	RCRA
B206989	8/7/01	GW07705RG	ZINC	REAL	TR1	2.2	UG/L	B	J1	1	1	11000	YES	RCRA
B371BAS	8/14/01	SW07689RG	ALUMINUM	REAL	TR1	8.6	UG/L	B	J1	6	5	36500	YES	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	ANTIMONY	REAL	TR1	0.34	UG/L	U	V1	0.34	1	6	YES	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	ARSENIC	REAL	TR1	0.64	UG/L	B	V1	0.32	1	50	YES	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	BARIUM	REAL	TR1	200	UG/L		J1	0.25	1	2000	YES	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	BERYLLIUM	REAL	TR1	0.054	UG/L	U	J1	0.054	1	4	YES	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	CADMIUM	REAL	TR1	0.02	UG/L	B	V1	0.016	1	5	YES	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	CALCIUM	REAL	TR1	100000	UG/L		J1	3.2	1		YES	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	CHROMIUM	REAL	TR1	4.7	UG/L		J1	0.3	1	100	YES	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	COPPER	REAL	TR1	0.97	UG/L	B	V1	0.92	1	1300	YES	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	IRON	REAL	TR1	170	UG/L		V1	16	1		YES	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	LITHIUM	REAL	TR1	6.6	UG/L	B	V1	2.2	1	730	YES	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	MAGNESIUM	REAL	TR1	18000	UG/L		J1	25	1		YES	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	MANGANESE	REAL	TR1	28	UG/L		V1	0.69	1	1720	YES	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	MERCURY	REAL	TR1	0.02	UG/L	U	J1	0.02	1	2	YES	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	NICKEL	REAL	TR1	1	UG/L	U	V1	1	1	140	YES	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	POTASSIUM	REAL	TR1	4100	UG/L		J1	48	1		YES	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	SELENIUM	REAL	TR1	8.9	UG/L	N	J1	0.33	1	50	YES	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	SILVER	REAL	TR1	0.017	UG/L	B	UJ1	0.005	1	183	YES	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	SODIUM	REAL	TR1	43000	UG/L		J1	27	1		YES	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	STRONTIUM	REAL	TR1	620	UG/L		J1	0.25	1	21900	YES	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	THALLIUM	REAL	TR1	0.05	UG/L	U	R1	0.05	1	2	YES	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	URANIUM, TOTAL	REAL	TR1	4.6	UG/L		V1	0.005	1		YES	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	VANADIUM	REAL	TR1	4.4	UG/L	U	V1	4.4	5	256	YES	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	VANADIUM	REAL	TR1	1	UG/L	U	V1	1	1	256	YES	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	ZINC	REAL	TR1	2	UG/L	B	J1	1	1	11000	YES	D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	ALUMINUM	REAL	TR1	6	UG/L	U	J1	6	5	36500	YES	D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	ANTIMONY	REAL	TR1	0.34	UG/L	U	V1	0.34	1	6	YES	D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	ARSENIC	REAL	TR1	1.2	UG/L	B	V1	0.32	1	50	YES	D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	BARIUM	REAL	TR1	210	UG/L		J1	0.25	1	2000	YES	D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	BERYLLIUM	REAL	TR1	0.054	UG/L	U	J1	0.054	1	4	YES	D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	CADMIUM	REAL	TR1	0.018	UG/L	B	V1	0.016	1	5	YES	D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	CALCIUM	REAL	TR1	120000	UG/L		J1	3.2	1		YES	D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	CHROMIUM	REAL	TR1	7.1	UG/L		J1	0.3	1	100	YES	D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	COPPER	REAL	TR1	0.92	UG/L	U	V1	0.92	1	1300	YES	D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	IRON	REAL	TR1	510	UG/L		V1	16	1		YES	D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	LITHIUM	REAL	TR1	11	UG/L		V1	2.2	1	730	YES	D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	MAGNESIUM	REAL	TR1	24000	UG/L		J1	25	1		YES	D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	MANGANESE	REAL	TR1	420	UG/L		V1	0.69	1	1720	YES	D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	MERCURY	REAL	TR1	0.028	UG/L	B	J1	0.02	1	2	YES	D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	NICKEL	REAL	TR1	1	UG/L	U	V1	1	1	140	YES	D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	POTASSIUM	REAL	TR1	4200	UG/L		J1	48	1		YES	D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	SELENIUM	REAL	TR1	2.9	UG/L	BN	J1	0.33	1	50	YES	D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	SILVER	REAL	TR1	0.005	UG/L	U	V1	0.005	1	183	YES	D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	SODIUM	REAL	TR1	41000	UG/L		J1	27	1		YES	D&D Bldg 371/374

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
B371SUBBAS	8/15/01	SW07690RG	STRONTIUM	REAL	TR1	790	UG/L		J1	0.25	1	21900	YES	D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	THALLIUM	REAL	TR1	0.05	UG/L	U	R1	0.05	1	2	YES	D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	URANIUM, TOTAL	REAL	TR1	4.9	UG/L		V1	0.005	1		YES	D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	VANADIUM	REAL	TR1	1	UG/L	U	V1	1	1	256	YES	D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	VANADIUM	REAL	TR1	4.4	UG/L	U	V1	4.4	5	256	YES	D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	ZINC	REAL	TR1	1	UG/L	U	V1	1	1	11000	YES	D&D Bldg 371/374
P114389	8/28/01	GW07668RG	ALUMINUM	REAL	TR1	72	UG/L	B	V1	12	10	36500	YES	Plume Extent
P114389	8/28/01	GW07668RG	ANTIMONY	REAL	TR1	0.34	UG/L	U	V1	0.34	1	6	YES	Plume Extent
P114389	8/28/01	GW07668RG	ARSENIC	REAL	TR1	1.7	UG/L	B	V1	0.32	1	50	YES	Plume Extent
P114389	8/28/01	GW07668RG	BARIUM	REAL	TR1	270	UG/L		J1	0.25	1	2000	YES	Plume Extent
P114389	8/28/01	GW07668RG	BERYLLIUM	REAL	TR1	0.054	UG/L	U	V1	0.054	1	4	YES	Plume Extent
P114389	8/28/01	GW07668RG	CADMIUM	REAL	TR1	0.51	UG/L		V1	0.016	1	5	YES	Plume Extent
P114389	8/28/01	GW07668RG	CALCIUM	REAL	TR1	170000	UG/L		J1	3.2	1		YES	Plume Extent
P114389	8/28/01	GW07668RG	CHROMIUM	REAL	TR1	22	UG/L		V1	0.3	1	100	YES	Plume Extent
P114389	8/28/01	GW07668RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	Plume Extent
P114389	8/28/01	GW07668RG	COPPER	REAL	TR1	2.9	UG/L		V1	0.92	1	1300	YES	Plume Extent
P114389	8/28/01	GW07668RG	IRON	REAL	TR1	240	UG/L		V1	16	1		YES	Plume Extent
P114389	8/28/01	GW07668RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	Plume Extent
P114389	8/28/01	GW07668RG	LITHIUM	REAL	TR1	19	UG/L		V1	2.2	1	730	YES	Plume Extent
P114389	8/28/01	GW07668RG	MAGNESIUM	REAL	TR1	41000	UG/L		J1	25	1		YES	Plume Extent
P114389	8/28/01	GW07668RG	MANGANESE	REAL	TR1	730	UG/L		V1	0.69	1	1720	YES	Plume Extent
P114389	8/28/01	GW07668RG	MERCURY	REAL	TR1	0.057	UG/L	B	V1	0.029	1	2	YES	Plume Extent
P114389	8/28/01	GW07668RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	Plume Extent
P114389	8/28/01	GW07668RG	NICKEL	REAL	TR1	1	UG/L	U	V1	1	1	140	YES	Plume Extent
P114389	8/28/01	GW07668RG	POTASSIUM	REAL	TR1	420	UG/L	B	J1	48	1		YES	Plume Extent
P114389	8/28/01	GW07668RG	SELENIUM	REAL	TR1	2.4	UG/L	BN	J1	0.33	1	50	YES	Plume Extent
P114389	8/28/01	GW07668RG	SILVER	REAL	TR1	0.005	UG/L	U	V1	0.005	1	183	YES	Plume Extent
P114389	8/28/01	GW07668RG	SODIUM	REAL	TR1	130000	UG/L		J1	27	1		YES	Plume Extent
P114389	8/28/01	GW07668RG	STRONTIUM	REAL	TR1	1100	UG/L		J1	0.25	1	21900	YES	Plume Extent
P114389	8/28/01	GW07668RG	THALLIUM	REAL	TR1	0.05	UG/L	U	R1	0.05	1	2	YES	Plume Extent
P114389	8/28/01	GW07668RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	Plume Extent
P114389	8/28/01	GW07668RG	URANIUM, TOTAL	REAL	TR1	5.3	UG/L		V1	0.005	1		YES	Plume Extent
P114389	8/28/01	GW07668RG	VANADIUM	REAL	TR1	8.7	UG/L	U	V1	8.7	10	256	YES	Plume Extent
P114389	8/28/01	GW07668RG	ZINC	REAL	TR1	1	UG/L	U	V1	1	1	11000	YES	Plume Extent
P209389	7/23/01	GW07669RG	ALUMINUM	REAL	TR1	2.4	UG/L	B	J1	1.7	1	36500	YES	Plume Definition
P209389	7/23/01	GW07671RG	ALUMINUM	RNS	TR1	1.7	UG/L	U	J1	1.7	1	36500	YES	Plume Definition
P209389	7/23/01	GW07670RG	ALUMINUM	DUP	TR1	2.8	UG/L	B	J1	1.7	1	36500	YES	Plume Definition
P209389	7/23/01	GW07669RG	ANTIMONY	REAL	TR1	0.13	UG/L	U	V1	0.13	1	6	YES	Plume Definition
P209389	7/23/01	GW07670RG	ANTIMONY	DUP	TR1	0.13	UG/L	U	V1	0.13	1	6	YES	Plume Definition
P209389	7/23/01	GW07671RG	ANTIMONY	RNS	TR1	0.13	UG/L	U	V1	0.13	1	6	YES	Plume Definition
P209389	7/23/01	GW07669RG	ARSENIC	REAL	TR1	0.57	UG/L	B	V1	0.087	1	50	YES	Plume Definition
P209389	7/23/01	GW07671RG	ARSENIC	RNS	TR1	0.087	UG/L	U	V1	0.087	1	50	YES	Plume Definition
P209389	7/23/01	GW07670RG	ARSENIC	DUP	TR1	0.49	UG/L	B	V1	0.087	1	50	YES	Plume Definition
P209389	7/23/01	GW07669RG	BARIUM	REAL	TR1	109	UG/L		V1	0.044	1	2000	YES	Plume Definition
P209389	7/23/01	GW07670RG	BARIUM	DUP	TR1	115	UG/L		V1	0.044	1	2000	YES	Plume Definition
P209389	7/23/01	GW07671RG	BARIUM	RNS	TR1	1.7	UG/L	B	V1	0.044	1	2000	YES	Plume Definition
P209389	7/23/01	GW07670RG	BERYLLIUM	DUP	TR1	0.19	UG/L	U	V1	0.19	1	4	YES	Plume Definition
P209389	7/23/01	GW07669RG	BERYLLIUM	REAL	TR1	0.19	UG/L	U	V1	0.19	1	4	YES	Plume Definition
P209389	7/23/01	GW07671RG	BERYLLIUM	RNS	TR1	0.19	UG/L	U	V1	0.19	1	4	YES	Plume Definition
P209389	7/23/01	GW07670RG	CADMIUM	DUP	TR1	0.37	UG/L	B	UJ1	0.3	1	5	YES	Plume Definition
P209389	7/23/01	GW07669RG	CADMIUM	REAL	TR1	0.3	UG/L	B	UJ1	0.3	1	5	YES	Plume Definition
P209389	7/23/01	GW07671RG	CADMIUM	RNS	TR1	0.3	UG/L	U	V1	0.3	1	5	YES	Plume Definition
P209389	7/23/01	GW07671RG	CALCIUM	RNS	TR1	41.3	UG/L	B	V1	11	1		YES	Plume Definition
P209389	7/23/01	GW07669RG	CALCIUM	REAL	TR1	113000	UG/L		V1	11	1		YES	Plume Definition
P209389	7/23/01	GW07670RG	CALCIUM	DUP	TR1	113000	UG/L		V1	11	1		YES	Plume Definition
P209389	7/23/01	GW07670RG	CHROMIUM	DUP	TR1	0.12	UG/L	U	V1	0.12	1	100	YES	Plume Definition

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
P209389	7/23/01	GW07669RG	CHROMIUM	REAL	TR1	0.12	UG/L	U	V1	0.12	1	100	YES	Plume Definition
P209389	7/23/01	GW07671RG	CHROMIUM	RNS	TR1	0.12	UG/L	U	V1	0.12	1	100	YES	Plume Definition
P209389	7/23/01	GW07670RG	COBALT	DUP	TR1	0.6	UG/L	U	V1	0.6	1	2190	YES	Plume Definition
P209389	7/23/01	GW07669RG	COBALT	REAL	TR1	0.6	UG/L	U	V1	0.6	1	2190	YES	Plume Definition
P209389	7/23/01	GW07671RG	COBALT	RNS	TR1	0.6	UG/L	U	V1	0.6	1	2190	YES	Plume Definition
P209389	7/23/01	GW07669RG	COPPER	REAL	TR1	1.8	UG/L	B	V1	0.064	1	1300	YES	Plume Definition
P209389	7/23/01	GW07671RG	COPPER	RNS	TR1	1.8	UG/L	B	V1	0.064	1	1300	YES	Plume Definition
P209389	7/23/01	GW07670RG	COPPER	DUP	TR1	1.9	UG/L	B	V1	0.064	1	1300	YES	Plume Definition
P209389	7/23/01	GW07671RG	IRON	RNS	TR1	3.5	UG/L	U	V1	3.5	1		YES	Plume Definition
P209389	7/23/01	GW07669RG	IRON	REAL	TR1	5.8	UG/L	B	UJ1	3.5	1		YES	Plume Definition
P209389	7/23/01	GW07670RG	IRON	DUP	TR1	8.1	UG/L	B	UJ1	3.5	1		YES	Plume Definition
P209389	7/23/01	GW07671RG	LEAD	RNS	TR1	0.16	UG/L	B	UJ1	0.01	1	15	YES	Plume Definition
P209389	7/23/01	GW07670RG	LEAD	DUP	TR1	0.13	UG/L	B	UJ1	0.01	1	15	YES	Plume Definition
P209389	7/23/01	GW07669RG	LEAD	REAL	TR1	0.1	UG/L	B	UJ1	0.01	1	15	YES	Plume Definition
P209389	7/23/01	GW07671RG	LITHIUM	RNS	TR1	2.1	UG/L	U	J1	2.1	1	730	YES	Plume Definition
P209389	7/23/01	GW07669RG	LITHIUM	REAL	TR1	14.6	UG/L	B	J1	2.1	1	730	YES	Plume Definition
P209389	7/23/01	GW07670RG	LITHIUM	DUP	TR1	14.3	UG/L	B	J1	2.1	1	730	YES	Plume Definition
P209389	7/23/01	GW07670RG	MAGNESIUM	DUP	TR1	18900	UG/L		V1	24	1		YES	Plume Definition
P209389	7/23/01	GW07671RG	MAGNESIUM	RNS	TR1	24	UG/L	U	V1	24	1		YES	Plume Definition
P209389	7/23/01	GW07669RG	MAGNESIUM	REAL	TR1	18800	UG/L		V1	24	1		YES	Plume Definition
P209389	7/23/01	GW07671RG	MANGANESE	RNS	TR1	3	UG/L	B	V1	0.094	1	1720	YES	Plume Definition
P209389	7/23/01	GW07670RG	MANGANESE	DUP	TR1	2.2	UG/L	B	V1	0.094	1	1720	YES	Plume Definition
P209389	7/23/01	GW07669RG	MANGANESE	REAL	TR1	2.2	UG/L	B	V1	0.094	1	1720	YES	Plume Definition
P209389	7/23/01	GW07670RG	MERCURY	DUP	TR1	0.026	UG/L	U	V1	0.026	1	2	YES	Plume Definition
P209389	7/23/01	GW07671RG	MERCURY	RNS	TR1	0.026	UG/L	U	V1	0.026	1	2	YES	Plume Definition
P209389	7/23/01	GW07669RG	MERCURY	REAL	TR1	0.026	UG/L	U	V1	0.026	1	2	YES	Plume Definition
P209389	7/23/01	GW07670RG	MOLYBDENUM	DUP	TR1	1.4	UG/L	U	V1	1.4	1	183	YES	Plume Definition
P209389	7/23/01	GW07671RG	MOLYBDENUM	RNS	TR1	1.4	UG/L	U	V1	1.4	1	183	YES	Plume Definition
P209389	7/23/01	GW07669RG	MOLYBDENUM	REAL	TR1	1.9	UG/L	B	V1	1.4	1	183	YES	Plume Definition
P209389	7/23/01	GW07670RG	NICKEL	DUP	TR1	1.8	UG/L	B	J1	1	1	140	YES	Plume Definition
P209389	7/23/01	GW07669RG	NICKEL	REAL	TR1	1.6	UG/L	B	J1	1	1	140	YES	Plume Definition
P209389	7/23/01	GW07671RG	NICKEL	RNS	TR1	1	UG/L	U	J1	1	1	140	YES	Plume Definition
P209389	7/23/01	GW07670RG	POTASSIUM	DUP	TR1	1720	UG/L	B	J1	510	1		YES	Plume Definition
P209389	7/23/01	GW07669RG	POTASSIUM	REAL	TR1	1510	UG/L	B	J1	510	1		YES	Plume Definition
P209389	7/23/01	GW07671RG	POTASSIUM	RNS	TR1	510	UG/L	U	J1	510	1		YES	Plume Definition
P209389	7/23/01	GW07669RG	SELENIUM	REAL	TR1	0.2	UG/L	U	V1	0.2	1	50	YES	Plume Definition
P209389	7/23/01	GW07671RG	SELENIUM	RNS	TR1	0.2	UG/L	U	V1	0.2	1	50	YES	Plume Definition
P209389	7/23/01	GW07670RG	SELENIUM	DUP	TR1	0.2	UG/L	U	V1	0.2	1	50	YES	Plume Definition
P209389	7/23/01	GW07669RG	SILVER	REAL	TR1	0.025	UG/L	U	J1	0.025	1	183	YES	Plume Definition
P209389	7/23/01	GW07671RG	SILVER	RNS	TR1	0.025	UG/L	U	J1	0.025	1	183	YES	Plume Definition
P209389	7/23/01	GW07670RG	SILVER	DUP	TR1	0.025	UG/L	U	J1	0.025	1	183	YES	Plume Definition
P209389	7/23/01	GW07671RG	SODIUM	RNS	TR1	1400	UG/L	U	V1	1400	1		YES	Plume Definition
P209389	7/23/01	GW07669RG	SODIUM	REAL	TR1	58700	UG/L		V1	1400	1		YES	Plume Definition
P209389	7/23/01	GW07670RG	SODIUM	DUP	TR1	59800	UG/L		V1	1400	1		YES	Plume Definition
P209389	7/23/01	GW07669RG	STRONTIUM	REAL	TR1	587	UG/L		V1	0.03	1	21900	YES	Plume Definition
P209389	7/23/01	GW07670RG	STRONTIUM	DUP	TR1	620	UG/L		V1	0.03	1	21900	YES	Plume Definition
P209389	7/23/01	GW07671RG	STRONTIUM	RNS	TR1	0.6	UG/L	B	V1	0.03	1	21900	YES	Plume Definition
P209389	7/23/01	GW07671RG	THALLIUM	RNS	TR1	0.015	UG/L	B	UJ1	0.013	1	2	YES	Plume Definition
P209389	7/23/01	GW07669RG	THALLIUM	REAL	TR1	0.048	UG/L	B	UJ1	0.013	1	2	YES	Plume Definition
P209389	7/23/01	GW07670RG	THALLIUM	DUP	TR1	0.054	UG/L	B	UJ1	0.013	1	2	YES	Plume Definition
P209389	7/23/01	GW07671RG	TIN	RNS	TR1	2.4	UG/L	U	J1	2.4	1	21900	YES	Plume Definition
P209389	7/23/01	GW07669RG	TIN	REAL	TR1	2.4	UG/L	U	J1	2.4	1	21900	YES	Plume Definition
P209389	7/23/01	GW07670RG	TIN	DUP	TR1	2.4	UG/L	U	J1	2.4	1	21900	YES	Plume Definition
P209389	7/23/01	GW07671RG	URANIUM, TOTAL	RNS	TR1	6.6	UG/L	U	V1	6.6	1		YES	Plume Definition
P209389	7/23/01	GW07670RG	URANIUM, TOTAL	DUP	TR1	6.6	UG/L	U	V1	6.6	1		YES	Plume Definition
P209389	7/23/01	GW07669RG	URANIUM, TOTAL	REAL	TR1	6.6	UG/L	U	V1	6.6	1		YES	Plume Definition
P209389	7/23/01	GW07670RG	VANADIUM	DUP	TR1	0.41	UG/L	U	V1	0.41	1	256	YES	Plume Definition

202

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
P209389	7/23/01	GW07669RG	VANADIUM	REAL	TR1	0.41	UG/L	U	V1	0.41	1	256	YES	Plume Definition
P209389	7/23/01	GW07671RG	VANADIUM	RNS	TR1	0.41	UG/L	U	V1	0.41	1	256	YES	Plume Definition
P209389	7/23/01	GW07669RG	ZINC	REAL	TR1	6.2	UG/L	B	V1	2.5	1	11000	YES	Plume Definition
P209389	7/23/01	GW07671RG	ZINC	RNS	TR1	7.1	UG/L	B	V1	2.5	1	11000	YES	Plume Definition
P209389	7/23/01	GW07670RG	ZINC	DUP	TR1	6.2	UG/L	B	V1	2.5	1	11000	YES	Plume Definition
P219089	7/30/01	GW07754RG	ALUMINUM	REAL	TR1	6.8	UG/L	B	UJ	1.2		36500	YES	D&D Bldg 771
P219089	7/30/01	GW07754RG	ANTIMONY	REAL	TR1	0.84	UG/L	B	UJ	0.34		6	YES	D&D Bldg 771
P219089	7/30/01	GW07754RG	ARSENIC	REAL	TR1	2.8	UG/L	B	V	0.32		50	YES	D&D Bldg 771
P219089	7/30/01	GW07754RG	BARIUM	REAL	TR1	160	UG/L		V	0.25		2000	YES	D&D Bldg 771
P219089	7/30/01	GW07754RG	BERYLLIUM	REAL	TR1	0.54	UG/L	U	V	0.54	10	4	YES	D&D Bldg 771
P219089	7/30/01	GW07754RG	CADMIUM	REAL	TR1	0.1	UG/L	B	V	0.016		5	YES	D&D Bldg 771
P219089	7/30/01	GW07754RG	CALCIUM	REAL	TR1	75000	UG/L		V	3.2			YES	D&D Bldg 771
P219089	7/30/01	GW07754RG	CHROMIUM	REAL	TR1	0.3	UG/L	U	V	0.3		100	YES	D&D Bldg 771
P219089	7/30/01	GW07754RG	COBALT	REAL	TR1	0.43	UG/L	U	V	0.43		2190	YES	D&D Bldg 771
P219089	7/30/01	GW07754RG	COPPER	REAL	TR1	1.1	UG/L	B	J	0.92		1300	YES	D&D Bldg 771
P219089	7/30/01	GW07754RG	IRON	REAL	TR1	45.4	UG/L	B	V	16			YES	D&D Bldg 771
P219089	7/30/01	GW07754RG	LEAD	REAL	TR1	0.29	UG/L	U	V	0.29		15	YES	D&D Bldg 771
P219089	7/30/01	GW07754RG	LITHIUM	REAL	TR1	73.6	UG/L	B	V	2.2		730	YES	D&D Bldg 771
P219089	7/30/01	GW07754RG	MAGNESIUM	REAL	TR1	21000	UG/L		V	25			YES	D&D Bldg 771
P219089	7/30/01	GW07754RG	MANGANESE	REAL	TR1	0.69	UG/L	U	V	0.69		1720	YES	D&D Bldg 771
P219089	7/30/01	GW07754RG	MERCURY	REAL	TR1	0.02	UG/L	U	V	0.02		2	YES	D&D Bldg 771
P219089	7/30/01	GW07754RG	MOLYBDENUM	REAL	TR1	4.1	UG/L	B	UJ	4		183	YES	D&D Bldg 771
P219089	7/30/01	GW07754RG	NICKEL	REAL	TR1	2.3	UG/L	B	UJ	1		140	YES	D&D Bldg 771
P219089	7/30/01	GW07754RG	POTASSIUM	REAL	TR1	1400	UG/L	B	V	48			YES	D&D Bldg 771
P219089	7/30/01	GW07754RG	SELENIUM	REAL	TR1	2.3	UG/L	B	V	0.33		50	YES	D&D Bldg 771
P219089	7/30/01	GW07754RG	SILVER	REAL	TR1	0.061	UG/L	B	UJ	0.005		183	YES	D&D Bldg 771
P219089	7/30/01	GW07754RG	SODIUM	REAL	TR1	98000	UG/L		V	27			YES	D&D Bldg 771
P219089	7/30/01	GW07754RG	STRONTIUM	REAL	TR1	610	UG/L		V	0.25		21900	YES	D&D Bldg 771
P219089	7/30/01	GW07754RG	THALLIUM	REAL	TR1	0.31	UG/L	B	UJ	0.05		2	YES	D&D Bldg 771
P219089	7/30/01	GW07754RG	TIN	REAL	TR1	6.9	UG/L	U	V	6.9		21900	YES	D&D Bldg 771
P219089	7/30/01	GW07754RG	URANIUM, TOTAL	REAL	TR1	17	UG/L		V	0.005			YES	D&D Bldg 771
P219089	7/30/01	GW07754RG	VANADIUM	REAL	TR1	0.88	UG/L	U	V	0.88		256	YES	D&D Bldg 771
P219089	7/30/01	GW07754RG	ZINC	REAL	TR1	2.4	UG/L	B	J	1		11000	YES	D&D Bldg 771
P313589	9/6/01	GW07672RG	ALUMINUM	REAL	TR1	12	UG/L	B	J1	12	10	36500	YES	Plume Extent
P313589	9/6/01	GW07672RG	ANTIMONY	REAL	TR1	7.1	UG/L	B	UJ1	1.7	5	6	YES	Plume Extent
P313589	9/6/01	GW07672RG	ARSENIC	REAL	TR1	1.6	UG/L	U	V1	1.6	5	50	YES	Plume Extent
P313589	9/6/01	GW07672RG	BARIUM	REAL	TR1	450	UG/L		V1	0.25	1	2000	YES	Plume Extent
P313589	9/6/01	GW07672RG	BERYLLIUM	REAL	TR1	0.27	UG/L	U	V1	0.27	5	4	YES	Plume Extent
P313589	9/6/01	GW07672RG	CADMIUM	REAL	TR1	0.53	UG/L		V1	0.081	5	5	YES	Plume Extent
P313589	9/6/01	GW07672RG	CALCIUM	REAL	TR1	240000	UG/L		V1	3.2	1		YES	Plume Extent
P313589	9/6/01	GW07672RG	CHROMIUM	REAL	TR1	13	UG/L		V1	1.5	5	100	YES	Plume Extent
P313589	9/6/01	GW07672RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	Plume Extent
P313589	9/6/01	GW07672RG	COPPER	REAL	TR1	4.6	UG/L	U	V1	4.6	5	1300	YES	Plume Extent
P313589	9/6/01	GW07672RG	IRON	REAL	TR1	150	UG/L	B	V1	16	1		YES	Plume Extent
P313589	9/6/01	GW07672RG	LEAD	REAL	TR1	1.5	UG/L	U	V1	1.5	5	15	YES	Plume Extent
P313589	9/6/01	GW07672RG	LITHIUM	REAL	TR1	16	UG/L		V1	2.2	1	730	YES	Plume Extent
P313589	9/6/01	GW07672RG	MAGNESIUM	REAL	TR1	52000	UG/L		V1	25	1		YES	Plume Extent
P313589	9/6/01	GW07672RG	MANGANESE	REAL	TR1	3	UG/L	B	V1	0.69	1	1720	YES	Plume Extent
P313589	9/6/01	GW07672RG	MERCURY	REAL	TR1	0.037	UG/L	B	UJ1	0.029	1	2	YES	Plume Extent
P313589	9/6/01	GW07672RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	Plume Extent
P313589	9/6/01	GW07672RG	NICKEL	REAL	TR1	51	UG/L		V1	1	1	140	YES	Plume Extent
P313589	9/6/01	GW07672RG	POTASSIUM	REAL	TR1	880	UG/L		V1	48	1		YES	Plume Extent
P313589	9/6/01	GW07672RG	SELENIUM	REAL	TR1	2.7	UG/L	B	V1	1.6	5	50	YES	Plume Extent
P313589	9/6/01	GW07672RG	SILVER	REAL	TR1	0.29	UG/L	B	UJ1	0.025	5	183	YES	Plume Extent
P313589	9/6/01	GW07672RG	SODIUM	REAL	TR1	95000	UG/L		V1	27	1		YES	Plume Extent
P313589	9/6/01	GW07672RG	STRONTIUM	REAL	TR1	1800	UG/L		V1	0.25	1	21900	YES	Plume Extent
P313589	9/6/01	GW07672RG	THALLIUM	REAL	TR1	0.34	UG/L	B	V1	0.25	5	2	YES	Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
P313589	9/6/01	GW07672RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	Plume Extent
P313589	9/6/01	GW07672RG	URANIUM, TOTAL	REAL	TR1	3.2	UG/L	B	V1	0.025	5		YES	Plume Extent
P313589	9/6/01	GW07672RG	VANADIUM	REAL	TR1	8.7	UG/L	U	V1	8.7	10	256	YES	Plume Extent
P313589	9/6/01	GW07672RG	ZINC	REAL	TR1	1.2	UG/L	B	J1	1	1	11000	YES	Plume Extent
P317989	8/7/01	GW07697RG	ALUMINUM	REAL	TR1	48	UG/L	N	J1	2.4	2	36500	YES	D&D Bldg 886/865
P317989	8/7/01	GW07697RG	ANTIMONY	REAL	TR1	1.6	UG/L	B	UJ1	0.67	2	6	YES	D&D Bldg 886/865
P317989	8/7/01	GW07697RG	ARSENIC	REAL	TR1	0.9	UG/L	B	V1	0.64	2	50	YES	D&D Bldg 886/865
P317989	8/7/01	GW07697RG	BARIUM	REAL	TR1	13	UG/L		V1	0.25	1	2000	YES	D&D Bldg 886/865
P317989	8/7/01	GW07697RG	BERYLLIUM	REAL	TR1	0.27	UG/L	U	V1	0.27	5	4	YES	D&D Bldg 886/865
P317989	8/7/01	GW07697RG	CADMIUM	REAL	TR1	0.69	UG/L		V1	0.032	2	5	YES	D&D Bldg 886/865
P317989	8/7/01	GW07697RG	CALCIUM	REAL	TR1	110000	UG/L		V1	3.2	1		YES	D&D Bldg 886/865
P317989	8/7/01	GW07697RG	CHROMIUM	REAL	TR1	4.6	UG/L		V1	0.6	2	100	YES	D&D Bldg 886/865
P317989	8/7/01	GW07697RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	D&D Bldg 886/865
P317989	8/7/01	GW07697RG	COPPER	REAL	TR1	7.6	UG/L		V1	1.8	2	1300	YES	D&D Bldg 886/865
P317989	8/7/01	GW07697RG	IRON	REAL	TR1	170	UG/L		V1	16	1		YES	D&D Bldg 886/865
P317989	8/7/01	GW07697RG	LEAD	REAL	TR1	0.92	UG/L	B	V1	0.59	2	15	YES	D&D Bldg 886/865
P317989	8/7/01	GW07697RG	LITHIUM	REAL	TR1	83	UG/L		V1	2.2	1	730	YES	D&D Bldg 886/865
P317989	8/7/01	GW07697RG	MAGNESIUM	REAL	TR1	98000	UG/L		V1	25	1		YES	D&D Bldg 886/865
P317989	8/7/01	GW07697RG	MANGANESE	REAL	TR1	0.69	UG/L	U	V1	0.69	1	1720	YES	D&D Bldg 886/865
P317989	8/7/01	GW07697RG	MERCURY	REAL	TR1	0.02	UG/L	U	V1	0.02	1	2	YES	D&D Bldg 886/865
P317989	8/7/01	GW07697RG	MOLYBDENUM	REAL	TR1	11	UG/L		V1	4	1	183	YES	D&D Bldg 886/865
P317989	8/7/01	GW07697RG	NICKEL	REAL	TR1	1	UG/L	U	V1	1	1	140	YES	D&D Bldg 886/865
P317989	8/7/01	GW07697RG	POTASSIUM	REAL	TR1	48	UG/L	U	R1	48	1		YES	D&D Bldg 886/865
P317989	8/7/01	GW07697RG	SELENIUM	REAL	TR1	96	UG/L		V1	0.66	2	50	YES	D&D Bldg 886/865
P317989	8/7/01	GW07697RG	SILVER	REAL	TR1	0.15	UG/L	B	UJ1	0.01	2	183	YES	D&D Bldg 886/865
P317989	8/7/01	GW07697RG	SODIUM	REAL	TR1	370000	UG/L		V1	27	1		YES	D&D Bldg 886/865
P317989	8/7/01	GW07697RG	STRONTIUM	REAL	TR1	2200	UG/L		V1	0.25	1	21900	YES	D&D Bldg 886/865
P317989	8/7/01	GW07697RG	THALLIUM	REAL	TR1	0.34	UG/L	B	UJ1	0.1	2	2	YES	D&D Bldg 886/865
P317989	8/7/01	GW07697RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	D&D Bldg 886/865
P317989	8/7/01	GW07697RG	URANIUM, TOTAL	REAL	TR1	110	UG/L		V1	0.005	1		YES	D&D Bldg 886/865
P317989	8/7/01	GW07697RG	VANADIUM	REAL	TR1	4.6	UG/L	B	V1	1.7	2	256	YES	D&D Bldg 886/865
P317989	8/7/01	GW07697RG	ZINC	REAL	TR1	1.9	UG/L	B	J1	1	1	11000	YES	D&D Bldg 886/865
P419689	8/13/01	GW07719RG	ALUMINUM	REAL	TR1	35	UG/L	B	J1	6	5	36500	YES	D&D Bldg 444
P419689	8/13/01	GW07719RG	ANTIMONY	REAL	TR1	0.34	UG/L	U	V1	0.34	1	6	YES	D&D Bldg 444
P419689	8/13/01	GW07719RG	ARSENIC	REAL	TR1	0.32	UG/L	U	V1	0.32	1	50	YES	D&D Bldg 444
P419689	8/13/01	GW07719RG	BARIUM	REAL	TR1	200	UG/L		J1	0.25	1	2000	YES	D&D Bldg 444
P419689	8/13/01	GW07719RG	BERYLLIUM	REAL	TR1	0.054	UG/L	UN	J1	0.054	1	4	YES	D&D Bldg 444
P419689	8/13/01	GW07719RG	CADMIUM	REAL	TR1	0.14	UG/L		V1	0.016	1	5	YES	D&D Bldg 444
P419689	8/13/01	GW07719RG	CALCIUM	REAL	TR1	100000	UG/L		J1	3.2	1		YES	D&D Bldg 444
P419689	8/13/01	GW07719RG	CHROMIUM	REAL	TR1	6.1	UG/L		J1	0.3	1	100	YES	D&D Bldg 444
P419689	8/13/01	GW07719RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	D&D Bldg 444
P419689	8/13/01	GW07719RG	COPPER	REAL	TR1	0.92	UG/L	U	V1	0.92	1	1300	YES	D&D Bldg 444
P419689	8/13/01	GW07719RG	IRON	REAL	TR1	170	UG/L	B	V1	16	1		YES	D&D Bldg 444
P419689	8/13/01	GW07719RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	D&D Bldg 444
P419689	8/13/01	GW07719RG	LITHIUM	REAL	TR1	8.1	UG/L	B	V1	2.2	1	730	YES	D&D Bldg 444
P419689	8/13/01	GW07719RG	MAGNESIUM	REAL	TR1	14000	UG/L		J1	25	1		YES	D&D Bldg 444
P419689	8/13/01	GW07719RG	MANGANESE	REAL	TR1	0.69	UG/L	U	V1	0.69	1	1720	YES	D&D Bldg 444
P419689	8/13/01	GW07719RG	MERCURY	REAL	TR1	0.02	UG/L	U	J1	0.02	1	2	YES	D&D Bldg 444
P419689	8/13/01	GW07719RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	D&D Bldg 444
P419689	8/13/01	GW07719RG	NICKEL	REAL	TR1	1.6	UG/L	B	V1	1	1	140	YES	D&D Bldg 444
P419689	8/13/01	GW07719RG	POTASSIUM	REAL	TR1	820	UG/L		J1	48	1		YES	D&D Bldg 444
P419689	8/13/01	GW07719RG	SELENIUM	REAL	TR1	1.3	UG/L	BN	UJ1	0.33	1	50	YES	D&D Bldg 444
P419689	8/13/01	GW07719RG	SILVER	REAL	TR1	0.005	UG/L	U	V1	0.005	1	183	YES	D&D Bldg 444
P419689	8/13/01	GW07719RG	SODIUM	REAL	TR1	15000	UG/L		J1	27	1		YES	D&D Bldg 444
P419689	8/13/01	GW07719RG	STRONTIUM	REAL	TR1	450	UG/L		J1	0.25	1	21900	YES	D&D Bldg 444
P419689	8/13/01	GW07719RG	THALLIUM	REAL	TR1	0.05	UG/L	U	R1	0.05	1	2	YES	D&D Bldg 444
P419689	8/13/01	GW07719RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	D&D Bldg 444

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
P419689	8/13/01	GW07719RG	URANIUM, TOTAL	REAL	TR1	1.4	UG/L		V1	0.005	1		YES	D&D Bldg 444
P419689	8/13/01	GW07719RG	VANADIUM	REAL	TR1	4.4	UG/L	U	V1	4.4	5	256	YES	D&D Bldg 444
P419689	8/13/01	GW07719RG	VANADIUM	REAL	TR1	1	UG/L	U	V1	1	1	256	YES	D&D Bldg 444
P419689	8/13/01	GW07719RG	ZINC	REAL	TR1	1	UG/L	U	V1	1	1	11000	YES	D&D Bldg 444
SW13494	8/28/01	SW07706RG	ALUMINUM	REAL	TR1	1.2	UG/L	U	V1	1.2	1	36500	YES	Perf Monitoring
SW13494	8/28/01	SW07706RG	ANTIMONY	REAL	TR1	0.34	UG/L	U	V1	0.34	1	6	YES	Perf Monitoring
SW13494	8/28/01	SW07706RG	ARSENIC	REAL	TR1	0.58	UG/L	B	V1	0.32	1	50	YES	Perf Monitoring
SW13494	8/28/01	SW07706RG	BARIUM	REAL	TR1	210	UG/L		J1	0.25	1	2000	YES	Perf Monitoring
SW13494	8/28/01	SW07706RG	BERYLLIUM	REAL	TR1	0.054	UG/L	U	V1	0.054	1	4	YES	Perf Monitoring
SW13494	8/28/01	SW07706RG	CADMIUM	REAL	TR1	0.39	UG/L		V1	0.016	1	5	YES	Perf Monitoring
SW13494	8/28/01	SW07706RG	CALCIUM	REAL	TR1	120000	UG/L		J1	3.2	1		YES	Perf Monitoring
SW13494	8/28/01	SW07706RG	CHROMIUM	REAL	TR1	8.3	UG/L		V1	0.3	1	100	YES	Perf Monitoring
SW13494	8/28/01	SW07706RG	COBALT	REAL	TR1	0.43	UG/L	U	V1	0.43	1	2190	YES	Perf Monitoring
SW13494	8/28/01	SW07706RG	COPPER	REAL	TR1	1.4	UG/L	B	V1	0.92	1	1300	YES	Perf Monitoring
SW13494	8/28/01	SW07706RG	IRON	REAL	TR1	200	UG/L	B	V1	16	1		YES	Perf Monitoring
SW13494	8/28/01	SW07706RG	LEAD	REAL	TR1	0.29	UG/L	U	V1	0.29	1	15	YES	Perf Monitoring
SW13494	8/28/01	SW07706RG	LITHIUM	REAL	TR1	15	UG/L		V1	2.2	1	730	YES	Perf Monitoring
SW13494	8/28/01	SW07706RG	MAGNESIUM	REAL	TR1	27000	UG/L		J1	25	1		YES	Perf Monitoring
SW13494	8/28/01	SW07706RG	MANGANESE	REAL	TR1	2.4	UG/L	B	V1	0.69	1	1720	YES	Perf Monitoring
SW13494	8/28/01	SW07706RG	MERCURY	REAL	TR1	0.052	UG/L	B	V1	0.029	1	2	YES	Perf Monitoring
SW13494	8/28/01	SW07706RG	MOLYBDENUM	REAL	TR1	4	UG/L	U	V1	4	1	183	YES	Perf Monitoring
SW13494	8/28/01	SW07706RG	NICKEL	REAL	TR1	1	UG/L	U	V1	1	1	140	YES	Perf Monitoring
SW13494	8/28/01	SW07706RG	POTASSIUM	REAL	TR1	3400	UG/L		J1	48	1		YES	Perf Monitoring
SW13494	8/28/01	SW07706RG	SELENIUM	REAL	TR1	5.3	UG/L	N	J1	0.33	1	50	YES	Perf Monitoring
SW13494	8/28/01	SW07706RG	SILVER	REAL	TR1	0.005	UG/L	U	V1	0.005	1	183	YES	Perf Monitoring
SW13494	8/28/01	SW07706RG	SODIUM	REAL	TR1	66000	UG/L		J1	27	1		YES	Perf Monitoring
SW13494	8/28/01	SW07706RG	STRONTIUM	REAL	TR1	880	UG/L		J1	0.25	1	21900	YES	Perf Monitoring
SW13494	8/28/01	SW07706RG	THALLIUM	REAL	TR1	0.05	UG/L	U	R1	0.05	1	2	YES	Perf Monitoring
SW13494	8/28/01	SW07706RG	TIN	REAL	TR1	6.9	UG/L	U	V1	6.9	1	21900	YES	Perf Monitoring
SW13494	8/28/01	SW07706RG	URANIUM, TOTAL	REAL	TR1	8	UG/L		V1	0.005	1		YES	Perf Monitoring
SW13494	8/28/01	SW07706RG	VANADIUM	REAL	TR1	2.7	UG/L	B	V1	0.87	1	256	YES	Perf Monitoring
SW13494	8/28/01	SW07706RG	ZINC	REAL	TR1	66	UG/L		V1	1	1	11000	YES	Perf Monitoring

206

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Sigma Error	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
00491	7/12/01	GW07623RG	AMERICIUM-241	REAL	TR1	0.008	0.009	PCI/L		V1	0.007		0.145	NO	Plume Definition
00491	7/12/01	GW07623RG	PLUTONIUM-239/240	REAL	TR1	0.007	0.008	PCI/L		V1	0.006		0.151	NO	Plume Definition
00491	7/12/01	GW07623RG	URANIUM-233,-234	REAL	TR1	4.8	0.73	PCI/L		V1	0.087		1.06	NO	Plume Definition
00491	7/12/01	GW07623RG	URANIUM-235	REAL	TR1	0.23	0.084	PCI/L		V1	0.072		1.01	NO	Plume Definition
00491	7/12/01	GW07623RG	URANIUM-238	REAL	TR1	3.6	0.57	PCI/L		V1	0.015		0.768	NO	Plume Definition
00597	7/19/01	GW07625RG	TRITIUM	REAL	TR1	68	105	PCI/L		V1	179		666	NO	Plume Definition
00597	7/19/01	GW07626RG	TRITIUM	DUP	TR1	43	103	PCI/L		V1	179		666	NO	Plume Definition
00597	7/19/01	GW07625RG	URANIUM-233,-234	REAL	TR1	0.083	0.045	PCI/L		V1	0.045		1.06	YES	Plume Definition
00597	7/19/01	GW07626RG	URANIUM-233,-234	DUP	TR1	0.057	0.04	PCI/L		V1	0.048		1.06	YES	Plume Definition
00597	7/19/01	GW07625RG	URANIUM-235	REAL	TR1	0.049	0.031	PCI/L		V1	0.013		1.01	YES	Plume Definition
00597	7/19/01	GW07626RG	URANIUM-235	DUP	TR1	0.021	0.02	PCI/L		V1	0.014		1.01	YES	Plume Definition
00597	7/19/01	GW07625RG	URANIUM-238	REAL	TR1	0.059	0.039	PCI/L		V1	0.045		0.768	YES	Plume Definition
00597	7/19/01	GW07626RG	URANIUM-238	DUP	TR1	0.047	0.031	PCI/L		V1	0.014		0.768	YES	Plume Definition
00597	7/19/01	GW07627RG	TRITIUM	RNS	TR1	23	101	PCI/L		V1	179		666	NO	Plume Definition
00597	7/19/01	GW07627RG	URANIUM-233,-234	RNS	TR1	0.05	0.04	PCI/L		V1	0.052		1.06	YES	Plume Definition
00597	7/19/01	GW07627RG	URANIUM-235	RNS	TR1	0.006	0.019	PCI/L		V1	0.041		1.01	YES	Plume Definition
00597	7/19/01	GW07627RG	URANIUM-238	RNS	TR1	0.017	0.025	PCI/L		V1	0.041		0.768	YES	Plume Definition
00797	8/16/01	GW07628RG	URANIUM-233,-234	REAL	TR1	7.95	1.95	PCI/L	B	V1	0.068		1.06	YES	Perf Monitoring
00797	8/16/01	GW07628RG	URANIUM-235	REAL	TR1	0.39	0.256	PCI/L	J	V1	0.148		1.01	YES	Perf Monitoring
00797	8/16/01	GW07628RG	URANIUM-238	REAL	TR1	5.57	1.43	PCI/L		V1	0.158		0.768	YES	Perf Monitoring
00997	7/17/01	GW07629RG	AMERICIUM-241	REAL	TR1	0.015	0.013	PCI/L		V1	0.016		0.145	NO	Drainage
00997	7/17/01	GW07629RG	PLUTONIUM-239/240	REAL	TR1	0.006	0.007	PCI/L		V1	0.006		0.151	NO	Drainage
00997	7/13/01	GW07629RG	URANIUM-233,-234	REAL	TR1	8.5	1.3	PCI/L		V1	0.08		1.06	YES	Drainage
00997	7/13/01	GW07629RG	URANIUM-235	REAL	TR1	0.3	0.091	PCI/L		V1	0.015		1.01	YES	Drainage
00997	7/13/01	GW07629RG	URANIUM-238	REAL	TR1	5.7	0.87	PCI/L		V1	0.042		0.768	YES	Drainage
00997	7/13/01	GW07629RG	STRONTIUM-89,90	REAL	TR1	0.06	0.26	PCI/L		V1	0.57		0.852	YES	Drainage
02197	7/18/01	GW07612RG	URANIUM-233,-234	REAL	TR1	3.2	0.51	PCI/L		V1	0.071		1.06	YES	Plume Extent
02197	7/18/01	GW07612RG	URANIUM-235	REAL	TR1	0.14	0.063	PCI/L		V1	0.058		1.01	YES	Plume Extent
02197	7/18/01	GW07612RG	URANIUM-238	REAL	TR1	2.6	0.42	PCI/L		V1	0.058		0.768	YES	Plume Extent
02197	7/19/01	GW07612RG	TRITIUM	REAL	TR1	73	106	PCI/L		V1	179		666	NO	Plume Extent
0386	8/2/01	GW07630RG	AMERICIUM-241	REAL	TR1	0.003	0.012	PCI/L	U	V1	0.023		0.145	NO	Boundary
0386	8/2/01	GW07630RG	PLUTONIUM-239/240	REAL	TR1	0.002	0.012	PCI/L	U	V1	0.024		0.151	NO	Boundary
0386	8/2/01	GW07630RG	URANIUM-233,-234	REAL	TR1	11.3	1.8	PCI/L		V1	0.082		1.06	NO	Boundary
0386	8/2/01	GW07630RG	URANIUM-235	REAL	TR1	0.35	0.11	PCI/L		V1	0.05		1.01	NO	Boundary
0386	8/2/01	GW07630RG	URANIUM-238	REAL	TR1	8.2	1.3	PCI/L		V1	0.05		0.768	NO	Boundary
0386	8/2/01	GW07630RG	TRITIUM	REAL	TR1	20	100	PCI/L	U		190		666	NO	Boundary
03991	8/7/01	GW07631RG	AMERICIUM-241	REAL	TR1	0.004	0.013	PCI/L	U	V1	0.026		0.145	NO	Plume Definition
03991	8/7/01	GW07632RG	AMERICIUM-241	DUP	TR1	-0.012	0.012	PCI/L	U	V1	0.031		0.145	NO	Plume Definition
03991	8/7/01	GW07631RG	PLUTONIUM-239/240	REAL	TR1	0.0032	0.0064	PCI/L	U	V1	0.012		0.151	NO	Plume Definition
03991	8/7/01	GW07632RG	PLUTONIUM-239/240	DUP	TR1	0.0018	0.0077	PCI/L	U	V1	0.016		0.151	NO	Plume Definition
03991	8/7/01	GW07631RG	URANIUM-233,-234	REAL	TR1	1.42	0.27	PCI/L		V1	0.069		1.06	YES	Plume Definition
03991	8/7/01	GW07632RG	URANIUM-233,-234	DUP	TR1	1.61	0.3	PCI/L		V1	0.12		1.06	YES	Plume Definition
03991	8/7/01	GW07631RG	URANIUM-235	REAL	TR1	0.063	0.037	PCI/L	J	V1	0.014		1.01	YES	Plume Definition
03991	8/7/01	GW07632RG	URANIUM-235	DUP	TR1	0.038	0.039	PCI/L	U	V1	0.058		1.01	YES	Plume Definition
03991	8/7/01	GW07631RG	URANIUM-238	REAL	TR1	1.09	0.22	PCI/L		V1	0.039		0.768	YES	Plume Definition
03991	8/7/01	GW07632RG	URANIUM-238	DUP	TR1	0.98	0.2	PCI/L		V1	0.015		0.768	YES	Plume Definition
03991	8/7/01	GW07633RG	AMERICIUM-241	RNS	TR1	0.004	0.012	PCI/L	U	V1	0.022		0.145	NO	Plume Definition
03991	8/7/01	GW07633RG	PLUTONIUM-239/240	RNS	TR1	0	0.0048	PCI/L	U	V1	0.013		0.151	NO	Plume Definition
03991	8/7/01	GW07633RG	URANIUM-233,-234	RNS	TR1	0.011	0.021	PCI/L	U	V1	0.039		1.06	YES	Plume Definition
03991	8/7/01	GW07633RG	URANIUM-235	RNS	TR1	0.016	0.018	PCI/L	J	V1	0.014		1.01	YES	Plume Definition
03991	8/7/01	GW07633RG	URANIUM-238	RNS	TR1	0.011	0.025	PCI/L	U	V1	0.049		0.768	YES	Plume Definition
04091	8/27/01	GW07613RG	AMERICIUM-241	REAL	TR1	0.005	0.006	PCI/L	J	V1	0.004		0.145	NO	Plume Extent
04091	8/27/01	GW07613RG	PLUTONIUM-239/240	REAL	TR1	0.003	0.007	PCI/L	U	V1	0.01		0.151	NO	Plume Extent
04091	8/22/01	GW07613RG	URANIUM-233,-234	REAL	TR1	1.87	0.594	PCI/L	B	V1	0.119		1.06	YES	Plume Extent
04091	8/22/01	GW07613RG	URANIUM-235	REAL	TR1	0.122	0.128	PCI/L	J	V1	0.083		1.01	YES	Plume Extent
04091	8/22/01	GW07613RG	URANIUM-238	REAL	TR1	0.902	0.359	PCI/L	J	V1	0.118		0.768	YES	Plume Extent
04591	8/21/01	GW07634RG	AMERICIUM-241	REAL	TR1	0.001	0.003	PCI/L	U	V1	0.004		0.145	NO	Plume Extent

206

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Sigma Error	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
04591	8/21/01	GW07634RG	PLUTONIUM-239/240	REAL	TR1	-0.005	0.011	PCI/L	U	V1	0.016		0.151	NO	Plume Extent
04591	8/21/01	GW07634RG	URANIUM-233,-234	REAL	TR1	2.32	0.713	PCI/L	B	V1	0.073		1.06	YES	Plume Extent
04591	8/21/01	GW07634RG	URANIUM-235	REAL	TR1	0.02	0.072	PCI/L	U	V1	0.159		1.01	YES	Plume Extent
04591	8/21/01	GW07634RG	URANIUM-238	REAL	TR1	1.16	0.438	PCI/L		V1	0.152		0.768	YES	Plume Extent
0487	8/14/01	GW07635RG	URANIUM-233,-234	REAL	TR1	9.6	1.5	PCI/L		1	0.11		1.06	YES	Plume Definition
0487	8/14/01	GW07635RG	URANIUM-235	REAL	TR1	0.35	0.14	PCI/L	J	1	0.098		1.01	YES	Plume Definition
0487	8/14/01	GW07635RG	URANIUM-238	REAL	TR1	7	1.1	PCI/L		1	0.077		0.768	YES	Plume Definition
04991	9/24/01	GW07614RG	AMERICIUM-241	REAL	TR1	0.004	0.0079	PCI/L	U	V1	0.012		0.145	NO	Plume Extent
04991	9/24/01	GW07614RG	PLUTONIUM-239/240	REAL	TR1	0.0176	0.0151	PCI/L	U	V1	0.0211		0.151	NO	Plume Extent
04991	9/12/01	GW07614RG	URANIUM-233,-234	REAL	TR1	5.88	0.96	PCI/L		V1	0.089		1.06	YES	Plume Extent
04991	9/12/01	GW07614RG	URANIUM-235	REAL	TR1	0.116	0.061	PCI/L	J	V1	0.05		1.01	YES	Plume Extent
04991	9/12/01	GW07614RG	URANIUM-238	REAL	TR1	2.9	0.51	PCI/L		V1	0.05		0.768	YES	Plume Extent
05091	8/13/01	GW07636RG	AMERICIUM-241	REAL	TR1	-0.008	0.012	PCI/L	U	V1	0.027		0.145	NO	Plume Extent
05091	8/13/01	GW07636RG	PLUTONIUM-239/240	REAL	TR1	0.0033	0.0046	PCI/L	U	J1	0.0045		0.151	NO	Plume Extent
05091	8/14/01	GW07636RG	URANIUM-233,-234	REAL	TR1	3.84	0.68	PCI/L		1	0.028		1.06	YES	Plume Extent
05091	8/14/01	GW07636RG	URANIUM-235	REAL	TR1	0.205	0.094	PCI/L	J	1	0.028		1.01	YES	Plume Extent
05091	8/14/01	GW07636RG	URANIUM-238	REAL	TR1	1.91	0.39	PCI/L		1	0.075		0.768	YES	Plume Extent
05391	8/16/01	GW07637RG	AMERICIUM-241	REAL	TR1	0.004	0.005	PCI/L	J	V1	0.004		0.145	NO	Plume Definition
05391	8/16/01	GW07637RG	PLUTONIUM-239/240	REAL	TR1	0.022	0.012	PCI/L	J	V1	0.009		0.151	NO	Plume Definition
05391	8/16/01	GW07637RG	URANIUM-233,-234	REAL	TR1	1.9	0.637	PCI/L	B	V1	0.202		1.06	YES	Plume Definition
05391	8/16/01	GW07637RG	URANIUM-235	REAL	TR1	0.145	0.152	PCI/L	J	V1	0.098		1.01	YES	Plume Definition
05391	8/16/01	GW07637RG	URANIUM-238	REAL	TR1	1.19	0.459	PCI/L		V1	0.14		0.768	YES	Plume Definition
05691	8/20/01	GW07638RG	AMERICIUM-241	REAL	TR1	0.008	0.007	PCI/L	J	V1	0.004		0.145	NO	Perf Monitoring
05691	8/20/01	GW07638RG	PLUTONIUM-239/240	REAL	TR1	-0.001	0.007	PCI/L	U	V1	0.012		0.151	NO	Perf Monitoring
05691	8/24/01	GW07638RG	URANIUM-233,-234	REAL	TR1	2.64	0.778	PCI/L	B	V1	0.122		1.06	NO	Perf Monitoring
05691	8/24/01	GW07638RG	URANIUM-235	REAL	TR1	0.101	0.135	PCI/L	U	V1	0.178		1.01	NO	Perf Monitoring
05691	8/24/01	GW07638RG	URANIUM-238	REAL	TR1	1.47	0.504	PCI/L		V1	0.069		0.768	NO	Perf Monitoring
06091	8/24/01	GW07615RG	AMERICIUM-241	REAL	TR1	0.007	0.011	PCI/L	U	V1	0.018		0.145	NO	Plume Extent
06091	8/24/01	GW07615RG	PLUTONIUM-239/240	REAL	TR1	0.0039	0.0057	PCI/L	U	V1	0.0095		0.151	NO	Plume Extent
06091	8/24/01	GW07615RG	URANIUM-233,-234	REAL	TR1	3.51	0.56	PCI/L		V1	0.075		1.06	NO	Plume Extent
06091	8/24/01	GW07615RG	URANIUM-235	REAL	TR1	0.045	0.034	PCI/L	J	V1	0.042		1.01	NO	Plume Extent
06091	8/24/01	GW07615RG	URANIUM-238	REAL	TR1	2.08	0.35	PCI/L		V1	0.048		0.768	NO	Plume Extent
06491	9/12/01	GW07639RG	URANIUM-233,-234	REAL	TR1	40.5	6.4	PCI/L		V1	0.13		1.06	YES	Boundary
06491	9/12/01	GW07639RG	URANIUM-235	REAL	TR1	1.84	0.39	PCI/L		V1	0.026		1.01	YES	Boundary
06491	9/12/01	GW07639RG	URANIUM-238	REAL	TR1	25.9	4.1	PCI/L		V1	0.026		0.768	YES	Boundary
06491	9/18/01	GW07639RG	TRITIUM	REAL	TR1	-170	141	PCI/L	U	V	265		666	NO	Boundary
07391	8/23/01	GW07724RG	AMERICIUM-241	REAL	TR1	0	0	PCI/L	U	V1	0.008		0.145	NO	Perf Monitoring
07391	8/23/01	GW07724RG	PLUTONIUM-239/240	REAL	TR1	0.005	0.012	PCI/L	U	V1	0.016		0.151	NO	Perf Monitoring
07391	8/23/01	GW07724RG	URANIUM-233,-234	REAL	TR1	29.1	7.24	PCI/L		V1	0.256		1.06	YES	Perf Monitoring
07391	8/23/01	GW07724RG	URANIUM-235	REAL	TR1	1.58	0.824	PCI/L		V1	0.179		1.01	YES	Perf Monitoring
07391	8/23/01	GW07724RG	URANIUM-238	REAL	TR1	86.1	20.6	PCI/L		V1	0.144		0.768	YES	Perf Monitoring
10098	7/30/01	GW07674RG	AMERICIUM-241	REAL	TR1	0.0303	0.0184	PCI/L		V1	0.0239		0.145	NO	D&D Bldg 123
10098	7/30/01	GW07674RG	PLUTONIUM-239/240	REAL	TR1	0.00388	0.0076	PCI/L	U	V1	0.0148		0.151	NO	D&D Bldg 123
10098	9/7/01	GW07674RG	URANIUM-233,-234	REAL	TR1	1.26	0.26	PCI/L		V1	0.11		1.06	YES	D&D Bldg 123
10098	9/7/01	GW07674RG	URANIUM-235	REAL	TR1	0.104	0.059	PCI/L	J	V1	0.066		1.01	YES	D&D Bldg 123
10098	9/7/01	GW07674RG	URANIUM-238	REAL	TR1	0.95	0.21	PCI/L	J	V1	0.057		0.768	YES	D&D Bldg 123
10098	8/8/01	GW07674RG	CESIUM-137	REAL	TR1	-1	36	PCI/L	U		8.8		1.51		D&D Bldg 123
10194	8/16/01	GW07648RG	AMERICIUM-241	REAL	TR1	0.005	0.005	PCI/L	J	V1	0.004		0.145	NO	Plume Extent
10194	8/16/01	GW07648RG	PLUTONIUM-239/240	REAL	TR1	0.003	0.007	PCI/L	U	V1	0.01		0.151	NO	Plume Extent
10194	8/16/01	GW07648RG	URANIUM-233,-234	REAL	TR1	2.21	0.683	PCI/L	B	V1	0.148		1.06	YES	Plume Extent
10194	8/16/01	GW07648RG	URANIUM-235	REAL	TR1	0.116	0.137	PCI/L	U	V1	0.155		1.01	YES	Plume Extent
10194	8/16/01	GW07648RG	URANIUM-238	REAL	TR1	1.42	0.496	PCI/L		V1	0.148		0.768	YES	Plume Extent
10198	7/30/01	GW07575RG	AMERICIUM-241	REAL	TR1	0.0154	0.012	PCI/L	J	V1	0.0147		0.145	NO	D&D Bldg 123
10198	7/30/01	GW07575RG	PLUTONIUM-239/240	REAL	TR1	0.00389	0.0054	PCI/L	U	V1	0.0058		0.151	NO	D&D Bldg 123
10198	8/15/01	GW07675RG	URANIUM-233,-234	REAL	TR1	0.239	0.08	PCI/L	J	1	0.055		1.06	YES	D&D Bldg 123
10198	8/15/01	GW07675RG	URANIUM-235	REAL	TR1	0.031	0.025	PCI/L	J	1	0.014		1.01	YES	D&D Bldg 123
10198	8/15/01	GW07675RG	URANIUM-238	REAL	TR1	0.285	0.086	PCI/L	J	1	0.037		0.768	YES	D&D Bldg 123

207

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Sigma Error	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
10198	7/18/01	GW07675RG	CESIUM-137	REAL	TR1	1.84	4.36	PCI/L		V	7.33		1.51	NO	D&D Bldg 123
10294	7/27/01	GW07649RG	AMERICIUM-241	REAL	TR1	0.00687	0.0096	PCI/L	U	V1	0.0164		0.145	NO	Boundary
10294	7/27/01	GW07649RG	PLUTONIUM-239/240	REAL	TR1	0.00979	0.0086	PCI/L	J	V1	0.0059		0.151	NO	Boundary
10294	7/27/01	GW07649RG	URANIUM-233,-234	REAL	TR1	20.8	3.64	PCI/L		V1	0.193		1.06	NO	Boundary
10294	7/27/01	GW07649RG	URANIUM-235	REAL	TR1	1.16	0.419	PCI/L		V1	0.216		1.01	NO	Boundary
10294	7/27/01	GW07649RG	URANIUM-238	REAL	TR1	17.2	3.07	PCI/L		V1	0.0931		0.768	NO	Boundary
10294	7/27/01	GW07649RG	TRITIUM	REAL	TR1	-351	185	PCI/L	U	V	357		666	NO	Boundary
10298	7/26/01	GW07676RG	AMERICIUM-241	REAL	TR1	0.005	0.009	PCI/L		V1	0.017		0.145	NO	D&D Bldg 123
10298	7/26/01	GW07676RG	PLUTONIUM-239/240	REAL	TR1	0	0.005	PCI/L		V1	0.005		0.151	NO	D&D Bldg 123
10298	8/6/01	GW07676RG	URANIUM-233,-234	REAL	TR1	0.79	0.18	PCI/L		V1	0.06		1.06	YES	D&D Bldg 123
10298	8/6/01	GW07676RG	URANIUM-235	REAL	TR1	0.028	0.029	PCI/L	U	V1	0.041		1.01	YES	D&D Bldg 123
10298	8/6/01	GW07676RG	URANIUM-238	REAL	TR1	0.52	0.13	PCI/L		V1	0.015		0.768	YES	D&D Bldg 123
10298	7/27/01	GW07676RG	CESIUM-137	REAL	TR1	-0.643	2.41	PCI/L	U	V	4.2		1.51	NO	D&D Bldg 123
10394	7/16/01	GW07650RG	AMERICIUM-241	REAL	TR1	0.005	0.013	PCI/L		V1	0.026		0.145	NO	Boundary
10394	7/16/01	GW07650RG	PLUTONIUM-239/240	REAL	TR1	0.004	0.006	PCI/L		V1	0.006		0.151	NO	Boundary
10394	7/16/01	GW07650RG	URANIUM-233,-234	REAL	TR1	2.2	0.37	PCI/L		V1	0.095		1.06	NO	Boundary
10394	7/16/01	GW07650RG	URANIUM-235	REAL	TR1	0.095	0.056	PCI/L		V1	0.069		1.01	NO	Boundary
10394	7/16/01	GW07650RG	URANIUM-238	REAL	TR1	1.6	0.28	PCI/L		V1	0.049		0.768	NO	Boundary
10394	7/16/01	GW07650RG	STRONTIUM-89,90	REAL	TR1	0.24	0.32	PCI/L		V1	0.66		0.852	NO	Boundary
10394	7/16/01	GW07650RG	TRITIUM	REAL	TR1	-12	98	PCI/L		V1	179		666	NO	Boundary
10398	8/6/01	GW07677RG	AMERICIUM-241	REAL	TR1	-0.009	0.013	PCI/L	U	V1	0.031		0.145	NO	D&D Bldg 123
10398	8/6/01	GW07677RG	PLUTONIUM-239/240	REAL	TR1	0.0047	0.0054	PCI/L	U	V1	0.0042		0.151	NO	D&D Bldg 123
10398	9/20/01	GW07677RG	URANIUM-233,-234	REAL	TR1	1.19	0.319	PCI/L		V1	0.12		1.06	YES	D&D Bldg 123
10398	9/20/01	GW07677RG	URANIUM-235	REAL	TR1	0.086	0.0865	PCI/L	U	V1	0.137		1.01	YES	D&D Bldg 123
10398	9/20/01	GW07677RG	URANIUM-238	REAL	TR1	0.508	0.191	PCI/L	J	V1	0.0985		0.768	YES	D&D Bldg 123
10398	8/23/01	GW07677RG	CESIUM-137	REAL	TR1	1	5.2	PCI/L	U		9		1.51		D&D Bldg 123
10498	7/24/01	GW07678RG	AMERICIUM-241	REAL	TR1	0.0113	0.0117	PCI/L	U	V	0.0172		0.145	NO	D&D Bldg 123
10498	7/24/01	GW07678RG	PLUTONIUM-239/240	REAL	TR1	0.00465	0.0065	PCI/L	U	V	0.007		0.151	NO	D&D Bldg 123
10498	7/24/01	GW07678RG	URANIUM-233,-234	REAL	TR1	0.797	0.326	PCI/L	J	V	0.18		1.06	YES	D&D Bldg 123
10498	7/24/01	GW07678RG	URANIUM-235	REAL	TR1	0.109	0.116	PCI/L	U	V	0.153		1.01	YES	D&D Bldg 123
10498	7/24/01	GW07678RG	URANIUM-238	REAL	TR1	0.646	0.291	PCI/L	J	V	0.201		0.768	YES	D&D Bldg 123
10498	7/24/01	GW07678RG	CESIUM-137	REAL	TR1	-0.177	2.17	PCI/L	U	V	3.74		1.51	NO	D&D Bldg 123
10592	7/27/01	GW07619RG	URANIUM-233,-234	REAL	TR1	14.1	2.55	PCI/L		V1	0.294		1.06	YES	Perf Monitoring
10592	7/27/01	GW07619RG	URANIUM-235	REAL	TR1	0.671	0.316	PCI/L	J	V1	0.317		1.01	YES	Perf Monitoring
10592	7/27/01	GW07619RG	URANIUM-238	REAL	TR1	9.33	1.79	PCI/L		V1	0.242		0.768	YES	Perf Monitoring
10598	7/24/01	GW07679RG	AMERICIUM-241	REAL	TR1	0.0072	0.0082	PCI/L	J	V	0.0072		0.145	NO	D&D Bldg 123
10598	7/24/01	GW07679RG	PLUTONIUM-239/240	REAL	TR1	0.00228	0.0077	PCI/L	U	V	0.0174		0.151	NO	D&D Bldg 123
10598	7/24/01	GW07679RG	URANIUM-233,-234	REAL	TR1	0.237	0.18	PCI/L	J	V	0.196		1.06	YES	D&D Bldg 123
10598	7/24/01	GW07679RG	URANIUM-235	REAL	TR1	-0.0228	0.026	PCI/L	U	V	0.22		1.01	YES	D&D Bldg 123
10598	7/24/01	GW07679RG	URANIUM-238	REAL	TR1	0.0959	0.128	PCI/L	U	V	0.238		0.768	YES	D&D Bldg 123
10598	7/24/01	GW07679RG	CESIUM-137	REAL	TR1	1.55	2.31	PCI/L	U	V	4.23		1.51	NO	D&D Bldg 123
10692	7/27/01	GW07651RG	URANIUM-233,-234	REAL	TR1	16.6	3.09	PCI/L		V	0.366		1.06	YES	Perf Monitoring
10692	7/27/01	GW07651RG	URANIUM-235	REAL	TR1	0.651	0.345	PCI/L	J	V	0.392		1.01	YES	Perf Monitoring
10692	7/27/01	GW07651RG	URANIUM-238	REAL	TR1	11.7	2.28	PCI/L		V	0.223		0.768	YES	Perf Monitoring
10792	7/31/01	GW07620RG	URANIUM-233,-234	REAL	TR1	5.21	1.12	PCI/L		V	0.22		1.06	YES	Perf Monitoring
10792	7/31/01	GW07620RG	URANIUM-235	REAL	TR1	0.3	0.197	PCI/L	J	V	0.203		1.01	YES	Perf Monitoring
10792	7/31/01	GW07620RG	URANIUM-238	REAL	TR1	4.42	0.984	PCI/L		V	0.0872		0.768	YES	Perf Monitoring
10992	7/24/01	GW07652RG	URANIUM-233,-234	REAL	TR1	6.5	0.97	PCI/L		V1	0.057		1.06	YES	Perf Monitoring
10992	7/24/01	GW07652RG	URANIUM-235	REAL	TR1	0.25	0.081	PCI/L		V1	0.049		1.01	YES	Perf Monitoring
10992	7/24/01	GW07652RG	URANIUM-238	REAL	TR1	4.8	0.74	PCI/L		V1	0.057		0.768	YES	Perf Monitoring
10994	8/14/01	GW07653RG	URANIUM-233,-234	REAL	TR1	9.3	1.5	PCI/L		1	0.18		1.06	YES	Plume Extent
10994	8/14/01	GW07653RG	URANIUM-235	REAL	TR1	0.42	0.17	PCI/L	J	1	0.16		1.01	YES	Plume Extent
10994	8/14/01	GW07653RG	URANIUM-238	REAL	TR1	6	1	PCI/L		1	0.16		0.768	YES	Plume Extent
10994	8/14/01	GW07653RG	STRONTIUM-89,90	REAL	TR1	0.28	0.3	PCI/L	U	V1	0.55		0.852	YES	Plume Extent
12691	8/24/01	GW07654RG	AMERICIUM-241	REAL	TR1	0.0047	0.0093	PCI/L	U	V1	0.017		0.145	NO	Perf Monitoring
12691	8/24/01	GW07654RG	PLUTONIUM-239/240	REAL	TR1	0.0139	0.0097	PCI/L	J	V1	0.01		0.151	NO	Perf Monitoring
12691	8/24/01	GW07654RG	URANIUM-233,-234	REAL	TR1	2.53	0.45	PCI/L		V1	0.12		1.06	YES	Perf Monitoring

202

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Sigma Error	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
12691	8/24/01	GW07654RG	URANIUM-235	REAL	TR1	0.031	0.032	PCI/L	U	V1	0.046		1.01	YES	Perf Monitoring
12691	8/24/01	GW07654RG	URANIUM-238	REAL	TR1	1.98	0.36	PCI/L		V1	0.046		0.768	YES	Perf Monitoring
12691	8/24/01	GW07656RG	AMERICIUM-241	RNS	TR1	0.001	0.011	PCI/L	U	V1	0.022		0.145	NO	Perf Monitoring
12691	8/24/01	GW07656RG	PLUTONIUM-239/240	RNS	TR1	-0.0041	0.0061	PCI/L	U	V1	0.017		0.151	NO	Perf Monitoring
12691	8/24/01	GW07656RG	URANIUM-233,-234	RNS	TR1	0.039	0.031	PCI/L	J	V1	0.036		1.06	YES	Perf Monitoring
12691	8/24/01	GW07656RG	URANIUM-235	RNS	TR1	0.005	0.016	PCI/L	U	V1	0.036		1.01	YES	Perf Monitoring
12691	8/24/01	GW07656RG	URANIUM-238	RNS	TR1	-0.005	0.016	PCI/L	U	V1	0.045		0.768	YES	Perf Monitoring
1386	8/28/01	GW07712RG	URANIUM-233,-234	REAL	TR1	7.5	1.2	PCI/L		V1	0.082		1.06	NO	Plume Extent
1386	8/28/01	GW07712RG	URANIUM-235	REAL	TR1	0.251	0.078	PCI/L	J	V1	0.013		1.01	NO	Plume Extent
1386	8/28/01	GW07712RG	URANIUM-238	REAL	TR1	6.4	0.99	PCI/L		V1	0.036		0.768	NO	Plume Extent
1786	7/11/01	GW07713RG	URANIUM-233,-234	REAL	TR1	43	6.2	PCI/L		V1	0.085		1.06	NO	Plume Extent
1786	7/11/01	GW07713RG	URANIUM-235	REAL	TR1	1.4	0.29	PCI/L		V1	0.085		1.01	NO	Plume Extent
1786	7/11/01	GW07713RG	URANIUM-238	REAL	TR1	33	4.8	PCI/L		V1	0.025		0.768	NO	Plume Extent
18199	9/10/01	GW07745RG	NEPTUNIUM-237	REAL	TR1	0	0.021	PCI/L	U	V1	0.021			NO	Plume Degradation
18199	9/10/01	GW07745RG	AMERICIUM-241	REAL	TR1	-0.0042	0.009	PCI/L	U	V1	0.021		0.145	NO	Plume Degradation
18199	9/10/01	GW07745RG	PLUTONIUM-239/240	REAL	TR1	-0.0013	0.0046	PCI/L	U	V1	0.013		0.151	NO	Plume Degradation
18199	9/10/01	GW07745RG	URANIUM-233,-234	REAL	TR1	0.27	0.11	PCI/L	J	V1	0.12		1.06	NO	Plume Degradation
18199	9/10/01	GW07745RG	URANIUM-235	REAL	TR1	0.019	0.037	PCI/L	U	V1	0.067		1.01	NO	Plume Degradation
18199	9/10/01	GW07745RG	URANIUM-238	REAL	TR1	0.149	0.068	PCI/L	J	V1	0.058		0.768	NO	Plume Degradation
18199	9/10/01	GW07745RG	TRITIUM	REAL	TR1	1	99	PCI/L	U	V1	180		666	NO	Plume Degradation
22596	8/1/01	GW07657RG	AMERICIUM-241	REAL	TR1	0.0148	0.0154	PCI/L	U	V1	0.0237		0.145	NO	Plume Extent
22596	8/1/01	GW07657RG	PLUTONIUM-239/240	REAL	TR1	0.00442	0.0122	PCI/L	U	V1	0.0244		0.151	NO	Plume Extent
22596	8/1/01	GW07657RG	URANIUM-233,-234	REAL	TR1	0.342	0.23	PCI/L	J	V1	0.278		1.06	NO	Plume Extent
22596	8/1/01	GW07657RG	URANIUM-235	REAL	TR1	0.0091	0.069	PCI/L	U	V1	0.226		1.01	NO	Plume Extent
22596	8/1/01	GW07657RG	URANIUM-238	REAL	TR1	0.0739	0.114	PCI/L	U	V1	0.225		0.768	NO	Plume Extent
22696	7/26/01	GW07658RG	AMERICIUM-241	REAL	TR1	-0.005	0.012	PCI/L		V1	0.029		0.145	NO	Plume Extent
22696	7/26/01	GW07658RG	PLUTONIUM-239/240	REAL	TR1	-0.002	0.005	PCI/L		V1	0.015		0.151	NO	Plume Extent
22696	7/23/01	GW07658RG	URANIUM-233,-234	REAL	TR1	9.3	1.4	PCI/L		V1	0.038		1.06	NO	Plume Extent
22696	7/23/01	GW07658RG	URANIUM-235	REAL	TR1	0.33	0.093	PCI/L		V1	0.014		1.01	NO	Plume Extent
22696	7/23/01	GW07658RG	URANIUM-238	REAL	TR1	6.3	0.94	PCI/L		V1	0.014		0.768	NO	Plume Extent
22896	9/12/01	GW07659RG	AMERICIUM-241	REAL	TR1	0.009	0.013	PCI/L	U	V1	0.021		0.145	NO	Plume Definition
22896	9/12/01	GW07660RG	AMERICIUM-241	DUP	TR1	0.018	0.021	PCI/L		V1	0.017		0.145	NO	Plume Definition
22896	9/12/01	GW07659RG	PLUTONIUM-239/240	REAL	TR1	-0.0041	0.008	PCI/L	U	V1	0.022		0.151	NO	Plume Definition
22896	9/12/01	GW07660RG	PLUTONIUM-239/240	DUP	TR1	0.0023	0.0062	PCI/L	U	V1	0.0062		0.151	NO	Plume Definition
22896	9/12/01	GW07659RG	URANIUM-233,-234	REAL	TR1	0.171	0.077	PCI/L	J	V1	0.071		1.06	YES	Plume Definition
22896	9/12/01	GW07660RG	URANIUM-233,-234	DUP	TR1	0.048	0.08	PCI/L	U	V1	0.14		1.06	YES	Plume Definition
22896	9/12/01	GW07659RG	URANIUM-235	REAL	TR1	0.026	0.041	PCI/L	U	V1	0.071		1.01	YES	Plume Definition
22896	9/12/01	GW07660RG	URANIUM-235	DUP	TR1	0.027	0.038	PCI/L	U	V1	0.064		1.01	YES	Plume Definition
22896	9/12/01	GW07659RG	URANIUM-238	REAL	TR1	0.039	0.032	PCI/L	J	V1	0.018		0.768	YES	Plume Definition
22896	9/12/01	GW07660RG	URANIUM-238	DUP	TR1	0.041	0.043	PCI/L	U	V1	0.064		0.768	YES	Plume Definition
22996	8/1/01	GW07694RG	AMERICIUM-241	REAL	TR1	0.00807	0.0097	PCI/L	U	V1	0.0154		0.145	NO	D&D Bldg 886
22996	8/1/01	GW07694RG	PLUTONIUM-239/240	REAL	TR1	0.0046	0.0064	PCI/L	U	V1	0.0069		0.151	NO	D&D Bldg 886
22996	8/1/01	GW07694RG	URANIUM-233,-234	REAL	TR1	1.64	0.522	PCI/L		V1	0.293		1.06	NO	D&D Bldg 886
22996	8/1/01	GW07694RG	URANIUM-235	REAL	TR1	-0.0075	0.0628	PCI/L	U	V1	0.164		1.01	NO	D&D Bldg 886
22996	8/1/01	GW07694RG	URANIUM-238	REAL	TR1	1.02	0.39	PCI/L		V1	0.234		0.768	NO	D&D Bldg 886
23096	8/14/01	GW07661RG	AMERICIUM-241	REAL	TR1	0.019	0.018	PCI/L	U	V1	0.027		0.145	NO	Plume Extent
23096	8/14/01	GW07661RG	PLUTONIUM-239/240	REAL	TR1	0.157	0.039	PCI/L		J1	0.012		0.151	NO	Plume Extent
23096	8/14/01	GW07661RG	URANIUM-233,-234	REAL	TR1	2.38	0.49	PCI/L		1	0.18		1.06	YES	Plume Extent
23096	8/14/01	GW07661RG	URANIUM-235	REAL	TR1	0.097	0.097	PCI/L	U	1	0.15		1.01	YES	Plume Extent
23096	8/14/01	GW07661RG	URANIUM-238	REAL	TR1	2.34	0.48	PCI/L		1	0.11		0.768	YES	Plume Extent
37101	8/9/01	GW07680RG	AMERICIUM-241	REAL	TR1	0.019	0.013	PCI/L	J	V1	0.014		0.145	NO	D&D Bldg 371
37101	8/9/01	GW07680RG	PLUTONIUM-239/240	REAL	TR1	0.0021	0.0058	PCI/L	U	V1	0.0058		0.151	NO	D&D Bldg 371
37101	8/8/01	GW07680RG	URANIUM-233,-234	REAL	TR1	0.034	0.04	PCI/L	U	V1	0.064		1.06	YES	D&D Bldg 371
37101	8/8/01	GW07680RG	URANIUM-235	REAL	TR1	0.019	0.019	PCI/L	J	V1	0.013		1.01	YES	D&D Bldg 371
37101	8/8/01	GW07680RG	URANIUM-238	REAL	TR1	0.049	0.034	PCI/L	J	V1	0.036		0.768	YES	D&D Bldg 371
37201	8/10/01	GW07681RG	AMERICIUM-241	REAL	TR1	-0.005	0.013	PCI/L	U	V1	0.029		0.145	NO	D&D Bldg 371
37201	8/10/01	GW07682RG	AMERICIUM-241	DUP	TR1	-0.002	0.013	PCI/L	U	V1	0.028		0.145	NO	D&D Bldg 371

209

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Sigma Error	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
37201	8/10/01	GW07681RG	PLUTONIUM-239/240	REAL	TR1	0.0034	0.0047	PCI/L	U	J1	0.0046		0.151	NO	D&D Bldg 371
37201	8/10/01	GW07682RG	PLUTONIUM-239/240	DUP	TR1	0	0.0065	PCI/L	U	J1	0.015		0.151	NO	D&D Bldg 371
37201	8/10/01	GW07681RG	URANIUM-233,-234	REAL	TR1	1.19	0.3	PCI/L		V1	0.22		1.06	YES	D&D Bldg 371
37201	8/10/01	GW07682RG	URANIUM-233,-234	DUP	TR1	1.3	0.31	PCI/L		V1	0.19		1.06	YES	D&D Bldg 371
37201	8/10/01	GW07681RG	URANIUM-235	REAL	TR1	0.021	0.058	PCI/L	U	V1	0.11		1.01	YES	D&D Bldg 371
37201	8/10/01	GW07682RG	URANIUM-235	DUP	TR1	0.021	0.058	PCI/L	U	V1	0.11		1.01	YES	D&D Bldg 371
37201	8/10/01	GW07681RG	URANIUM-238	REAL	TR1	1.05	0.25	PCI/L		V1	0.028		0.768	YES	D&D Bldg 371
37201	8/10/01	GW07682RG	URANIUM-238	DUP	TR1	1.08	0.26	PCI/L		V1	0.097		0.768	YES	D&D Bldg 371
37201	8/10/01	GW07683RG	AMERICIUM-241	RNS	TR1	0.004	0.014	PCI/L	U	V1	0.026		0.145	NO	D&D Bldg 371
37201	8/10/01	GW07683RG	PLUTONIUM-239/240	RNS	TR1	-0.0033	0.0092	PCI/L	U	J1	0.022		0.151	NO	D&D Bldg 371
37201	8/10/01	GW07683RG	URANIUM-233,-234	RNS	TR1	0.087	0.091	PCI/L	U	V1	0.14		1.06	YES	D&D Bldg 371
37201	8/10/01	GW07683RG	URANIUM-235	RNS	TR1	0.043	0.052	PCI/L	U	V1	0.08		1.01	YES	D&D Bldg 371
37201	8/10/01	GW07683RG	URANIUM-238	RNS	TR1	0.022	0.043	PCI/L	U	V1	0.08		0.768	YES	D&D Bldg 371
37301	8/9/01	GW07684RG	AMERICIUM-241	REAL	TR1	-0.005	0.011	PCI/L	U	V1	0.026		0.145	NO	D&D Bldg 371
37301	8/9/01	GW07684RG	PLUTONIUM-239/240	REAL	TR1	0.0034	0.0047	PCI/L	U	V1	0.0046		0.151	NO	D&D Bldg 371
37301	8/9/01	GW07684RG	URANIUM-233,-234	REAL	TR1	0.323	0.096	PCI/L	J	V1	0.064		1.06	YES	D&D Bldg 371
37301	8/9/01	GW07684RG	URANIUM-235	REAL	TR1	0.059	0.037	PCI/L	J	V1	0.036		1.01	YES	D&D Bldg 371
37301	8/9/01	GW07684RG	URANIUM-238	REAL	TR1	0.328	0.095	PCI/L	J	V1	0.053		0.768	YES	D&D Bldg 371
37401	8/13/01	GW07685RG	URANIUM-233,-234	REAL	TR1	27.5	4.3	PCI/L		1	0.16		1.06	YES	D&D Bldg 371
37401	8/13/01	GW07685RG	URANIUM-235	REAL	TR1	0.95	0.26	PCI/L	J	1	0.037		1.01	YES	D&D Bldg 371
37401	8/13/01	GW07685RG	URANIUM-238	REAL	TR1	22	3.4	PCI/L		1	0.1		0.768	YES	D&D Bldg 371
37401	8/21/01	GW07685RG	AMERICIUM-241	REAL	TR1	0.016	0.023	PCI/L	U	V1	0.021		0.145	NO	D&D Bldg 371
37401	8/21/01	GW07685RG	PLUTONIUM-239/240	REAL	TR1	0.063	0.039	PCI/L		V1	0.014		0.151	NO	D&D Bldg 371
37501	8/14/01	GW07686RG	URANIUM-233,-234	REAL	TR1	0.84	0.24	PCI/L	J	1	0.19		1.06	YES	D&D Bldg 371
37501	8/14/01	GW07686RG	URANIUM-235	REAL	TR1	0.075	0.071	PCI/L	U	1	0.1		1.01	YES	D&D Bldg 371
37501	8/14/01	GW07686RG	URANIUM-238	REAL	TR1	0.49	0.18	PCI/L	J	1	0.18		0.768	YES	D&D Bldg 371
37501	8/21/01	GW07686RG	AMERICIUM-241	REAL	TR1	0	0	PCI/L	U	V1	0.004		0.145	NO	D&D Bldg 371
37501	8/21/01	GW07686RG	PLUTONIUM-239/240	REAL	TR1	0.004	0.008	PCI/L	U	V1	0.011		0.151	NO	D&D Bldg 371
37601	8/27/01	GW07687RG	AMERICIUM-241	REAL	TR1	0.002	0.014	PCI/L	U	V1	0.027		0.145	NO	D&D Bldg 371
37601	8/27/01	GW07687RG	PLUTONIUM-239/240	REAL	TR1	0	0.0088	PCI/L	U	V1	0.019		0.151	NO	D&D Bldg 371
37601	8/13/01	GW07687RG	URANIUM-233,-234	REAL	TR1	2.31	0.45	PCI/L		1	0.18		1.06	YES	D&D Bldg 371
37601	8/13/01	GW07687RG	URANIUM-235	REAL	TR1	0.24	0.11	PCI/L	J	1	0.11		1.01	YES	D&D Bldg 371
37601	8/13/01	GW07687RG	URANIUM-238	REAL	TR1	1.5	0.32	PCI/L		1	0.092		0.768	YES	D&D Bldg 371
37701	8/14/01	GW07688RG	AMERICIUM-241	REAL	TR1	0.009	0.013	PCI/L	U	V1	0.022		0.145	NO	D&D Bldg 371
37701	8/14/01	GW07688RG	PLUTONIUM-239/240	REAL	TR1	0.004	0.012	PCI/L	U	J1	0.012		0.151	NO	D&D Bldg 371
37701	8/14/01	GW07688RG	URANIUM-233,-234	REAL	TR1	7.3	1.2	PCI/L		1	0.17		1.06	YES	D&D Bldg 371
37701	8/14/01	GW07688RG	URANIUM-235	REAL	TR1	0.44	0.16	PCI/L	J	1	0.14		1.01	YES	D&D Bldg 371
37701	8/14/01	GW07688RG	URANIUM-238	REAL	TR1	5.08	0.87	PCI/L		1	0.08		0.768	YES	D&D Bldg 371
40099	8/13/01	GW07737RG	URANIUM-233,-234	REAL	TR1	0.22	0.15	PCI/L	J	1	0.21		1.06	YES	D&D Bldg 444
40099	8/13/01	GW07737RG	URANIUM-235	REAL	TR1	0.042	0.058	PCI/L	U	1	0.097		1.01	YES	D&D Bldg 444
40099	8/13/01	GW07737RG	URANIUM-238	REAL	TR1	0.052	0.062	PCI/L	U	1	0.097		0.768	YES	D&D Bldg 444
40099	8/13/01	GW07737RG	TRITIUM	REAL	TR1	70	110	PCI/L	U	V1	190		666	NO	D&D Bldg 444
40199	8/13/01	GW07738RG	URANIUM-233,-234	REAL	TR1	1.24	0.29	PCI/L		1	0.11		1.06	YES	D&D Bldg 444
40199	8/13/01	GW07738RG	URANIUM-235	REAL	TR1	0.063	0.051	PCI/L	J	1	0.028		1.01	YES	D&D Bldg 444
40199	8/13/01	GW07738RG	URANIUM-238	REAL	TR1	0.57	0.17	PCI/L	J	1	0.028		0.768	YES	D&D Bldg 444
40199	8/13/01	GW07738RG	TRITIUM	REAL	TR1	20	100	PCI/L	U	V1	190		666	NO	D&D Bldg 444
40299	7/23/01	GW07739RG	TRITIUM	REAL	TR1	63	105	PCI/L		V1	179		666	NO	D&D Bldg 444
40299	7/23/01	GW07740RG	TRITIUM	DUP	TR1	73	105	PCI/L		V1	179		666	NO	D&D Bldg 444
40299	7/23/01	GW07739RG	URANIUM-233,-234	REAL	TR1	0.41	0.11	PCI/L		V1	0.055		1.06	YES	D&D Bldg 444
40299	7/23/01	GW07740RG	URANIUM-233,-234	DUP	TR1	0.47	0.12	PCI/L		V1	0.047		1.06	YES	D&D Bldg 444
40299	7/23/01	GW07739RG	URANIUM-235	REAL	TR1	0.056	0.037	PCI/L		V1	0.037		1.01	YES	D&D Bldg 444
40299	7/23/01	GW07740RG	URANIUM-235	DUP	TR1	0.056	0.04	PCI/L		V1	0.047		1.01	YES	D&D Bldg 444
40299	7/23/01	GW07739RG	URANIUM-238	REAL	TR1	0.23	0.075	PCI/L		V1	0.037		0.768	YES	D&D Bldg 444
40299	7/23/01	GW07740RG	URANIUM-238	DUP	TR1	0.16	0.063	PCI/L		V1	0.038		0.768	YES	D&D Bldg 444
40299	7/23/01	GW07741RG	TRITIUM	RNS	TR1	18	100	PCI/L		V1	179		666	NO	D&D Bldg 444
40299	7/23/01	GW07741RG	URANIUM-233,-234	RNS	TR1	0.048	0.041	PCI/L		V1	0.057		1.06	YES	D&D Bldg 444
40299	7/23/01	GW07741RG	URANIUM-235	RNS	TR1	0.021	0.021	PCI/L		V1	0.014		1.01	YES	D&D Bldg 444

510

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Sigma Error	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
40299	7/23/01	GW07741RG	URANIUM-238	RNS	TR1	0.037	0.028	PCI/L		V1	0.014		0.768	YES	D&D Bldg 444
40399	8/13/01	GW07742RG	URANIUM-233,-234	REAL	TR1	0.19	0.14	PCI/L	U	1	0.21		1.06	YES	D&D Bldg 444
40399	8/13/01	GW07742RG	URANIUM-235	REAL	TR1	0.02	0.062	PCI/L	U	1	0.12		1.01	YES	D&D Bldg 444
40399	8/13/01	GW07742RG	URANIUM-238	REAL	TR1	0.19	0.11	PCI/L	J	1	0.13		0.768	YES	D&D Bldg 444
40399	8/13/01	GW07742RG	TRITIUM	REAL	TR1	30	110	PCI/L	U	V1	190		666	NO	D&D Bldg 444
40499	8/13/01	GW07743RG	URANIUM-233,-234	REAL	TR1	0.21	0.12	PCI/L	J	1	0.15		1.06	YES	D&D Bldg 444
40499	8/13/01	GW07743RG	URANIUM-235	REAL	TR1	0.069	0.052	PCI/L	J	1	0.027		1.01	YES	D&D Bldg 444
40499	8/13/01	GW07743RG	URANIUM-238	REAL	TR1	0.129	0.072	PCI/L	J	1	0.027		0.768	YES	D&D Bldg 444
40499	8/13/01	GW07743RG	TRITIUM	REAL	TR1	-20	100	PCI/L	U	V1	190		666	NO	D&D Bldg 444
4087	7/26/01	GW07698RG	URANIUM-233,-234	REAL	TR1	19	2.7	PCI/L		V1	0.08		1.06	YES	RCRA
4087	7/26/01	GW07698RG	URANIUM-235	REAL	TR1	0.53	0.13	PCI/L		V1	0.017		1.01	YES	RCRA
4087	7/26/01	GW07698RG	URANIUM-238	REAL	TR1	14	2	PCI/L		V1	0.045		0.768	YES	RCRA
4087	7/26/01	GW07698RG	TRITIUM	REAL	TR1	-32	95	PCI/L		V1	179		666	NO	RCRA
40999	9/5/01	GW07691RG	AMERICIUM-241	REAL	TR1	0.011	0.011	PCI/L	U	V1	0.017		0.145	NO	D&D Bldg 886/865
40999	9/5/01	GW07691RG	PLUTONIUM-239/240	REAL	TR1	0	0.0052	PCI/L	U	V1	0.012		0.151	NO	D&D Bldg 886/865
40999	7/23/01	GW07691RG	URANIUM-233,-234	REAL	TR1	9	1.3	PCI/L		V1	0.066		1.06	YES	D&D Bldg 886/865
40999	7/23/01	GW07691RG	URANIUM-235	REAL	TR1	0.33	0.099	PCI/L		V1	0.059		1.01	YES	D&D Bldg 886/865
40999	7/23/01	GW07691RG	URANIUM-238	REAL	TR1	6.6	1	PCI/L		V1	0.015		0.768	YES	D&D Bldg 886/865
41099	7/27/01	GW07692RG	AMERICIUM-241	REAL	TR1	0.00184	0.0095	PCI/L	U	V1	0.0203		0.145	NO	D&D Bldg 886
41099	7/27/01	GW07692RG	PLUTONIUM-239/240	REAL	TR1	0.00183	0.0062	PCI/L	U	V1	0.014		0.151	NO	D&D Bldg 886
41099	7/31/01	GW07692RG	URANIUM-233,-234	REAL	TR1	21.5	3.84	PCI/L		V1	0.277		1.06	YES	D&D Bldg 886
41099	7/31/01	GW07692RG	URANIUM-235	REAL	TR1	0.783	0.347	PCI/L	J	V1	0.181		1.01	YES	D&D Bldg 886
41099	7/31/01	GW07692RG	URANIUM-238	REAL	TR1	13.5	2.55	PCI/L		V1	0.213		0.768	YES	D&D Bldg 886
41199	7/17/01	GW07693RG	AMERICIUM-241	REAL	TR1	0.012	0.016	PCI/L		V1	0.026		0.145	NO	D&D Bldg 886
41199	7/17/01	GW07693RG	PLUTONIUM-239/240	REAL	TR1	0.002	0.006	PCI/L		V1	0.006		0.151	NO	D&D Bldg 886
41199	7/16/01	GW07693RG	URANIUM-233,-234	REAL	TR1	9.2	1.3	PCI/L		V1	0.064		1.06	YES	D&D Bldg 886
41199	7/16/01	GW07693RG	URANIUM-235	REAL	TR1	0.32	0.093	PCI/L		V1	0.039		1.01	YES	D&D Bldg 886
41199	7/16/01	GW07693RG	URANIUM-238	REAL	TR1	3.2	0.51	PCI/L		V1	0.057		0.768	YES	D&D Bldg 886
41299	7/17/01	GW07744RG	URANIUM-233,-234	REAL	TR1	2	0.34	PCI/L		V1	0.071		1.06	YES	D&D Bldg 444
41299	7/17/01	GW07744RG	URANIUM-235	REAL	TR1	0.1	0.046	PCI/L		V1	0.014		1.01	YES	D&D Bldg 444
41299	7/17/01	GW07744RG	URANIUM-238	REAL	TR1	0.95	0.19	PCI/L		V1	0.014		0.768	YES	D&D Bldg 444
41299	7/17/01	GW07744RG	TRITIUM	REAL	TR1	73	106	PCI/L		V1	179		666	NO	D&D Bldg 444
41591	9/10/01	GW07663RG	AMERICIUM-241	REAL	TR1	-0.002	0.014	PCI/L	U	V1	0.028		0.145	NO	Boundary
41591	9/10/01	GW07663RG	PLUTONIUM-239/240	REAL	TR1	-0.0044	0.005	PCI/L	U	V1	0.016		0.151	NO	Boundary
41591	9/10/01	GW07663RG	URANIUM-233,-234	REAL	TR1	8.3	1.3	PCI/L		V1	0.075		1.06	YES	Boundary
41591	9/10/01	GW07663RG	URANIUM-235	REAL	TR1	0.263	0.089	PCI/L	J	V1	0.017		1.01	YES	Boundary
41591	9/10/01	GW07663RG	URANIUM-238	REAL	TR1	5.9	0.95	PCI/L		V1	0.046		0.768	YES	Boundary
41591	9/10/01	GW07663RG	TRITIUM	REAL	TR1	10	100	PCI/L	U	V1	180		666	NO	Boundary
41691	8/30/01	GW07664RG	AMERICIUM-241	REAL	TR1	0.015	0.018	PCI/L	U	V1	0.029		0.145	NO	Boundary
41691	8/30/01	GW07664RG	PLUTONIUM-239/240	REAL	TR1	-0.0013	0.0045	PCI/L	U	V1	0.012		0.151	NO	Boundary
41691	8/30/01	GW07664RG	URANIUM-233,-234	REAL	TR1	1.16	0.22	PCI/L		V1	0.052		1.06	NO	Boundary
41691	8/30/01	GW07664RG	URANIUM-235	REAL	TR1	0.048	0.033	PCI/L	J	V1	0.035		1.01	NO	Boundary
41691	8/30/01	GW07664RG	URANIUM-238	REAL	TR1	0.95	0.19	PCI/L	J	V1	0.058		0.768	NO	Boundary
41691	8/30/01	GW07664RG	STRONTIUM-89,90	REAL	TR1	0.43	0.25	PCI/L	J	V1	0.42		0.852	NO	Boundary
41691	8/30/01	GW07664RG	TRITIUM	REAL	TR1	-4	99	PCI/L	U	V1	180		666	NO	Boundary
43392	7/19/01	GW07665RG	AMERICIUM-241	REAL	TR1	0.009	0.011	PCI/L		V1	0.017		0.145	NO	Plume Extent
43392	7/19/01	GW07665RG	PLUTONIUM-239/240	REAL	TR1	0	0.006	PCI/L		V1	0.015		0.151	NO	Plume Extent
43392	7/18/01	GW07665RG	URANIUM-233,-234	REAL	TR1	0.99	0.2	PCI/L		V1	0.042		1.06	YES	Plume Extent
43392	7/18/01	GW07665RG	URANIUM-235	REAL	TR1	0.04	0.037	PCI/L		V1	0.053		1.01	YES	Plume Extent
43392	7/18/01	GW07665RG	URANIUM-238	REAL	TR1	0.37	0.11	PCI/L		V1	0.053		0.768	YES	Plume Extent
52894	7/17/01	GW07700RG	URANIUM-233,-234	REAL	TR1	16	2.3	PCI/L		V1	0.074		1.06	YES	RCRA
52894	7/17/01	GW07700RG	URANIUM-235	REAL	TR1	0.52	0.13	PCI/L		V1	0.045		1.01	YES	RCRA
52894	7/17/01	GW07700RG	URANIUM-238	REAL	TR1	12	1.7	PCI/L		V1	0.045		0.768	YES	RCRA
52894	7/19/01	GW07700RG	TRITIUM	REAL	TR1	68	105	PCI/L		V1	179		666	NO	RCRA
5387	8/8/01	GW07617RG	URANIUM-233,-234	REAL	TR1	9.5	1.4	PCI/L		V1	0.062		1.06	YES	Plume Extent
5387	8/8/01	GW07617RG	URANIUM-235	REAL	TR1	0.38	0.11	PCI/L	J	V1	0.056		1.01	YES	Plume Extent
5387	8/8/01	GW07617RG	URANIUM-238	REAL	TR1	7.1	1.1	PCI/L		V1	0.048		0.768	YES	Plume Extent

211

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Sigma Error	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
5887	7/12/01	GW07699RG	URANIUM-233,-234	REAL	TR1	0.13	0.093	PCI/L		V1	0.13		1.06	NO	RCRA
5887	7/12/01	GW07699RG	URANIUM-235	REAL	TR1	0.057	0.049	PCI/L		V1	0.066		1.01	NO	RCRA
5887	7/12/01	GW07699RG	URANIUM-238	REAL	TR1	0.071	0.053	PCI/L		V1	0.066		0.768	NO	RCRA
5887	7/12/01	GW07699RG	TRITIUM	REAL	TR1	88	108	PCI/L		V1	179		666	NO	RCRA
6186	8/28/01	GW07642RG	AMERICIUM-241	REAL	TR1	-0.005	0.01	PCI/L	U	V1	0.024		0.145	NO	Plume Extent
6186	8/28/01	GW07642RG	PLUTONIUM-239/240	REAL	TR1	0.0013	0.0055	PCI/L	U	V1	0.012		0.151	NO	Plume Extent
6186	8/21/01	GW07642RG	URANIUM-233,-234	REAL	TR1	2.44	0.736	PCI/L	B	V1	0.072		1.06	YES	Plume Extent
6186	8/21/01	GW07642RG	URANIUM-235	REAL	TR1	0.196	0.171	PCI/L	J	V1	0.089		1.01	YES	Plume Extent
6186	8/21/01	GW07642RG	URANIUM-238	REAL	TR1	1.86	0.603	PCI/L		V1	0.126		0.768	YES	Plume Extent
6286	7/24/01	GW07643RG	AMERICIUM-241	REAL	TR1	0.002	0.009	PCI/L		V1	0.018		0.145	NO	Plume Definition
6286	7/24/01	GW07643RG	PLUTONIUM-239/240	REAL	TR1	0.005	0.007	PCI/L		V1	0.007		0.151	NO	Plume Definition
6286	7/24/01	GW07643RG	URANIUM-233,-234	REAL	TR1	5.2	0.8	PCI/L		V1	0.053		1.06	YES	Plume Definition
6286	7/24/01	GW07643RG	URANIUM-235	REAL	TR1	0.18	0.07	PCI/L		V1	0.053		1.01	YES	Plume Definition
6286	7/24/01	GW07643RG	URANIUM-238	REAL	TR1	4	0.63	PCI/L		V1	0.042		0.768	YES	Plume Definition
6386	8/8/01	GW07644RG	URANIUM-233,-234	REAL	TR1	5.75	0.91	PCI/L		V1	0.066		1.06	YES	Plume Definition
6386	8/8/01	GW07644RG	URANIUM-235	REAL	TR1	0.137	0.059	PCI/L	J	V1	0.04		1.01	YES	Plume Definition
6386	8/8/01	GW07644RG	URANIUM-238	REAL	TR1	5.08	0.81	PCI/L		V1	0.04		0.768	YES	Plume Definition
6586	9/17/01	GW07646RG	AMERICIUM-241	REAL	TR1	0.0162	0.016	PCI/L	J	V1	0.0121		0.145	NO	Drainage
6586	9/17/01	GW07646RG	PLUTONIUM-239/240	REAL	TR1	0.0205	0.0128	PCI/L	J	V1	0.0061		0.151	NO	Drainage
6586	9/17/01	GW07646RG	URANIUM-233,-234	REAL	TR1	5.59	1.05	PCI/L		V1	0.214		1.06	NO	Drainage
6586	9/17/01	GW07646RG	URANIUM-235	REAL	TR1	0.309	0.184	PCI/L	J	V1	0.239		1.01	NO	Drainage
6586	9/17/01	GW07646RG	URANIUM-238	REAL	TR1	5.09	0.974	PCI/L		V1	0.238		0.768	NO	Drainage
70099	8/15/01	GW07710RG	URANIUM-233,-234	REAL	TR1	92	15	PCI/L		1	0.16		1.06	NO	Perf Monitoring
70099	8/21/01	GW07710RG	URANIUM-233,-234	REAL	TR1	93	15	PCI/L		V1	0.13		1.06	NO	Perf Monitoring
70099	8/21/01	GW07710RG	URANIUM-235	REAL	TR1	3.09	0.63	PCI/L		V1	0.11		1.01	NO	Perf Monitoring
70099	8/15/01	GW07710RG	URANIUM-235	REAL	TR1	2.9	0.61	PCI/L		1	0.037		1.01	NO	Perf Monitoring
70099	8/15/01	GW07710RG	URANIUM-238	REAL	TR1	68	11	PCI/L		1	0.037		0.768	NO	Perf Monitoring
70099	8/21/01	GW07710RG	URANIUM-238	REAL	TR1	65	10	PCI/L		V1	0.13		0.768	NO	Perf Monitoring
70193	7/25/01	GW07702RG	URANIUM-233,-234	REAL	TR1	0.0467	0.108	PCI/L	U	V	0.257		1.06	YES	RCRA
70193	7/25/01	GW07702RG	URANIUM-235	REAL	TR1	0.0156	0.0622	PCI/L	U	V	0.187		1.01	YES	RCRA
70193	7/25/01	GW07702RG	URANIUM-238	REAL	TR1	0.0982	0.121	PCI/L	U	V	0.208		0.768	YES	RCRA
70193	7/25/01	GW07702RG	TRITIUM	REAL	TR1	-324	187	PCI/L	U	V1	358		666	NO	RCRA
70299	8/16/01	GW07711RG	URANIUM-233,-234	REAL	TR1	7.35	1.85	PCI/L	B	V1	0.074		1.06	NO	Perf Monitoring
70299	8/16/01	GW07711RG	URANIUM-235	REAL	TR1	0.203	0.178	PCI/L	J	V1	0.092		1.01	NO	Perf Monitoring
70299	8/16/01	GW07711RG	URANIUM-238	REAL	TR1	5.04	1.33	PCI/L		V1	0.131		0.768	NO	Perf Monitoring
70393	7/11/01	GW07703RG	URANIUM-233,-234	REAL	TR1	0.11	0.052	PCI/L		V1	0.047		1.06	NO	RCRA
70393	7/11/01	GW07703RG	URANIUM-235	REAL	TR1	0.035	0.026	PCI/L		V1	0.014		1.01	NO	RCRA
70393	7/11/01	GW07703RG	URANIUM-238	REAL	TR1	0.035	0.033	PCI/L		V1	0.047		0.768	NO	RCRA
70393	7/11/01	GW07703RG	TRITIUM	REAL	TR1	8	100	PCI/L		V1	179		666	NO	RCRA
70493	7/26/01	GW07704RG	URANIUM-233,-234	REAL	TR1	0.785	0.352	PCI/L	J	V	0.217		1.06	YES	RCRA
70493	7/26/01	GW07704RG	URANIUM-235	REAL	TR1	0.0447	0.101	PCI/L	U	V	0.243		1.01	YES	RCRA
70493	7/26/01	GW07704RG	URANIUM-238	REAL	TR1	0.454	0.268	PCI/L	J	V	0.263		0.768	YES	RCRA
70493	7/25/01	GW07704RG	TRITIUM	REAL	TR1	-434	181	PCI/L	U	V1	356		666	NO	RCRA
7086	9/10/01	GW08647RG	URANIUM-233,-234	REAL	TR1	1.07	0.24	PCI/L		V1	0.15		1.06	YES	Plume Extent
7086	9/10/01	GW08647RG	URANIUM-235	REAL	TR1	0.032	0.042	PCI/L	U	V1	0.07		1.01	YES	Plume Extent
7086	9/10/01	GW08647RG	URANIUM-238	REAL	TR1	0.83	0.19	PCI/L	J	V1	0.048		0.768	YES	Plume Extent
7086	9/10/01	GW08647RG	STRONTIUM-89,90	REAL	TR1	0.54	0.32	PCI/L	U	V1	0.55		0.852	YES	Plume Extent
75992	8/30/01	GW07666RG	AMERICIUM-241	REAL	TR1	0.005	0.011	PCI/L	U	V1	0.021		0.145	NO	Plume Extent
75992	8/30/01	GW07666RG	PLUTONIUM-239/240	REAL	TR1	0.0082	0.0067	PCI/L	J	V1	0.0037		0.151	NO	Plume Extent
76992	9/20/01	GW07667RG	TRITIUM	REAL	TR1	-199	140	PCI/L	U	V	266		666	NO	Plume Extent
891COLWEL	9/6/01	GW07707RG	URANIUM-233,-234	REAL	TR1	11.4	1.7	PCI/L		V1	0.089		1.06	YES	Perf Monitoring
891COLWEL	9/6/01	GW07707RG	URANIUM-235	REAL	TR1	0.337	0.096	PCI/L	J	V1	0.038		1.01	YES	Perf Monitoring
891COLWEL	9/6/01	GW07707RG	URANIUM-238	REAL	TR1	8.5	1.3	PCI/L		V1	0.038		0.768	YES	Perf Monitoring
90299	9/20/01	GW07721RG	AMERICIUM-241	REAL	TR1	0.0293	0.022	PCI/L	J	V1	0.0126		0.145	NO	Plume Degradation
90299	9/20/01	GW07721RG	PLUTONIUM-239/240	REAL	TR1	0.00454	0.0063	PCI/L	U	V1	0.0068		0.151	NO	Plume Degradation
90299	9/12/01	GW07721RG	URANIUM-233,-234	REAL	TR1	25.9	4	PCI/L		V1	0.18		1.06	YES	Plume Degradation
90299	9/12/01	GW07721RG	URANIUM-235	REAL	TR1	1.33	0.29	PCI/L		V1	0.1		1.01	YES	Plume Degradation

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Sigma Error	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
90299	9/12/01	GW07721RG	URANIUM-238	REAL	TR1	19.7	3.1	PCI/L		V1	0.11		0.768	YES	Plume Degradation
90399	8/27/01	GW07722RG	AMERICIUM-241	REAL	TR1	0.009	0.013	PCI/L	U	V1	0.021		0.145	NO	Plume Degradation
90399	8/27/01	GW07722RG	PLUTONIUM-239/240	REAL	TR1	0	0.005	PCI/L	U	V1	0.012		0.151	NO	Plume Degradation
90399	8/27/01	GW07722RG	URANIUM-233,-234	REAL	TR1	7.2	1.1	PCI/L		V1	0.06		1.06	YES	Plume Degradation
90399	8/27/01	GW07722RG	URANIUM-235	REAL	TR1	0.214	0.071	PCI/L	J	V1	0.042		1.01	YES	Plume Degradation
90399	8/27/01	GW07722RG	URANIUM-238	REAL	TR1	5.15	0.8	PCI/L		V1	0.049		0.768	YES	Plume Degradation
B206989	8/30/01	GW07705RG	URANIUM-233,-234	REAL	TR1	60.5	9.2	PCI/L		V1	0.07		1.06	YES	RCRA
B206989	8/30/01	GW07705RG	URANIUM-235	REAL	TR1	1.5	0.31	PCI/L		V1	0.07		1.01	YES	RCRA
B206989	8/30/01	GW07705RG	URANIUM-238	REAL	TR1	37.2	5.7	PCI/L		V1	0.055		0.768	YES	RCRA
B206989	8/30/01	GW07705RG	TRITIUM	REAL	TR1	30	100	PCI/L	U	V1	180		666	NO	RCRA
B371BAS	8/14/01	SW07689RG	AMERICIUM-241	REAL	TR1	-0.002	0.013	PCI/L	U	V1	0.027		0.145	NO	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	PLUTONIUM-239/240	REAL	TR1	0.0034	0.0066	PCI/L	U	J1	0.012		0.151	NO	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	URANIUM-233,-234	REAL	TR1	2.39	0.49	PCI/L		1	0.14		1.06	YES	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	URANIUM-235	REAL	TR1	0.12	0.1	PCI/L	U	1	0.14		1.01	YES	D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	URANIUM-238	REAL	TR1	1.4	0.33	PCI/L		1	0.11		0.768	YES	D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	AMERICIUM-241	REAL	TR1	0.003	0.013	PCI/L	U	V1	0.024		0.145	NO	D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	PLUTONIUM-239/240	REAL	TR1	-0.0017	0.0059	PCI/L	U	J1	0.016		0.151	NO	D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	URANIUM-233,-234	REAL	TR1	2.44	0.41	PCI/L		1	0.045		1.06	YES	D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	URANIUM-235	REAL	TR1	0.054	0.033	PCI/L	J	1	0.013		1.01	YES	D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	URANIUM-238	REAL	TR1	1.68	0.3	PCI/L		1	0.036		0.768	YES	D&D Bldg 371/374
P114389	8/28/01	GW07668RG	AMERICIUM-241	REAL	TR1	0.0072	0.0095	PCI/L	U	V1	0.016		0.145	NO	Plume Extent
P114389	8/28/01	GW07668RG	PLUTONIUM-239/240	REAL	TR1	-0.003	0.01	PCI/L	U	V1	0.022		0.151	NO	Plume Extent
P114389	8/28/01	GW07668RG	URANIUM-233,-234	REAL	TR1	3.23	0.54	PCI/L		V1	0.12		1.06	YES	Plume Extent
P114389	8/28/01	GW07668RG	URANIUM-235	REAL	TR1	0.022	0.038	PCI/L	U	V1	0.067		1.01	YES	Plume Extent
P114389	8/28/01	GW07668RG	URANIUM-238	REAL	TR1	2.09	0.37	PCI/L		V1	0.041		0.768	YES	Plume Extent
P209389	7/24/01	GW07669RG	AMERICIUM-241	REAL	TR1	0.019	0.012	PCI/L	J	V	0.0057		0.145	NO	Plume Definition
P209389	7/24/01	GW07670RG	AMERICIUM-241	DUP	TR1	0.0248	0.0147	PCI/L	J	V	0.0146		0.145	NO	Plume Definition
P209389	7/24/01	GW07669RG	PLUTONIUM-239/240	REAL	TR1	0.00226	0.0044	PCI/L	U	V	0.0068		0.151	NO	Plume Definition
P209389	7/24/01	GW07670RG	PLUTONIUM-239/240	DUP	TR1	0.00245	0.0127	PCI/L	U	V	0.0271		0.151	NO	Plume Definition
P209389	7/23/01	GW07669RG	STRONTIUM-89,90	REAL	TR1	-0.338	0.275	PCI/L	U	V1	0.464		0.852	YES	Plume Definition
P209389	7/23/01	GW07670RG	STRONTIUM-89,90	DUP	TR1	-0.0025	0.192	PCI/L	U	V1	0.33		0.852	YES	Plume Definition
P209389	7/23/01	GW07669RG	TRITIUM	REAL	TR1	-325	187	PCI/L	U	V1	359		666	NO	Plume Definition
P209389	7/23/01	GW07670RG	TRITIUM	DUP	TR1	-268	190	PCI/L	U	V1	359		666	NO	Plume Definition
P209389	7/23/01	GW07669RG	URANIUM-233,-234	REAL	TR1	0.905	0.384	PCI/L	J	V	0.263		1.06	YES	Plume Definition
P209389	7/23/01	GW07670RG	URANIUM-233,-234	DUP	TR1	0.987	0.393	PCI/L	J	V	0.248		1.06	YES	Plume Definition
P209389	7/23/01	GW07669RG	URANIUM-235	REAL	TR1	0.00418	0.131	PCI/L	U	V	0.38		1.01	YES	Plume Definition
P209389	7/23/01	GW07670RG	URANIUM-235	DUP	TR1	-0.0158	0.0682	PCI/L	U	V	0.205		1.01	YES	Plume Definition
P209389	7/23/01	GW07669RG	URANIUM-238	REAL	TR1	0.603	0.324	PCI/L	J	V	0.367		0.768	YES	Plume Definition
P209389	7/23/01	GW07670RG	URANIUM-238	DUP	TR1	0.657	0.306	PCI/L	J	V	0.0985		0.768	YES	Plume Definition
P209389	7/24/01	GW07671RG	AMERICIUM-241	RNS	TR1	0.0153	0.0141	PCI/L	U	V	0.0211		0.145	NO	Plume Definition
P209389	7/24/01	GW07671RG	PLUTONIUM-239/240	RNS	TR1	0.00885	0.0107	PCI/L	U	V	0.0169		0.151	NO	Plume Definition
P209389	7/23/01	GW07671RG	STRONTIUM-89,90	RNS	TR1	0.162	0.189	PCI/L	U	V1	0.306		0.852	YES	Plume Definition
P209389	7/23/01	GW07671RG	TRITIUM	RNS	TR1	-268	189	PCI/L	U	V1	359		666	NO	Plume Definition
P209389	7/23/01	GW07671RG	URANIUM-233,-234	RNS	TR1	0.242	0.2	PCI/L	U	V	0.303		1.06	YES	Plume Definition
P209389	7/23/01	GW07671RG	URANIUM-235	RNS	TR1	0.101	0.125	PCI/L	U	V	0.215		1.01	YES	Plume Definition
P209389	7/23/01	GW07671RG	URANIUM-238	RNS	TR1	0.00863	0.0655	PCI/L	U	V	0.214		0.768	YES	Plume Definition
P219089	7/30/01	GW07754RG	NEPTUNIUM-237	REAL	TR1	0.0434	0.083	PCI/L	U	V1	0.236			NO	D&D Bldg 771
P219089	7/30/01	GW07754RG	AMERICIUM-241	REAL	TR1	0.014	0.0098	PCI/L	J	V1	0.0053		0.145	NO	D&D Bldg 771
P219089	7/30/01	GW07754RG	PLUTONIUM-239/240	REAL	TR1	0.0048	0.0115	PCI/L	U	V1	0.023		0.151	NO	D&D Bldg 771
P219089	7/30/01	GW07754RG	URANIUM-233,-234	REAL	TR1	5.43	1.13	PCI/L		V1	0.299		1.06	YES	D&D Bldg 771
P219089	7/30/01	GW07754RG	URANIUM-235	REAL	TR1	0.297	0.194	PCI/L	J	V1	0.223		1.01	YES	D&D Bldg 771
P219089	7/30/01	GW07754RG	URANIUM-238	REAL	TR1	4.21	0.932	PCI/L		V1	0.171		0.768	YES	D&D Bldg 771
P219089	7/27/01	GW07754RG	TRITIUM	REAL	TR1	-155	195	PCI/L	U	V	359		666	NO	D&D Bldg 771
P313589	9/6/01	GW07672RG	AMERICIUM-241	REAL	TR1	-0.0033	0.0079	PCI/L	U	V1	0.02		0.145	NO	Plume Extent
P313589	9/6/01	GW07672RG	PLUTONIUM-239/240	REAL	TR1	0	0.004	PCI/L	U	V1	0.011		0.151	NO	Plume Extent
P313589	9/6/01	GW07672RG	URANIUM-233,-234	REAL	TR1	1.84	0.32	PCI/L		V1	0.036		1.06	YES	Plume Extent
P313589	9/6/01	GW07672RG	URANIUM-235	REAL	TR1	0.049	0.037	PCI/L	J	V1	0.045		1.01	YES	Plume Extent

2/3

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Sigma Error	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filter	IMP Well Class
P313589	9/6/01	GW07672RG	URANIUM-238	REAL	TR1	1.22	0.23	PCI/L		V1	0.013		0.768	YES	Plume Extent
P317989	9/21/01	GW07697RG	URANIUM-233,-234	REAL	TR1	50.4	7.55	PCI/L		V1	0.0526		1.06	YES	D&D Bldg 886/865
P317989	9/21/01	GW07697RG	URANIUM-235	REAL	TR1	2.3	0.519	PCI/L		V1	0.135		1.01	YES	D&D Bldg 886/865
P317989	9/21/01	GW07697RG	URANIUM-238	REAL	TR1	37.8	5.72	PCI/L		V1	0.111		0.768	YES	D&D Bldg 886/865
P419689	8/13/01	GW07719RG	URANIUM-233,-234	REAL	TR1	0.97	0.26	PCI/L	J	1	0.15		1.06	YES	D&D Bldg 444
P419689	8/13/01	GW07719RG	URANIUM-235	REAL	TR1	0.078	0.059	PCI/L	J	1	0.03		1.01	YES	D&D Bldg 444
P419689	8/13/01	GW07719RG	URANIUM-238	REAL	TR1	0.46	0.15	PCI/L	J	1	0.03		0.768	YES	D&D Bldg 444
P419689	8/13/01	GW07719RG	TRITIUM	REAL	TR1	60	110	PCI/L	U	V1	190		666	NO	D&D Bldg 444
SW13494	8/28/01	SW07706RG	URANIUM-233,-234	REAL	TR1	4.03	0.64	PCI/L		V1	0.059		1.06	YES	Perf Monitoring
SW13494	8/28/01	SW07706RG	URANIUM-235	REAL	TR1	0.112	0.051	PCI/L	J	V1	0.036		1.01	YES	Perf Monitoring
SW13494	8/28/01	SW07706RG	URANIUM-238	REAL	TR1	2.96	0.49	PCI/L		V1	0.013		0.768	YES	Perf Monitoring

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
			Dissolved Gasses											
01097	8/29/01	GW07733RG	ETHANE	REAL	TR1	2	UG/L	U		2	1			Plume Degradation
1097	8/29/01	GW07733RG	ETHENE	REAL	TR1	2	UG/L	U		2	1			Plume Degradation
1097	8/29/01	GW07733RG	METHANE	REAL	TR1	1	UG/L	U		1	1			Plume Degradation
01497	9/4/01	GW07734RG	ETHANE	REAL	TR1	2	UG/L	U		2	1			Plume Degradation
1497	9/4/01	GW07734RG	ETHENE	REAL	TR1	2	UG/L	U		2	1			Plume Degradation
1497	9/4/01	GW07734RG	METHANE	REAL	TR1	1	UG/L	U		1	1			Plume Degradation
02097	9/6/01	GW07736RG	ETHANE	REAL	TR1	2	UG/L	U		2	1			Plume Degradation
02097	9/6/01	GW07736RG	ETHENE	REAL	TR1	2	UG/L	U		2	1			Plume Degradation
2097	9/6/01	GW07736RG	METHANE	REAL	TR1	240	UG/L	E		1	1			Plume Degradation
7391	8/23/01	GW07724RG	ETHANE	REAL	TR1	2	UG/L	U		2	1			Perf Monitoring
07391	8/23/01	GW07724RG	ETHENE	REAL	TR1	2	UG/L	U		2	1			Perf Monitoring
7391	8/23/01	GW07724RG	METHANE	REAL	TR1	1	UG/L	U		1	1			Perf Monitoring
1791	8/22/01	GW07725RG	ETHANE	REAL	TR1	2	UG/L	U		2	1			Plume Degradation
1791	8/22/01	GW07725RG	ETHENE	REAL	TR1	2	UG/L	U		2	1			Plume Degradation
11791	8/22/01	GW07725RG	METHANE	REAL	TR1	1	UG/L	U		1	1			Plume Degradation
1187	8/27/01	GW07723RG	ETHANE	REAL	TR1	2	UG/L	U		2	1			Plume Degradation
1187	8/27/01	GW07723RG	ETHENE	REAL	TR1	2	UG/L	U		2	1			Plume Degradation
1187	8/27/01	GW07723RG	METHANE	REAL	TR1	1	UG/L	U		1	1			Plume Degradation
70693	9/5/01	GW07735RG	ETHANE	REAL	TR1	2	UG/L	U		2	1			Plume Degradation
0693	9/5/01	GW07735RG	ETHENE	REAL	TR1	2	UG/L	U		2	1			Plume Degradation
0693	9/5/01	GW07735RG	METHANE	REAL	TR1	1	UG/L	U		1	1			Plume Degradation
90099	8/22/01	GW07716RG	ETHANE	REAL	TR1	2	UG/L	U		2	1			Plume Degradation
0099	8/22/01	GW07717RG	ETHANE	DUP	TR1	2	UG/L	U		2	1			Plume Degradation
0099	8/22/01	GW07716RG	ETHENE	REAL	TR1	2	UG/L	U		2	1			Plume Degradation
90099	8/22/01	GW07717RG	ETHENE	DUP	TR1	2	UG/L	U		2	1			Plume Degradation
90099	8/22/01	GW07716RG	METHANE	REAL	TR1	1	UG/L	U		1	1			Plume Degradation
0099	8/22/01	GW07717RG	METHANE	DUP	TR1	1	UG/L	U		1	1			Plume Degradation
0099	8/22/01	GW07718RG	ETHANE	RNS	TR1	2	UG/L	U		2	1			Plume Degradation
90099	8/22/01	GW07718RG	ETHENE	RNS	TR1	2	UG/L	U		2	1			Plume Degradation
0099	8/22/01	GW07718RG	METHANE	RNS	TR1	1	UG/L	U		1	1			Plume Degradation
0399	8/27/01	GW07722RG	ETHANE	REAL	TR1	2	UG/L	U		2	1			Plume Degradation
90399	8/27/01	GW07722RG	ETHENE	REAL	TR1	2	UG/L	U		2	1			Plume Degradation
90399	8/27/01	GW07722RG	METHANE	REAL	TR1	1	UG/L	U		1	1			Plume Degradation
			Volatile Organic Compounds (VOCs)											
00491	7/12/01	GW07623RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.22	1			Plume Definition
00491	7/12/01	GW07623RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.26	1	200		Plume Definition
0491	7/12/01	GW07623RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.31	1	0.426		Plume Definition
0491	7/12/01	GW07623RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.39	1	5		Plume Definition
00491	7/12/01	GW07623RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V	0.21	1			Plume Definition
00491	7/12/01	GW07623RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.17	1	3650		Plume Definition
0491	7/12/01	GW07623RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	0.2	1	7		Plume Definition
0491	7/12/01	GW07623RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.22	1			Plume Definition
00491	7/12/01	GW07623RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.16	1			Plume Definition
0491	7/12/01	GW07623RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.29	1			Plume Definition
0491	7/12/01	GW07623RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.2	1	70		Plume Definition
00491	7/12/01	GW07623RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	0.36	1			Plume Definition
00491	7/12/01	GW07623RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.24	1	600		Plume Definition
0491	7/12/01	GW07623RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.28	1	5		Plume Definition
0491	7/12/01	GW07623RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.21	1	5		Plume Definition
00491	7/12/01	GW07623RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.26	1	600		Plume Definition
0491	7/12/01	GW07623RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.26	1			Plume Definition
0491	7/12/01	GW07623RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.24	1	75		Plume Definition
00491	7/12/01	GW07623RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.21	1			Plume Definition
00491	7/12/01	GW07623RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V	0.93	1	21900		Plume Definition
0491	7/12/01	GW07623RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V	0.7	1			Plume Definition
0491	7/12/01	GW07623RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.3	1			Plume Definition

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
00491	7/12/01	GW07623RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V	0.79	1	2920		Plume Definition
00491	7/12/01	GW07623RG	ACETONE	REAL	TR1	10	UG/L	U	UJ	1.9	1	3650		Plume Definition
00491	7/12/01	GW07623RG	BENZENE	REAL	TR1	1	UG/L	U	UJ	0.21	1	5		Plume Definition
00491	7/12/01	GW07623RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ	0.22	1			Plume Definition
00491	7/12/01	GW07623RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ	0.29	1			Plume Definition
00491	7/12/01	GW07623RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ	0.24	1			Plume Definition
00491	7/12/01	GW07623RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.21	1			Plume Definition
00491	7/12/01	GW07623RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.22	1	100		Plume Definition
00491	7/12/01	GW07623RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	0.32	1	100		Plume Definition
00491	7/12/01	GW07623RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	0.3	1	51.1		Plume Definition
00491	7/12/01	GW07623RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	UJ	0.19	1	3650		Plume Definition
00491	7/12/01	GW07623RG	CARBON TETRACHLORIDE	REAL	DL1	91	UG/L		V	0.38	2	5		Plume Definition
00491	7/12/01	GW07623RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.3	1	100		Plume Definition
00491	7/12/01	GW07623RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.25	1	29.4		Plume Definition
00491	7/12/01	GW07623RG	CHLOROFORM	REAL	TR1	56	UG/L		V	0.23	1	100		Plume Definition
00491	7/12/01	GW07623RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.3	1	6.55		Plume Definition
00491	7/12/01	GW07623RG	cis-1,2-DICHLOROETHENE	REAL	TR1	7.3	UG/L		V	0.26	1	70		Plume Definition
00491	7/12/01	GW07623RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.28	1	0.473		Plume Definition
00491	7/12/01	GW07623RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.38	1	1.01		Plume Definition
00491	7/12/01	GW07623RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	0.44	1			Plume Definition
00491	7/12/01	GW07623RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	0.23	1			Plume Definition
00491	7/12/01	GW07623RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.28	1	700		Plume Definition
00491	7/12/01	GW07623RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	0.29	1	1.09		Plume Definition
00491	7/12/01	GW07623RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.31	1			Plume Definition
00491	7/12/01	GW07623RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V	0.89	1	5		Plume Definition
00491	7/12/01	GW07623RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ	0.15	1	1460		Plume Definition
00491	7/12/01	GW07623RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.26	1			Plume Definition
00491	7/12/01	GW07623RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.23	1			Plume Definition
00491	7/12/01	GW07623RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.31	1			Plume Definition
00491	7/12/01	GW07623RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.25	1			Plume Definition
00491	7/12/01	GW07623RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R	0.25	1	0.2		Plume Definition
00491	7/12/01	GW07623RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.26	1			Plume Definition
00491	7/12/01	GW07623RG	STYRENE	REAL	TR1	1	UG/L	U	UJ	0.27	1	100		Plume Definition
00491	7/12/01	GW07623RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.29	1			Plume Definition
00491	7/12/01	GW07623RG	TETRACHLOROETHENE	REAL	TR1	21	UG/L		V	0.36	1	5		Plume Definition
00491	7/12/01	GW07623RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ	0.29	1	1000		Plume Definition
00491	7/12/01	GW07623RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ	0.95	1	10000		Plume Definition
00491	7/12/01	GW07623RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V	0.27	1	70		Plume Definition
00491	7/12/01	GW07623RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.42	1	0.473		Plume Definition
00491	7/12/01	GW07623RG	TRICHLOROETHENE	REAL	TR1	39	UG/L		V	0.22	1	5		Plume Definition
00491	7/12/01	GW07623RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	0.28	1			Plume Definition
00491	7/12/01	GW07623RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	0.21	1	2		Plume Definition
00597	7/19/01	GW07625RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.22	1			Plume Definition
00597	7/19/01	GW07626RG	1,1,1,2-TETRACHLOROETHANE	DUP	TR1	1	UG/L	U	V	0.22	1			Plume Definition
00597	7/19/01	GW07625RG	1,1,1-TRICHLOROETHANE	REAL	TR1	5.4	UG/L		V	0.26	1	200		Plume Definition
00597	7/19/01	GW07626RG	1,1,1-TRICHLOROETHANE	DUP	TR1	6.3	UG/L		V	0.26	1	200		Plume Definition
00597	7/19/01	GW07625RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.31	1	0.426		Plume Definition
00597	7/19/01	GW07626RG	1,1,2,2-TETRACHLOROETHANE	DUP	TR1	1	UG/L	U	V	0.31	1	0.426		Plume Definition
00597	7/19/01	GW07625RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.39	1	5		Plume Definition
00597	7/19/01	GW07626RG	1,1,2-TRICHLOROETHANE	DUP	TR1	1	UG/L	U	V	0.39	1	5		Plume Definition
00597	7/19/01	GW07625RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	0.34	UG/L	J	V	0.21	1			Plume Definition
00597	7/19/01	GW07626RG	1,1,2-TRICHLOROTRIFLUOROETHANE	DUP	TR1	0.5	UG/L	J	V	0.21	1			Plume Definition
00597	7/19/01	GW07625RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.17	1	3650		Plume Definition
00597	7/19/01	GW07626RG	1,1-DICHLOROETHANE	DUP	TR1	1	UG/L	U	V	0.17	1	3650		Plume Definition
00597	7/19/01	GW07625RG	1,1-DICHLOROETHENE	REAL	TR1	3	UG/L		V	0.2	1	7		Plume Definition
00597	7/19/01	GW07626RG	1,1-DICHLOROETHENE	DUP	TR1	3.6	UG/L		V	0.2	1	7		Plume Definition
00597	7/19/01	GW07625RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.22	1			Plume Definition

216

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
00597	7/19/01	GW07626RG	1,1-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V	0.22	1			Plume Definition
00597	7/19/01	GW07625RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.16	1			Plume Definition
00597	7/19/01	GW07626RG	1,2,3-TRICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ	0.16	1			Plume Definition
00597	7/19/01	GW07625RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.29	1			Plume Definition
00597	7/19/01	GW07626RG	1,2,3-TRICHLOROPROPANE	DUP	TR1	1	UG/L	U	V	0.29	1			Plume Definition
00597	7/19/01	GW07625RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.2	1	70		Plume Definition
00597	7/19/01	GW07626RG	1,2,4-TRICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ	0.2	1	70		Plume Definition
00597	7/19/01	GW07625RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	0.36	1			Plume Definition
00597	7/19/01	GW07626RG	1,2-DIBROMOETHANE	DUP	TR1	1	UG/L	U	V	0.36	1			Plume Definition
00597	7/19/01	GW07625RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.24	1	600		Plume Definition
00597	7/19/01	GW07626RG	1,2-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ	0.24	1	600		Plume Definition
00597	7/19/01	GW07625RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.28	1	5		Plume Definition
00597	7/19/01	GW07626RG	1,2-DICHLOROETHANE	DUP	TR1	1	UG/L	U	V	0.28	1	5		Plume Definition
00597	7/19/01	GW07625RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.21	1	5		Plume Definition
00597	7/19/01	GW07626RG	1,2-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V	0.21	1	5		Plume Definition
00597	7/19/01	GW07625RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.26	1	600		Plume Definition
00597	7/19/01	GW07626RG	1,3-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ	0.26	1	600		Plume Definition
00597	7/19/01	GW07625RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.26	1			Plume Definition
00597	7/19/01	GW07626RG	1,3-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V	0.26	1			Plume Definition
00597	7/19/01	GW07625RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.24	1	75		Plume Definition
00597	7/19/01	GW07626RG	1,4-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ	0.24	1	75		Plume Definition
00597	7/19/01	GW07625RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.21	1			Plume Definition
00597	7/19/01	GW07626RG	2,2-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V	0.21	1			Plume Definition
00597	7/19/01	GW07625RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V	0.93	1	21900		Plume Definition
00597	7/19/01	GW07626RG	2-BUTANONE	DUP	TR1	5	UG/L	U	V	0.93	1	21900		Plume Definition
00597	7/19/01	GW07625RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V	0.7	1			Plume Definition
00597	7/19/01	GW07626RG	2-HEXANONE	DUP	TR1	5	UG/L	U	V	0.7	1			Plume Definition
00597	7/19/01	GW07625RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.3	1			Plume Definition
00597	7/19/01	GW07626RG	4-ISOPROPYLTOLUENE	DUP	TR1	1	UG/L	U	UJ	0.3	1			Plume Definition
00597	7/19/01	GW07625RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V	0.79	1	2920		Plume Definition
00597	7/19/01	GW07626RG	4-METHYL-2-PENTANONE	DUP	TR1	5	UG/L	U	V	0.79	1	2920		Plume Definition
00597	7/19/01	GW07625RG	ACETONE	REAL	TR1	10	UG/L	U	V	1.9	1	3650		Plume Definition
00597	7/19/01	GW07626RG	ACETONE	DUP	TR1	10	UG/L	U	V	1.9	1	3650		Plume Definition
00597	7/19/01	GW07625RG	BENZENE	REAL	TR1	1	UG/L	U	UJ	0.21	1	5		Plume Definition
00597	7/19/01	GW07626RG	BENZENE	DUP	TR1	1	UG/L	U	UJ	0.21	1	5		Plume Definition
00597	7/19/01	GW07625RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ	0.22	1			Plume Definition
00597	7/19/01	GW07626RG	BENZENE, 1,2,4-TRIMETHYL	DUP	TR1	1	UG/L	U	UJ	0.22	1			Plume Definition
00597	7/19/01	GW07625RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ	0.29	1			Plume Definition
00597	7/19/01	GW07626RG	BENZENE, 1,3,5-TRIMETHYL-	DUP	TR1	1	UG/L	U	UJ	0.29	1			Plume Definition
00597	7/19/01	GW07625RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ	0.24	1			Plume Definition
00597	7/19/01	GW07626RG	BROMOBENZENE	DUP	TR1	1	UG/L	U	UJ	0.24	1			Plume Definition
00597	7/19/01	GW07625RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.21	1			Plume Definition
00597	7/19/01	GW07626RG	BROMOCHLOROMETHANE	DUP	TR1	1	UG/L	U	V	0.21	1			Plume Definition
00597	7/19/01	GW07625RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.22	1	100		Plume Definition
00597	7/19/01	GW07626RG	BROMODICHLOROMETHANE	DUP	TR1	1	UG/L	U	V	0.22	1	100		Plume Definition
00597	7/19/01	GW07625RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	0.32	1	100		Plume Definition
00597	7/19/01	GW07626RG	BROMOFORM	DUP	TR1	1	UG/L	U	V	0.32	1	100		Plume Definition
00597	7/19/01	GW07625RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	0.3	1	51.1		Plume Definition
00597	7/19/01	GW07626RG	BROMOMETHANE	DUP	TR1	1	UG/L	U	V	0.3	1	51.1		Plume Definition
00597	7/19/01	GW07625RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V	0.19	1	3650		Plume Definition
00597	7/19/01	GW07626RG	CARBON DISULFIDE	DUP	TR1	1	UG/L	U	V	0.19	1	3650		Plume Definition
00597	7/19/01	GW07625RG	CARBON TETRACHLORIDE	REAL	TR1	0.37	UG/L	J	V	0.19	1	5		Plume Definition
00597	7/19/01	GW07626RG	CARBON TETRACHLORIDE	DUP	TR1	0.42	UG/L	J	V	0.19	1	5		Plume Definition
00597	7/19/01	GW07625RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.3	1	100		Plume Definition
00597	7/19/01	GW07626RG	CHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ	0.3	1	100		Plume Definition
00597	7/19/01	GW07625RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.25	1	29.4		Plume Definition
00597	7/19/01	GW07626RG	CHLOROETHANE	DUP	TR1	1	UG/L	U	V	0.25	1	29.4		Plume Definition

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
00597	7/19/01	GW07625RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V	0.23	1	100		Plume Definition
00597	7/19/01	GW07626RG	CHLOROFORM	DUP	TR1	1	UG/L	U	V	0.23	1	100		Plume Definition
00597	7/19/01	GW07625RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.3	1	6.55		Plume Definition
00597	7/19/01	GW07626RG	CHLOROMETHANE	DUP	TR1	1	UG/L	U	V	0.3	1	6.55		Plume Definition
00597	7/19/01	GW07625RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	0.26	1	70		Plume Definition
00597	7/19/01	GW07626RG	cis-1,2-DICHLOROETHENE	DUP	TR1	1	UG/L	U	V	0.26	1	70		Plume Definition
00597	7/19/01	GW07625RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.28	1	0.473		Plume Definition
00597	7/19/01	GW07626RG	cis-1,3-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V	0.28	1	0.473		Plume Definition
00597	7/19/01	GW07625RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.38	1	1.01		Plume Definition
00597	7/19/01	GW07626RG	DIBROMOCHLOROMETHANE	DUP	TR1	1	UG/L	U	V	0.38	1	1.01		Plume Definition
00597	7/19/01	GW07625RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	0.44	1			Plume Definition
00597	7/19/01	GW07626RG	DIBROMOMETHANE	DUP	TR1	1	UG/L	U	V	0.44	1			Plume Definition
00597	7/19/01	GW07625RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	0.23	1			Plume Definition
00597	7/19/01	GW07626RG	DICHLORODIFLUOROMETHANE	DUP	TR1	1	UG/L	U	V	0.23	1			Plume Definition
00597	7/19/01	GW07625RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.28	1	700		Plume Definition
00597	7/19/01	GW07626RG	ETHYLBENZENE	DUP	TR1	1	UG/L	U	UJ	0.28	1	700		Plume Definition
00597	7/19/01	GW07625RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	0.29	1	1.09		Plume Definition
00597	7/19/01	GW07626RG	HEXACHLOROBUTADIENE	DUP	TR1	1	UG/L	U	V	0.29	1	1.09		Plume Definition
00597	7/19/01	GW07625RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.31	1			Plume Definition
00597	7/19/01	GW07626RG	ISOPROPYLBENZENE	DUP	TR1	1	UG/L	U	UJ	0.31	1			Plume Definition
00597	7/19/01	GW07625RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V	0.89	1	5		Plume Definition
00597	7/19/01	GW07626RG	METHYLENE CHLORIDE	DUP	TR1	1	UG/L	U	V	0.89	1	5		Plume Definition
00597	7/19/01	GW07625RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ	0.15	1	1460		Plume Definition
00597	7/19/01	GW07626RG	NAPHTHALENE	DUP	TR1	1	UG/L	U	UJ	0.15	1	1460		Plume Definition
00597	7/19/01	GW07625RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.26	1			Plume Definition
00597	7/19/01	GW07626RG	n-BUTYLBENZENE	DUP	TR1	1	UG/L	U	UJ	0.26	1			Plume Definition
00597	7/19/01	GW07625RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.23	1			Plume Definition
00597	7/19/01	GW07626RG	n-PROPYLBENZENE	DUP	TR1	1	UG/L	U	UJ	0.23	1			Plume Definition
00597	7/19/01	GW07625RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.31	1			Plume Definition
00597	7/19/01	GW07626RG	o-CHLOROTOLUENE	DUP	TR1	1	UG/L	U	UJ	0.31	1			Plume Definition
00597	7/19/01	GW07625RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.25	1			Plume Definition
00597	7/19/01	GW07626RG	p-CHLOROTOLUENE	DUP	TR1	1	UG/L	U	UJ	0.25	1			Plume Definition
00597	7/19/01	GW07625RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V	0.25	1	0.2		Plume Definition
00597	7/19/01	GW07626RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	DUP	TR1	1	UG/L	U	V	0.25	1	0.2		Plume Definition
00597	7/19/01	GW07625RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.26	1			Plume Definition
00597	7/19/01	GW07626RG	sec-BUTYLBENZENE	DUP	TR1	1	UG/L	U	UJ	0.26	1			Plume Definition
00597	7/19/01	GW07625RG	STYRENE	REAL	TR1	1	UG/L	U	UJ	0.27	1	100		Plume Definition
00597	7/19/01	GW07626RG	STYRENE	DUP	TR1	1	UG/L	U	UJ	0.27	1	100		Plume Definition
00597	7/19/01	GW07625RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.29	1			Plume Definition
00597	7/19/01	GW07626RG	tert-BUTYLBENZENE	DUP	TR1	1	UG/L	U	UJ	0.29	1			Plume Definition
00597	7/19/01	GW07625RG	TETRACHLOROETHENE	REAL	TR1	0.38	UG/L	J	V	0.36	1	5		Plume Definition
00597	7/19/01	GW07626RG	TETRACHLOROETHENE	DUP	TR1	0.44	UG/L	J	V	0.36	1	5		Plume Definition
00597	7/19/01	GW07625RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ	0.29	1	1000		Plume Definition
00597	7/19/01	GW07626RG	TOLUENE	DUP	TR1	1	UG/L	U	UJ	0.29	1	1000		Plume Definition
00597	7/19/01	GW07625RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ	0.95	1	10000		Plume Definition
00597	7/19/01	GW07626RG	TOTAL XYLENES	DUP	TR1	1	UG/L	U	UJ	0.95	1	10000		Plume Definition
00597	7/19/01	GW07625RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V	0.27	1	70		Plume Definition
00597	7/19/01	GW07626RG	trans-1,2-DICHLOROETHENE	DUP	TR1	0.5	UG/L	U	V	0.27	1	70		Plume Definition
00597	7/19/01	GW07625RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.42	1	0.473		Plume Definition
00597	7/19/01	GW07626RG	trans-1,3-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V	0.42	1	0.473		Plume Definition
00597	7/19/01	GW07625RG	TRICHLOROETHENE	REAL	TR1	2.4	UG/L		V	0.22	1	5		Plume Definition
00597	7/19/01	GW07626RG	TRICHLOROETHENE	DUP	TR1	2.8	UG/L		V	0.22	1	5		Plume Definition
00597	7/19/01	GW07625RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	0.28	1			Plume Definition
00597	7/19/01	GW07626RG	TRICHLOROFLUOROMETHANE	DUP	TR1	1	UG/L	U	V	0.28	1			Plume Definition
00597	7/19/01	GW07625RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	0.21	1	2		Plume Definition
00597	7/19/01	GW07626RG	VINYL CHLORIDE	DUP	TR1	1	UG/L	U	V	0.21	1	2		Plume Definition
00597	7/19/01	GW07627RG	1,1,1,2-TETRACHLOROETHANE	RNS	TR1	1	UG/L	U	V	0.22	1			Plume Definition

218

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
00597	7/19/01	GW07627RG	1,1,1-TRICHLOROETHANE	RNS	TR1	1	UG/L	U	V	0.26	1	200		Plume Definition
00597	7/19/01	GW07627RG	1,1,2,2-TETRACHLOROETHANE	RNS	TR1	1	UG/L	U	V	0.31	1	0.426		Plume Definition
00597	7/19/01	GW07627RG	1,1,2-TRICHLOROETHANE	RNS	TR1	1	UG/L	U	V	0.39	1	5		Plume Definition
00597	7/19/01	GW07627RG	1,1,2-TRICHLOROTRIFLUOROETHANE	RNS	TR1	1	UG/L	U	V	0.21	1			Plume Definition
00597	7/19/01	GW07627RG	1,1-DICHLOROETHANE	RNS	TR1	1	UG/L	U	V	0.17	1	3650		Plume Definition
00597	7/19/01	GW07627RG	1,1-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V	0.2	1	7		Plume Definition
00597	7/19/01	GW07627RG	1,1-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V	0.22	1			Plume Definition
00597	7/19/01	GW07627RG	1,2,3-TRICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ	0.16	1			Plume Definition
00597	7/19/01	GW07627RG	1,2,3-TRICHLOROPROPANE	RNS	TR1	1	UG/L	U	V	0.29	1			Plume Definition
00597	7/19/01	GW07627RG	1,2,4-TRICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ	0.2	1	70		Plume Definition
00597	7/19/01	GW07627RG	1,2-DIBROMOETHANE	RNS	TR1	1	UG/L	U	V	0.36	1			Plume Definition
00597	7/19/01	GW07627RG	1,2-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ	0.24	1	600		Plume Definition
00597	7/19/01	GW07627RG	1,2-DICHLOROETHANE	RNS	TR1	1	UG/L	U	V	0.28	1	5		Plume Definition
00597	7/19/01	GW07627RG	1,2-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V	0.21	1	5		Plume Definition
00597	7/19/01	GW07627RG	1,3-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ	0.26	1	600		Plume Definition
00597	7/19/01	GW07627RG	1,3-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V	0.26	1			Plume Definition
00597	7/19/01	GW07627RG	1,4-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ	0.24	1	75		Plume Definition
00597	7/19/01	GW07627RG	2,2-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V	0.21	1			Plume Definition
00597	7/19/01	GW07627RG	2-BUTANONE	RNS	TR1	5	UG/L	U	V	0.93	1	21900		Plume Definition
00597	7/19/01	GW07627RG	2-HEXANONE	RNS	TR1	5	UG/L	U	V	0.7	1			Plume Definition
00597	7/19/01	GW07627RG	4-ISOPROPYLTOLUENE	RNS	TR1	1	UG/L	U	UJ	0.3	1			Plume Definition
00597	7/19/01	GW07627RG	4-METHYL-2-PENTANONE	RNS	TR1	5	UG/L	U	V	0.79	1	2920		Plume Definition
00597	7/19/01	GW07627RG	ACETONE	RNS	TR1	10	UG/L	U	V	1.9	1	3650		Plume Definition
00597	7/19/01	GW07627RG	BENZENE	RNS	TR1	1	UG/L	U	UJ	0.21	1	5		Plume Definition
00597	7/19/01	GW07627RG	BENZENE, 1,2,4-TRIMETHYL	RNS	TR1	1	UG/L	U	UJ	0.22	1			Plume Definition
00597	7/19/01	GW07627RG	BENZENE, 1,3,5-TRIMETHYL-	RNS	TR1	1	UG/L	U	UJ	0.29	1			Plume Definition
00597	7/19/01	GW07627RG	BROMOBENZENE	RNS	TR1	1	UG/L	U	UJ	0.24	1			Plume Definition
00597	7/19/01	GW07627RG	BROMOCHLOROMETHANE	RNS	TR1	1	UG/L	U	V	0.21	1			Plume Definition
00597	7/19/01	GW07627RG	BROMODICHLOROMETHANE	RNS	TR1	1	UG/L	U	V	0.22	1	100		Plume Definition
00597	7/19/01	GW07627RG	BROMOFORM	RNS	TR1	1	UG/L	U	V	0.32	1	100		Plume Definition
00597	7/19/01	GW07627RG	BROMOMETHANE	RNS	TR1	1	UG/L	U	V	0.3	1	51.1		Plume Definition
00597	7/19/01	GW07627RG	CARBON DISULFIDE	RNS	TR1	1	UG/L	U	V	0.19	1	3650		Plume Definition
00597	7/19/01	GW07627RG	CARBON TETRACHLORIDE	RNS	TR1	1	UG/L	U	V	0.19	1	5		Plume Definition
00597	7/19/01	GW07627RG	CHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ	0.3	1	100		Plume Definition
00597	7/19/01	GW07627RG	CHLOROETHANE	RNS	TR1	1	UG/L	U	V	0.25	1	29.4		Plume Definition
00597	7/19/01	GW07627RG	CHLOROFORM	RNS	TR1	1	UG/L	U	V	0.23	1	100		Plume Definition
00597	7/19/01	GW07627RG	CHLOROMETHANE	RNS	TR1	1.1	UG/L		V	0.3	1	6.55		Plume Definition
00597	7/19/01	GW07627RG	cis-1,2-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V	0.26	1	70		Plume Definition
00597	7/19/01	GW07627RG	cis-1,3-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V	0.28	1	0.473		Plume Definition
00597	7/19/01	GW07627RG	DIBROMOCHLOROMETHANE	RNS	TR1	1	UG/L	U	V	0.38	1	1.01		Plume Definition
00597	7/19/01	GW07627RG	DIBROMOMETHANE	RNS	TR1	1	UG/L	U	V	0.44	1			Plume Definition
00597	7/19/01	GW07627RG	DICHLORODIFLUOROMETHANE	RNS	TR1	1	UG/L	U	V	0.23	1			Plume Definition
00597	7/19/01	GW07627RG	ETHYLBENZENE	RNS	TR1	1	UG/L	U	UJ	0.28	1	700		Plume Definition
00597	7/19/01	GW07627RG	HEXACHLOROBUTADIENE	RNS	TR1	1	UG/L	U	V	0.29	1	1.09		Plume Definition
00597	7/19/01	GW07627RG	ISOPROPYLBENZENE	RNS	TR1	1	UG/L	U	UJ	0.31	1			Plume Definition
00597	7/19/01	GW07627RG	METHYLENE CHLORIDE	RNS	TR1	1	UG/L	U	V	0.89	1	5		Plume Definition
00597	7/19/01	GW07627RG	NAPHTHALENE	RNS	TR1	1	UG/L	U	UJ	0.15	1	1460		Plume Definition
00597	7/19/01	GW07627RG	n-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ	0.26	1			Plume Definition
00597	7/19/01	GW07627RG	n-PROPYLBENZENE	RNS	TR1	1	UG/L	U	UJ	0.23	1			Plume Definition
00597	7/19/01	GW07627RG	o-CHLOROTOLUENE	RNS	TR1	1	UG/L	U	UJ	0.31	1			Plume Definition
00597	7/19/01	GW07627RG	p-CHLOROTOLUENE	RNS	TR1	1	UG/L	U	UJ	0.25	1			Plume Definition
00597	7/19/01	GW07627RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	RNS	TR1	1	UG/L	U	V	0.25	1	0.2		Plume Definition
00597	7/19/01	GW07627RG	sec-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ	0.26	1			Plume Definition
00597	7/19/01	GW07627RG	STYRENE	RNS	TR1	1	UG/L	U	UJ	0.27	1	100		Plume Definition
00597	7/19/01	GW07627RG	tert-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ	0.29	1			Plume Definition
00597	7/19/01	GW07627RG	TETRACHLOROETHENE	RNS	TR1	1	UG/L	U	V	0.36	1	5		Plume Definition
00597	7/19/01	GW07627RG	TOLUENE	RNS	TR1	1	UG/L	U	UJ	0.29	1	1000		Plume Definition

219

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
00597	7/19/01	GW07627RG	TOTAL XYLENES	RNS	TR1	1	UG/L	U	UJ	0.95	1	10000		Plume Definition
00597	7/19/01	GW07627RG	trans-1,2-DICHLOROETHENE	RNS	TR1	0.5	UG/L	U	V	0.27	1	70		Plume Definition
00597	7/19/01	GW07627RG	trans-1,3-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V	0.42	1	0.473		Plume Definition
00597	7/19/01	GW07627RG	TRICHLOROETHENE	RNS	TR1	1	UG/L	U	V	0.22	1	5		Plume Definition
00597	7/19/01	GW07627RG	TRICHLOROFLUOROMETHANE	RNS	TR1	1	UG/L	U	V	0.28	1			Plume Definition
00597	7/19/01	GW07627RG	VINYL CHLORIDE	RNS	TR1	1	UG/L	U	V	0.21	1	2		Plume Definition
00797	8/16/01	GW07628RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
00797	8/16/01	GW07628RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	200		Perf Monitoring
00797	8/16/01	GW07628RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	0.426		Perf Monitoring
00797	8/16/01	GW07628RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Perf Monitoring
00797	8/16/01	GW07628RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
00797	8/16/01	GW07628RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Perf Monitoring
00797	8/16/01	GW07628RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	7		Perf Monitoring
00797	8/16/01	GW07628RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
00797	8/16/01	GW07628RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
00797	8/16/01	GW07628RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
00797	8/16/01	GW07628RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	70		Perf Monitoring
00797	8/16/01	GW07628RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
00797	8/16/01	GW07628RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	1	1	600		Perf Monitoring
00797	8/16/01	GW07628RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Perf Monitoring
00797	8/16/01	GW07628RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Perf Monitoring
00797	8/16/01	GW07628RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	1	1	600		Perf Monitoring
00797	8/16/01	GW07628RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
00797	8/16/01	GW07628RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	1	1	75		Perf Monitoring
00797	8/16/01	GW07628RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
00797	8/16/01	GW07628RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R1	5	1	21900		Perf Monitoring
00797	8/16/01	GW07628RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	5	1			Perf Monitoring
00797	8/16/01	GW07628RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
00797	8/16/01	GW07628RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	5	1	2920		Perf Monitoring
00797	8/16/01	GW07628RG	ACETONE	REAL	TR1	5	UG/L	U	R1	5	1	3650		Perf Monitoring
00797	8/16/01	GW07628RG	BENZENE	REAL	TR1	1	UG/L	U	V1	1	1	5		Perf Monitoring
00797	8/16/01	GW07628RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
00797	8/16/01	GW07628RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
00797	8/16/01	GW07628RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
00797	8/16/01	GW07628RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
00797	8/16/01	GW07628RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	100		Perf Monitoring
00797	8/16/01	GW07628RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Perf Monitoring
00797	8/16/01	GW07628RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	51.1		Perf Monitoring
00797	8/16/01	GW07628RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Perf Monitoring
00797	8/16/01	GW07628RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		Perf Monitoring
00797	8/16/01	GW07628RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	1	1	100		Perf Monitoring
00797	8/16/01	GW07628RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	29.4		Perf Monitoring
00797	8/16/01	GW07628RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Perf Monitoring
00797	8/16/01	GW07628RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	6.55		Perf Monitoring
00797	8/16/01	GW07628RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Perf Monitoring
00797	8/16/01	GW07628RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Perf Monitoring
00797	8/16/01	GW07628RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	1.01		Perf Monitoring
00797	8/16/01	GW07628RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
00797	8/16/01	GW07628RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
00797	8/16/01	GW07628RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V1	1	1	700		Perf Monitoring
00797	8/16/01	GW07628RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	1	1	1.09		Perf Monitoring
00797	8/16/01	GW07628RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
00797	8/16/01	GW07628RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		Perf Monitoring
00797	8/16/01	GW07628RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1460		Perf Monitoring
00797	8/16/01	GW07628RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
00797	8/16/01	GW07628RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
00797	8/16/01	GW07628RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
00797	8/16/01	GW07628RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
00797	8/16/01	GW07628RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R1	1	1	0.2		Perf Monitoring
00797	8/16/01	GW07628RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
00797	8/16/01	GW07628RG	STYRENE	REAL	TR1	1	UG/L	U	V1	1	1	100		Perf Monitoring
00797	8/16/01	GW07628RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
00797	8/16/01	GW07628RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	5		Perf Monitoring
00797	8/16/01	GW07628RG	TOLUENE	REAL	TR1	1	UG/L	U	V1	1	1	1000		Perf Monitoring
00797	8/16/01	GW07628RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	V1	3	1	10000		Perf Monitoring
00797	8/16/01	GW07628RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Perf Monitoring
00797	8/16/01	GW07628RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Perf Monitoring
00797	8/16/01	GW07628RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	5		Perf Monitoring
00797	8/16/01	GW07628RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
00797	8/16/01	GW07628RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	2		Perf Monitoring
00997	7/13/01	GW07629RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1			Drainage
00997	7/13/01	GW07629RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	200		Drainage
00997	7/13/01	GW07629RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.426		Drainage
00997	7/13/01	GW07629RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1	5		Drainage
00997	7/13/01	GW07629RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Drainage
00997	7/13/01	GW07629RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.17	1	3650		Drainage
00997	7/13/01	GW07629RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.2	1	7		Drainage
00997	7/13/01	GW07629RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1			Drainage
00997	7/13/01	GW07629RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1			Drainage
00997	7/13/01	GW07629RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.29	1			Drainage
00997	7/13/01	GW07629RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	70		Drainage
00997	7/13/01	GW07629RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.36	1			Drainage
00997	7/13/01	GW07629RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	600		Drainage
00997	7/13/01	GW07629RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5		Drainage
00997	7/13/01	GW07629RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		Drainage
00997	7/13/01	GW07629RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	600		Drainage
00997	7/13/01	GW07629RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.26	1			Drainage
00997	7/13/01	GW07629RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	75		Drainage
00997	7/13/01	GW07629RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Drainage
00997	7/13/01	GW07629RG	2,6-DI-tert-BUTYL-4-METHYL PHENOL	REAL	TR1	1.3	UG/L	J	J1		1		TIC	Drainage
00997	7/13/01	GW07629RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V1	0.93	1	21900		Drainage
00997	7/13/01	GW07629RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	0.7	1			Drainage
00997	7/13/01	GW07629RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1			Drainage
00997	7/13/01	GW07629RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	0.79	1	2920		Drainage
00997	7/13/01	GW07629RG	ACETONE	REAL	TR1	10	UG/L	U	V1	1.9	1	3650		Drainage
00997	7/13/01	GW07629RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1	5		Drainage
00997	7/13/01	GW07629RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.22	1			Drainage
00997	7/13/01	GW07629RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.29	1			Drainage
00997	7/13/01	GW07629RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1			Drainage
00997	7/13/01	GW07629RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Drainage
00997	7/13/01	GW07629RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	100		Drainage
00997	7/13/01	GW07629RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.32	1	100		Drainage
00997	7/13/01	GW07629RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	51.1		Drainage
00997	7/13/01	GW07629RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	3650		Drainage
00997	7/13/01	GW07629RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	5		Drainage
00997	7/13/01	GW07629RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	100		Drainage
00997	7/13/01	GW07629RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.25	1	29.4		Drainage
00997	7/13/01	GW07629RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.23	1	100		Drainage
00997	7/13/01	GW07629RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	6.55		Drainage
00997	7/13/01	GW07629RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.26	1	70		Drainage
00997	7/13/01	GW07629RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.28	1	0.473		Drainage
00997	7/13/01	GW07629RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.38	1	1.01		Drainage
00997	7/13/01	GW07629RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1			Drainage
00997	7/13/01	GW07629RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1			Drainage

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
00997	7/13/01	GW07629RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.28	1	700		Drainage
00997	7/13/01	GW07629RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1.09		Drainage
00997	7/13/01	GW07629RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			Drainage
00997	7/13/01	GW07629RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.89	1	5		Drainage
00997	7/13/01	GW07629RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1460		Drainage
00997	7/13/01	GW07629RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			Drainage
00997	7/13/01	GW07629RG	NONADECANE	REAL	TR1	1.92	UG/L		V1		1		TIC	Drainage
00997	7/13/01	GW07629RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1			Drainage
00997	7/13/01	GW07629RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			Drainage
00997	7/13/01	GW07629RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1			Drainage
00997	7/13/01	GW07629RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.25	1	0.2		Drainage
00997	7/13/01	GW07629RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			Drainage
00997	7/13/01	GW07629RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.27	1	100		Drainage
00997	7/13/01	GW07629RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1			Drainage
00997	7/13/01	GW07629RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.36	1	5		Drainage
00997	7/13/01	GW07629RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1	1000		Drainage
00997	7/13/01	GW07629RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.95	1	10000		Drainage
00997	7/13/01	GW07629RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.27	1	70		Drainage
00997	7/13/01	GW07629RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.42	1	0.473		Drainage
00997	7/13/01	GW07629RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.22	1	5		Drainage
00997	7/13/01	GW07629RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.28	1			Drainage
00997	7/13/01	GW07629RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.21	1	2		Drainage
01097	8/29/01	GW07733RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Degradation
01097	8/29/01	GW07733RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	200		Plume Degradation
01097	8/29/01	GW07733RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	0.426		Plume Degradation
01097	8/29/01	GW07733RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Degradation
01097	8/29/01	GW07733RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Degradation
01097	8/29/01	GW07733RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Plume Degradation
01097	8/29/01	GW07733RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	7		Plume Degradation
01097	8/29/01	GW07733RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Degradation
01097	8/29/01	GW07733RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Degradation
01097	8/29/01	GW07733RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Degradation
01097	8/29/01	GW07733RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	70		Plume Degradation
01097	8/29/01	GW07733RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Degradation
01097	8/29/01	GW07733RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		Plume Degradation
01097	8/29/01	GW07733RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Degradation
01097	8/29/01	GW07733RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Degradation
01097	8/29/01	GW07733RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		Plume Degradation
01097	8/29/01	GW07733RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Degradation
01097	8/29/01	GW07733RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	75		Plume Degradation
01097	8/29/01	GW07733RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Degradation
01097	8/29/01	GW07733RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R1	5	1	21900		Plume Degradation
01097	8/29/01	GW07733RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	5	1			Plume Degradation
01097	8/29/01	GW07733RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Degradation
01097	8/29/01	GW07733RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	5	1	2920		Plume Degradation
01097	8/29/01	GW07733RG	ACETONE	REAL	TR1	5	UG/L	U	R1	5	1	3650		Plume Degradation
01097	8/29/01	GW07733RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	5		Plume Degradation
01097	8/29/01	GW07733RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Degradation
01097	8/29/01	GW07733RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Degradation
01097	8/29/01	GW07733RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Degradation
01097	8/29/01	GW07733RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Degradation
01097	8/29/01	GW07733RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Degradation
01097	8/29/01	GW07733RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Degradation
01097	8/29/01	GW07733RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	51.1		Plume Degradation
01097	8/29/01	GW07733RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Plume Degradation
01097	8/29/01	GW07733RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Degradation
01097	8/29/01	GW07733RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		Plume Degradation

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
01097	8/29/01	GW07733RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	29.4		Plume Degradation
01097	8/29/01	GW07733RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Degradation
01097	8/29/01	GW07733RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	6.55		Plume Degradation
01097	8/29/01	GW07733RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Plume Degradation
01097	8/29/01	GW07733RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Plume Degradation
01097	8/29/01	GW07733RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	1.01		Plume Degradation
01097	8/29/01	GW07733RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Degradation
01097	8/29/01	GW07733RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Degradation
01097	8/29/01	GW07733RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	700		Plume Degradation
01097	8/29/01	GW07733RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	1	1	1.09		Plume Degradation
01097	8/29/01	GW07733RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Degradation
01097	8/29/01	GW07733RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Degradation
01097	8/29/01	GW07733RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1460		Plume Degradation
01097	8/29/01	GW07733RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Degradation
01097	8/29/01	GW07733RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Degradation
01097	8/29/01	GW07733RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Degradation
01097	8/29/01	GW07733RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Degradation
01097	8/29/01	GW07733RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R1	1	1	0.2		Plume Degradation
01097	8/29/01	GW07733RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Degradation
01097	8/29/01	GW07733RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		Plume Degradation
01097	8/29/01	GW07733RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Degradation
01097	8/29/01	GW07733RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Degradation
01097	8/29/01	GW07733RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1000		Plume Degradation
01097	8/29/01	GW07733RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	UJ1	3	1	10000		Plume Degradation
01097	8/29/01	GW07733RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Plume Degradation
01097	8/29/01	GW07733RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Plume Degradation
01097	8/29/01	GW07733RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Degradation
01097	8/29/01	GW07733RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Degradation
01097	8/29/01	GW07733RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	2		Plume Degradation
01497	9/4/01	GW07734RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	2	UG/L	U	V	2	2			Plume Degradation
01497	9/4/01	GW07734RG	1,1,1-TRICHLOROETHANE	REAL	TR1	45	UG/L		V	2	2	200		Plume Degradation
01497	9/4/01	GW07734RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	2	UG/L	U	V	2	2	0.426		Plume Degradation
01497	9/4/01	GW07734RG	1,1,2-TRICHLOROETHANE	REAL	TR1	2	UG/L	U	V	2	2	5		Plume Degradation
01497	9/4/01	GW07734RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	2	UG/L	U	V	2	2			Plume Degradation
01497	9/4/01	GW07734RG	1,1-DICHLOROETHANE	REAL	TR1	2	UG/L	U	V	2	2	3650		Plume Degradation
01497	9/4/01	GW07734RG	1,1-DICHLOROETHENE	REAL	TR1	32	UG/L		V	2	2	7		Plume Degradation
01497	9/4/01	GW07734RG	1,1-DICHLOROPROPENE	REAL	TR1	2	UG/L	U	V	2	2			Plume Degradation
01497	9/4/01	GW07734RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	2	UG/L	U	V	2	2			Plume Degradation
01497	9/4/01	GW07734RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	2	UG/L	U	V	2	2			Plume Degradation
01497	9/4/01	GW07734RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	2	UG/L	U	V	2	2	70		Plume Degradation
01497	9/4/01	GW07734RG	1,2-DIBROMOETHANE	REAL	TR1	2	UG/L	U	V	2	2			Plume Degradation
01497	9/4/01	GW07734RG	1,2-DICHLOROBENZENE	REAL	TR1	2	UG/L	U	V	2	2	600		Plume Degradation
01497	9/4/01	GW07734RG	1,2-DICHLOROETHANE	REAL	TR1	2	UG/L	U	V	2	2	5		Plume Degradation
01497	9/4/01	GW07734RG	1,2-DICHLOROPROPANE	REAL	TR1	2	UG/L	U	V	2	2	5		Plume Degradation
01497	9/4/01	GW07734RG	1,3-DICHLOROBENZENE	REAL	TR1	2	UG/L	U	V	2	2	600		Plume Degradation
01497	9/4/01	GW07734RG	1,3-DICHLOROPROPANE	REAL	TR1	2	UG/L	U	V	2	2			Plume Degradation
01497	9/4/01	GW07734RG	1,4-DICHLOROBENZENE	REAL	TR1	2	UG/L	U	V	2	2	75		Plume Degradation
01497	9/4/01	GW07734RG	2,2-DICHLOROPROPANE	REAL	TR1	2	UG/L	U	V	2	2			Plume Degradation
01497	9/4/01	GW07734RG	2-BUTANONE	REAL	TR1	10	UG/L	U	R	10	2	21900		Plume Degradation
01497	9/4/01	GW07734RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V	10	2			Plume Degradation
01497	9/4/01	GW07734RG	4-ISOPROPYLTOLUENE	REAL	TR1	2	UG/L	U	V	2	2			Plume Degradation
01497	9/4/01	GW07734RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V	10	2	2920		Plume Degradation
01497	9/4/01	GW07734RG	ACETONE	REAL	TR1	10	UG/L	U	R	10	2	3650		Plume Degradation
01497	9/4/01	GW07734RG	BENZENE	REAL	TR1	2	UG/L	U	V	2	2	5		Plume Degradation
01497	9/4/01	GW07734RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	2	UG/L	U	V	2	2			Plume Degradation
01497	9/4/01	GW07734RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	2	UG/L	U	V	2	2			Plume Degradation
01497	9/4/01	GW07734RG	BROMOBENZENE	REAL	TR1	2	UG/L	U	V	2	2			Plume Degradation

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
01497	9/4/01	GW07734RG	BROMOCHLOROMETHANE	REAL	TR1	2	UG/L	U	V	2	2			Plume Degradation
01497	9/4/01	GW07734RG	BROMODICHLOROMETHANE	REAL	TR1	2	UG/L	U	V	2	2	100		Plume Degradation
01497	9/4/01	GW07734RG	BROMOFORM	REAL	TR1	2	UG/L	U	V	2	2	100		Plume Degradation
01497	9/4/01	GW07734RG	BROMOMETHANE	REAL	TR1	2	UG/L	U	V	2	2	51.1		Plume Degradation
01497	9/4/01	GW07734RG	CARBON DISULFIDE	REAL	TR1	2	UG/L	U	V	2	2	3650		Plume Degradation
01497	9/4/01	GW07734RG	CARBON TETRACHLORIDE	REAL	TR1	3.1	UG/L		V	2	2	5		Plume Degradation
01497	9/4/01	GW07734RG	CHLOROBENZENE	REAL	TR1	2	UG/L	U	V	2	2	100		Plume Degradation
01497	9/4/01	GW07734RG	CHLOROETHANE	REAL	TR1	2	UG/L	U	V	2	2	29.4		Plume Degradation
01497	9/4/01	GW07734RG	CHLOROFORM	REAL	TR1	0.8	UG/L	J	V	2	2	100		Plume Degradation
01497	9/4/01	GW07734RG	CHLOROMETHANE	REAL	TR1	2	UG/L	U	V	2	2	6.55		Plume Degradation
01497	9/4/01	GW07734RG	cis-1,2-DICHLOROETHENE	REAL	TR1	0.8	UG/L	J	V	2	2	70		Plume Degradation
01497	9/4/01	GW07734RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	2	UG/L	U	V	2	2	0.473		Plume Degradation
01497	9/4/01	GW07734RG	DIBROMOCHLOROMETHANE	REAL	TR1	2	UG/L	U	V	2	2	1.01		Plume Degradation
01497	9/4/01	GW07734RG	DIBROMOMETHANE	REAL	TR1	2	UG/L	U	V	2	2			Plume Degradation
01497	9/4/01	GW07734RG	DICHLORODIFLUOROMETHANE	REAL	TR1	2	UG/L	U	V	2	2			Plume Degradation
01497	9/4/01	GW07734RG	ETHYLBENZENE	REAL	TR1	2	UG/L	U	V	2	2	700		Plume Degradation
01497	9/4/01	GW07734RG	HEXACHLOROBUTADIENE	REAL	TR1	2	UG/L	U	UJ	2	2	1.09		Plume Degradation
01497	9/4/01	GW07734RG	ISOPROPYLBENZENE	REAL	TR1	2	UG/L	U	V	2	2			Plume Degradation
01497	9/4/01	GW07734RG	METHYLENE CHLORIDE	REAL	TR1	2	UG/L	U	V	2	2	5		Plume Degradation
01497	9/4/01	GW07734RG	NAPHTHALENE	REAL	TR1	2	UG/L	U	V	2	2	1460		Plume Degradation
01497	9/4/01	GW07734RG	n-BUTYLBENZENE	REAL	TR1	2	UG/L	U	V	2	2			Plume Degradation
01497	9/4/01	GW07734RG	n-PROPYLBENZENE	REAL	TR1	2	UG/L	U	V	2	2			Plume Degradation
01497	9/4/01	GW07734RG	o-CHLOROTOLUENE	REAL	TR1	2	UG/L	U	V	2	2			Plume Degradation
01497	9/4/01	GW07734RG	p-CHLOROTOLUENE	REAL	TR1	2	UG/L	U	V	2	2			Plume Degradation
01497	9/4/01	GW07734RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	2	UG/L	U	R	2	2	0.2		Plume Degradation
01497	9/4/01	GW07734RG	sec-BUTYLBENZENE	REAL	TR1	2	UG/L	U	V	2	2			Plume Degradation
01497	9/4/01	GW07734RG	STYRENE	REAL	TR1	2	UG/L	U	V	2	2	100		Plume Degradation
01497	9/4/01	GW07734RG	tert-BUTYLBENZENE	REAL	TR1	2	UG/L	U	V	2	2			Plume Degradation
01497	9/4/01	GW07734RG	TETRACHLOROETHENE	REAL	TR1	5.8	UG/L		V	2	2	5		Plume Degradation
01497	9/4/01	GW07734RG	TOLUENE	REAL	TR1	2	UG/L	U	V	2	2	1000		Plume Degradation
01497	9/4/01	GW07734RG	TOTAL XYLENES	REAL	TR1	6	UG/L	U	V	6	2	10000		Plume Degradation
01497	9/4/01	GW07734RG	trans-1,2-DICHLOROETHENE	REAL	TR1	2	UG/L	U	V	2	2	70		Plume Degradation
01497	9/4/01	GW07734RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	2	UG/L	U	V	2	2	0.473		Plume Degradation
01497	9/4/01	GW07734RG	TRICHLOROETHENE	REAL	TR1	20	UG/L		V	2	2	5		Plume Degradation
01497	9/4/01	GW07734RG	TRICHLOROFLUOROMETHANE	REAL	TR1	2	UG/L	U	V	2	2			Plume Degradation
01497	9/4/01	GW07734RG	VINYL CHLORIDE	REAL	TR1	2	UG/L	U	V	2	2	2		Plume Degradation
02097	9/6/01	GW07736RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
02097	9/6/01	GW07736RG	1,1,1-TRICHLOROETHANE	REAL	TR1	7.2	UG/L		V	1	1	200		Plume Degradation
02097	9/6/01	GW07736RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	0.426		Plume Degradation
02097	9/6/01	GW07736RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Degradation
02097	9/6/01	GW07736RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
02097	9/6/01	GW07736RG	1,1-DICHLOROETHANE	REAL	TR1	2.6	UG/L		V	1	1	3650		Plume Degradation
02097	9/6/01	GW07736RG	1,1-DICHLOROETHENE	REAL	TR1	4	UG/L		V	1	1	7		Plume Degradation
02097	9/6/01	GW07736RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
02097	9/6/01	GW07736RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
02097	9/6/01	GW07736RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
02097	9/6/01	GW07736RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	70		Plume Degradation
02097	9/6/01	GW07736RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
02097	9/6/01	GW07736RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	600		Plume Degradation
02097	9/6/01	GW07736RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Degradation
02097	9/6/01	GW07736RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Degradation
02097	9/6/01	GW07736RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	600		Plume Degradation
02097	9/6/01	GW07736RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
02097	9/6/01	GW07736RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	75		Plume Degradation
02097	9/6/01	GW07736RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
02097	9/6/01	GW07736RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R	5	1	21900		Plume Degradation
02097	9/6/01	GW07736RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V	5	1			Plume Degradation

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
02097	9/6/01	GW07736RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
02097	9/6/01	GW07736RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V	5	1	2920		Plume Degradation
02097	9/6/01	GW07736RG	ACETONE	REAL	TR1	2	UG/L	J	J	5	1	3650		Plume Degradation
02097	9/6/01	GW07736RG	BENZENE	REAL	TR1	0.3	UG/L	J	V	1	1	5		Plume Degradation
02097	9/6/01	GW07736RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
02097	9/6/01	GW07736RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
02097	9/6/01	GW07736RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
02097	9/6/01	GW07736RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
02097	9/6/01	GW07736RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	100		Plume Degradation
02097	9/6/01	GW07736RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	1	1	100		Plume Degradation
02097	9/6/01	GW07736RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1	51.1		Plume Degradation
02097	9/6/01	GW07736RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V	1	1	3650		Plume Degradation
02097	9/6/01	GW07736RG	CARBON TETRACHLORIDE	REAL	TR1	0.4	UG/L	J	V	1	1	5		Plume Degradation
02097	9/6/01	GW07736RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	100		Plume Degradation
02097	9/6/01	GW07736RG	CHLOROETHANE	REAL	TR1	1.3	UG/L		V	1	1	29.4		Plume Degradation
02097	9/6/01	GW07736RG	CHLOROFORM	REAL	TR1	0.5	UG/L	J	V	1	1	100		Plume Degradation
02097	9/6/01	GW07736RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	6.55		Plume Degradation
02097	9/6/01	GW07736RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1.3	UG/L		V	1	1	70		Plume Degradation
02097	9/6/01	GW07736RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473		Plume Degradation
02097	9/6/01	GW07736RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	1.01		Plume Degradation
02097	9/6/01	GW07736RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
02097	9/6/01	GW07736RG	DICHLORODIFLUOROMETHANE	REAL	TR1	0.4	UG/L	J	V	1	1			Plume Degradation
02097	9/6/01	GW07736RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1	700		Plume Degradation
02097	9/6/01	GW07736RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	UJ	1	1	1.09		Plume Degradation
02097	9/6/01	GW07736RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
02097	9/6/01	GW07736RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Degradation
02097	9/6/01	GW07736RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V	1	1	1460		Plume Degradation
02097	9/6/01	GW07736RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
02097	9/6/01	GW07736RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
02097	9/6/01	GW07736RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
02097	9/6/01	GW07736RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
02097	9/6/01	GW07736RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V	1	1	0.2		Plume Degradation
02097	9/6/01	GW07736RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
02097	9/6/01	GW07736RG	STYRENE	REAL	TR1	1	UG/L	U	V	1	1	100		Plume Degradation
02097	9/6/01	GW07736RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
02097	9/6/01	GW07736RG	TETRACHLOROETHENE	REAL	TR1	2.9	UG/L		V	1	1	5		Plume Degradation
02097	9/6/01	GW07736RG	TOLUENE	REAL	TR1	1	UG/L	U	V	1	1	1000		Plume Degradation
02097	9/6/01	GW07736RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	V	3	1	10000		Plume Degradation
02097	9/6/01	GW07736RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70		Plume Degradation
02097	9/6/01	GW07736RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473		Plume Degradation
02097	9/6/01	GW07736RG	TRICHLOROETHENE	REAL	TR1	22	UG/L		V	1	1	5		Plume Degradation
02097	9/6/01	GW07736RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
02097	9/6/01	GW07736RG	VINYL CHLORIDE	REAL	TR1	0.4	UG/L	J	V	1	1	2		Plume Degradation
02197	7/18/01	GW07612RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1			Plume Extent
02197	7/18/01	GW07612RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	200		Plume Extent
02197	7/18/01	GW07612RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.426		Plume Extent
02197	7/18/01	GW07612RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1	5		Plume Extent
02197	7/18/01	GW07612RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Plume Extent
02197	7/18/01	GW07612RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.17	1	3650		Plume Extent
02197	7/18/01	GW07612RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.2	1	7		Plume Extent
02197	7/18/01	GW07612RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1			Plume Extent
02197	7/18/01	GW07612RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1			Plume Extent
02197	7/18/01	GW07612RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.29	1			Plume Extent
02197	7/18/01	GW07612RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	70		Plume Extent
02197	7/18/01	GW07612RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.36	1			Plume Extent
02197	7/18/01	GW07612RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	600		Plume Extent
02197	7/18/01	GW07612RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5		Plume Extent

225

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
02197	7/18/01	GW07612RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		Plume Extent
02197	7/18/01	GW07612RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	600		Plume Extent
02197	7/18/01	GW07612RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.26	1			Plume Extent
02197	7/18/01	GW07612RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	75		Plume Extent
02197	7/18/01	GW07612RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Plume Extent
02197	7/18/01	GW07612RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V1	0.93	1	21900		Plume Extent
02197	7/18/01	GW07612RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	0.7	1			Plume Extent
02197	7/18/01	GW07612RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1			Plume Extent
02197	7/18/01	GW07612RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	0.79	1	2920		Plume Extent
02197	7/18/01	GW07612RG	ACETONE	REAL	TR1	10	UG/L	U	V1	1.9	1	3650		Plume Extent
02197	7/18/01	GW07612RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1	5		Plume Extent
02197	7/18/01	GW07612RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.22	1			Plume Extent
02197	7/18/01	GW07612RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.29	1			Plume Extent
02197	7/18/01	GW07612RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1			Plume Extent
02197	7/18/01	GW07612RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Plume Extent
02197	7/18/01	GW07612RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	100		Plume Extent
02197	7/18/01	GW07612RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.32	1	100		Plume Extent
02197	7/18/01	GW07612RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	51.1		Plume Extent
02197	7/18/01	GW07612RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	3650		Plume Extent
02197	7/18/01	GW07612RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	5		Plume Extent
02197	7/18/01	GW07612RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	100		Plume Extent
02197	7/18/01	GW07612RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.25	1	29.4		Plume Extent
02197	7/18/01	GW07612RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.23	1	100		Plume Extent
02197	7/18/01	GW07612RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	6.55		Plume Extent
02197	7/18/01	GW07612RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.26	1	70		Plume Extent
02197	7/18/01	GW07612RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.28	1	0.473		Plume Extent
02197	7/18/01	GW07612RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.38	1	1.01		Plume Extent
02197	7/18/01	GW07612RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1			Plume Extent
02197	7/18/01	GW07612RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1			Plume Extent
02197	7/18/01	GW07612RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.28	1	700		Plume Extent
02197	7/18/01	GW07612RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1.09		Plume Extent
02197	7/18/01	GW07612RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			Plume Extent
02197	7/18/01	GW07612RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.89	1	5		Plume Extent
02197	7/18/01	GW07612RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1460		Plume Extent
02197	7/18/01	GW07612RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			Plume Extent
02197	7/18/01	GW07612RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1			Plume Extent
02197	7/18/01	GW07612RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			Plume Extent
02197	7/18/01	GW07612RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1			Plume Extent
02197	7/18/01	GW07612RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.25	1	0.2		Plume Extent
02197	7/18/01	GW07612RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			Plume Extent
02197	7/18/01	GW07612RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.27	1	100		Plume Extent
02197	7/18/01	GW07612RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1			Plume Extent
02197	7/18/01	GW07612RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.36	1	5		Plume Extent
02197	7/18/01	GW07612RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1	1000		Plume Extent
02197	7/18/01	GW07612RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.95	1	10000		Plume Extent
02197	7/18/01	GW07612RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.27	1	70		Plume Extent
02197	7/18/01	GW07612RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.42	1	0.473		Plume Extent
02197	7/18/01	GW07612RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.22	1	5		Plume Extent
02197	7/18/01	GW07612RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1			Plume Extent
02197	7/18/01	GW07612RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.21	1	2		Plume Extent
0386	8/2/01	GW07630RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
0386	8/2/01	GW07630RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	200		Boundary
0386	8/2/01	GW07630RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	0.426		Boundary
0386	8/2/01	GW07630RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Boundary
0386	8/2/01	GW07630RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
0386	8/2/01	GW07630RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Boundary
0386	8/2/01	GW07630RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	7		Boundary

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
0386	8/2/01	GW07630RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
0386	8/2/01	GW07630RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
0386	8/2/01	GW07630RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
0386	8/2/01	GW07630RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Boundary
0386	8/2/01	GW07630RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
0386	8/2/01	GW07630RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	1	1	600		Boundary
0386	8/2/01	GW07630RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Boundary
0386	8/2/01	GW07630RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Boundary
0386	8/2/01	GW07630RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	1	1	600		Boundary
0386	8/2/01	GW07630RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
0386	8/2/01	GW07630RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	1	1	75		Boundary
0386	8/2/01	GW07630RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
0386	8/2/01	GW07630RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R1	5	1	21900		Boundary
0386	8/2/01	GW07630RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	10	1			Boundary
0386	8/2/01	GW07630RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
0386	8/2/01	GW07630RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	10	1	2920		Boundary
0386	8/2/01	GW07630RG	ACETONE	REAL	TR1	10	UG/L	U	R1	10	1	3650		Boundary
0386	8/2/01	GW07630RG	BENZENE	REAL	TR1	1	UG/L	U	V1	1	1	5		Boundary
0386	8/2/01	GW07630RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
0386	8/2/01	GW07630RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
0386	8/2/01	GW07630RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
0386	8/2/01	GW07630RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
0386	8/2/01	GW07630RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	100		Boundary
0386	8/2/01	GW07630RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Boundary
0386	8/2/01	GW07630RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	51.1		Boundary
0386	8/2/01	GW07630RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Boundary
0386	8/2/01	GW07630RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		Boundary
0386	8/2/01	GW07630RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	1	1	100		Boundary
0386	8/2/01	GW07630RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	29.4		Boundary
0386	8/2/01	GW07630RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Boundary
0386	8/2/01	GW07630RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	6.55		Boundary
0386	8/2/01	GW07630RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Boundary
0386	8/2/01	GW07630RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Boundary
0386	8/2/01	GW07630RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	1.01		Boundary
0386	8/2/01	GW07630RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
0386	8/2/01	GW07630RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
0386	8/2/01	GW07630RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V1	1	1	700		Boundary
0386	8/2/01	GW07630RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	1	1	1.09		Boundary
0386	8/2/01	GW07630RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
0386	8/2/01	GW07630RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		Boundary
0386	8/2/01	GW07630RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V1	1	1	1460		Boundary
0386	8/2/01	GW07630RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
0386	8/2/01	GW07630RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
0386	8/2/01	GW07630RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
0386	8/2/01	GW07630RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
0386	8/2/01	GW07630RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R1	1	1	0.2		Boundary
0386	8/2/01	GW07630RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
0386	8/2/01	GW07630RG	STYRENE	REAL	TR1	1	UG/L	U	V1	1	1	100		Boundary
0386	8/2/01	GW07630RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
0386	8/2/01	GW07630RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	5		Boundary
0386	8/2/01	GW07630RG	TOLUENE	REAL	TR1	1	UG/L	U	V1	1	1	1000		Boundary
0386	8/2/01	GW07630RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	V1	3	1	10000		Boundary
0386	8/2/01	GW07630RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Boundary
0386	8/2/01	GW07630RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Boundary
0386	8/2/01	GW07630RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	5		Boundary
0386	8/2/01	GW07630RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
0386	8/2/01	GW07630RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	2		Boundary

227

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
03991	8/7/01	GW07631RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
03991	8/7/01	GW07632RG	1,1,1,2-TETRACHLOROETHANE	DUP	TR1	1	UG/L	U	V1	1	1			Plume Definition
03991	8/7/01	GW07631RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	200		Plume Definition
03991	8/7/01	GW07632RG	1,1,1-TRICHLOROETHANE	DUP	TR1	1	UG/L	U	V1	1	1	200		Plume Definition
03991	8/7/01	GW07631RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	0.426		Plume Definition
03991	8/7/01	GW07632RG	1,1,2,2-TETRACHLOROETHANE	DUP	TR1	1	UG/L	U	V1	1	1	0.426		Plume Definition
03991	8/7/01	GW07631RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Definition
03991	8/7/01	GW07632RG	1,1,2-TRICHLOROETHANE	DUP	TR1	1	UG/L	U	V1	1	1	5		Plume Definition
03991	8/7/01	GW07631RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
03991	8/7/01	GW07632RG	1,1,2-TRICHLOROTRIFLUOROETHANE	DUP	TR1	1	UG/L	U	V1	1	1			Plume Definition
03991	8/7/01	GW07631RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Plume Definition
03991	8/7/01	GW07632RG	1,1-DICHLOROETHANE	DUP	TR1	1	UG/L	U	V1	1	1	3650		Plume Definition
03991	8/7/01	GW07631RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	7		Plume Definition
03991	8/7/01	GW07632RG	1,1-DICHLOROETHENE	DUP	TR1	1	UG/L	U	V1	1	1	7		Plume Definition
03991	8/7/01	GW07631RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
03991	8/7/01	GW07632RG	1,1-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V1	1	1			Plume Definition
03991	8/7/01	GW07631RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07632RG	1,2,3-TRICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07631RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
03991	8/7/01	GW07632RG	1,2,3-TRICHLOROPROPANE	DUP	TR1	1	UG/L	U	V1	1	1			Plume Definition
03991	8/7/01	GW07631RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	70		Plume Definition
03991	8/7/01	GW07632RG	1,2,4-TRICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ1	1	1	70		Plume Definition
03991	8/7/01	GW07631RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
03991	8/7/01	GW07632RG	1,2-DIBROMOETHANE	DUP	TR1	1	UG/L	U	V1	1	1			Plume Definition
03991	8/7/01	GW07631RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		Plume Definition
03991	8/7/01	GW07632RG	1,2-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ1	1	1	600		Plume Definition
03991	8/7/01	GW07631RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Definition
03991	8/7/01	GW07632RG	1,2-DICHLOROETHANE	DUP	TR1	1	UG/L	U	V1	1	1	5		Plume Definition
03991	8/7/01	GW07631RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Definition
03991	8/7/01	GW07632RG	1,2-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V1	1	1	5		Plume Definition
03991	8/7/01	GW07631RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		Plume Definition
03991	8/7/01	GW07632RG	1,3-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ1	1	1	600		Plume Definition
03991	8/7/01	GW07631RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
03991	8/7/01	GW07632RG	1,3-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V1	1	1			Plume Definition
03991	8/7/01	GW07631RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	75		Plume Definition
03991	8/7/01	GW07632RG	1,4-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ1	1	1	75		Plume Definition
03991	8/7/01	GW07631RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
03991	8/7/01	GW07632RG	2,2-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V1	1	1			Plume Definition
03991	8/7/01	GW07631RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R1	5	1	21900		Plume Definition
03991	8/7/01	GW07632RG	2-BUTANONE	DUP	TR1	5	UG/L	U	R1	5	1	21900		Plume Definition
03991	8/7/01	GW07631RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	10	1			Plume Definition
03991	8/7/01	GW07632RG	2-HEXANONE	DUP	TR1	10	UG/L	U	V1	10	1			Plume Definition
03991	8/7/01	GW07631RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07632RG	4-ISOPROPYLTOLUENE	DUP	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07631RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	10	1	2920		Plume Definition
03991	8/7/01	GW07632RG	4-METHYL-2-PENTANONE	DUP	TR1	10	UG/L	U	V1	10	1	2920		Plume Definition
03991	8/7/01	GW07631RG	ACETONE	REAL	TR1	10	UG/L	U	R1	10	1	3650		Plume Definition
03991	8/7/01	GW07632RG	ACETONE	DUP	TR1	10	UG/L	U	R1	10	1	3650		Plume Definition
03991	8/7/01	GW07631RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	5		Plume Definition
03991	8/7/01	GW07632RG	BENZENE	DUP	TR1	1	UG/L	U	UJ1	1	1	5		Plume Definition
03991	8/7/01	GW07631RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07632RG	BENZENE, 1,2,4-TRIMETHYL	DUP	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07631RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07632RG	BENZENE, 1,3,5-TRIMETHYL-	DUP	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07631RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07632RG	BROMOBENZENE	DUP	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07631RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
03991	8/7/01	GW07632RG	BROMOCHLOROMETHANE	DUP	TR1	1	UG/L	U	V1	1	1			Plume Definition
03991	8/7/01	GW07631RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Definition
03991	8/7/01	GW07632RG	BROMODICHLOROMETHANE	DUP	TR1	1	UG/L	U	V1	1	1	100		Plume Definition
03991	8/7/01	GW07631RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Definition
03991	8/7/01	GW07632RG	BROMOFORM	DUP	TR1	1	UG/L	U	V1	1	1	100		Plume Definition
03991	8/7/01	GW07631RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	51.1		Plume Definition
03991	8/7/01	GW07632RG	BROMOMETHANE	DUP	TR1	1	UG/L	U	V1	1	1	51.1		Plume Definition
03991	8/7/01	GW07631RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Plume Definition
03991	8/7/01	GW07632RG	CARBON DISULFIDE	DUP	TR1	1	UG/L	U	V1	1	1	3650		Plume Definition
03991	8/7/01	GW07631RG	CARBON TETRACHLORIDE	REAL	TR1	7.1	UG/L		V1	1	1	5		Plume Definition
03991	8/7/01	GW07632RG	CARBON TETRACHLORIDE	DUP	TR1	7	UG/L		V1	1	1	5		Plume Definition
03991	8/7/01	GW07631RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		Plume Definition
03991	8/7/01	GW07632RG	CHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ1	1	1	100		Plume Definition
03991	8/7/01	GW07631RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	29.4		Plume Definition
03991	8/7/01	GW07632RG	CHLOROETHANE	DUP	TR1	1	UG/L	U	V1	1	1	29.4		Plume Definition
03991	8/7/01	GW07631RG	CHLOROFORM	REAL	TR1	0.6	UG/L	J	V1	1	1	100		Plume Definition
03991	8/7/01	GW07632RG	CHLOROFORM	DUP	TR1	0.6	UG/L	J	V1	1	1	100		Plume Definition
03991	8/7/01	GW07631RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	6.55		Plume Definition
03991	8/7/01	GW07632RG	CHLOROMETHANE	DUP	TR1	1	UG/L	U	V1	1	1	6.55		Plume Definition
03991	8/7/01	GW07631RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Plume Definition
03991	8/7/01	GW07632RG	cis-1,2-DICHLOROETHENE	DUP	TR1	1	UG/L	U	V1	1	1	70		Plume Definition
03991	8/7/01	GW07631RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Plume Definition
03991	8/7/01	GW07632RG	cis-1,3-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V1	1	1	0.473		Plume Definition
03991	8/7/01	GW07631RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	1.01		Plume Definition
03991	8/7/01	GW07632RG	DIBROMOCHLOROMETHANE	DUP	TR1	1	UG/L	U	V1	1	1	1.01		Plume Definition
03991	8/7/01	GW07631RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
03991	8/7/01	GW07632RG	DIBROMOMETHANE	DUP	TR1	1	UG/L	U	V1	1	1			Plume Definition
03991	8/7/01	GW07631RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
03991	8/7/01	GW07632RG	DICHLORODIFLUOROMETHANE	DUP	TR1	1	UG/L	U	V1	1	1			Plume Definition
03991	8/7/01	GW07631RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	700		Plume Definition
03991	8/7/01	GW07632RG	ETHYLBENZENE	DUP	TR1	1	UG/L	U	UJ1	1	1	700		Plume Definition
03991	8/7/01	GW07631RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	1	1	1.09		Plume Definition
03991	8/7/01	GW07632RG	HEXACHLOROBUTADIENE	DUP	TR1	1	UG/L	U	V1	1	1	1.09		Plume Definition
03991	8/7/01	GW07631RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07632RG	ISOPROPYLBENZENE	DUP	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07631RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Definition
03991	8/7/01	GW07632RG	METHYLENE CHLORIDE	DUP	TR1	1	UG/L	U	V1	1	1	5		Plume Definition
03991	8/7/01	GW07631RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1460		Plume Definition
03991	8/7/01	GW07632RG	NAPHTHALENE	DUP	TR1	1	UG/L	U	UJ1	1	1	1460		Plume Definition
03991	8/7/01	GW07631RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07632RG	n-BUTYLBENZENE	DUP	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07631RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07632RG	n-PROPYLBENZENE	DUP	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07631RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07632RG	o-CHLOROTOLUENE	DUP	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07631RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07632RG	p-CHLOROTOLUENE	DUP	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07631RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R1	1	1	0.2		Plume Definition
03991	8/7/01	GW07632RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	DUP	TR1	1	UG/L	U	R1	1	1	0.2		Plume Definition
03991	8/7/01	GW07631RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07632RG	sec-BUTYLBENZENE	DUP	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07631RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		Plume Definition
03991	8/7/01	GW07632RG	STYRENE	DUP	TR1	1	UG/L	U	UJ1	1	1	100		Plume Definition
03991	8/7/01	GW07631RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07632RG	tert-BUTYLBENZENE	DUP	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07631RG	TETRACHLOROETHENE	REAL	TR1	1.7	UG/L		V1	1	1	5		Plume Definition
03991	8/7/01	GW07632RG	TETRACHLOROETHENE	DUP	TR1	1.6	UG/L		V1	1	1	5		Plume Definition

229

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Clas
03991	8/7/01	GW07631RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1000		Plume Definition
03991	8/7/01	GW07632RG	TOLUENE	DUP	TR1	1	UG/L	U	UJ1	1	1	1000		Plume Definition
03991	8/7/01	GW07631RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	UJ1	3	1	10000		Plume Definition
03991	8/7/01	GW07632RG	TOTAL XYLENES	DUP	TR1	3	UG/L	U	UJ1	3	1	10000		Plume Definition
03991	8/7/01	GW07631RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Plume Definition
03991	8/7/01	GW07632RG	trans-1,2-DICHLOROETHENE	DUP	TR1	1	UG/L	U	V1	1	1	70		Plume Definition
03991	8/7/01	GW07631RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Plume Definition
03991	8/7/01	GW07632RG	trans-1,3-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V1	1	1	0.473		Plume Definition
03991	8/7/01	GW07631RG	TRICHLOROETHENE	REAL	TR1	0.8	UG/L	J	V1	1	1	5		Plume Definition
03991	8/7/01	GW07632RG	TRICHLOROETHENE	DUP	TR1	0.8	UG/L	J	V1	1	1	5		Plume Definition
03991	8/7/01	GW07631RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
03991	8/7/01	GW07632RG	TRICHLOROFLUOROMETHANE	DUP	TR1	1	UG/L	U	V1	1	1			Plume Definition
03991	8/7/01	GW07631RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	2		Plume Definition
03991	8/7/01	GW07632RG	VINYL CHLORIDE	DUP	TR1	1	UG/L	U	V1	1	1	2		Plume Definition
03991	8/7/01	GW07633RG	1,1,1,2-TETRACHLOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1			Plume Definition
03991	8/7/01	GW07633RG	1,1,1-TRICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1	200		Plume Definition
03991	8/7/01	GW07633RG	1,1,2,2-TETRACHLOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1	0.426		Plume Definition
03991	8/7/01	GW07633RG	1,1,2-TRICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1	5		Plume Definition
03991	8/7/01	GW07633RG	1,1,2-TRICHLOROTRIFLUOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1			Plume Definition
03991	8/7/01	GW07633RG	1,1-DICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1	3650		Plume Definition
03991	8/7/01	GW07633RG	1,1-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	1	1	7		Plume Definition
03991	8/7/01	GW07633RG	1,1-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V1	1	1			Plume Definition
03991	8/7/01	GW07633RG	1,2,3-TRICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07633RG	1,2,3-TRICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	1	1			Plume Definition
03991	8/7/01	GW07633RG	1,2,4-TRICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1	70		Plume Definition
03991	8/7/01	GW07633RG	1,2-DIBROMOETHANE	RNS	TR1	1	UG/L	U	V1	1	1			Plume Definition
03991	8/7/01	GW07633RG	1,2-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1	600		Plume Definition
03991	8/7/01	GW07633RG	1,2-DICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1	5		Plume Definition
03991	8/7/01	GW07633RG	1,2-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	1	1	5		Plume Definition
03991	8/7/01	GW07633RG	1,3-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1	600		Plume Definition
03991	8/7/01	GW07633RG	1,3-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	1	1			Plume Definition
03991	8/7/01	GW07633RG	1,4-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1	75		Plume Definition
03991	8/7/01	GW07633RG	2,2-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	1	1			Plume Definition
03991	8/7/01	GW07633RG	2-BUTANONE	RNS	TR1	5	UG/L	U	R1	5	1	21900		Plume Definition
03991	8/7/01	GW07633RG	2-HEXANONE	RNS	TR1	10	UG/L	U	V1	10	1			Plume Definition
03991	8/7/01	GW07633RG	4-ISOPROPYLTOLUENE	RNS	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07633RG	4-METHYL-2-PENTANONE	RNS	TR1	10	UG/L	U	V1	10	1	2920		Plume Definition
03991	8/7/01	GW07633RG	ACETONE	RNS	TR1	10	UG/L	U	R1	10	1	3650		Plume Definition
03991	8/7/01	GW07633RG	BENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1	5		Plume Definition
03991	8/7/01	GW07633RG	BENZENE, 1,2,4-TRIMETHYL	RNS	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07633RG	BENZENE, 1,3,5-TRIMETHYL-	RNS	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07633RG	BROMOBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07633RG	BROMOCHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	1	1			Plume Definition
03991	8/7/01	GW07633RG	BROMODICHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	1	1	100		Plume Definition
03991	8/7/01	GW07633RG	BROMOFORM	RNS	TR1	1	UG/L	U	V1	1	1	100		Plume Definition
03991	8/7/01	GW07633RG	BROMOMETHANE	RNS	TR1	1	UG/L	U	V1	1	1	51.1		Plume Definition
03991	8/7/01	GW07633RG	CARBON DISULFIDE	RNS	TR1	1	UG/L	U	V1	1	1	3650		Plume Definition
03991	8/7/01	GW07633RG	CARBON TETRACHLORIDE	RNS	TR1	1	UG/L	U	V1	1	1	5		Plume Definition
03991	8/7/01	GW07633RG	CHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1	100		Plume Definition
03991	8/7/01	GW07633RG	CHLOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1	29.4		Plume Definition
03991	8/7/01	GW07633RG	CHLOROFORM	RNS	TR1	1	UG/L	U	V1	1	1	100		Plume Definition
03991	8/7/01	GW07633RG	CHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	1	1	6.55		Plume Definition
03991	8/7/01	GW07633RG	cis-1,2-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	1	1	70		Plume Definition
03991	8/7/01	GW07633RG	cis-1,3-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V1	1	1	0.473		Plume Definition
03991	8/7/01	GW07633RG	DIBROMOCHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	1	1	1.01		Plume Definition
03991	8/7/01	GW07633RG	DIBROMOMETHANE	RNS	TR1	1	UG/L	U	V1	1	1			Plume Definition
03991	8/7/01	GW07633RG	DICHLORODIFLUOROMETHANE	RNS	TR1	1	UG/L	U	V1	1	1			Plume Definition

730

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
3991	8/7/01	GW07633RG	ETHYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1	700		Plume Definition
03991	8/7/01	GW07633RG	HEXACHLOROBUTADIENE	RNS	TR1	1	UG/L	U	V1	1	1	1.09		Plume Definition
3991	8/7/01	GW07633RG	ISOPROPYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
3991	8/7/01	GW07633RG	METHYLENE CHLORIDE	RNS	TR1	1	UG/L	U	V1	1	1	5		Plume Definition
3991	8/7/01	GW07633RG	NAPHTHALENE	RNS	TR1	1	UG/L	U	UJ1	1	1	1460		Plume Definition
03991	8/7/01	GW07633RG	n-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
3991	8/7/01	GW07633RG	n-PROPYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
3991	8/7/01	GW07633RG	o-CHLOROTOLUENE	RNS	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07633RG	p-CHLOROTOLUENE	RNS	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
03991	8/7/01	GW07633RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	RNS	TR1	1	UG/L	U	R1	1	1	0.2		Plume Definition
3991	8/7/01	GW07633RG	sec-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
3991	8/7/01	GW07633RG	STYRENE	RNS	TR1	1	UG/L	U	UJ1	1	1	100		Plume Definition
03991	8/7/01	GW07633RG	tert-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
3991	8/7/01	GW07633RG	TETRACHLOROETHENE	RNS	TR1	1	UG/L	U	V1	1	1	5		Plume Definition
3991	8/7/01	GW07633RG	TOLUENE	RNS	TR1	1	UG/L	U	UJ1	1	1	1000		Plume Definition
03991	8/7/01	GW07633RG	TOTAL XYLENES	RNS	TR1	3	UG/L	U	UJ1	3	1	10000		Plume Definition
03991	8/7/01	GW07633RG	trans-1,2-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	1	1	70		Plume Definition
3991	8/7/01	GW07633RG	trans-1,3-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V1	1	1	0.473		Plume Definition
3991	8/7/01	GW07633RG	TRICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	1	1	5		Plume Definition
03991	8/7/01	GW07633RG	TRICHLOROFLUOROMETHANE	RNS	TR1	1	UG/L	U	V1	1	1			Plume Definition
3991	8/7/01	GW07633RG	VINYL CHLORIDE	RNS	TR1	1	UG/L	U	V1	1	1	2		Plume Definition
4091	8/20/01	GW07613RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
04091	8/20/01	GW07613RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	200		Plume Extent
04091	8/20/01	GW07613RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	0.426		Plume Extent
4091	8/20/01	GW07613RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
4091	8/20/01	GW07613RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
04091	8/20/01	GW07613RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Plume Extent
4091	8/20/01	GW07613RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	7		Plume Extent
4091	8/20/01	GW07613RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
4091	8/20/01	GW07613RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
04091	8/20/01	GW07613RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
4091	8/20/01	GW07613RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	70		Plume Extent
4091	8/20/01	GW07613RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
04091	8/20/01	GW07613RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		Plume Extent
04091	8/20/01	GW07613RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
4091	8/20/01	GW07613RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
4091	8/20/01	GW07613RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		Plume Extent
04091	8/20/01	GW07613RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
4091	8/20/01	GW07613RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	75		Plume Extent
4091	8/20/01	GW07613RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
04091	8/20/01	GW07613RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R1	5	1	21900		Plume Extent
04091	8/20/01	GW07613RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	5	1			Plume Extent
4091	8/20/01	GW07613RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
4091	8/20/01	GW07613RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	5	1	2920		Plume Extent
04091	8/20/01	GW07613RG	ACETONE	REAL	TR1	5	UG/L	U	R1	5	1	3650		Plume Extent
4091	8/20/01	GW07613RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	5		Plume Extent
4091	8/20/01	GW07613RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
04091	8/20/01	GW07613RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
04091	8/20/01	GW07613RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
4091	8/20/01	GW07613RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
4091	8/20/01	GW07613RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Extent
04091	8/20/01	GW07613RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Extent
4091	8/20/01	GW07613RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	51.1		Plume Extent
4091	8/20/01	GW07613RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Plume Extent
04091	8/20/01	GW07613RG	CARBON TETRACHLORIDE	REAL	TR1	1.2	UG/L		V1	1	1	5		Plume Extent
04091	8/20/01	GW07613RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		Plume Extent
4091	8/20/01	GW07613RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	29.4		Plume Extent

231

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
04091	8/20/01	GW07613RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Extent
04091	8/20/01	GW07613RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	6.55		Plume Extent
04091	8/20/01	GW07613RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Plume Extent
04091	8/20/01	GW07613RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Plume Extent
04091	8/20/01	GW07613RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	1.01		Plume Extent
04091	8/20/01	GW07613RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
04091	8/20/01	GW07613RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
04091	8/20/01	GW07613RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	700		Plume Extent
04091	8/20/01	GW07613RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	1	1	1.09		Plume Extent
04091	8/20/01	GW07613RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
04091	8/20/01	GW07613RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
04091	8/20/01	GW07613RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1460		Plume Extent
04091	8/20/01	GW07613RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
04091	8/20/01	GW07613RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
04091	8/20/01	GW07613RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
04091	8/20/01	GW07613RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
04091	8/20/01	GW07613RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	1	1	0.2		Plume Extent
04091	8/20/01	GW07613RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
04091	8/20/01	GW07613RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		Plume Extent
04091	8/20/01	GW07613RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
04091	8/20/01	GW07613RG	TETRACHLOROETHENE	REAL	TR1	0.5	UG/L	J	V1	1	1	5		Plume Extent
04091	8/20/01	GW07613RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1000		Plume Extent
04091	8/20/01	GW07613RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	UJ1	3	1	10000		Plume Extent
04091	8/20/01	GW07613RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Plume Extent
04091	8/20/01	GW07613RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Plume Extent
04091	8/20/01	GW07613RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
04091	8/20/01	GW07613RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
04091	8/20/01	GW07613RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	2		Plume Extent
04591	8/21/01	GW07634RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
04591	8/21/01	GW07634RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	200		Plume Extent
04591	8/21/01	GW07634RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	0.426		Plume Extent
04591	8/21/01	GW07634RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
04591	8/21/01	GW07634RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	0.9	UG/L	J	V1	1	1			Plume Extent
04591	8/21/01	GW07634RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Plume Extent
04591	8/21/01	GW07634RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	7		Plume Extent
04591	8/21/01	GW07634RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
04591	8/21/01	GW07634RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
04591	8/21/01	GW07634RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
04591	8/21/01	GW07634RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	70		Plume Extent
04591	8/21/01	GW07634RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
04591	8/21/01	GW07634RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		Plume Extent
04591	8/21/01	GW07634RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
04591	8/21/01	GW07634RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
04591	8/21/01	GW07634RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		Plume Extent
04591	8/21/01	GW07634RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
04591	8/21/01	GW07634RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	75		Plume Extent
04591	8/21/01	GW07634RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
04591	8/21/01	GW07634RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R1	5	1	21900		Plume Extent
04591	8/21/01	GW07634RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	5	1			Plume Extent
04591	8/21/01	GW07634RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
04591	8/21/01	GW07634RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	5	1	2920		Plume Extent
04591	8/21/01	GW07634RG	ACETONE	REAL	TR1	5	UG/L	U	R1	5	1	3650		Plume Extent
04591	8/21/01	GW07634RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	5		Plume Extent
04591	8/21/01	GW07634RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
04591	8/21/01	GW07634RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
04591	8/21/01	GW07634RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
04591	8/21/01	GW07634RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent

232

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
4591	8/21/01	GW07634RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Extent
04591	8/21/01	GW07634RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Extent
4591	8/21/01	GW07634RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	51.1		Plume Extent
4591	8/21/01	GW07634RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Plume Extent
04591	8/21/01	GW07634RG	CARBON TETRACHLORIDE	REAL	TR1	0.4	UG/L	J	V1	1	1	5		Plume Extent
04591	8/21/01	GW07634RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		Plume Extent
4591	8/21/01	GW07634RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	29.4		Plume Extent
4591	8/21/01	GW07634RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Extent
04591	8/21/01	GW07634RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	6.55		Plume Extent
4591	8/21/01	GW07634RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Plume Extent
4591	8/21/01	GW07634RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Plume Extent
4591	8/21/01	GW07634RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	1.01		Plume Extent
04591	8/21/01	GW07634RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
4591	8/21/01	GW07634RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
4591	8/21/01	GW07634RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	700		Plume Extent
04591	8/21/01	GW07634RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	1	1	1.09		Plume Extent
4591	8/21/01	GW07634RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
4591	8/21/01	GW07634RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
4591	8/21/01	GW07634RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1460		Plume Extent
04591	8/21/01	GW07634RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
4591	8/21/01	GW07634RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
4591	8/21/01	GW07634RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
04591	8/21/01	GW07634RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
4591	8/21/01	GW07634RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	1	1	0.2		Plume Extent
4591	8/21/01	GW07634RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
4591	8/21/01	GW07634RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		Plume Extent
04591	8/21/01	GW07634RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
4591	8/21/01	GW07634RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	J	V1	1	1	5		Plume Extent
4591	8/21/01	GW07634RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1000		Plume Extent
04591	8/21/01	GW07634RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	UJ1	3	1	10000		Plume Extent
04591	8/21/01	GW07634RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Plume Extent
4591	8/21/01	GW07634RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Plume Extent
4591	8/21/01	GW07634RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
04591	8/21/01	GW07634RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
4591	8/21/01	GW07634RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	2		Plume Extent
487	8/13/01	GW07635RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U		1	1			Plume Definition
0487	8/13/01	GW07635RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR2	5	UG/L	U		5	5			Plume Definition
0487	8/13/01	GW07635RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	200		Plume Definition
487	8/13/01	GW07635RG	1,1,1-TRICHLOROETHANE	REAL	TR2	5	UG/L	U		5	5	200		Plume Definition
487	8/13/01	GW07635RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	0.426		Plume Definition
0487	8/13/01	GW07635RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR2	5	UG/L	U		5	5	0.426		Plume Definition
487	8/13/01	GW07635RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	5		Plume Definition
487	8/13/01	GW07635RG	1,1,2-TRICHLOROETHANE	REAL	TR2	5	UG/L	U		5	5	5		Plume Definition
0487	8/13/01	GW07635RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U		1	1			Plume Definition
0487	8/13/01	GW07635RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR2	5	UG/L	U		5	5			Plume Definition
487	8/13/01	GW07635RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	3650		Plume Definition
487	8/13/01	GW07635RG	1,1-DICHLOROETHANE	REAL	TR2	5	UG/L	U		5	5	3650		Plume Definition
0487	8/13/01	GW07635RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	7		Plume Definition
0487	8/13/01	GW07635RG	1,1-DICHLOROETHENE	REAL	TR2	5	UG/L	U		5	5	7		Plume Definition
487	8/13/01	GW07635RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U		1	1			Plume Definition
0487	8/13/01	GW07635RG	1,1-DICHLOROPROPENE	REAL	TR2	5	UG/L	U		5	5			Plume Definition
0487	8/13/01	GW07635RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1			Plume Definition
487	8/13/01	GW07635RG	1,2,3-TRICHLOROBENZENE	REAL	TR2	5	UG/L	U		5	5			Plume Definition
487	8/13/01	GW07635RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1			Plume Definition
0487	8/13/01	GW07635RG	1,2,3-TRICHLOROPROPANE	REAL	TR2	5	UG/L	U		5	5			Plume Definition
0487	8/13/01	GW07635RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	70		Plume Definition
487	8/13/01	GW07635RG	1,2,4-TRICHLOROBENZENE	REAL	TR2	5	UG/L	U		5	5	70		Plume Definition

233

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
0487	8/13/01	GW07635RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U		1	1			Plume Definition
0487	8/13/01	GW07635RG	1,2-DIBROMOETHANE	REAL	TR2	5	UG/L	U		5	5			Plume Definition
0487	8/13/01	GW07635RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	600		Plume Definition
0487	8/13/01	GW07635RG	1,2-DICHLOROBENZENE	REAL	TR2	5	UG/L	U		5	5	600		Plume Definition
0487	8/13/01	GW07635RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	5		Plume Definition
0487	8/13/01	GW07635RG	1,2-DICHLOROETHANE	REAL	TR2	5	UG/L	U		5	5	5		Plume Definition
0487	8/13/01	GW07635RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1	5		Plume Definition
0487	8/13/01	GW07635RG	1,2-DICHLOROPROPANE	REAL	TR2	5	UG/L	U		5	5	5		Plume Definition
0487	8/13/01	GW07635RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	600		Plume Definition
0487	8/13/01	GW07635RG	1,3-DICHLOROBENZENE	REAL	TR2	5	UG/L	U		5	5	600		Plume Definition
0487	8/13/01	GW07635RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1			Plume Definition
0487	8/13/01	GW07635RG	1,3-DICHLOROPROPANE	REAL	TR2	5	UG/L	U		5	5			Plume Definition
0487	8/13/01	GW07635RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	75		Plume Definition
0487	8/13/01	GW07635RG	1,4-DICHLOROBENZENE	REAL	TR2	5	UG/L	U		5	5	75		Plume Definition
0487	8/13/01	GW07635RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1			Plume Definition
0487	8/13/01	GW07635RG	2,2-DICHLOROPROPANE	REAL	TR2	5	UG/L	U		5	5			Plume Definition
0487	8/13/01	GW07635RG	2-BUTANONE	REAL	TR1	5	UG/L	U		5	1	21900		Plume Definition
0487	8/13/01	GW07635RG	2-BUTANONE	REAL	TR2	25	UG/L	U		25	5	21900		Plume Definition
0487	8/13/01	GW07635RG	2-HEXANONE	REAL	TR1	10	UG/L	U		10	1			Plume Definition
0487	8/13/01	GW07635RG	2-HEXANONE	REAL	TR2	50	UG/L	U		50	5			Plume Definition
0487	8/13/01	GW07635RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U		1	1			Plume Definition
0487	8/13/01	GW07635RG	4-ISOPROPYLTOLUENE	REAL	TR2	5	UG/L	U		5	5			Plume Definition
0487	8/13/01	GW07635RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U		10	1	2920		Plume Definition
0487	8/13/01	GW07635RG	4-METHYL-2-PENTANONE	REAL	TR2	50	UG/L	U		50	5	2920		Plume Definition
0487	8/13/01	GW07635RG	ACETONE	REAL	TR1	10	UG/L	U		10	1	3650		Plume Definition
0487	8/13/01	GW07635RG	ACETONE	REAL	TR2	50	UG/L	U		50	5	3650		Plume Definition
0487	8/13/01	GW07635RG	BENZENE	REAL	TR1	1	UG/L	U		1	1	5		Plume Definition
0487	8/13/01	GW07635RG	BENZENE	REAL	TR2	5	UG/L	U		1	1	5		Plume Definition
0487	8/13/01	GW07635RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U		1	1			Plume Definition
0487	8/13/01	GW07635RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR2	5	UG/L	U		5	5			Plume Definition
0487	8/13/01	GW07635RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U		1	1			Plume Definition
0487	8/13/01	GW07635RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR2	5	UG/L	U		5	5			Plume Definition
0487	8/13/01	GW07635RG	BROMOBENZENE	REAL	TR1	1	UG/L	U		1	1			Plume Definition
0487	8/13/01	GW07635RG	BROMOBENZENE	REAL	TR2	5	UG/L	U		1	1			Plume Definition
0487	8/13/01	GW07635RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1			Plume Definition
0487	8/13/01	GW07635RG	BROMOCHLOROMETHANE	REAL	TR2	5	UG/L	U		1	1			Plume Definition
0487	8/13/01	GW07635RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1	100		Plume Definition
0487	8/13/01	GW07635RG	BROMODICHLOROMETHANE	REAL	TR2	5	UG/L	U		1	1	100		Plume Definition
0487	8/13/01	GW07635RG	BROMOFORM	REAL	TR1	1	UG/L	U		1	1	100		Plume Definition
0487	8/13/01	GW07635RG	BROMOFORM	REAL	TR2	5	UG/L	U		5	5	100		Plume Definition
0487	8/13/01	GW07635RG	BROMOMETHANE	REAL	TR1	1	UG/L	U		1	1	51.1		Plume Definition
0487	8/13/01	GW07635RG	BROMOMETHANE	REAL	TR2	5	UG/L	U		1	1	51.1		Plume Definition
0487	8/13/01	GW07635RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U		1	1	3650		Plume Definition
0487	8/13/01	GW07635RG	CARBON DISULFIDE	REAL	TR2	5	UG/L	U		1	1	3650		Plume Definition
0487	8/13/01	GW07635RG	CARBON TETRACHLORIDE	REAL	TR1	0.7	UG/L	J		1	1	5		Plume Definition
0487	8/13/01	GW07635RG	CARBON TETRACHLORIDE	REAL	TR2	5	UG/L	U		5	5	5		Plume Definition
0487	8/13/01	GW07635RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	100		Plume Definition
0487	8/13/01	GW07635RG	CHLOROBENZENE	REAL	TR2	5	UG/L	U		5	5	100		Plume Definition
0487	8/13/01	GW07635RG	CHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	29.4		Plume Definition
0487	8/13/01	GW07635RG	CHLOROETHANE	REAL	TR2	5	UG/L	U		5	5	29.4		Plume Definition
0487	8/13/01	GW07635RG	CHLOROFORM	REAL	TR1	0.8	UG/L	J		1	1	100		Plume Definition
0487	8/13/01	GW07635RG	CHLOROFORM	REAL	TR2	5	UG/L	U		5	5	100		Plume Definition
0487	8/13/01	GW07635RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1	6.55		Plume Definition
0487	8/13/01	GW07635RG	CHLOROMETHANE	REAL	TR2	5	UG/L	U		5	5	6.55		Plume Definition
0487	8/13/01	GW07635RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	70		Plume Definition
0487	8/13/01	GW07635RG	cis-1,2-DICHLOROETHENE	REAL	TR2	5	UG/L	U		5	5	70		Plume Definition
0487	8/13/01	GW07635RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U		1	1	0.473		Plume Definition

234

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
0487	8/13/01	GW07635RG	cis-1,3-DICHLOROPROPENE	REAL	TR2	5	UG/L	U		5	5	0.473		Plume Definition
0487	8/13/01	GW07635RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1	1.01		Plume Definition
0487	8/13/01	GW07635RG	DIBROMOCHLOROMETHANE	REAL	TR2	5	UG/L	U		5	5	1.01		Plume Definition
0487	8/13/01	GW07635RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U		1	1			Plume Definition
0487	8/13/01	GW07635RG	DIBROMOMETHANE	REAL	TR2	5	UG/L	U		5	5			Plume Definition
0487	8/13/01	GW07635RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U		1	1			Plume Definition
0487	8/13/01	GW07635RG	DICHLORODIFLUOROMETHANE	REAL	TR2	5	UG/L	U		5	5			Plume Definition
0487	8/13/01	GW07635RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U		1	1	700		Plume Definition
0487	8/13/01	GW07635RG	ETHYLBENZENE	REAL	TR2	5	UG/L	U		5	5	700		Plume Definition
0487	8/13/01	GW07635RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U		1	1	1.09		Plume Definition
0487	8/13/01	GW07635RG	HEXACHLOROBUTADIENE	REAL	TR2	5	UG/L	U		5	5	1.09		Plume Definition
0487	8/13/01	GW07635RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U		1	1			Plume Definition
0487	8/13/01	GW07635RG	ISOPROPYLBENZENE	REAL	TR2	5	UG/L	U		5	5			Plume Definition
0487	8/13/01	GW07635RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U		1	1	5		Plume Definition
0487	8/13/01	GW07635RG	METHYLENE CHLORIDE	REAL	TR2	5	UG/L	U		5	5	5		Plume Definition
0487	8/13/01	GW07635RG	NAPHTHALENE	REAL	TR1	1	UG/L	U		1	1	1460		Plume Definition
0487	8/13/01	GW07635RG	NAPHTHALENE	REAL	TR2	5	UG/L	U		5	5	1460		Plume Definition
0487	8/13/01	GW07635RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U		1	1			Plume Definition
0487	8/13/01	GW07635RG	n-BUTYLBENZENE	REAL	TR2	5	UG/L	U		5	5			Plume Definition
0487	8/13/01	GW07635RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U		1	1			Plume Definition
0487	8/13/01	GW07635RG	n-PROPYLBENZENE	REAL	TR2	5	UG/L	U		5	5			Plume Definition
0487	8/13/01	GW07635RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U		1	1			Plume Definition
0487	8/13/01	GW07635RG	o-CHLOROTOLUENE	REAL	TR2	5	UG/L	U		5	5			Plume Definition
0487	8/13/01	GW07635RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U		1	1			Plume Definition
0487	8/13/01	GW07635RG	p-CHLOROTOLUENE	REAL	TR2	5	UG/L	U		5	5			Plume Definition
0487	8/13/01	GW07635RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U		1	1	0.2		Plume Definition
0487	8/13/01	GW07635RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR2	5	UG/L	U		5	5	0.2		Plume Definition
0487	8/13/01	GW07635RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U		1	1			Plume Definition
0487	8/13/01	GW07635RG	sec-BUTYLBENZENE	REAL	TR2	5	UG/L	U		5	5			Plume Definition
0487	8/13/01	GW07635RG	STYRENE	REAL	TR1	1	UG/L	U		1	1	100		Plume Definition
0487	8/13/01	GW07635RG	STYRENE	REAL	TR2	5	UG/L	U		5	5	100		Plume Definition
0487	8/13/01	GW07635RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U		1	1			Plume Definition
0487	8/13/01	GW07635RG	tert-BUTYLBENZENE	REAL	TR2	5	UG/L	U		5	5			Plume Definition
0487	8/13/01	GW07635RG	TETRACHLOROETHENE	REAL	TR1	1.6	UG/L			1	1	5		Plume Definition
0487	8/13/01	GW07635RG	TETRACHLOROETHENE	REAL	TR2	5	UG/L	U		5	5	5		Plume Definition
0487	8/13/01	GW07635RG	TOLUENE	REAL	TR1	1	UG/L	U		1	1	1000		Plume Definition
0487	8/13/01	GW07635RG	TOLUENE	REAL	TR2	5	UG/L	U		5	5	1000		Plume Definition
0487	8/13/01	GW07635RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U		3	1	10000		Plume Definition
0487	8/13/01	GW07635RG	TOTAL XYLENES	REAL	TR2	15	UG/L	U		15	5	10000		Plume Definition
0487	8/13/01	GW07635RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	70		Plume Definition
0487	8/13/01	GW07635RG	trans-1,2-DICHLOROETHENE	REAL	TR2	5	UG/L	U		5	5	70		Plume Definition
0487	8/13/01	GW07635RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U		1	1	0.473		Plume Definition
0487	8/13/01	GW07635RG	trans-1,3-DICHLOROPROPENE	REAL	TR2	5	UG/L	U		5	5	0.473		Plume Definition
0487	8/13/01	GW07635RG	TRICHLOROETHENE	REAL	TR1	157	UG/L	E		1	1	5		Plume Definition
0487	8/13/01	GW07635RG	TRICHLOROETHENE	REAL	TR1	150	UG/L		V	5	5	5		Plume Definition
0487	8/13/01	GW07635RG	TRICHLOROETHENE	REAL	TR2	154	UG/L	D		5	5	5		Plume Definition
0487	8/13/01	GW07635RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U		1	1			Plume Definition
0487	8/13/01	GW07635RG	TRICHLOROFLUOROMETHANE	REAL	TR2	5	UG/L	U		5	5			Plume Definition
0487	8/13/01	GW07635RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U		1	1	2		Plume Definition
0487	8/13/01	GW07635RG	VINYL CHLORIDE	REAL	TR2	5	UG/L	U		5	5	2		Plume Definition
04991	9/7/01	GW07614RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
04991	9/7/01	GW07614RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	200		Plume Extent
04991	9/7/01	GW07614RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	0.426		Plume Extent
04991	9/7/01	GW07614RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
04991	9/7/01	GW07614RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
04991	9/7/01	GW07614RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Plume Extent
04991	9/7/01	GW07614RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	7		Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
04991	9/7/01	GW07614RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
04991	9/7/01	GW07614RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
04991	9/7/01	GW07614RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
04991	9/7/01	GW07614RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	70		Plume Extent
04991	9/7/01	GW07614RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
04991	9/7/01	GW07614RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		Plume Extent
04991	9/7/01	GW07614RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
04991	9/7/01	GW07614RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
04991	9/7/01	GW07614RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		Plume Extent
04991	9/7/01	GW07614RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
04991	9/7/01	GW07614RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	75		Plume Extent
04991	9/7/01	GW07614RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
04991	9/7/01	GW07614RG	2-BUTANONE	REAL	TR1	10	UG/L	U	R1	10	1	21900		Plume Extent
04991	9/7/01	GW07614RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	10	1			Plume Extent
04991	9/7/01	GW07614RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
04991	9/7/01	GW07614RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	10	1	2920		Plume Extent
04991	9/7/01	GW07614RG	ACETONE	REAL	TR1	10	UG/L	U	R1	10	1	3650		Plume Extent
04991	9/7/01	GW07614RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	5		Plume Extent
04991	9/7/01	GW07614RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
04991	9/7/01	GW07614RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
04991	9/7/01	GW07614RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
04991	9/7/01	GW07614RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
04991	9/7/01	GW07614RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Extent
04991	9/7/01	GW07614RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Extent
04991	9/7/01	GW07614RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	51.1		Plume Extent
04991	9/7/01	GW07614RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Plume Extent
04991	9/7/01	GW07614RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
04991	9/7/01	GW07614RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		Plume Extent
04991	9/7/01	GW07614RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	29.4		Plume Extent
04991	9/7/01	GW07614RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Extent
04991	9/7/01	GW07614RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	6.55		Plume Extent
04991	9/7/01	GW07614RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Plume Extent
04991	9/7/01	GW07614RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Plume Extent
04991	9/7/01	GW07614RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	1.01		Plume Extent
04991	9/7/01	GW07614RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
04991	9/7/01	GW07614RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
04991	9/7/01	GW07614RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	700		Plume Extent
04991	9/7/01	GW07614RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	1	1	1.09		Plume Extent
04991	9/7/01	GW07614RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
04991	9/7/01	GW07614RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
04991	9/7/01	GW07614RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1460		Plume Extent
04991	9/7/01	GW07614RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
04991	9/7/01	GW07614RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
04991	9/7/01	GW07614RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
04991	9/7/01	GW07614RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
04991	9/7/01	GW07614RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	1	1	0.2		Plume Extent
04991	9/7/01	GW07614RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
04991	9/7/01	GW07614RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		Plume Extent
04991	9/7/01	GW07614RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
04991	9/7/01	GW07614RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
04991	9/7/01	GW07614RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1000		Plume Extent
04991	9/7/01	GW07614RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	UJ1	3	1	10000		Plume Extent
04991	9/7/01	GW07614RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Plume Extent
04991	9/7/01	GW07614RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Plume Extent
04991	9/7/01	GW07614RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
04991	9/7/01	GW07614RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
04991	9/7/01	GW07614RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	2		Plume Extent

236

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
05091	8/13/01	GW07636RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
05091	8/13/01	GW07636RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	200		Plume Extent
05091	8/13/01	GW07636RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	0.426		Plume Extent
05091	8/13/01	GW07636RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	5		Plume Extent
05091	8/13/01	GW07636RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
05091	8/13/01	GW07636RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	3650		Plume Extent
05091	8/13/01	GW07636RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	7		Plume Extent
05091	8/13/01	GW07636RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
05091	8/13/01	GW07636RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
05091	8/13/01	GW07636RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
05091	8/13/01	GW07636RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	70		Plume Extent
05091	8/13/01	GW07636RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
05091	8/13/01	GW07636RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	600		Plume Extent
05091	8/13/01	GW07636RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	5		Plume Extent
05091	8/13/01	GW07636RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1	5		Plume Extent
05091	8/13/01	GW07636RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	600		Plume Extent
05091	8/13/01	GW07636RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
05091	8/13/01	GW07636RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	75		Plume Extent
05091	8/13/01	GW07636RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
05091	8/13/01	GW07636RG	2-BUTANONE	REAL	TR1	5	UG/L	U		5	1	21900		Plume Extent
05091	8/13/01	GW07636RG	2-HEXANONE	REAL	TR1	10	UG/L	U		10	1			Plume Extent
05091	8/13/01	GW07636RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
05091	8/13/01	GW07636RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U		10	1	2920		Plume Extent
05091	8/13/01	GW07636RG	ACETONE	REAL	TR1	10	UG/L	U		10	1	3650		Plume Extent
05091	8/13/01	GW07636RG	BENZENE	REAL	TR1	1	UG/L	U		1	1	5		Plume Extent
05091	8/13/01	GW07636RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U		1	1			Plume Extent
05091	8/13/01	GW07636RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U		1	1			Plume Extent
05091	8/13/01	GW07636RG	BROMOBENZENE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
05091	8/13/01	GW07636RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
05091	8/13/01	GW07636RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1	100		Plume Extent
05091	8/13/01	GW07636RG	BROMOFORM	REAL	TR1	1	UG/L	U		1	1	100		Plume Extent
05091	8/13/01	GW07636RG	BROMOMETHANE	REAL	TR1	1	UG/L	U		1	1	51.1		Plume Extent
05091	8/13/01	GW07636RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U		1	1	3650		Plume Extent
05091	8/13/01	GW07636RG	CARBON TETRACHLORIDE	REAL	TR1	0.9	UG/L	J		1	1	5		Plume Extent
05091	8/13/01	GW07636RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	100		Plume Extent
05091	8/13/01	GW07636RG	CHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	29.4		Plume Extent
05091	8/13/01	GW07636RG	CHLOROFORM	REAL	TR1	0.4	UG/L	J		1	1	100		Plume Extent
05091	8/13/01	GW07636RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1	6.55		Plume Extent
05091	8/13/01	GW07636RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	70		Plume Extent
05091	8/13/01	GW07636RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U		1	1	0.473		Plume Extent
05091	8/13/01	GW07636RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1	1.01		Plume Extent
05091	8/13/01	GW07636RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
05091	8/13/01	GW07636RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
05091	8/13/01	GW07636RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U		1	1	700		Plume Extent
05091	8/13/01	GW07636RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U		1	1	1.09		Plume Extent
05091	8/13/01	GW07636RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
05091	8/13/01	GW07636RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U		1	1	5		Plume Extent
05091	8/13/01	GW07636RG	NAPHTHALENE	REAL	TR1	1	UG/L	U		1	1	1460		Plume Extent
05091	8/13/01	GW07636RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
05091	8/13/01	GW07636RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
05091	8/13/01	GW07636RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
05091	8/13/01	GW07636RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
05091	8/13/01	GW07636RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U		1	1	0.2		Plume Extent
05091	8/13/01	GW07636RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
05091	8/13/01	GW07636RG	STYRENE	REAL	TR1	1	UG/L	U		1	1	100		Plume Extent
05091	8/13/01	GW07636RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
05091	8/13/01	GW07636RG	TETRACHLOROETHENE	REAL	TR1	3.3	UG/L			1	1	5		Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
05091	8/13/01	GW07636RG	TOLUENE	REAL	TR1	1	UG/L	U		1	1	1000		Plume Extent
05091	8/13/01	GW07636RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U		3	1	10000		Plume Extent
05091	8/13/01	GW07636RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	70		Plume Extent
05091	8/13/01	GW07636RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U		1	1	0.473		Plume Extent
05091	8/13/01	GW07636RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	5		Plume Extent
05091	8/13/01	GW07636RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
05091	8/13/01	GW07636RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U		1	1	2		Plume Extent
05391	8/16/01	GW07637RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
05391	8/16/01	GW07637RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	200		Plume Definition
05391	8/16/01	GW07637RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	0.426		Plume Definition
05391	8/16/01	GW07637RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Definition
05391	8/16/01	GW07637RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
05391	8/16/01	GW07637RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Plume Definition
05391	8/16/01	GW07637RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	7		Plume Definition
05391	8/16/01	GW07637RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
05391	8/16/01	GW07637RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
05391	8/16/01	GW07637RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
05391	8/16/01	GW07637RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	70		Plume Definition
05391	8/16/01	GW07637RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
05391	8/16/01	GW07637RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	1	1	600		Plume Definition
05391	8/16/01	GW07637RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Definition
05391	8/16/01	GW07637RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Definition
05391	8/16/01	GW07637RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	1	1	600		Plume Definition
05391	8/16/01	GW07637RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
05391	8/16/01	GW07637RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	1	1	75		Plume Definition
05391	8/16/01	GW07637RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
05391	8/16/01	GW07637RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R1	5	1	21900		Plume Definition
05391	8/16/01	GW07637RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	5	1			Plume Definition
05391	8/16/01	GW07637RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
05391	8/16/01	GW07637RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	5	1	2920		Plume Definition
05391	8/16/01	GW07637RG	ACETONE	REAL	TR1	5	UG/L	U	R1	5	1	3650		Plume Definition
05391	8/16/01	GW07637RG	BENZENE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Definition
05391	8/16/01	GW07637RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
05391	8/16/01	GW07637RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
05391	8/16/01	GW07637RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
05391	8/16/01	GW07637RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
05391	8/16/01	GW07637RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Definition
05391	8/16/01	GW07637RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Definition
05391	8/16/01	GW07637RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	51.1		Plume Definition
05391	8/16/01	GW07637RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Plume Definition
05391	8/16/01	GW07637RG	CARBON TETRACHLORIDE	REAL	TR1	14	UG/L		V1	1	1	5		Plume Definition
05391	8/16/01	GW07637RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Definition
05391	8/16/01	GW07637RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	29.4		Plume Definition
05391	8/16/01	GW07637RG	CHLOROFORM	REAL	TR1	0.9	UG/L	J	V1	1	1	100		Plume Definition
05391	8/16/01	GW07637RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	6.55		Plume Definition
05391	8/16/01	GW07637RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Plume Definition
05391	8/16/01	GW07637RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Plume Definition
05391	8/16/01	GW07637RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	1.01		Plume Definition
05391	8/16/01	GW07637RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
05391	8/16/01	GW07637RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
05391	8/16/01	GW07637RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V1	1	1	700		Plume Definition
05391	8/16/01	GW07637RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	1	1	1.09		Plume Definition
05391	8/16/01	GW07637RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
05391	8/16/01	GW07637RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Definition
05391	8/16/01	GW07637RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1460		Plume Definition
05391	8/16/01	GW07637RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
05391	8/16/01	GW07637RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
05391	8/16/01	GW07637RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
05391	8/16/01	GW07637RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
05391	8/16/01	GW07637RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R1	1	1	0.2		Plume Definition
05391	8/16/01	GW07637RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
05391	8/16/01	GW07637RG	STYRENE	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Definition
05391	8/16/01	GW07637RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
05391	8/16/01	GW07637RG	TETRACHLOROETHENE	REAL	TR1	3.7	UG/L		V1	1	1	5		Plume Definition
05391	8/16/01	GW07637RG	TOLUENE	REAL	TR1	1	UG/L	U	V1	1	1	1000		Plume Definition
05391	8/16/01	GW07637RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	V1	3	1	10000		Plume Definition
05391	8/16/01	GW07637RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Plume Definition
05391	8/16/01	GW07637RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Plume Definition
05391	8/16/01	GW07637RG	TRICHLOROETHENE	REAL	TR1	1.6	UG/L		V1	1	1	5		Plume Definition
05391	8/16/01	GW07637RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
05391	8/16/01	GW07637RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	2		Plume Definition
05691	8/20/01	GW07638RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
05691	8/20/01	GW07638RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	200		Perf Monitoring
05691	8/20/01	GW07638RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	0.426		Perf Monitoring
05691	8/20/01	GW07638RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Perf Monitoring
05691	8/20/01	GW07638RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
05691	8/20/01	GW07638RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Perf Monitoring
05691	8/20/01	GW07638RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	JU	V1	1	1	7		Perf Monitoring
05691	8/20/01	GW07638RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
05691	8/20/01	GW07638RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
05691	8/20/01	GW07638RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
05691	8/20/01	GW07638RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	70		Perf Monitoring
05691	8/20/01	GW07638RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
05691	8/20/01	GW07638RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		Perf Monitoring
05691	8/20/01	GW07638RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Perf Monitoring
05691	8/20/01	GW07638RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Perf Monitoring
05691	8/20/01	GW07638RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		Perf Monitoring
05691	8/20/01	GW07638RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
05691	8/20/01	GW07638RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	75		Perf Monitoring
05691	8/20/01	GW07638RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
05691	8/20/01	GW07638RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R1	5	1	21900		Perf Monitoring
05691	8/20/01	GW07638RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	5	1			Perf Monitoring
05691	8/20/01	GW07638RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
05691	8/20/01	GW07638RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	5	1	2920		Perf Monitoring
05691	8/20/01	GW07638RG	ACETONE	REAL	TR1	5	UG/L	U	R1	5	1	3650		Perf Monitoring
05691	8/20/01	GW07638RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	5		Perf Monitoring
05691	8/20/01	GW07638RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
05691	8/20/01	GW07638RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
05691	8/20/01	GW07638RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
05691	8/20/01	GW07638RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
05691	8/20/01	GW07638RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	100		Perf Monitoring
05691	8/20/01	GW07638RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Perf Monitoring
05691	8/20/01	GW07638RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	51.1		Perf Monitoring
05691	8/20/01	GW07638RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Perf Monitoring
05691	8/20/01	GW07638RG	CARBON TETRACHLORIDE	REAL	TR1	87	UG/L		J1	1	1	5		Perf Monitoring
05691	8/20/01	GW07638RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		Perf Monitoring
05691	8/20/01	GW07638RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	29.4		Perf Monitoring
05691	8/20/01	GW07638RG	CHLOROFORM	REAL	TR1	3.7	UG/L		V1	1	1	100		Perf Monitoring
05691	8/20/01	GW07638RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	6.55		Perf Monitoring
05691	8/20/01	GW07638RG	cis-1,2-DICHLOROETHENE	REAL	TR1	5.1	UG/L		V1	1	1	70		Perf Monitoring
05691	8/20/01	GW07638RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Perf Monitoring
05691	8/20/01	GW07638RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	1.01		Perf Monitoring
05691	8/20/01	GW07638RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
05691	8/20/01	GW07638RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
05691	8/20/01	GW07638RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	700		Perf Monitoring
05691	8/20/01	GW07638RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	1	1	1.09		Perf Monitoring
05691	8/20/01	GW07638RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
05691	8/20/01	GW07638RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		Perf Monitoring
05691	8/20/01	GW07638RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1460		Perf Monitoring
05691	8/20/01	GW07638RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
05691	8/20/01	GW07638RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
05691	8/20/01	GW07638RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
05691	8/20/01	GW07638RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
05691	8/20/01	GW07638RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R1	1	1	0.2		Perf Monitoring
05691	8/20/01	GW07638RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
05691	8/20/01	GW07638RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		Perf Monitoring
05691	8/20/01	GW07638RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
05691	8/20/01	GW07638RG	TETRACHLOROETHENE	REAL	TR1	20	UG/L		V1	1	1	5		Perf Monitoring
05691	8/20/01	GW07638RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1000		Perf Monitoring
05691	8/20/01	GW07638RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	UJ1	3	1	10000		Perf Monitoring
05691	8/20/01	GW07638RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Perf Monitoring
05691	8/20/01	GW07638RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Perf Monitoring
05691	8/20/01	GW07638RG	TRICHLOROETHENE	REAL	TR1	11	UG/L		V1	1	1	5		Perf Monitoring
05691	8/20/01	GW07638RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
05691	8/20/01	GW07638RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	2		Perf Monitoring
06091	8/24/01	GW07615RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
06091	8/24/01	GW07615RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	200		Plume Extent
06091	8/24/01	GW07615RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	0.426		Plume Extent
06091	8/24/01	GW07615RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
06091	8/24/01	GW07615RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	0.2	UG/L	J	V1	1	1			Plume Extent
06091	8/24/01	GW07615RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Plume Extent
06091	8/24/01	GW07615RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	7		Plume Extent
06091	8/24/01	GW07615RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
06091	8/24/01	GW07615RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
06091	8/24/01	GW07615RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
06091	8/24/01	GW07615RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Plume Extent
06091	8/24/01	GW07615RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
06091	8/24/01	GW07615RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	1	1	600		Plume Extent
06091	8/24/01	GW07615RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
06091	8/24/01	GW07615RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
06091	8/24/01	GW07615RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	1	1	600		Plume Extent
06091	8/24/01	GW07615RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
06091	8/24/01	GW07615RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	1	1	75		Plume Extent
06091	8/24/01	GW07615RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
06091	8/24/01	GW07615RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R1	5	1	21900		Plume Extent
06091	8/24/01	GW07615RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	5	1			Plume Extent
06091	8/24/01	GW07615RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
06091	8/24/01	GW07615RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	5	1	2920		Plume Extent
06091	8/24/01	GW07615RG	ACETONE	REAL	TR1	5	UG/L	U	R1	5	1	3650		Plume Extent
06091	8/24/01	GW07615RG	BENZENE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
06091	8/24/01	GW07615RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
06091	8/24/01	GW07615RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
06091	8/24/01	GW07615RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
06091	8/24/01	GW07615RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
06091	8/24/01	GW07615RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Extent
06091	8/24/01	GW07615RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Extent
06091	8/24/01	GW07615RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	51.1		Plume Extent
06091	8/24/01	GW07615RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Plume Extent
06091	8/24/01	GW07615RG	CARBON TETRACHLORIDE	REAL	TR1	7.8	UG/L		V1	1	1	5		Plume Extent
06091	8/24/01	GW07615RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Extent
06091	8/24/01	GW07615RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	29.4		Plume Extent

240

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
06091	8/24/01	GW07615RG	CHLOROFORM	REAL	TR1	0.8	UG/L	J	V1	1	1	100		Plume Extent
06091	8/24/01	GW07615RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	6.55		Plume Extent
06091	8/24/01	GW07615RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Plume Extent
06091	8/24/01	GW07615RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Plume Extent
06091	8/24/01	GW07615RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	1.01		Plume Extent
06091	8/24/01	GW07615RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
06091	8/24/01	GW07615RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
06091	8/24/01	GW07615RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V1	1	1	700		Plume Extent
06091	8/24/01	GW07615RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	1	1	1.09		Plume Extent
06091	8/24/01	GW07615RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
06091	8/24/01	GW07615RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
06091	8/24/01	GW07615RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V1	1	1	1460		Plume Extent
06091	8/24/01	GW07615RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
06091	8/24/01	GW07615RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
06091	8/24/01	GW07615RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
06091	8/24/01	GW07615RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
06091	8/24/01	GW07615RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R1	1	1	0.2		Plume Extent
06091	8/24/01	GW07615RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
06091	8/24/01	GW07615RG	STYRENE	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Extent
06091	8/24/01	GW07615RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
06091	8/24/01	GW07615RG	TETRACHLOROETHENE	REAL	TR1	3.8	UG/L		V1	1	1	5		Plume Extent
06091	8/24/01	GW07615RG	TOLUENE	REAL	TR1	1	UG/L	U	V1	1	1	1000		Plume Extent
06091	8/24/01	GW07615RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	V1	3	1	10000		Plume Extent
06091	8/24/01	GW07615RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Plume Extent
06091	8/24/01	GW07615RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Plume Extent
06091	8/24/01	GW07615RG	TRICHLOROETHENE	REAL	TR1	1.2	UG/L		V1	1	1	5		Plume Extent
06091	8/24/01	GW07615RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
06091	8/24/01	GW07615RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	2		Plume Extent
06491	8/20/01	GW07639RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
06491	8/20/01	GW07639RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	200		Boundary
06491	8/20/01	GW07639RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	0.426		Boundary
06491	8/20/01	GW07639RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Boundary
06491	8/20/01	GW07639RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
06491	8/20/01	GW07639RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Boundary
06491	8/20/01	GW07639RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	7		Boundary
06491	8/20/01	GW07639RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
06491	8/20/01	GW07639RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Boundary
06491	8/20/01	GW07639RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
06491	8/20/01	GW07639RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	70		Boundary
06491	8/20/01	GW07639RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
06491	8/20/01	GW07639RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		Boundary
06491	8/20/01	GW07639RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Boundary
06491	8/20/01	GW07639RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Boundary
06491	8/20/01	GW07639RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		Boundary
06491	8/20/01	GW07639RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
06491	8/20/01	GW07639RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	75		Boundary
06491	8/20/01	GW07639RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
06491	8/20/01	GW07639RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R1	5	1	21900		Boundary
06491	8/20/01	GW07639RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	5	1			Boundary
06491	8/20/01	GW07639RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Boundary
06491	8/20/01	GW07639RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	5	1	2920		Boundary
06491	8/20/01	GW07639RG	ACETONE	REAL	TR1	5	UG/L	U	R1	5	1	3650		Boundary
06491	8/20/01	GW07639RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	5		Boundary
06491	8/20/01	GW07639RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	1	1			Boundary
06491	8/20/01	GW07639RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	1	1			Boundary
06491	8/20/01	GW07639RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Boundary
06491	8/20/01	GW07639RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
06491	8/20/01	GW07639RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	100		Boundary
06491	8/20/01	GW07639RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Boundary
06491	8/20/01	GW07639RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	51.1		Boundary
06491	8/20/01	GW07639RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Boundary
06491	8/20/01	GW07639RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		Boundary
06491	8/20/01	GW07639RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		Boundary
06491	8/20/01	GW07639RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	29.4		Boundary
06491	8/20/01	GW07639RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Boundary
06491	8/20/01	GW07639RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	6.55		Boundary
06491	8/20/01	GW07639RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Boundary
06491	8/20/01	GW07639RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Boundary
06491	8/20/01	GW07639RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	1.01		Boundary
06491	8/20/01	GW07639RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
06491	8/20/01	GW07639RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
06491	8/20/01	GW07639RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	700		Boundary
06491	8/20/01	GW07639RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	1	1	1.09		Boundary
06491	8/20/01	GW07639RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Boundary
06491	8/20/01	GW07639RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		Boundary
06491	8/20/01	GW07639RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1460		Boundary
06491	8/20/01	GW07639RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Boundary
06491	8/20/01	GW07639RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Boundary
06491	8/20/01	GW07639RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Boundary
06491	8/20/01	GW07639RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Boundary
06491	8/20/01	GW07639RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R1	1	1	0.2		Boundary
06491	8/20/01	GW07639RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Boundary
06491	8/20/01	GW07639RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		Boundary
06491	8/20/01	GW07639RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Boundary
06491	8/20/01	GW07639RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	5		Boundary
06491	8/20/01	GW07639RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1000		Boundary
06491	8/20/01	GW07639RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	UJ1	3	1	10000		Boundary
06491	8/20/01	GW07639RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Boundary
06491	8/20/01	GW07639RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Boundary
06491	8/20/01	GW07639RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	5		Boundary
06491	8/20/01	GW07639RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
06491	8/20/01	GW07639RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	2		Boundary
07391	8/23/01	GW07724RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1000	UG/L	U	V1	1000	1000			Perf Monitoring
07391	8/23/01	GW07724RG	1,1,1-TRICHLOROETHANE	REAL	TR1	100	UG/L	J	V1	1000	1000	200		Perf Monitoring
07391	8/23/01	GW07724RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1000	UG/L	U	V1	1000	1000	0.426		Perf Monitoring
07391	8/23/01	GW07724RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1000	UG/L	U	V1	1000	1000	5		Perf Monitoring
07391	8/23/01	GW07724RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	100	UG/L	J	V1	1000	1000			Perf Monitoring
07391	8/23/01	GW07724RG	1,1-DICHLOROETHANE	REAL	TR1	1000	UG/L	U	V1	1000	1000	3650		Perf Monitoring
07391	8/23/01	GW07724RG	1,1-DICHLOROETHENE	REAL	TR1	1000	UG/L	U	V1	1000	1000	7		Perf Monitoring
07391	8/23/01	GW07724RG	1,1-DICHLOROPROPENE	REAL	TR1	1000	UG/L	U	V1	1000	1000			Perf Monitoring
07391	8/23/01	GW07724RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1000	UG/L	U	UJ1	1000	1000			Perf Monitoring
07391	8/23/01	GW07724RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1000	UG/L	U	V1	1000	1000			Perf Monitoring
07391	8/23/01	GW07724RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1000	UG/L	U	UJ1	1000	1000	70		Perf Monitoring
07391	8/23/01	GW07724RG	1,2-DIBROMOETHANE	REAL	TR1	1000	UG/L	U	V1	1000	1000			Perf Monitoring
07391	8/23/01	GW07724RG	1,2-DICHLOROBENZENE	REAL	TR1	1000	UG/L	U	UJ1	1000	1000	600		Perf Monitoring
07391	8/23/01	GW07724RG	1,2-DICHLOROETHANE	REAL	TR1	1000	UG/L	U	V1	1000	1000	5		Perf Monitoring
07391	8/23/01	GW07724RG	1,2-DICHLOROPROPANE	REAL	TR1	1000	UG/L	U	V1	1000	1000	5		Perf Monitoring
07391	8/23/01	GW07724RG	1,3-DICHLOROBENZENE	REAL	TR1	1000	UG/L	U	UJ1	1000	1000	600		Perf Monitoring
07391	8/23/01	GW07724RG	1,3-DICHLOROPROPANE	REAL	TR1	1000	UG/L	U	V1	1000	1000			Perf Monitoring
07391	8/23/01	GW07724RG	1,4-DICHLOROBENZENE	REAL	TR1	1000	UG/L	U	UJ1	1000	1000	75		Perf Monitoring
07391	8/23/01	GW07724RG	2,2-DICHLOROPROPANE	REAL	TR1	1000	UG/L	U	V1	1000	1000			Perf Monitoring
07391	8/23/01	GW07724RG	2-BUTANONE	REAL	TR1	5000	UG/L	U	R1	5000	1000	21900		Perf Monitoring
07391	8/23/01	GW07724RG	2-HEXANONE	REAL	TR1	5000	UG/L	U	V1	5000	1000			Perf Monitoring
07391	8/23/01	GW07724RG	4-ISOPROPYLTOLUENE	REAL	TR1	1000	UG/L	U	UJ1	1000	1000			Perf Monitoring

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
07391	8/23/01	GW07724RG	4-METHYL-2-PENTANONE	REAL	TR1	5000	UG/L	U	V1	5000	1000	2920		Perf Monitoring
07391	8/23/01	GW07724RG	ACETONE	REAL	TR1	5000	UG/L	U	R1	5000	1000	3650		Perf Monitoring
07391	8/23/01	GW07724RG	BENZENE	REAL	TR1	1000	UG/L	U	UJ1	1000	1000	5		Perf Monitoring
07391	8/23/01	GW07724RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1000	UG/L	U	UJ1	1000	1000			Perf Monitoring
07391	8/23/01	GW07724RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1000	UG/L	U	UJ1	1000	1000			Perf Monitoring
07391	8/23/01	GW07724RG	BROMOBENZENE	REAL	TR1	1000	UG/L	U	UJ1	1000	1000			Perf Monitoring
07391	8/23/01	GW07724RG	BROMOCHLOROMETHANE	REAL	TR1	1000	UG/L	U	V1	1000	1000			Perf Monitoring
07391	8/23/01	GW07724RG	BROMODICHLOROMETHANE	REAL	TR1	1000	UG/L	U	V1	1000	1000	100		Perf Monitoring
07391	8/23/01	GW07724RG	BROMOFORM	REAL	TR1	1000	UG/L	U	V1	1000	1000	100		Perf Monitoring
07391	8/23/01	GW07724RG	BROMOMETHANE	REAL	TR1	1000	UG/L	U	V1	1000	1000	51.1		Perf Monitoring
07391	8/23/01	GW07724RG	CARBON DISULFIDE	REAL	TR1	1000	UG/L	U	V1	1000	1000	3650		Perf Monitoring
07391	8/23/01	GW07724RG	CARBON TETRACHLORIDE	REAL	TR1	1000	UG/L	U	V1	1000	1000	5		Perf Monitoring
07391	8/23/01	GW07724RG	CHLOROBENZENE	REAL	TR1	1000	UG/L	U	UJ1	1000	1000	100		Perf Monitoring
07391	8/23/01	GW07724RG	CHLOROETHANE	REAL	TR1	1000	UG/L	U	V1	1000	1000	29.4		Perf Monitoring
07391	8/23/01	GW07724RG	CHLOROFORM	REAL	TR1	1100	UG/L		V1	1000	1000	100		Perf Monitoring
07391	8/23/01	GW07724RG	CHLOROMETHANE	REAL	TR1	1000	UG/L	U	V1	1000	1000	6.55		Perf Monitoring
07391	8/23/01	GW07724RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1000	UG/L	U	V1	1000	1000	70		Perf Monitoring
07391	8/23/01	GW07724RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1000	UG/L	U	V1	1000	1000	0.473		Perf Monitoring
07391	8/23/01	GW07724RG	DIBROMOCHLOROMETHANE	REAL	TR1	1000	UG/L	U	V1	1000	1000	1.01		Perf Monitoring
07391	8/23/01	GW07724RG	DIBROMOMETHANE	REAL	TR1	1000	UG/L	U	V1	1000	1000			Perf Monitoring
07391	8/23/01	GW07724RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1000	UG/L	U	V1	1000	1000			Perf Monitoring
07391	8/23/01	GW07724RG	ETHYLBENZENE	REAL	TR1	1000	UG/L	U	UJ1	1000	1000	700		Perf Monitoring
07391	8/23/01	GW07724RG	HEXACHLOROBUTADIENE	REAL	TR1	1000	UG/L	U	V1	1000	1000	1.09		Perf Monitoring
07391	8/23/01	GW07724RG	ISOPROPYLBENZENE	REAL	TR1	1000	UG/L	U	UJ1	1000	1000			Perf Monitoring
07391	8/23/01	GW07724RG	METHYLENE CHLORIDE	REAL	TR1	1000	UG/L	U	V1	1000	1000	5		Perf Monitoring
07391	8/23/01	GW07724RG	NAPHTHALENE	REAL	TR1	1000	UG/L	U	UJ1	1000	1000	1460		Perf Monitoring
07391	8/23/01	GW07724RG	n-BUTYLBENZENE	REAL	TR1	1000	UG/L	U	UJ1	1000	1000			Perf Monitoring
07391	8/23/01	GW07724RG	n-PROPYLBENZENE	REAL	TR1	1000	UG/L	U	UJ1	1000	1000			Perf Monitoring
07391	8/23/01	GW07724RG	o-CHLOROTOLUENE	REAL	TR1	1000	UG/L	U	UJ1	1000	1000			Perf Monitoring
07391	8/23/01	GW07724RG	p-CHLOROTOLUENE	REAL	TR1	1000	UG/L	U	UJ1	1000	1000			Perf Monitoring
07391	8/23/01	GW07724RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1000	UG/L	U	R1	1000	1000	0.2		Perf Monitoring
07391	8/23/01	GW07724RG	sec-BUTYLBENZENE	REAL	TR1	1000	UG/L	U	UJ1	1000	1000			Perf Monitoring
07391	8/23/01	GW07724RG	STYRENE	REAL	TR1	1000	UG/L	U	UJ1	1000	1000	100		Perf Monitoring
07391	8/23/01	GW07724RG	tert-BUTYLBENZENE	REAL	TR1	1000	UG/L	U	UJ1	1000	1000			Perf Monitoring
07391	8/23/01	GW07724RG	TETRACHLOROETHENE	REAL	TR1	800	UG/L	J	V1	1000	1000	5		Perf Monitoring
07391	8/23/01	GW07724RG	TOLUENE	REAL	TR1	1000	UG/L	U	UJ1	1000	1000	1000		Perf Monitoring
07391	8/23/01	GW07724RG	TOTAL XYLENES	REAL	TR1	3000	UG/L	U	UJ1	3000	1000	10000		Perf Monitoring
07391	8/23/01	GW07724RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1000	UG/L	U	V1	1000	1000	70		Perf Monitoring
07391	8/23/01	GW07724RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1000	UG/L	U	V1	1000	1000	0.473		Perf Monitoring
07391	8/23/01	GW07724RG	TRICHLOROETHENE	REAL	TR1	47000	UG/L		V1	2000	2000	5		Perf Monitoring
07391	8/23/01	GW07724RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1000	UG/L	U	V1	1000	1000			Perf Monitoring
07391	8/23/01	GW07724RG	VINYL CHLORIDE	REAL	TR1	1000	UG/L	U	V1	1000	1000	2		Perf Monitoring
07391	8/23/01	GW07765RG	1,1,1,2-TETRACHLOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
07391	8/23/01	GW07765RG	1,1,1-TRICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1	200		Perf Monitoring
07391	8/23/01	GW07765RG	1,1,2,2-TETRACHLOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1	0.426		Perf Monitoring
07391	8/23/01	GW07765RG	1,1,2-TRICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1	5		Perf Monitoring
07391	8/23/01	GW07765RG	1,1,2-TRICHLOROTRIFLUOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
07391	8/23/01	GW07765RG	1,1-DICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1	3650		Perf Monitoring
07391	8/23/01	GW07765RG	1,1-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	1	1	7		Perf Monitoring
07391	8/23/01	GW07765RG	1,1-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
07391	8/23/01	GW07765RG	1,2,3-TRICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
07391	8/23/01	GW07765RG	1,2,3-TRICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
07391	8/23/01	GW07765RG	1,2,4-TRICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1	70		Perf Monitoring
07391	8/23/01	GW07765RG	1,2-DIBROMOETHANE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
07391	8/23/01	GW07765RG	1,2-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1	600		Perf Monitoring
07391	8/23/01	GW07765RG	1,2-DICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1	5		Perf Monitoring
07391	8/23/01	GW07765RG	1,2-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	1	1	5		Perf Monitoring

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
07391	8/23/01	GW07765RG	1,3-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1	600		Perf Monitoring
07391	8/23/01	GW07765RG	1,3-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
07391	8/23/01	GW07765RG	1,4-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1	75		Perf Monitoring
07391	8/23/01	GW07765RG	2,2-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
07391	8/23/01	GW07765RG	2-BUTANONE	RNS	TR1	5	UG/L	U	R1	5	1	21900		Perf Monitoring
07391	8/23/01	GW07765RG	2-HEXANONE	RNS	TR1	5	UG/L	U	V1	5	1			Perf Monitoring
07391	8/23/01	GW07765RG	4-ISOPROPYLTOLUENE	RNS	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
07391	8/23/01	GW07765RG	4-METHYL-2-PENTANONE	RNS	TR1	5	UG/L	U	V1	5	1	2920		Perf Monitoring
07391	8/23/01	GW07765RG	ACETONE	RNS	TR1	5	UG/L	U	R1	5	1	3650		Perf Monitoring
07391	8/23/01	GW07765RG	BENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1	5		Perf Monitoring
07391	8/23/01	GW07765RG	BENZENE, 1,2,4-TRIMETHYL	RNS	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
07391	8/23/01	GW07765RG	BENZENE, 1,3,5-TRIMETHYL-	RNS	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
07391	8/23/01	GW07765RG	BROMOBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
07391	8/23/01	GW07765RG	BROMOCHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
07391	8/23/01	GW07765RG	BROMODICHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	1	1	100		Perf Monitoring
07391	8/23/01	GW07765RG	BROMOFORM	RNS	TR1	1	UG/L	U	V1	1	1	100		Perf Monitoring
07391	8/23/01	GW07765RG	BROMOMETHANE	RNS	TR1	1	UG/L	U	V1	1	1	51.1		Perf Monitoring
07391	8/23/01	GW07765RG	CARBON DISULFIDE	RNS	TR1	1	UG/L	U	V1	1	1	3650		Perf Monitoring
07391	8/23/01	GW07765RG	CARBON TETRACHLORIDE	RNS	TR1	1	UG/L	U	V1	1	1	5		Perf Monitoring
07391	8/23/01	GW07765RG	CHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1	100		Perf Monitoring
07391	8/23/01	GW07765RG	CHLOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1	29.4		Perf Monitoring
07391	8/23/01	GW07765RG	CHLOROFORM	RNS	TR1	1	UG/L	U	V1	1	1	100		Perf Monitoring
07391	8/23/01	GW07765RG	CHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	1	1	6.55		Perf Monitoring
07391	8/23/01	GW07765RG	cis-1,2-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	1	1	70		Perf Monitoring
07391	8/23/01	GW07765RG	cis-1,3-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V1	1	1	0.473		Perf Monitoring
07391	8/23/01	GW07765RG	DIBROMOCHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	1	1	1.01		Perf Monitoring
07391	8/23/01	GW07765RG	DIBROMOMETHANE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
07391	8/23/01	GW07765RG	DICHLORODIFLUOROMETHANE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
07391	8/23/01	GW07765RG	ETHYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1	700		Perf Monitoring
07391	8/23/01	GW07765RG	HEXACHLOROBUTADIENE	RNS	TR1	1	UG/L	U	V1	1	1	1.09		Perf Monitoring
07391	8/23/01	GW07765RG	ISOPROPYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
07391	8/23/01	GW07765RG	METHYLENE CHLORIDE	RNS	TR1	1	UG/L	U	V1	1	1	5		Perf Monitoring
07391	8/23/01	GW07765RG	NAPHTHALENE	RNS	TR1	1	UG/L	U	UJ1	1	1	1460		Perf Monitoring
07391	8/23/01	GW07765RG	n-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
07391	8/23/01	GW07765RG	n-PROPYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
07391	8/23/01	GW07765RG	o-CHLOROTOLUENE	RNS	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
07391	8/23/01	GW07765RG	p-CHLOROTOLUENE	RNS	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
07391	8/23/01	GW07765RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	RNS	TR1	1	UG/L	U	R1	1	1	0.2		Perf Monitoring
07391	8/23/01	GW07765RG	sec-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
07391	8/23/01	GW07765RG	STYRENE	RNS	TR1	1	UG/L	U	UJ1	1	1	100		Perf Monitoring
07391	8/23/01	GW07765RG	tert-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
07391	8/23/01	GW07765RG	TETRACHLOROETHENE	RNS	TR1	1	UG/L	U	V1	1	1	5		Perf Monitoring
07391	8/23/01	GW07765RG	TOLUENE	RNS	TR1	1	UG/L	U	UJ1	1	1	1000		Perf Monitoring
07391	8/23/01	GW07765RG	TOTAL XYLENES	RNS	TR1	3	UG/L	U	UJ1	3	1	10000		Perf Monitoring
07391	8/23/01	GW07765RG	trans-1,2-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	1	1	70		Perf Monitoring
07391	8/23/01	GW07765RG	trans-1,3-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V1	1	1	0.473		Perf Monitoring
07391	8/23/01	GW07765RG	TRICHLOROETHENE	RNS	TR1	4.9	UG/L		V1	1	1	5		Perf Monitoring
07391	8/23/01	GW07765RG	TRICHLOROFLUOROMETHANE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
07391	8/23/01	GW07765RG	VINYL CHLORIDE	RNS	TR1	1	UG/L	U	V1	1	1	2		Perf Monitoring
10098	7/10/01	GW07674RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.22	1			D&D Bldg 123
10098	7/10/01	GW07674RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.26	1	200		D&D Bldg 123
10098	7/10/01	GW07674RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.31	1	0.426		D&D Bldg 123
10098	7/10/01	GW07674RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.39	1	5		D&D Bldg 123
10098	7/10/01	GW07674RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V	0.21	1			D&D Bldg 123
10098	7/10/01	GW07674RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.17	1	3650		D&D Bldg 123
10098	7/10/01	GW07674RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	0.2	1	7		D&D Bldg 123
10098	7/10/01	GW07674RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.22	1			D&D Bldg 123

244

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
10098	7/10/01	GW07674RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.16	1			D&D Bldg 123
10098	7/10/01	GW07674RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.29	1			D&D Bldg 123
10098	7/10/01	GW07674RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.2	1	70		D&D Bldg 123
10098	7/10/01	GW07674RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	0.36	1			D&D Bldg 123
10098	7/10/01	GW07674RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.24	1	600		D&D Bldg 123
10098	7/10/01	GW07674RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.28	1	5		D&D Bldg 123
10098	7/10/01	GW07674RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.21	1	5		D&D Bldg 123
10098	7/10/01	GW07674RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.26	1	600		D&D Bldg 123
10098	7/10/01	GW07674RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.26	1			D&D Bldg 123
10098	7/10/01	GW07674RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.24	1	75		D&D Bldg 123
10098	7/10/01	GW07674RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.21	1			D&D Bldg 123
10098	7/10/01	GW07674RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V	0.93	1	21900		D&D Bldg 123
10098	7/10/01	GW07674RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V	0.7	1			D&D Bldg 123
10098	7/10/01	GW07674RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.3	1			D&D Bldg 123
10098	7/10/01	GW07674RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V	0.79	1	2920		D&D Bldg 123
10098	7/10/01	GW07674RG	ACETONE	REAL	TR1	9	UG/L	J	V	1.9	1	3650		D&D Bldg 123
10098	7/10/01	GW07674RG	BENZENE	REAL	TR1	1	UG/L	U	UJ	0.21	1	5		D&D Bldg 123
10098	7/10/01	GW07674RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ	0.22	1			D&D Bldg 123
10098	7/10/01	GW07674RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ	0.29	1			D&D Bldg 123
10098	7/10/01	GW07674RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ	0.24	1			D&D Bldg 123
10098	7/10/01	GW07674RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.21	1			D&D Bldg 123
10098	7/10/01	GW07674RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.22	1	100		D&D Bldg 123
10098	7/10/01	GW07674RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	0.32	1	100		D&D Bldg 123
10098	7/10/01	GW07674RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	0.3	1	51.1		D&D Bldg 123
10098	7/10/01	GW07674RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V	0.19	1	3650		D&D Bldg 123
10098	7/10/01	GW07674RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V	0.19	1	5		D&D Bldg 123
10098	7/10/01	GW07674RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.3	1	100		D&D Bldg 123
10098	7/10/01	GW07674RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.25	1	29.4		D&D Bldg 123
10098	7/10/01	GW07674RG	CHLOROFORM	REAL	TR1	0.51	UG/L	J	V	0.23	1	100		D&D Bldg 123
10098	7/10/01	GW07674RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.3	1	6.55		D&D Bldg 123
10098	7/10/01	GW07674RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	0.26	1	70		D&D Bldg 123
10098	7/10/01	GW07674RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.28	1	0.473		D&D Bldg 123
10098	7/10/01	GW07674RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.38	1	1.01		D&D Bldg 123
10098	7/10/01	GW07674RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	0.44	1			D&D Bldg 123
10098	7/10/01	GW07674RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	0.23	1			D&D Bldg 123
10098	7/10/01	GW07674RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.28	1	700		D&D Bldg 123
10098	7/10/01	GW07674RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	0.29	1	1.09		D&D Bldg 123
10098	7/10/01	GW07674RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.31	1			D&D Bldg 123
10098	7/10/01	GW07674RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V	0.89	1	5		D&D Bldg 123
10098	7/10/01	GW07674RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ	0.15	1	1460		D&D Bldg 123
10098	7/10/01	GW07674RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.26	1			D&D Bldg 123
10098	7/10/01	GW07674RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.23	1			D&D Bldg 123
10098	7/10/01	GW07674RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.31	1			D&D Bldg 123
10098	7/10/01	GW07674RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.25	1			D&D Bldg 123
10098	7/10/01	GW07674RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R	0.25	1	0.2		D&D Bldg 123
10098	7/10/01	GW07674RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.26	1			D&D Bldg 123
10098	7/10/01	GW07674RG	STYRENE	REAL	TR1	1	UG/L	U	UJ	0.27	1	100		D&D Bldg 123
10098	7/10/01	GW07674RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.29	1			D&D Bldg 123
10098	7/10/01	GW07674RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V	0.36	1	5		D&D Bldg 123
10098	7/10/01	GW07674RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ	0.29	1	1000		D&D Bldg 123
10098	7/10/01	GW07674RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ	0.95	1	10000		D&D Bldg 123
10098	7/10/01	GW07674RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V	0.27	1	70		D&D Bldg 123
10098	7/10/01	GW07674RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.42	1	0.473		D&D Bldg 123
10098	7/10/01	GW07674RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V	0.22	1	5		D&D Bldg 123
10098	7/10/01	GW07674RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	0.28	1			D&D Bldg 123
10098	7/10/01	GW07674RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	0.21	1	2		D&D Bldg 123
10194	8/16/01	GW07648RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
10194	8/16/01	GW07648RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	200		Plume Extent
10194	8/16/01	GW07648RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	0.426		Plume Extent
10194	8/16/01	GW07648RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
10194	8/16/01	GW07648RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	0.6	UG/L	J	V1	1	1			Plume Extent
10194	8/16/01	GW07648RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Plume Extent
10194	8/16/01	GW07648RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	7		Plume Extent
10194	8/16/01	GW07648RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
10194	8/16/01	GW07648RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
10194	8/16/01	GW07648RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
10194	8/16/01	GW07648RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	70		Plume Extent
10194	8/16/01	GW07648RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
10194	8/16/01	GW07648RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	1	1	600		Plume Extent
10194	8/16/01	GW07648RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
10194	8/16/01	GW07648RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
10194	8/16/01	GW07648RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	1	1	600		Plume Extent
10194	8/16/01	GW07648RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
10194	8/16/01	GW07648RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	1	1	75		Plume Extent
10194	8/16/01	GW07648RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
10194	8/16/01	GW07648RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R1	5	1	21900		Plume Extent
10194	8/16/01	GW07648RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	5	1			Plume Extent
10194	8/16/01	GW07648RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
10194	8/16/01	GW07648RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	5	1	2920		Plume Extent
10194	8/16/01	GW07648RG	ACETONE	REAL	TR1	5	UG/L	U	R1	5	1	3650		Plume Extent
10194	8/16/01	GW07648RG	BENZENE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
10194	8/16/01	GW07648RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
10194	8/16/01	GW07648RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
10194	8/16/01	GW07648RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
10194	8/16/01	GW07648RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
10194	8/16/01	GW07648RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Extent
10194	8/16/01	GW07648RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Extent
10194	8/16/01	GW07648RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	51.1		Plume Extent
10194	8/16/01	GW07648RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Plume Extent
10194	8/16/01	GW07648RG	CARBON TETRACHLORIDE	REAL	TR1	0.4	UG/L	J	V1	1	1	5		Plume Extent
10194	8/16/01	GW07648RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Extent
10194	8/16/01	GW07648RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	29.4		Plume Extent
10194	8/16/01	GW07648RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Extent
10194	8/16/01	GW07648RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	6.55		Plume Extent
10194	8/16/01	GW07648RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Plume Extent
10194	8/16/01	GW07648RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Plume Extent
10194	8/16/01	GW07648RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	1.01		Plume Extent
10194	8/16/01	GW07648RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
10194	8/16/01	GW07648RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
10194	8/16/01	GW07648RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V1	1	1	700		Plume Extent
10194	8/16/01	GW07648RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	1	1	1.09		Plume Extent
10194	8/16/01	GW07648RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
10194	8/16/01	GW07648RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
10194	8/16/01	GW07648RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1460		Plume Extent
10194	8/16/01	GW07648RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
10194	8/16/01	GW07648RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
10194	8/16/01	GW07648RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
10194	8/16/01	GW07648RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
10194	8/16/01	GW07648RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R1	1	1	0.2		Plume Extent
10194	8/16/01	GW07648RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
10194	8/16/01	GW07648RG	STYRENE	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Extent
10194	8/16/01	GW07648RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
10194	8/16/01	GW07648RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L		V1	1	1	5		Plume Extent
10194	8/16/01	GW07648RG	TOLUENE	REAL	TR1	1	UG/L	U	V1	1	1	1000		Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
10194	8/16/01	GW07648RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	V1	3	1	10000		Plume Extent
10194	8/16/01	GW07648RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Plume Extent
10194	8/16/01	GW07648RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Plume Extent
10194	8/16/01	GW07648RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
10194	8/16/01	GW07648RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
10194	8/16/01	GW07648RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	2		Plume Extent
10198	7/13/01	GW07675RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1			D&D Bldg 123
10198	7/13/01	GW07675RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	200		D&D Bldg 123
10198	7/13/01	GW07675RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.426		D&D Bldg 123
10198	7/13/01	GW07675RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1	5		D&D Bldg 123
10198	7/13/01	GW07675RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 123
10198	7/13/01	GW07675RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.17	1	3650		D&D Bldg 123
10198	7/13/01	GW07675RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.2	1	7		D&D Bldg 123
10198	7/13/01	GW07675RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1			D&D Bldg 123
10198	7/13/01	GW07675RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1			D&D Bldg 123
10198	7/13/01	GW07675RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.29	1			D&D Bldg 123
10198	7/13/01	GW07675RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	70		D&D Bldg 123
10198	7/13/01	GW07675RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.36	1			D&D Bldg 123
10198	7/13/01	GW07675RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	600		D&D Bldg 123
10198	7/13/01	GW07675RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5		D&D Bldg 123
10198	7/13/01	GW07675RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		D&D Bldg 123
10198	7/13/01	GW07675RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	600		D&D Bldg 123
10198	7/13/01	GW07675RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.26	1			D&D Bldg 123
10198	7/13/01	GW07675RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	75		D&D Bldg 123
10198	7/13/01	GW07675RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 123
10198	7/13/01	GW07675RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V1	0.93	1	21900		D&D Bldg 123
10198	7/13/01	GW07675RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	0.7	1			D&D Bldg 123
10198	7/13/01	GW07675RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1			D&D Bldg 123
10198	7/13/01	GW07675RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	0.79	1	2920		D&D Bldg 123
10198	7/13/01	GW07675RG	ACETONE	REAL	TR1	10	UG/L	U	V1	1.9	1	3650		D&D Bldg 123
10198	7/13/01	GW07675RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1	5		D&D Bldg 123
10198	7/13/01	GW07675RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.22	1			D&D Bldg 123
10198	7/13/01	GW07675RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.29	1			D&D Bldg 123
10198	7/13/01	GW07675RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1			D&D Bldg 123
10198	7/13/01	GW07675RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 123
10198	7/13/01	GW07675RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	100		D&D Bldg 123
10198	7/13/01	GW07675RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.32	1	100		D&D Bldg 123
10198	7/13/01	GW07675RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	51.1		D&D Bldg 123
10198	7/13/01	GW07675RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	3650		D&D Bldg 123
10198	7/13/01	GW07675RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	5		D&D Bldg 123
10198	7/13/01	GW07675RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	100		D&D Bldg 123
10198	7/13/01	GW07675RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.25	1	29.4		D&D Bldg 123
10198	7/13/01	GW07675RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.23	1	100		D&D Bldg 123
10198	7/13/01	GW07675RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	6.55		D&D Bldg 123
10198	7/13/01	GW07675RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.26	1	70		D&D Bldg 123
10198	7/13/01	GW07675RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.28	1	0.473		D&D Bldg 123
10198	7/13/01	GW07675RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.38	1	1.01		D&D Bldg 123
10198	7/13/01	GW07675RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1			D&D Bldg 123
10198	7/13/01	GW07675RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1			D&D Bldg 123
10198	7/13/01	GW07675RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.28	1	700		D&D Bldg 123
10198	7/13/01	GW07675RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1.09		D&D Bldg 123
10198	7/13/01	GW07675RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			D&D Bldg 123
10198	7/13/01	GW07675RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.89	1	5		D&D Bldg 123
10198	7/13/01	GW07675RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1460		D&D Bldg 123
10198	7/13/01	GW07675RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			D&D Bldg 123
10198	7/13/01	GW07675RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1			D&D Bldg 123
10198	7/13/01	GW07675RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			D&D Bldg 123

247

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
10198	7/13/01	GW07675RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1			D&D Bldg 123
10198	7/13/01	GW07675RG	PENTADECANE	REAL	TR1	1.72	UG/L		V1		1		TIC	D&D Bldg 123
10198	7/13/01	GW07675RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.25	1	0.2		D&D Bldg 123
10198	7/13/01	GW07675RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			D&D Bldg 123
10198	7/13/01	GW07675RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.27	1	100		D&D Bldg 123
10198	7/13/01	GW07675RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1			D&D Bldg 123
10198	7/13/01	GW07675RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.36	1	5		D&D Bldg 123
10198	7/13/01	GW07675RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1	1000		D&D Bldg 123
10198	7/13/01	GW07675RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.95	1	10000		D&D Bldg 123
10198	7/13/01	GW07675RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.27	1	70		D&D Bldg 123
10198	7/13/01	GW07675RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.42	1	0.473		D&D Bldg 123
10198	7/13/01	GW07675RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.22	1	5		D&D Bldg 123
10198	7/13/01	GW07675RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.28	1			D&D Bldg 123
10198	7/13/01	GW07675RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.21	1	2		D&D Bldg 123
10294	7/27/01	GW07649RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1				Boundary
10294	7/27/01	GW07649RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		200		Boundary
10294	7/27/01	GW07649RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		0.426		Boundary
10294	7/27/01	GW07649RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		5		Boundary
10294	7/27/01	GW07649RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	1				Boundary
10294	7/27/01	GW07649RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		3650		Boundary
10294	7/27/01	GW07649RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1		7		Boundary
10294	7/27/01	GW07649RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1				Boundary
10294	7/27/01	GW07649RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				Boundary
10294	7/27/01	GW07649RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1				Boundary
10294	7/27/01	GW07649RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		70		Boundary
10294	7/27/01	GW07649RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	1				Boundary
10294	7/27/01	GW07649RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		600		Boundary
10294	7/27/01	GW07649RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		5		Boundary
10294	7/27/01	GW07649RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1		5		Boundary
10294	7/27/01	GW07649RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		600		Boundary
10294	7/27/01	GW07649RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1				Boundary
10294	7/27/01	GW07649RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		75		Boundary
10294	7/27/01	GW07649RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1				Boundary
10294	7/27/01	GW07649RG	2-BUTANONE	REAL	TR1	10	UG/L	U	R1	10		21900		Boundary
10294	7/27/01	GW07649RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	10				Boundary
10294	7/27/01	GW07649RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1				Boundary
10294	7/27/01	GW07649RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	10		2920		Boundary
10294	7/27/01	GW07649RG	ACETONE	REAL	TR1	10	UG/L	U	R1	10		3650		Boundary
10294	7/27/01	GW07649RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	1		5		Boundary
10294	7/27/01	GW07649RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	1				Boundary
10294	7/27/01	GW07649RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	1				Boundary
10294	7/27/01	GW07649RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				Boundary
10294	7/27/01	GW07649RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1				Boundary
10294	7/27/01	GW07649RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1		100		Boundary
10294	7/27/01	GW07649RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	1		100		Boundary
10294	7/27/01	GW07649RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1		51.1		Boundary
10294	7/27/01	GW07649RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	1		3650		Boundary
10294	7/27/01	GW07649RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	1		5		Boundary
10294	7/27/01	GW07649RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		100		Boundary
10294	7/27/01	GW07649RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		29.4		Boundary
10294	7/27/01	GW07649RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	1		100		Boundary
10294	7/27/01	GW07649RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1		6.55		Boundary
10294	7/27/01	GW07649RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1		70		Boundary
10294	7/27/01	GW07649RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1		0.473		Boundary
10294	7/27/01	GW07649RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1		1.01		Boundary
10294	7/27/01	GW07649RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1				Boundary
10294	7/27/01	GW07649RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1				Boundary

348

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
10294	7/27/01	GW07649RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		700		Boundary
10294	7/27/01	GW07649RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	1		1.09		Boundary
10294	7/27/01	GW07649RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				Boundary
10294	7/27/01	GW07649RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	1		5		Boundary
10294	7/27/01	GW07649RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	1		1460		Boundary
10294	7/27/01	GW07649RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				Boundary
10294	7/27/01	GW07649RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				Boundary
10294	7/27/01	GW07649RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1				Boundary
10294	7/27/01	GW07649RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1				Boundary
10294	7/27/01	GW07649RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R1	1		0.2		Boundary
10294	7/27/01	GW07649RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				Boundary
10294	7/27/01	GW07649RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	1		100		Boundary
10294	7/27/01	GW07649RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				Boundary
10294	7/27/01	GW07649RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1		5		Boundary
10294	7/27/01	GW07649RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	1		1000		Boundary
10294	7/27/01	GW07649RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	UJ1	3		10000		Boundary
10294	7/27/01	GW07649RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1		70		Boundary
10294	7/27/01	GW07649RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1		0.473		Boundary
10294	7/27/01	GW07649RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1		5		Boundary
10294	7/27/01	GW07649RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1				Boundary
10294	7/27/01	GW07649RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	1		2		Boundary
10298	7/16/01	GW07676RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1			D&D Bldg 123
10298	7/16/01	GW07676RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	200		D&D Bldg 123
10298	7/16/01	GW07676RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.426		D&D Bldg 123
10298	7/16/01	GW07676RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1	5		D&D Bldg 123
10298	7/16/01	GW07676RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 123
10298	7/16/01	GW07676RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.17	1	3650		D&D Bldg 123
10298	7/16/01	GW07676RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.2	1	7		D&D Bldg 123
10298	7/16/01	GW07676RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1			D&D Bldg 123
10298	7/16/01	GW07676RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1			D&D Bldg 123
10298	7/16/01	GW07676RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.29	1			D&D Bldg 123
10298	7/16/01	GW07676RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	70		D&D Bldg 123
10298	7/16/01	GW07676RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.36	1			D&D Bldg 123
10298	7/16/01	GW07676RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	600		D&D Bldg 123
10298	7/16/01	GW07676RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5		D&D Bldg 123
10298	7/16/01	GW07676RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		D&D Bldg 123
10298	7/16/01	GW07676RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	600		D&D Bldg 123
10298	7/16/01	GW07676RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.26	1			D&D Bldg 123
10298	7/16/01	GW07676RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	75		D&D Bldg 123
10298	7/16/01	GW07676RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 123
10298	7/16/01	GW07676RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V1	0.93	1	21900		D&D Bldg 123
10298	7/16/01	GW07676RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	0.7	1			D&D Bldg 123
10298	7/16/01	GW07676RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1			D&D Bldg 123
10298	7/16/01	GW07676RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	0.79	1	2920		D&D Bldg 123
10298	7/16/01	GW07676RG	ACETONE	REAL	TR1	10	UG/L	U	V1	1.9	1	3650		D&D Bldg 123
10298	7/16/01	GW07676RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1	5		D&D Bldg 123
10298	7/16/01	GW07676RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.22	1			D&D Bldg 123
10298	7/16/01	GW07676RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.29	1			D&D Bldg 123
10298	7/16/01	GW07676RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1			D&D Bldg 123
10298	7/16/01	GW07676RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 123
10298	7/16/01	GW07676RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	100		D&D Bldg 123
10298	7/16/01	GW07676RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.32	1	100		D&D Bldg 123
10298	7/16/01	GW07676RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	51.1		D&D Bldg 123
10298	7/16/01	GW07676RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	3650		D&D Bldg 123
10298	7/16/01	GW07676RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	5		D&D Bldg 123
10298	7/16/01	GW07676RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	100		D&D Bldg 123
10298	7/16/01	GW07676RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.25	1	29.4		D&D Bldg 123

2/19

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
10298	7/16/01	GW07676RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.23	1	100		D&D Bldg 123
10298	7/16/01	GW07676RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	6.55		D&D Bldg 123
10298	7/16/01	GW07676RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.26	1	70		D&D Bldg 123
10298	7/16/01	GW07676RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.28	1	0.473		D&D Bldg 123
10298	7/16/01	GW07676RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.38	1	1.01		D&D Bldg 123
10298	7/16/01	GW07676RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1			D&D Bldg 123
10298	7/16/01	GW07676RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1			D&D Bldg 123
10298	7/16/01	GW07676RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.28	1	700		D&D Bldg 123
10298	7/16/01	GW07676RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1.09		D&D Bldg 123
10298	7/16/01	GW07676RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			D&D Bldg 123
10298	7/16/01	GW07676RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.89	1	5		D&D Bldg 123
10298	7/16/01	GW07676RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1460		D&D Bldg 123
10298	7/16/01	GW07676RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			D&D Bldg 123
10298	7/16/01	GW07676RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1			D&D Bldg 123
10298	7/16/01	GW07676RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			D&D Bldg 123
10298	7/16/01	GW07676RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1			D&D Bldg 123
10298	7/16/01	GW07676RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.25	1	0.2		D&D Bldg 123
10298	7/16/01	GW07676RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			D&D Bldg 123
10298	7/16/01	GW07676RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.27	1	100		D&D Bldg 123
10298	7/16/01	GW07676RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1			D&D Bldg 123
10298	7/16/01	GW07676RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.36	1	5		D&D Bldg 123
10298	7/16/01	GW07676RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1	1000		D&D Bldg 123
10298	7/16/01	GW07676RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.95	1	10000		D&D Bldg 123
10298	7/16/01	GW07676RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.27	1	70		D&D Bldg 123
10298	7/16/01	GW07676RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.42	1	0.473		D&D Bldg 123
10298	7/16/01	GW07676RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.22	1	5		D&D Bldg 123
10298	7/16/01	GW07676RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.28	1			D&D Bldg 123
10298	7/16/01	GW07676RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.21	1	2		D&D Bldg 123
10394	7/16/01	GW07650RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1			Boundary
10394	7/16/01	GW07650RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	200		Boundary
10394	7/16/01	GW07650RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.426		Boundary
10394	7/16/01	GW07650RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1	5		Boundary
10394	7/16/01	GW07650RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Boundary
10394	7/16/01	GW07650RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.17	1	3650		Boundary
10394	7/16/01	GW07650RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.2	1	7		Boundary
10394	7/16/01	GW07650RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1			Boundary
10394	7/16/01	GW07650RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	0.18	UG/L	J	JB1	0.16	1			Boundary
10394	7/16/01	GW07650RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.29	1			Boundary
10394	7/16/01	GW07650RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	70		Boundary
10394	7/16/01	GW07650RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.36	1			Boundary
10394	7/16/01	GW07650RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	600		Boundary
10394	7/16/01	GW07650RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5		Boundary
10394	7/16/01	GW07650RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		Boundary
10394	7/16/01	GW07650RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	600		Boundary
10394	7/16/01	GW07650RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.26	1			Boundary
10394	7/16/01	GW07650RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	75		Boundary
10394	7/16/01	GW07650RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Boundary
10394	7/16/01	GW07650RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V1	0.93	1	21900		Boundary
10394	7/16/01	GW07650RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	0.7	1			Boundary
10394	7/16/01	GW07650RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1			Boundary
10394	7/16/01	GW07650RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	0.79	1	2920		Boundary
10394	7/16/01	GW07650RG	ACETONE	REAL	TR1	10	UG/L	U	V1	1.9	1	3650		Boundary
10394	7/16/01	GW07650RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1	5		Boundary
10394	7/16/01	GW07650RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.22	1			Boundary
10394	7/16/01	GW07650RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.29	1			Boundary
10394	7/16/01	GW07650RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1			Boundary
10394	7/16/01	GW07650RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Boundary

250

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
10394	7/16/01	GW07650RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	100		Boundary
10394	7/16/01	GW07650RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.32	1	100		Boundary
10394	7/16/01	GW07650RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	51.1		Boundary
10394	7/16/01	GW07650RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	3650		Boundary
10394	7/16/01	GW07650RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	5		Boundary
10394	7/16/01	GW07650RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	100		Boundary
10394	7/16/01	GW07650RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.25	1	29.4		Boundary
10394	7/16/01	GW07650RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.23	1	100		Boundary
10394	7/16/01	GW07650RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	6.55		Boundary
10394	7/16/01	GW07650RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.26	1	70		Boundary
10394	7/16/01	GW07650RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.28	1	0.473		Boundary
10394	7/16/01	GW07650RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.38	1	1.01		Boundary
10394	7/16/01	GW07650RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1			Boundary
10394	7/16/01	GW07650RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1			Boundary
10394	7/16/01	GW07650RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.28	1	700		Boundary
10394	7/16/01	GW07650RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1.09		Boundary
10394	7/16/01	GW07650RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			Boundary
10394	7/16/01	GW07650RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.89	1	5		Boundary
10394	7/16/01	GW07650RG	NAPHTHALENE	REAL	TR1	0.22	UG/L	J	J1	0.15	1	1460		Boundary
10394	7/16/01	GW07650RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			Boundary
10394	7/16/01	GW07650RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1			Boundary
10394	7/16/01	GW07650RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			Boundary
10394	7/16/01	GW07650RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1			Boundary
10394	7/16/01	GW07650RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.25	1	0.2		Boundary
10394	7/16/01	GW07650RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			Boundary
10394	7/16/01	GW07650RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.27	1	100		Boundary
10394	7/16/01	GW07650RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1			Boundary
10394	7/16/01	GW07650RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.36	1	5		Boundary
10394	7/16/01	GW07650RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1	1000		Boundary
10394	7/16/01	GW07650RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.95	1	10000		Boundary
10394	7/16/01	GW07650RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.27	1	70		Boundary
10394	7/16/01	GW07650RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.42	1	0.473		Boundary
10394	7/16/01	GW07650RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.22	1	5		Boundary
10394	7/16/01	GW07650RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.28	1			Boundary
10394	7/16/01	GW07650RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.21	1	2		Boundary
10398	7/16/01	GW07677RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1			D&D Bldg 123
10398	7/16/01	GW07677RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	200		D&D Bldg 123
10398	7/16/01	GW07677RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.426		D&D Bldg 123
10398	7/16/01	GW07677RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1	5		D&D Bldg 123
10398	7/16/01	GW07677RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 123
10398	7/16/01	GW07677RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.17	1	3650		D&D Bldg 123
10398	7/16/01	GW07677RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.2	1	7		D&D Bldg 123
10398	7/16/01	GW07677RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1			D&D Bldg 123
10398	7/16/01	GW07677RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1			D&D Bldg 123
10398	7/16/01	GW07677RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.29	1			D&D Bldg 123
10398	7/16/01	GW07677RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	70		D&D Bldg 123
10398	7/16/01	GW07677RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.36	1			D&D Bldg 123
10398	7/16/01	GW07677RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	600		D&D Bldg 123
10398	7/16/01	GW07677RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5		D&D Bldg 123
10398	7/16/01	GW07677RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		D&D Bldg 123
10398	7/16/01	GW07677RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	600		D&D Bldg 123
10398	7/16/01	GW07677RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.26	1			D&D Bldg 123
10398	7/16/01	GW07677RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	75		D&D Bldg 123
10398	7/16/01	GW07677RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 123
10398	7/16/01	GW07677RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V1	0.93	1	21900		D&D Bldg 123
10398	7/16/01	GW07677RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	0.7	1			D&D Bldg 123
10398	7/16/01	GW07677RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1			D&D Bldg 123

251

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
10398	7/16/01	GW07677RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	0.79	1	2920		D&D Bldg 123
10398	7/16/01	GW07677RG	ACETONE	REAL	TR1	10	UG/L	U	V1	1.9	1	3650		D&D Bldg 123
10398	7/16/01	GW07677RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1	5		D&D Bldg 123
10398	7/16/01	GW07677RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.22	1			D&D Bldg 123
10398	7/16/01	GW07677RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.29	1			D&D Bldg 123
10398	7/16/01	GW07677RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1			D&D Bldg 123
10398	7/16/01	GW07677RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 123
10398	7/16/01	GW07677RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	100		D&D Bldg 123
10398	7/16/01	GW07677RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.32	1	100		D&D Bldg 123
10398	7/16/01	GW07677RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	51.1		D&D Bldg 123
10398	7/16/01	GW07677RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	3650		D&D Bldg 123
10398	7/16/01	GW07677RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	5		D&D Bldg 123
10398	7/16/01	GW07677RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	100		D&D Bldg 123
10398	7/16/01	GW07677RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.25	1	29.4		D&D Bldg 123
10398	7/16/01	GW07677RG	CHLOROFORM	REAL	TR1	0.45	UG/L	J	V1	0.23	1	100		D&D Bldg 123
10398	7/16/01	GW07677RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	6.55		D&D Bldg 123
10398	7/16/01	GW07677RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.26	1	70		D&D Bldg 123
10398	7/16/01	GW07677RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.28	1	0.473		D&D Bldg 123
10398	7/16/01	GW07677RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.38	1	1.01		D&D Bldg 123
10398	7/16/01	GW07677RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1			D&D Bldg 123
10398	7/16/01	GW07677RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1			D&D Bldg 123
10398	7/16/01	GW07677RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.28	1	700		D&D Bldg 123
10398	7/16/01	GW07677RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1.09		D&D Bldg 123
10398	7/16/01	GW07677RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			D&D Bldg 123
10398	7/16/01	GW07677RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.89	1	5		D&D Bldg 123
10398	7/16/01	GW07677RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1460		D&D Bldg 123
10398	7/16/01	GW07677RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			D&D Bldg 123
10398	7/16/01	GW07677RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1			D&D Bldg 123
10398	7/16/01	GW07677RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			D&D Bldg 123
10398	7/16/01	GW07677RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1			D&D Bldg 123
10398	7/16/01	GW07677RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.25	1	0.2		D&D Bldg 123
10398	7/16/01	GW07677RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			D&D Bldg 123
10398	7/16/01	GW07677RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.27	1	100		D&D Bldg 123
10398	7/16/01	GW07677RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1			D&D Bldg 123
10398	7/16/01	GW07677RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.36	1	5		D&D Bldg 123
10398	7/16/01	GW07677RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1	1000		D&D Bldg 123
10398	7/16/01	GW07677RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.95	1	10000		D&D Bldg 123
10398	7/16/01	GW07677RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.27	1	70		D&D Bldg 123
10398	7/16/01	GW07677RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.42	1	0.473		D&D Bldg 123
10398	7/16/01	GW07677RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.22	1	5		D&D Bldg 123
10398	7/16/01	GW07677RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.28	1			D&D Bldg 123
10398	7/16/01	GW07677RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.21	1	2		D&D Bldg 123
10498	7/24/01	GW07678RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1			D&D Bldg 123
10498	7/24/01	GW07678RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	200		D&D Bldg 123
10498	7/24/01	GW07678RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.426		D&D Bldg 123
10498	7/24/01	GW07678RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1	5		D&D Bldg 123
10498	7/24/01	GW07678RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 123
10498	7/24/01	GW07678RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.17	1	3650		D&D Bldg 123
10498	7/24/01	GW07678RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.2	1	7		D&D Bldg 123
10498	7/24/01	GW07678RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1			D&D Bldg 123
10498	7/24/01	GW07678RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.16	1			D&D Bldg 123
10498	7/24/01	GW07678RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.29	1			D&D Bldg 123
10498	7/24/01	GW07678RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.2	1	70		D&D Bldg 123
10498	7/24/01	GW07678RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.36	1			D&D Bldg 123
10498	7/24/01	GW07678RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1	600		D&D Bldg 123
10498	7/24/01	GW07678RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5		D&D Bldg 123
10498	7/24/01	GW07678RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		D&D Bldg 123

252

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
10498	7/24/01	GW07678RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1	600		D&D Bldg 123
10498	7/24/01	GW07678RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.26	1			D&D Bldg 123
10498	7/24/01	GW07678RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1	75		D&D Bldg 123
10498	7/24/01	GW07678RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 123
10498	7/24/01	GW07678RG	2-BUTANONE	REAL	TR1	5	UG/L	U	UJ1	0.93	1	21900		D&D Bldg 123
10498	7/24/01	GW07678RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	0.7	1			D&D Bldg 123
10498	7/24/01	GW07678RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V1	0.3	1			D&D Bldg 123
10498	7/24/01	GW07678RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	0.79	1	2920		D&D Bldg 123
10498	7/24/01	GW07678RG	ACETONE	REAL	TR1	10	UG/L	U	UJ1	1.9	1	3650		D&D Bldg 123
10498	7/24/01	GW07678RG	BENZENE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		D&D Bldg 123
10498	7/24/01	GW07678RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V1	0.22	1			D&D Bldg 123
10498	7/24/01	GW07678RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V1	0.29	1			D&D Bldg 123
10498	7/24/01	GW07678RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1			D&D Bldg 123
10498	7/24/01	GW07678RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 123
10498	7/24/01	GW07678RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	100		D&D Bldg 123
10498	7/24/01	GW07678RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.32	1	100		D&D Bldg 123
10498	7/24/01	GW07678RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	51.1		D&D Bldg 123
10498	7/24/01	GW07678RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	3650		D&D Bldg 123
10498	7/24/01	GW07678RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	5		D&D Bldg 123
10498	7/24/01	GW07678RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.3	1	100		D&D Bldg 123
10498	7/24/01	GW07678RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.25	1	29.4		D&D Bldg 123
10498	7/24/01	GW07678RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.23	1	100		D&D Bldg 123
10498	7/24/01	GW07678RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	6.55		D&D Bldg 123
10498	7/24/01	GW07678RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.26	1	70		D&D Bldg 123
10498	7/24/01	GW07678RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.28	1	0.473		D&D Bldg 123
10498	7/24/01	GW07678RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.38	1	1.01		D&D Bldg 123
10498	7/24/01	GW07678RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1			D&D Bldg 123
10498	7/24/01	GW07678RG	DICHLORODIFLUOROMETHANE	REAL	TR1	0.29	UG/L	J	V1	0.23	1			D&D Bldg 123
10498	7/24/01	GW07678RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.28	1	700		D&D Bldg 123
10498	7/24/01	GW07678RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1.09		D&D Bldg 123
10498	7/24/01	GW07678RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.31	1			D&D Bldg 123
10498	7/24/01	GW07678RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.89	1	5		D&D Bldg 123
10498	7/24/01	GW07678RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V1	0.15	1	1460		D&D Bldg 123
10498	7/24/01	GW07678RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1			D&D Bldg 123
10498	7/24/01	GW07678RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.23	1			D&D Bldg 123
10498	7/24/01	GW07678RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.31	1			D&D Bldg 123
10498	7/24/01	GW07678RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.25	1			D&D Bldg 123
10498	7/24/01	GW07678RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	UJ1	0.25	1	0.2		D&D Bldg 123
10498	7/24/01	GW07678RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1			D&D Bldg 123
10498	7/24/01	GW07678RG	STYRENE	REAL	TR1	1	UG/L	U	V1	0.27	1	100		D&D Bldg 123
10498	7/24/01	GW07678RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.29	1			D&D Bldg 123
10498	7/24/01	GW07678RG	TETRACHLOROETHENE	REAL	TR1	4.6	UG/L		V1	0.36	1	5		D&D Bldg 123
10498	7/24/01	GW07678RG	TOLUENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1000		D&D Bldg 123
10498	7/24/01	GW07678RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	V1	0.95	1	10000		D&D Bldg 123
10498	7/24/01	GW07678RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.27	1	70		D&D Bldg 123
10498	7/24/01	GW07678RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.42	1	0.473		D&D Bldg 123
10498	7/24/01	GW07678RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.22	1	5		D&D Bldg 123
10498	7/24/01	GW07678RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1			D&D Bldg 123
10498	7/24/01	GW07678RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.21	1	2		D&D Bldg 123
10592	7/25/01	GW07619RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1			Perf Monitoring
10592	7/25/01	GW07619RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	200		Perf Monitoring
10592	7/25/01	GW07619RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.426		Perf Monitoring
10592	7/25/01	GW07619RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1	5		Perf Monitoring
10592	7/25/01	GW07619RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Perf Monitoring
10592	7/25/01	GW07619RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.17	1	3650		Perf Monitoring
10592	7/25/01	GW07619RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.2	1	7		Perf Monitoring
10592	7/25/01	GW07619RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1			Perf Monitoring

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
10592	7/25/01	GW07619RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.16	1			Perf Monitoring
10592	7/25/01	GW07619RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.29	1			Perf Monitoring
10592	7/25/01	GW07619RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.2	1	70		Perf Monitoring
10592	7/25/01	GW07619RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.36	1			Perf Monitoring
10592	7/25/01	GW07619RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1	600		Perf Monitoring
10592	7/25/01	GW07619RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5		Perf Monitoring
10592	7/25/01	GW07619RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		Perf Monitoring
10592	7/25/01	GW07619RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1	600		Perf Monitoring
10592	7/25/01	GW07619RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.26	1			Perf Monitoring
10592	7/25/01	GW07619RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1	75		Perf Monitoring
10592	7/25/01	GW07619RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Perf Monitoring
10592	7/25/01	GW07619RG	2-BUTANONE	REAL	TR1	5	UG/L	U	UJ1	0.93	1	21900		Perf Monitoring
10592	7/25/01	GW07619RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	0.7	1			Perf Monitoring
10592	7/25/01	GW07619RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V1	0.3	1			Perf Monitoring
10592	7/25/01	GW07619RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	0.79	1	2920		Perf Monitoring
10592	7/25/01	GW07619RG	ACETONE	REAL	TR1	10	UG/L	U	UJ1	1.9	1	3650		Perf Monitoring
10592	7/25/01	GW07619RG	BENZENE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		Perf Monitoring
10592	7/25/01	GW07619RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V1	0.22	1			Perf Monitoring
10592	7/25/01	GW07619RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V1	0.29	1			Perf Monitoring
10592	7/25/01	GW07619RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1			Perf Monitoring
10592	7/25/01	GW07619RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Perf Monitoring
10592	7/25/01	GW07619RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	100		Perf Monitoring
10592	7/25/01	GW07619RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.32	1	100		Perf Monitoring
10592	7/25/01	GW07619RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	51.1		Perf Monitoring
10592	7/25/01	GW07619RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	3650		Perf Monitoring
10592	7/25/01	GW07619RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	5		Perf Monitoring
10592	7/25/01	GW07619RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.3	1	100		Perf Monitoring
10592	7/25/01	GW07619RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.25	1	29.4		Perf Monitoring
10592	7/25/01	GW07619RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.23	1	100		Perf Monitoring
10592	7/25/01	GW07619RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	6.55		Perf Monitoring
10592	7/25/01	GW07619RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.26	1	70		Perf Monitoring
10592	7/25/01	GW07619RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.28	1	0.473		Perf Monitoring
10592	7/25/01	GW07619RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.38	1	1.01		Perf Monitoring
10592	7/25/01	GW07619RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1			Perf Monitoring
10592	7/25/01	GW07619RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1			Perf Monitoring
10592	7/25/01	GW07619RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.28	1	700		Perf Monitoring
10592	7/25/01	GW07619RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1.09		Perf Monitoring
10592	7/25/01	GW07619RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.31	1			Perf Monitoring
10592	7/25/01	GW07619RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.89	1	5		Perf Monitoring
10592	7/25/01	GW07619RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V1	0.15	1	1460		Perf Monitoring
10592	7/25/01	GW07619RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1			Perf Monitoring
10592	7/25/01	GW07619RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.23	1			Perf Monitoring
10592	7/25/01	GW07619RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.31	1			Perf Monitoring
10592	7/25/01	GW07619RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.25	1			Perf Monitoring
10592	7/25/01	GW07619RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	UJ1	0.25	1	0.2		Perf Monitoring
10592	7/25/01	GW07619RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1			Perf Monitoring
10592	7/25/01	GW07619RG	STYRENE	REAL	TR1	1	UG/L	U	V1	0.27	1	100		Perf Monitoring
10592	7/25/01	GW07619RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.29	1			Perf Monitoring
10592	7/25/01	GW07619RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.36	1	5		Perf Monitoring
10592	7/25/01	GW07619RG	TETRAHYDROFURAN	REAL	TR1	1.1	UG/L		V1		1		TIC	Perf Monitoring
10592	7/25/01	GW07619RG	TOLUENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1000		Perf Monitoring
10592	7/25/01	GW07619RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	V1	0.95	1	10000		Perf Monitoring
10592	7/25/01	GW07619RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.27	1	70		Perf Monitoring
10592	7/25/01	GW07619RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.42	1	0.473		Perf Monitoring
10592	7/25/01	GW07619RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.22	1	5		Perf Monitoring
10592	7/25/01	GW07619RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1			Perf Monitoring
10592	7/25/01	GW07619RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.21	1	2		Perf Monitoring

254

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
10598	7/18/01	GW07679RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1			D&D Bldg 123
10598	7/18/01	GW07679RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	200		D&D Bldg 123
10598	7/18/01	GW07679RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.426		D&D Bldg 123
10598	7/18/01	GW07679RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1	5		D&D Bldg 123
10598	7/18/01	GW07679RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 123
10598	7/18/01	GW07679RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.17	1	3650		D&D Bldg 123
10598	7/18/01	GW07679RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.2	1	7		D&D Bldg 123
10598	7/18/01	GW07679RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1			D&D Bldg 123
10598	7/18/01	GW07679RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1			D&D Bldg 123
10598	7/18/01	GW07679RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.29	1			D&D Bldg 123
10598	7/18/01	GW07679RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	70		D&D Bldg 123
10598	7/18/01	GW07679RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.36	1			D&D Bldg 123
10598	7/18/01	GW07679RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	600		D&D Bldg 123
10598	7/18/01	GW07679RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5		D&D Bldg 123
10598	7/18/01	GW07679RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		D&D Bldg 123
10598	7/18/01	GW07679RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	600		D&D Bldg 123
10598	7/18/01	GW07679RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.26	1			D&D Bldg 123
10598	7/18/01	GW07679RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	75		D&D Bldg 123
10598	7/18/01	GW07679RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 123
10598	7/18/01	GW07679RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V1	0.93	1	21900		D&D Bldg 123
10598	7/18/01	GW07679RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	0.7	1			D&D Bldg 123
10598	7/18/01	GW07679RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1			D&D Bldg 123
10598	7/18/01	GW07679RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	0.79	1	2920		D&D Bldg 123
10598	7/18/01	GW07679RG	ACETONE	REAL	TR1	10	UG/L	U	V1	1.9	1	3650		D&D Bldg 123
10598	7/18/01	GW07679RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1	5		D&D Bldg 123
10598	7/18/01	GW07679RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.22	1			D&D Bldg 123
10598	7/18/01	GW07679RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.29	1			D&D Bldg 123
10598	7/18/01	GW07679RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1			D&D Bldg 123
10598	7/18/01	GW07679RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 123
10598	7/18/01	GW07679RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	100		D&D Bldg 123
10598	7/18/01	GW07679RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.32	1	100		D&D Bldg 123
10598	7/18/01	GW07679RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	51.1		D&D Bldg 123
10598	7/18/01	GW07679RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	3650		D&D Bldg 123
10598	7/18/01	GW07679RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	5		D&D Bldg 123
10598	7/18/01	GW07679RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	100		D&D Bldg 123
10598	7/18/01	GW07679RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.25	1	29.4		D&D Bldg 123
10598	7/18/01	GW07679RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.23	1	100		D&D Bldg 123
10598	7/18/01	GW07679RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	6.55		D&D Bldg 123
10598	7/18/01	GW07679RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.26	1	70		D&D Bldg 123
10598	7/18/01	GW07679RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.28	1	0.473		D&D Bldg 123
10598	7/18/01	GW07679RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.38	1	1.01		D&D Bldg 123
10598	7/18/01	GW07679RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1			D&D Bldg 123
10598	7/18/01	GW07679RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1			D&D Bldg 123
10598	7/18/01	GW07679RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.28	1	700		D&D Bldg 123
10598	7/18/01	GW07679RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1.09		D&D Bldg 123
10598	7/18/01	GW07679RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			D&D Bldg 123
10598	7/18/01	GW07679RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.89	1	5		D&D Bldg 123
10598	7/18/01	GW07679RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1460		D&D Bldg 123
10598	7/18/01	GW07679RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			D&D Bldg 123
10598	7/18/01	GW07679RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1			D&D Bldg 123
10598	7/18/01	GW07679RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			D&D Bldg 123
10598	7/18/01	GW07679RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1			D&D Bldg 123
10598	7/18/01	GW07679RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.25	1	0.2		D&D Bldg 123
10598	7/18/01	GW07679RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			D&D Bldg 123
10598	7/18/01	GW07679RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.27	1	100		D&D Bldg 123
10598	7/18/01	GW07679RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1			D&D Bldg 123
10598	7/18/01	GW07679RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.36	1	5		D&D Bldg 123

255

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
10598	7/18/01	GW07679RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1	1000		D&D Bldg 123
10598	7/18/01	GW07679RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.95	1	10000		D&D Bldg 123
10598	7/18/01	GW07679RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.27	1	70		D&D Bldg 123
10598	7/18/01	GW07679RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.42	1	0.473		D&D Bldg 123
10598	7/18/01	GW07679RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.22	1	5		D&D Bldg 123
10598	7/18/01	GW07679RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1			D&D Bldg 123
10598	7/18/01	GW07679RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.21	1	2		D&D Bldg 123
10692	7/25/01	GW07651RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1			Perf Monitoring
10692	7/25/01	GW07651RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	200		Perf Monitoring
10692	7/25/01	GW07651RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.426		Perf Monitoring
10692	7/25/01	GW07651RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1	5		Perf Monitoring
10692	7/25/01	GW07651RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Perf Monitoring
10692	7/25/01	GW07651RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.17	1	3650		Perf Monitoring
10692	7/25/01	GW07651RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.2	1	7		Perf Monitoring
10692	7/25/01	GW07651RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1			Perf Monitoring
10692	7/25/01	GW07651RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.16	1			Perf Monitoring
10692	7/25/01	GW07651RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.29	1			Perf Monitoring
10692	7/25/01	GW07651RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.2	1	70		Perf Monitoring
10692	7/25/01	GW07651RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.36	1			Perf Monitoring
10692	7/25/01	GW07651RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1	600		Perf Monitoring
10692	7/25/01	GW07651RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5		Perf Monitoring
10692	7/25/01	GW07651RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		Perf Monitoring
10692	7/25/01	GW07651RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1	600		Perf Monitoring
10692	7/25/01	GW07651RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.26	1			Perf Monitoring
10692	7/25/01	GW07651RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1	75		Perf Monitoring
10692	7/25/01	GW07651RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Perf Monitoring
10692	7/25/01	GW07651RG	2-BUTANONE	REAL	TR1	5	UG/L	U	UJ1	0.93	1	21900		Perf Monitoring
10692	7/25/01	GW07651RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	0.7	1			Perf Monitoring
10692	7/25/01	GW07651RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V1	0.3	1			Perf Monitoring
10692	7/25/01	GW07651RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	0.79	1	2920		Perf Monitoring
10692	7/25/01	GW07651RG	ACETONE	REAL	TR1	10	UG/L	U	UJ1	1.9	1	3650		Perf Monitoring
10692	7/25/01	GW07651RG	BENZENE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		Perf Monitoring
10692	7/25/01	GW07651RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V1	0.22	1			Perf Monitoring
10692	7/25/01	GW07651RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V1	0.29	1			Perf Monitoring
10692	7/25/01	GW07651RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1			Perf Monitoring
10692	7/25/01	GW07651RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Perf Monitoring
10692	7/25/01	GW07651RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	100		Perf Monitoring
10692	7/25/01	GW07651RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.32	1	100		Perf Monitoring
10692	7/25/01	GW07651RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	51.1		Perf Monitoring
10692	7/25/01	GW07651RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	3650		Perf Monitoring
10692	7/25/01	GW07651RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	5		Perf Monitoring
10692	7/25/01	GW07651RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.3	1	100		Perf Monitoring
10692	7/25/01	GW07651RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.25	1	29.4		Perf Monitoring
10692	7/25/01	GW07651RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.23	1	100		Perf Monitoring
10692	7/25/01	GW07651RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	6.55		Perf Monitoring
10692	7/25/01	GW07651RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.26	1	70		Perf Monitoring
10692	7/25/01	GW07651RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.28	1	0.473		Perf Monitoring
10692	7/25/01	GW07651RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.38	1	1.01		Perf Monitoring
10692	7/25/01	GW07651RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1			Perf Monitoring
10692	7/25/01	GW07651RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1			Perf Monitoring
10692	7/25/01	GW07651RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.28	1	700		Perf Monitoring
10692	7/25/01	GW07651RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1.09		Perf Monitoring
10692	7/25/01	GW07651RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.31	1			Perf Monitoring
10692	7/25/01	GW07651RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.89	1	5		Perf Monitoring
10692	7/25/01	GW07651RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V1	0.15	1	1460		Perf Monitoring
10692	7/25/01	GW07651RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1			Perf Monitoring
10692	7/25/01	GW07651RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.23	1			Perf Monitoring

25 to

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
10692	7/25/01	GW07651RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.31	1			Perf Monitoring
10692	7/25/01	GW07651RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.25	1			Perf Monitoring
10692	7/25/01	GW07651RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	UJ1	0.25	1	0.2		Perf Monitoring
10692	7/25/01	GW07651RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1			Perf Monitoring
10692	7/25/01	GW07651RG	STYRENE	REAL	TR1	1	UG/L	U	V1	0.27	1	100		Perf Monitoring
10692	7/25/01	GW07651RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.29	1			Perf Monitoring
10692	7/25/01	GW07651RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.36	1	5		Perf Monitoring
10692	7/25/01	GW07651RG	TETRAHYDROFURAN	REAL	TR1	1.1	UG/L		V1		1		TIC	Perf Monitoring
10692	7/25/01	GW07651RG	TOLUENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1000		Perf Monitoring
10692	7/25/01	GW07651RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	V1	0.95	1	10000		Perf Monitoring
10692	7/25/01	GW07651RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.27	1	70		Perf Monitoring
10692	7/25/01	GW07651RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.42	1	0.473		Perf Monitoring
10692	7/25/01	GW07651RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.22	1	5		Perf Monitoring
10692	7/25/01	GW07651RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1			Perf Monitoring
10692	7/25/01	GW07651RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.21	1	2		Perf Monitoring
10792	7/25/01	GW07620RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1			Perf Monitoring
10792	7/25/01	GW07620RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	200		Perf Monitoring
10792	7/25/01	GW07620RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.426		Perf Monitoring
10792	7/25/01	GW07620RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1	5		Perf Monitoring
10792	7/25/01	GW07620RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Perf Monitoring
10792	7/25/01	GW07620RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.17	1	3650		Perf Monitoring
10792	7/25/01	GW07620RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.2	1	7		Perf Monitoring
10792	7/25/01	GW07620RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1			Perf Monitoring
10792	7/25/01	GW07620RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.16	1			Perf Monitoring
10792	7/25/01	GW07620RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.29	1			Perf Monitoring
10792	7/25/01	GW07620RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.2	1	70		Perf Monitoring
10792	7/25/01	GW07620RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.36	1			Perf Monitoring
10792	7/25/01	GW07620RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1	600		Perf Monitoring
10792	7/25/01	GW07620RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5		Perf Monitoring
10792	7/25/01	GW07620RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		Perf Monitoring
10792	7/25/01	GW07620RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1	600		Perf Monitoring
10792	7/25/01	GW07620RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.26	1			Perf Monitoring
10792	7/25/01	GW07620RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1	75		Perf Monitoring
10792	7/25/01	GW07620RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Perf Monitoring
10792	7/25/01	GW07620RG	2-BUTANONE	REAL	TR1	5	UG/L	U	UJ1	0.93	1	21900		Perf Monitoring
10792	7/25/01	GW07620RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	0.7	1			Perf Monitoring
10792	7/25/01	GW07620RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V1	0.3	1			Perf Monitoring
10792	7/25/01	GW07620RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	0.79	1	2920		Perf Monitoring
10792	7/25/01	GW07620RG	ACETONE	REAL	TR1	10	UG/L	U	UJ1	1.9	1	3650		Perf Monitoring
10792	7/25/01	GW07620RG	BENZENE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		Perf Monitoring
10792	7/25/01	GW07620RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V1	0.22	1			Perf Monitoring
10792	7/25/01	GW07620RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V1	0.29	1			Perf Monitoring
10792	7/25/01	GW07620RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1			Perf Monitoring
10792	7/25/01	GW07620RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Perf Monitoring
10792	7/25/01	GW07620RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	100		Perf Monitoring
10792	7/25/01	GW07620RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.32	1	100		Perf Monitoring
10792	7/25/01	GW07620RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	51.1		Perf Monitoring
10792	7/25/01	GW07620RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	3650		Perf Monitoring
10792	7/25/01	GW07620RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	5		Perf Monitoring
10792	7/25/01	GW07620RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.3	1	100		Perf Monitoring
10792	7/25/01	GW07620RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.25	1	29.4		Perf Monitoring
10792	7/25/01	GW07620RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.23	1	100		Perf Monitoring
10792	7/25/01	GW07620RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	6.55		Perf Monitoring
10792	7/25/01	GW07620RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.26	1	70		Perf Monitoring
10792	7/25/01	GW07620RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.28	1	0.473		Perf Monitoring
10792	7/25/01	GW07620RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.38	1	1.01		Perf Monitoring
10792	7/25/01	GW07620RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1			Perf Monitoring

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
10792	7/25/01	GW07620RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1			Perf Monitoring
10792	7/25/01	GW07620RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.28	1	700		Perf Monitoring
10792	7/25/01	GW07620RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1.09		Perf Monitoring
10792	7/25/01	GW07620RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.31	1			Perf Monitoring
10792	7/25/01	GW07620RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.89	1	5		Perf Monitoring
10792	7/25/01	GW07620RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V1	0.15	1	1460		Perf Monitoring
10792	7/25/01	GW07620RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1			Perf Monitoring
10792	7/25/01	GW07620RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.23	1			Perf Monitoring
10792	7/25/01	GW07620RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.31	1			Perf Monitoring
10792	7/25/01	GW07620RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.25	1			Perf Monitoring
10792	7/25/01	GW07620RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	UJ1	0.25	1	0.2		Perf Monitoring
10792	7/25/01	GW07620RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1			Perf Monitoring
10792	7/25/01	GW07620RG	STYRENE	REAL	TR1	1	UG/L	U	V1	0.27	1	100		Perf Monitoring
10792	7/25/01	GW07620RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.29	1			Perf Monitoring
10792	7/25/01	GW07620RG	TETRACHLOROETHENE	REAL	TR1	0.38	UG/L	J	V1	0.36	1	5		Perf Monitoring
10792	7/25/01	GW07620RG	TETRAHYDROFURAN	REAL	TR1	1.2	UG/L		V1		1		TIC	Perf Monitoring
10792	7/25/01	GW07620RG	TOLUENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1000		Perf Monitoring
10792	7/25/01	GW07620RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	V1	0.95	1	10000		Perf Monitoring
10792	7/25/01	GW07620RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.27	1	70		Perf Monitoring
10792	7/25/01	GW07620RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.42	1	0.473		Perf Monitoring
10792	7/25/01	GW07620RG	TRICHLOROETHENE	REAL	TR1	0.32	UG/L	J	V1	0.22	1	5		Perf Monitoring
10792	7/25/01	GW07620RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1			Perf Monitoring
10792	7/25/01	GW07620RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.21	1	2		Perf Monitoring
10992	7/18/01	GW07652RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1			Perf Monitoring
10992	7/18/01	GW07652RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	200		Perf Monitoring
10992	7/18/01	GW07652RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.426		Perf Monitoring
10992	7/18/01	GW07652RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1	5		Perf Monitoring
10992	7/18/01	GW07652RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Perf Monitoring
10992	7/18/01	GW07652RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.17	1	3650		Perf Monitoring
10992	7/18/01	GW07652RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.2	1	7		Perf Monitoring
10992	7/18/01	GW07652RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1			Perf Monitoring
10992	7/18/01	GW07652RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1			Perf Monitoring
10992	7/18/01	GW07652RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.29	1			Perf Monitoring
10992	7/18/01	GW07652RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	70		Perf Monitoring
10992	7/18/01	GW07652RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.36	1			Perf Monitoring
10992	7/18/01	GW07652RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	600		Perf Monitoring
10992	7/18/01	GW07652RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5		Perf Monitoring
10992	7/18/01	GW07652RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		Perf Monitoring
10992	7/18/01	GW07652RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	600		Perf Monitoring
10992	7/18/01	GW07652RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.26	1			Perf Monitoring
10992	7/18/01	GW07652RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	75		Perf Monitoring
10992	7/18/01	GW07652RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Perf Monitoring
10992	7/18/01	GW07652RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V1	0.93	1	21900		Perf Monitoring
10992	7/18/01	GW07652RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	0.7	1			Perf Monitoring
10992	7/18/01	GW07652RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1			Perf Monitoring
10992	7/18/01	GW07652RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	0.79	1	2920		Perf Monitoring
10992	7/18/01	GW07652RG	ACETONE	REAL	TR1	10	UG/L	U	V1	1.9	1	3650		Perf Monitoring
10992	7/18/01	GW07652RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1	5		Perf Monitoring
10992	7/18/01	GW07652RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.22	1			Perf Monitoring
10992	7/18/01	GW07652RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.29	1			Perf Monitoring
10992	7/18/01	GW07652RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1			Perf Monitoring
10992	7/18/01	GW07652RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Perf Monitoring
10992	7/18/01	GW07652RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	100		Perf Monitoring
10992	7/18/01	GW07652RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.32	1	100		Perf Monitoring
10992	7/18/01	GW07652RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	51.1		Perf Monitoring
10992	7/18/01	GW07652RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	3650		Perf Monitoring
10992	7/18/01	GW07652RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	5		Perf Monitoring

258

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
10992	7/18/01	GW07652RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	100		Perf Monitoring
10992	7/18/01	GW07652RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.25	1	29.4		Perf Monitoring
10992	7/18/01	GW07652RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.23	1	100		Perf Monitoring
10992	7/18/01	GW07652RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	6.55		Perf Monitoring
10992	7/18/01	GW07652RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.26	1	70		Perf Monitoring
10992	7/18/01	GW07652RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.28	1	0.473		Perf Monitoring
10992	7/18/01	GW07652RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.38	1	1.01		Perf Monitoring
10992	7/18/01	GW07652RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1			Perf Monitoring
10992	7/18/01	GW07652RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1			Perf Monitoring
10992	7/18/01	GW07652RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.28	1	700		Perf Monitoring
10992	7/18/01	GW07652RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1.09		Perf Monitoring
10992	7/18/01	GW07652RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			Perf Monitoring
10992	7/18/01	GW07652RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.89	1	5		Perf Monitoring
10992	7/18/01	GW07652RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1460		Perf Monitoring
10992	7/18/01	GW07652RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			Perf Monitoring
10992	7/18/01	GW07652RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1			Perf Monitoring
10992	7/18/01	GW07652RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			Perf Monitoring
10992	7/18/01	GW07652RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1			Perf Monitoring
10992	7/18/01	GW07652RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.25	1	0.2		Perf Monitoring
10992	7/18/01	GW07652RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			Perf Monitoring
10992	7/18/01	GW07652RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.27	1	100		Perf Monitoring
10992	7/18/01	GW07652RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1			Perf Monitoring
10992	7/18/01	GW07652RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.36	1	5		Perf Monitoring
10992	7/18/01	GW07652RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1	1000		Perf Monitoring
10992	7/18/01	GW07652RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.95	1	10000		Perf Monitoring
10992	7/18/01	GW07652RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.27	1	70		Perf Monitoring
10992	7/18/01	GW07652RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.42	1	0.473		Perf Monitoring
10992	7/18/01	GW07652RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.22	1	5		Perf Monitoring
10992	7/18/01	GW07652RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1			Perf Monitoring
10992	7/18/01	GW07652RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.21	1	2		Perf Monitoring
10994	8/14/01	GW07653RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
10994	8/14/01	GW07653RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	200		Plume Extent
10994	8/14/01	GW07653RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	0.426		Plume Extent
10994	8/14/01	GW07653RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Extent
10994	8/14/01	GW07653RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
10994	8/14/01	GW07653RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	3650		Plume Extent
10994	8/14/01	GW07653RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	7		Plume Extent
10994	8/14/01	GW07653RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
10994	8/14/01	GW07653RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
10994	8/14/01	GW07653RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
10994	8/14/01	GW07653RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	70		Plume Extent
10994	8/14/01	GW07653RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
10994	8/14/01	GW07653RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	600		Plume Extent
10994	8/14/01	GW07653RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Extent
10994	8/14/01	GW07653RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Extent
10994	8/14/01	GW07653RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	600		Plume Extent
10994	8/14/01	GW07653RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
10994	8/14/01	GW07653RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	75		Plume Extent
10994	8/14/01	GW07653RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
10994	8/14/01	GW07653RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R	5	1	21900		Plume Extent
10994	8/14/01	GW07653RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V	10	1			Plume Extent
10994	8/14/01	GW07653RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
10994	8/14/01	GW07653RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V	10	1	2920		Plume Extent
10994	8/14/01	GW07653RG	ACETONE	REAL	TR1	10	UG/L	U	R	10	1	3650		Plume Extent
10994	8/14/01	GW07653RG	BENZENE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Extent
10994	8/14/01	GW07653RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
10994	8/14/01	GW07653RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent

369

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
10994	8/14/01	GW07653RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
10994	8/14/01	GW07653RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
10994	8/14/01	GW07653RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	100		Plume Extent
10994	8/14/01	GW07653RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	1	1	100		Plume Extent
10994	8/14/01	GW07653RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1	51.1		Plume Extent
10994	8/14/01	GW07653RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V	1	1	3650		Plume Extent
10994	8/14/01	GW07653RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Extent
10994	8/14/01	GW07653RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	100		Plume Extent
10994	8/14/01	GW07653RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	29.4		Plume Extent
10994	8/14/01	GW07653RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V	1	1	100		Plume Extent
10994	8/14/01	GW07653RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	6.55		Plume Extent
10994	8/14/01	GW07653RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70		Plume Extent
10994	8/14/01	GW07653RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473		Plume Extent
10994	8/14/01	GW07653RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	1.01		Plume Extent
10994	8/14/01	GW07653RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
10994	8/14/01	GW07653RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
10994	8/14/01	GW07653RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1	700		Plume Extent
10994	8/14/01	GW07653RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	1	1	1.09		Plume Extent
10994	8/14/01	GW07653RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
10994	8/14/01	GW07653RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Extent
10994	8/14/01	GW07653RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V	1	1	1460		Plume Extent
10994	8/14/01	GW07653RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
10994	8/14/01	GW07653RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
10994	8/14/01	GW07653RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
10994	8/14/01	GW07653RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
10994	8/14/01	GW07653RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V	1	1	0.2		Plume Extent
10994	8/14/01	GW07653RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
10994	8/14/01	GW07653RG	STYRENE	REAL	TR1	1	UG/L	U	V	1	1	100		Plume Extent
10994	8/14/01	GW07653RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
10994	8/14/01	GW07653RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Extent
10994	8/14/01	GW07653RG	TOLUENE	REAL	TR1	1	UG/L	U	V	1	1	1000		Plume Extent
10994	8/14/01	GW07653RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	V	3	1	10000		Plume Extent
10994	8/14/01	GW07653RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70		Plume Extent
10994	8/14/01	GW07653RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473		Plume Extent
10994	8/14/01	GW07653RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Extent
10994	8/14/01	GW07653RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
10994	8/14/01	GW07653RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	2		Plume Extent
11791	8/22/01	GW07725RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	10	UG/L	U	V1	10	10			Plume Degradation
11791	8/22/01	GW07725RG	1,1,1-TRICHLOROETHANE	REAL	TR1	10	UG/L	U	V1	10	10	200		Plume Degradation
11791	8/22/01	GW07725RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	10	UG/L	U	V1	10	10	0.426		Plume Degradation
11791	8/22/01	GW07725RG	1,1,2-TRICHLOROETHANE	REAL	TR1	10	UG/L	U	V1	10	10	5		Plume Degradation
11791	8/22/01	GW07725RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	10	UG/L	U	V1	10	10			Plume Degradation
11791	8/22/01	GW07725RG	1,1-DICHLOROETHANE	REAL	TR1	10	UG/L	U	V1	10	10	3650		Plume Degradation
11791	8/22/01	GW07725RG	1,1-DICHLOROETHENE	REAL	TR1	10	UG/L	U	V1	10	10	7		Plume Degradation
11791	8/22/01	GW07725RG	1,1-DICHLOROPROPENE	REAL	TR1	10	UG/L	U	V1	10	10			Plume Degradation
11791	8/22/01	GW07725RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	10	UG/L	U	UJ1	10	10			Plume Degradation
11791	8/22/01	GW07725RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	10	UG/L	U	V1	10	10			Plume Degradation
11791	8/22/01	GW07725RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	10	UG/L	U	UJ1	10	10	70		Plume Degradation
11791	8/22/01	GW07725RG	1,2-DIBROMOETHANE	REAL	TR1	10	UG/L	U	V1	10	10			Plume Degradation
11791	8/22/01	GW07725RG	1,2-DICHLOROBENZENE	REAL	TR1	10	UG/L	U	UJ1	10	10	600		Plume Degradation
11791	8/22/01	GW07725RG	1,2-DICHLOROETHANE	REAL	TR1	10	UG/L	U	V1	10	10	5		Plume Degradation
11791	8/22/01	GW07725RG	1,2-DICHLOROPROPANE	REAL	TR1	10	UG/L	U	V1	10	10	5		Plume Degradation
11791	8/22/01	GW07725RG	1,3-DICHLOROBENZENE	REAL	TR1	10	UG/L	U	UJ1	10	10	600		Plume Degradation
11791	8/22/01	GW07725RG	1,3-DICHLOROPROPANE	REAL	TR1	10	UG/L	U	V1	10	10			Plume Degradation
11791	8/22/01	GW07725RG	1,4-DICHLOROBENZENE	REAL	TR1	10	UG/L	U	UJ1	10	10	75		Plume Degradation
11791	8/22/01	GW07725RG	2,2-DICHLOROPROPANE	REAL	TR1	10	UG/L	U	V1	10	10			Plume Degradation
11791	8/22/01	GW07725RG	2-BUTANONE	REAL	TR1	50	UG/L	U	R1	50	10	21900		Plume Degradation

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
11791	8/22/01	GW07725RG	2-HEXANONE	REAL	TR1	50	UG/L	U	V1	50	10			Plume Degradation
11791	8/22/01	GW07725RG	4-ISOPROPYLTOLUENE	REAL	TR1	10	UG/L	U	UJ1	10	10			Plume Degradation
11791	8/22/01	GW07725RG	4-METHYL-2-PENTANONE	REAL	TR1	50	UG/L	U	V1	50	10	2920		Plume Degradation
11791	8/22/01	GW07725RG	ACETONE	REAL	TR1	50	UG/L	U	R1	50	10	3650		Plume Degradation
11791	8/22/01	GW07725RG	BENZENE	REAL	TR1	10	UG/L	U	UJ1	10	10	5		Plume Degradation
11791	8/22/01	GW07725RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	10	UG/L	U	UJ1	10	10			Plume Degradation
11791	8/22/01	GW07725RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	10	UG/L	U	UJ1	10	10			Plume Degradation
11791	8/22/01	GW07725RG	BROMOBENZENE	REAL	TR1	10	UG/L	U	UJ1	10	10			Plume Degradation
11791	8/22/01	GW07725RG	BROMOCHLOROMETHANE	REAL	TR1	10	UG/L	U	V1	10	10			Plume Degradation
11791	8/22/01	GW07725RG	BROMODICHLOROMETHANE	REAL	TR1	10	UG/L	U	V1	10	10	100		Plume Degradation
11791	8/22/01	GW07725RG	BROMOFORM	REAL	TR1	10	UG/L	U	V1	10	10	100		Plume Degradation
11791	8/22/01	GW07725RG	BROMOMETHANE	REAL	TR1	10	UG/L	U	V1	10	10	51.1		Plume Degradation
11791	8/22/01	GW07725RG	CARBON DISULFIDE	REAL	TR1	10	UG/L	U	V1	10	10	3650		Plume Degradation
11791	8/22/01	GW07725RG	CARBON TETRACHLORIDE	REAL	TR1	390	UG/L		V1	10	10	5		Plume Degradation
11791	8/22/01	GW07725RG	CHLOROBENZENE	REAL	TR1	10	UG/L	U	UJ1	10	10	100		Plume Degradation
11791	8/22/01	GW07725RG	CHLOROETHANE	REAL	TR1	10	UG/L	U	V1	10	10	29.4		Plume Degradation
11791	8/22/01	GW07725RG	CHLOROFORM	REAL	TR1	72	UG/L		V1	10	10	100		Plume Degradation
11791	8/22/01	GW07725RG	CHLOROMETHANE	REAL	TR1	10	UG/L	U	V1	10	10	6.55		Plume Degradation
11791	8/22/01	GW07725RG	cis-1,2-DICHLOROETHENE	REAL	TR1	46	UG/L		V1	10	10	70		Plume Degradation
11791	8/22/01	GW07725RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	10	UG/L	U	V1	10	10	0.473		Plume Degradation
11791	8/22/01	GW07725RG	DIBROMOCHLOROMETHANE	REAL	TR1	10	UG/L	U	V1	10	10	1.01		Plume Degradation
11791	8/22/01	GW07725RG	DIBROMOMETHANE	REAL	TR1	10	UG/L	U	V1	10	10			Plume Degradation
11791	8/22/01	GW07725RG	DICHLORODIFLUOROMETHANE	REAL	TR1	10	UG/L	U	V1	10	10			Plume Degradation
11791	8/22/01	GW07725RG	ETHYLBENZENE	REAL	TR1	10	UG/L	U	UJ1	10	10	700		Plume Degradation
11791	8/22/01	GW07725RG	HEXACHLOROBUTADIENE	REAL	TR1	10	UG/L	U	V1	10	10	1.09		Plume Degradation
11791	8/22/01	GW07725RG	ISOPROPYLBENZENE	REAL	TR1	10	UG/L	U	UJ1	10	10			Plume Degradation
11791	8/22/01	GW07725RG	METHYLENE CHLORIDE	REAL	TR1	10	UG/L	U	V1	10	10	5		Plume Degradation
11791	8/22/01	GW07725RG	NAPHTHALENE	REAL	TR1	10	UG/L	U	UJ1	10	10	1460		Plume Degradation
11791	8/22/01	GW07725RG	n-BUTYLBENZENE	REAL	TR1	10	UG/L	U	UJ1	10	10			Plume Degradation
11791	8/22/01	GW07725RG	n-PROPYLBENZENE	REAL	TR1	10	UG/L	U	UJ1	10	10			Plume Degradation
11791	8/22/01	GW07725RG	o-CHLOROTOLUENE	REAL	TR1	10	UG/L	U	UJ1	10	10			Plume Degradation
11791	8/22/01	GW07725RG	p-CHLOROTOLUENE	REAL	TR1	10	UG/L	U	UJ1	10	10			Plume Degradation
11791	8/22/01	GW07725RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	10	UG/L	U	V1	10	10	0.2		Plume Degradation
11791	8/22/01	GW07725RG	sec-BUTYLBENZENE	REAL	TR1	10	UG/L	U	UJ1	10	10			Plume Degradation
11791	8/22/01	GW07725RG	STYRENE	REAL	TR1	10	UG/L	U	UJ1	10	10	100		Plume Degradation
11791	8/22/01	GW07725RG	tert-BUTYLBENZENE	REAL	TR1	10	UG/L	U	UJ1	10	10			Plume Degradation
11791	8/22/01	GW07725RG	TETRACHLOROETHENE	REAL	TR1	93	UG/L		V1	10	10	5		Plume Degradation
11791	8/22/01	GW07725RG	TOLUENE	REAL	TR1	10	UG/L	U	UJ1	10	10	1000		Plume Degradation
11791	8/22/01	GW07725RG	TOTAL XYLENES	REAL	TR1	30	UG/L	U	UJ1	30	10	10000		Plume Degradation
11791	8/22/01	GW07725RG	trans-1,2-DICHLOROETHENE	REAL	TR1	10	UG/L	U	V1	10	10	70		Plume Degradation
11791	8/22/01	GW07725RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	10	UG/L	U	V1	10	10	0.473		Plume Degradation
11791	8/22/01	GW07725RG	TRICHLOROETHENE	REAL	TR1	61	UG/L		V1	10	10	5		Plume Degradation
11791	8/22/01	GW07725RG	TRICHLOROFLUOROMETHANE	REAL	TR1	10	UG/L	U	V1	10	10			Plume Degradation
11791	8/22/01	GW07725RG	VINYL CHLORIDE	REAL	TR1	10	UG/L	U	V1	10	10	2		Plume Degradation
11187	8/27/01	GW07723RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	100	UG/L	U	V1	100	100			Plume Degradation
11187	8/27/01	GW07723RG	1,1,1-TRICHLOROETHANE	REAL	TR1	100	UG/L	U	V1	100	100	200		Plume Degradation
11187	8/27/01	GW07723RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	100	UG/L	U	V1	100	100	0.426		Plume Degradation
11187	8/27/01	GW07723RG	1,1,2-TRICHLOROETHANE	REAL	TR1	100	UG/L	U	V1	100	100	5		Plume Degradation
11187	8/27/01	GW07723RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	100	UG/L	U	V1	100	100			Plume Degradation
11187	8/27/01	GW07723RG	1,1-DICHLOROETHANE	REAL	TR1	100	UG/L	U	V1	100	100	3650		Plume Degradation
11187	8/27/01	GW07723RG	1,1-DICHLOROETHENE	REAL	TR1	100	UG/L	U	V1	100	100	7		Plume Degradation
11187	8/27/01	GW07723RG	1,1-DICHLOROPROPENE	REAL	TR1	100	UG/L	U	V1	100	100			Plume Degradation
11187	8/27/01	GW07723RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	100	UG/L	U	UJ1	100	100			Plume Degradation
11187	8/27/01	GW07723RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	100	UG/L	U	V1	100	100			Plume Degradation
11187	8/27/01	GW07723RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	100	UG/L	U	UJ1	100	100	70		Plume Degradation
11187	8/27/01	GW07723RG	1,2-DIBROMOETHANE	REAL	TR1	100	UG/L	U	V1	100	100			Plume Degradation
11187	8/27/01	GW07723RG	1,2-DICHLOROBENZENE	REAL	TR1	100	UG/L	U	UJ1	100	100	600		Plume Degradation

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
1187	8/27/01	GW07723RG	1,2-DICHLOROETHANE	REAL	TR1	100	UG/L	U	V1	100	100	5		Plume Degradation
1187	8/27/01	GW07723RG	1,2-DICHLOROPROPANE	REAL	TR1	100	UG/L	U	V1	100	100	5		Plume Degradation
1187	8/27/01	GW07723RG	1,3-DICHLOROBENZENE	REAL	TR1	100	UG/L	U	UJ1	100	100	600		Plume Degradation
1187	8/27/01	GW07723RG	1,3-DICHLOROPROPANE	REAL	TR1	100	UG/L	U	V1	100	100			Plume Degradation
1187	8/27/01	GW07723RG	1,4-DICHLOROBENZENE	REAL	TR1	100	UG/L	U	UJ1	100	100	75		Plume Degradation
1187	8/27/01	GW07723RG	2,2-DICHLOROPROPANE	REAL	TR1	100	UG/L	U	V1	100	100			Plume Degradation
1187	8/27/01	GW07723RG	2-BUTANONE	REAL	TR1	500	UG/L	U	R1	500	100	21900		Plume Degradation
1187	8/27/01	GW07723RG	2-HEXANONE	REAL	TR1	500	UG/L	U	V1	500	100			Plume Degradation
1187	8/27/01	GW07723RG	4-ISOPROPYLTOLUENE	REAL	TR1	100	UG/L	U	UJ1	100	100			Plume Degradation
1187	8/27/01	GW07723RG	4-METHYL-2-PENTANONE	REAL	TR1	500	UG/L	U	V1	500	100	2920		Plume Degradation
1187	8/27/01	GW07723RG	ACETONE	REAL	TR1	300	UG/L	J	J1	500	100	3650		Plume Degradation
1187	8/27/01	GW07723RG	BENZENE	REAL	TR1	100	UG/L	U	UJ1	100	100	5		Plume Degradation
1187	8/27/01	GW07723RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	100	UG/L	U	UJ1	100	100			Plume Degradation
1187	8/27/01	GW07723RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	100	UG/L	U	UJ1	100	100			Plume Degradation
1187	8/27/01	GW07723RG	BROMOBENZENE	REAL	TR1	100	UG/L	U	UJ1	100	100			Plume Degradation
1187	8/27/01	GW07723RG	BROMOCHLOROMETHANE	REAL	TR1	100	UG/L	U	V1	100	100			Plume Degradation
1187	8/27/01	GW07723RG	BROMODICHLOROMETHANE	REAL	TR1	100	UG/L	U	V1	100	100	100		Plume Degradation
1187	8/27/01	GW07723RG	BROMOFORM	REAL	TR1	100	UG/L	U	V1	100	100	100		Plume Degradation
1187	8/27/01	GW07723RG	BROMOMETHANE	REAL	TR1	100	UG/L	U	V1	100	100	51.1		Plume Degradation
1187	8/27/01	GW07723RG	CARBON DISULFIDE	REAL	TR1	100	UG/L	U	V1	100	100	3650		Plume Degradation
1187	8/27/01	GW07723RG	CARBON TETRACHLORIDE	REAL	TR1	340	UG/L		V1	100	100	5		Plume Degradation
1187	8/27/01	GW07723RG	CHLOROBENZENE	REAL	TR1	100	UG/L	U	UJ1	100	100	100		Plume Degradation
1187	8/27/01	GW07723RG	CHLOROETHANE	REAL	TR1	100	UG/L	U	V1	100	100	29.4		Plume Degradation
1187	8/27/01	GW07723RG	CHLOROFORM	REAL	TR1	80	UG/L	J	V1	100	100	100		Plume Degradation
1187	8/27/01	GW07723RG	CHLOROMETHANE	REAL	TR1	100	UG/L	U	V1	100	100	6.55		Plume Degradation
1187	8/27/01	GW07723RG	cis-1,2-DICHLOROETHENE	REAL	TR1	100	UG/L	U	V1	100	100	70		Plume Degradation
1187	8/27/01	GW07723RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	100	UG/L	U	V1	100	100	0.473		Plume Degradation
1187	8/27/01	GW07723RG	DIBROMOCHLOROMETHANE	REAL	TR1	100	UG/L	U	V1	100	100	1.01		Plume Degradation
1187	8/27/01	GW07723RG	DIBROMOMETHANE	REAL	TR1	100	UG/L	U	V1	100	100			Plume Degradation
1187	8/27/01	GW07723RG	DICHLORODIFLUOROMETHANE	REAL	TR1	100	UG/L	U	V1	100	100			Plume Degradation
1187	8/27/01	GW07723RG	ETHYLBENZENE	REAL	TR1	100	UG/L	U	UJ1	100	100	700		Plume Degradation
1187	8/27/01	GW07723RG	HEXACHLOROBUTADIENE	REAL	TR1	100	UG/L	U	V1	100	100	1.09		Plume Degradation
1187	8/27/01	GW07723RG	ISOPROPYLBENZENE	REAL	TR1	100	UG/L	U	UJ1	100	100			Plume Degradation
1187	8/27/01	GW07723RG	METHYLENE CHLORIDE	REAL	TR1	100	UG/L	U	V1	100	100	5		Plume Degradation
1187	8/27/01	GW07723RG	NAPHTHALENE	REAL	TR1	100	UG/L	U	UJ1	100	100	1460		Plume Degradation
1187	8/27/01	GW07723RG	n-BUTYLBENZENE	REAL	TR1	100	UG/L	U	UJ1	100	100			Plume Degradation
1187	8/27/01	GW07723RG	n-PROPYLBENZENE	REAL	TR1	100	UG/L	U	UJ1	100	100			Plume Degradation
1187	8/27/01	GW07723RG	o-CHLOROTOLUENE	REAL	TR1	100	UG/L	U	UJ1	100	100			Plume Degradation
1187	8/27/01	GW07723RG	p-CHLOROTOLUENE	REAL	TR1	100	UG/L	U	UJ1	100	100			Plume Degradation
1187	8/27/01	GW07723RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	100	UG/L	U	R1	100	100	0.2		Plume Degradation
1187	8/27/01	GW07723RG	sec-BUTYLBENZENE	REAL	TR1	100	UG/L	U	UJ1	100	100			Plume Degradation
1187	8/27/01	GW07723RG	STYRENE	REAL	TR1	100	UG/L	U	UJ1	100	100	100		Plume Degradation
1187	8/27/01	GW07723RG	tert-BUTYLBENZENE	REAL	TR1	100	UG/L	U	UJ1	100	100			Plume Degradation
1187	8/27/01	GW07723RG	TETRACHLOROETHENE	REAL	TR1	100	UG/L	U	V1	100	100	5		Plume Degradation
1187	8/27/01	GW07723RG	TOLUENE	REAL	TR1	100	UG/L	U	UJ1	100	100	1000		Plume Degradation
1187	8/27/01	GW07723RG	TOTAL XYLENES	REAL	TR1	300	UG/L	U	UJ1	300	100	10000		Plume Degradation
1187	8/27/01	GW07723RG	trans-1,2-DICHLOROETHENE	REAL	TR1	100	UG/L	U	V1	100	100	70		Plume Degradation
1187	8/27/01	GW07723RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	100	UG/L	U	V1	100	100	0.473		Plume Degradation
1187	8/27/01	GW07723RG	TRICHLOROETHENE	REAL	TR1	3400	UG/L		V1	100	100	5		Plume Degradation
1187	8/27/01	GW07723RG	TRICHLOROFLUOROMETHANE	REAL	TR1	100	UG/L	U	V1	100	100			Plume Degradation
1187	8/27/01	GW07723RG	VINYL CHLORIDE	REAL	TR1	100	UG/L	U	V1	100	100	2		Plume Degradation
12691	8/24/01	GW07654RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	20	UG/L	U	V1	20	20			Perf Monitoring
12691	8/24/01	GW07654RG	1,1,1-TRICHLOROETHANE	REAL	TR1	20	UG/L	U	V1	20	20	200		Perf Monitoring
12691	8/24/01	GW07654RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	20	UG/L	U	V1	20	20	0.426		Perf Monitoring
12691	8/24/01	GW07654RG	1,1,2-TRICHLOROETHANE	REAL	TR1	20	UG/L	U	V1	20	20	5		Perf Monitoring
12691	8/24/01	GW07654RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	8	UG/L	J	V1	20	20			Perf Monitoring
12691	8/24/01	GW07654RG	1,1-DICHLOROETHANE	REAL	TR1	20	UG/L	U	V1	20	20	3650		Perf Monitoring

267

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
12691	8/24/01	GW07654RG	1,1-DICHLOROETHENE	REAL	TR1	20	UG/L	U	V1	20	20	7		Perf Monitoring
12691	8/24/01	GW07654RG	1,1-DICHLOROPROPENE	REAL	TR1	20	UG/L	U	V1	20	20			Perf Monitoring
12691	8/24/01	GW07654RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	20	UG/L	U	V1	20	20			Perf Monitoring
12691	8/24/01	GW07654RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	20	UG/L	U	V1	20	20			Perf Monitoring
12691	8/24/01	GW07654RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	20	UG/L	U	V1	20	20	70		Perf Monitoring
12691	8/24/01	GW07654RG	1,2-DIBROMOETHANE	REAL	TR1	20	UG/L	U	V1	20	20			Perf Monitoring
12691	8/24/01	GW07654RG	1,2-DICHLOROBENZENE	REAL	TR1	20	UG/L	U	V1	20	20	600		Perf Monitoring
12691	8/24/01	GW07654RG	1,2-DICHLOROETHANE	REAL	TR1	20	UG/L	U	V1	20	20	5		Perf Monitoring
12691	8/24/01	GW07654RG	1,2-DICHLOROPROPANE	REAL	TR1	20	UG/L	U	V1	20	20	5		Perf Monitoring
12691	8/24/01	GW07654RG	1,3-DICHLOROBENZENE	REAL	TR1	20	UG/L	U	V1	20	20	600		Perf Monitoring
12691	8/24/01	GW07654RG	1,3-DICHLOROPROPANE	REAL	TR1	20	UG/L	U	V1	20	20			Perf Monitoring
12691	8/24/01	GW07654RG	1,4-DICHLOROBENZENE	REAL	TR1	20	UG/L	U	V1	20	20	75		Perf Monitoring
12691	8/24/01	GW07654RG	2,2-DICHLOROPROPANE	REAL	TR1	20	UG/L	U	V1	20	20			Perf Monitoring
12691	8/24/01	GW07654RG	2-BUTANONE	REAL	TR1	100	UG/L	U	R1	100	20	21900		Perf Monitoring
12691	8/24/01	GW07654RG	2-HEXANONE	REAL	TR1	100	UG/L	U	UJ1	100	20			Perf Monitoring
12691	8/24/01	GW07654RG	4-ISOPROPYLTOLUENE	REAL	TR1	20	UG/L	U	V1	20	20			Perf Monitoring
12691	8/24/01	GW07654RG	4-METHYL-2-PENTANONE	REAL	TR1	100	UG/L	U	V1	100	20	2920		Perf Monitoring
12691	8/24/01	GW07654RG	ACETONE	REAL	TR1	100	UG/L	U	R1	100	20	3650		Perf Monitoring
12691	8/24/01	GW07654RG	BENZENE	REAL	TR1	20	UG/L	U	V1	20	20	5		Perf Monitoring
12691	8/24/01	GW07654RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	20	UG/L	U	V1	20	20			Perf Monitoring
12691	8/24/01	GW07654RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	20	UG/L	U	V1	20	20			Perf Monitoring
12691	8/24/01	GW07654RG	BROMOBENZENE	REAL	TR1	20	UG/L	U	V1	20	20			Perf Monitoring
12691	8/24/01	GW07654RG	BROMOCHLOROMETHANE	REAL	TR1	20	UG/L	U	V1	20	20			Perf Monitoring
12691	8/24/01	GW07654RG	BROMODICHLOROMETHANE	REAL	TR1	20	UG/L	U	V1	20	20	100		Perf Monitoring
12691	8/24/01	GW07654RG	BROMOFORM	REAL	TR1	20	UG/L	U	V1	20	20	100		Perf Monitoring
12691	8/24/01	GW07654RG	BROMOMETHANE	REAL	TR1	20	UG/L	U	V1	20	20	51.1		Perf Monitoring
12691	8/24/01	GW07654RG	CARBON DISULFIDE	REAL	TR1	20	UG/L	U	V1	20	20	3650		Perf Monitoring
12691	8/24/01	GW07654RG	CARBON TETRACHLORIDE	REAL	TR1	580	UG/L		V1	20	20	5		Perf Monitoring
12691	8/24/01	GW07654RG	CHLOROBENZENE	REAL	TR1	20	UG/L	U	V1	20	20	100		Perf Monitoring
12691	8/24/01	GW07654RG	CHLOROETHANE	REAL	TR1	20	UG/L	U	V1	20	20	29.4		Perf Monitoring
12691	8/24/01	GW07654RG	CHLOROFORM	REAL	TR1	25	UG/L		V1	20	20	100		Perf Monitoring
12691	8/24/01	GW07654RG	CHLOROMETHANE	REAL	TR1	20	UG/L	U	V1	20	20	6.55		Perf Monitoring
12691	8/24/01	GW07654RG	cis-1,2-DICHLOROETHENE	REAL	TR1	64	UG/L		V1	20	20	70		Perf Monitoring
12691	8/24/01	GW07654RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	20	UG/L	U	V1	20	20	0.473		Perf Monitoring
12691	8/24/01	GW07654RG	DIBROMOCHLOROMETHANE	REAL	TR1	20	UG/L	U	V1	20	20	1.01		Perf Monitoring
12691	8/24/01	GW07654RG	DIBROMOMETHANE	REAL	TR1	20	UG/L	U	V1	20	20			Perf Monitoring
12691	8/24/01	GW07654RG	DICHLORODIFLUOROMETHANE	REAL	TR1	20	UG/L	U	V1	20	20			Perf Monitoring
12691	8/24/01	GW07654RG	ETHYLBENZENE	REAL	TR1	20	UG/L	U	V1	20	20	700		Perf Monitoring
12691	8/24/01	GW07654RG	HEXACHLOROBUTADIENE	REAL	TR1	20	UG/L	U	V1	20	20	1.09		Perf Monitoring
12691	8/24/01	GW07654RG	ISOPROPYLBENZENE	REAL	TR1	20	UG/L	U	V1	20	20			Perf Monitoring
12691	8/24/01	GW07654RG	METHYLENE CHLORIDE	REAL	TR1	20	UG/L	U	V1	20	20	5		Perf Monitoring
12691	8/24/01	GW07654RG	NAPHTHALENE	REAL	TR1	20	UG/L	U	V1	20	20	1460		Perf Monitoring
12691	8/24/01	GW07654RG	n-BUTYLBENZENE	REAL	TR1	20	UG/L	U	V1	20	20			Perf Monitoring
12691	8/24/01	GW07654RG	n-PROPYLBENZENE	REAL	TR1	20	UG/L	U	V1	20	20			Perf Monitoring
12691	8/24/01	GW07654RG	o-CHLOROTOLUENE	REAL	TR1	20	UG/L	U	V1	20	20			Perf Monitoring
12691	8/24/01	GW07654RG	p-CHLOROTOLUENE	REAL	TR1	20	UG/L	U	V1	20	20			Perf Monitoring
12691	8/24/01	GW07654RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	20	UG/L	U	R1	20	20	0.2		Perf Monitoring
12691	8/24/01	GW07654RG	sec-BUTYLBENZENE	REAL	TR1	20	UG/L	U	V1	20	20			Perf Monitoring
12691	8/24/01	GW07654RG	STYRENE	REAL	TR1	20	UG/L	U	V1	20	20	100		Perf Monitoring
12691	8/24/01	GW07654RG	tert-BUTYLBENZENE	REAL	TR1	20	UG/L	U	V1	20	20			Perf Monitoring
12691	8/24/01	GW07654RG	TETRACHLOROETHENE	REAL	TR1	120	UG/L		V1	20	20	5		Perf Monitoring
12691	8/24/01	GW07654RG	TOLUENE	REAL	TR1	20	UG/L	U	V1	20	20	1000		Perf Monitoring
12691	8/24/01	GW07654RG	TOTAL XYLENES	REAL	TR1	60	UG/L	U	V1	60	20	10000		Perf Monitoring
12691	8/24/01	GW07654RG	trans-1,2-DICHLOROETHENE	REAL	TR1	20	UG/L	U	V1	20	20	70		Perf Monitoring
12691	8/24/01	GW07654RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	20	UG/L	U	V1	20	20	0.473		Perf Monitoring
12691	8/24/01	GW07654RG	TRICHLOROETHENE	REAL	TR1	65	UG/L		V1	20	20	5		Perf Monitoring
12691	8/24/01	GW07654RG	TRICHLOROFLUOROMETHANE	REAL	TR1	20	UG/L	U	V1	20	20			Perf Monitoring

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
12691	8/24/01	GW07654RG	VINYL CHLORIDE	REAL	TR1	20	UG/L	U	V1	20	20	2		Perf Monitoring
12691	8/24/01	GW07656RG	1,1,1,2-TETRACHLOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
12691	8/24/01	GW07656RG	1,1,1-TRICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1	200		Perf Monitoring
12691	8/24/01	GW07656RG	1,1,2,2-TETRACHLOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1	0.426		Perf Monitoring
12691	8/24/01	GW07656RG	1,1,2-TRICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1	5		Perf Monitoring
12691	8/24/01	GW07656RG	1,1,2-TRICHLOROTRIFLUOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
12691	8/24/01	GW07656RG	1,1-DICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1	3650		Perf Monitoring
12691	8/24/01	GW07656RG	1,1-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	1	1	7		Perf Monitoring
12691	8/24/01	GW07656RG	1,1-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
12691	8/24/01	GW07656RG	1,2,3-TRICHLOROBENZENE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
12691	8/24/01	GW07656RG	1,2,3-TRICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
12691	8/24/01	GW07656RG	1,2,4-TRICHLOROBENZENE	RNS	TR1	1	UG/L	U	V1	1	1	70		Perf Monitoring
12691	8/24/01	GW07656RG	1,2-DIBROMOETHANE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
12691	8/24/01	GW07656RG	1,2-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	V1	1	1	600		Perf Monitoring
12691	8/24/01	GW07656RG	1,2-DICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1	5		Perf Monitoring
12691	8/24/01	GW07656RG	1,2-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	1	1	5		Perf Monitoring
12691	8/24/01	GW07656RG	1,3-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	V1	1	1	600		Perf Monitoring
12691	8/24/01	GW07656RG	1,3-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
12691	8/24/01	GW07656RG	1,4-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	V1	1	1	75		Perf Monitoring
12691	8/24/01	GW07656RG	2,2-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
12691	8/24/01	GW07656RG	2-BUTANONE	RNS	TR1	5	UG/L	U	R1	5	1	21900		Perf Monitoring
12691	8/24/01	GW07656RG	2-HEXANONE	RNS	TR1	5	UG/L	U	UJ1	5	1			Perf Monitoring
12691	8/24/01	GW07656RG	4-ISOPROPYLTOLUENE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
12691	8/24/01	GW07656RG	4-METHYL-2-PENTANONE	RNS	TR1	5	UG/L	U	V1	5	1	2920		Perf Monitoring
12691	8/24/01	GW07656RG	ACETONE	RNS	TR1	5	UG/L	J	J1	5	1	3650		Perf Monitoring
12691	8/24/01	GW07656RG	BENZENE	RNS	TR1	1	UG/L	U	V1	1	1	5		Perf Monitoring
12691	8/24/01	GW07656RG	BENZENE, 1,2,4-TRIMETHYL	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
12691	8/24/01	GW07656RG	BENZENE, 1,3,5-TRIMETHYL-	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
12691	8/24/01	GW07656RG	BROMOBENZENE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
12691	8/24/01	GW07656RG	BROMOCHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
12691	8/24/01	GW07656RG	BROMODICHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	1	1	100		Perf Monitoring
12691	8/24/01	GW07656RG	BROMOFORM	RNS	TR1	1	UG/L	U	V1	1	1	100		Perf Monitoring
12691	8/24/01	GW07656RG	BROMOMETHANE	RNS	TR1	1	UG/L	U	V1	1	1	51.1		Perf Monitoring
12691	8/24/01	GW07656RG	CARBON DISULFIDE	RNS	TR1	1	UG/L	U	V1	1	1	3650		Perf Monitoring
12691	8/24/01	GW07656RG	CARBON TETRACHLORIDE	RNS	TR1	1	UG/L	U	V1	1	1	5		Perf Monitoring
12691	8/24/01	GW07656RG	CHLOROBENZENE	RNS	TR1	1	UG/L	U	V1	1	1	100		Perf Monitoring
12691	8/24/01	GW07656RG	CHLOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1	29.4		Perf Monitoring
12691	8/24/01	GW07656RG	CHLOROFORM	RNS	TR1	1	UG/L	U	V1	1	1	100		Perf Monitoring
12691	8/24/01	GW07656RG	CHLOROMETHANE	RNS	TR1	0.2	UG/L	J	V1	1	1	6.55		Perf Monitoring
12691	8/24/01	GW07656RG	cis-1,2-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	1	1	70		Perf Monitoring
12691	8/24/01	GW07656RG	cis-1,3-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V1	1	1	0.473		Perf Monitoring
12691	8/24/01	GW07656RG	DIBROMOCHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	1	1	1.01		Perf Monitoring
12691	8/24/01	GW07656RG	DIBROMOMETHANE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
12691	8/24/01	GW07656RG	DICHLORODIFLUOROMETHANE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
12691	8/24/01	GW07656RG	ETHYLBENZENE	RNS	TR1	1	UG/L	U	V1	1	1	700		Perf Monitoring
12691	8/24/01	GW07656RG	HEXACHLOROBUTADIENE	RNS	TR1	1	UG/L	U	V1	1	1	1.09		Perf Monitoring
12691	8/24/01	GW07656RG	ISOPROPYLBENZENE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
12691	8/24/01	GW07656RG	METHYLENE CHLORIDE	RNS	TR1	1	UG/L	U	V1	1	1	5		Perf Monitoring
12691	8/24/01	GW07656RG	NAPHTHALENE	RNS	TR1	1	UG/L	U	V1	1	1	1460		Perf Monitoring
12691	8/24/01	GW07656RG	n-BUTYLBENZENE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
12691	8/24/01	GW07656RG	n-PROPYLBENZENE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
12691	8/24/01	GW07656RG	o-CHLOROTOLUENE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
12691	8/24/01	GW07656RG	p-CHLOROTOLUENE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
12691	8/24/01	GW07656RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	RNS	TR1	1	UG/L	U	R1	1	1	0.2		Perf Monitoring
12691	8/24/01	GW07656RG	sec-BUTYLBENZENE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
12691	8/24/01	GW07656RG	STYRENE	RNS	TR1	1	UG/L	U	V1	1	1	100		Perf Monitoring
12691	8/24/01	GW07656RG	tert-BUTYLBENZENE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
12691	8/24/01	GW07656RG	TETRACHLOROETHENE	RNS	TR1	1	UG/L	U	V1	1	1	5		Perf Monitoring
12691	8/24/01	GW07656RG	TOLUENE	RNS	TR1	1	UG/L	U	V1	1	1	1000		Perf Monitoring
12691	8/24/01	GW07656RG	TOTAL XYLENES	RNS	TR1	3	UG/L	U	V1	3	1	10000		Perf Monitoring
12691	8/24/01	GW07656RG	trans-1,2-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	1	1	70		Perf Monitoring
12691	8/24/01	GW07656RG	trans-1,3-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V1	1	1	0.473		Perf Monitoring
12691	8/24/01	GW07656RG	TRICHLOROETHENE	RNS	TR1	0.1	UG/L	J	JB1	1	1	5		Perf Monitoring
12691	8/24/01	GW07656RG	TRICHLOROFLUOROMETHANE	RNS	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
12691	8/24/01	GW07656RG	VINYL CHLORIDE	RNS	TR1	1	UG/L	U	V1	1	1	2		Perf Monitoring
20998	7/27/01	GW07747RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
20998	7/27/01	GW07747RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		200		D&D Bldg 771
20998	7/27/01	GW07747RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		0.426		D&D Bldg 771
20998	7/27/01	GW07747RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		5		D&D Bldg 771
20998	7/27/01	GW07747RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
20998	7/27/01	GW07747RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		3650		D&D Bldg 771
20998	7/27/01	GW07747RG	1,1-DICHLOROETHENE	REAL	TR1	0.12	UG/L	U	V1	1		7		D&D Bldg 771
20998	7/27/01	GW07747RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
20998	7/27/01	GW07747RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
20998	7/27/01	GW07747RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
20998	7/27/01	GW07747RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		70		D&D Bldg 771
20998	7/27/01	GW07747RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
20998	7/27/01	GW07747RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		600		D&D Bldg 771
20998	7/27/01	GW07747RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		5		D&D Bldg 771
20998	7/27/01	GW07747RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1		5		D&D Bldg 771
20998	7/27/01	GW07747RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		600		D&D Bldg 771
20998	7/27/01	GW07747RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
20998	7/27/01	GW07747RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		75		D&D Bldg 771
20998	7/27/01	GW07747RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
20998	7/27/01	GW07747RG	2-BUTANONE	REAL	TR1	10	UG/L	U	R1	3		21900		D&D Bldg 771
20998	7/27/01	GW07747RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	10				D&D Bldg 771
20998	7/27/01	GW07747RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
20998	7/27/01	GW07747RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	10		2920		D&D Bldg 771
20998	7/27/01	GW07747RG	ACETONE	REAL	TR1	10	UG/L	U	R1	10		3650		D&D Bldg 771
20998	7/27/01	GW07747RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	1		5		D&D Bldg 771
20998	7/27/01	GW07747RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
20998	7/27/01	GW07747RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
20998	7/27/01	GW07747RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
20998	7/27/01	GW07747RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
20998	7/27/01	GW07747RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1		100		D&D Bldg 771
20998	7/27/01	GW07747RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	1		100		D&D Bldg 771
20998	7/27/01	GW07747RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1		51.1		D&D Bldg 771
20998	7/27/01	GW07747RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	1		3650		D&D Bldg 771
20998	7/27/01	GW07747RG	CARBON TETRACHLORIDE	REAL	TR1	220	UG/L	E	J1	1		5		D&D Bldg 771
20998	7/27/01	GW07747RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		100		D&D Bldg 771
20998	7/27/01	GW07747RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		29.4		D&D Bldg 771
20998	7/27/01	GW07747RG	CHLOROFORM	REAL	TR1	70	UG/L	E	J1	1		100		D&D Bldg 771
20998	7/27/01	GW07747RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1		6.55		D&D Bldg 771
20998	7/27/01	GW07747RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1		70		D&D Bldg 771
20998	7/27/01	GW07747RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1		0.473		D&D Bldg 771
20998	7/27/01	GW07747RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1		1.01		D&D Bldg 771
20998	7/27/01	GW07747RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
20998	7/27/01	GW07747RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
20998	7/27/01	GW07747RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		700		D&D Bldg 771
20998	7/27/01	GW07747RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	1		1.09		D&D Bldg 771
20998	7/27/01	GW07747RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
20998	7/27/01	GW07747RG	METHYLENE CHLORIDE	REAL	TR1	0.21	UG/L	J	V1	1		5		D&D Bldg 771
20998	7/27/01	GW07747RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	1		1460		D&D Bldg 771
20998	7/27/01	GW07747RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
20998	7/27/01	GW07747RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
20998	7/27/01	GW07747RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
20998	7/27/01	GW07747RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
20998	7/27/01	GW07747RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R1	1		0.2		D&D Bldg 771
20998	7/27/01	GW07747RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
20998	7/27/01	GW07747RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	1		100		D&D Bldg 771
20998	7/27/01	GW07747RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
20998	7/27/01	GW07747RG	TETRACHLOROETHENE	REAL	TR1	0.49	UG/L	J	V1	1		5		D&D Bldg 771
20998	7/27/01	GW07747RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	1		1000		D&D Bldg 771
20998	7/27/01	GW07747RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	1		10000		D&D Bldg 771
20998	7/27/01	GW07747RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1		70		D&D Bldg 771
20998	7/27/01	GW07747RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1		0.473		D&D Bldg 771
20998	7/27/01	GW07747RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1		5		D&D Bldg 771
20998	7/27/01	GW07747RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
20998	7/27/01	GW07747RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	1		2		D&D Bldg 771
22596	8/1/01	GW07657RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1				Plume Extent
22596	8/1/01	GW07657RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		200		Plume Extent
22596	8/1/01	GW07657RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		0.426		Plume Extent
22596	8/1/01	GW07657RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		5		Plume Extent
22596	8/1/01	GW07657RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	1				Plume Extent
22596	8/1/01	GW07657RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		3650		Plume Extent
22596	8/1/01	GW07657RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1		7		Plume Extent
22596	8/1/01	GW07657RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1				Plume Extent
22596	8/1/01	GW07657RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				Plume Extent
22596	8/1/01	GW07657RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1				Plume Extent
22596	8/1/01	GW07657RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		70		Plume Extent
22596	8/1/01	GW07657RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	1				Plume Extent
22596	8/1/01	GW07657RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		600		Plume Extent
22596	8/1/01	GW07657RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		5		Plume Extent
22596	8/1/01	GW07657RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1		5		Plume Extent
22596	8/1/01	GW07657RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		600		Plume Extent
22596	8/1/01	GW07657RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1				Plume Extent
22596	8/1/01	GW07657RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		75		Plume Extent
22596	8/1/01	GW07657RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1				Plume Extent
22596	8/1/01	GW07657RG	2-BUTANONE	REAL	TR1	10	UG/L	U	R1	10		21900		Plume Extent
22596	8/1/01	GW07657RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	10				Plume Extent
22596	8/1/01	GW07657RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1				Plume Extent
22596	8/1/01	GW07657RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	10		2920		Plume Extent
22596	8/1/01	GW07657RG	ACETONE	REAL	TR1	10	UG/L	U	R1	10		3650		Plume Extent
22596	8/1/01	GW07657RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	1		5		Plume Extent
22596	8/1/01	GW07657RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	1				Plume Extent
22596	8/1/01	GW07657RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	1				Plume Extent
22596	8/1/01	GW07657RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				Plume Extent
22596	8/1/01	GW07657RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1				Plume Extent
22596	8/1/01	GW07657RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1		100		Plume Extent
22596	8/1/01	GW07657RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	1		100		Plume Extent
22596	8/1/01	GW07657RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1		51.1		Plume Extent
22596	8/1/01	GW07657RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	1		3650		Plume Extent
22596	8/1/01	GW07657RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	1		5		Plume Extent
22596	8/1/01	GW07657RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		100		Plume Extent
22596	8/1/01	GW07657RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		29.4		Plume Extent
22596	8/1/01	GW07657RG	CHLOROFORM	REAL	TR1	0.14	UG/L	J	V1	1		100		Plume Extent
22596	8/1/01	GW07657RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1		6.55		Plume Extent
22596	8/1/01	GW07657RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1		70		Plume Extent
22596	8/1/01	GW07657RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1		0.473		Plume Extent
22596	8/1/01	GW07657RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1		1.01		Plume Extent
22596	8/1/01	GW07657RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1				Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
22596	8/1/01	GW07657RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1				Plume Extent
22596	8/1/01	GW07657RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		700		Plume Extent
22596	8/1/01	GW07657RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	1		1.09		Plume Extent
22596	8/1/01	GW07657RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				Plume Extent
22596	8/1/01	GW07657RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	1		5		Plume Extent
22596	8/1/01	GW07657RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	1		1460		Plume Extent
22596	8/1/01	GW07657RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				Plume Extent
22596	8/1/01	GW07657RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				Plume Extent
22596	8/1/01	GW07657RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1				Plume Extent
22596	8/1/01	GW07657RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1				Plume Extent
22596	8/1/01	GW07657RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R1	1		0.2		Plume Extent
22596	8/1/01	GW07657RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				Plume Extent
22596	8/1/01	GW07657RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	1		100		Plume Extent
22596	8/1/01	GW07657RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				Plume Extent
22596	8/1/01	GW07657RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1		5		Plume Extent
22596	8/1/01	GW07657RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	1		1000		Plume Extent
22596	8/1/01	GW07657RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	1		10000		Plume Extent
22596	8/1/01	GW07657RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1		70		Plume Extent
22596	8/1/01	GW07657RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1		0.473		Plume Extent
22596	8/1/01	GW07657RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1		5		Plume Extent
22596	8/1/01	GW07657RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1				Plume Extent
22596	8/1/01	GW07657RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	2		2		Plume Extent
22696	7/23/01	GW07658RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.22	1			Plume Extent
22696	7/23/01	GW07658RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.26	1	200		Plume Extent
22696	7/23/01	GW07658RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.31	1	0.426		Plume Extent
22696	7/23/01	GW07658RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.39	1	5		Plume Extent
22696	7/23/01	GW07658RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V	0.21	1			Plume Extent
22696	7/23/01	GW07658RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.17	1	3650		Plume Extent
22696	7/23/01	GW07658RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	0.2	1	7		Plume Extent
22696	7/23/01	GW07658RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.22	1			Plume Extent
22696	7/23/01	GW07658RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.16	1			Plume Extent
22696	7/23/01	GW07658RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.29	1			Plume Extent
22696	7/23/01	GW07658RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.2	1	70		Plume Extent
22696	7/23/01	GW07658RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	0.36	1			Plume Extent
22696	7/23/01	GW07658RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.24	1	600		Plume Extent
22696	7/23/01	GW07658RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.28	1	5		Plume Extent
22696	7/23/01	GW07658RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.21	1	5		Plume Extent
22696	7/23/01	GW07658RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.26	1	600		Plume Extent
22696	7/23/01	GW07658RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.26	1			Plume Extent
22696	7/23/01	GW07658RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.24	1	75		Plume Extent
22696	7/23/01	GW07658RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.21	1			Plume Extent
22696	7/23/01	GW07658RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V	0.93	1	21900		Plume Extent
22696	7/23/01	GW07658RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V	0.7	1			Plume Extent
22696	7/23/01	GW07658RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.3	1			Plume Extent
22696	7/23/01	GW07658RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V	0.79	1	2920		Plume Extent
22696	7/23/01	GW07658RG	ACETONE	REAL	TR1	10	UG/L	U	V	1.9	1	3650		Plume Extent
22696	7/23/01	GW07658RG	BENZENE	REAL	TR1	1	UG/L	U	UJ	0.21	1	5		Plume Extent
22696	7/23/01	GW07658RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ	0.22	1			Plume Extent
22696	7/23/01	GW07658RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ	0.29	1			Plume Extent
22696	7/23/01	GW07658RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ	0.24	1			Plume Extent
22696	7/23/01	GW07658RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.21	1			Plume Extent
22696	7/23/01	GW07658RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.22	1	100		Plume Extent
22696	7/23/01	GW07658RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	0.32	1	100		Plume Extent
22696	7/23/01	GW07658RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	0.3	1	51.1		Plume Extent
22696	7/23/01	GW07658RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V	0.19	1	3650		Plume Extent
22696	7/23/01	GW07658RG	CARBON TETRACHLORIDE	REAL	TR1	0.47	UG/L	J	V	0.19	1	5		Plume Extent
22696	7/23/01	GW07658RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.3	1	100		Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
22696	7/23/01	GW07658RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.25	1	29.4		Plume Extent
22696	7/23/01	GW07658RG	CHLOROFORM	REAL	TR1	0.78	UG/L	J	V	0.23	1	100		Plume Extent
22696	7/23/01	GW07658RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.3	1	6.55		Plume Extent
22696	7/23/01	GW07658RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	0.26	1	70		Plume Extent
22696	7/23/01	GW07658RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.28	1	0.473		Plume Extent
22696	7/23/01	GW07658RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.38	1	1.01		Plume Extent
22696	7/23/01	GW07658RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	0.44	1			Plume Extent
22696	7/23/01	GW07658RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	0.23	1			Plume Extent
22696	7/23/01	GW07658RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.28	1	700		Plume Extent
22696	7/23/01	GW07658RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	0.29	1	1.09		Plume Extent
22696	7/23/01	GW07658RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.31	1			Plume Extent
22696	7/23/01	GW07658RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V	0.89	1	5		Plume Extent
22696	7/23/01	GW07658RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ	0.15	1	1460		Plume Extent
22696	7/23/01	GW07658RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.26	1			Plume Extent
22696	7/23/01	GW07658RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.23	1			Plume Extent
22696	7/23/01	GW07658RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.31	1			Plume Extent
22696	7/23/01	GW07658RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.25	1			Plume Extent
22696	7/23/01	GW07658RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V	0.25	1	0.2		Plume Extent
22696	7/23/01	GW07658RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.26	1			Plume Extent
22696	7/23/01	GW07658RG	STYRENE	REAL	TR1	1	UG/L	U	UJ	0.27	1	100		Plume Extent
22696	7/23/01	GW07658RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.29	1			Plume Extent
22696	7/23/01	GW07658RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V	0.36	1	5		Plume Extent
22696	7/23/01	GW07658RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ	0.29	1	1000		Plume Extent
22696	7/23/01	GW07658RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ	0.95	1	10000		Plume Extent
22696	7/23/01	GW07658RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V	0.27	1	70		Plume Extent
22696	7/23/01	GW07658RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.42	1	0.473		Plume Extent
22696	7/23/01	GW07658RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V	0.22	1	5		Plume Extent
22696	7/23/01	GW07658RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	0.28	1			Plume Extent
22696	7/23/01	GW07658RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	0.21	1	2		Plume Extent
22896	9/12/01	GW07659RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	4	UG/L	U	V1	4	4			Plume Definition
22896	9/12/01	GW07660RG	1,1,1,2-TETRACHLOROETHANE	DUP	TR1	7	UG/L	U	V1	7	7			Plume Definition
22896	9/12/01	GW07659RG	1,1,1-TRICHLOROETHANE	REAL	TR1	4	UG/L	U	V1	4	4	200		Plume Definition
22896	9/12/01	GW07660RG	1,1,1-TRICHLOROETHANE	DUP	TR1	7	UG/L	U	V1	7	7	200		Plume Definition
22896	9/12/01	GW07659RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	4	UG/L	U	V1	4	4	0.426		Plume Definition
22896	9/12/01	GW07660RG	1,1,2,2-TETRACHLOROETHANE	DUP	TR1	7	UG/L	U	V1	7	7	0.426		Plume Definition
22896	9/12/01	GW07659RG	1,1,2-TRICHLOROETHANE	REAL	TR1	4	UG/L	U	V1	4	4	5		Plume Definition
22896	9/12/01	GW07660RG	1,1,2-TRICHLOROETHANE	DUP	TR1	7	UG/L	U	V1	7	7	5		Plume Definition
22896	9/12/01	GW07659RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	0.4	UG/L	J	V1	4	4			Plume Definition
22896	9/12/01	GW07660RG	1,1,2-TRICHLOROTRIFLUOROETHANE	DUP	TR1	0.9	UG/L	J	V1	7	7			Plume Definition
22896	9/12/01	GW07659RG	1,1-DICHLOROETHANE	REAL	TR1	4	UG/L	U	V1	4	4	3650		Plume Definition
22896	9/12/01	GW07660RG	1,1-DICHLOROETHANE	DUP	TR1	7	UG/L	U	V1	7	7	3650		Plume Definition
22896	9/12/01	GW07659RG	1,1-DICHLOROETHENE	REAL	TR1	4	UG/L	U	V1	4	4	7		Plume Definition
22896	9/12/01	GW07660RG	1,1-DICHLOROETHENE	DUP	TR1	7	UG/L	U	V1	7	7	7		Plume Definition
22896	9/12/01	GW07659RG	1,1-DICHLOROPROPENE	REAL	TR1	4	UG/L	U	V1	4	4			Plume Definition
22896	9/12/01	GW07660RG	1,1-DICHLOROPROPENE	DUP	TR1	7	UG/L	U	V1	7	7			Plume Definition
22896	9/12/01	GW07659RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	4	UG/L	U	UJ1	4	4			Plume Definition
22896	9/12/01	GW07660RG	1,2,3-TRICHLOROBENZENE	DUP	TR1	7	UG/L	U	UJ1	7	7			Plume Definition
22896	9/12/01	GW07659RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	4	UG/L	U	V1	4	4			Plume Definition
22896	9/12/01	GW07660RG	1,2,3-TRICHLOROPROPANE	DUP	TR1	7	UG/L	U	V1	7	7			Plume Definition
22896	9/12/01	GW07659RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	4	UG/L	U	UJ1	4	4	70		Plume Definition
22896	9/12/01	GW07660RG	1,2,4-TRICHLOROBENZENE	DUP	TR1	7	UG/L	U	UJ1	7	7	70		Plume Definition
22896	9/12/01	GW07659RG	1,2-DIBROMOETHANE	REAL	TR1	4	UG/L	U	V1	4	4			Plume Definition
22896	9/12/01	GW07660RG	1,2-DIBROMOETHANE	DUP	TR1	7	UG/L	U	V1	7	7			Plume Definition
22896	9/12/01	GW07659RG	1,2-DICHLOROBENZENE	REAL	TR1	4	UG/L	U	UJ1	4	4	600		Plume Definition
22896	9/12/01	GW07660RG	1,2-DICHLOROBENZENE	DUP	TR1	7	UG/L	U	UJ1	7	7	600		Plume Definition
22896	9/12/01	GW07659RG	1,2-DICHLOROETHANE	REAL	TR1	4	UG/L	U	V1	4	4	5		Plume Definition
22896	9/12/01	GW07660RG	1,2-DICHLOROETHANE	DUP	TR1	7	UG/L	U	V1	7	7	5		Plume Definition

368

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
22896	9/12/01	GW07659RG	1,2-DICHLOROPROPANE	REAL	TR1	4	UG/L	U	V1	4	4	5		Plume Definition
22896	9/12/01	GW07660RG	1,2-DICHLOROPROPANE	DUP	TR1	7	UG/L	U	V1	7	7	5		Plume Definition
22896	9/12/01	GW07659RG	1,3-DICHLOROBENZENE	REAL	TR1	4	UG/L	U	UJ1	4	4	600		Plume Definition
22896	9/12/01	GW07660RG	1,3-DICHLOROBENZENE	DUP	TR1	7	UG/L	U	UJ1	7	7	600		Plume Definition
22896	9/12/01	GW07659RG	1,3-DICHLOROPROPANE	REAL	TR1	4	UG/L	U	V1	4	4			Plume Definition
22896	9/12/01	GW07660RG	1,3-DICHLOROPROPANE	DUP	TR1	7	UG/L	U	V1	7	7			Plume Definition
22896	9/12/01	GW07659RG	1,4-DICHLOROBENZENE	REAL	TR1	4	UG/L	U	UJ1	4	4	75		Plume Definition
22896	9/12/01	GW07660RG	1,4-DICHLOROBENZENE	DUP	TR1	7	UG/L	U	UJ1	7	7	75		Plume Definition
22896	9/12/01	GW07659RG	2,2-DICHLOROPROPANE	REAL	TR1	4	UG/L	U	V1	4	4			Plume Definition
22896	9/12/01	GW07660RG	2,2-DICHLOROPROPANE	DUP	TR1	7	UG/L	U	V1	7	7			Plume Definition
22896	9/12/01	GW07659RG	2-BUTANONE	REAL	TR1	40	UG/L	U	R1	40	4	21900		Plume Definition
22896	9/12/01	GW07660RG	2-BUTANONE	DUP	TR1	70	UG/L	U	R1	70	7	21900		Plume Definition
22896	9/12/01	GW07659RG	2-HEXANONE	REAL	TR1	40	UG/L	U	UJ1	40	4			Plume Definition
22896	9/12/01	GW07660RG	2-HEXANONE	DUP	TR1	70	UG/L	U	UJ1	70	7			Plume Definition
22896	9/12/01	GW07659RG	4-ISOPROPYLTOLUENE	REAL	TR1	4	UG/L	U	UJ1	4	4			Plume Definition
22896	9/12/01	GW07660RG	4-ISOPROPYLTOLUENE	DUP	TR1	7	UG/L	U	UJ1	7	7			Plume Definition
22896	9/12/01	GW07659RG	4-METHYL-2-PENTANONE	REAL	TR1	40	UG/L	U	V1	40	4	2920		Plume Definition
22896	9/12/01	GW07660RG	4-METHYL-2-PENTANONE	DUP	TR1	70	UG/L	U	V1	70	7	2920		Plume Definition
22896	9/12/01	GW07659RG	ACETONE	REAL	TR1	40	UG/L	U	R1	40	4	3650		Plume Definition
22896	9/12/01	GW07660RG	ACETONE	DUP	TR1	70	UG/L	U	R1	70	7	3650		Plume Definition
22896	9/12/01	GW07659RG	BENZENE	REAL	TR1	4	UG/L	U	UJ1	4	4	5		Plume Definition
22896	9/12/01	GW07660RG	BENZENE	DUP	TR1	7	UG/L	U	UJ1	7	7	5		Plume Definition
22896	9/12/01	GW07659RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	4	UG/L	U	UJ1	4	4			Plume Definition
22896	9/12/01	GW07660RG	BENZENE, 1,2,4-TRIMETHYL	DUP	TR1	7	UG/L	U	UJ1	7	7			Plume Definition
22896	9/12/01	GW07659RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	4	UG/L	U	UJ1	4	4			Plume Definition
22896	9/12/01	GW07660RG	BENZENE, 1,3,5-TRIMETHYL-	DUP	TR1	7	UG/L	U	UJ1	7	7			Plume Definition
22896	9/12/01	GW07659RG	BROMOBENZENE	REAL	TR1	4	UG/L	U	UJ1	4	4			Plume Definition
22896	9/12/01	GW07660RG	BROMOBENZENE	DUP	TR1	7	UG/L	U	UJ1	7	7			Plume Definition
22896	9/12/01	GW07659RG	BROMOCHLOROMETHANE	REAL	TR1	4	UG/L	U	V1	4	4			Plume Definition
22896	9/12/01	GW07660RG	BROMOCHLOROMETHANE	DUP	TR1	7	UG/L	U	V1	7	7			Plume Definition
22896	9/12/01	GW07659RG	BROMODICHLOROMETHANE	REAL	TR1	2	UG/L	J	V1	4	4	100		Plume Definition
22896	9/12/01	GW07660RG	BROMODICHLOROMETHANE	DUP	TR1	2	UG/L	J	V1	7	7	100		Plume Definition
22896	9/12/01	GW07659RG	BROMOFORM	REAL	TR1	4	UG/L	U	V1	4	4	100		Plume Definition
22896	9/12/01	GW07660RG	BROMOFORM	DUP	TR1	7	UG/L	U	V1	7	7	100		Plume Definition
22896	9/12/01	GW07659RG	BROMOMETHANE	REAL	TR1	4	UG/L	U	V1	4	4	51.1		Plume Definition
22896	9/12/01	GW07660RG	BROMOMETHANE	DUP	TR1	7	UG/L	U	V1	7	7	51.1		Plume Definition
22896	9/12/01	GW07659RG	CARBON DISULFIDE	REAL	TR1	4	UG/L	U	V1	4	4	3650		Plume Definition
22896	9/12/01	GW07660RG	CARBON DISULFIDE	DUP	TR1	7	UG/L	U	V1	7	7	3650		Plume Definition
22896	9/12/01	GW07659RG	CARBON TETRACHLORIDE	REAL	TR1	0.8	UG/L	J	V1	4	4	5		Plume Definition
22896	9/12/01	GW07660RG	CARBON TETRACHLORIDE	DUP	TR1	1	UG/L	J	V1	7	7	5		Plume Definition
22896	9/12/01	GW07659RG	CHLOROBENZENE	REAL	TR1	4	UG/L	U	UJ1	4	4	100		Plume Definition
22896	9/12/01	GW07660RG	CHLOROBENZENE	DUP	TR1	7	UG/L	U	UJ1	7	7	100		Plume Definition
22896	9/12/01	GW07659RG	CHLOROETHANE	REAL	TR1	4	UG/L	U	V1	4	4	29.4		Plume Definition
22896	9/12/01	GW07660RG	CHLOROETHANE	DUP	TR1	7	UG/L	U	V1	7	7	29.4		Plume Definition
22896	9/12/01	GW07659RG	CHLOROFORM	REAL	TR1	34	UG/L		V1	4	4	100		Plume Definition
22896	9/12/01	GW07660RG	CHLOROFORM	DUP	TR1	38	UG/L		V1	7	7	100		Plume Definition
22896	9/12/01	GW07659RG	CHLOROMETHANE	REAL	TR1	4	UG/L	U	V1	4	4	6.55		Plume Definition
22896	9/12/01	GW07660RG	CHLOROMETHANE	DUP	TR1	7	UG/L	U	V1	7	7	6.55		Plume Definition
22896	9/12/01	GW07659RG	cis-1,2-DICHLOROETHENE	REAL	TR1	4	UG/L	U	V1	4	4	70		Plume Definition
22896	9/12/01	GW07660RG	cis-1,2-DICHLOROETHENE	DUP	TR1	7	UG/L	U	V1	7	7	70		Plume Definition
22896	9/12/01	GW07659RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	4	UG/L	U	V1	4	4	0.473		Plume Definition
22896	9/12/01	GW07660RG	cis-1,3-DICHLOROPROPENE	DUP	TR1	7	UG/L	U	V1	7	7	0.473		Plume Definition
22896	9/12/01	GW07659RG	DIBROMOCHLOROMETHANE	REAL	TR1	4	UG/L	U	V1	4	4	1.01		Plume Definition
22896	9/12/01	GW07660RG	DIBROMOCHLOROMETHANE	DUP	TR1	7	UG/L	U	V1	7	7	1.01		Plume Definition
22896	9/12/01	GW07659RG	DIBROMOMETHANE	REAL	TR1	4	UG/L	U	V1	4	4			Plume Definition
22896	9/12/01	GW07660RG	DIBROMOMETHANE	DUP	TR1	7	UG/L	U	V1	7	7			Plume Definition
22896	9/12/01	GW07659RG	DICHLORODIFLUOROMETHANE	REAL	TR1	4	UG/L	U	V1	4	4			Plume Definition

269

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
22896	9/12/01	GW07660RG	DICHLORODIFLUOROMETHANE	DUP	TR1	7	UG/L	U	V1	7	7			Plume Definition
22896	9/12/01	GW07659RG	ETHYLBENZENE	REAL	TR1	4	UG/L	U	UJ1	4	4	700		Plume Definition
22896	9/12/01	GW07660RG	ETHYLBENZENE	DUP	TR1	7	UG/L	U	UJ1	7	7	700		Plume Definition
22896	9/12/01	GW07659RG	HEXACHLOROBUTADIENE	REAL	TR1	4	UG/L	U	V1	4	4	1.09		Plume Definition
22896	9/12/01	GW07660RG	HEXACHLOROBUTADIENE	DUP	TR1	7	UG/L	U	V1	7	7	1.09		Plume Definition
22896	9/12/01	GW07659RG	ISOPROPYLBENZENE	REAL	TR1	4	UG/L	U	UJ1	4	4			Plume Definition
22896	9/12/01	GW07660RG	ISOPROPYLBENZENE	DUP	TR1	7	UG/L	U	UJ1	7	7			Plume Definition
22896	9/12/01	GW07659RG	METHYLENE CHLORIDE	REAL	TR1	0.6	UG/L	J	JB1	4	4	5		Plume Definition
22896	9/12/01	GW07660RG	METHYLENE CHLORIDE	DUP	TR1	1	UG/L	J	JB1	7	7	5		Plume Definition
22896	9/12/01	GW07659RG	NAPHTHALENE	REAL	TR1	4	UG/L	U	UJ1	4	4	1460		Plume Definition
22896	9/12/01	GW07660RG	NAPHTHALENE	DUP	TR1	7	UG/L	U	UJ1	7	7	1460		Plume Definition
22896	9/12/01	GW07659RG	n-BUTYLBENZENE	REAL	TR1	4	UG/L	U	UJ1	4	4			Plume Definition
22896	9/12/01	GW07660RG	n-BUTYLBENZENE	DUP	TR1	7	UG/L	U	UJ1	7	7			Plume Definition
22896	9/12/01	GW07659RG	n-PROPYLBENZENE	REAL	TR1	4	UG/L	U	UJ1	4	4			Plume Definition
22896	9/12/01	GW07660RG	n-PROPYLBENZENE	DUP	TR1	7	UG/L	U	UJ1	7	7			Plume Definition
22896	9/12/01	GW07659RG	o-CHLOROTOLUENE	REAL	TR1	4	UG/L	U	UJ1	4	4			Plume Definition
22896	9/12/01	GW07660RG	o-CHLOROTOLUENE	DUP	TR1	7	UG/L	U	UJ1	7	7			Plume Definition
22896	9/12/01	GW07659RG	p-CHLOROTOLUENE	REAL	TR1	4	UG/L	U	UJ1	4	4			Plume Definition
22896	9/12/01	GW07660RG	p-CHLOROTOLUENE	DUP	TR1	7	UG/L	U	UJ1	7	7			Plume Definition
22896	9/12/01	GW07659RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	4	UG/L	U	V1	4	4	0.2		Plume Definition
22896	9/12/01	GW07660RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	DUP	TR1	7	UG/L	U	V1	7	7	0.2		Plume Definition
22896	9/12/01	GW07659RG	sec-BUTYLBENZENE	REAL	TR1	4	UG/L	U	UJ1	4	4			Plume Definition
22896	9/12/01	GW07660RG	sec-BUTYLBENZENE	DUP	TR1	7	UG/L	U	UJ1	7	7			Plume Definition
22896	9/12/01	GW07659RG	STYRENE	REAL	TR1	4	UG/L	U	UJ1	4	4	100		Plume Definition
22896	9/12/01	GW07660RG	STYRENE	DUP	TR1	7	UG/L	U	UJ1	7	7	100		Plume Definition
22896	9/12/01	GW07659RG	tert-BUTYLBENZENE	REAL	TR1	4	UG/L	U	UJ1	4	4			Plume Definition
22896	9/12/01	GW07660RG	tert-BUTYLBENZENE	DUP	TR1	7	UG/L	U	UJ1	7	7			Plume Definition
22896	9/12/01	GW07659RG	TETRACHLOROETHENE	REAL	TR1	4	UG/L	U	V1	4	4	5		Plume Definition
22896	9/12/01	GW07660RG	TETRACHLOROETHENE	DUP	TR1	7	UG/L	U	V1	7	7	5		Plume Definition
22896	9/12/01	GW07659RG	TOLUENE	REAL	TR1	4	UG/L	U	UJ1	4	4	1000		Plume Definition
22896	9/12/01	GW07660RG	TOLUENE	DUP	TR1	7	UG/L	U	UJ1	7	7	1000		Plume Definition
22896	9/12/01	GW07659RG	TOTAL XYLENES	REAL	TR1	12	UG/L	U	UJ1	12	4	10000		Plume Definition
22896	9/12/01	GW07660RG	TOTAL XYLENES	DUP	TR1	21	UG/L	U	UJ1	21	7	10000		Plume Definition
22896	9/12/01	GW07659RG	trans-1,2-DICHLOROETHENE	REAL	TR1	4	UG/L	U	V1	4	4	70		Plume Definition
22896	9/12/01	GW07660RG	trans-1,2-DICHLOROETHENE	DUP	TR1	7	UG/L	U	V1	7	7	70		Plume Definition
22896	9/12/01	GW07659RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	4	UG/L	U	V1	4	4	0.473		Plume Definition
22896	9/12/01	GW07660RG	trans-1,3-DICHLOROPROPENE	DUP	TR1	7	UG/L	U	V1	7	7	0.473		Plume Definition
22896	9/12/01	GW07659RG	TRICHLOROETHENE	REAL	TR1	140	UG/L		V1	4	4	5		Plume Definition
22896	9/12/01	GW07660RG	TRICHLOROETHENE	DUP	TR1	170	UG/L		V1	7	7	5		Plume Definition
22896	9/12/01	GW07659RG	TRICHLOROFLUOROMETHANE	REAL	TR1	4	UG/L	U	V1	4	4			Plume Definition
22896	9/12/01	GW07660RG	TRICHLOROFLUOROMETHANE	DUP	TR1	7	UG/L	U	V1	7	7			Plume Definition
22896	9/12/01	GW07659RG	VINYL CHLORIDE	REAL	TR1	4	UG/L	U	V1	4	4	2		Plume Definition
22896	9/12/01	GW07660RG	VINYL CHLORIDE	DUP	TR1	7	UG/L	U	V1	7	7	2		Plume Definition
22996	8/1/01	GW07694RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 886
22996	8/1/01	GW07694RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		200		D&D Bldg 886
22996	8/1/01	GW07694RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		0.426		D&D Bldg 886
22996	8/1/01	GW07694RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		5		D&D Bldg 886
22996	8/1/01	GW07694RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 886
22996	8/1/01	GW07694RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		3650		D&D Bldg 886
22996	8/1/01	GW07694RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1		7		D&D Bldg 886
22996	8/1/01	GW07694RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 886
22996	8/1/01	GW07694RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 886
22996	8/1/01	GW07694RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 886
22996	8/1/01	GW07694RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		70		D&D Bldg 886
22996	8/1/01	GW07694RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 886
22996	8/1/01	GW07694RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		600		D&D Bldg 886
22996	8/1/01	GW07694RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		5		D&D Bldg 886

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
22996	8/1/01	GW07694RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1		5		D&D Bldg 886
22996	8/1/01	GW07694RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		600		D&D Bldg 886
22996	8/1/01	GW07694RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 886
22996	8/1/01	GW07694RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		75		D&D Bldg 886
22996	8/1/01	GW07694RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 886
22996	8/1/01	GW07694RG	2-BUTANONE	REAL	TR1	10	UG/L	U	R1	10		21900		D&D Bldg 886
22996	8/1/01	GW07694RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	10				D&D Bldg 886
22996	8/1/01	GW07694RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 886
22996	8/1/01	GW07694RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	10		2920		D&D Bldg 886
22996	8/1/01	GW07694RG	ACETONE	REAL	TR1	10	UG/L	U	R1	10		3650		D&D Bldg 886
22996	8/1/01	GW07694RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	1		5		D&D Bldg 886
22996	8/1/01	GW07694RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 886
22996	8/1/01	GW07694RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 886
22996	8/1/01	GW07694RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 886
22996	8/1/01	GW07694RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 886
22996	8/1/01	GW07694RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1		100		D&D Bldg 886
22996	8/1/01	GW07694RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	1		100		D&D Bldg 886
22996	8/1/01	GW07694RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1		51.1		D&D Bldg 886
22996	8/1/01	GW07694RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	1		3650		D&D Bldg 886
22996	8/1/01	GW07694RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	1		5		D&D Bldg 886
22996	8/1/01	GW07694RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		100		D&D Bldg 886
22996	8/1/01	GW07694RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		29.4		D&D Bldg 886
22996	8/1/01	GW07694RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	1		100		D&D Bldg 886
22996	8/1/01	GW07694RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1		6.55		D&D Bldg 886
22996	8/1/01	GW07694RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1		70		D&D Bldg 886
22996	8/1/01	GW07694RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1		0.473		D&D Bldg 886
22996	8/1/01	GW07694RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1		1.01		D&D Bldg 886
22996	8/1/01	GW07694RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 886
22996	8/1/01	GW07694RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 886
22996	8/1/01	GW07694RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		700		D&D Bldg 886
22996	8/1/01	GW07694RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	1		1.09		D&D Bldg 886
22996	8/1/01	GW07694RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 886
22996	8/1/01	GW07694RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	1		5		D&D Bldg 886
22996	8/1/01	GW07694RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	1		1460		D&D Bldg 886
22996	8/1/01	GW07694RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 886
22996	8/1/01	GW07694RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 886
22996	8/1/01	GW07694RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 886
22996	8/1/01	GW07694RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 886
22996	8/1/01	GW07694RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R1	1		0.2		D&D Bldg 886
22996	8/1/01	GW07694RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 886
22996	8/1/01	GW07694RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	1		100		D&D Bldg 886
22996	8/1/01	GW07694RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 886
22996	8/1/01	GW07694RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1		5		D&D Bldg 886
22996	8/1/01	GW07694RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	1		1000		D&D Bldg 886
22996	8/1/01	GW07694RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	1		10000		D&D Bldg 886
22996	8/1/01	GW07694RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1		70		D&D Bldg 886
22996	8/1/01	GW07694RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1		0.473		D&D Bldg 886
22996	8/1/01	GW07694RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1		5		D&D Bldg 886
22996	8/1/01	GW07694RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 886
22996	8/1/01	GW07694RG	VINYL CHLORIDE	REAL	TR1	2	UG/L	U	V1	2		2		D&D Bldg 886
23096	8/14/01	GW07661RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
23096	8/14/01	GW07661RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	200		Plume Extent
23096	8/14/01	GW07661RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	0.426		Plume Extent
23096	8/14/01	GW07661RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	5		Plume Extent
23096	8/14/01	GW07661RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
23096	8/14/01	GW07661RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	3650		Plume Extent
23096	8/14/01	GW07661RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	7		Plume Extent

291

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
23096	8/14/01	GW07661RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
23096	8/14/01	GW07661RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
23096	8/14/01	GW07661RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
23096	8/14/01	GW07661RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	70		Plume Extent
23096	8/14/01	GW07661RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
23096	8/14/01	GW07661RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	600		Plume Extent
23096	8/14/01	GW07661RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	5		Plume Extent
23096	8/14/01	GW07661RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1	5		Plume Extent
23096	8/14/01	GW07661RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	600		Plume Extent
23096	8/14/01	GW07661RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
23096	8/14/01	GW07661RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	75		Plume Extent
23096	8/14/01	GW07661RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
23096	8/14/01	GW07661RG	2-BUTANONE	REAL	TR1	5	UG/L	U		5	1	21900		Plume Extent
23096	8/14/01	GW07661RG	2-HEXANONE	REAL	TR1	10	UG/L	U		10	1			Plume Extent
23096	8/14/01	GW07661RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
23096	8/14/01	GW07661RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U		10	1	2920		Plume Extent
23096	8/14/01	GW07661RG	ACETONE	REAL	TR1	10	UG/L	U		10	1	3650		Plume Extent
23096	8/14/01	GW07661RG	BENZENE	REAL	TR1	1	UG/L	U		1	1	5		Plume Extent
23096	8/14/01	GW07661RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U		1	1			Plume Extent
23096	8/14/01	GW07661RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U		1	1			Plume Extent
23096	8/14/01	GW07661RG	BROMOBENZENE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
23096	8/14/01	GW07661RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
23096	8/14/01	GW07661RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1	100		Plume Extent
23096	8/14/01	GW07661RG	BROMOFORM	REAL	TR1	1	UG/L	U		1	1	100		Plume Extent
23096	8/14/01	GW07661RG	BROMOMETHANE	REAL	TR1	1	UG/L	U		1	1	51.1		Plume Extent
23096	8/14/01	GW07661RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U		1	1	3650		Plume Extent
23096	8/14/01	GW07661RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U		1	1	5		Plume Extent
23096	8/14/01	GW07661RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	100		Plume Extent
23096	8/14/01	GW07661RG	CHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	29.4		Plume Extent
23096	8/14/01	GW07661RG	CHLOROFORM	REAL	TR1	1	UG/L	U		1	1	100		Plume Extent
23096	8/14/01	GW07661RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1	6.55		Plume Extent
23096	8/14/01	GW07661RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	70		Plume Extent
23096	8/14/01	GW07661RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U		1	1	0.473		Plume Extent
23096	8/14/01	GW07661RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1	1.01		Plume Extent
23096	8/14/01	GW07661RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
23096	8/14/01	GW07661RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
23096	8/14/01	GW07661RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U		1	1	700		Plume Extent
23096	8/14/01	GW07661RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U		1	1	1.09		Plume Extent
23096	8/14/01	GW07661RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
23096	8/14/01	GW07661RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U		1	1	5		Plume Extent
23096	8/14/01	GW07661RG	NAPHTHALENE	REAL	TR1	1	UG/L	U		1	1	1460		Plume Extent
23096	8/14/01	GW07661RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
23096	8/14/01	GW07661RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
23096	8/14/01	GW07661RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
23096	8/14/01	GW07661RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
23096	8/14/01	GW07661RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U		1	1	0.2		Plume Extent
23096	8/14/01	GW07661RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
23096	8/14/01	GW07661RG	STYRENE	REAL	TR1	1	UG/L	U		1	1	100		Plume Extent
23096	8/14/01	GW07661RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
23096	8/14/01	GW07661RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	5		Plume Extent
23096	8/14/01	GW07661RG	TOLUENE	REAL	TR1	1	UG/L	U		1	1	1000		Plume Extent
23096	8/14/01	GW07661RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U		3	1	10000		Plume Extent
23096	8/14/01	GW07661RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	70		Plume Extent
23096	8/14/01	GW07661RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U		1	1	0.473		Plume Extent
23096	8/14/01	GW07661RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	5		Plume Extent
23096	8/14/01	GW07661RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U		1	1			Plume Extent
23096	8/14/01	GW07661RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U		1	1	2		Plume Extent

272

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
37101	8/8/01	GW07680RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			D&D Bldg 371
37101	8/8/01	GW07680RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	200		D&D Bldg 371
37101	8/8/01	GW07680RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	0.426		D&D Bldg 371
37101	8/8/01	GW07680RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		D&D Bldg 371
37101	8/8/01	GW07680RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			D&D Bldg 371
37101	8/8/01	GW07680RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	3650		D&D Bldg 371
37101	8/8/01	GW07680RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	7		D&D Bldg 371
37101	8/8/01	GW07680RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1			D&D Bldg 371
37101	8/8/01	GW07680RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			D&D Bldg 371
37101	8/8/01	GW07680RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			D&D Bldg 371
37101	8/8/01	GW07680RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	70		D&D Bldg 371
37101	8/8/01	GW07680RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	1	1			D&D Bldg 371
37101	8/8/01	GW07680RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		D&D Bldg 371
37101	8/8/01	GW07680RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		D&D Bldg 371
37101	8/8/01	GW07680RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1	5		D&D Bldg 371
37101	8/8/01	GW07680RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		D&D Bldg 371
37101	8/8/01	GW07680RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			D&D Bldg 371
37101	8/8/01	GW07680RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	75		D&D Bldg 371
37101	8/8/01	GW07680RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			D&D Bldg 371
37101	8/8/01	GW07680RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R1	5	1	21900		D&D Bldg 371
37101	8/8/01	GW07680RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	10	1			D&D Bldg 371
37101	8/8/01	GW07680RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			D&D Bldg 371
37101	8/8/01	GW07680RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	10	1	2920		D&D Bldg 371
37101	8/8/01	GW07680RG	ACETONE	REAL	TR1	10	UG/L	U	R1	10	1	3650		D&D Bldg 371
37101	8/8/01	GW07680RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	5		D&D Bldg 371
37101	8/8/01	GW07680RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	1	1			D&D Bldg 371
37101	8/8/01	GW07680RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	1	1			D&D Bldg 371
37101	8/8/01	GW07680RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			D&D Bldg 371
37101	8/8/01	GW07680RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			D&D Bldg 371
37101	8/8/01	GW07680RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	100		D&D Bldg 371
37101	8/8/01	GW07680RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		D&D Bldg 371
37101	8/8/01	GW07680RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	51.1		D&D Bldg 371
37101	8/8/01	GW07680RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	1	1	3650		D&D Bldg 371
37101	8/8/01	GW07680RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		D&D Bldg 371
37101	8/8/01	GW07680RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		D&D Bldg 371
37101	8/8/01	GW07680RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	29.4		D&D Bldg 371
37101	8/8/01	GW07680RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		D&D Bldg 371
37101	8/8/01	GW07680RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	6.55		D&D Bldg 371
37101	8/8/01	GW07680RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		D&D Bldg 371
37101	8/8/01	GW07680RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		D&D Bldg 371
37101	8/8/01	GW07680RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	1.01		D&D Bldg 371
37101	8/8/01	GW07680RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			D&D Bldg 371
37101	8/8/01	GW07680RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			D&D Bldg 371
37101	8/8/01	GW07680RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	700		D&D Bldg 371
37101	8/8/01	GW07680RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	1	1	1.09		D&D Bldg 371
37101	8/8/01	GW07680RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			D&D Bldg 371
37101	8/8/01	GW07680RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		D&D Bldg 371
37101	8/8/01	GW07680RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1460		D&D Bldg 371
37101	8/8/01	GW07680RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			D&D Bldg 371
37101	8/8/01	GW07680RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			D&D Bldg 371
37101	8/8/01	GW07680RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			D&D Bldg 371
37101	8/8/01	GW07680RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			D&D Bldg 371
37101	8/8/01	GW07680RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R1	1	1	0.2		D&D Bldg 371
37101	8/8/01	GW07680RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			D&D Bldg 371
37101	8/8/01	GW07680RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		D&D Bldg 371
37101	8/8/01	GW07680RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			D&D Bldg 371
37101	8/8/01	GW07680RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	5		D&D Bldg 371

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
37101	8/8/01	GW07680RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1000		D&D Bldg 371
37101	8/8/01	GW07680RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	UJ1	3	1	10000		D&D Bldg 371
37101	8/8/01	GW07680RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		D&D Bldg 371
37101	8/8/01	GW07680RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		D&D Bldg 371
37101	8/8/01	GW07680RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	5		D&D Bldg 371
37101	8/8/01	GW07680RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			D&D Bldg 371
37101	8/8/01	GW07680RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	2		D&D Bldg 371
37201	8/10/01	GW07681RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07682RG	1,1,1,2-TETRACHLOROETHANE	DUP	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07681RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	200		D&D Bldg 371
37201	8/10/01	GW07682RG	1,1,1-TRICHLOROETHANE	DUP	TR1	1	UG/L	U	V	1	1	200		D&D Bldg 371
37201	8/10/01	GW07681RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	0.426		D&D Bldg 371
37201	8/10/01	GW07682RG	1,1,2,2-TETRACHLOROETHANE	DUP	TR1	1	UG/L	U	V	1	1	0.426		D&D Bldg 371
37201	8/10/01	GW07681RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37201	8/10/01	GW07682RG	1,1,2-TRICHLOROETHANE	DUP	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37201	8/10/01	GW07681RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07682RG	1,1,2-TRICHLOROTRIFLUOROETHANE	DUP	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07681RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	3650		D&D Bldg 371
37201	8/10/01	GW07682RG	1,1-DICHLOROETHANE	DUP	TR1	1	UG/L	U	V	1	1	3650		D&D Bldg 371
37201	8/10/01	GW07681RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	7		D&D Bldg 371
37201	8/10/01	GW07682RG	1,1-DICHLOROETHENE	DUP	TR1	1	UG/L	U	V	1	1	7		D&D Bldg 371
37201	8/10/01	GW07681RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07682RG	1,1-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07681RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07682RG	1,2,3-TRICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07681RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07682RG	1,2,3-TRICHLOROPROPANE	DUP	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07681RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	70		D&D Bldg 371
37201	8/10/01	GW07682RG	1,2,4-TRICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ	1	1	70		D&D Bldg 371
37201	8/10/01	GW07681RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07682RG	1,2-DIBROMOETHANE	DUP	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07681RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	600		D&D Bldg 371
37201	8/10/01	GW07682RG	1,2-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ	1	1	600		D&D Bldg 371
37201	8/10/01	GW07681RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37201	8/10/01	GW07682RG	1,2-DICHLOROETHANE	DUP	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37201	8/10/01	GW07681RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37201	8/10/01	GW07682RG	1,2-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37201	8/10/01	GW07681RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	600		D&D Bldg 371
37201	8/10/01	GW07682RG	1,3-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ	1	1	600		D&D Bldg 371
37201	8/10/01	GW07681RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07682RG	1,3-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07681RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	75		D&D Bldg 371
37201	8/10/01	GW07682RG	1,4-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ	1	1	75		D&D Bldg 371
37201	8/10/01	GW07681RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07682RG	2,2-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07681RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R	5	1	21900		D&D Bldg 371
37201	8/10/01	GW07682RG	2-BUTANONE	DUP	TR1	5	UG/L	U	R	5	1	21900		D&D Bldg 371
37201	8/10/01	GW07681RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V	10	1			D&D Bldg 371
37201	8/10/01	GW07682RG	2-HEXANONE	DUP	TR1	10	UG/L	U	V	10	1			D&D Bldg 371
37201	8/10/01	GW07681RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07682RG	4-ISOPROPYLTOLUENE	DUP	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07681RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V	10	1	2920		D&D Bldg 371
37201	8/10/01	GW07682RG	4-METHYL-2-PENTANONE	DUP	TR1	10	UG/L	U	V	10	1	2920		D&D Bldg 371
37201	8/10/01	GW07681RG	ACETONE	REAL	TR1	10	UG/L	U	R	10	1	3650		D&D Bldg 371
37201	8/10/01	GW07682RG	ACETONE	DUP	TR1	10	UG/L	U	R	10	1	3650		D&D Bldg 371
37201	8/10/01	GW07681RG	BENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	5		D&D Bldg 371
37201	8/10/01	GW07682RG	BENZENE	DUP	TR1	1	UG/L	U	UJ	1	1	5		D&D Bldg 371

274

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
37201	8/10/01	GW07681RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07682RG	BENZENE, 1,2,4-TRIMETHYL	DUP	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07681RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07682RG	BENZENE, 1,3,5-TRIMETHYL-	DUP	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07681RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07682RG	BROMOBENZENE	DUP	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07681RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07682RG	BROMOCHLOROMETHANE	DUP	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07681RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 371
37201	8/10/01	GW07682RG	BROMODICHLOROMETHANE	DUP	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 371
37201	8/10/01	GW07681RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 371
37201	8/10/01	GW07682RG	BROMOFORM	DUP	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 371
37201	8/10/01	GW07681RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1	51.1		D&D Bldg 371
37201	8/10/01	GW07682RG	BROMOMETHANE	DUP	TR1	1	UG/L	U	V	1	1	51.1		D&D Bldg 371
37201	8/10/01	GW07681RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V	1	1	3650		D&D Bldg 371
37201	8/10/01	GW07682RG	CARBON DISULFIDE	DUP	TR1	1	UG/L	U	V	1	1	3650		D&D Bldg 371
37201	8/10/01	GW07681RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37201	8/10/01	GW07682RG	CARBON TETRACHLORIDE	DUP	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37201	8/10/01	GW07681RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	100		D&D Bldg 371
37201	8/10/01	GW07682RG	CHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ	1	1	100		D&D Bldg 371
37201	8/10/01	GW07681RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	29.4		D&D Bldg 371
37201	8/10/01	GW07682RG	CHLOROETHANE	DUP	TR1	1	UG/L	U	V	1	1	29.4		D&D Bldg 371
37201	8/10/01	GW07681RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 371
37201	8/10/01	GW07682RG	CHLOROFORM	DUP	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 371
37201	8/10/01	GW07681RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	6.55		D&D Bldg 371
37201	8/10/01	GW07682RG	CHLOROMETHANE	DUP	TR1	1	UG/L	U	V	1	1	6.55		D&D Bldg 371
37201	8/10/01	GW07681RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70		D&D Bldg 371
37201	8/10/01	GW07682RG	cis-1,2-DICHLOROETHENE	DUP	TR1	1	UG/L	U	V	1	1	70		D&D Bldg 371
37201	8/10/01	GW07681RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473		D&D Bldg 371
37201	8/10/01	GW07682RG	cis-1,3-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V	1	1	0.473		D&D Bldg 371
37201	8/10/01	GW07681RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	1.01		D&D Bldg 371
37201	8/10/01	GW07682RG	DIBROMOCHLOROMETHANE	DUP	TR1	1	UG/L	U	V	1	1	1.01		D&D Bldg 371
37201	8/10/01	GW07681RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07682RG	DIBROMOMETHANE	DUP	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07681RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07682RG	DICHLORODIFLUOROMETHANE	DUP	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07681RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	700		D&D Bldg 371
37201	8/10/01	GW07682RG	ETHYLBENZENE	DUP	TR1	1	UG/L	U	UJ	1	1	700		D&D Bldg 371
37201	8/10/01	GW07681RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	1	1	1.09		D&D Bldg 371
37201	8/10/01	GW07682RG	HEXACHLOROBUTADIENE	DUP	TR1	1	UG/L	U	V	1	1	1.09		D&D Bldg 371
37201	8/10/01	GW07681RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07682RG	ISOPROPYLBENZENE	DUP	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07681RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37201	8/10/01	GW07682RG	METHYLENE CHLORIDE	DUP	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37201	8/10/01	GW07681RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ	1	1	1460		D&D Bldg 371
37201	8/10/01	GW07682RG	NAPHTHALENE	DUP	TR1	1	UG/L	U	UJ	1	1	1460		D&D Bldg 371
37201	8/10/01	GW07681RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07682RG	n-BUTYLBENZENE	DUP	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07681RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07682RG	n-PROPYLBENZENE	DUP	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07681RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07682RG	o-CHLOROTOLUENE	DUP	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07681RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07682RG	p-CHLOROTOLUENE	DUP	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07681RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R	1	1	0.2		D&D Bldg 371
37201	8/10/01	GW07682RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	DUP	TR1	1	UG/L	U	R	1	1	0.2		D&D Bldg 371
37201	8/10/01	GW07681RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
37201	8/10/01	GW07682RG	sec-BUTYLBENZENE	DUP	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07681RG	STYRENE	REAL	TR1	1	UG/L	U	UJ	1	1	100		D&D Bldg 371
37201	8/10/01	GW07682RG	STYRENE	DUP	TR1	1	UG/L	U	UJ	1	1	100		D&D Bldg 371
37201	8/10/01	GW07681RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07682RG	tert-BUTYLBENZENE	DUP	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07681RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37201	8/10/01	GW07682RG	TETRACHLOROETHENE	DUP	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37201	8/10/01	GW07681RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ	1	1	1000		D&D Bldg 371
37201	8/10/01	GW07682RG	TOLUENE	DUP	TR1	1	UG/L	U	UJ	1	1	1000		D&D Bldg 371
37201	8/10/01	GW07681RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	UJ	3	1	10000		D&D Bldg 371
37201	8/10/01	GW07682RG	TOTAL XYLENES	DUP	TR1	3	UG/L	U	UJ	3	1	10000		D&D Bldg 371
37201	8/10/01	GW07681RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70		D&D Bldg 371
37201	8/10/01	GW07682RG	trans-1,2-DICHLOROETHENE	DUP	TR1	1	UG/L	U	V	1	1	70		D&D Bldg 371
37201	8/10/01	GW07681RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473		D&D Bldg 371
37201	8/10/01	GW07682RG	trans-1,3-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V	1	1	0.473		D&D Bldg 371
37201	8/10/01	GW07681RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37201	8/10/01	GW07682RG	TRICHLOROETHENE	DUP	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37201	8/10/01	GW07681RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07682RG	TRICHLOROFLUOROMETHANE	DUP	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07681RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	2		D&D Bldg 371
37201	8/10/01	GW07682RG	VINYL CHLORIDE	DUP	TR1	1	UG/L	U	V	1	1	2		D&D Bldg 371
37201	8/10/01	GW07683RG	1,1,1,2-TETRACHLOROETHANE	RNS	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07683RG	1,1,1-TRICHLOROETHANE	RNS	TR1	1	UG/L	U	V	1	1	200		D&D Bldg 371
37201	8/10/01	GW07683RG	1,1,2,2-TETRACHLOROETHANE	RNS	TR1	1	UG/L	U	V	1	1	0.426		D&D Bldg 371
37201	8/10/01	GW07683RG	1,1,2-TRICHLOROETHANE	RNS	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37201	8/10/01	GW07683RG	1,1,2-TRICHLOROTRIFLUOROETHANE	RNS	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07683RG	1,1-DICHLOROETHANE	RNS	TR1	1	UG/L	U	V	1	1	3650		D&D Bldg 371
37201	8/10/01	GW07683RG	1,1-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V	1	1	7		D&D Bldg 371
37201	8/10/01	GW07683RG	1,1-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07683RG	1,2,3-TRICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07683RG	1,2,3-TRICHLOROPROPANE	RNS	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07683RG	1,2,4-TRICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ	1	1	70		D&D Bldg 371
37201	8/10/01	GW07683RG	1,2-DIBROMOETHANE	RNS	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07683RG	1,2-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ	1	1	600		D&D Bldg 371
37201	8/10/01	GW07683RG	1,2-DICHLOROETHANE	RNS	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37201	8/10/01	GW07683RG	1,2-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37201	8/10/01	GW07683RG	1,3-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ	1	1	600		D&D Bldg 371
37201	8/10/01	GW07683RG	1,3-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07683RG	1,4-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ	1	1	75		D&D Bldg 371
37201	8/10/01	GW07683RG	2,2-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07683RG	2-BUTANONE	RNS	TR1	5	UG/L	U	R	5	1	21900		D&D Bldg 371
37201	8/10/01	GW07683RG	2-HEXANONE	RNS	TR1	10	UG/L	U	V	10	1			D&D Bldg 371
37201	8/10/01	GW07683RG	4-ISOPROPYLTOLUENE	RNS	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07683RG	4-METHYL-2-PENTANONE	RNS	TR1	10	UG/L	U	V	10	1	2920		D&D Bldg 371
37201	8/10/01	GW07683RG	ACETONE	RNS	TR1	6	UG/L	J	J	10	1	3650		D&D Bldg 371
37201	8/10/01	GW07683RG	BENZENE	RNS	TR1	1	UG/L	U	UJ	1	1	5		D&D Bldg 371
37201	8/10/01	GW07683RG	BENZENE, 1,2,4-TRIMETHYL	RNS	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07683RG	BENZENE, 1,3,5-TRIMETHYL-	RNS	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07683RG	BROMOBENZENE	RNS	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07683RG	BROMOCHLOROMETHANE	RNS	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07683RG	BROMODICHLOROMETHANE	RNS	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 371
37201	8/10/01	GW07683RG	BROMOFORM	RNS	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 371
37201	8/10/01	GW07683RG	BROMOMETHANE	RNS	TR1	1	UG/L	U	V	1	1	51.1		D&D Bldg 371
37201	8/10/01	GW07683RG	CARBON DISULFIDE	RNS	TR1	1	UG/L	U	V	1	1	3650		D&D Bldg 371
37201	8/10/01	GW07683RG	CARBON TETRACHLORIDE	RNS	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37201	8/10/01	GW07683RG	CHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ	1	1	100		D&D Bldg 371
37201	8/10/01	GW07683RG	CHLOROETHANE	RNS	TR1	1	UG/L	U	V	1	1	29.4		D&D Bldg 371

276

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
37201	8/10/01	GW07683RG	CHLOROFORM	RNS	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 371
37201	8/10/01	GW07683RG	CHLOROMETHANE	RNS	TR1	0.7	UG/L	J	V	1	1	6.55		D&D Bldg 371
37201	8/10/01	GW07683RG	cis-1,2-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V	1	1	70		D&D Bldg 371
37201	8/10/01	GW07683RG	cis-1,3-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V	1	1	0.473		D&D Bldg 371
37201	8/10/01	GW07683RG	DIBROMOCHLOROMETHANE	RNS	TR1	1	UG/L	U	V	1	1	1.01		D&D Bldg 371
37201	8/10/01	GW07683RG	DIBROMOMETHANE	RNS	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07683RG	DICHLORODIFLUOROMETHANE	RNS	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07683RG	ETHYLBENZENE	RNS	TR1	1	UG/L	U	UJ	1	1	700		D&D Bldg 371
37201	8/10/01	GW07683RG	HEXACHLOROBUTADIENE	RNS	TR1	1	UG/L	U	V	1	1	1.09		D&D Bldg 371
37201	8/10/01	GW07683RG	ISOPROPYLBENZENE	RNS	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07683RG	METHYLENE CHLORIDE	RNS	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37201	8/10/01	GW07683RG	NAPHTHALENE	RNS	TR1	1	UG/L	U	UJ	1	1	1460		D&D Bldg 371
37201	8/10/01	GW07683RG	n-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07683RG	n-PROPYLBENZENE	RNS	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07683RG	o-CHLOROTOLUENE	RNS	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07683RG	p-CHLOROTOLUENE	RNS	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07683RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	RNS	TR1	1	UG/L	U	R	1	1	0.2		D&D Bldg 371
37201	8/10/01	GW07683RG	sec-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07683RG	STYRENE	RNS	TR1	1	UG/L	U	UJ	1	1	100		D&D Bldg 371
37201	8/10/01	GW07683RG	tert-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37201	8/10/01	GW07683RG	TETRACHLOROETHENE	RNS	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37201	8/10/01	GW07683RG	TOLUENE	RNS	TR1	1	UG/L	U	UJ	1	1	1000		D&D Bldg 371
37201	8/10/01	GW07683RG	TOTAL XYLENES	RNS	TR1	3	UG/L	U	UJ	3	1	10000		D&D Bldg 371
37201	8/10/01	GW07683RG	trans-1,2-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V	1	1	70		D&D Bldg 371
37201	8/10/01	GW07683RG	trans-1,3-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V	1	1	0.473		D&D Bldg 371
37201	8/10/01	GW07683RG	TRICHLOROETHENE	RNS	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37201	8/10/01	GW07683RG	TRICHLOROFLUOROMETHANE	RNS	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37201	8/10/01	GW07683RG	VINYL CHLORIDE	RNS	TR1	1	UG/L	U	V	1	1	2		D&D Bldg 371
37301	8/9/01	GW07684RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			D&D Bldg 371
37301	8/9/01	GW07684RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	200		D&D Bldg 371
37301	8/9/01	GW07684RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	0.426		D&D Bldg 371
37301	8/9/01	GW07684RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		D&D Bldg 371
37301	8/9/01	GW07684RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			D&D Bldg 371
37301	8/9/01	GW07684RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	3650		D&D Bldg 371
37301	8/9/01	GW07684RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	7		D&D Bldg 371
37301	8/9/01	GW07684RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1			D&D Bldg 371
37301	8/9/01	GW07684RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			D&D Bldg 371
37301	8/9/01	GW07684RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			D&D Bldg 371
37301	8/9/01	GW07684RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	70		D&D Bldg 371
37301	8/9/01	GW07684RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	1	1			D&D Bldg 371
37301	8/9/01	GW07684RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		D&D Bldg 371
37301	8/9/01	GW07684RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		D&D Bldg 371
37301	8/9/01	GW07684RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1	5		D&D Bldg 371
37301	8/9/01	GW07684RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		D&D Bldg 371
37301	8/9/01	GW07684RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			D&D Bldg 371
37301	8/9/01	GW07684RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	75		D&D Bldg 371
37301	8/9/01	GW07684RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			D&D Bldg 371
37301	8/9/01	GW07684RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R1	5	1	21900		D&D Bldg 371
37301	8/9/01	GW07684RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	10	1			D&D Bldg 371
37301	8/9/01	GW07684RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			D&D Bldg 371
37301	8/9/01	GW07684RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	10	1	2920		D&D Bldg 371
37301	8/9/01	GW07684RG	ACETONE	REAL	TR1	6	UG/L	J	J1	10	1	3650		D&D Bldg 371
37301	8/9/01	GW07684RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	5		D&D Bldg 371
37301	8/9/01	GW07684RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	1	1			D&D Bldg 371
37301	8/9/01	GW07684RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	1	1			D&D Bldg 371
37301	8/9/01	GW07684RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			D&D Bldg 371
37301	8/9/01	GW07684RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			D&D Bldg 371

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
37301	8/9/01	GW07684RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	100		D&D Bldg 371
37301	8/9/01	GW07684RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		D&D Bldg 371
37301	8/9/01	GW07684RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	51.1		D&D Bldg 371
37301	8/9/01	GW07684RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	1	1	3650		D&D Bldg 371
37301	8/9/01	GW07684RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		D&D Bldg 371
37301	8/9/01	GW07684RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		D&D Bldg 371
37301	8/9/01	GW07684RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	29.4		D&D Bldg 371
37301	8/9/01	GW07684RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		D&D Bldg 371
37301	8/9/01	GW07684RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	6.55		D&D Bldg 371
37301	8/9/01	GW07684RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		D&D Bldg 371
37301	8/9/01	GW07684RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		D&D Bldg 371
37301	8/9/01	GW07684RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	1.01		D&D Bldg 371
37301	8/9/01	GW07684RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			D&D Bldg 371
37301	8/9/01	GW07684RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			D&D Bldg 371
37301	8/9/01	GW07684RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	700		D&D Bldg 371
37301	8/9/01	GW07684RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	1	1	1.09		D&D Bldg 371
37301	8/9/01	GW07684RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			D&D Bldg 371
37301	8/9/01	GW07684RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		D&D Bldg 371
37301	8/9/01	GW07684RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1460		D&D Bldg 371
37301	8/9/01	GW07684RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			D&D Bldg 371
37301	8/9/01	GW07684RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			D&D Bldg 371
37301	8/9/01	GW07684RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			D&D Bldg 371
37301	8/9/01	GW07684RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			D&D Bldg 371
37301	8/9/01	GW07684RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R1	1	1	0.2		D&D Bldg 371
37301	8/9/01	GW07684RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			D&D Bldg 371
37301	8/9/01	GW07684RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		D&D Bldg 371
37301	8/9/01	GW07684RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			D&D Bldg 371
37301	8/9/01	GW07684RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	5		D&D Bldg 371
37301	8/9/01	GW07684RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1000		D&D Bldg 371
37301	8/9/01	GW07684RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	UJ1	3	1	10000		D&D Bldg 371
37301	8/9/01	GW07684RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		D&D Bldg 371
37301	8/9/01	GW07684RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		D&D Bldg 371
37301	8/9/01	GW07684RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	5		D&D Bldg 371
37301	8/9/01	GW07684RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			D&D Bldg 371
37301	8/9/01	GW07684RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	2		D&D Bldg 371
37401	8/8/01	GW07685RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37401	8/8/01	GW07685RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	200		D&D Bldg 371
37401	8/8/01	GW07685RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	0.426		D&D Bldg 371
37401	8/8/01	GW07685RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37401	8/8/01	GW07685RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37401	8/8/01	GW07685RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	3650		D&D Bldg 371
37401	8/8/01	GW07685RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	7		D&D Bldg 371
37401	8/8/01	GW07685RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37401	8/8/01	GW07685RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37401	8/8/01	GW07685RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37401	8/8/01	GW07685RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	70		D&D Bldg 371
37401	8/8/01	GW07685RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37401	8/8/01	GW07685RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	600		D&D Bldg 371
37401	8/8/01	GW07685RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37401	8/8/01	GW07685RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37401	8/8/01	GW07685RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	600		D&D Bldg 371
37401	8/8/01	GW07685RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37401	8/8/01	GW07685RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	75		D&D Bldg 371
37401	8/8/01	GW07685RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37401	8/8/01	GW07685RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R	5	1	21900		D&D Bldg 371
37401	8/8/01	GW07685RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V	10	1			D&D Bldg 371
37401	8/8/01	GW07685RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371

278

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
37401	8/8/01	GW07685RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V	10	1	2920		D&D Bldg 371
37401	8/8/01	GW07685RG	ACETONE	REAL	TR1	10	UG/L	U	R	10	1	3650		D&D Bldg 371
37401	8/8/01	GW07685RG	BENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	5		D&D Bldg 371
37401	8/8/01	GW07685RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37401	8/8/01	GW07685RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37401	8/8/01	GW07685RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37401	8/8/01	GW07685RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37401	8/8/01	GW07685RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 371
37401	8/8/01	GW07685RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 371
37401	8/8/01	GW07685RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1	51.1		D&D Bldg 371
37401	8/8/01	GW07685RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V	1	1	3650		D&D Bldg 371
37401	8/8/01	GW07685RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37401	8/8/01	GW07685RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	100		D&D Bldg 371
37401	8/8/01	GW07685RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	29.4		D&D Bldg 371
37401	8/8/01	GW07685RG	CHLOROFORM	REAL	TR1	0.5	UG/L	J	V	1	1	100		D&D Bldg 371
37401	8/8/01	GW07685RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	6.55		D&D Bldg 371
37401	8/8/01	GW07685RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70		D&D Bldg 371
37401	8/8/01	GW07685RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473		D&D Bldg 371
37401	8/8/01	GW07685RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	1.01		D&D Bldg 371
37401	8/8/01	GW07685RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37401	8/8/01	GW07685RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37401	8/8/01	GW07685RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	700		D&D Bldg 371
37401	8/8/01	GW07685RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	1	1	1.09		D&D Bldg 371
37401	8/8/01	GW07685RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37401	8/8/01	GW07685RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37401	8/8/01	GW07685RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ	1	1	1460		D&D Bldg 371
37401	8/8/01	GW07685RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37401	8/8/01	GW07685RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37401	8/8/01	GW07685RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37401	8/8/01	GW07685RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37401	8/8/01	GW07685RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V	1	1	0.2		D&D Bldg 371
37401	8/8/01	GW07685RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37401	8/8/01	GW07685RG	STYRENE	REAL	TR1	1	UG/L	U	UJ	1	1	100		D&D Bldg 371
37401	8/8/01	GW07685RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			D&D Bldg 371
37401	8/8/01	GW07685RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37401	8/8/01	GW07685RG	TOLUENE	REAL	TR1	1	UG/L	U	V	1	1	1000		D&D Bldg 371
37401	8/8/01	GW07685RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	UJ	3	1	10000		D&D Bldg 371
37401	8/8/01	GW07685RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70		D&D Bldg 371
37401	8/8/01	GW07685RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473		D&D Bldg 371
37401	8/8/01	GW07685RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37401	8/8/01	GW07685RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37401	8/8/01	GW07685RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	2		D&D Bldg 371
37501	8/14/01	GW07686RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37501	8/14/01	GW07686RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	200		D&D Bldg 371
37501	8/14/01	GW07686RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	0.426		D&D Bldg 371
37501	8/14/01	GW07686RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37501	8/14/01	GW07686RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37501	8/14/01	GW07686RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	3650		D&D Bldg 371
37501	8/14/01	GW07686RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	7		D&D Bldg 371
37501	8/14/01	GW07686RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37501	8/14/01	GW07686RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37501	8/14/01	GW07686RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37501	8/14/01	GW07686RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	70		D&D Bldg 371
37501	8/14/01	GW07686RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37501	8/14/01	GW07686RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	600		D&D Bldg 371
37501	8/14/01	GW07686RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37501	8/14/01	GW07686RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371

579

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
37501	8/14/01	GW07686RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	600		D&D Bldg 371
37501	8/14/01	GW07686RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37501	8/14/01	GW07686RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	75		D&D Bldg 371
37501	8/14/01	GW07686RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37501	8/14/01	GW07686RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R	5	1	21900		D&D Bldg 371
37501	8/14/01	GW07686RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V	10	1			D&D Bldg 371
37501	8/14/01	GW07686RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37501	8/14/01	GW07686RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V	10	1	2920		D&D Bldg 371
37501	8/14/01	GW07686RG	ACETONE	REAL	TR1	10	UG/L	U	R	10	1	3650		D&D Bldg 371
37501	8/14/01	GW07686RG	BENZENE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37501	8/14/01	GW07686RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37501	8/14/01	GW07686RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37501	8/14/01	GW07686RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37501	8/14/01	GW07686RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37501	8/14/01	GW07686RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 371
37501	8/14/01	GW07686RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 371
37501	8/14/01	GW07686RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1	51.1		D&D Bldg 371
37501	8/14/01	GW07686RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V	1	1	3650		D&D Bldg 371
37501	8/14/01	GW07686RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37501	8/14/01	GW07686RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 371
37501	8/14/01	GW07686RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	29.4		D&D Bldg 371
37501	8/14/01	GW07686RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 371
37501	8/14/01	GW07686RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	6.55		D&D Bldg 371
37501	8/14/01	GW07686RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70		D&D Bldg 371
37501	8/14/01	GW07686RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473		D&D Bldg 371
37501	8/14/01	GW07686RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	1.01		D&D Bldg 371
37501	8/14/01	GW07686RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37501	8/14/01	GW07686RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37501	8/14/01	GW07686RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1	700		D&D Bldg 371
37501	8/14/01	GW07686RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	1	1	1.09		D&D Bldg 371
37501	8/14/01	GW07686RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37501	8/14/01	GW07686RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37501	8/14/01	GW07686RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V	1	1	1460		D&D Bldg 371
37501	8/14/01	GW07686RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37501	8/14/01	GW07686RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37501	8/14/01	GW07686RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37501	8/14/01	GW07686RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37501	8/14/01	GW07686RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V	1	1	0.2		D&D Bldg 371
37501	8/14/01	GW07686RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37501	8/14/01	GW07686RG	STYRENE	REAL	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 371
37501	8/14/01	GW07686RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37501	8/14/01	GW07686RG	TETRACHLOROETHENE	REAL	TR1	2.5	UG/L		V	1	1	5		D&D Bldg 371
37501	8/14/01	GW07686RG	TOLUENE	REAL	TR1	1	UG/L	U	V	1	1	1000		D&D Bldg 371
37501	8/14/01	GW07686RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	V	3	1	10000		D&D Bldg 371
37501	8/14/01	GW07686RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70		D&D Bldg 371
37501	8/14/01	GW07686RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473		D&D Bldg 371
37501	8/14/01	GW07686RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371
37501	8/14/01	GW07686RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371
37501	8/14/01	GW07686RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	2		D&D Bldg 371
37601	8/9/01	GW07687RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37601	8/9/01	GW07687RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	200		D&D Bldg 371
37601	8/9/01	GW07687RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	0.426		D&D Bldg 371
37601	8/9/01	GW07687RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 371
37601	8/9/01	GW07687RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	60	UG/L	E		1	1			D&D Bldg 371
37601	8/9/01	GW07687RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR2	59	UG/L	D		2	2			D&D Bldg 371
37601	8/9/01	GW07687RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	3650		D&D Bldg 371
37601	8/9/01	GW07687RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	7		D&D Bldg 371

280

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
37601	8/9/01	GW07687RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37601	8/9/01	GW07687RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37601	8/9/01	GW07687RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37601	8/9/01	GW07687RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	70		D&D Bldg 371
37601	8/9/01	GW07687RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37601	8/9/01	GW07687RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	600		D&D Bldg 371
37601	8/9/01	GW07687RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 371
37601	8/9/01	GW07687RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 371
37601	8/9/01	GW07687RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	600		D&D Bldg 371
37601	8/9/01	GW07687RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37601	8/9/01	GW07687RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	75		D&D Bldg 371
37601	8/9/01	GW07687RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37601	8/9/01	GW07687RG	2-BUTANONE	REAL	TR1	5	UG/L	U		5	1	21900		D&D Bldg 371
37601	8/9/01	GW07687RG	2-HEXANONE	REAL	TR1	10	UG/L	U		10	1			D&D Bldg 371
37601	8/9/01	GW07687RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37601	8/9/01	GW07687RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U		10	1	2920		D&D Bldg 371
37601	8/9/01	GW07687RG	ACETONE	REAL	TR1	10	UG/L	U		10	1	3650		D&D Bldg 371
37601	8/9/01	GW07687RG	BENZENE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 371
37601	8/9/01	GW07687RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37601	8/9/01	GW07687RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37601	8/9/01	GW07687RG	BROMOBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37601	8/9/01	GW07687RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37601	8/9/01	GW07687RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1	100		D&D Bldg 371
37601	8/9/01	GW07687RG	BROMOFORM	REAL	TR1	1	UG/L	U		1	1	100		D&D Bldg 371
37601	8/9/01	GW07687RG	BROMOMETHANE	REAL	TR1	1	UG/L	U		1	1	51.1		D&D Bldg 371
37601	8/9/01	GW07687RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U		1	1	3650		D&D Bldg 371
37601	8/9/01	GW07687RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 371
37601	8/9/01	GW07687RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	100		D&D Bldg 371
37601	8/9/01	GW07687RG	CHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	29.4		D&D Bldg 371
37601	8/9/01	GW07687RG	CHLOROFORM	REAL	TR1	1	UG/L	U		1	1	100		D&D Bldg 371
37601	8/9/01	GW07687RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1	6.55		D&D Bldg 371
37601	8/9/01	GW07687RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	70		D&D Bldg 371
37601	8/9/01	GW07687RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U		1	1	0.473		D&D Bldg 371
37601	8/9/01	GW07687RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1	1.01		D&D Bldg 371
37601	8/9/01	GW07687RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37601	8/9/01	GW07687RG	DICHLORODIFLUOROMETHANE	REAL	TR1	0.4	UG/L	J		1	1			D&D Bldg 371
37601	8/9/01	GW07687RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U		1	1	700		D&D Bldg 371
37601	8/9/01	GW07687RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U		1	1	1.09		D&D Bldg 371
37601	8/9/01	GW07687RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37601	8/9/01	GW07687RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 371
37601	8/9/01	GW07687RG	NAPHTHALENE	REAL	TR1	1	UG/L	U		1	1	1460		D&D Bldg 371
37601	8/9/01	GW07687RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37601	8/9/01	GW07687RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37601	8/9/01	GW07687RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37601	8/9/01	GW07687RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37601	8/9/01	GW07687RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U		1	1	0.2		D&D Bldg 371
37601	8/9/01	GW07687RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37601	8/9/01	GW07687RG	STYRENE	REAL	TR1	1	UG/L	U		1	1	100		D&D Bldg 371
37601	8/9/01	GW07687RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37601	8/9/01	GW07687RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	JU	V	1	1	5		D&D Bldg 371
37601	8/9/01	GW07687RG	TOLUENE	REAL	TR1	1	UG/L	U		1	1	1000		D&D Bldg 371
37601	8/9/01	GW07687RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U		3	1	10000		D&D Bldg 371
37601	8/9/01	GW07687RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	70		D&D Bldg 371
37601	8/9/01	GW07687RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U		1	1	0.473		D&D Bldg 371
37601	8/9/01	GW07687RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 371
37601	8/9/01	GW07687RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37601	8/9/01	GW07687RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U		1	1	2		D&D Bldg 371

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
37701	8/14/01	GW07688RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37701	8/14/01	GW07688RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	200		D&D Bldg 371
37701	8/14/01	GW07688RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	0.426		D&D Bldg 371
37701	8/14/01	GW07688RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 371
37701	8/14/01	GW07688RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37701	8/14/01	GW07688RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	3650		D&D Bldg 371
37701	8/14/01	GW07688RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	7		D&D Bldg 371
37701	8/14/01	GW07688RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37701	8/14/01	GW07688RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37701	8/14/01	GW07688RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37701	8/14/01	GW07688RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	70		D&D Bldg 371
37701	8/14/01	GW07688RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37701	8/14/01	GW07688RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	600		D&D Bldg 371
37701	8/14/01	GW07688RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 371
37701	8/14/01	GW07688RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 371
37701	8/14/01	GW07688RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	600		D&D Bldg 371
37701	8/14/01	GW07688RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37701	8/14/01	GW07688RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	75		D&D Bldg 371
37701	8/14/01	GW07688RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37701	8/14/01	GW07688RG	2-BUTANONE	REAL	TR1	5	UG/L	U		5	1	21900		D&D Bldg 371
37701	8/14/01	GW07688RG	2-HEXANONE	REAL	TR1	10	UG/L	U		10	1			D&D Bldg 371
37701	8/14/01	GW07688RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37701	8/14/01	GW07688RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U		10	1	2920		D&D Bldg 371
37701	8/14/01	GW07688RG	ACETONE	REAL	TR1	10	UG/L	U		10	1	3650		D&D Bldg 371
37701	8/14/01	GW07688RG	BENZENE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 371
37701	8/14/01	GW07688RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37701	8/14/01	GW07688RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37701	8/14/01	GW07688RG	BROMOBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37701	8/14/01	GW07688RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37701	8/14/01	GW07688RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1	100		D&D Bldg 371
37701	8/14/01	GW07688RG	BROMOFORM	REAL	TR1	1	UG/L	U		1	1	100		D&D Bldg 371
37701	8/14/01	GW07688RG	BROMOMETHANE	REAL	TR1	1	UG/L	U		1	1	51.1		D&D Bldg 371
37701	8/14/01	GW07688RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U		1	1	3650		D&D Bldg 371
37701	8/14/01	GW07688RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 371
37701	8/14/01	GW07688RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	100		D&D Bldg 371
37701	8/14/01	GW07688RG	CHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	29.4		D&D Bldg 371
37701	8/14/01	GW07688RG	CHLOROFORM	REAL	TR1	0.3	UG/L	J		1	1	100		D&D Bldg 371
37701	8/14/01	GW07688RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1	6.55		D&D Bldg 371
37701	8/14/01	GW07688RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	70		D&D Bldg 371
37701	8/14/01	GW07688RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U		1	1	0.473		D&D Bldg 371
37701	8/14/01	GW07688RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1	1.01		D&D Bldg 371
37701	8/14/01	GW07688RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37701	8/14/01	GW07688RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37701	8/14/01	GW07688RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U		1	1	700		D&D Bldg 371
37701	8/14/01	GW07688RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U		1	1	1.09		D&D Bldg 371
37701	8/14/01	GW07688RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37701	8/14/01	GW07688RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 371
37701	8/14/01	GW07688RG	NAPHTHALENE	REAL	TR1	1	UG/L	U		1	1	1460		D&D Bldg 371
37701	8/14/01	GW07688RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37701	8/14/01	GW07688RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37701	8/14/01	GW07688RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37701	8/14/01	GW07688RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37701	8/14/01	GW07688RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U		1	1	0.2		D&D Bldg 371
37701	8/14/01	GW07688RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37701	8/14/01	GW07688RG	STYRENE	REAL	TR1	1	UG/L	U		1	1	100		D&D Bldg 371
37701	8/14/01	GW07688RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
37701	8/14/01	GW07688RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 371

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
7701	8/14/01	GW07688RG	TOLUENE	REAL	TR1	1	UG/L	U		1	1	1000		D&D Bldg 371
37701	8/14/01	GW07688RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U		3	1	10000		D&D Bldg 371
7701	8/14/01	GW07688RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	70		D&D Bldg 371
7701	8/14/01	GW07688RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U		1	1	0.473		D&D Bldg 371
37701	8/14/01	GW07688RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 371
37701	8/14/01	GW07688RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371
7701	8/14/01	GW07688RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U		1	1	2		D&D Bldg 371
0099	8/13/01	GW07737RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	10	UG/L	U	V	10	10			D&D Bldg 444
40099	8/13/01	GW07737RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR2	20	UG/L	U		20	20			D&D Bldg 444
0099	8/13/01	GW07737RG	1,1,1-TRICHLOROETHANE	REAL	TR1	18	UG/L		V	10	10	200		D&D Bldg 444
0099	8/13/01	GW07737RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	10	UG/L	U	V	10	10	0.426		D&D Bldg 444
40099	8/13/01	GW07737RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR2	20	UG/L	U		20	20	0.426		D&D Bldg 444
40099	8/13/01	GW07737RG	1,1,2-TRICHLOROETHANE	REAL	TR1	10	UG/L	U	V	10	10	5		D&D Bldg 444
0099	8/13/01	GW07737RG	1,1,2-TRICHLOROETHANE	REAL	TR2	20	UG/L	U		20	20	5		D&D Bldg 444
0099	8/13/01	GW07737RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	9	UG/L	J	V	10	10			D&D Bldg 444
40099	8/13/01	GW07737RG	1,1-DICHLOROETHANE	REAL	TR1	10	UG/L	U	V	10	10	3650		D&D Bldg 444
0099	8/13/01	GW07737RG	1,1-DICHLOROETHANE	REAL	TR2	20	UG/L	U		20	20	3650		D&D Bldg 444
0099	8/13/01	GW07737RG	1,1-DICHLOROETHENE	REAL	TR1	190	UG/L		V	10	10	7		D&D Bldg 444
40099	8/13/01	GW07737RG	1,1-DICHLOROPROPENE	REAL	TR1	10	UG/L	U	V	10	10			D&D Bldg 444
40099	8/13/01	GW07737RG	1,1-DICHLOROPROPENE	REAL	TR2	20	UG/L	U		20	20			D&D Bldg 444
0099	8/13/01	GW07737RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	10	UG/L	U	UJ	10	10			D&D Bldg 444
0099	8/13/01	GW07737RG	1,2,3-TRICHLOROBENZENE	REAL	TR2	20	UG/L	U		20	20			D&D Bldg 444
40099	8/13/01	GW07737RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	10	UG/L	U	V	10	10			D&D Bldg 444
40099	8/13/01	GW07737RG	1,2,3-TRICHLOROPROPANE	REAL	TR2	20	UG/L	U		20	20			D&D Bldg 444
0099	8/13/01	GW07737RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	10	UG/L	U	V	10	10	70		D&D Bldg 444
40099	8/13/01	GW07737RG	1,2,4-TRICHLOROBENZENE	REAL	TR2	20	UG/L	U		20	20	70		D&D Bldg 444
40099	8/13/01	GW07737RG	1,2-DIBROMOETHANE	REAL	TR1	10	UG/L	U	V	10	10			D&D Bldg 444
0099	8/13/01	GW07737RG	1,2-DIBROMOETHANE	REAL	TR2	20	UG/L	U		20	20			D&D Bldg 444
0099	8/13/01	GW07737RG	1,2-DICHLOROBENZENE	REAL	TR1	10	UG/L	U	V	10	10	600		D&D Bldg 444
40099	8/13/01	GW07737RG	1,2-DICHLOROBENZENE	REAL	TR2	20	UG/L	U		20	20	600		D&D Bldg 444
40099	8/13/01	GW07737RG	1,2-DICHLOROETHANE	REAL	TR1	10	UG/L	U	V	10	10	5		D&D Bldg 444
0099	8/13/01	GW07737RG	1,2-DICHLOROETHANE	REAL	TR2	20	UG/L	U		20	20	5		D&D Bldg 444
0099	8/13/01	GW07737RG	1,2-DICHLOROPROPANE	REAL	TR1	10	UG/L	U	V	10	10	5		D&D Bldg 444
40099	8/13/01	GW07737RG	1,2-DICHLOROPROPANE	REAL	TR2	20	UG/L	U		20	20	5		D&D Bldg 444
0099	8/13/01	GW07737RG	1,3-DICHLOROBENZENE	REAL	TR1	10	UG/L	U	V	10	10	600		D&D Bldg 444
0099	8/13/01	GW07737RG	1,3-DICHLOROBENZENE	REAL	TR2	20	UG/L	U		20	20	600		D&D Bldg 444
40099	8/13/01	GW07737RG	1,3-DICHLOROPROPANE	REAL	TR1	10	UG/L	U	V	10	10			D&D Bldg 444
40099	8/13/01	GW07737RG	1,3-DICHLOROPROPANE	REAL	TR2	20	UG/L	U		20	20			D&D Bldg 444
0099	8/13/01	GW07737RG	1,4-DICHLOROBENZENE	REAL	TR1	10	UG/L	U	V	10	10	75		D&D Bldg 444
0099	8/13/01	GW07737RG	1,4-DICHLOROBENZENE	REAL	TR2	20	UG/L	U		20	20	75		D&D Bldg 444
40099	8/13/01	GW07737RG	2,2-DICHLOROPROPANE	REAL	TR1	10	UG/L	U	V	10	10			D&D Bldg 444
0099	8/13/01	GW07737RG	2,2-DICHLOROPROPANE	REAL	TR2	20	UG/L	U		20	20			D&D Bldg 444
0099	8/13/01	GW07737RG	2-BUTANONE	REAL	TR1	50	UG/L	U	R	50	10	21900		D&D Bldg 444
40099	8/13/01	GW07737RG	2-BUTANONE	REAL	TR2	100	UG/L	U		100	20	21900		D&D Bldg 444
40099	8/13/01	GW07737RG	2-HEXANONE	REAL	TR1	100	UG/L	U	V	100	10			D&D Bldg 444
0099	8/13/01	GW07737RG	2-HEXANONE	REAL	TR2	200	UG/L	U		200	20			D&D Bldg 444
0099	8/13/01	GW07737RG	4-ISOPROPYLTOLUENE	REAL	TR1	10	UG/L	U	V	10	10			D&D Bldg 444
40099	8/13/01	GW07737RG	4-ISOPROPYLTOLUENE	REAL	TR2	20	UG/L	U		20	20			D&D Bldg 444
0099	8/13/01	GW07737RG	4-METHYL-2-PENTANONE	REAL	TR1	100	UG/L	U	V	100	10	2920		D&D Bldg 444
0099	8/13/01	GW07737RG	4-METHYL-2-PENTANONE	REAL	TR2	200	UG/L	U		200	20	2920		D&D Bldg 444
40099	8/13/01	GW07737RG	ACETONE	REAL	TR1	40	UG/L	J	JB	100	10	3650		D&D Bldg 444
40099	8/13/01	GW07737RG	ACETONE	REAL	TR2	200	UG/L	U		200	20	3650		D&D Bldg 444
0099	8/13/01	GW07737RG	BENZENE	REAL	TR1	10	UG/L	U	V	10	10	5		D&D Bldg 444
0099	8/13/01	GW07737RG	BENZENE	REAL	TR2	20	UG/L	U		20	20	5		D&D Bldg 444
40099	8/13/01	GW07737RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	10	UG/L	U	V	10	10			D&D Bldg 444
40099	8/13/01	GW07737RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR2	20	UG/L	U		20	20			D&D Bldg 444
0099	8/13/01	GW07737RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	10	UG/L	U	V	10	10			D&D Bldg 444

283

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
40099	8/13/01	GW07737RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR2	20	UG/L	U		20	20			D&D Bldg 444
40099	8/13/01	GW07737RG	BROMOBENZENE	REAL	TR1	10	UG/L	U	V	10	10			D&D Bldg 444
40099	8/13/01	GW07737RG	BROMOBENZENE	REAL	TR2	20	UG/L	U		20	20			D&D Bldg 444
40099	8/13/01	GW07737RG	BROMOCHLOROMETHANE	REAL	TR1	10	UG/L	U	V	10	10			D&D Bldg 444
40099	8/13/01	GW07737RG	BROMOCHLOROMETHANE	REAL	TR2	20	UG/L	U		20	20			D&D Bldg 444
40099	8/13/01	GW07737RG	BROMODICHLOROMETHANE	REAL	TR1	10	UG/L	U	V	10	10	100		D&D Bldg 444
40099	8/13/01	GW07737RG	BROMODICHLOROMETHANE	REAL	TR2	20	UG/L	U		20	20	100		D&D Bldg 444
40099	8/13/01	GW07737RG	BROMOFORM	REAL	TR1	10	UG/L	U	V	10	10	100		D&D Bldg 444
40099	8/13/01	GW07737RG	BROMOFORM	REAL	TR2	20	UG/L	U		20	20	100		D&D Bldg 444
40099	8/13/01	GW07737RG	BROMOMETHANE	REAL	TR1	10	UG/L	U	V	10	10	51.1		D&D Bldg 444
40099	8/13/01	GW07737RG	BROMOMETHANE	REAL	TR2	20	UG/L	U		20	20	51.1		D&D Bldg 444
40099	8/13/01	GW07737RG	CARBON DISULFIDE	REAL	TR1	10	UG/L	U	V	10	10	3650		D&D Bldg 444
40099	8/13/01	GW07737RG	CARBON DISULFIDE	REAL	TR2	20	UG/L	U		20	20	3650		D&D Bldg 444
40099	8/13/01	GW07737RG	CARBON TETRACHLORIDE	REAL	TR1	10	UG/L	U	V	10	10	5		D&D Bldg 444
40099	8/13/01	GW07737RG	CARBON TETRACHLORIDE	REAL	TR2	20	UG/L	U		20	20	5		D&D Bldg 444
40099	8/13/01	GW07737RG	CHLOROBENZENE	REAL	TR1	10	UG/L	U	V	10	10	100		D&D Bldg 444
40099	8/13/01	GW07737RG	CHLOROBENZENE	REAL	TR2	20	UG/L	U		20	20	100		D&D Bldg 444
40099	8/13/01	GW07737RG	CHLOROETHANE	REAL	TR1	10	UG/L	U	V	10	10	29.4		D&D Bldg 444
40099	8/13/01	GW07737RG	CHLOROETHANE	REAL	TR2	20	UG/L	U		20	20	29.4		D&D Bldg 444
40099	8/13/01	GW07737RG	CHLOROFORM	REAL	TR1	10	UG/L	U	V	10	10	100		D&D Bldg 444
40099	8/13/01	GW07737RG	CHLOROFORM	REAL	TR2	20	UG/L	U		20	20	100		D&D Bldg 444
40099	8/13/01	GW07737RG	CHLOROMETHANE	REAL	TR1	10	UG/L	U	V	10	10	6.55		D&D Bldg 444
40099	8/13/01	GW07737RG	CHLOROMETHANE	REAL	TR2	20	UG/L	U		20	20	6.55		D&D Bldg 444
40099	8/13/01	GW07737RG	cis-1,2-DICHLOROETHENE	REAL	TR1	520	UG/L		V	20	20	70		D&D Bldg 444
40099	8/13/01	GW07737RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	10	UG/L	U	V	10	10	0.473		D&D Bldg 444
40099	8/13/01	GW07737RG	cis-1,3-DICHLOROPROPENE	REAL	TR2	20	UG/L	U		20	20	0.473		D&D Bldg 444
40099	8/13/01	GW07737RG	DIBROMOCHLOROMETHANE	REAL	TR1	10	UG/L	U	V	10	10	1.01		D&D Bldg 444
40099	8/13/01	GW07737RG	DIBROMOCHLOROMETHANE	REAL	TR2	20	UG/L	U		20	20	1.01		D&D Bldg 444
40099	8/13/01	GW07737RG	DIBROMOMETHANE	REAL	TR1	10	UG/L	U	V	10	10			D&D Bldg 444
40099	8/13/01	GW07737RG	DIBROMOMETHANE	REAL	TR2	20	UG/L	U		20	20			D&D Bldg 444
40099	8/13/01	GW07737RG	DICHLORODIFLUOROMETHANE	REAL	TR1	10	UG/L	U	V	10	10			D&D Bldg 444
40099	8/13/01	GW07737RG	DICHLORODIFLUOROMETHANE	REAL	TR2	20	UG/L	U		20	20			D&D Bldg 444
40099	8/13/01	GW07737RG	ETHYLBENZENE	REAL	TR1	10	UG/L	U	V	10	10	700		D&D Bldg 444
40099	8/13/01	GW07737RG	ETHYLBENZENE	REAL	TR2	20	UG/L	U		20	20	700		D&D Bldg 444
40099	8/13/01	GW07737RG	HEXACHLOROBUTADIENE	REAL	TR1	10	UG/L	U	V	10	10	1.09		D&D Bldg 444
40099	8/13/01	GW07737RG	HEXACHLOROBUTADIENE	REAL	TR2	20	UG/L	U		20	20	1.09		D&D Bldg 444
40099	8/13/01	GW07737RG	ISOPROPYLBENZENE	REAL	TR1	10	UG/L	U	V	10	10			D&D Bldg 444
40099	8/13/01	GW07737RG	ISOPROPYLBENZENE	REAL	TR2	20	UG/L	U		20	20			D&D Bldg 444
40099	8/13/01	GW07737RG	METHYLENE CHLORIDE	REAL	TR1	10	UG/L	U	V	10	10	5		D&D Bldg 444
40099	8/13/01	GW07737RG	METHYLENE CHLORIDE	REAL	TR2	20	UG/L	U		20	20	5		D&D Bldg 444
40099	8/13/01	GW07737RG	NAPHTHALENE	REAL	TR1	10	UG/L	U	UJ	10	10	1460		D&D Bldg 444
40099	8/13/01	GW07737RG	NAPHTHALENE	REAL	TR2	20	UG/L	U		20	20	1460		D&D Bldg 444
40099	8/13/01	GW07737RG	n-BUTYLBENZENE	REAL	TR1	10	UG/L	U	V	10	10			D&D Bldg 444
40099	8/13/01	GW07737RG	n-BUTYLBENZENE	REAL	TR2	20	UG/L	U		20	20			D&D Bldg 444
40099	8/13/01	GW07737RG	n-PROPYLBENZENE	REAL	TR1	10	UG/L	U	V	10	10			D&D Bldg 444
40099	8/13/01	GW07737RG	n-PROPYLBENZENE	REAL	TR2	20	UG/L	U		20	20			D&D Bldg 444
40099	8/13/01	GW07737RG	o-CHLOROTOLUENE	REAL	TR1	10	UG/L	U	V	10	10			D&D Bldg 444
40099	8/13/01	GW07737RG	o-CHLOROTOLUENE	REAL	TR2	20	UG/L	U		20	20			D&D Bldg 444
40099	8/13/01	GW07737RG	p-CHLOROTOLUENE	REAL	TR1	10	UG/L	U	V	10	10			D&D Bldg 444
40099	8/13/01	GW07737RG	p-CHLOROTOLUENE	REAL	TR2	20	UG/L	U		20	20			D&D Bldg 444
40099	8/13/01	GW07737RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	10	UG/L	U	V	10	10	0.2		D&D Bldg 444
40099	8/13/01	GW07737RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR2	20	UG/L	U		20	20	0.2		D&D Bldg 444
40099	8/13/01	GW07737RG	sec-BUTYLBENZENE	REAL	TR1	10	UG/L	U	V	10	10			D&D Bldg 444
40099	8/13/01	GW07737RG	sec-BUTYLBENZENE	REAL	TR2	20	UG/L	U		20	20			D&D Bldg 444
40099	8/13/01	GW07737RG	STYRENE	REAL	TR1	10	UG/L	U	V	10	10	100		D&D Bldg 444
40099	8/13/01	GW07737RG	STYRENE	REAL	TR2	20	UG/L	U		20	20	100		D&D Bldg 444
40099	8/13/01	GW07737RG	tert-BUTYLBENZENE	REAL	TR1	10	UG/L	U	V	10	10			D&D Bldg 444

284

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
0099	8/13/01	GW07737RG	tert-BUTYLBENZENE	REAL	TR2	20	UG/L	U		20	20			D&D Bldg 444
40099	8/13/01	GW07737RG	TETRACHLOROETHENE	REAL	TR1	15	UG/L		V	10	10	5		D&D Bldg 444
0099	8/13/01	GW07737RG	TOLUENE	REAL	TR1	10	UG/L	U	V	10	10	1000		D&D Bldg 444
0099	8/13/01	GW07737RG	TOLUENE	REAL	TR2	20	UG/L	U		20	20	1000		D&D Bldg 444
40099	8/13/01	GW07737RG	TOTAL XYLENES	REAL	TR1	30	UG/L	U	V	30	10	10000		D&D Bldg 444
40099	8/13/01	GW07737RG	TOTAL XYLENES	REAL	TR2	60	UG/L	U		60	20	10000		D&D Bldg 444
0099	8/13/01	GW07737RG	trans-1,2-DICHLOROETHENE	REAL	TR1	10	UG/L	U	V	10	10	70		D&D Bldg 444
0099	8/13/01	GW07737RG	trans-1,2-DICHLOROETHENE	REAL	TR2	20	UG/L	U		20	20	70		D&D Bldg 444
40099	8/13/01	GW07737RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	10	UG/L	U	V	10	10	0.473		D&D Bldg 444
0099	8/13/01	GW07737RG	trans-1,3-DICHLOROPROPENE	REAL	TR2	20	UG/L	U		20	20	0.473		D&D Bldg 444
0099	8/13/01	GW07737RG	TRICHLOROETHENE	REAL	TR1	530	UG/L		V	20	20	5		D&D Bldg 444
40099	8/13/01	GW07737RG	TRICHLOROFLUOROMETHANE	REAL	TR1	10	UG/L	U	V	10	10			D&D Bldg 444
40099	8/13/01	GW07737RG	TRICHLOROFLUOROMETHANE	REAL	TR2	20	UG/L	U		20	20			D&D Bldg 444
0099	8/13/01	GW07737RG	VINYL CHLORIDE	REAL	TR1	10	UG/L	U	V	10	10	2		D&D Bldg 444
0099	8/13/01	GW07737RG	VINYL CHLORIDE	REAL	TR2	20	UG/L	U		20	20	2		D&D Bldg 444
40199	8/13/01	GW07738RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
0199	8/13/01	GW07738RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	200		D&D Bldg 444
0199	8/13/01	GW07738RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	0.426		D&D Bldg 444
40199	8/13/01	GW07738RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 444
40199	8/13/01	GW07738RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
0199	8/13/01	GW07738RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	3650		D&D Bldg 444
0199	8/13/01	GW07738RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	7		D&D Bldg 444
40199	8/13/01	GW07738RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
0199	8/13/01	GW07738RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
0199	8/13/01	GW07738RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40199	8/13/01	GW07738RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	70		D&D Bldg 444
40199	8/13/01	GW07738RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
0199	8/13/01	GW07738RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	600		D&D Bldg 444
0199	8/13/01	GW07738RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 444
40199	8/13/01	GW07738RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 444
0199	8/13/01	GW07738RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	600		D&D Bldg 444
0199	8/13/01	GW07738RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40199	8/13/01	GW07738RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	75		D&D Bldg 444
40199	8/13/01	GW07738RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
0199	8/13/01	GW07738RG	2-BUTANONE	REAL	TR1	5	UG/L	U		5	1	21900		D&D Bldg 444
0199	8/13/01	GW07738RG	2-HEXANONE	REAL	TR1	10	UG/L	U		10	1			D&D Bldg 444
40199	8/13/01	GW07738RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40199	8/13/01	GW07738RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U		10	1	2920		D&D Bldg 444
0199	8/13/01	GW07738RG	ACETONE	REAL	TR1	10	UG/L	U		10	1	3650		D&D Bldg 444
0199	8/13/01	GW07738RG	BENZENE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 444
40199	8/13/01	GW07738RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
0199	8/13/01	GW07738RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
0199	8/13/01	GW07738RG	BROMOBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40199	8/13/01	GW07738RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40199	8/13/01	GW07738RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1	100		D&D Bldg 444
0199	8/13/01	GW07738RG	BROMOFORM	REAL	TR1	1	UG/L	U		1	1	100		D&D Bldg 444
0199	8/13/01	GW07738RG	BROMOMETHANE	REAL	TR1	1	UG/L	U		1	1	51.1		D&D Bldg 444
40199	8/13/01	GW07738RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U		1	1	3650		D&D Bldg 444
0199	8/13/01	GW07738RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 444
0199	8/13/01	GW07738RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	100		D&D Bldg 444
40199	8/13/01	GW07738RG	CHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	29.4		D&D Bldg 444
40199	8/13/01	GW07738RG	CHLOROFORM	REAL	TR1	1	UG/L	U		1	1	100		D&D Bldg 444
0199	8/13/01	GW07738RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1	6.55		D&D Bldg 444
0199	8/13/01	GW07738RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	70		D&D Bldg 444
40199	8/13/01	GW07738RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U		1	1	0.473		D&D Bldg 444
0199	8/13/01	GW07738RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1	1.01		D&D Bldg 444
0199	8/13/01	GW07738RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
40199	8/13/01	GW07738RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40199	8/13/01	GW07738RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U		1	1	700		D&D Bldg 444
40199	8/13/01	GW07738RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U		1	1	1.09		D&D Bldg 444
40199	8/13/01	GW07738RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40199	8/13/01	GW07738RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 444
40199	8/13/01	GW07738RG	NAPHTHALENE	REAL	TR1	1	UG/L	U		1	1	1460		D&D Bldg 444
40199	8/13/01	GW07738RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40199	8/13/01	GW07738RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40199	8/13/01	GW07738RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40199	8/13/01	GW07738RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40199	8/13/01	GW07738RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U		1	1	0.2		D&D Bldg 444
40199	8/13/01	GW07738RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40199	8/13/01	GW07738RG	STYRENE	REAL	TR1	1	UG/L	U		1	1	100		D&D Bldg 444
40199	8/13/01	GW07738RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40199	8/13/01	GW07738RG	TETRACHLOROETHENE	REAL	TR1	1.2	UG/L			1	1	5		D&D Bldg 444
40199	8/13/01	GW07738RG	TOLUENE	REAL	TR1	1	UG/L	U		1	1	1000		D&D Bldg 444
40199	8/13/01	GW07738RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U		3	1	10000		D&D Bldg 444
40199	8/13/01	GW07738RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	70		D&D Bldg 444
40199	8/13/01	GW07738RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U		1	1	0.473		D&D Bldg 444
40199	8/13/01	GW07738RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 444
40199	8/13/01	GW07738RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40199	8/13/01	GW07738RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U		1	1	2		D&D Bldg 444
40299	7/23/01	GW07739RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.22	1			D&D Bldg 444
40299	7/23/01	GW07740RG	1,1,1,2-TETRACHLOROETHANE	DUP	TR1	1	UG/L	U	V	0.22	1			D&D Bldg 444
40299	7/23/01	GW07739RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.26	1	200		D&D Bldg 444
40299	7/23/01	GW07740RG	1,1,1-TRICHLOROETHANE	DUP	TR1	1	UG/L	U	V	0.26	1	200		D&D Bldg 444
40299	7/23/01	GW07739RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.31	1	0.426		D&D Bldg 444
40299	7/23/01	GW07740RG	1,1,2,2-TETRACHLOROETHANE	DUP	TR1	1	UG/L	U	V	0.31	1	0.426		D&D Bldg 444
40299	7/23/01	GW07739RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.39	1	5		D&D Bldg 444
40299	7/23/01	GW07740RG	1,1,2-TRICHLOROETHANE	DUP	TR1	1	UG/L	U	V	0.39	1	5		D&D Bldg 444
40299	7/23/01	GW07739RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V	0.21	1			D&D Bldg 444
40299	7/23/01	GW07740RG	1,1,2-TRICHLOROTRIFLUOROETHANE	DUP	TR1	1	UG/L	U	V	0.21	1			D&D Bldg 444
40299	7/23/01	GW07739RG	1,1-DICHLOROETHANE	REAL	TR1	13	UG/L		V	0.17	1	3650		D&D Bldg 444
40299	7/23/01	GW07740RG	1,1-DICHLOROETHANE	DUP	TR1	13	UG/L		V	0.17	1	3650		D&D Bldg 444
40299	7/23/01	GW07739RG	1,1-DICHLOROETHENE	REAL	TR1	1.9	UG/L		V	0.2	1	7		D&D Bldg 444
40299	7/23/01	GW07740RG	1,1-DICHLOROETHENE	DUP	TR1	2	UG/L		V	0.2	1	7		D&D Bldg 444
40299	7/23/01	GW07739RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.22	1			D&D Bldg 444
40299	7/23/01	GW07740RG	1,1-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V	0.22	1			D&D Bldg 444
40299	7/23/01	GW07739RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.16	1			D&D Bldg 444
40299	7/23/01	GW07740RG	1,2,3-TRICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ	0.16	1			D&D Bldg 444
40299	7/23/01	GW07739RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.29	1			D&D Bldg 444
40299	7/23/01	GW07740RG	1,2,3-TRICHLOROPROPANE	DUP	TR1	1	UG/L	U	V	0.29	1			D&D Bldg 444
40299	7/23/01	GW07739RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.2	1	70		D&D Bldg 444
40299	7/23/01	GW07740RG	1,2,4-TRICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ	0.2	1	70		D&D Bldg 444
40299	7/23/01	GW07739RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	0.36	1			D&D Bldg 444
40299	7/23/01	GW07740RG	1,2-DIBROMOETHANE	DUP	TR1	1	UG/L	U	V	0.36	1			D&D Bldg 444
40299	7/23/01	GW07739RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.24	1	600		D&D Bldg 444
40299	7/23/01	GW07740RG	1,2-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ	0.24	1	600		D&D Bldg 444
40299	7/23/01	GW07739RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.28	1	5		D&D Bldg 444
40299	7/23/01	GW07740RG	1,2-DICHLOROETHANE	DUP	TR1	1	UG/L	U	V	0.28	1	5		D&D Bldg 444
40299	7/23/01	GW07739RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.21	1	5		D&D Bldg 444
40299	7/23/01	GW07740RG	1,2-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V	0.21	1	5		D&D Bldg 444
40299	7/23/01	GW07739RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.26	1	600		D&D Bldg 444
40299	7/23/01	GW07740RG	1,3-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ	0.26	1	600		D&D Bldg 444
40299	7/23/01	GW07739RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.26	1			D&D Bldg 444
40299	7/23/01	GW07740RG	1,3-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V	0.26	1			D&D Bldg 444
40299	7/23/01	GW07739RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.24	1	75		D&D Bldg 444

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
0299	7/23/01	GW07740RG	1,4-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ	0.24	1	75		D&D Bldg 444
40299	7/23/01	GW07739RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.21	1			D&D Bldg 444
0299	7/23/01	GW07740RG	2,2-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V	0.21	1			D&D Bldg 444
0299	7/23/01	GW07739RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V	0.93	1	21900		D&D Bldg 444
40299	7/23/01	GW07740RG	2-BUTANONE	DUP	TR1	5	UG/L	U	V	0.93	1	21900		D&D Bldg 444
40299	7/23/01	GW07739RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V	0.7	1			D&D Bldg 444
0299	7/23/01	GW07740RG	2-HEXANONE	DUP	TR1	5	UG/L	U	V	0.7	1			D&D Bldg 444
0299	7/23/01	GW07739RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.3	1			D&D Bldg 444
40299	7/23/01	GW07740RG	4-ISOPROPYLTOLUENE	DUP	TR1	1	UG/L	U	UJ	0.3	1			D&D Bldg 444
0299	7/23/01	GW07739RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V	0.79	1	2920		D&D Bldg 444
0299	7/23/01	GW07740RG	4-METHYL-2-PENTANONE	DUP	TR1	5	UG/L	U	V	0.79	1	2920		D&D Bldg 444
40299	7/23/01	GW07739RG	ACETONE	REAL	TR1	10	UG/L	U	V	1.9	1	3650		D&D Bldg 444
40299	7/23/01	GW07740RG	ACETONE	DUP	TR1	10	UG/L	U	V	1.9	1	3650		D&D Bldg 444
0299	7/23/01	GW07739RG	BENZENE	REAL	TR1	1	UG/L	U	UJ	0.21	1	5		D&D Bldg 444
0299	7/23/01	GW07740RG	BENZENE	DUP	TR1	1	UG/L	U	UJ	0.21	1	5		D&D Bldg 444
40299	7/23/01	GW07739RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ	0.22	1			D&D Bldg 444
40299	7/23/01	GW07740RG	BENZENE, 1,2,4-TRIMETHYL	DUP	TR1	1	UG/L	U	UJ	0.22	1			D&D Bldg 444
0299	7/23/01	GW07739RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ	0.29	1			D&D Bldg 444
0299	7/23/01	GW07740RG	BENZENE, 1,3,5-TRIMETHYL-	DUP	TR1	1	UG/L	U	UJ	0.29	1			D&D Bldg 444
40299	7/23/01	GW07739RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ	0.24	1			D&D Bldg 444
0299	7/23/01	GW07740RG	BROMOBENZENE	DUP	TR1	1	UG/L	U	UJ	0.24	1			D&D Bldg 444
0299	7/23/01	GW07739RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.21	1			D&D Bldg 444
40299	7/23/01	GW07740RG	BROMOCHLOROMETHANE	DUP	TR1	1	UG/L	U	V	0.21	1			D&D Bldg 444
40299	7/23/01	GW07739RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.22	1	100		D&D Bldg 444
0299	7/23/01	GW07740RG	BROMODICHLOROMETHANE	DUP	TR1	1	UG/L	U	V	0.22	1	100		D&D Bldg 444
0299	7/23/01	GW07739RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	0.32	1	100		D&D Bldg 444
40299	7/23/01	GW07740RG	BROMOFORM	DUP	TR1	1	UG/L	U	V	0.32	1	100		D&D Bldg 444
0299	7/23/01	GW07739RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	0.3	1	51.1		D&D Bldg 444
0299	7/23/01	GW07740RG	BROMOMETHANE	DUP	TR1	1	UG/L	U	V	0.3	1	51.1		D&D Bldg 444
40299	7/23/01	GW07739RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V	0.19	1	3650		D&D Bldg 444
40299	7/23/01	GW07740RG	CARBON DISULFIDE	DUP	TR1	1	UG/L	U	V	0.19	1	3650		D&D Bldg 444
0299	7/23/01	GW07739RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V	0.19	1	5		D&D Bldg 444
0299	7/23/01	GW07740RG	CARBON TETRACHLORIDE	DUP	TR1	1	UG/L	U	V	0.19	1	5		D&D Bldg 444
40299	7/23/01	GW07739RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.3	1	100		D&D Bldg 444
0299	7/23/01	GW07740RG	CHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ	0.3	1	100		D&D Bldg 444
0299	7/23/01	GW07739RG	CHLOROETHANE	REAL	TR1	0.4	UG/L	J	V	0.25	1	29.4		D&D Bldg 444
40299	7/23/01	GW07740RG	CHLOROETHANE	DUP	TR1	0.41	UG/L	J	V	0.25	1	29.4		D&D Bldg 444
40299	7/23/01	GW07739RG	CHLOROFORM	REAL	TR1	0.57	UG/L	J	V	0.23	1	100		D&D Bldg 444
0299	7/23/01	GW07740RG	CHLOROFORM	DUP	TR1	0.69	UG/L	J	V	0.23	1	100		D&D Bldg 444
0299	7/23/01	GW07739RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.3	1	6.55		D&D Bldg 444
40299	7/23/01	GW07740RG	CHLOROMETHANE	DUP	TR1	1	UG/L	U	V	0.3	1	6.55		D&D Bldg 444
0299	7/23/01	GW07739RG	cis-1,2-DICHLOROETHENE	REAL	TR1	8	UG/L		V	0.26	1	70		D&D Bldg 444
0299	7/23/01	GW07740RG	cis-1,2-DICHLOROETHENE	DUP	TR1	8.2	UG/L		V	0.26	1	70		D&D Bldg 444
40299	7/23/01	GW07739RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.28	1	0.473		D&D Bldg 444
40299	7/23/01	GW07740RG	cis-1,3-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V	0.28	1	0.473		D&D Bldg 444
0299	7/23/01	GW07739RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.38	1	1.01		D&D Bldg 444
0299	7/23/01	GW07740RG	DIBROMOCHLOROMETHANE	DUP	TR1	1	UG/L	U	V	0.38	1	1.01		D&D Bldg 444
40299	7/23/01	GW07739RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	0.44	1			D&D Bldg 444
40299	7/23/01	GW07740RG	DIBROMOMETHANE	DUP	TR1	1	UG/L	U	V	0.44	1			D&D Bldg 444
0299	7/23/01	GW07739RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	0.23	1			D&D Bldg 444
40299	7/23/01	GW07740RG	DICHLORODIFLUOROMETHANE	DUP	TR1	1	UG/L	U	V	0.23	1			D&D Bldg 444
40299	7/23/01	GW07739RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.28	1	700		D&D Bldg 444
0299	7/23/01	GW07740RG	ETHYLBENZENE	DUP	TR1	1	UG/L	U	UJ	0.28	1	700		D&D Bldg 444
0299	7/23/01	GW07739RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	0.29	1	1.09		D&D Bldg 444
40299	7/23/01	GW07740RG	HEXACHLOROBUTADIENE	DUP	TR1	1	UG/L	U	V	0.29	1	1.09		D&D Bldg 444
40299	7/23/01	GW07739RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.31	1			D&D Bldg 444
0299	7/23/01	GW07740RG	ISOPROPYLBENZENE	DUP	TR1	1	UG/L	U	UJ	0.31	1			D&D Bldg 444

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
40299	7/23/01	GW07739RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V	0.89	1	5		D&D Bldg 444
40299	7/23/01	GW07740RG	METHYLENE CHLORIDE	DUP	TR1	1	UG/L	U	V	0.89	1	5		D&D Bldg 444
40299	7/23/01	GW07739RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ	0.15	1	1460		D&D Bldg 444
40299	7/23/01	GW07740RG	NAPHTHALENE	DUP	TR1	1	UG/L	U	UJ	0.15	1	1460		D&D Bldg 444
40299	7/23/01	GW07739RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.26	1			D&D Bldg 444
40299	7/23/01	GW07740RG	n-BUTYLBENZENE	DUP	TR1	1	UG/L	U	UJ	0.26	1			D&D Bldg 444
40299	7/23/01	GW07739RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.23	1			D&D Bldg 444
40299	7/23/01	GW07740RG	n-PROPYLBENZENE	DUP	TR1	1	UG/L	U	UJ	0.23	1			D&D Bldg 444
40299	7/23/01	GW07739RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.31	1			D&D Bldg 444
40299	7/23/01	GW07740RG	o-CHLOROTOLUENE	DUP	TR1	1	UG/L	U	UJ	0.31	1			D&D Bldg 444
40299	7/23/01	GW07739RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.25	1			D&D Bldg 444
40299	7/23/01	GW07740RG	p-CHLOROTOLUENE	DUP	TR1	1	UG/L	U	UJ	0.25	1			D&D Bldg 444
40299	7/23/01	GW07739RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V	0.25	1	0.2		D&D Bldg 444
40299	7/23/01	GW07740RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	DUP	TR1	1	UG/L	U	V	0.25	1	0.2		D&D Bldg 444
40299	7/23/01	GW07739RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.26	1			D&D Bldg 444
40299	7/23/01	GW07740RG	sec-BUTYLBENZENE	DUP	TR1	1	UG/L	U	UJ	0.26	1			D&D Bldg 444
40299	7/23/01	GW07739RG	STYRENE	REAL	TR1	1	UG/L	U	UJ	0.27	1	100		D&D Bldg 444
40299	7/23/01	GW07740RG	STYRENE	DUP	TR1	1	UG/L	U	UJ	0.27	1	100		D&D Bldg 444
40299	7/23/01	GW07739RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.29	1			D&D Bldg 444
40299	7/23/01	GW07740RG	tert-BUTYLBENZENE	DUP	TR1	1	UG/L	U	UJ	0.29	1			D&D Bldg 444
40299	7/23/01	GW07739RG	TETRACHLOROETHENE	REAL	TR1	52	UG/L		V	0.36	1	5		D&D Bldg 444
40299	7/23/01	GW07740RG	TETRACHLOROETHENE	DUP	TR1	56	UG/L		V	0.36	1	5		D&D Bldg 444
40299	7/23/01	GW07739RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ	0.29	1	1000		D&D Bldg 444
40299	7/23/01	GW07740RG	TOLUENE	DUP	TR1	1	UG/L	U	UJ	0.29	1	1000		D&D Bldg 444
40299	7/23/01	GW07739RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ	0.95	1	10000		D&D Bldg 444
40299	7/23/01	GW07740RG	TOTAL XYLENES	DUP	TR1	1	UG/L	U	UJ	0.95	1	10000		D&D Bldg 444
40299	7/23/01	GW07739RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V	0.27	1	70		D&D Bldg 444
40299	7/23/01	GW07740RG	trans-1,2-DICHLOROETHENE	DUP	TR1	0.5	UG/L	U	V	0.27	1	70		D&D Bldg 444
40299	7/23/01	GW07739RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.42	1	0.473		D&D Bldg 444
40299	7/23/01	GW07740RG	trans-1,3-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V	0.42	1	0.473		D&D Bldg 444
40299	7/23/01	GW07739RG	TRICHLOROETHENE	REAL	TR1	2.8	UG/L		V	0.22	1	5		D&D Bldg 444
40299	7/23/01	GW07740RG	TRICHLOROETHENE	DUP	TR1	3	UG/L		V	0.22	1	5		D&D Bldg 444
40299	7/23/01	GW07739RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	0.28	1			D&D Bldg 444
40299	7/23/01	GW07740RG	TRICHLOROFLUOROMETHANE	DUP	TR1	1	UG/L	U	V	0.28	1			D&D Bldg 444
40299	7/23/01	GW07739RG	VINYL CHLORIDE	REAL	TR1	0.96	UG/L	J	V	0.21	1	2		D&D Bldg 444
40299	7/23/01	GW07740RG	VINYL CHLORIDE	DUP	TR1	0.93	UG/L	J	V	0.21	1	2		D&D Bldg 444
40299	7/23/01	GW07741RG	1,1,1,2-TETRACHLOROETHANE	RNS	TR1	1	UG/L	U	V	0.22	1			D&D Bldg 444
40299	7/23/01	GW07741RG	1,1,1-TRICHLOROETHANE	RNS	TR1	1	UG/L	U	V	0.26	1	200		D&D Bldg 444
40299	7/23/01	GW07741RG	1,1,2,2-TETRACHLOROETHANE	RNS	TR1	1	UG/L	U	V	0.31	1	0.426		D&D Bldg 444
40299	7/23/01	GW07741RG	1,1,2-TRICHLOROETHANE	RNS	TR1	1	UG/L	U	V	0.39	1	5		D&D Bldg 444
40299	7/23/01	GW07741RG	1,1,2-TRICHLOROTRIFLUOROETHANE	RNS	TR1	1	UG/L	U	V	0.21	1			D&D Bldg 444
40299	7/23/01	GW07741RG	1,1-DICHLOROETHANE	RNS	TR1	1	UG/L	U	V	0.17	1	3650		D&D Bldg 444
40299	7/23/01	GW07741RG	1,1-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V	0.2	1	7		D&D Bldg 444
40299	7/23/01	GW07741RG	1,1-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V	0.22	1			D&D Bldg 444
40299	7/23/01	GW07741RG	1,2,3-TRICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ	0.16	1			D&D Bldg 444
40299	7/23/01	GW07741RG	1,2,3-TRICHLOROPROPANE	RNS	TR1	1	UG/L	U	V	0.29	1			D&D Bldg 444
40299	7/23/01	GW07741RG	1,2,4-TRICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ	0.2	1	70		D&D Bldg 444
40299	7/23/01	GW07741RG	1,2-DIBROMOETHANE	RNS	TR1	1	UG/L	U	V	0.36	1			D&D Bldg 444
40299	7/23/01	GW07741RG	1,2-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ	0.24	1	600		D&D Bldg 444
40299	7/23/01	GW07741RG	1,2-DICHLOROETHANE	RNS	TR1	1	UG/L	U	V	0.28	1	5		D&D Bldg 444
40299	7/23/01	GW07741RG	1,2-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V	0.21	1	5		D&D Bldg 444
40299	7/23/01	GW07741RG	1,3-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ	0.26	1	600		D&D Bldg 444
40299	7/23/01	GW07741RG	1,3-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V	0.26	1			D&D Bldg 444
40299	7/23/01	GW07741RG	1,4-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ	0.24	1	75		D&D Bldg 444
40299	7/23/01	GW07741RG	2,2-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V	0.21	1			D&D Bldg 444
40299	7/23/01	GW07741RG	2-BUTANONE	RNS	TR1	5	UG/L	U	V	0.93	1	21900		D&D Bldg 444
40299	7/23/01	GW07741RG	2-HEXANONE	RNS	TR1	5	UG/L	U	V	0.7	1			D&D Bldg 444

258

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
0299	7/23/01	GW07741RG	4-ISOPROPYLTOLUENE	RNS	TR1	1	UG/L	U	UJ	0.3	1			D&D Bldg 444
40299	7/23/01	GW07741RG	4-METHYL-2-PENTANONE	RNS	TR1	5	UG/L	U	V	0.79	1	2920		D&D Bldg 444
0299	7/23/01	GW07741RG	ACETONE	RNS	TR1	10	UG/L	U	V	1.9	1	3650		D&D Bldg 444
0299	7/23/01	GW07741RG	BENZENE	RNS	TR1	1	UG/L	U	UJ	0.21	1	5		D&D Bldg 444
40299	7/23/01	GW07741RG	BENZENE, 1,2,4-TRIMETHYL	RNS	TR1	1	UG/L	U	UJ	0.22	1			D&D Bldg 444
40299	7/23/01	GW07741RG	BENZENE, 1,3,5-TRIMETHYL-	RNS	TR1	1	UG/L	U	UJ	0.29	1			D&D Bldg 444
0299	7/23/01	GW07741RG	BROMOBENZENE	RNS	TR1	1	UG/L	U	UJ	0.24	1			D&D Bldg 444
0299	7/23/01	GW07741RG	BROMOCHLOROMETHANE	RNS	TR1	1	UG/L	U	V	0.21	1			D&D Bldg 444
40299	7/23/01	GW07741RG	BROMODICHLOROMETHANE	RNS	TR1	1	UG/L	U	V	0.22	1	100		D&D Bldg 444
0299	7/23/01	GW07741RG	BROMOFORM	RNS	TR1	1	UG/L	U	V	0.32	1	100		D&D Bldg 444
0299	7/23/01	GW07741RG	BROMOMETHANE	RNS	TR1	1	UG/L	U	V	0.3	1	51.1		D&D Bldg 444
40299	7/23/01	GW07741RG	CARBON DISULFIDE	RNS	TR1	1	UG/L	U	V	0.19	1	3650		D&D Bldg 444
40299	7/23/01	GW07741RG	CARBON TETRACHLORIDE	RNS	TR1	1	UG/L	U	V	0.19	1	5		D&D Bldg 444
0299	7/23/01	GW07741RG	CHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ	0.3	1	100		D&D Bldg 444
0299	7/23/01	GW07741RG	CHLOROETHANE	RNS	TR1	1	UG/L	U	V	0.25	1	29.4		D&D Bldg 444
40299	7/23/01	GW07741RG	CHLOROFORM	RNS	TR1	1	UG/L	U	V	0.23	1	100		D&D Bldg 444
0299	7/23/01	GW07741RG	CHLOROMETHANE	RNS	TR1	0.6	UG/L	J	V	0.3	1	6.55		D&D Bldg 444
0299	7/23/01	GW07741RG	cis-1,2-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V	0.26	1	70		D&D Bldg 444
40299	7/23/01	GW07741RG	cis-1,3-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V	0.28	1	0.473		D&D Bldg 444
40299	7/23/01	GW07741RG	DIBROMOCHLOROMETHANE	RNS	TR1	1	UG/L	U	V	0.38	1	1.01		D&D Bldg 444
0299	7/23/01	GW07741RG	DIBROMOMETHANE	RNS	TR1	1	UG/L	U	V	0.44	1			D&D Bldg 444
0299	7/23/01	GW07741RG	DICHLORODIFLUOROMETHANE	RNS	TR1	1	UG/L	U	V	0.23	1			D&D Bldg 444
40299	7/23/01	GW07741RG	ETHYLBENZENE	RNS	TR1	1	UG/L	U	UJ	0.28	1	700		D&D Bldg 444
40299	7/23/01	GW07741RG	HEXACHLOROBUTADIENE	RNS	TR1	1	UG/L	U	V	0.29	1	1.09		D&D Bldg 444
0299	7/23/01	GW07741RG	ISOPROPYLBENZENE	RNS	TR1	1	UG/L	U	UJ	0.31	1			D&D Bldg 444
0299	7/23/01	GW07741RG	METHYLENE CHLORIDE	RNS	TR1	1	UG/L	U	V	0.89	1	5		D&D Bldg 444
40299	7/23/01	GW07741RG	NAPHTHALENE	RNS	TR1	1	UG/L	U	UJ	0.15	1	1460		D&D Bldg 444
0299	7/23/01	GW07741RG	n-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ	0.26	1			D&D Bldg 444
0299	7/23/01	GW07741RG	n-PROPYLBENZENE	RNS	TR1	1	UG/L	U	UJ	0.23	1			D&D Bldg 444
40299	7/23/01	GW07741RG	o-CHLOROTOLUENE	RNS	TR1	1	UG/L	U	UJ	0.31	1			D&D Bldg 444
40299	7/23/01	GW07741RG	p-CHLOROTOLUENE	RNS	TR1	1	UG/L	U	UJ	0.25	1			D&D Bldg 444
0299	7/23/01	GW07741RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	RNS	TR1	1	UG/L	U	V	0.25	1	0.2		D&D Bldg 444
0299	7/23/01	GW07741RG	sec-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ	0.26	1			D&D Bldg 444
40299	7/23/01	GW07741RG	STYRENE	RNS	TR1	1	UG/L	U	UJ	0.27	1	100		D&D Bldg 444
0299	7/23/01	GW07741RG	tert-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ	0.29	1			D&D Bldg 444
0299	7/23/01	GW07741RG	TETRACHLOROETHENE	RNS	TR1	1	UG/L	U	V	0.36	1	5		D&D Bldg 444
40299	7/23/01	GW07741RG	TOLUENE	RNS	TR1	1	UG/L	U	UJ	0.29	1	1000		D&D Bldg 444
40299	7/23/01	GW07741RG	TOTAL XYLENES	RNS	TR1	1	UG/L	U	UJ	0.95	1	10000		D&D Bldg 444
0299	7/23/01	GW07741RG	trans-1,2-DICHLOROETHENE	RNS	TR1	0.5	UG/L	U	V	0.27	1	70		D&D Bldg 444
0299	7/23/01	GW07741RG	trans-1,3-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V	0.42	1	0.473		D&D Bldg 444
40299	7/23/01	GW07741RG	TRICHLOROETHENE	RNS	TR1	1	UG/L	U	V	0.22	1	5		D&D Bldg 444
0299	7/23/01	GW07741RG	TRICHLOROFLUOROMETHANE	RNS	TR1	1	UG/L	U	V	0.28	1			D&D Bldg 444
0299	7/23/01	GW07741RG	VINYL CHLORIDE	RNS	TR1	1	UG/L	U	V	0.21	1	2		D&D Bldg 444
40399	8/13/01	GW07742RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
40399	8/13/01	GW07742RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	200		D&D Bldg 444
0399	8/13/01	GW07742RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	0.426		D&D Bldg 444
0399	8/13/01	GW07742RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 444
40399	8/13/01	GW07742RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
0399	8/13/01	GW07742RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	3650		D&D Bldg 444
0399	8/13/01	GW07742RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	7		D&D Bldg 444
40399	8/13/01	GW07742RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
40399	8/13/01	GW07742RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
0399	8/13/01	GW07742RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
0399	8/13/01	GW07742RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	70		D&D Bldg 444
40399	8/13/01	GW07742RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
40399	8/13/01	GW07742RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	600		D&D Bldg 444
0399	8/13/01	GW07742RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 444

289

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
40399	8/13/01	GW07742RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 444
40399	8/13/01	GW07742RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	600		D&D Bldg 444
40399	8/13/01	GW07742RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
40399	8/13/01	GW07742RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	75		D&D Bldg 444
40399	8/13/01	GW07742RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
40399	8/13/01	GW07742RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R	5	1	21900		D&D Bldg 444
40399	8/13/01	GW07742RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V	10	1			D&D Bldg 444
40399	8/13/01	GW07742RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
40399	8/13/01	GW07742RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V	10	1	2920		D&D Bldg 444
40399	8/13/01	GW07742RG	ACETONE	REAL	TR1	10	UG/L	U	R	10	1	3650		D&D Bldg 444
40399	8/13/01	GW07742RG	BENZENE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 444
40399	8/13/01	GW07742RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
40399	8/13/01	GW07742RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
40399	8/13/01	GW07742RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
40399	8/13/01	GW07742RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
40399	8/13/01	GW07742RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 444
40399	8/13/01	GW07742RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 444
40399	8/13/01	GW07742RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1	51.1		D&D Bldg 444
40399	8/13/01	GW07742RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V	1	1	3650		D&D Bldg 444
40399	8/13/01	GW07742RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 444
40399	8/13/01	GW07742RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 444
40399	8/13/01	GW07742RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	29.4		D&D Bldg 444
40399	8/13/01	GW07742RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 444
40399	8/13/01	GW07742RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	6.55		D&D Bldg 444
40399	8/13/01	GW07742RG	cis-1,2-DICHLOROETHENE	REAL	TR1	0.7	UG/L	J	V	1	1	70		D&D Bldg 444
40399	8/13/01	GW07742RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473		D&D Bldg 444
40399	8/13/01	GW07742RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	1.01		D&D Bldg 444
40399	8/13/01	GW07742RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
40399	8/13/01	GW07742RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
40399	8/13/01	GW07742RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1	700		D&D Bldg 444
40399	8/13/01	GW07742RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	1	1	1.09		D&D Bldg 444
40399	8/13/01	GW07742RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
40399	8/13/01	GW07742RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 444
40399	8/13/01	GW07742RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V	1	1	1460		D&D Bldg 444
40399	8/13/01	GW07742RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
40399	8/13/01	GW07742RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
40399	8/13/01	GW07742RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
40399	8/13/01	GW07742RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
40399	8/13/01	GW07742RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V	1	1	0.2		D&D Bldg 444
40399	8/13/01	GW07742RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
40399	8/13/01	GW07742RG	STYRENE	REAL	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 444
40399	8/13/01	GW07742RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
40399	8/13/01	GW07742RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 444
40399	8/13/01	GW07742RG	TOLUENE	REAL	TR1	1	UG/L	U	V	1	1	1000		D&D Bldg 444
40399	8/13/01	GW07742RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	V	3	1	10000		D&D Bldg 444
40399	8/13/01	GW07742RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70		D&D Bldg 444
40399	8/13/01	GW07742RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473		D&D Bldg 444
40399	8/13/01	GW07742RG	TRICHLOROETHENE	REAL	TR1	1	UG/L		V	1	1	5		D&D Bldg 444
40399	8/13/01	GW07742RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
40399	8/13/01	GW07742RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	2		D&D Bldg 444
40499	8/13/01	GW07743RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40499	8/13/01	GW07743RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	200		D&D Bldg 444
40499	8/13/01	GW07743RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	0.426		D&D Bldg 444
40499	8/13/01	GW07743RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 444
40499	8/13/01	GW07743RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40499	8/13/01	GW07743RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	3650		D&D Bldg 444
40499	8/13/01	GW07743RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	7		D&D Bldg 444

290

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
40499	8/13/01	GW07743RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40499	8/13/01	GW07743RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40499	8/13/01	GW07743RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40499	8/13/01	GW07743RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	70		D&D Bldg 444
40499	8/13/01	GW07743RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40499	8/13/01	GW07743RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	600		D&D Bldg 444
40499	8/13/01	GW07743RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 444
40499	8/13/01	GW07743RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 444
40499	8/13/01	GW07743RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	600		D&D Bldg 444
40499	8/13/01	GW07743RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40499	8/13/01	GW07743RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	75		D&D Bldg 444
40499	8/13/01	GW07743RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40499	8/13/01	GW07743RG	2-BUTANONE	REAL	TR1	5	UG/L	U		5	1	21900		D&D Bldg 444
40499	8/13/01	GW07743RG	2-HEXANONE	REAL	TR1	10	UG/L	U		10	1			D&D Bldg 444
40499	8/13/01	GW07743RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40499	8/13/01	GW07743RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U		10	1	2920		D&D Bldg 444
40499	8/13/01	GW07743RG	ACETONE	REAL	TR1	10	UG/L	U		10	1	3650		D&D Bldg 444
40499	8/13/01	GW07743RG	BENZENE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 444
40499	8/13/01	GW07743RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40499	8/13/01	GW07743RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40499	8/13/01	GW07743RG	BROMOBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40499	8/13/01	GW07743RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40499	8/13/01	GW07743RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1	100		D&D Bldg 444
40499	8/13/01	GW07743RG	BROMOFORM	REAL	TR1	1	UG/L	U		1	1	100		D&D Bldg 444
40499	8/13/01	GW07743RG	BROMOMETHANE	REAL	TR1	1	UG/L	U		1	1	51.1		D&D Bldg 444
40499	8/13/01	GW07743RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U		1	1	3650		D&D Bldg 444
40499	8/13/01	GW07743RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 444
40499	8/13/01	GW07743RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	100		D&D Bldg 444
40499	8/13/01	GW07743RG	CHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	29.4		D&D Bldg 444
40499	8/13/01	GW07743RG	CHLOROFORM	REAL	TR1	1	UG/L	U		1	1	100		D&D Bldg 444
40499	8/13/01	GW07743RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1	6.55		D&D Bldg 444
40499	8/13/01	GW07743RG	cis-1,2-DICHLOROETHENE	REAL	TR1	5	UG/L			1	1	70		D&D Bldg 444
40499	8/13/01	GW07743RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U		1	1	0.473		D&D Bldg 444
40499	8/13/01	GW07743RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1	1.01		D&D Bldg 444
40499	8/13/01	GW07743RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40499	8/13/01	GW07743RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40499	8/13/01	GW07743RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U		1	1	700		D&D Bldg 444
40499	8/13/01	GW07743RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U		1	1	1.09		D&D Bldg 444
40499	8/13/01	GW07743RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40499	8/13/01	GW07743RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 444
40499	8/13/01	GW07743RG	NAPHTHALENE	REAL	TR1	1	UG/L	U		1	1	1460		D&D Bldg 444
40499	8/13/01	GW07743RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40499	8/13/01	GW07743RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40499	8/13/01	GW07743RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40499	8/13/01	GW07743RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40499	8/13/01	GW07743RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U		1	1	0.2		D&D Bldg 444
40499	8/13/01	GW07743RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40499	8/13/01	GW07743RG	STYRENE	REAL	TR1	1	UG/L	U		1	1	100		D&D Bldg 444
40499	8/13/01	GW07743RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40499	8/13/01	GW07743RG	TETRACHLOROETHENE	REAL	TR1	6.6	UG/L			1	1	5		D&D Bldg 444
40499	8/13/01	GW07743RG	TOLUENE	REAL	TR1	1	UG/L	U		1	1	1000		D&D Bldg 444
40499	8/13/01	GW07743RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U		3	1	10000		D&D Bldg 444
40499	8/13/01	GW07743RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	70		D&D Bldg 444
40499	8/13/01	GW07743RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U		1	1	0.473		D&D Bldg 444
40499	8/13/01	GW07743RG	TRICHLOROETHENE	REAL	TR1	1.6	UG/L			1	1	5		D&D Bldg 444
40499	8/13/01	GW07743RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 444
40499	8/13/01	GW07743RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U		1	1	2		D&D Bldg 444

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
40599	7/26/01	GW07748RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1			D&D Bldg 771
40599	7/26/01	GW07748RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	200		D&D Bldg 771
40599	7/26/01	GW07748RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.426		D&D Bldg 771
40599	7/26/01	GW07748RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1	5		D&D Bldg 771
40599	7/26/01	GW07748RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	DL1	120	UG/L		V1	0.84	4			D&D Bldg 771
40599	7/26/01	GW07748RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.17	1	3650		D&D Bldg 771
40599	7/26/01	GW07748RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.2	1	7		D&D Bldg 771
40599	7/26/01	GW07748RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1			D&D Bldg 771
40599	7/26/01	GW07748RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.16	1			D&D Bldg 771
40599	7/26/01	GW07748RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.29	1			D&D Bldg 771
40599	7/26/01	GW07748RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.2	1	70		D&D Bldg 771
40599	7/26/01	GW07748RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.36	1			D&D Bldg 771
40599	7/26/01	GW07748RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1	600		D&D Bldg 771
40599	7/26/01	GW07748RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5		D&D Bldg 771
40599	7/26/01	GW07748RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		D&D Bldg 771
40599	7/26/01	GW07748RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1	600		D&D Bldg 771
40599	7/26/01	GW07748RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.26	1			D&D Bldg 771
40599	7/26/01	GW07748RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1	75		D&D Bldg 771
40599	7/26/01	GW07748RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 771
40599	7/26/01	GW07748RG	2-BUTANONE	REAL	TR1	5	UG/L	U	UJ1	0.93	1	21900		D&D Bldg 771
40599	7/26/01	GW07748RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	0.7	1			D&D Bldg 771
40599	7/26/01	GW07748RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V1	0.3	1			D&D Bldg 771
40599	7/26/01	GW07748RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	0.79	1	2920		D&D Bldg 771
40599	7/26/01	GW07748RG	ACETONE	REAL	TR1	10	UG/L	U	UJ1	1.9	1	3650		D&D Bldg 771
40599	7/26/01	GW07748RG	BENZENE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		D&D Bldg 771
40599	7/26/01	GW07748RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V1	0.22	1			D&D Bldg 771
40599	7/26/01	GW07748RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V1	0.29	1			D&D Bldg 771
40599	7/26/01	GW07748RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1			D&D Bldg 771
40599	7/26/01	GW07748RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 771
40599	7/26/01	GW07748RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	100		D&D Bldg 771
40599	7/26/01	GW07748RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.32	1	100		D&D Bldg 771
40599	7/26/01	GW07748RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	51.1		D&D Bldg 771
40599	7/26/01	GW07748RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	3650		D&D Bldg 771
40599	7/26/01	GW07748RG	CARBON TETRACHLORIDE	REAL	TR1	4.5	UG/L		V1	0.19	1	5		D&D Bldg 771
40599	7/26/01	GW07748RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.3	1	100		D&D Bldg 771
40599	7/26/01	GW07748RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.25	1	29.4		D&D Bldg 771
40599	7/26/01	GW07748RG	CHLOROFORM	REAL	TR1	6.3	UG/L		V1	0.23	1	100		D&D Bldg 771
40599	7/26/01	GW07748RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	6.55		D&D Bldg 771
40599	7/26/01	GW07748RG	cis-1,2-DICHLOROETHENE	REAL	TR1	0.43	UG/L	J	V1	0.26	1	70		D&D Bldg 771
40599	7/26/01	GW07748RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.28	1	0.473		D&D Bldg 771
40599	7/26/01	GW07748RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.38	1	1.01		D&D Bldg 771
40599	7/26/01	GW07748RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1			D&D Bldg 771
40599	7/26/01	GW07748RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1			D&D Bldg 771
40599	7/26/01	GW07748RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.28	1	700		D&D Bldg 771
40599	7/26/01	GW07748RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1.09		D&D Bldg 771
40599	7/26/01	GW07748RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.31	1			D&D Bldg 771
40599	7/26/01	GW07748RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.89	1	5		D&D Bldg 771
40599	7/26/01	GW07748RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V1	0.15	1	1460		D&D Bldg 771
40599	7/26/01	GW07748RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1			D&D Bldg 771
40599	7/26/01	GW07748RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.23	1			D&D Bldg 771
40599	7/26/01	GW07748RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.31	1			D&D Bldg 771
40599	7/26/01	GW07748RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.25	1			D&D Bldg 771
40599	7/26/01	GW07748RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	UJ1	0.25	1	0.2		D&D Bldg 771
40599	7/26/01	GW07748RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1			D&D Bldg 771
40599	7/26/01	GW07748RG	STYRENE	REAL	TR1	1	UG/L	U	V1	0.27	1	100		D&D Bldg 771
40599	7/26/01	GW07748RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.29	1			D&D Bldg 771
40599	7/26/01	GW07748RG	TETRACHLOROETHENE	REAL	TR1	1.9	UG/L		V1	0.36	1	5		D&D Bldg 771

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
40599	7/26/01	GW07748RG	TOLUENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1000		D&D Bldg 771
40599	7/26/01	GW07748RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	V1	0.95	1	10000		D&D Bldg 771
40599	7/26/01	GW07748RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.27	1	70		D&D Bldg 771
40599	7/26/01	GW07748RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.42	1	0.473		D&D Bldg 771
40599	7/26/01	GW07748RG	TRICHLOROETHENE	REAL	TR1	0.33	UG/L	J	V1	0.22	1	5		D&D Bldg 771
40599	7/26/01	GW07748RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1			D&D Bldg 771
40599	7/26/01	GW07748RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.21	1	2		D&D Bldg 771
40699	7/26/01	GW07749RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1			D&D Bldg 771
40699	7/26/01	GW07749RG	1,1,1-TRICHLOROETHANE	REAL	TR1	6	UG/L		V1	0.26	1	200		D&D Bldg 771
40699	7/26/01	GW07749RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.426		D&D Bldg 771
40699	7/26/01	GW07749RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1	5		D&D Bldg 771
40699	7/26/01	GW07749RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	0.76	UG/L	J	V1	0.21	1			D&D Bldg 771
40699	7/26/01	GW07749RG	1,1-DICHLOROETHANE	REAL	TR1	31	UG/L		V1	0.17	1	3650		D&D Bldg 771
40699	7/26/01	GW07749RG	1,1-DICHLOROETHENE	REAL	DL1	200	UG/L		V1	0.8	4	7		D&D Bldg 771
40699	7/26/01	GW07749RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1			D&D Bldg 771
40699	7/26/01	GW07749RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.16	1			D&D Bldg 771
40699	7/26/01	GW07749RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.29	1			D&D Bldg 771
40699	7/26/01	GW07749RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.2	1	70		D&D Bldg 771
40699	7/26/01	GW07749RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.36	1			D&D Bldg 771
40699	7/26/01	GW07749RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1	600		D&D Bldg 771
40699	7/26/01	GW07749RG	1,2-DICHLOROETHANE	REAL	TR1	2.1	UG/L		V1	0.28	1	5		D&D Bldg 771
40699	7/26/01	GW07749RG	1,2-DICHLOROPROPANE	REAL	TR1	0.3	UG/L	J	V1	0.21	1	5		D&D Bldg 771
40699	7/26/01	GW07749RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1	600		D&D Bldg 771
40699	7/26/01	GW07749RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.26	1			D&D Bldg 771
40699	7/26/01	GW07749RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1	75		D&D Bldg 771
40699	7/26/01	GW07749RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 771
40699	7/26/01	GW07749RG	2-BUTANONE	REAL	TR1	5	UG/L	U	UJ1	0.93	1	21900		D&D Bldg 771
40699	7/26/01	GW07749RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	0.7	1			D&D Bldg 771
40699	7/26/01	GW07749RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V1	0.3	1			D&D Bldg 771
40699	7/26/01	GW07749RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	0.79	1	2920		D&D Bldg 771
40699	7/26/01	GW07749RG	ACETONE	REAL	TR1	10	UG/L	U	UJ1	1.9	1	3650		D&D Bldg 771
40699	7/26/01	GW07749RG	BENZENE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		D&D Bldg 771
40699	7/26/01	GW07749RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V1	0.22	1			D&D Bldg 771
40699	7/26/01	GW07749RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V1	0.29	1			D&D Bldg 771
40699	7/26/01	GW07749RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1			D&D Bldg 771
40699	7/26/01	GW07749RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 771
40699	7/26/01	GW07749RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	100		D&D Bldg 771
40699	7/26/01	GW07749RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.32	1	100		D&D Bldg 771
40699	7/26/01	GW07749RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	51.1		D&D Bldg 771
40699	7/26/01	GW07749RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	3650		D&D Bldg 771
40699	7/26/01	GW07749RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	5		D&D Bldg 771
40699	7/26/01	GW07749RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.3	1	100		D&D Bldg 771
40699	7/26/01	GW07749RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.25	1	29.4		D&D Bldg 771
40699	7/26/01	GW07749RG	CHLOROFORM	REAL	TR1	1.7	UG/L		V1	0.23	1	100		D&D Bldg 771
40699	7/26/01	GW07749RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	6.55		D&D Bldg 771
40699	7/26/01	GW07749RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.26	1	70		D&D Bldg 771
40699	7/26/01	GW07749RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.28	1	0.473		D&D Bldg 771
40699	7/26/01	GW07749RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.38	1	1.01		D&D Bldg 771
40699	7/26/01	GW07749RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1			D&D Bldg 771
40699	7/26/01	GW07749RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1			D&D Bldg 771
40699	7/26/01	GW07749RG	ETHANE, 1,2-DICHLORO-1,1,2-T	REAL	DL1	16	UG/L	J	1		4		TIC	D&D Bldg 771
40699	7/26/01	GW07749RG	ETHANE, 1,2-DICHLORO-1,1,2-T	REAL	TR1	24	UG/L	J	V1		1		TIC	D&D Bldg 771
40699	7/26/01	GW07749RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.28	1	700		D&D Bldg 771
40699	7/26/01	GW07749RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1.09		D&D Bldg 771
40699	7/26/01	GW07749RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.31	1			D&D Bldg 771
40699	7/26/01	GW07749RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.89	1	5		D&D Bldg 771
40699	7/26/01	GW07749RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V1	0.15	1	1460		D&D Bldg 771

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
40699	7/26/01	GW07749RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1			D&D Bldg 771
40699	7/26/01	GW07749RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.23	1			D&D Bldg 771
40699	7/26/01	GW07749RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.31	1			D&D Bldg 771
40699	7/26/01	GW07749RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.25	1			D&D Bldg 771
40699	7/26/01	GW07749RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	UJ1	0.25	1	0.2		D&D Bldg 771
40699	7/26/01	GW07749RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1			D&D Bldg 771
40699	7/26/01	GW07749RG	STYRENE	REAL	TR1	1	UG/L	U	V1	0.27	1	100		D&D Bldg 771
40699	7/26/01	GW07749RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.29	1			D&D Bldg 771
40699	7/26/01	GW07749RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.36	1	5		D&D Bldg 771
40699	7/26/01	GW07749RG	TOLUENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1000		D&D Bldg 771
40699	7/26/01	GW07749RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	V1	0.95	1	10000		D&D Bldg 771
40699	7/26/01	GW07749RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.27	1	70		D&D Bldg 771
40699	7/26/01	GW07749RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.42	1	0.473		D&D Bldg 771
40699	7/26/01	GW07749RG	TRICHLOROETHENE	REAL	TR1	0.54	UG/L	J	V1	0.22	1	5		D&D Bldg 771
40699	7/26/01	GW07749RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1			D&D Bldg 771
40699	7/26/01	GW07749RG	VINYL CHLORIDE	REAL	TR1	0.82	UG/L	J	V1	0.21	1	2		D&D Bldg 771
40799	7/26/01	GW07750RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1			D&D Bldg 771
40799	7/26/01	GW07750RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	200		D&D Bldg 771
40799	7/26/01	GW07750RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.426		D&D Bldg 771
40799	7/26/01	GW07750RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1	5		D&D Bldg 771
40799	7/26/01	GW07750RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 771
40799	7/26/01	GW07750RG	1,1-DICHLOROETHANE	REAL	TR1	1.4	UG/L		V1	0.17	1	3650		D&D Bldg 771
40799	7/26/01	GW07750RG	1,1-DICHLOROETHENE	REAL	TR1	0.35	UG/L	J	V1	0.2	1	7		D&D Bldg 771
40799	7/26/01	GW07750RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1			D&D Bldg 771
40799	7/26/01	GW07750RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.16	1			D&D Bldg 771
40799	7/26/01	GW07750RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.29	1			D&D Bldg 771
40799	7/26/01	GW07750RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.2	1	70		D&D Bldg 771
40799	7/26/01	GW07750RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.36	1			D&D Bldg 771
40799	7/26/01	GW07750RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1	600		D&D Bldg 771
40799	7/26/01	GW07750RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5		D&D Bldg 771
40799	7/26/01	GW07750RG	1,2-DICHLOROPROPANE	REAL	TR1	1.2	UG/L		V1	0.21	1	5		D&D Bldg 771
40799	7/26/01	GW07750RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1	600		D&D Bldg 771
40799	7/26/01	GW07750RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.26	1			D&D Bldg 771
40799	7/26/01	GW07750RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1	75		D&D Bldg 771
40799	7/26/01	GW07750RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 771
40799	7/26/01	GW07750RG	2-BUTANONE	REAL	TR1	5	UG/L	U	UJ1	0.93	1	21900		D&D Bldg 771
40799	7/26/01	GW07750RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	0.7	1			D&D Bldg 771
40799	7/26/01	GW07750RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V1	0.3	1			D&D Bldg 771
40799	7/26/01	GW07750RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	0.79	1	2920		D&D Bldg 771
40799	7/26/01	GW07750RG	ACETONE	REAL	TR1	10	UG/L	U	UJ1	1.9	1	3650		D&D Bldg 771
40799	7/26/01	GW07750RG	BENZENE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		D&D Bldg 771
40799	7/26/01	GW07750RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V1	0.22	1			D&D Bldg 771
40799	7/26/01	GW07750RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V1	0.29	1			D&D Bldg 771
40799	7/26/01	GW07750RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1			D&D Bldg 771
40799	7/26/01	GW07750RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 771
40799	7/26/01	GW07750RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	100		D&D Bldg 771
40799	7/26/01	GW07750RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.32	1	100		D&D Bldg 771
40799	7/26/01	GW07750RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	51.1		D&D Bldg 771
40799	7/26/01	GW07750RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	3650		D&D Bldg 771
40799	7/26/01	GW07750RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	5		D&D Bldg 771
40799	7/26/01	GW07750RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.3	1	100		D&D Bldg 771
40799	7/26/01	GW07750RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.25	1	29.4		D&D Bldg 771
40799	7/26/01	GW07750RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.23	1	100		D&D Bldg 771
40799	7/26/01	GW07750RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	6.55		D&D Bldg 771
40799	7/26/01	GW07750RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.26	1	70		D&D Bldg 771
40799	7/26/01	GW07750RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.28	1	0.473		D&D Bldg 771
40799	7/26/01	GW07750RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.38	1	1.01		D&D Bldg 771

294

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
0799	7/26/01	GW07750RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1			D&D Bldg 771
40799	7/26/01	GW07750RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1			D&D Bldg 771
0799	7/26/01	GW07750RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.28	1	700		D&D Bldg 771
0799	7/26/01	GW07750RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1.09		D&D Bldg 771
40799	7/26/01	GW07750RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.31	1			D&D Bldg 771
40799	7/26/01	GW07750RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.89	1	5		D&D Bldg 771
0799	7/26/01	GW07750RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V1	0.15	1	1460		D&D Bldg 771
0799	7/26/01	GW07750RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1			D&D Bldg 771
40799	7/26/01	GW07750RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.23	1			D&D Bldg 771
0799	7/26/01	GW07750RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.31	1			D&D Bldg 771
0799	7/26/01	GW07750RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.25	1			D&D Bldg 771
40799	7/26/01	GW07750RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	UJ1	0.25	1	0.2		D&D Bldg 771
40799	7/26/01	GW07750RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1			D&D Bldg 771
0799	7/26/01	GW07750RG	STYRENE	REAL	TR1	1	UG/L	U	V1	0.27	1	100		D&D Bldg 771
0799	7/26/01	GW07750RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.29	1			D&D Bldg 771
40799	7/26/01	GW07750RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.36	1	5		D&D Bldg 771
0799	7/26/01	GW07750RG	TETRAHYDROFURAN	REAL	TR1	1.3	UG/L		V1		1		TIC	D&D Bldg 771
0799	7/26/01	GW07750RG	TOLUENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1000		D&D Bldg 771
40799	7/26/01	GW07750RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	V1	0.95	1	10000		D&D Bldg 771
40799	7/26/01	GW07750RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.27	1	70		D&D Bldg 771
0799	7/26/01	GW07750RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.42	1	0.473		D&D Bldg 771
0799	7/26/01	GW07750RG	TRICHLOROETHENE	REAL	TR1	0.23	UG/L	J	V1	0.22	1	5		D&D Bldg 771
40799	7/26/01	GW07750RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1			D&D Bldg 771
40799	7/26/01	GW07750RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.21	1	2		D&D Bldg 771
087	7/13/01	GW07698RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1			RCRA
4087	7/13/01	GW07698RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	200		RCRA
4087	7/13/01	GW07698RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.426		RCRA
087	7/13/01	GW07698RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1	5		RCRA
087	7/13/01	GW07698RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			RCRA
4087	7/13/01	GW07698RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.17	1	3650		RCRA
4087	7/13/01	GW07698RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.2	1	7		RCRA
087	7/13/01	GW07698RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1			RCRA
087	7/13/01	GW07698RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1			RCRA
4087	7/13/01	GW07698RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.29	1			RCRA
087	7/13/01	GW07698RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	70		RCRA
087	7/13/01	GW07698RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.36	1			RCRA
4087	7/13/01	GW07698RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	600		RCRA
4087	7/13/01	GW07698RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5		RCRA
087	7/13/01	GW07698RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		RCRA
087	7/13/01	GW07698RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	600		RCRA
4087	7/13/01	GW07698RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.26	1			RCRA
087	7/13/01	GW07698RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	75		RCRA
087	7/13/01	GW07698RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1			RCRA
4087	7/13/01	GW07698RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V1	0.93	1	21900		RCRA
4087	7/13/01	GW07698RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	0.7	1			RCRA
087	7/13/01	GW07698RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1			RCRA
087	7/13/01	GW07698RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	0.79	1	2920		RCRA
4087	7/13/01	GW07698RG	ACETONE	REAL	TR1	10	UG/L	U	V1	1.9	1	3650		RCRA
087	7/13/01	GW07698RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1	5		RCRA
087	7/13/01	GW07698RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.22	1			RCRA
4087	7/13/01	GW07698RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.29	1			RCRA
4087	7/13/01	GW07698RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1			RCRA
087	7/13/01	GW07698RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			RCRA
087	7/13/01	GW07698RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	100		RCRA
4087	7/13/01	GW07698RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.32	1	100		RCRA
087	7/13/01	GW07698RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	51.1		RCRA
087	7/13/01	GW07698RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	3650		RCRA

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
4087	7/13/01	GW07698RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	5		RCRA
4087	7/13/01	GW07698RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	100		RCRA
4087	7/13/01	GW07698RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.25	1	29.4		RCRA
4087	7/13/01	GW07698RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.23	1	100		RCRA
4087	7/13/01	GW07698RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	6.55		RCRA
4087	7/13/01	GW07698RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.26	1	70		RCRA
4087	7/13/01	GW07698RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.28	1	0.473		RCRA
4087	7/13/01	GW07698RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.38	1	1.01		RCRA
4087	7/13/01	GW07698RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1			RCRA
4087	7/13/01	GW07698RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1			RCRA
4087	7/13/01	GW07698RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.28	1	700		RCRA
4087	7/13/01	GW07698RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1.09		RCRA
4087	7/13/01	GW07698RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			RCRA
4087	7/13/01	GW07698RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.89	1	5		RCRA
4087	7/13/01	GW07698RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1460		RCRA
4087	7/13/01	GW07698RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			RCRA
4087	7/13/01	GW07698RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1			RCRA
4087	7/13/01	GW07698RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			RCRA
4087	7/13/01	GW07698RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1			RCRA
4087	7/13/01	GW07698RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.25	1	0.2		RCRA
4087	7/13/01	GW07698RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			RCRA
4087	7/13/01	GW07698RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.27	1	100		RCRA
4087	7/13/01	GW07698RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1			RCRA
4087	7/13/01	GW07698RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.36	1	5		RCRA
4087	7/13/01	GW07698RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1	1000		RCRA
4087	7/13/01	GW07698RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.95	1	10000		RCRA
4087	7/13/01	GW07698RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.27	1	70		RCRA
4087	7/13/01	GW07698RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.42	1	0.473		RCRA
4087	7/13/01	GW07698RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.22	1	5		RCRA
4087	7/13/01	GW07698RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.28	1			RCRA
4087	7/13/01	GW07698RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.21	1	2		RCRA
40999	7/17/01	GW07691RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1			D&D Bldg 886/865
40999	7/17/01	GW07691RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	200		D&D Bldg 886/865
40999	7/17/01	GW07691RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.426		D&D Bldg 886/865
40999	7/17/01	GW07691RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1	5		D&D Bldg 886/865
40999	7/17/01	GW07691RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 886/865
40999	7/17/01	GW07691RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.17	1	3650		D&D Bldg 886/865
40999	7/17/01	GW07691RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.2	1	7		D&D Bldg 886/865
40999	7/17/01	GW07691RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1			D&D Bldg 886/865
40999	7/17/01	GW07691RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1			D&D Bldg 886/865
40999	7/17/01	GW07691RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.29	1			D&D Bldg 886/865
40999	7/17/01	GW07691RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	70		D&D Bldg 886/865
40999	7/17/01	GW07691RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.36	1			D&D Bldg 886/865
40999	7/17/01	GW07691RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	600		D&D Bldg 886/865
40999	7/17/01	GW07691RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5		D&D Bldg 886/865
40999	7/17/01	GW07691RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		D&D Bldg 886/865
40999	7/17/01	GW07691RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	600		D&D Bldg 886/865
40999	7/17/01	GW07691RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.26	1			D&D Bldg 886/865
40999	7/17/01	GW07691RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	75		D&D Bldg 886/865
40999	7/17/01	GW07691RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 886/865
40999	7/17/01	GW07691RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V1	0.93	1	21900		D&D Bldg 886/865
40999	7/17/01	GW07691RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	0.7	1			D&D Bldg 886/865
40999	7/17/01	GW07691RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1			D&D Bldg 886/865
40999	7/17/01	GW07691RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	0.79	1	2920		D&D Bldg 886/865
40999	7/17/01	GW07691RG	ACETONE	REAL	TR1	10	UG/L	U	V1	1.9	1	3650		D&D Bldg 886/865
40999	7/17/01	GW07691RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1	5		D&D Bldg 886/865
40999	7/17/01	GW07691RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.22	1			D&D Bldg 886/865

296

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
0999	7/17/01	GW07691RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.29	1			D&D Bldg 886/865
40999	7/17/01	GW07691RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1			D&D Bldg 886/865
0999	7/17/01	GW07691RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 886/865
0999	7/17/01	GW07691RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	100		D&D Bldg 886/865
40999	7/17/01	GW07691RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.32	1	100		D&D Bldg 886/865
40999	7/17/01	GW07691RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	51.1		D&D Bldg 886/865
0999	7/17/01	GW07691RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	3650		D&D Bldg 886/865
0999	7/17/01	GW07691RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	5		D&D Bldg 886/865
40999	7/17/01	GW07691RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	100		D&D Bldg 886/865
0999	7/17/01	GW07691RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.25	1	29.4		D&D Bldg 886/865
0999	7/17/01	GW07691RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.23	1	100		D&D Bldg 886/865
40999	7/17/01	GW07691RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	6.55		D&D Bldg 886/865
40999	7/17/01	GW07691RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.26	1	70		D&D Bldg 886/865
0999	7/17/01	GW07691RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.28	1	0.473		D&D Bldg 886/865
0999	7/17/01	GW07691RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.38	1	1.01		D&D Bldg 886/865
40999	7/17/01	GW07691RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1			D&D Bldg 886/865
40999	7/17/01	GW07691RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1			D&D Bldg 886/865
0999	7/17/01	GW07691RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.28	1	700		D&D Bldg 886/865
40999	7/17/01	GW07691RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1.09		D&D Bldg 886/865
40999	7/17/01	GW07691RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			D&D Bldg 886/865
0999	7/17/01	GW07691RG	METHYLENE CHLORIDE	REAL	TR1	0.97	UG/L	J	V1	0.89	1	5		D&D Bldg 886/865
0999	7/17/01	GW07691RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1460		D&D Bldg 886/865
40999	7/17/01	GW07691RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			D&D Bldg 886/865
40999	7/17/01	GW07691RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1			D&D Bldg 886/865
0999	7/17/01	GW07691RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			D&D Bldg 886/865
0999	7/17/01	GW07691RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1			D&D Bldg 886/865
40999	7/17/01	GW07691RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.25	1	0.2		D&D Bldg 886/865
0999	7/17/01	GW07691RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			D&D Bldg 886/865
0999	7/17/01	GW07691RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.27	1	100		D&D Bldg 886/865
40999	7/17/01	GW07691RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1			D&D Bldg 886/865
40999	7/17/01	GW07691RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.36	1	5		D&D Bldg 886/865
0999	7/17/01	GW07691RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1	1000		D&D Bldg 886/865
0999	7/17/01	GW07691RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.95	1	10000		D&D Bldg 886/865
40999	7/17/01	GW07691RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.27	1	70		D&D Bldg 886/865
0999	7/17/01	GW07691RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.42	1	0.473		D&D Bldg 886/865
0999	7/17/01	GW07691RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.22	1	5		D&D Bldg 886/865
40999	7/17/01	GW07691RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1			D&D Bldg 886/865
40999	7/17/01	GW07691RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.21	1	2		D&D Bldg 886/865
099	7/16/01	GW07692RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1			D&D Bldg 886
099	7/16/01	GW07692RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	200		D&D Bldg 886
41099	7/16/01	GW07692RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.426		D&D Bldg 886
1099	7/16/01	GW07692RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1	5		D&D Bldg 886
099	7/16/01	GW07692RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 886
41099	7/16/01	GW07692RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.17	1	3650		D&D Bldg 886
41099	7/16/01	GW07692RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.2	1	7		D&D Bldg 886
099	7/16/01	GW07692RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1			D&D Bldg 886
099	7/16/01	GW07692RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1			D&D Bldg 886
41099	7/16/01	GW07692RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.29	1			D&D Bldg 886
1099	7/16/01	GW07692RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	70		D&D Bldg 886
099	7/16/01	GW07692RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.36	1			D&D Bldg 886
41099	7/16/01	GW07692RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	600		D&D Bldg 886
41099	7/16/01	GW07692RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5		D&D Bldg 886
099	7/16/01	GW07692RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		D&D Bldg 886
099	7/16/01	GW07692RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	600		D&D Bldg 886
41099	7/16/01	GW07692RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.26	1			D&D Bldg 886
1099	7/16/01	GW07692RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	75		D&D Bldg 886
099	7/16/01	GW07692RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 886

297

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
41099	7/16/01	GW07692RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V1	0.93	1	21900		D&D Bldg 886
41099	7/16/01	GW07692RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	0.7	1			D&D Bldg 886
41099	7/16/01	GW07692RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1			D&D Bldg 886
41099	7/16/01	GW07692RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	0.79	1	2920		D&D Bldg 886
41099	7/16/01	GW07692RG	ACETONE	REAL	TR1	10	UG/L	U	V1	1.9	1	3650		D&D Bldg 886
41099	7/16/01	GW07692RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1	5		D&D Bldg 886
41099	7/16/01	GW07692RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.22	1			D&D Bldg 886
41099	7/16/01	GW07692RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.29	1			D&D Bldg 886
41099	7/16/01	GW07692RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1			D&D Bldg 886
41099	7/16/01	GW07692RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 886
41099	7/16/01	GW07692RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	100		D&D Bldg 886
41099	7/16/01	GW07692RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.32	1	100		D&D Bldg 886
41099	7/16/01	GW07692RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	51.1		D&D Bldg 886
41099	7/16/01	GW07692RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	3650		D&D Bldg 886
41099	7/16/01	GW07692RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	5		D&D Bldg 886
41099	7/16/01	GW07692RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	100		D&D Bldg 886
41099	7/16/01	GW07692RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.25	1	29.4		D&D Bldg 886
41099	7/16/01	GW07692RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.23	1	100		D&D Bldg 886
41099	7/16/01	GW07692RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	6.55		D&D Bldg 886
41099	7/16/01	GW07692RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.26	1	70		D&D Bldg 886
41099	7/16/01	GW07692RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.28	1	0.473		D&D Bldg 886
41099	7/16/01	GW07692RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.38	1	1.01		D&D Bldg 886
41099	7/16/01	GW07692RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1			D&D Bldg 886
41099	7/16/01	GW07692RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1			D&D Bldg 886
41099	7/16/01	GW07692RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.28	1	700		D&D Bldg 886
41099	7/16/01	GW07692RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1.09		D&D Bldg 886
41099	7/16/01	GW07692RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			D&D Bldg 886
41099	7/16/01	GW07692RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.89	1	5		D&D Bldg 886
41099	7/16/01	GW07692RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1460		D&D Bldg 886
41099	7/16/01	GW07692RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			D&D Bldg 886
41099	7/16/01	GW07692RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1			D&D Bldg 886
41099	7/16/01	GW07692RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			D&D Bldg 886
41099	7/16/01	GW07692RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1			D&D Bldg 886
41099	7/16/01	GW07692RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.25	1	0.2		D&D Bldg 886
41099	7/16/01	GW07692RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			D&D Bldg 886
41099	7/16/01	GW07692RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.27	1	100		D&D Bldg 886
41099	7/16/01	GW07692RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1			D&D Bldg 886
41099	7/16/01	GW07692RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.36	1	5		D&D Bldg 886
41099	7/16/01	GW07692RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1	1000		D&D Bldg 886
41099	7/16/01	GW07692RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.95	1	10000		D&D Bldg 886
41099	7/16/01	GW07692RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.27	1	70		D&D Bldg 886
41099	7/16/01	GW07692RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.42	1	0.473		D&D Bldg 886
41099	7/16/01	GW07692RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.22	1	5		D&D Bldg 886
41099	7/16/01	GW07692RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.28	1			D&D Bldg 886
41099	7/16/01	GW07692RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.21	1	2		D&D Bldg 886
41199	7/16/01	GW07693RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1			D&D Bldg 886
41199	7/16/01	GW07693RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	200		D&D Bldg 886
41199	7/16/01	GW07693RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.426		D&D Bldg 886
41199	7/16/01	GW07693RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1	5		D&D Bldg 886
41199	7/16/01	GW07693RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 886
41199	7/16/01	GW07693RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.17	1	3650		D&D Bldg 886
41199	7/16/01	GW07693RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.2	1	7		D&D Bldg 886
41199	7/16/01	GW07693RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1			D&D Bldg 886
41199	7/16/01	GW07693RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1			D&D Bldg 886
41199	7/16/01	GW07693RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.29	1			D&D Bldg 886
41199	7/16/01	GW07693RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	70		D&D Bldg 886
41199	7/16/01	GW07693RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.36	1			D&D Bldg 886

298

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
41199	7/16/01	GW07693RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	600		D&D Bldg 886
41199	7/16/01	GW07693RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5		D&D Bldg 886
41199	7/16/01	GW07693RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		D&D Bldg 886
41199	7/16/01	GW07693RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	600		D&D Bldg 886
41199	7/16/01	GW07693RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.26	1			D&D Bldg 886
41199	7/16/01	GW07693RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	75		D&D Bldg 886
41199	7/16/01	GW07693RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 886
41199	7/16/01	GW07693RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V1	0.93	1	21900		D&D Bldg 886
41199	7/16/01	GW07693RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	0.7	1			D&D Bldg 886
41199	7/16/01	GW07693RG	3-METHYLHEPTYL ACETATE	REAL	TR1	1.72	UG/L		V1		1		TIC	D&D Bldg 886
41199	7/16/01	GW07693RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1			D&D Bldg 886
41199	7/16/01	GW07693RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	0.79	1	2920		D&D Bldg 886
41199	7/16/01	GW07693RG	ACETONE	REAL	TR1	10	UG/L	U	V1	1.9	1	3650		D&D Bldg 886
41199	7/16/01	GW07693RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1	5		D&D Bldg 886
41199	7/16/01	GW07693RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.22	1			D&D Bldg 886
41199	7/16/01	GW07693RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.29	1			D&D Bldg 886
41199	7/16/01	GW07693RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1			D&D Bldg 886
41199	7/16/01	GW07693RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 886
41199	7/16/01	GW07693RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	100		D&D Bldg 886
41199	7/16/01	GW07693RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.32	1	100		D&D Bldg 886
41199	7/16/01	GW07693RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	51.1		D&D Bldg 886
41199	7/16/01	GW07693RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	3650		D&D Bldg 886
41199	7/16/01	GW07693RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	5		D&D Bldg 886
41199	7/16/01	GW07693RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	100		D&D Bldg 886
41199	7/16/01	GW07693RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.25	1	29.4		D&D Bldg 886
41199	7/16/01	GW07693RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.23	1	100		D&D Bldg 886
41199	7/16/01	GW07693RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	6.55		D&D Bldg 886
41199	7/16/01	GW07693RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.26	1	70		D&D Bldg 886
41199	7/16/01	GW07693RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.28	1	0.473		D&D Bldg 886
41199	7/16/01	GW07693RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.38	1	1.01		D&D Bldg 886
41199	7/16/01	GW07693RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1			D&D Bldg 886
41199	7/16/01	GW07693RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1			D&D Bldg 886
41199	7/16/01	GW07693RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.28	1	700		D&D Bldg 886
41199	7/16/01	GW07693RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1.09		D&D Bldg 886
41199	7/16/01	GW07693RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			D&D Bldg 886
41199	7/16/01	GW07693RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.89	1	5		D&D Bldg 886
41199	7/16/01	GW07693RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1460		D&D Bldg 886
41199	7/16/01	GW07693RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			D&D Bldg 886
41199	7/16/01	GW07693RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1			D&D Bldg 886
41199	7/16/01	GW07693RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			D&D Bldg 886
41199	7/16/01	GW07693RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1			D&D Bldg 886
41199	7/16/01	GW07693RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.25	1	0.2		D&D Bldg 886
41199	7/16/01	GW07693RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			D&D Bldg 886
41199	7/16/01	GW07693RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.27	1	100		D&D Bldg 886
41199	7/16/01	GW07693RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1			D&D Bldg 886
41199	7/16/01	GW07693RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.36	1	5		D&D Bldg 886
41199	7/16/01	GW07693RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1	1000		D&D Bldg 886
41199	7/16/01	GW07693RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.95	1	10000		D&D Bldg 886
41199	7/16/01	GW07693RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.27	1	70		D&D Bldg 886
41199	7/16/01	GW07693RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.42	1	0.473		D&D Bldg 886
41199	7/16/01	GW07693RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.22	1	5		D&D Bldg 886
41199	7/16/01	GW07693RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.28	1			D&D Bldg 886
41199	7/16/01	GW07693RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.21	1	2		D&D Bldg 886
41299	7/17/01	GW07744RG	1,1,1,2-TETRACHLOROETHANE	REAL	RX1	1	UG/L	U	V1	0.22	1			D&D Bldg 444
41299	7/17/01	GW07744RG	1,1,1-TRICHLOROETHANE	REAL	RX1	1	UG/L	U	V1	0.26	1	200		D&D Bldg 444
41299	7/17/01	GW07744RG	1,1,2,2-TETRACHLOROETHANE	REAL	RX1	1	UG/L	U	V1	0.31	1	0.426		D&D Bldg 444
41299	7/17/01	GW07744RG	1,1,2-TRICHLOROETHANE	REAL	RX1	1	UG/L	U	V1	0.39	1	5		D&D Bldg 444

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
41299	7/17/01	GW07744RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	RX1	1	UG/L	U	V1	0.21	1			D&D Bldg 444
41299	7/17/01	GW07744RG	1,1-DICHLOROETHANE	REAL	RX1	1.2	UG/L		V1	0.17	1	3650		D&D Bldg 444
41299	7/17/01	GW07744RG	1,1-DICHLOROETHENE	REAL	RX1	11	UG/L		V1	0.2	1	7		D&D Bldg 444
41299	7/17/01	GW07744RG	1,1-DICHLOROPROPENE	REAL	RX1	1	UG/L	U	V1	0.22	1			D&D Bldg 444
41299	7/17/01	GW07744RG	1,2,3-TRICHLOROBENZENE	REAL	RX1	1	UG/L	U	UJ1	0.16	1			D&D Bldg 444
41299	7/17/01	GW07744RG	1,2,3-TRICHLOROPROPANE	REAL	RX1	1	UG/L	U	V1	0.29	1			D&D Bldg 444
41299	7/17/01	GW07744RG	1,2,4-TRICHLOROBENZENE	REAL	RX1	1	UG/L	U	UJ1	0.2	1	70		D&D Bldg 444
41299	7/17/01	GW07744RG	1,2-DIBROMOETHANE	REAL	RX1	1	UG/L	U	V1	0.36	1			D&D Bldg 444
41299	7/17/01	GW07744RG	1,2-DICHLOROBENZENE	REAL	RX1	1	UG/L	U	UJ1	0.24	1	600		D&D Bldg 444
41299	7/17/01	GW07744RG	1,2-DICHLOROETHANE	REAL	RX1	2.3	UG/L		V1	0.28	1	5		D&D Bldg 444
41299	7/17/01	GW07744RG	1,2-DICHLOROPROPANE	REAL	RX1	1	UG/L	U	V1	0.21	1	5		D&D Bldg 444
41299	7/17/01	GW07744RG	1,3-DICHLOROBENZENE	REAL	RX1	1	UG/L	U	UJ1	0.26	1	600		D&D Bldg 444
41299	7/17/01	GW07744RG	1,3-DICHLOROPROPANE	REAL	RX1	1	UG/L	U	V1	0.26	1			D&D Bldg 444
41299	7/17/01	GW07744RG	1,4-DICHLOROBENZENE	REAL	RX1	1	UG/L	U	UJ1	0.24	1	75		D&D Bldg 444
41299	7/17/01	GW07744RG	2,2-DICHLOROPROPANE	REAL	RX1	1	UG/L	U	V1	0.21	1			D&D Bldg 444
41299	7/17/01	GW07744RG	2-BUTANONE	REAL	RX1	5	UG/L	U	V1	0.93	1	21900		D&D Bldg 444
41299	7/17/01	GW07744RG	2-HEXANONE	REAL	RX1	5	UG/L	U	V1	0.7	1			D&D Bldg 444
41299	7/17/01	GW07744RG	4-ISOPROPYLTOLUENE	REAL	RX1	1	UG/L	U	UJ1	0.3	1			D&D Bldg 444
41299	7/17/01	GW07744RG	4-METHYL-2-PENTANONE	REAL	RX1	5	UG/L	U	V1	0.79	1	2920		D&D Bldg 444
41299	7/17/01	GW07744RG	ACETONE	REAL	RX1	10	UG/L	U	V1	1.9	1	3650		D&D Bldg 444
41299	7/17/01	GW07744RG	BENZENE	REAL	RX1	1	UG/L	U	UJ1	0.21	1	5		D&D Bldg 444
41299	7/17/01	GW07744RG	BENZENE, 1,2,4-TRIMETHYL	REAL	RX1	1	UG/L	U	UJ1	0.22	1			D&D Bldg 444
41299	7/17/01	GW07744RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	RX1	1	UG/L	U	UJ1	0.29	1			D&D Bldg 444
41299	7/17/01	GW07744RG	BROMOBENZENE	REAL	RX1	1	UG/L	U	UJ1	0.24	1			D&D Bldg 444
41299	7/17/01	GW07744RG	BROMOCHLOROMETHANE	REAL	RX1	1	UG/L	U	V1	0.21	1			D&D Bldg 444
41299	7/17/01	GW07744RG	BROMODICHLOROMETHANE	REAL	RX1	1	UG/L	U	V1	0.22	1	100		D&D Bldg 444
41299	7/17/01	GW07744RG	BROMOFORM	REAL	RX1	1	UG/L	U	V1	0.32	1	100		D&D Bldg 444
41299	7/17/01	GW07744RG	BROMOMETHANE	REAL	RX1	1	UG/L	U	V1	0.3	1	51.1		D&D Bldg 444
41299	7/17/01	GW07744RG	CARBON DISULFIDE	REAL	RX1	1	UG/L	U	V1	0.19	1	3650		D&D Bldg 444
41299	7/17/01	GW07744RG	CARBON TETRACHLORIDE	REAL	RX1	0.25	UG/L	J	V1	0.19	1	5		D&D Bldg 444
41299	7/17/01	GW07744RG	CHLOROBENZENE	REAL	RX1	1	UG/L	U	UJ1	0.3	1	100		D&D Bldg 444
41299	7/17/01	GW07744RG	CHLOROETHANE	REAL	RX1	1	UG/L	U	V1	0.25	1	29.4		D&D Bldg 444
41299	7/17/01	GW07744RG	CHLOROFORM	REAL	RX1	1.5	UG/L		V1	0.23	1	100		D&D Bldg 444
41299	7/17/01	GW07744RG	CHLOROMETHANE	REAL	RX1	1	UG/L	U	V1	0.3	1	6.55		D&D Bldg 444
41299	7/17/01	GW07744RG	cis-1,2-DICHLOROETHENE	REAL	RX1	54	UG/L		V1	0.26	1	70		D&D Bldg 444
41299	7/17/01	GW07744RG	cis-1,3-DICHLOROPROPENE	REAL	RX1	1	UG/L	U	V1	0.28	1	0.473		D&D Bldg 444
41299	7/17/01	GW07744RG	DIBROMOCHLOROMETHANE	REAL	RX1	1	UG/L	U	V1	0.38	1	1.01		D&D Bldg 444
41299	7/17/01	GW07744RG	DIBROMOMETHANE	REAL	RX1	1	UG/L	U	V1	0.44	1			D&D Bldg 444
41299	7/17/01	GW07744RG	DICHLORODIFLUOROMETHANE	REAL	RX1	1	UG/L	U	V1	0.23	1			D&D Bldg 444
41299	7/17/01	GW07744RG	ETHYLBENZENE	REAL	RX1	1	UG/L	U	UJ1	0.28	1	700		D&D Bldg 444
41299	7/17/01	GW07744RG	HEXACHLOROBUTADIENE	REAL	RX1	1	UG/L	U	V1	0.29	1	1.09		D&D Bldg 444
41299	7/17/01	GW07744RG	ISOPROPYLBENZENE	REAL	RX1	1	UG/L	U	UJ1	0.31	1			D&D Bldg 444
41299	7/17/01	GW07744RG	METHYLENE CHLORIDE	REAL	RX1	1	UG/L	U	V1	0.89	1	5		D&D Bldg 444
41299	7/17/01	GW07744RG	NAPHTHALENE	REAL	RX1	1	UG/L	U	UJ1	0.15	1	1460		D&D Bldg 444
41299	7/17/01	GW07744RG	n-BUTYLBENZENE	REAL	RX1	1	UG/L	U	UJ1	0.26	1			D&D Bldg 444
41299	7/17/01	GW07744RG	n-PROPYLBENZENE	REAL	RX1	1	UG/L	U	UJ1	0.23	1			D&D Bldg 444
41299	7/17/01	GW07744RG	o-CHLOROTOLUENE	REAL	RX1	1	UG/L	U	UJ1	0.31	1			D&D Bldg 444
41299	7/17/01	GW07744RG	p-CHLOROTOLUENE	REAL	RX1	1	UG/L	U	UJ1	0.25	1			D&D Bldg 444
41299	7/17/01	GW07744RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	RX1	1	UG/L	U	V1	0.25	1	0.2		D&D Bldg 444
41299	7/17/01	GW07744RG	sec-BUTYLBENZENE	REAL	RX1	1	UG/L	U	UJ1	0.26	1			D&D Bldg 444
41299	7/17/01	GW07744RG	STYRENE	REAL	RX1	1	UG/L	U	UJ1	0.27	1	100		D&D Bldg 444
41299	7/17/01	GW07744RG	tert-BUTYLBENZENE	REAL	RX1	1	UG/L	U	UJ1	0.29	1			D&D Bldg 444
41299	7/17/01	GW07744RG	TETRACHLOROETHENE	REAL	DL1	330	UG/L		1	3.6	10	5		D&D Bldg 444
41299	7/17/01	GW07744RG	TOLUENE	REAL	RX1	1	UG/L	U	UJ1	0.29	1	1000		D&D Bldg 444
41299	7/17/01	GW07744RG	TOTAL XYLENES	REAL	RX1	1	UG/L	U	UJ1	0.95	1	10000		D&D Bldg 444
41299	7/17/01	GW07744RG	trans-1,2-DICHLOROETHENE	REAL	RX1	0.68	UG/L		V1	0.27	1	70		D&D Bldg 444
41299	7/17/01	GW07744RG	trans-1,3-DICHLOROPROPENE	REAL	RX1	1	UG/L	U	V1	0.42	1	0.473		D&D Bldg 444

300

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
41299	7/17/01	GW07744RG	TRICHLOROETHENE	REAL	RX1	54	UG/L		V1	0.22	1	5		D&D Bldg 444
41299	7/17/01	GW07744RG	TRICHLOROFLUOROMETHANE	REAL	RX1	1	UG/L	U	V1	0.28	1			D&D Bldg 444
41299	7/17/01	GW07744RG	VINYL CHLORIDE	REAL	RX1	1	UG/L	U	V1	0.21	1	2		D&D Bldg 444
41499	7/27/01	GW07752RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
41499	7/27/01	GW07752RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR2	10	UG/L	UD	1	10	10			D&D Bldg 771
41499	7/27/01	GW07752RG	1,1,1-TRICHLOROETHANE	REAL	TR1	0.14	UG/L	J	V1	1		200		D&D Bldg 771
41499	7/27/01	GW07752RG	1,1,1-TRICHLOROETHANE	REAL	TR2	10	UG/L	UD	1	10	10	200		D&D Bldg 771
41499	7/27/01	GW07752RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		0.426		D&D Bldg 771
41499	7/27/01	GW07752RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR2	10	UG/L	UD	1	10	10	0.426		D&D Bldg 771
41499	7/27/01	GW07752RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		5		D&D Bldg 771
41499	7/27/01	GW07752RG	1,1,2-TRICHLOROETHANE	REAL	TR2	10	UG/L	UD	1	10	10	5		D&D Bldg 771
41499	7/27/01	GW07752RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
41499	7/27/01	GW07752RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR2	10	UG/L	UD	1	10	10			D&D Bldg 771
41499	7/27/01	GW07752RG	1,1-DICHLOROETHANE	REAL	TR1	2.4	UG/L		V1	1		3650		D&D Bldg 771
41499	7/27/01	GW07752RG	1,1-DICHLOROETHANE	REAL	TR2	2.1	UG/L	JD	1	10	10	3650		D&D Bldg 771
41499	7/27/01	GW07752RG	1,1-DICHLOROETHENE	REAL	TR1	9.9	UG/L		V1	1		7		D&D Bldg 771
41499	7/27/01	GW07752RG	1,1-DICHLOROETHENE	REAL	TR2	7.9	UG/L	JD	1	10	10	7		D&D Bldg 771
41499	7/27/01	GW07752RG	1,1-DICHLOROPROPENE	REAL	TR1	0.11	UG/L	J	V1	1				D&D Bldg 771
41499	7/27/01	GW07752RG	1,1-DICHLOROPROPENE	REAL	TR2	10	UG/L	UD	1	10	10			D&D Bldg 771
41499	7/27/01	GW07752RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
41499	7/27/01	GW07752RG	1,2,3-TRICHLOROBENZENE	REAL	TR2	10	UG/L	UD	1	10	10			D&D Bldg 771
41499	7/27/01	GW07752RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
41499	7/27/01	GW07752RG	1,2,3-TRICHLOROPROPANE	REAL	TR2	10	UG/L	UD	1	10	10			D&D Bldg 771
41499	7/27/01	GW07752RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		70		D&D Bldg 771
41499	7/27/01	GW07752RG	1,2,4-TRICHLOROBENZENE	REAL	TR2	10	UG/L	UD	1	10	10	70		D&D Bldg 771
41499	7/27/01	GW07752RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
41499	7/27/01	GW07752RG	1,2-DIBROMOETHANE	REAL	TR2	10	UG/L	UD	1	10	10			D&D Bldg 771
41499	7/27/01	GW07752RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		600		D&D Bldg 771
41499	7/27/01	GW07752RG	1,2-DICHLOROBENZENE	REAL	TR2	10	UG/L	UD	1	10	10	600		D&D Bldg 771
41499	7/27/01	GW07752RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		5		D&D Bldg 771
41499	7/27/01	GW07752RG	1,2-DICHLOROETHANE	REAL	TR2	10	UG/L	UD	1	10	10	5		D&D Bldg 771
41499	7/27/01	GW07752RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1		5		D&D Bldg 771
41499	7/27/01	GW07752RG	1,2-DICHLOROPROPANE	REAL	TR2	10	UG/L	UD	1	10	10	5		D&D Bldg 771
41499	7/27/01	GW07752RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		600		D&D Bldg 771
41499	7/27/01	GW07752RG	1,3-DICHLOROBENZENE	REAL	TR2	10	UG/L	UD	1	10	10	600		D&D Bldg 771
41499	7/27/01	GW07752RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
41499	7/27/01	GW07752RG	1,3-DICHLOROPROPANE	REAL	TR2	10	UG/L	UD	1	10	10			D&D Bldg 771
41499	7/27/01	GW07752RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		75		D&D Bldg 771
41499	7/27/01	GW07752RG	1,4-DICHLOROBENZENE	REAL	TR2	10	UG/L	UD	1	10	10	75		D&D Bldg 771
41499	7/27/01	GW07752RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
41499	7/27/01	GW07752RG	2,2-DICHLOROPROPANE	REAL	TR2	10	UG/L	UD	1	10	10			D&D Bldg 771
41499	7/27/01	GW07752RG	2-BUTANONE	REAL	TR1	10	UG/L	U	R1	10		21900		D&D Bldg 771
41499	7/27/01	GW07752RG	2-BUTANONE	REAL	TR2	100	UG/L	UD	1	100	10	21900		D&D Bldg 771
41499	7/27/01	GW07752RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	10				D&D Bldg 771
41499	7/27/01	GW07752RG	2-HEXANONE	REAL	TR2	100	UG/L	UD	1	100	10			D&D Bldg 771
41499	7/27/01	GW07752RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
41499	7/27/01	GW07752RG	4-ISOPROPYLTOLUENE	REAL	TR2	10	UG/L	UD	1	10	10			D&D Bldg 771
41499	7/27/01	GW07752RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	10		2920		D&D Bldg 771
41499	7/27/01	GW07752RG	4-METHYL-2-PENTANONE	REAL	TR2	100	UG/L	UD	1	100	10	2920		D&D Bldg 771
41499	7/27/01	GW07752RG	ACETONE	REAL	TR1	10	UG/L	U	R1	10		3650		D&D Bldg 771
41499	7/27/01	GW07752RG	ACETONE	REAL	TR2	27	UG/L	JBD	1	100	10	3650		D&D Bldg 771
41499	7/27/01	GW07752RG	BENZENE	REAL	TR1	0.15	UG/L	J	J1	1		5		D&D Bldg 771
41499	7/27/01	GW07752RG	BENZENE	REAL	TR2	10	UG/L	UD	1	10	10	5		D&D Bldg 771
41499	7/27/01	GW07752RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
41499	7/27/01	GW07752RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR2	10	UG/L	UD	1	10	10			D&D Bldg 771
41499	7/27/01	GW07752RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
41499	7/27/01	GW07752RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR2	10	UG/L	UD	1	10	10			D&D Bldg 771

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
41499	7/27/01	GW07752RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
41499	7/27/01	GW07752RG	BROMOBENZENE	REAL	TR2	10	UG/L	UD	1	10	10			D&D Bldg 771
41499	7/27/01	GW07752RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
41499	7/27/01	GW07752RG	BROMOCHLOROMETHANE	REAL	TR2	10	UG/L	UD	1	10	10			D&D Bldg 771
41499	7/27/01	GW07752RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1		100		D&D Bldg 771
41499	7/27/01	GW07752RG	BROMODICHLOROMETHANE	REAL	TR2	10	UG/L	UD	1	10	10	100		D&D Bldg 771
41499	7/27/01	GW07752RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	1		100		D&D Bldg 771
41499	7/27/01	GW07752RG	BROMOFORM	REAL	TR2	10	UG/L	UD	1	10	10	100		D&D Bldg 771
41499	7/27/01	GW07752RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1		51.1		D&D Bldg 771
41499	7/27/01	GW07752RG	BROMOMETHANE	REAL	TR2	10	UG/L	UD	1	10	10	51.1		D&D Bldg 771
41499	7/27/01	GW07752RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	1		3650		D&D Bldg 771
41499	7/27/01	GW07752RG	CARBON DISULFIDE	REAL	TR2	10	UG/L	UD	1	10	10	3650		D&D Bldg 771
41499	7/27/01	GW07752RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	1		5		D&D Bldg 771
41499	7/27/01	GW07752RG	CARBON TETRACHLORIDE	REAL	TR2	10	UG/L	UD	1	10	10	5		D&D Bldg 771
41499	7/27/01	GW07752RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		100		D&D Bldg 771
41499	7/27/01	GW07752RG	CHLOROBENZENE	REAL	TR2	10	UG/L	UD	1	10	10	100		D&D Bldg 771
41499	7/27/01	GW07752RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		29.4		D&D Bldg 771
41499	7/27/01	GW07752RG	CHLOROETHANE	REAL	TR2	10	UG/L	UD	1	10	10	29.4		D&D Bldg 771
41499	7/27/01	GW07752RG	CHLOROFORM	REAL	TR1	0.46	UG/L	J	V1	1		100		D&D Bldg 771
41499	7/27/01	GW07752RG	CHLOROFORM	REAL	TR2	10	UG/L	UD	1	10	10	100		D&D Bldg 771
41499	7/27/01	GW07752RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1		6.55		D&D Bldg 771
41499	7/27/01	GW07752RG	CHLOROMETHANE	REAL	TR2	10	UG/L	UD	1	10	10	6.55		D&D Bldg 771
41499	7/27/01	GW07752RG	cis-1,2-DICHLOROETHENE	REAL	TR1	18	UG/L		V1	1		70		D&D Bldg 771
41499	7/27/01	GW07752RG	cis-1,2-DICHLOROETHENE	REAL	TR2	15	UG/L	D	1	10	10	70		D&D Bldg 771
41499	7/27/01	GW07752RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1		0.473		D&D Bldg 771
41499	7/27/01	GW07752RG	cis-1,3-DICHLOROPROPENE	REAL	TR2	10	UG/L	UD	1	10	10	0.473		D&D Bldg 771
41499	7/27/01	GW07752RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1		1.01		D&D Bldg 771
41499	7/27/01	GW07752RG	DIBROMOCHLOROMETHANE	REAL	TR2	10	UG/L	UD	1	10	10	1.01		D&D Bldg 771
41499	7/27/01	GW07752RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
41499	7/27/01	GW07752RG	DIBROMOMETHANE	REAL	TR2	10	UG/L	UD	1	10	10			D&D Bldg 771
41499	7/27/01	GW07752RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
41499	7/27/01	GW07752RG	DICHLORODIFLUOROMETHANE	REAL	TR2	10	UG/L	UD	1	10	10			D&D Bldg 771
41499	7/27/01	GW07752RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		700		D&D Bldg 771
41499	7/27/01	GW07752RG	ETHYLBENZENE	REAL	TR2	10	UG/L	UD	1	10	10	700		D&D Bldg 771
41499	7/27/01	GW07752RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	1		1.09		D&D Bldg 771
41499	7/27/01	GW07752RG	HEXACHLOROBUTADIENE	REAL	TR2	10	UG/L	UD	1	10	10	1.09		D&D Bldg 771
41499	7/27/01	GW07752RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
41499	7/27/01	GW07752RG	ISOPROPYLBENZENE	REAL	TR2	10	UG/L	UD	1	10	10			D&D Bldg 771
41499	7/27/01	GW07752RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	1		5		D&D Bldg 771
41499	7/27/01	GW07752RG	METHYLENE CHLORIDE	REAL	TR2	10	UG/L	UD	1	10	10	5		D&D Bldg 771
41499	7/27/01	GW07752RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	1		1460		D&D Bldg 771
41499	7/27/01	GW07752RG	NAPHTHALENE	REAL	TR2	10	UG/L	UD	1	10	10	1460		D&D Bldg 771
41499	7/27/01	GW07752RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
41499	7/27/01	GW07752RG	n-BUTYLBENZENE	REAL	TR2	10	UG/L	UD	1	10	10			D&D Bldg 771
41499	7/27/01	GW07752RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
41499	7/27/01	GW07752RG	n-PROPYLBENZENE	REAL	TR2	10	UG/L	UD	1	10	10			D&D Bldg 771
41499	7/27/01	GW07752RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
41499	7/27/01	GW07752RG	o-CHLOROTOLUENE	REAL	TR2	10	UG/L	UD	1	10	10			D&D Bldg 771
41499	7/27/01	GW07752RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
41499	7/27/01	GW07752RG	p-CHLOROTOLUENE	REAL	TR2	10	UG/L	UD	1	10	10			D&D Bldg 771
41499	7/27/01	GW07752RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R1	1		0.2		D&D Bldg 771
41499	7/27/01	GW07752RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR2	10	UG/L	UD	1	10	10	0.2		D&D Bldg 771
41499	7/27/01	GW07752RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
41499	7/27/01	GW07752RG	sec-BUTYLBENZENE	REAL	TR2	10	UG/L	UD	1	10	10			D&D Bldg 771
41499	7/27/01	GW07752RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	1		100		D&D Bldg 771
41499	7/27/01	GW07752RG	STYRENE	REAL	TR2	10	UG/L	UD	1	10	10	100		D&D Bldg 771
41499	7/27/01	GW07752RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771

302

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
41499	7/27/01	GW07752RG	tert-BUTYLBENZENE	REAL	TR2	10	UG/L	UD	1	10	10			D&D Bldg 771
41499	7/27/01	GW07752RG	TETRACHLOROETHENE	REAL	TR1	0.16	UG/L	J	V1	1		5		D&D Bldg 771
41499	7/27/01	GW07752RG	TETRACHLOROETHENE	REAL	TR2	10	UG/L	UD	1	10	10	5		D&D Bldg 771
41499	7/27/01	GW07752RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	1		1000		D&D Bldg 771
41499	7/27/01	GW07752RG	TOLUENE	REAL	TR2	10	UG/L	UD	1	10	10	1000		D&D Bldg 771
41499	7/27/01	GW07752RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	UJ1	3		10000		D&D Bldg 771
41499	7/27/01	GW07752RG	TOTAL XYLENES	REAL	TR2	30	UG/L	UD	1	30	10	10000		D&D Bldg 771
41499	7/27/01	GW07752RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1		70		D&D Bldg 771
41499	7/27/01	GW07752RG	trans-1,2-DICHLOROETHENE	REAL	TR2	10	UG/L	UD	1	10	10	70		D&D Bldg 771
41499	7/27/01	GW07752RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1		0.473		D&D Bldg 771
41499	7/27/01	GW07752RG	trans-1,3-DICHLOROPROPENE	REAL	TR2	10	UG/L	UD	1	10	10	0.473		D&D Bldg 771
41499	7/27/01	GW07752RG	TRICHLOROETHENE	REAL	TR1	130	UG/L	D	V1	1		5		D&D Bldg 771
41499	7/27/01	GW07752RG	TRICHLOROETHENE	REAL	TR2	130	UG/L	D	1	10	10	5		D&D Bldg 771
41499	7/27/01	GW07752RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
41499	7/27/01	GW07752RG	TRICHLOROFLUOROMETHANE	REAL	TR2	10	UG/L	UD	1	10	10			D&D Bldg 771
41499	7/27/01	GW07752RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	1		2		D&D Bldg 771
41499	7/27/01	GW07752RG	VINYL CHLORIDE	REAL	TR2	10	UG/L	UD	1	10	10	2		D&D Bldg 771
41591	9/10/01	GW07663RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
41591	9/10/01	GW07663RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	200		Boundary
41591	9/10/01	GW07663RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	0.426		Boundary
41591	9/10/01	GW07663RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Boundary
41591	9/10/01	GW07663RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
41591	9/10/01	GW07663RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Boundary
41591	9/10/01	GW07663RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	7		Boundary
41591	9/10/01	GW07663RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
41591	9/10/01	GW07663RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Boundary
41591	9/10/01	GW07663RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
41591	9/10/01	GW07663RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	70		Boundary
41591	9/10/01	GW07663RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
41591	9/10/01	GW07663RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		Boundary
41591	9/10/01	GW07663RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Boundary
41591	9/10/01	GW07663RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Boundary
41591	9/10/01	GW07663RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		Boundary
41591	9/10/01	GW07663RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
41591	9/10/01	GW07663RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	75		Boundary
41591	9/10/01	GW07663RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
41591	9/10/01	GW07663RG	2-BUTANONE	REAL	TR1	10	UG/L	U	R1	10	1	21900		Boundary
41591	9/10/01	GW07663RG	2-HEXANONE	REAL	TR1	10	UG/L	U	UJ1	10	1			Boundary
41591	9/10/01	GW07663RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Boundary
41591	9/10/01	GW07663RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	10	1	2920		Boundary
41591	9/10/01	GW07663RG	ACETONE	REAL	TR1	10	UG/L	U	R1	10	1	3650		Boundary
41591	9/10/01	GW07663RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	5		Boundary
41591	9/10/01	GW07663RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	1	1			Boundary
41591	9/10/01	GW07663RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	1	1			Boundary
41591	9/10/01	GW07663RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Boundary
41591	9/10/01	GW07663RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
41591	9/10/01	GW07663RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	100		Boundary
41591	9/10/01	GW07663RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Boundary
41591	9/10/01	GW07663RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	51.1		Boundary
41591	9/10/01	GW07663RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Boundary
41591	9/10/01	GW07663RG	CARBON TETRACHLORIDE	REAL	TR1	0.3	UG/L	J	V1	1	1	5		Boundary
41591	9/10/01	GW07663RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		Boundary
41591	9/10/01	GW07663RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	29.4		Boundary
41591	9/10/01	GW07663RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Boundary
41591	9/10/01	GW07663RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	6.55		Boundary
41591	9/10/01	GW07663RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Boundary
41591	9/10/01	GW07663RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Boundary

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
41591	9/10/01	GW07663RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	1.01		Boundary
41591	9/10/01	GW07663RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
41591	9/10/01	GW07663RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
41591	9/10/01	GW07663RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	700		Boundary
41591	9/10/01	GW07663RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	1	1	1.09		Boundary
41591	9/10/01	GW07663RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Boundary
41591	9/10/01	GW07663RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		Boundary
41591	9/10/01	GW07663RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1460		Boundary
41591	9/10/01	GW07663RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Boundary
41591	9/10/01	GW07663RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Boundary
41591	9/10/01	GW07663RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Boundary
41591	9/10/01	GW07663RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Boundary
41591	9/10/01	GW07663RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	1	1	0.2		Boundary
41591	9/10/01	GW07663RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Boundary
41591	9/10/01	GW07663RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		Boundary
41591	9/10/01	GW07663RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Boundary
41591	9/10/01	GW07663RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	5		Boundary
41591	9/10/01	GW07663RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1000		Boundary
41591	9/10/01	GW07663RG	TOTAL XYLENES	REAL	TR1	2	UG/L	U	V1	2	1	10000		Boundary
41591	9/10/01	GW07663RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Boundary
41591	9/10/01	GW07663RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Boundary
41591	9/10/01	GW07663RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	5		Boundary
41591	9/10/01	GW07663RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Boundary
41591	9/10/01	GW07663RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	2		Boundary
41599	7/27/01	GW07753RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
41599	7/27/01	GW07753RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		200		D&D Bldg 771
41599	7/27/01	GW07753RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		0.426		D&D Bldg 771
41599	7/27/01	GW07753RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		5		D&D Bldg 771
41599	7/27/01	GW07753RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
41599	7/27/01	GW07753RG	1,1-DICHLOROETHANE	REAL	TR1	0.11	UG/L	J	V1	1		3650		D&D Bldg 771
41599	7/27/01	GW07753RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1		7		D&D Bldg 771
41599	7/27/01	GW07753RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
41599	7/27/01	GW07753RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
41599	7/27/01	GW07753RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
41599	7/27/01	GW07753RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		70		D&D Bldg 771
41599	7/27/01	GW07753RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
41599	7/27/01	GW07753RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		600		D&D Bldg 771
41599	7/27/01	GW07753RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		5		D&D Bldg 771
41599	7/27/01	GW07753RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1		5		D&D Bldg 771
41599	7/27/01	GW07753RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		600		D&D Bldg 771
41599	7/27/01	GW07753RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
41599	7/27/01	GW07753RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		75		D&D Bldg 771
41599	7/27/01	GW07753RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
41599	7/27/01	GW07753RG	2-BUTANONE	REAL	TR1	10	UG/L	U	R1	10		21900		D&D Bldg 771
41599	7/27/01	GW07753RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	10				D&D Bldg 771
41599	7/27/01	GW07753RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
41599	7/27/01	GW07753RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	10		2920		D&D Bldg 771
41599	7/27/01	GW07753RG	ACETONE	REAL	TR1	10	UG/L	U	R1	10		3650		D&D Bldg 771
41599	7/27/01	GW07753RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	1		5		D&D Bldg 771
41599	7/27/01	GW07753RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
41599	7/27/01	GW07753RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
41599	7/27/01	GW07753RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
41599	7/27/01	GW07753RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
41599	7/27/01	GW07753RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1		100		D&D Bldg 771
41599	7/27/01	GW07753RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	1		100		D&D Bldg 771
41599	7/27/01	GW07753RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1		51.1		D&D Bldg 771
41599	7/27/01	GW07753RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	1		3650		D&D Bldg 771

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
41599	7/27/01	GW07753RG	CARBON TETRACHLORIDE	REAL	TR1	0.29	UG/L	J	V1	1		5		D&D Bldg 771
41599	7/27/01	GW07753RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		100		D&D Bldg 771
41599	7/27/01	GW07753RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		29.4		D&D Bldg 771
41599	7/27/01	GW07753RG	CHLOROFORM	REAL	TR1	0.34	UG/L	J	V1	1		100		D&D Bldg 771
41599	7/27/01	GW07753RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1		6.55		D&D Bldg 771
41599	7/27/01	GW07753RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1		70		D&D Bldg 771
41599	7/27/01	GW07753RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1		0.473		D&D Bldg 771
41599	7/27/01	GW07753RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1		1.01		D&D Bldg 771
41599	7/27/01	GW07753RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
41599	7/27/01	GW07753RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
41599	7/27/01	GW07753RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		700		D&D Bldg 771
41599	7/27/01	GW07753RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	1		1.09		D&D Bldg 771
41599	7/27/01	GW07753RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
41599	7/27/01	GW07753RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	1		5		D&D Bldg 771
41599	7/27/01	GW07753RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	1		1460		D&D Bldg 771
41599	7/27/01	GW07753RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
41599	7/27/01	GW07753RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
41599	7/27/01	GW07753RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
41599	7/27/01	GW07753RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
41599	7/27/01	GW07753RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R1	1		0.2		D&D Bldg 771
41599	7/27/01	GW07753RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
41599	7/27/01	GW07753RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	1		100		D&D Bldg 771
41599	7/27/01	GW07753RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
41599	7/27/01	GW07753RG	TETRACHLOROETHENE	REAL	TR1	0.77	UG/L	J	V1	1		5		D&D Bldg 771
41599	7/27/01	GW07753RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	1		1000		D&D Bldg 771
41599	7/27/01	GW07753RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	UJ1	3		10000		D&D Bldg 771
41599	7/27/01	GW07753RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1		70		D&D Bldg 771
41599	7/27/01	GW07753RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1		0.473		D&D Bldg 771
41599	7/27/01	GW07753RG	TRICHLOROETHENE	REAL	TR1	2.1	UG/L	U	V1	1		5		D&D Bldg 771
41599	7/27/01	GW07753RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
41599	7/27/01	GW07753RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	1		2		D&D Bldg 771
41691	8/30/01	GW07664RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1			Boundary
41691	8/30/01	GW07664RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	200		Boundary
41691	8/30/01	GW07664RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	0.426		Boundary
41691	8/30/01	GW07664RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5		Boundary
41691	8/30/01	GW07664RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V	1	1			Boundary
41691	8/30/01	GW07664RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	3650		Boundary
41691	8/30/01	GW07664RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	7		Boundary
41691	8/30/01	GW07664RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1			Boundary
41691	8/30/01	GW07664RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			Boundary
41691	8/30/01	GW07664RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			Boundary
41691	8/30/01	GW07664RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	70		Boundary
41691	8/30/01	GW07664RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	1	1			Boundary
41691	8/30/01	GW07664RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	600		Boundary
41691	8/30/01	GW07664RG	1,2-DICHLOROETHANE	REAL	TR1	0.8	UG/L	J	V	1	1	5		Boundary
41691	8/30/01	GW07664RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1	5		Boundary
41691	8/30/01	GW07664RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	600		Boundary
41691	8/30/01	GW07664RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			Boundary
41691	8/30/01	GW07664RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	75		Boundary
41691	8/30/01	GW07664RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			Boundary
41691	8/30/01	GW07664RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R	5	1	21900		Boundary
41691	8/30/01	GW07664RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V	5	1			Boundary
41691	8/30/01	GW07664RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ	1	1			Boundary
41691	8/30/01	GW07664RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V	5	1	2920		Boundary
41691	8/30/01	GW07664RG	ACETONE	REAL	TR1	5	UG/L	U	R	5	1	3650		Boundary
41691	8/30/01	GW07664RG	BENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	5		Boundary
41691	8/30/01	GW07664RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ	1	1			Boundary

305

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
41691	8/30/01	GW07664RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ	1	1			Boundary
41691	8/30/01	GW07664RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			Boundary
41691	8/30/01	GW07664RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Boundary
41691	8/30/01	GW07664RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	100		Boundary
41691	8/30/01	GW07664RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	1	1	100		Boundary
41691	8/30/01	GW07664RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1	51.1		Boundary
41691	8/30/01	GW07664RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V	1	1	3650		Boundary
41691	8/30/01	GW07664RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5		Boundary
41691	8/30/01	GW07664RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	100		Boundary
41691	8/30/01	GW07664RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	29.4		Boundary
41691	8/30/01	GW07664RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V	1	1	100		Boundary
41691	8/30/01	GW07664RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	6.55		Boundary
41691	8/30/01	GW07664RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70		Boundary
41691	8/30/01	GW07664RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473		Boundary
41691	8/30/01	GW07664RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	1.01		Boundary
41691	8/30/01	GW07664RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Boundary
41691	8/30/01	GW07664RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Boundary
41691	8/30/01	GW07664RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	700		Boundary
41691	8/30/01	GW07664RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	1	1	1.09		Boundary
41691	8/30/01	GW07664RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			Boundary
41691	8/30/01	GW07664RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5		Boundary
41691	8/30/01	GW07664RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ	1	1	1460		Boundary
41691	8/30/01	GW07664RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			Boundary
41691	8/30/01	GW07664RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			Boundary
41691	8/30/01	GW07664RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	1	1			Boundary
41691	8/30/01	GW07664RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	1	1			Boundary
41691	8/30/01	GW07664RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R	1	1	0.2		Boundary
41691	8/30/01	GW07664RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			Boundary
41691	8/30/01	GW07664RG	STYRENE	REAL	TR1	1	UG/L	U	UJ	1	1	100		Boundary
41691	8/30/01	GW07664RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			Boundary
41691	8/30/01	GW07664RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	5		Boundary
41691	8/30/01	GW07664RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ	1	1	1000		Boundary
41691	8/30/01	GW07664RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	UJ	3	1	10000		Boundary
41691	8/30/01	GW07664RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70		Boundary
41691	8/30/01	GW07664RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473		Boundary
41691	8/30/01	GW07664RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	5		Boundary
41691	8/30/01	GW07664RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Boundary
41691	8/30/01	GW07664RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	2		Boundary
43392	7/18/01	GW07665RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1			Plume Extent
43392	7/18/01	GW07665RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	200		Plume Extent
43392	7/18/01	GW07665RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.426		Plume Extent
43392	7/18/01	GW07665RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1	5		Plume Extent
43392	7/18/01	GW07665RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Plume Extent
43392	7/18/01	GW07665RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.17	1	3650		Plume Extent
43392	7/18/01	GW07665RG	1,1-DICHLOROETHENE	REAL	TR1	0.49	UG/L	J	V1	0.2	1	7		Plume Extent
43392	7/18/01	GW07665RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1			Plume Extent
43392	7/18/01	GW07665RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1			Plume Extent
43392	7/18/01	GW07665RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.29	1			Plume Extent
43392	7/18/01	GW07665RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	70		Plume Extent
43392	7/18/01	GW07665RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.36	1			Plume Extent
43392	7/18/01	GW07665RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	600		Plume Extent
43392	7/18/01	GW07665RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5		Plume Extent
43392	7/18/01	GW07665RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		Plume Extent
43392	7/18/01	GW07665RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	600		Plume Extent
43392	7/18/01	GW07665RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.26	1			Plume Extent
43392	7/18/01	GW07665RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	75		Plume Extent
43392	7/18/01	GW07665RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Plume Extent

300

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
43392	7/18/01	GW07665RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V1	0.93	1	21900		Plume Extent
43392	7/18/01	GW07665RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	0.7	1			Plume Extent
43392	7/18/01	GW07665RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1			Plume Extent
43392	7/18/01	GW07665RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	0.79	1	2920		Plume Extent
43392	7/18/01	GW07665RG	ACETONE	REAL	TR1	10	UG/L	U	V1	1.9	1	3650		Plume Extent
43392	7/18/01	GW07665RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1	5		Plume Extent
43392	7/18/01	GW07665RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.22	1			Plume Extent
43392	7/18/01	GW07665RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.29	1			Plume Extent
43392	7/18/01	GW07665RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1			Plume Extent
43392	7/18/01	GW07665RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Plume Extent
43392	7/18/01	GW07665RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	100		Plume Extent
43392	7/18/01	GW07665RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.32	1	100		Plume Extent
43392	7/18/01	GW07665RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	51.1		Plume Extent
43392	7/18/01	GW07665RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	3650		Plume Extent
43392	7/18/01	GW07665RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	5		Plume Extent
43392	7/18/01	GW07665RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	100		Plume Extent
43392	7/18/01	GW07665RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.25	1	29.4		Plume Extent
43392	7/18/01	GW07665RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.23	1	100		Plume Extent
43392	7/18/01	GW07665RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	6.55		Plume Extent
43392	7/18/01	GW07665RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.26	1	70		Plume Extent
43392	7/18/01	GW07665RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.28	1	0.473		Plume Extent
43392	7/18/01	GW07665RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.38	1	1.01		Plume Extent
43392	7/18/01	GW07665RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1			Plume Extent
43392	7/18/01	GW07665RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1			Plume Extent
43392	7/18/01	GW07665RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.28	1	700		Plume Extent
43392	7/18/01	GW07665RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1.09		Plume Extent
43392	7/18/01	GW07665RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			Plume Extent
43392	7/18/01	GW07665RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.89	1	5		Plume Extent
43392	7/18/01	GW07665RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1460		Plume Extent
43392	7/18/01	GW07665RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			Plume Extent
43392	7/18/01	GW07665RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1			Plume Extent
43392	7/18/01	GW07665RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			Plume Extent
43392	7/18/01	GW07665RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1			Plume Extent
43392	7/18/01	GW07665RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.25	1	0.2		Plume Extent
43392	7/18/01	GW07665RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			Plume Extent
43392	7/18/01	GW07665RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.27	1	100		Plume Extent
43392	7/18/01	GW07665RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1			Plume Extent
43392	7/18/01	GW07665RG	TETRACHLOROETHENE	REAL	TR1	0.76	UG/L	J	V1	0.36	1	5		Plume Extent
43392	7/18/01	GW07665RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1	1000		Plume Extent
43392	7/18/01	GW07665RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.95	1	10000		Plume Extent
43392	7/18/01	GW07665RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.27	1	70		Plume Extent
43392	7/18/01	GW07665RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.42	1	0.473		Plume Extent
43392	7/18/01	GW07665RG	TRICHLOROETHENE	REAL	TR1	0.7	UG/L	J	V1	0.22	1	5		Plume Extent
43392	7/18/01	GW07665RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1			Plume Extent
43392	7/18/01	GW07665RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.21	1	2		Plume Extent
4787	7/19/01	GW07640RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.22	1			Plume Extent
4787	7/19/01	GW07640RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.26	1	200		Plume Extent
4787	7/19/01	GW07640RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.31	1	0.426		Plume Extent
4787	7/19/01	GW07640RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.39	1	5		Plume Extent
4787	7/19/01	GW07640RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V	0.21	1			Plume Extent
4787	7/19/01	GW07640RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.17	1	3650		Plume Extent
4787	7/19/01	GW07640RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	0.2	1	7		Plume Extent
4787	7/19/01	GW07640RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.22	1			Plume Extent
4787	7/19/01	GW07640RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.16	1			Plume Extent
4787	7/19/01	GW07640RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.29	1			Plume Extent
4787	7/19/01	GW07640RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.2	1	70		Plume Extent
4787	7/19/01	GW07640RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	0.36	1			Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
4787	7/19/01	GW07640RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.24	1	600		Plume Extent
4787	7/19/01	GW07640RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.28	1	5		Plume Extent
4787	7/19/01	GW07640RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.21	1	5		Plume Extent
4787	7/19/01	GW07640RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.26	1	600		Plume Extent
4787	7/19/01	GW07640RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.26	1			Plume Extent
4787	7/19/01	GW07640RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.24	1	75		Plume Extent
4787	7/19/01	GW07640RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.21	1			Plume Extent
4787	7/19/01	GW07640RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V	0.93	1	21900		Plume Extent
4787	7/19/01	GW07640RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V	0.7	1			Plume Extent
4787	7/19/01	GW07640RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.3	1			Plume Extent
4787	7/19/01	GW07640RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V	0.79	1	2920		Plume Extent
4787	7/19/01	GW07640RG	ACETONE	REAL	TR1	10	UG/L	U	V	1.9	1	3650		Plume Extent
4787	7/19/01	GW07640RG	BENZENE	REAL	TR1	1	UG/L	U	UJ	0.21	1	5		Plume Extent
4787	7/19/01	GW07640RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ	0.22	1			Plume Extent
4787	7/19/01	GW07640RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ	0.29	1			Plume Extent
4787	7/19/01	GW07640RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ	0.24	1			Plume Extent
4787	7/19/01	GW07640RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.21	1			Plume Extent
4787	7/19/01	GW07640RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.22	1	100		Plume Extent
4787	7/19/01	GW07640RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	0.32	1	100		Plume Extent
4787	7/19/01	GW07640RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	0.3	1	51.1		Plume Extent
4787	7/19/01	GW07640RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V	0.19	1	3650		Plume Extent
4787	7/19/01	GW07640RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V	0.19	1	5		Plume Extent
4787	7/19/01	GW07640RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.3	1	100		Plume Extent
4787	7/19/01	GW07640RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.25	1	29.4		Plume Extent
4787	7/19/01	GW07640RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V	0.23	1	100		Plume Extent
4787	7/19/01	GW07640RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.3	1	6.55		Plume Extent
4787	7/19/01	GW07640RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	0.26	1	70		Plume Extent
4787	7/19/01	GW07640RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.28	1	0.473		Plume Extent
4787	7/19/01	GW07640RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.38	1	1.01		Plume Extent
4787	7/19/01	GW07640RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	0.44	1			Plume Extent
4787	7/19/01	GW07640RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	0.23	1			Plume Extent
4787	7/19/01	GW07640RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.28	1	700		Plume Extent
4787	7/19/01	GW07640RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	0.29	1	1.09		Plume Extent
4787	7/19/01	GW07640RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.31	1			Plume Extent
4787	7/19/01	GW07640RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V	0.89	1	5		Plume Extent
4787	7/19/01	GW07640RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ	0.15	1	1460		Plume Extent
4787	7/19/01	GW07640RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.26	1			Plume Extent
4787	7/19/01	GW07640RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.23	1			Plume Extent
4787	7/19/01	GW07640RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.31	1			Plume Extent
4787	7/19/01	GW07640RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.25	1			Plume Extent
4787	7/19/01	GW07640RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V	0.25	1	0.2		Plume Extent
4787	7/19/01	GW07640RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.26	1			Plume Extent
4787	7/19/01	GW07640RG	STYRENE	REAL	TR1	1	UG/L	U	UJ	0.27	1	100		Plume Extent
4787	7/19/01	GW07640RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.29	1			Plume Extent
4787	7/19/01	GW07640RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V	0.36	1	5		Plume Extent
4787	7/19/01	GW07640RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ	0.29	1	1000		Plume Extent
4787	7/19/01	GW07640RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ	0.95	1	10000		Plume Extent
4787	7/19/01	GW07640RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V	0.27	1	70		Plume Extent
4787	7/19/01	GW07640RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.42	1	0.473		Plume Extent
4787	7/19/01	GW07640RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V	0.22	1	5		Plume Extent
4787	7/19/01	GW07640RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	0.28	1			Plume Extent
4787	7/19/01	GW07640RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	0.21	1	2		Plume Extent
52894	7/17/01	GW07700RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1			RCRA
52894	7/17/01	GW07700RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	200		RCRA
52894	7/17/01	GW07700RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.426		RCRA
52894	7/17/01	GW07700RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1	5		RCRA
52894	7/17/01	GW07700RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			RCRA

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
52894	7/17/01	GW07700RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.17	1	3650		RCRA
52894	7/17/01	GW07700RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.2	1	7		RCRA
52894	7/17/01	GW07700RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1			RCRA
52894	7/17/01	GW07700RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1			RCRA
52894	7/17/01	GW07700RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.29	1			RCRA
52894	7/17/01	GW07700RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	70		RCRA
52894	7/17/01	GW07700RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.36	1			RCRA
52894	7/17/01	GW07700RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	600		RCRA
52894	7/17/01	GW07700RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5		RCRA
52894	7/17/01	GW07700RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		RCRA
52894	7/17/01	GW07700RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	600		RCRA
52894	7/17/01	GW07700RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.26	1			RCRA
52894	7/17/01	GW07700RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	75		RCRA
52894	7/17/01	GW07700RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1			RCRA
52894	7/17/01	GW07700RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V1	0.93	1	21900		RCRA
52894	7/17/01	GW07700RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	0.7	1			RCRA
52894	7/17/01	GW07700RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1			RCRA
52894	7/17/01	GW07700RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	0.79	1	2920		RCRA
52894	7/17/01	GW07700RG	ACETONE	REAL	TR1	10	UG/L	U	V1	1.9	1	3650		RCRA
52894	7/17/01	GW07700RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1	5		RCRA
52894	7/17/01	GW07700RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.22	1			RCRA
52894	7/17/01	GW07700RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.29	1			RCRA
52894	7/17/01	GW07700RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1			RCRA
52894	7/17/01	GW07700RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			RCRA
52894	7/17/01	GW07700RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	100		RCRA
52894	7/17/01	GW07700RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.32	1	100		RCRA
52894	7/17/01	GW07700RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	51.1		RCRA
52894	7/17/01	GW07700RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	3650		RCRA
52894	7/17/01	GW07700RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	5		RCRA
52894	7/17/01	GW07700RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	100		RCRA
52894	7/17/01	GW07700RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.25	1	29.4		RCRA
52894	7/17/01	GW07700RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.23	1	100		RCRA
52894	7/17/01	GW07700RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	6.55		RCRA
52894	7/17/01	GW07700RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.26	1	70		RCRA
52894	7/17/01	GW07700RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.28	1	0.473		RCRA
52894	7/17/01	GW07700RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.38	1	1.01		RCRA
52894	7/17/01	GW07700RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1			RCRA
52894	7/17/01	GW07700RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1			RCRA
52894	7/17/01	GW07700RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.28	1	700		RCRA
52894	7/17/01	GW07700RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1.09		RCRA
52894	7/17/01	GW07700RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			RCRA
52894	7/17/01	GW07700RG	METHYLENE CHLORIDE	REAL	TR1	0.93	UG/L	J	V1	0.89	1	5		RCRA
52894	7/17/01	GW07700RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1460		RCRA
52894	7/17/01	GW07700RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			RCRA
52894	7/17/01	GW07700RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1			RCRA
52894	7/17/01	GW07700RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			RCRA
52894	7/17/01	GW07700RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1			RCRA
52894	7/17/01	GW07700RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.25	1	0.2		RCRA
52894	7/17/01	GW07700RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			RCRA
52894	7/17/01	GW07700RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.27	1	100		RCRA
52894	7/17/01	GW07700RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1			RCRA
52894	7/17/01	GW07700RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.36	1	5		RCRA
52894	7/17/01	GW07700RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1	1000		RCRA
52894	7/17/01	GW07700RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.95	1	10000		RCRA
52894	7/17/01	GW07700RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.27	1	70		RCRA
52894	7/17/01	GW07700RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.42	1	0.473		RCRA
52894	7/17/01	GW07700RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.22	1	5		RCRA

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
52894	7/17/01	GW07700RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1			RCRA
52894	7/17/01	GW07700RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.21	1	2		RCRA
5387	7/18/01	GW07617RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1			Plume Extent
5387	7/18/01	GW07617RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	200		Plume Extent
5387	7/18/01	GW07617RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.426		Plume Extent
5387	7/18/01	GW07617RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1	5		Plume Extent
5387	7/18/01	GW07617RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Plume Extent
5387	7/18/01	GW07617RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.17	1	3650		Plume Extent
5387	7/18/01	GW07617RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.2	1	7		Plume Extent
5387	7/18/01	GW07617RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1			Plume Extent
5387	7/18/01	GW07617RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1			Plume Extent
5387	7/18/01	GW07617RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.29	1			Plume Extent
5387	7/18/01	GW07617RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	70		Plume Extent
5387	7/18/01	GW07617RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.36	1			Plume Extent
5387	7/18/01	GW07617RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	600		Plume Extent
5387	7/18/01	GW07617RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5		Plume Extent
5387	7/18/01	GW07617RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		Plume Extent
5387	7/18/01	GW07617RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	600		Plume Extent
5387	7/18/01	GW07617RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.26	1			Plume Extent
5387	7/18/01	GW07617RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	75		Plume Extent
5387	7/18/01	GW07617RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Plume Extent
5387	7/18/01	GW07617RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V1	0.93	1	21900		Plume Extent
5387	7/18/01	GW07617RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	0.7	1			Plume Extent
5387	7/18/01	GW07617RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1			Plume Extent
5387	7/18/01	GW07617RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	0.79	1	2920		Plume Extent
5387	7/18/01	GW07617RG	ACETONE	REAL	TR1	10	UG/L	U	V1	1.9	1	3650		Plume Extent
5387	7/18/01	GW07617RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1	5		Plume Extent
5387	7/18/01	GW07617RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.22	1			Plume Extent
5387	7/18/01	GW07617RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.29	1			Plume Extent
5387	7/18/01	GW07617RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1			Plume Extent
5387	7/18/01	GW07617RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Plume Extent
5387	7/18/01	GW07617RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	100		Plume Extent
5387	7/18/01	GW07617RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.32	1	100		Plume Extent
5387	7/18/01	GW07617RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	51.1		Plume Extent
5387	7/18/01	GW07617RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	3650		Plume Extent
5387	7/18/01	GW07617RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	5		Plume Extent
5387	7/18/01	GW07617RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	100		Plume Extent
5387	7/18/01	GW07617RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.25	1	29.4		Plume Extent
5387	7/18/01	GW07617RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.23	1	100		Plume Extent
5387	7/18/01	GW07617RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	6.55		Plume Extent
5387	7/18/01	GW07617RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.26	1	70		Plume Extent
5387	7/18/01	GW07617RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.28	1	0.473		Plume Extent
5387	7/18/01	GW07617RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.38	1	1.01		Plume Extent
5387	7/18/01	GW07617RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1			Plume Extent
5387	7/18/01	GW07617RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1			Plume Extent
5387	7/18/01	GW07617RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.28	1	700		Plume Extent
5387	7/18/01	GW07617RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1.09		Plume Extent
5387	7/18/01	GW07617RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			Plume Extent
5387	7/18/01	GW07617RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.89	1	5		Plume Extent
5387	7/18/01	GW07617RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1460		Plume Extent
5387	7/18/01	GW07617RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			Plume Extent
5387	7/18/01	GW07617RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1			Plume Extent
5387	7/18/01	GW07617RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			Plume Extent
5387	7/18/01	GW07617RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1			Plume Extent
5387	7/18/01	GW07617RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.25	1	0.2		Plume Extent
5387	7/18/01	GW07617RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			Plume Extent
5387	7/18/01	GW07617RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.27	1	100		Plume Extent

310

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
5387	7/18/01	GW07617RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1			Plume Extent
5387	7/18/01	GW07617RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.36	1	5		Plume Extent
5387	7/18/01	GW07617RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1	1000		Plume Extent
5387	7/18/01	GW07617RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.95	1	10000		Plume Extent
5387	7/18/01	GW07617RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.27	1	70		Plume Extent
5387	7/18/01	GW07617RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.42	1	0.473		Plume Extent
5387	7/18/01	GW07617RG	TRICHLOROETHENE	REAL	TR1	0.34	UG/L	J	V1	0.22	1	5		Plume Extent
5387	7/18/01	GW07617RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1			Plume Extent
5387	7/18/01	GW07617RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.21	1	2		Plume Extent
5887	7/12/01	GW07699RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.22	1			RCRA
5887	7/12/01	GW07699RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.26	1	200		RCRA
5887	7/12/01	GW07699RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.31	1	0.426		RCRA
5887	7/12/01	GW07699RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.39	1	5		RCRA
5887	7/12/01	GW07699RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V	0.21	1			RCRA
5887	7/12/01	GW07699RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.17	1	3650		RCRA
5887	7/12/01	GW07699RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	0.2	1	7		RCRA
5887	7/12/01	GW07699RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.22	1			RCRA
5887	7/12/01	GW07699RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.16	1			RCRA
5887	7/12/01	GW07699RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.29	1			RCRA
5887	7/12/01	GW07699RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.2	1	70		RCRA
5887	7/12/01	GW07699RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	0.36	1			RCRA
5887	7/12/01	GW07699RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.24	1	600		RCRA
5887	7/12/01	GW07699RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.28	1	5		RCRA
5887	7/12/01	GW07699RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.21	1	5		RCRA
5887	7/12/01	GW07699RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.26	1	600		RCRA
5887	7/12/01	GW07699RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.26	1			RCRA
5887	7/12/01	GW07699RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.24	1	75		RCRA
5887	7/12/01	GW07699RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.21	1			RCRA
5887	7/12/01	GW07699RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V	0.93	1	21900		RCRA
5887	7/12/01	GW07699RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V	0.7	1			RCRA
5887	7/12/01	GW07699RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.3	1			RCRA
5887	7/12/01	GW07699RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V	0.79	1	2920		RCRA
5887	7/12/01	GW07699RG	ACETONE	REAL	TR1	10	UG/L	U	V	1.9	1	3650		RCRA
5887	7/12/01	GW07699RG	BENZENE	REAL	TR1	1	UG/L	U	UJ	0.21	1	5		RCRA
5887	7/12/01	GW07699RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ	0.22	1			RCRA
5887	7/12/01	GW07699RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ	0.29	1			RCRA
5887	7/12/01	GW07699RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ	0.24	1			RCRA
5887	7/12/01	GW07699RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.21	1			RCRA
5887	7/12/01	GW07699RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.22	1	100		RCRA
5887	7/12/01	GW07699RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	0.32	1	100		RCRA
5887	7/12/01	GW07699RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	0.3	1	51.1		RCRA
5887	7/12/01	GW07699RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V	0.19	1	3650		RCRA
5887	7/12/01	GW07699RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V	0.19	1	5		RCRA
5887	7/12/01	GW07699RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.3	1	100		RCRA
5887	7/12/01	GW07699RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.25	1	29.4		RCRA
5887	7/12/01	GW07699RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V	0.23	1	100		RCRA
5887	7/12/01	GW07699RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.3	1	6.55		RCRA
5887	7/12/01	GW07699RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	0.26	1	70		RCRA
5887	7/12/01	GW07699RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.28	1	0.473		RCRA
5887	7/12/01	GW07699RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.38	1	1.01		RCRA
5887	7/12/01	GW07699RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	0.44	1			RCRA
5887	7/12/01	GW07699RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	0.23	1			RCRA
5887	7/12/01	GW07699RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.28	1	700		RCRA
5887	7/12/01	GW07699RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	0.29	1	1.09		RCRA
5887	7/12/01	GW07699RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.31	1			RCRA
5887	7/12/01	GW07699RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V	0.89	1	5		RCRA
5887	7/12/01	GW07699RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ	0.15	1	1460		RCRA

311

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
5887	7/12/01	GW07699RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.26	1			RCRA
5887	7/12/01	GW07699RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.23	1			RCRA
5887	7/12/01	GW07699RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.31	1			RCRA
5887	7/12/01	GW07699RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.25	1			RCRA
5887	7/12/01	GW07699RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R	0.25	1	0.2		RCRA
5887	7/12/01	GW07699RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.26	1			RCRA
5887	7/12/01	GW07699RG	STYRENE	REAL	TR1	1	UG/L	U	UJ	0.27	1	100		RCRA
5887	7/12/01	GW07699RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.29	1			RCRA
5887	7/12/01	GW07699RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V	0.36	1	5		RCRA
5887	7/12/01	GW07699RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ	0.29	1	1000		RCRA
5887	7/12/01	GW07699RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ	0.95	1	10000		RCRA
5887	7/12/01	GW07699RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V	0.27	1	70		RCRA
5887	7/12/01	GW07699RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.42	1	0.473		RCRA
5887	7/12/01	GW07699RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V	0.22	1	5		RCRA
5887	7/12/01	GW07699RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	0.28	1			RCRA
5887	7/12/01	GW07699RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	0.21	1	2		RCRA
6186	8/20/01	GW07642RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
6186	8/20/01	GW07642RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	200		Plume Extent
6186	8/20/01	GW07642RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	0.426		Plume Extent
6186	8/20/01	GW07642RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
6186	8/20/01	GW07642RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
6186	8/20/01	GW07642RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Plume Extent
6186	8/20/01	GW07642RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	7		Plume Extent
6186	8/20/01	GW07642RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
6186	8/20/01	GW07642RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
6186	8/20/01	GW07642RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
6186	8/20/01	GW07642RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	70		Plume Extent
6186	8/20/01	GW07642RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
6186	8/20/01	GW07642RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		Plume Extent
6186	8/20/01	GW07642RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
6186	8/20/01	GW07642RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
6186	8/20/01	GW07642RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		Plume Extent
6186	8/20/01	GW07642RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
6186	8/20/01	GW07642RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	75		Plume Extent
6186	8/20/01	GW07642RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
6186	8/20/01	GW07642RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R1	5	1	21900		Plume Extent
6186	8/20/01	GW07642RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	5	1			Plume Extent
6186	8/20/01	GW07642RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
6186	8/20/01	GW07642RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	5	1	2920		Plume Extent
6186	8/20/01	GW07642RG	ACETONE	REAL	TR1	5	UG/L	U	R1	5	1	3650		Plume Extent
6186	8/20/01	GW07642RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	5		Plume Extent
6186	8/20/01	GW07642RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
6186	8/20/01	GW07642RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
6186	8/20/01	GW07642RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
6186	8/20/01	GW07642RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
6186	8/20/01	GW07642RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Extent
6186	8/20/01	GW07642RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Extent
6186	8/20/01	GW07642RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	51.1		Plume Extent
6186	8/20/01	GW07642RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Plume Extent
6186	8/20/01	GW07642RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
6186	8/20/01	GW07642RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		Plume Extent
6186	8/20/01	GW07642RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	29.4		Plume Extent
6186	8/20/01	GW07642RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Extent
6186	8/20/01	GW07642RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	6.55		Plume Extent
6186	8/20/01	GW07642RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Plume Extent
6186	8/20/01	GW07642RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Plume Extent
6186	8/20/01	GW07642RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	1.01		Plume Extent

312

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
6186	8/20/01	GW07642RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
6186	8/20/01	GW07642RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
6186	8/20/01	GW07642RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	700		Plume Extent
6186	8/20/01	GW07642RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	1	1	1.09		Plume Extent
6186	8/20/01	GW07642RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
6186	8/20/01	GW07642RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
6186	8/20/01	GW07642RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1460		Plume Extent
6186	8/20/01	GW07642RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
6186	8/20/01	GW07642RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
6186	8/20/01	GW07642RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
6186	8/20/01	GW07642RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
6186	8/20/01	GW07642RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	1	1	0.2		Plume Extent
6186	8/20/01	GW07642RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
6186	8/20/01	GW07642RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		Plume Extent
6186	8/20/01	GW07642RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
6186	8/20/01	GW07642RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
6186	8/20/01	GW07642RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1000		Plume Extent
6186	8/20/01	GW07642RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	UJ1	3	1	10000		Plume Extent
6186	8/20/01	GW07642RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Plume Extent
6186	8/20/01	GW07642RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Plume Extent
6186	8/20/01	GW07642RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
6186	8/20/01	GW07642RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
6186	8/20/01	GW07642RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	2		Plume Extent
6286	7/18/01	GW07643RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1			Plume Definition
6286	7/18/01	GW07643RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	200		Plume Definition
6286	7/18/01	GW07643RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.426		Plume Definition
6286	7/18/01	GW07643RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1	5		Plume Definition
6286	7/18/01	GW07643RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Plume Definition
6286	7/18/01	GW07643RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.17	1	3650		Plume Definition
6286	7/18/01	GW07643RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.2	1	7		Plume Definition
6286	7/18/01	GW07643RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1			Plume Definition
6286	7/18/01	GW07643RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1			Plume Definition
6286	7/18/01	GW07643RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.29	1			Plume Definition
6286	7/18/01	GW07643RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	70		Plume Definition
6286	7/18/01	GW07643RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.36	1			Plume Definition
6286	7/18/01	GW07643RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	600		Plume Definition
6286	7/18/01	GW07643RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5		Plume Definition
6286	7/18/01	GW07643RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		Plume Definition
6286	7/18/01	GW07643RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	600		Plume Definition
6286	7/18/01	GW07643RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.26	1			Plume Definition
6286	7/18/01	GW07643RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	75		Plume Definition
6286	7/18/01	GW07643RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Plume Definition
6286	7/18/01	GW07643RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V1	0.93	1	21900		Plume Definition
6286	7/18/01	GW07643RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	0.7	1			Plume Definition
6286	7/18/01	GW07643RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1			Plume Definition
6286	7/18/01	GW07643RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	0.79	1	2920		Plume Definition
6286	7/18/01	GW07643RG	ACETONE	REAL	TR1	10	UG/L	U	V1	1.9	1	3650		Plume Definition
6286	7/18/01	GW07643RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1	5		Plume Definition
6286	7/18/01	GW07643RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.22	1			Plume Definition
6286	7/18/01	GW07643RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.29	1			Plume Definition
6286	7/18/01	GW07643RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1			Plume Definition
6286	7/18/01	GW07643RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Plume Definition
6286	7/18/01	GW07643RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	100		Plume Definition
6286	7/18/01	GW07643RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.32	1	100		Plume Definition
6286	7/18/01	GW07643RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	51.1		Plume Definition
6286	7/18/01	GW07643RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	3650		Plume Definition
6286	7/18/01	GW07643RG	CARBON TETRACHLORIDE	REAL	TR1	5.8	UG/L		V1	0.19	1	5		Plume Definition

313

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
6286	7/18/01	GW07643RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	100		Plume Definition
6286	7/18/01	GW07643RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.25	1	29.4		Plume Definition
6286	7/18/01	GW07643RG	CHLOROFORM	REAL	TR1	0.57	UG/L	J	V1	0.23	1	100		Plume Definition
6286	7/18/01	GW07643RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	6.55		Plume Definition
6286	7/18/01	GW07643RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.26	1	70		Plume Definition
6286	7/18/01	GW07643RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.28	1	0.473		Plume Definition
6286	7/18/01	GW07643RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.38	1	1.01		Plume Definition
6286	7/18/01	GW07643RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1			Plume Definition
6286	7/18/01	GW07643RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1			Plume Definition
6286	7/18/01	GW07643RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.28	1	700		Plume Definition
6286	7/18/01	GW07643RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1.09		Plume Definition
6286	7/18/01	GW07643RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			Plume Definition
6286	7/18/01	GW07643RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.89	1	5		Plume Definition
6286	7/18/01	GW07643RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1460		Plume Definition
6286	7/18/01	GW07643RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			Plume Definition
6286	7/18/01	GW07643RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1			Plume Definition
6286	7/18/01	GW07643RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			Plume Definition
6286	7/18/01	GW07643RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1			Plume Definition
6286	7/18/01	GW07643RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.25	1	0.2		Plume Definition
6286	7/18/01	GW07643RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			Plume Definition
6286	7/18/01	GW07643RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.27	1	100		Plume Definition
6286	7/18/01	GW07643RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1			Plume Definition
6286	7/18/01	GW07643RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.36	1	5		Plume Definition
6286	7/18/01	GW07643RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1	1000		Plume Definition
6286	7/18/01	GW07643RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.95	1	10000		Plume Definition
6286	7/18/01	GW07643RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.27	1	70		Plume Definition
6286	7/18/01	GW07643RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.42	1	0.473		Plume Definition
6286	7/18/01	GW07643RG	TRICHLOROETHENE	REAL	TR1	0.94	UG/L	J	V1	0.22	1	5		Plume Definition
6286	7/18/01	GW07643RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1			Plume Definition
6286	7/18/01	GW07643RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.21	1	2		Plume Definition
6386	8/8/01	GW07644RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
6386	8/8/01	GW07644RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	200		Plume Definition
6386	8/8/01	GW07644RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	0.426		Plume Definition
6386	8/8/01	GW07644RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Definition
6386	8/8/01	GW07644RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
6386	8/8/01	GW07644RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Plume Definition
6386	8/8/01	GW07644RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	7		Plume Definition
6386	8/8/01	GW07644RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
6386	8/8/01	GW07644RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
6386	8/8/01	GW07644RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
6386	8/8/01	GW07644RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	70		Plume Definition
6386	8/8/01	GW07644RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
6386	8/8/01	GW07644RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		Plume Definition
6386	8/8/01	GW07644RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Definition
6386	8/8/01	GW07644RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Definition
6386	8/8/01	GW07644RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		Plume Definition
6386	8/8/01	GW07644RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
6386	8/8/01	GW07644RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	75		Plume Definition
6386	8/8/01	GW07644RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
6386	8/8/01	GW07644RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R1	5	1	21900		Plume Definition
6386	8/8/01	GW07644RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	10	1			Plume Definition
6386	8/8/01	GW07644RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
6386	8/8/01	GW07644RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	10	1	2920		Plume Definition
6386	8/8/01	GW07644RG	ACETONE	REAL	TR1	5	UG/L	J	J1	10	1	3650		Plume Definition
6386	8/8/01	GW07644RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	5		Plume Definition
6386	8/8/01	GW07644RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
6386	8/8/01	GW07644RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Definition

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
6386	8/8/01	GW07644RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
6386	8/8/01	GW07644RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
6386	8/8/01	GW07644RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Definition
6386	8/8/01	GW07644RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Definition
6386	8/8/01	GW07644RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	51.1		Plume Definition
6386	8/8/01	GW07644RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Plume Definition
6386	8/8/01	GW07644RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Definition
6386	8/8/01	GW07644RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		Plume Definition
6386	8/8/01	GW07644RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	29.4		Plume Definition
6386	8/8/01	GW07644RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Definition
6386	8/8/01	GW07644RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	6.55		Plume Definition
6386	8/8/01	GW07644RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Plume Definition
6386	8/8/01	GW07644RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Plume Definition
6386	8/8/01	GW07644RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	1.01		Plume Definition
6386	8/8/01	GW07644RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
6386	8/8/01	GW07644RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
6386	8/8/01	GW07644RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	700		Plume Definition
6386	8/8/01	GW07644RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	1	1	1.09		Plume Definition
6386	8/8/01	GW07644RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
6386	8/8/01	GW07644RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Definition
6386	8/8/01	GW07644RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1460		Plume Definition
6386	8/8/01	GW07644RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
6386	8/8/01	GW07644RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
6386	8/8/01	GW07644RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
6386	8/8/01	GW07644RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
6386	8/8/01	GW07644RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R1	1	1	0.2		Plume Definition
6386	8/8/01	GW07644RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
6386	8/8/01	GW07644RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		Plume Definition
6386	8/8/01	GW07644RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Definition
6386	8/8/01	GW07644RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Definition
6386	8/8/01	GW07644RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1000		Plume Definition
6386	8/8/01	GW07644RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	UJ1	3	1	10000		Plume Definition
6386	8/8/01	GW07644RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Plume Definition
6386	8/8/01	GW07644RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Plume Definition
6386	8/8/01	GW07644RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Definition
6386	8/8/01	GW07644RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Definition
6386	8/8/01	GW07644RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	2		Plume Definition
6586	9/17/01	GW07646RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1			Drainage
6586	9/17/01	GW07646RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	200		Drainage
6586	9/17/01	GW07646RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.426		Drainage
6586	9/17/01	GW07646RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1	5		Drainage
6586	9/17/01	GW07646RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	UJ1	0.21	1			Drainage
6586	9/17/01	GW07646RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.17	1	3650		Drainage
6586	9/17/01	GW07646RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.2	1	7		Drainage
6586	9/17/01	GW07646RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1			Drainage
6586	9/17/01	GW07646RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1			Drainage
6586	9/17/01	GW07646RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.29	1			Drainage
6586	9/17/01	GW07646RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	70		Drainage
6586	9/17/01	GW07646RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.36	1			Drainage
6586	9/17/01	GW07646RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1	600		Drainage
6586	9/17/01	GW07646RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5		Drainage
6586	9/17/01	GW07646RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		Drainage
6586	9/17/01	GW07646RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1	600		Drainage
6586	9/17/01	GW07646RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.26	1			Drainage
6586	9/17/01	GW07646RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1	75		Drainage
6586	9/17/01	GW07646RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Drainage
6586	9/17/01	GW07646RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V1	0.93	1	21900		Drainage

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
6586	9/17/01	GW07646RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	0.7	1			Drainage
6586	9/17/01	GW07646RG	2-PROPENOIC ACID, 6-METHYLHEPT (T	REAL	TR1	12	UG/L	J	1		1		TIC	Drainage
6586	9/17/01	GW07646RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V1	0.3	1			Drainage
6586	9/17/01	GW07646RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	0.79	1	2920		Drainage
6586	9/17/01	GW07646RG	ACETONE	REAL	TR1	10	UG/L	U	V1	1.9	1	3650		Drainage
6586	9/17/01	GW07646RG	BENZENE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		Drainage
6586	9/17/01	GW07646RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V1	0.22	1			Drainage
6586	9/17/01	GW07646RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V1	0.29	1			Drainage
6586	9/17/01	GW07646RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1			Drainage
6586	9/17/01	GW07646RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Drainage
6586	9/17/01	GW07646RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	100		Drainage
6586	9/17/01	GW07646RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.32	1	100		Drainage
6586	9/17/01	GW07646RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	51.1		Drainage
6586	9/17/01	GW07646RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	3650		Drainage
6586	9/17/01	GW07646RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	5		Drainage
6586	9/17/01	GW07646RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.3	1	100		Drainage
6586	9/17/01	GW07646RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.25	1	29.4		Drainage
6586	9/17/01	GW07646RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.23	1	100		Drainage
6586	9/17/01	GW07646RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	6.55		Drainage
6586	9/17/01	GW07646RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.26	1	70		Drainage
6586	9/17/01	GW07646RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.28	1	0.473		Drainage
6586	9/17/01	GW07646RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.38	1	1.01		Drainage
6586	9/17/01	GW07646RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1			Drainage
6586	9/17/01	GW07646RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1			Drainage
6586	9/17/01	GW07646RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.28	1	700		Drainage
6586	9/17/01	GW07646RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1.09		Drainage
6586	9/17/01	GW07646RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.31	1			Drainage
6586	9/17/01	GW07646RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.89	1	5		Drainage
6586	9/17/01	GW07646RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1460		Drainage
6586	9/17/01	GW07646RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1			Drainage
6586	9/17/01	GW07646RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.23	1			Drainage
6586	9/17/01	GW07646RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.31	1			Drainage
6586	9/17/01	GW07646RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.25	1			Drainage
6586	9/17/01	GW07646RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.25	1	0.2		Drainage
6586	9/17/01	GW07646RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1			Drainage
6586	9/17/01	GW07646RG	STYRENE	REAL	TR1	1	UG/L	U	V1	0.27	1	100		Drainage
6586	9/17/01	GW07646RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.29	1			Drainage
6586	9/17/01	GW07646RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.36	1	5		Drainage
6586	9/17/01	GW07646RG	TOLUENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1000		Drainage
6586	9/17/01	GW07646RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	V1	0.95	1	10000		Drainage
6586	9/17/01	GW07646RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.27	1	70		Drainage
6586	9/17/01	GW07646RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.42	1	0.473		Drainage
6586	9/17/01	GW07646RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.22	1	5		Drainage
6586	9/17/01	GW07646RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1			Drainage
6586	9/17/01	GW07646RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.21	1	2		Drainage
70193	7/25/01	GW07702RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1			RCRA
70193	7/25/01	GW07702RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	200		RCRA
70193	7/25/01	GW07702RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.426		RCRA
70193	7/25/01	GW07702RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1	5		RCRA
70193	7/25/01	GW07702RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			RCRA
70193	7/25/01	GW07702RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.17	1	3650		RCRA
70193	7/25/01	GW07702RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.2	1	7		RCRA
70193	7/25/01	GW07702RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1			RCRA
70193	7/25/01	GW07702RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.16	1			RCRA
70193	7/25/01	GW07702RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.29	1			RCRA
70193	7/25/01	GW07702RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.2	1	70		RCRA
70193	7/25/01	GW07702RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.36	1			RCRA

316

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
70193	7/25/01	GW07702RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1	600		RCRA
70193	7/25/01	GW07702RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5		RCRA
70193	7/25/01	GW07702RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		RCRA
70193	7/25/01	GW07702RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1	600		RCRA
70193	7/25/01	GW07702RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.26	1			RCRA
70193	7/25/01	GW07702RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1	75		RCRA
70193	7/25/01	GW07702RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1			RCRA
70193	7/25/01	GW07702RG	2-BUTANONE	REAL	TR1	5	UG/L	U	UJ1	0.93	1	21900		RCRA
70193	7/25/01	GW07702RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	0.7	1			RCRA
70193	7/25/01	GW07702RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V1	0.3	1			RCRA
70193	7/25/01	GW07702RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	0.79	1	2920		RCRA
70193	7/25/01	GW07702RG	ACETONE	REAL	TR1	10	UG/L	U	UJ1	1.9	1	3650		RCRA
70193	7/25/01	GW07702RG	BENZENE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		RCRA
70193	7/25/01	GW07702RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V1	0.22	1			RCRA
70193	7/25/01	GW07702RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V1	0.29	1			RCRA
70193	7/25/01	GW07702RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1			RCRA
70193	7/25/01	GW07702RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			RCRA
70193	7/25/01	GW07702RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	100		RCRA
70193	7/25/01	GW07702RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.32	1	100		RCRA
70193	7/25/01	GW07702RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	51.1		RCRA
70193	7/25/01	GW07702RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	3650		RCRA
70193	7/25/01	GW07702RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	5		RCRA
70193	7/25/01	GW07702RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.3	1	100		RCRA
70193	7/25/01	GW07702RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.25	1	29.4		RCRA
70193	7/25/01	GW07702RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.23	1	100		RCRA
70193	7/25/01	GW07702RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	6.55		RCRA
70193	7/25/01	GW07702RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.26	1	70		RCRA
70193	7/25/01	GW07702RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.28	1	0.473		RCRA
70193	7/25/01	GW07702RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.38	1	1.01		RCRA
70193	7/25/01	GW07702RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1			RCRA
70193	7/25/01	GW07702RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1			RCRA
70193	7/25/01	GW07702RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.28	1	700		RCRA
70193	7/25/01	GW07702RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1.09		RCRA
70193	7/25/01	GW07702RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.31	1			RCRA
70193	7/25/01	GW07702RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.89	1	5		RCRA
70193	7/25/01	GW07702RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V1	0.15	1	1460		RCRA
70193	7/25/01	GW07702RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1			RCRA
70193	7/25/01	GW07702RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.23	1			RCRA
70193	7/25/01	GW07702RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.31	1			RCRA
70193	7/25/01	GW07702RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.25	1			RCRA
70193	7/25/01	GW07702RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	UJ1	0.25	1	0.2		RCRA
70193	7/25/01	GW07702RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1			RCRA
70193	7/25/01	GW07702RG	STYRENE	REAL	TR1	1	UG/L	U	V1	0.27	1	100		RCRA
70193	7/25/01	GW07702RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.29	1			RCRA
70193	7/25/01	GW07702RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.36	1	5		RCRA
70193	7/25/01	GW07702RG	TETRAHYDROFURAN	REAL	TR1	1.1	UG/L		V1		1		TIC	RCRA
70193	7/25/01	GW07702RG	TOLUENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1000		RCRA
70193	7/25/01	GW07702RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	V1	0.95	1	10000		RCRA
70193	7/25/01	GW07702RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.27	1	70		RCRA
70193	7/25/01	GW07702RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.42	1	0.473		RCRA
70193	7/25/01	GW07702RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.22	1	5		RCRA
70193	7/25/01	GW07702RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1			RCRA
70193	7/25/01	GW07702RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.21	1	2		RCRA
70393	7/11/01	GW07703RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.22	1			RCRA
70393	7/11/01	GW07703RG	1,1,1-TRICHLOROETHANE	REAL	TR1	13	UG/L		V	0.26	1	200		RCRA
70393	7/11/01	GW07703RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.31	1	0.426		RCRA
70393	7/11/01	GW07703RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.39	1	5		RCRA

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
70393	7/11/01	GW07703RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	0.35	UG/L	J	V	0.21	1			RCRA
70393	7/11/01	GW07703RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.17	1	3650		RCRA
70393	7/11/01	GW07703RG	1,1-DICHLOROETHENE	REAL	TR1	10	UG/L		V	0.2	1	7		RCRA
70393	7/11/01	GW07703RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.22	1			RCRA
70393	7/11/01	GW07703RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.16	1			RCRA
70393	7/11/01	GW07703RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.29	1			RCRA
70393	7/11/01	GW07703RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.2	1	70		RCRA
70393	7/11/01	GW07703RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	0.36	1			RCRA
70393	7/11/01	GW07703RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.24	1	600		RCRA
70393	7/11/01	GW07703RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.28	1	5		RCRA
70393	7/11/01	GW07703RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.21	1	5		RCRA
70393	7/11/01	GW07703RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.26	1	600		RCRA
70393	7/11/01	GW07703RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.26	1			RCRA
70393	7/11/01	GW07703RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.24	1	75		RCRA
70393	7/11/01	GW07703RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.21	1			RCRA
70393	7/11/01	GW07703RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V	0.93	1	21900		RCRA
70393	7/11/01	GW07703RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V	0.7	1			RCRA
70393	7/11/01	GW07703RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.3	1			RCRA
70393	7/11/01	GW07703RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V	0.79	1	2920		RCRA
70393	7/11/01	GW07703RG	ACETONE	REAL	TR1	10	UG/L	U	V	1.9	1	3650		RCRA
70393	7/11/01	GW07703RG	BENZENE	REAL	TR1	1	UG/L	U	UJ	0.21	1	5		RCRA
70393	7/11/01	GW07703RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ	0.22	1			RCRA
70393	7/11/01	GW07703RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ	0.29	1			RCRA
70393	7/11/01	GW07703RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ	0.24	1			RCRA
70393	7/11/01	GW07703RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.21	1			RCRA
70393	7/11/01	GW07703RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.22	1	100		RCRA
70393	7/11/01	GW07703RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	0.32	1	100		RCRA
70393	7/11/01	GW07703RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	0.3	1	51.1		RCRA
70393	7/11/01	GW07703RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V	0.19	1	3650		RCRA
70393	7/11/01	GW07703RG	CARBON TETRACHLORIDE	REAL	TR1	0.4	UG/L	J	V	0.19	1	5		RCRA
70393	7/11/01	GW07703RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.3	1	100		RCRA
70393	7/11/01	GW07703RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.25	1	29.4		RCRA
70393	7/11/01	GW07703RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V	0.23	1	100		RCRA
70393	7/11/01	GW07703RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.3	1	6.55		RCRA
70393	7/11/01	GW07703RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	0.26	1	70		RCRA
70393	7/11/01	GW07703RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.28	1	0.473		RCRA
70393	7/11/01	GW07703RG	CYCLOTRISILOXANE, HEXAMETHYL	REAL	TR1	1.3	UG/L	J	V		1		TIC	RCRA
70393	7/11/01	GW07703RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.38	1	1.01		RCRA
70393	7/11/01	GW07703RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	0.44	1			RCRA
70393	7/11/01	GW07703RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	0.23	1			RCRA
70393	7/11/01	GW07703RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.28	1	700		RCRA
70393	7/11/01	GW07703RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	0.29	1	1.09		RCRA
70393	7/11/01	GW07703RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.31	1			RCRA
70393	7/11/01	GW07703RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V	0.89	1	5		RCRA
70393	7/11/01	GW07703RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ	0.15	1	1460		RCRA
70393	7/11/01	GW07703RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.26	1			RCRA
70393	7/11/01	GW07703RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.23	1			RCRA
70393	7/11/01	GW07703RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.31	1			RCRA
70393	7/11/01	GW07703RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.25	1			RCRA
70393	7/11/01	GW07703RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R	0.25	1	0.2		RCRA
70393	7/11/01	GW07703RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.26	1			RCRA
70393	7/11/01	GW07703RG	STYRENE	REAL	TR1	1	UG/L	U	UJ	0.27	1	100		RCRA
70393	7/11/01	GW07703RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.29	1			RCRA
70393	7/11/01	GW07703RG	TETRACHLOROETHENE	REAL	TR1	5.7	UG/L		V	0.36	1	5		RCRA
70393	7/11/01	GW07703RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ	0.29	1	1000		RCRA
70393	7/11/01	GW07703RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ	0.95	1	10000		RCRA
70393	7/11/01	GW07703RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V	0.27	1	70		RCRA

318

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
70393	7/11/01	GW07703RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.42	1	0.473		RCRA
70393	7/11/01	GW07703RG	TRICHLOROETHENE	REAL	TR1	15	UG/L		V	0.22	1	5		RCRA
70393	7/11/01	GW07703RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	0.28	1			RCRA
70393	7/11/01	GW07703RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	0.21	1	2		RCRA
70493	7/25/01	GW07704RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1			RCRA
70493	7/25/01	GW07704RG	1,1,1-TRICHLOROETHANE	REAL	TR1	0.5	UG/L	J	V1	0.26	1	200		RCRA
70493	7/25/01	GW07704RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.426		RCRA
70493	7/25/01	GW07704RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1	5		RCRA
70493	7/25/01	GW07704RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			RCRA
70493	7/25/01	GW07704RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.17	1	3650		RCRA
70493	7/25/01	GW07704RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.2	1	7		RCRA
70493	7/25/01	GW07704RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1			RCRA
70493	7/25/01	GW07704RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.16	1			RCRA
70493	7/25/01	GW07704RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.29	1			RCRA
70493	7/25/01	GW07704RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.2	1	70		RCRA
70493	7/25/01	GW07704RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.36	1			RCRA
70493	7/25/01	GW07704RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1	600		RCRA
70493	7/25/01	GW07704RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5		RCRA
70493	7/25/01	GW07704RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		RCRA
70493	7/25/01	GW07704RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1	600		RCRA
70493	7/25/01	GW07704RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.26	1			RCRA
70493	7/25/01	GW07704RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1	75		RCRA
70493	7/25/01	GW07704RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1			RCRA
70493	7/25/01	GW07704RG	2-BUTANONE	REAL	TR1	5	UG/L	U	UJ1	0.93	1	21900		RCRA
70493	7/25/01	GW07704RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	0.7	1			RCRA
70493	7/25/01	GW07704RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V1	0.3	1			RCRA
70493	7/25/01	GW07704RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	0.79	1	2920		RCRA
70493	7/25/01	GW07704RG	ACETONE	REAL	TR1	10	UG/L	U	UJ1	1.9	1	3650		RCRA
70493	7/25/01	GW07704RG	BENZENE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		RCRA
70493	7/25/01	GW07704RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V1	0.22	1			RCRA
70493	7/25/01	GW07704RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V1	0.29	1			RCRA
70493	7/25/01	GW07704RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1			RCRA
70493	7/25/01	GW07704RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			RCRA
70493	7/25/01	GW07704RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	100		RCRA
70493	7/25/01	GW07704RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.32	1	100		RCRA
70493	7/25/01	GW07704RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	51.1		RCRA
70493	7/25/01	GW07704RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	3650		RCRA
70493	7/25/01	GW07704RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	5		RCRA
70493	7/25/01	GW07704RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.3	1	100		RCRA
70493	7/25/01	GW07704RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.25	1	29.4		RCRA
70493	7/25/01	GW07704RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.23	1	100		RCRA
70493	7/25/01	GW07704RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	6.55		RCRA
70493	7/25/01	GW07704RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.26	1	70		RCRA
70493	7/25/01	GW07704RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.28	1	0.473		RCRA
70493	7/25/01	GW07704RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.38	1	1.01		RCRA
70493	7/25/01	GW07704RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1			RCRA
70493	7/25/01	GW07704RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1			RCRA
70493	7/25/01	GW07704RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.28	1	700		RCRA
70493	7/25/01	GW07704RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1.09		RCRA
70493	7/25/01	GW07704RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.31	1			RCRA
70493	7/25/01	GW07704RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.89	1	5		RCRA
70493	7/25/01	GW07704RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V1	0.15	1	1460		RCRA
70493	7/25/01	GW07704RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1			RCRA
70493	7/25/01	GW07704RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.23	1			RCRA
70493	7/25/01	GW07704RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.31	1			RCRA
70493	7/25/01	GW07704RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.25	1			RCRA
70493	7/25/01	GW07704RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	UJ1	0.25	1	0.2		RCRA

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
70493	7/25/01	GW07704RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1			RCRA
70493	7/25/01	GW07704RG	STYRENE	REAL	TR1	1	UG/L	U	V1	0.27	1	100		RCRA
70493	7/25/01	GW07704RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.29	1			RCRA
70493	7/25/01	GW07704RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.36	1	5		RCRA
70493	7/25/01	GW07704RG	TETRAHYDROFURAN	REAL	TR1	1.1	UG/L		V1		1		TIC	RCRA
70493	7/25/01	GW07704RG	TOLUENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1000		RCRA
70493	7/25/01	GW07704RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	V1	0.95	1	10000		RCRA
70493	7/25/01	GW07704RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.27	1	70		RCRA
70493	7/25/01	GW07704RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.42	1	0.473		RCRA
70493	7/25/01	GW07704RG	TRICHLOROETHENE	REAL	TR1	1.1	UG/L		V1	0.22	1	5		RCRA
70493	7/25/01	GW07704RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1			RCRA
70493	7/25/01	GW07704RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.21	1	2		RCRA
70693	9/5/01	GW07735RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
70693	9/5/01	GW07735RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
70693	9/5/01	GW07735RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	3650		Plume Degradation
70693	9/5/01	GW07735RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
70693	9/5/01	GW07735RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
70693	9/5/01	GW07735RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
70693	9/5/01	GW07735RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
70693	9/5/01	GW07735RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R	1	1	0.2		Plume Degradation
70693	9/5/01	GW07735RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	V	3	1	10000		Plume Degradation
70693	9/5/01	GW07735RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
70693	9/5/01	GW07735RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
70693	9/5/01	GW07735RG	BENZENE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Degradation
70693	9/5/01	GW07735RG	ACETONE	REAL	TR1	5	UG/L	U	R	5	1	3650		Plume Degradation
70693	9/5/01	GW07735RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V	5	1	2920		Plume Degradation
70693	9/5/01	GW07735RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
70693	9/5/01	GW07735RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V	5	1			Plume Degradation
70693	9/5/01	GW07735RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
70693	9/5/01	GW07735RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	1	1	1.09		Plume Degradation
70693	9/5/01	GW07735RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1	700		Plume Degradation
70693	9/5/01	GW07735RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
70693	9/5/01	GW07735RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
70693	9/5/01	GW07735RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	1.01		Plume Degradation
70693	9/5/01	GW07735RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473		Plume Degradation
70693	9/5/01	GW07735RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70		Plume Degradation
70693	9/5/01	GW07735RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	6.55		Plume Degradation
70693	9/5/01	GW07735RG	STYRENE	REAL	TR1	1	UG/L	U	V	1	1	100		Plume Degradation
70693	9/5/01	GW07735RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
70693	9/5/01	GW07735RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
70693	9/5/01	GW07735RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ	1	1	1460		Plume Degradation
70693	9/5/01	GW07735RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
70693	9/5/01	GW07735RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
70693	9/5/01	GW07735RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Degradation
70693	9/5/01	GW07735RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
70693	9/5/01	GW07735RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	2		Plume Degradation
70693	9/5/01	GW07735RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
70693	9/5/01	GW07735RG	TRICHLOROETHENE	REAL	TR1	8.8	UG/L		V	1	1	5		Plume Degradation
70693	9/5/01	GW07735RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473		Plume Degradation
70693	9/5/01	GW07735RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70		Plume Degradation
70693	9/5/01	GW07735RG	TOLUENE	REAL	TR1	1	UG/L	U	V	1	1	1000		Plume Degradation
70693	9/5/01	GW07735RG	TETRACHLOROETHENE	REAL	TR1	3.2	UG/L		V	1	1	5		Plume Degradation
70693	9/5/01	GW07735RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
70693	9/5/01	GW07735RG	CHLOROFORM	REAL	TR1	0.5	UG/L	J	V	1	1	100		Plume Degradation
70693	9/5/01	GW07735RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	29.4		Plume Degradation
70693	9/5/01	GW07735RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	100		Plume Degradation
70693	9/5/01	GW07735RG	CARBON TETRACHLORIDE	REAL	TR1	1.2	UG/L		V	1	1	5		Plume Degradation

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
70693	9/5/01	GW07735RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V	1	1	3650		Plume Degradation
70693	9/5/01	GW07735RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1	51.1		Plume Degradation
70693	9/5/01	GW07735RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	1	1	100		Plume Degradation
70693	9/5/01	GW07735RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	100		Plume Degradation
70693	9/5/01	GW07735RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R	5	1	21900		Plume Degradation
70693	9/5/01	GW07735RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
70693	9/5/01	GW07735RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	75		Plume Degradation
70693	9/5/01	GW07735RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
70693	9/5/01	GW07735RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	600		Plume Degradation
70693	9/5/01	GW07735RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
70693	9/5/01	GW07735RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Degradation
70693	9/5/01	GW07735RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Degradation
70693	9/5/01	GW07735RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	600		Plume Degradation
70693	9/5/01	GW07735RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	70		Plume Degradation
70693	9/5/01	GW07735RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			Plume Degradation
70693	9/5/01	GW07735RG	1,1-DICHLOROETHENE	REAL	TR1	15	UG/L		V	1	1	7		Plume Degradation
70693	9/5/01	GW07735RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Degradation
70693	9/5/01	GW07735RG	1,1,1-TRICHLOROETHANE	REAL	TR1	24	UG/L		V	1	1	200		Plume Degradation
70693	9/5/01	GW07735RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	0.426		Plume Degradation
7086	9/10/01	GW08647RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
7086	9/10/01	GW08647RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	200		Plume Extent
7086	9/10/01	GW08647RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	0.426		Plume Extent
7086	9/10/01	GW08647RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
7086	9/10/01	GW08647RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
7086	9/10/01	GW08647RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Plume Extent
7086	9/10/01	GW08647RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	7		Plume Extent
7086	9/10/01	GW08647RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
7086	9/10/01	GW08647RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
7086	9/10/01	GW08647RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
7086	9/10/01	GW08647RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	70		Plume Extent
7086	9/10/01	GW08647RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
7086	9/10/01	GW08647RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		Plume Extent
7086	9/10/01	GW08647RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
7086	9/10/01	GW08647RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
7086	9/10/01	GW08647RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		Plume Extent
7086	9/10/01	GW08647RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
7086	9/10/01	GW08647RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	75		Plume Extent
7086	9/10/01	GW08647RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
7086	9/10/01	GW08647RG	2-BUTANONE	REAL	TR1	10	UG/L	U	R1	10	1	21900		Plume Extent
7086	9/10/01	GW08647RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	10	1			Plume Extent
7086	9/10/01	GW08647RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
7086	9/10/01	GW08647RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	10	1	2920		Plume Extent
7086	9/10/01	GW08647RG	ACETONE	REAL	TR1	10	UG/L	U	R1	10	1	3650		Plume Extent
7086	9/10/01	GW08647RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	5		Plume Extent
7086	9/10/01	GW08647RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
7086	9/10/01	GW08647RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
7086	9/10/01	GW08647RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
7086	9/10/01	GW08647RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
7086	9/10/01	GW08647RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Extent
7086	9/10/01	GW08647RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Extent
7086	9/10/01	GW08647RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	51.1		Plume Extent
7086	9/10/01	GW08647RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Plume Extent
7086	9/10/01	GW08647RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
7086	9/10/01	GW08647RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		Plume Extent
7086	9/10/01	GW08647RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	29.4		Plume Extent
7086	9/10/01	GW08647RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Extent
7086	9/10/01	GW08647RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	6.55		Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
7086	9/10/01	GW08647RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Plume Extent
7086	9/10/01	GW08647RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Plume Extent
7086	9/10/01	GW08647RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	1.01		Plume Extent
7086	9/10/01	GW08647RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
7086	9/10/01	GW08647RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
7086	9/10/01	GW08647RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	700		Plume Extent
7086	9/10/01	GW08647RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	1	1	1.09		Plume Extent
7086	9/10/01	GW08647RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
7086	9/10/01	GW08647RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
7086	9/10/01	GW08647RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1460		Plume Extent
7086	9/10/01	GW08647RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
7086	9/10/01	GW08647RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
7086	9/10/01	GW08647RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
7086	9/10/01	GW08647RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
7086	9/10/01	GW08647RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	1	1	0.2		Plume Extent
7086	9/10/01	GW08647RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
7086	9/10/01	GW08647RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		Plume Extent
7086	9/10/01	GW08647RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
7086	9/10/01	GW08647RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
7086	9/10/01	GW08647RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1000		Plume Extent
7086	9/10/01	GW08647RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	UJ1	3	1	10000		Plume Extent
7086	9/10/01	GW08647RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Plume Extent
7086	9/10/01	GW08647RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Plume Extent
7086	9/10/01	GW08647RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
7086	9/10/01	GW08647RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
7086	9/10/01	GW08647RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	2		Plume Extent
75992	8/28/01	GW07666RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
75992	8/28/01	GW07666RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	200		Plume Extent
75992	8/28/01	GW07666RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	0.426		Plume Extent
75992	8/28/01	GW07666RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
75992	8/28/01	GW07666RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
75992	8/28/01	GW07666RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Plume Extent
75992	8/28/01	GW07666RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	7		Plume Extent
75992	8/28/01	GW07666RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
75992	8/28/01	GW07666RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
75992	8/28/01	GW07666RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
75992	8/28/01	GW07666RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	70		Plume Extent
75992	8/28/01	GW07666RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
75992	8/28/01	GW07666RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		Plume Extent
75992	8/28/01	GW07666RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
75992	8/28/01	GW07666RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
75992	8/28/01	GW07666RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		Plume Extent
75992	8/28/01	GW07666RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
75992	8/28/01	GW07666RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	75		Plume Extent
75992	8/28/01	GW07666RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
75992	8/28/01	GW07666RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R1	5	1	21900		Plume Extent
75992	8/28/01	GW07666RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	5	1			Plume Extent
75992	8/28/01	GW07666RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
75992	8/28/01	GW07666RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	5	1	2920		Plume Extent
75992	8/28/01	GW07666RG	ACETONE	REAL	TR1	5	UG/L	U	R1	5	1	3650		Plume Extent
75992	8/28/01	GW07666RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	5		Plume Extent
75992	8/28/01	GW07666RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
75992	8/28/01	GW07666RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
75992	8/28/01	GW07666RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
75992	8/28/01	GW07666RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
75992	8/28/01	GW07666RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Extent
75992	8/28/01	GW07666RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
75992	8/28/01	GW07666RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	51.1		Plume Extent
75992	8/28/01	GW07666RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Plume Extent
75992	8/28/01	GW07666RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
75992	8/28/01	GW07666RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		Plume Extent
75992	8/28/01	GW07666RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	29.4		Plume Extent
75992	8/28/01	GW07666RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Extent
75992	8/28/01	GW07666RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	6.55		Plume Extent
75992	8/28/01	GW07666RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Plume Extent
75992	8/28/01	GW07666RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Plume Extent
75992	8/28/01	GW07666RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	1.01		Plume Extent
75992	8/28/01	GW07666RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
75992	8/28/01	GW07666RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
75992	8/28/01	GW07666RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	700		Plume Extent
75992	8/28/01	GW07666RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	1	1	1.09		Plume Extent
75992	8/28/01	GW07666RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
75992	8/28/01	GW07666RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
75992	8/28/01	GW07666RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1460		Plume Extent
75992	8/28/01	GW07666RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
75992	8/28/01	GW07666RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
75992	8/28/01	GW07666RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
75992	8/28/01	GW07666RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
75992	8/28/01	GW07666RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R1	1	1	0.2		Plume Extent
75992	8/28/01	GW07666RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
75992	8/28/01	GW07666RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		Plume Extent
75992	8/28/01	GW07666RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
75992	8/28/01	GW07666RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
75992	8/28/01	GW07666RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1000		Plume Extent
75992	8/28/01	GW07666RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	UJ1	3	1	10000		Plume Extent
75992	8/28/01	GW07666RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Plume Extent
75992	8/28/01	GW07666RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Plume Extent
75992	8/28/01	GW07666RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
75992	8/28/01	GW07666RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
75992	8/28/01	GW07666RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	2		Plume Extent
76992	8/29/01	GW07667RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
76992	8/29/01	GW07667RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	200		Plume Extent
76992	8/29/01	GW07667RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	0.426		Plume Extent
76992	8/29/01	GW07667RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Extent
76992	8/29/01	GW07667RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
76992	8/29/01	GW07667RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	3650		Plume Extent
76992	8/29/01	GW07667RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	7		Plume Extent
76992	8/29/01	GW07667RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
76992	8/29/01	GW07667RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			Plume Extent
76992	8/29/01	GW07667RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
76992	8/29/01	GW07667RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	70		Plume Extent
76992	8/29/01	GW07667RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
76992	8/29/01	GW07667RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	600		Plume Extent
76992	8/29/01	GW07667RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Extent
76992	8/29/01	GW07667RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Extent
76992	8/29/01	GW07667RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	600		Plume Extent
76992	8/29/01	GW07667RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
76992	8/29/01	GW07667RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	75		Plume Extent
76992	8/29/01	GW07667RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
76992	8/29/01	GW07667RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R	5	1	21900		Plume Extent
76992	8/29/01	GW07667RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V	5	1			Plume Extent
76992	8/29/01	GW07667RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ	1	1			Plume Extent
76992	8/29/01	GW07667RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V	5	1	2920		Plume Extent
76992	8/29/01	GW07667RG	ACETONE	REAL	TR1	5	UG/L	U	R	5	1	3650		Plume Extent

323

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
76992	8/29/01	GW07667RG	BENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	5		Plume Extent
76992	8/29/01	GW07667RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ	1	1			Plume Extent
76992	8/29/01	GW07667RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ	1	1			Plume Extent
76992	8/29/01	GW07667RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			Plume Extent
76992	8/29/01	GW07667RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
76992	8/29/01	GW07667RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	100		Plume Extent
76992	8/29/01	GW07667RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	1	1	100		Plume Extent
76992	8/29/01	GW07667RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1	51.1		Plume Extent
76992	8/29/01	GW07667RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V	1	1	3650		Plume Extent
76992	8/29/01	GW07667RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Extent
76992	8/29/01	GW07667RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	100		Plume Extent
76992	8/29/01	GW07667RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	29.4		Plume Extent
76992	8/29/01	GW07667RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V	1	1	100		Plume Extent
76992	8/29/01	GW07667RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	6.55		Plume Extent
76992	8/29/01	GW07667RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70		Plume Extent
76992	8/29/01	GW07667RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473		Plume Extent
76992	8/29/01	GW07667RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	1.01		Plume Extent
76992	8/29/01	GW07667RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
76992	8/29/01	GW07667RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
76992	8/29/01	GW07667RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	700		Plume Extent
76992	8/29/01	GW07667RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	1	1	1.09		Plume Extent
76992	8/29/01	GW07667RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			Plume Extent
76992	8/29/01	GW07667RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Extent
76992	8/29/01	GW07667RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ	1	1	1460		Plume Extent
76992	8/29/01	GW07667RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			Plume Extent
76992	8/29/01	GW07667RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			Plume Extent
76992	8/29/01	GW07667RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	1	1			Plume Extent
76992	8/29/01	GW07667RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	1	1			Plume Extent
76992	8/29/01	GW07667RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R	1	1	0.2		Plume Extent
76992	8/29/01	GW07667RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			Plume Extent
76992	8/29/01	GW07667RG	STYRENE	REAL	TR1	1	UG/L	U	UJ	1	1	100		Plume Extent
76992	8/29/01	GW07667RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			Plume Extent
76992	8/29/01	GW07667RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Extent
76992	8/29/01	GW07667RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ	1	1	1000		Plume Extent
76992	8/29/01	GW07667RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	UJ	3	1	10000		Plume Extent
76992	8/29/01	GW07667RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70		Plume Extent
76992	8/29/01	GW07667RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473		Plume Extent
76992	8/29/01	GW07667RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Extent
76992	8/29/01	GW07667RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
76992	8/29/01	GW07667RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	2		Plume Extent
891COLWEL	9/6/01	GW07707RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	20	UG/L	U	V	20	20			Perf Monitoring
891COLWEL	9/6/01	GW07707RG	1,1,1-TRICHLOROETHANE	REAL	TR1	20	UG/L	U	V	20	20	200		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	20	UG/L	U	V	20	20	0.426		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	1,1,2-TRICHLOROETHANE	REAL	TR1	20	UG/L	U	V	20	20	5		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	20	UG/L	U	V	20	20			Perf Monitoring
891COLWEL	9/6/01	GW07707RG	1,1-DICHLOROETHANE	REAL	TR1	20	UG/L	U	V	20	20	3650		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	1,1-DICHLOROETHENE	REAL	TR1	23	UG/L		V	20	20	7		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	1,1-DICHLOROPROPENE	REAL	TR1	20	UG/L	U	V	20	20			Perf Monitoring
891COLWEL	9/6/01	GW07707RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	20	UG/L	U	V	20	20			Perf Monitoring
891COLWEL	9/6/01	GW07707RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	20	UG/L	U	V	20	20			Perf Monitoring
891COLWEL	9/6/01	GW07707RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	20	UG/L	U	V	20	20	70		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	1,2-DIBROMOETHANE	REAL	TR1	20	UG/L	U	V	20	20			Perf Monitoring
891COLWEL	9/6/01	GW07707RG	1,2-DICHLOROBENZENE	REAL	TR1	20	UG/L	U	V	20	20	600		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	1,2-DICHLOROETHANE	REAL	TR1	20	UG/L	U	V	20	20	5		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	1,2-DICHLOROPROPANE	REAL	TR1	20	UG/L	U	V	20	20	5		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	1,3-DICHLOROBENZENE	REAL	TR1	20	UG/L	U	V	20	20	600		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	1,3-DICHLOROPROPANE	REAL	TR1	20	UG/L	U	V	20	20			Perf Monitoring

324

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
891COLWEL	9/6/01	GW07707RG	1,4-DICHLOROBENZENE	REAL	TR1	20	UG/L	U	V	20	20	75		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	2,2-DICHLOROPROPANE	REAL	TR1	20	UG/L	U	V	20	20			Perf Monitoring
891COLWEL	9/6/01	GW07707RG	2-BUTANONE	REAL	TR1	100	UG/L	U	R	100	20	21900		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	2-HEXANONE	REAL	TR1	100	UG/L	U	V	100	20			Perf Monitoring
891COLWEL	9/6/01	GW07707RG	4-ISOPROPYLTOLUENE	REAL	TR1	20	UG/L	U	V	20	20			Perf Monitoring
891COLWEL	9/6/01	GW07707RG	4-METHYL-2-PENTANONE	REAL	TR1	100	UG/L	U	V	100	20	2920		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	ACETONE	REAL	TR1	100	UG/L	U	R	100	20	3650		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	BENZENE	REAL	TR1	20	UG/L	U	V	20	20	5		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	20	UG/L	U	V	20	20			Perf Monitoring
891COLWEL	9/6/01	GW07707RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	20	UG/L	U	V	20	20			Perf Monitoring
891COLWEL	9/6/01	GW07707RG	BROMOBENZENE	REAL	TR1	20	UG/L	U	V	20	20			Perf Monitoring
891COLWEL	9/6/01	GW07707RG	BROMOCHLOROMETHANE	REAL	TR1	20	UG/L	U	V	20	20			Perf Monitoring
891COLWEL	9/6/01	GW07707RG	BROMODICHLOROMETHANE	REAL	TR1	20	UG/L	U	V	20	20	100		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	BROMOFORM	REAL	TR1	20	UG/L	U	V	20	20	100		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	BROMOMETHANE	REAL	TR1	20	UG/L	U	V	20	20	51.1		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	CARBON DISULFIDE	REAL	TR1	20	UG/L	U	V	20	20	3650		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	CARBON TETRACHLORIDE	REAL	TR1	20	UG/L	J	V	20	20	5		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	CHLOROBENZENE	REAL	TR1	20	UG/L	U	V	20	20	100		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	CHLOROETHANE	REAL	TR1	20	UG/L	U	V	20	20	29.4		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	CHLOROFORM	REAL	TR1	20	UG/L	U	V	20	20	100		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	CHLOROMETHANE	REAL	TR1	20	UG/L	U	V	20	20	6.55		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	cis-1,2-DICHLOROETHENE	REAL	TR1	20	UG/L	U	V	20	20	70		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	20	UG/L	U	V	20	20	0.473		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	DIBROMOCHLOROMETHANE	REAL	TR1	20	UG/L	U	V	20	20	1.01		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	DIBROMOMETHANE	REAL	TR1	20	UG/L	U	V	20	20			Perf Monitoring
891COLWEL	9/6/01	GW07707RG	DICHLORODIFLUOROMETHANE	REAL	TR1	20	UG/L	U	V	20	20			Perf Monitoring
891COLWEL	9/6/01	GW07707RG	ETHYLBENZENE	REAL	TR1	20	UG/L	U	V	20	20	700		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	HEXACHLOROBUTADIENE	REAL	TR1	20	UG/L	U	UJ	20	20	1.09		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	ISOPROPYLBENZENE	REAL	TR1	20	UG/L	U	V	20	20			Perf Monitoring
891COLWEL	9/6/01	GW07707RG	METHYLENE CHLORIDE	REAL	TR1	20	UG/L	U	V	20	20	5		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	NAPHTHALENE	REAL	TR1	20	UG/L	U	V	20	20	1460		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	n-BUTYLBENZENE	REAL	TR1	20	UG/L	U	V	20	20			Perf Monitoring
891COLWEL	9/6/01	GW07707RG	n-PROPYLBENZENE	REAL	TR1	20	UG/L	U	V	20	20			Perf Monitoring
891COLWEL	9/6/01	GW07707RG	o-CHLOROTOLUENE	REAL	TR1	20	UG/L	U	V	20	20			Perf Monitoring
891COLWEL	9/6/01	GW07707RG	p-CHLOROTOLUENE	REAL	TR1	20	UG/L	U	V	20	20			Perf Monitoring
891COLWEL	9/6/01	GW07707RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	20	UG/L	U	V	20	20	0.2		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	sec-BUTYLBENZENE	REAL	TR1	20	UG/L	U	V	20	20			Perf Monitoring
891COLWEL	9/6/01	GW07707RG	STYRENE	REAL	TR1	20	UG/L	U	V	20	20	100		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	tert-BUTYLBENZENE	REAL	TR1	20	UG/L	U	V	20	20			Perf Monitoring
891COLWEL	9/6/01	GW07707RG	TETRACHLOROETHENE	REAL	TR1	33	UG/L		V	20	20	5		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	TOLUENE	REAL	TR1	20	UG/L	U	V	20	20	1000		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	TOTAL XYLENES	REAL	TR1	60	UG/L	U	V	60	20	10000		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	trans-1,2-DICHLOROETHENE	REAL	TR1	20	UG/L	U	V	20	20	70		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	20	UG/L	U	V	20	20	0.473		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	TRICHLOROETHENE	REAL	TR1	420	UG/L		V	20	20	5		Perf Monitoring
891COLWEL	9/6/01	GW07707RG	TRICHLOROFLUOROMETHANE	REAL	TR1	20	UG/L	U	V	20	20			Perf Monitoring
891COLWEL	9/6/01	GW07707RG	VINYL CHLORIDE	REAL	TR1	20	UG/L	U	V	20	20	2		Perf Monitoring
90099	8/22/01	GW07716RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	40	UG/L	U	V1	40	40			Plume Degradation
90099	8/22/01	GW07717RG	1,1,1,2-TETRACHLOROETHANE	DUP	TR1	40	UG/L	U	V1	40	40			Plume Degradation
90099	8/22/01	GW07716RG	1,1,1-TRICHLOROETHANE	REAL	TR1	40	UG/L	U	V1	40	40	200		Plume Degradation
90099	8/22/01	GW07717RG	1,1,1-TRICHLOROETHANE	DUP	TR1	40	UG/L	U	V1	40	40	200		Plume Degradation
90099	8/22/01	GW07716RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	40	UG/L	U	V1	40	40	0.426		Plume Degradation
90099	8/22/01	GW07717RG	1,1,2,2-TETRACHLOROETHANE	DUP	TR1	40	UG/L	U	V1	40	40	0.426		Plume Degradation
90099	8/22/01	GW07716RG	1,1,2-TRICHLOROETHANE	REAL	TR1	40	UG/L	U	V1	40	40	5		Plume Degradation
90099	8/22/01	GW07717RG	1,1,2-TRICHLOROETHANE	DUP	TR1	40	UG/L	U	V1	40	40	5		Plume Degradation
90099	8/22/01	GW07716RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	40	UG/L	U	V1	40	40			Plume Degradation
90099	8/22/01	GW07717RG	1,1,2-TRICHLOROTRIFLUOROETHANE	DUP	TR1	40	UG/L	U	V1	40	40			Plume Degradation

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
90099	8/22/01	GW07716RG	1,1-DICHLOROETHANE	REAL	TR1	40	UG/L	U	V1	40	40	3650		Plume Degradati
90099	8/22/01	GW07717RG	1,1-DICHLOROETHANE	DUP	TR1	40	UG/L	U	V1	40	40	3650		Plume Degradation
90099	8/22/01	GW07716RG	1,1-DICHLOROETHENE	REAL	TR1	40	UG/L	U	V1	40	40	7		Plume Degradati
90099	8/22/01	GW07717RG	1,1-DICHLOROETHENE	DUP	TR1	40	UG/L	U	V1	40	40	7		Plume Degradati
90099	8/22/01	GW07716RG	1,1-DICHLOROPROPENE	REAL	TR1	40	UG/L	U	V1	40	40			Plume Degradation
90099	8/22/01	GW07717RG	1,1-DICHLOROPROPENE	DUP	TR1	40	UG/L	U	V1	40	40			Plume Degradation
90099	8/22/01	GW07716RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	40	UG/L	U	UJ1	40	40			Plume Degradati
90099	8/22/01	GW07717RG	1,2,3-TRICHLOROBENZENE	DUP	TR1	40	UG/L	U	UJ1	40	40			Plume Degradati
90099	8/22/01	GW07716RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	40	UG/L	U	V1	40	40			Plume Degradation
90099	8/22/01	GW07717RG	1,2,3-TRICHLOROPROPANE	DUP	TR1	40	UG/L	U	V1	40	40			Plume Degradation
90099	8/22/01	GW07716RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	40	UG/L	U	UJ1	40	40	70		Plume Degradati
90099	8/22/01	GW07717RG	1,2,4-TRICHLOROBENZENE	DUP	TR1	40	UG/L	U	UJ1	40	40	70		Plume Degradation
90099	8/22/01	GW07716RG	1,2-DIBROMOETHANE	REAL	TR1	40	UG/L	U	V1	40	40			Plume Degradation
90099	8/22/01	GW07717RG	1,2-DIBROMOETHANE	DUP	TR1	40	UG/L	U	V1	40	40			Plume Degradati
90099	8/22/01	GW07716RG	1,2-DICHLOROBENZENE	REAL	TR1	40	UG/L	U	UJ1	40	40	600		Plume Degradati
90099	8/22/01	GW07717RG	1,2-DICHLOROBENZENE	DUP	TR1	40	UG/L	U	UJ1	40	40	600		Plume Degradation
90099	8/22/01	GW07716RG	1,2-DICHLOROETHANE	REAL	TR1	40	UG/L	U	V1	40	40	5		Plume Degradation
90099	8/22/01	GW07717RG	1,2-DICHLOROETHANE	DUP	TR1	40	UG/L	U	V1	40	40	5		Plume Degradati
90099	8/22/01	GW07716RG	1,2-DICHLOROPROPANE	REAL	TR1	40	UG/L	U	V1	40	40	5		Plume Degradation
90099	8/22/01	GW07717RG	1,2-DICHLOROPROPANE	DUP	TR1	40	UG/L	U	V1	40	40	5		Plume Degradation
90099	8/22/01	GW07716RG	1,3-DICHLOROBENZENE	REAL	TR1	40	UG/L	U	UJ1	40	40	600		Plume Degradati
90099	8/22/01	GW07717RG	1,3-DICHLOROBENZENE	DUP	TR1	40	UG/L	U	UJ1	40	40	600		Plume Degradati
90099	8/22/01	GW07716RG	1,3-DICHLOROPROPANE	REAL	TR1	40	UG/L	U	V1	40	40			Plume Degradation
90099	8/22/01	GW07717RG	1,3-DICHLOROPROPANE	DUP	TR1	40	UG/L	U	V1	40	40			Plume Degradation
90099	8/22/01	GW07716RG	1,4-DICHLOROBENZENE	REAL	TR1	40	UG/L	U	UJ1	40	40	75		Plume Degradati
90099	8/22/01	GW07717RG	1,4-DICHLOROBENZENE	DUP	TR1	40	UG/L	U	UJ1	40	40	75		Plume Degradati
90099	8/22/01	GW07716RG	2,2-DICHLOROPROPANE	REAL	TR1	40	UG/L	U	V1	40	40			Plume Degradation
90099	8/22/01	GW07717RG	2,2-DICHLOROPROPANE	DUP	TR1	40	UG/L	U	V1	40	40			Plume Degradati
90099	8/22/01	GW07716RG	2-BUTANONE	REAL	TR1	200	UG/L	U	R1	200	40	21900		Plume Degradati
90099	8/22/01	GW07717RG	2-BUTANONE	DUP	TR1	200	UG/L	U	R1	200	40	21900		Plume Degradation
90099	8/22/01	GW07716RG	2-HEXANONE	REAL	TR1	200	UG/L	U	UJ1	200	40			Plume Degradation
90099	8/22/01	GW07717RG	2-HEXANONE	DUP	TR1	200	UG/L	U	UJ1	200	40			Plume Degradati
90099	8/22/01	GW07716RG	4-ISOPROPYLTOLUENE	REAL	TR1	40	UG/L	U	UJ1	40	40			Plume Degradati
90099	8/22/01	GW07717RG	4-ISOPROPYLTOLUENE	DUP	TR1	40	UG/L	U	UJ1	40	40			Plume Degradation
90099	8/22/01	GW07716RG	4-METHYL-2-PENTANONE	REAL	TR1	200	UG/L	U	V1	200	40	2920		Plume Degradati
90099	8/22/01	GW07717RG	4-METHYL-2-PENTANONE	DUP	TR1	200	UG/L	U	V1	200	40	2920		Plume Degradati
90099	8/22/01	GW07716RG	ACETONE	REAL	TR1	200	UG/L	U	R1	200	40	3650		Plume Degradation
90099	8/22/01	GW07717RG	ACETONE	DUP	TR1	200	UG/L	U	R1	200	40	3650		Plume Degradation
90099	8/22/01	GW07716RG	BENZENE	REAL	TR1	40	UG/L	U	UJ1	40	40	5		Plume Degradati
90099	8/22/01	GW07717RG	BENZENE	DUP	TR1	40	UG/L	U	UJ1	40	40	5		Plume Degradati
90099	8/22/01	GW07716RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	40	UG/L	U	UJ1	40	40			Plume Degradation
90099	8/22/01	GW07717RG	BENZENE, 1,2,4-TRIMETHYL	DUP	TR1	40	UG/L	U	UJ1	40	40			Plume Degradation
90099	8/22/01	GW07716RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	40	UG/L	U	UJ1	40	40			Plume Degradati
90099	8/22/01	GW07717RG	BENZENE, 1,3,5-TRIMETHYL-	DUP	TR1	40	UG/L	U	UJ1	40	40			Plume Degradation
90099	8/22/01	GW07716RG	BROMOBENZENE	REAL	TR1	40	UG/L	U	UJ1	40	40			Plume Degradation
90099	8/22/01	GW07717RG	BROMOBENZENE	DUP	TR1	40	UG/L	U	UJ1	40	40			Plume Degradati
90099	8/22/01	GW07716RG	BROMOCHLOROMETHANE	REAL	TR1	40	UG/L	U	V1	40	40			Plume Degradati
90099	8/22/01	GW07717RG	BROMOCHLOROMETHANE	DUP	TR1	40	UG/L	U	V1	40	40			Plume Degradation
90099	8/22/01	GW07716RG	BROMODICHLOROMETHANE	REAL	TR1	40	UG/L	U	V1	40	40	100		Plume Degradation
90099	8/22/01	GW07717RG	BROMODICHLOROMETHANE	DUP	TR1	40	UG/L	U	V1	40	40	100		Plume Degradati
90099	8/22/01	GW07716RG	BROMOFORM	REAL	TR1	40	UG/L	U	V1	40	40	100		Plume Degradation
90099	8/22/01	GW07717RG	BROMOFORM	DUP	TR1	40	UG/L	U	V1	40	40	100		Plume Degradation
90099	8/22/01	GW07716RG	BROMOMETHANE	REAL	TR1	40	UG/L	U	V1	40	40	51.1		Plume Degradati
90099	8/22/01	GW07717RG	BROMOMETHANE	DUP	TR1	40	UG/L	U	V1	40	40	51.1		Plume Degradati
90099	8/22/01	GW07716RG	CARBON DISULFIDE	REAL	TR1	40	UG/L	U	V1	40	40	3650		Plume Degradation
90099	8/22/01	GW07717RG	CARBON DISULFIDE	DUP	TR1	40	UG/L	U	V1	40	40	3650		Plume Degradation
90099	8/22/01	GW07716RG	CARBON TETRACHLORIDE	REAL	TR1	750	UG/L		V1	40	40	5		Plume Degradati

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
90099	8/22/01	GW07717RG	CARBON TETRACHLORIDE	DUP	TR1	780	UG/L		V1	40	40	5		Plume Degradation
90099	8/22/01	GW07716RG	CHLOROBENZENE	REAL	TR1	40	UG/L	U	UJ1	40	40	100		Plume Degradation
90099	8/22/01	GW07717RG	CHLOROBENZENE	DUP	TR1	40	UG/L	U	UJ1	40	40	100		Plume Degradation
90099	8/22/01	GW07716RG	CHLOROETHANE	REAL	TR1	40	UG/L	U	V1	40	40	29.4		Plume Degradation
90099	8/22/01	GW07717RG	CHLOROETHANE	DUP	TR1	40	UG/L	U	V1	40	40	29.4		Plume Degradation
90099	8/22/01	GW07716RG	CHLOROFORM	REAL	TR1	100	UG/L		V1	40	40	100		Plume Degradation
90099	8/22/01	GW07717RG	CHLOROFORM	DUP	TR1	96	UG/L		V1	40	40	100		Plume Degradation
90099	8/22/01	GW07716RG	CHLOROMETHANE	REAL	TR1	40	UG/L	U	V1	40	40	6.55		Plume Degradation
90099	8/22/01	GW07717RG	CHLOROMETHANE	DUP	TR1	40	UG/L	U	V1	40	40	6.55		Plume Degradation
90099	8/22/01	GW07716RG	cis-1,2-DICHLOROETHENE	REAL	TR1	20	UG/L	J	V1	40	40	70		Plume Degradation
90099	8/22/01	GW07717RG	cis-1,2-DICHLOROETHENE	DUP	TR1	20	UG/L	J	V1	40	40	70		Plume Degradation
90099	8/22/01	GW07716RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	40	UG/L	U	V1	40	40	0.473		Plume Degradation
90099	8/22/01	GW07717RG	cis-1,3-DICHLOROPROPENE	DUP	TR1	40	UG/L	U	V1	40	40	0.473		Plume Degradation
90099	8/22/01	GW07716RG	DIBROMOCHLOROMETHANE	REAL	TR1	40	UG/L	U	V1	40	40	1.01		Plume Degradation
90099	8/22/01	GW07717RG	DIBROMOCHLOROMETHANE	DUP	TR1	40	UG/L	U	V1	40	40	1.01		Plume Degradation
90099	8/22/01	GW07716RG	DIBROMOMETHANE	REAL	TR1	40	UG/L	U	V1	40	40			Plume Degradation
90099	8/22/01	GW07717RG	DIBROMOMETHANE	DUP	TR1	40	UG/L	U	V1	40	40			Plume Degradation
90099	8/22/01	GW07716RG	DICHLORODIFLUOROMETHANE	REAL	TR1	40	UG/L	U	V1	40	40			Plume Degradation
90099	8/22/01	GW07717RG	DICHLORODIFLUOROMETHANE	DUP	TR1	40	UG/L	U	V1	40	40			Plume Degradation
90099	8/22/01	GW07716RG	ETHYLBENZENE	REAL	TR1	40	UG/L	U	UJ1	40	40	700		Plume Degradation
90099	8/22/01	GW07717RG	ETHYLBENZENE	DUP	TR1	40	UG/L	U	UJ1	40	40	700		Plume Degradation
90099	8/22/01	GW07716RG	HEXACHLOROBUTADIENE	REAL	TR1	40	UG/L	U	V1	40	40	1.09		Plume Degradation
90099	8/22/01	GW07717RG	HEXACHLOROBUTADIENE	DUP	TR1	40	UG/L	U	V1	40	40	1.09		Plume Degradation
90099	8/22/01	GW07716RG	ISOPROPYLBENZENE	REAL	TR1	40	UG/L	U	UJ1	40	40			Plume Degradation
90099	8/22/01	GW07717RG	ISOPROPYLBENZENE	DUP	TR1	40	UG/L	U	UJ1	40	40			Plume Degradation
90099	8/22/01	GW07716RG	METHYLENE CHLORIDE	REAL	TR1	40	UG/L	U	V1	40	40	5		Plume Degradation
90099	8/22/01	GW07717RG	METHYLENE CHLORIDE	DUP	TR1	40	UG/L	U	V1	40	40	5		Plume Degradation
90099	8/22/01	GW07716RG	NAPHTHALENE	REAL	TR1	40	UG/L	U	UJ1	40	40	1460		Plume Degradation
90099	8/22/01	GW07717RG	NAPHTHALENE	DUP	TR1	40	UG/L	U	UJ1	40	40	1460		Plume Degradation
90099	8/22/01	GW07716RG	n-BUTYLBENZENE	REAL	TR1	40	UG/L	U	UJ1	40	40			Plume Degradation
90099	8/22/01	GW07717RG	n-BUTYLBENZENE	DUP	TR1	40	UG/L	U	UJ1	40	40			Plume Degradation
90099	8/22/01	GW07716RG	n-PROPYLBENZENE	REAL	TR1	40	UG/L	U	UJ1	40	40			Plume Degradation
90099	8/22/01	GW07717RG	n-PROPYLBENZENE	DUP	TR1	40	UG/L	U	UJ1	40	40			Plume Degradation
90099	8/22/01	GW07716RG	o-CHLOROTOLUENE	REAL	TR1	40	UG/L	U	UJ1	40	40			Plume Degradation
90099	8/22/01	GW07717RG	o-CHLOROTOLUENE	DUP	TR1	40	UG/L	U	UJ1	40	40			Plume Degradation
90099	8/22/01	GW07716RG	p-CHLOROTOLUENE	REAL	TR1	40	UG/L	U	UJ1	40	40			Plume Degradation
90099	8/22/01	GW07717RG	p-CHLOROTOLUENE	DUP	TR1	40	UG/L	U	UJ1	40	40			Plume Degradation
90099	8/22/01	GW07716RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	40	UG/L	U	V1	40	40	0.2		Plume Degradation
90099	8/22/01	GW07717RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	DUP	TR1	40	UG/L	U	V1	40	40	0.2		Plume Degradation
90099	8/22/01	GW07716RG	sec-BUTYLBENZENE	REAL	TR1	40	UG/L	U	UJ1	40	40			Plume Degradation
90099	8/22/01	GW07717RG	sec-BUTYLBENZENE	DUP	TR1	40	UG/L	U	UJ1	40	40			Plume Degradation
90099	8/22/01	GW07716RG	STYRENE	REAL	TR1	40	UG/L	U	UJ1	40	40	100		Plume Degradation
90099	8/22/01	GW07717RG	STYRENE	DUP	TR1	40	UG/L	U	UJ1	40	40	100		Plume Degradation
90099	8/22/01	GW07716RG	tert-BUTYLBENZENE	REAL	TR1	40	UG/L	U	UJ1	40	40			Plume Degradation
90099	8/22/01	GW07717RG	tert-BUTYLBENZENE	DUP	TR1	40	UG/L	U	UJ1	40	40			Plume Degradation
90099	8/22/01	GW07716RG	TETRACHLOROETHENE	REAL	TR1	40	UG/L	J	V1	40	40	5		Plume Degradation
90099	8/22/01	GW07717RG	TETRACHLOROETHENE	DUP	TR1	40	UG/L	J	V1	40	40	5		Plume Degradation
90099	8/22/01	GW07716RG	TOLUENE	REAL	TR1	40	UG/L	U	UJ1	40	40	1000		Plume Degradation
90099	8/22/01	GW07717RG	TOLUENE	DUP	TR1	40	UG/L	U	UJ1	40	40	1000		Plume Degradation
90099	8/22/01	GW07716RG	TOTAL XYLENES	REAL	TR1	120	UG/L	U	UJ1	120	40	10000		Plume Degradation
90099	8/22/01	GW07717RG	TOTAL XYLENES	DUP	TR1	120	UG/L	U	UJ1	120	40	10000		Plume Degradation
90099	8/22/01	GW07716RG	trans-1,2-DICHLOROETHENE	REAL	TR1	40	UG/L	U	V1	40	40	70		Plume Degradation
90099	8/22/01	GW07717RG	trans-1,2-DICHLOROETHENE	DUP	TR1	40	UG/L	U	V1	40	40	70		Plume Degradation
90099	8/22/01	GW07716RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	40	UG/L	U	V1	40	40	0.473		Plume Degradation
90099	8/22/01	GW07717RG	trans-1,3-DICHLOROPROPENE	DUP	TR1	40	UG/L	U	V1	40	40	0.473		Plume Degradation
90099	8/22/01	GW07716RG	TRICHLOROETHENE	REAL	TR1	1400	UG/L		V1	40	40	5		Plume Degradation
90099	8/22/01	GW07717RG	TRICHLOROETHENE	DUP	TR1	1400	UG/L		V1	40	40	5		Plume Degradation

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
90099	8/22/01	GW07716RG	TRICHLOROFLUOROMETHANE	REAL	TR1	40	UG/L	U	V1	40	40			Plume Degradatio
90099	8/22/01	GW07717RG	TRICHLOROFLUOROMETHANE	DUP	TR1	40	UG/L	U	V1	40	40			Plume Degradation
90099	8/22/01	GW07716RG	VINYL CHLORIDE	REAL	TR1	40	UG/L	U	V1	40	40	2		Plume Degradatio
90099	8/22/01	GW07717RG	VINYL CHLORIDE	DUP	TR1	40	UG/L	U	V1	40	40	2		Plume Degradatio
90099	8/22/01	GW07718RG	1,1,1,2-TETRACHLOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1			Plume Degradation
90099	8/22/01	GW07718RG	1,1,1-TRICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1	200		Plume Degradation
90099	8/22/01	GW07718RG	1,1,2,2-TETRACHLOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1	0.426		Plume Degradatio
90099	8/22/01	GW07718RG	1,1,2-TRICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1	5		Plume Degradatio
90099	8/22/01	GW07718RG	1,1,2-TRICHLOROTRIFLUOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1			Plume Degradation
90099	8/22/01	GW07718RG	1,1-DICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1	3650		Plume Degradation
90099	8/22/01	GW07718RG	1,1-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	1	1	7		Plume Degradatio
90099	8/22/01	GW07718RG	1,1-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V1	1	1			Plume Degradation
90099	8/22/01	GW07718RG	1,2,3-TRICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1			Plume Degradation
90099	8/22/01	GW07718RG	1,2,3-TRICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	1	1			Plume Degradatio
90099	8/22/01	GW07718RG	1,2,4-TRICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1	70		Plume Degradatio
90099	8/22/01	GW07718RG	1,2-DIBROMOETHANE	RNS	TR1	1	UG/L	U	V1	1	1			Plume Degradation
90099	8/22/01	GW07718RG	1,2-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1	600		Plume Degradation
90099	8/22/01	GW07718RG	1,2-DICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1	5		Plume Degradatio
90099	8/22/01	GW07718RG	1,2-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	1	1	5		Plume Degradation
90099	8/22/01	GW07718RG	1,3-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1	600		Plume Degradation
90099	8/22/01	GW07718RG	1,3-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	1	1			Plume Degradatio
90099	8/22/01	GW07718RG	1,4-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1	75		Plume Degradatio
90099	8/22/01	GW07718RG	2,2-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	1	1			Plume Degradation
90099	8/22/01	GW07718RG	2-BUTANONE	RNS	TR1	5	UG/L	U	R1	5	1	21900		Plume Degradation
90099	8/22/01	GW07718RG	2-HEXANONE	RNS	TR1	5	UG/L	U	UJ1	5	1			Plume Degradatio
90099	8/22/01	GW07718RG	4-ISOPROPYLTOLUENE	RNS	TR1	1	UG/L	U	UJ1	1	1			Plume Degradatio
90099	8/22/01	GW07718RG	4-METHYL-2-PENTANONE	RNS	TR1	5	UG/L	U	V1	5	1	2920		Plume Degradation
90099	8/22/01	GW07718RG	ACETONE	RNS	TR1	2	UG/L	J	R1	5	1	3650		Plume Degradatio
90099	8/22/01	GW07718RG	BENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1	5		Plume Degradatio
90099	8/22/01	GW07718RG	BENZENE, 1,2,4-TRIMETHYL	RNS	TR1	1	UG/L	U	UJ1	1	1			Plume Degradation
90099	8/22/01	GW07718RG	BENZENE, 1,3,5-TRIMETHYL-	RNS	TR1	1	UG/L	U	UJ1	1	1			Plume Degradation
90099	8/22/01	GW07718RG	BROMOBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1			Plume Degradatio
90099	8/22/01	GW07718RG	BROMOCHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	1	1			Plume Degradatio
90099	8/22/01	GW07718RG	BROMODICHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	1	1	100		Plume Degradation
90099	8/22/01	GW07718RG	BROMOFORM	RNS	TR1	1	UG/L	U	V1	1	1	100		Plume Degradatio
90099	8/22/01	GW07718RG	BROMOMETHANE	RNS	TR1	1	UG/L	U	V1	1	1	51.1		Plume Degradatio
90099	8/22/01	GW07718RG	CARBON DISULFIDE	RNS	TR1	1	UG/L	U	V1	1	1	3650		Plume Degradation
90099	8/22/01	GW07718RG	CARBON TETRACHLORIDE	RNS	TR1	1	UG/L	U	V1	1	1	5		Plume Degradation
90099	8/22/01	GW07718RG	CHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1	100		Plume Degradatio
90099	8/22/01	GW07718RG	CHLOROETHANE	RNS	TR1	1	UG/L	U	V1	1	1	29.4		Plume Degradatio
90099	8/22/01	GW07718RG	CHLOROFORM	RNS	TR1	1	UG/L	U	V1	1	1	100		Plume Degradation
90099	8/22/01	GW07718RG	CHLOROMETHANE	RNS	TR1	0.4	UG/L	J	V1	1	1	6.55		Plume Degradation
90099	8/22/01	GW07718RG	cis-1,2-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	1	1	70		Plume Degradatio
90099	8/22/01	GW07718RG	cis-1,3-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V1	1	1	0.473		Plume Degradation
90099	8/22/01	GW07718RG	DIBROMOCHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	1	1	1.01		Plume Degradation
90099	8/22/01	GW07718RG	DIBROMOMETHANE	RNS	TR1	1	UG/L	U	V1	1	1			Plume Degradatio
90099	8/22/01	GW07718RG	DICHLORODIFLUOROMETHANE	RNS	TR1	1	UG/L	U	V1	1	1			Plume Degradatio
90099	8/22/01	GW07718RG	ETHYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1	700		Plume Degradation
90099	8/22/01	GW07718RG	HEXACHLOROBUTADIENE	RNS	TR1	1	UG/L	U	V1	1	1	1.09		Plume Degradation
90099	8/22/01	GW07718RG	ISOPROPYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1			Plume Degradatio
90099	8/22/01	GW07718RG	METHYLENE CHLORIDE	RNS	TR1	1	UG/L	U	V1	1	1	5		Plume Degradation
90099	8/22/01	GW07718RG	NAPHTHALENE	RNS	TR1	1	UG/L	U	UJ1	1	1	1460		Plume Degradation
90099	8/22/01	GW07718RG	n-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1			Plume Degradatio
90099	8/22/01	GW07718RG	n-PROPYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1			Plume Degradatio
90099	8/22/01	GW07718RG	o-CHLOROTOLUENE	RNS	TR1	1	UG/L	U	UJ1	1	1			Plume Degradation
90099	8/22/01	GW07718RG	p-CHLOROTOLUENE	RNS	TR1	1	UG/L	U	UJ1	1	1			Plume Degradation
90099	8/22/01	GW07718RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	RNS	TR1	1	UG/L	U	V1	1	1	0.2		Plume Degradatio

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
0099	8/22/01	GW07718RG	sec-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1			Plume Degradation
90099	8/22/01	GW07718RG	STYRENE	RNS	TR1	1	UG/L	U	UJ1	1	1	100		Plume Degradation
90099	8/22/01	GW07718RG	tert-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	1	1			Plume Degradation
0099	8/22/01	GW07718RG	TETRACHLOROETHENE	RNS	TR1	1	UG/L	U	V1	1	1	5		Plume Degradation
0099	8/22/01	GW07718RG	TOLUENE	RNS	TR1	1	UG/L	U	UJ1	1	1	1000		Plume Degradation
90099	8/22/01	GW07718RG	TOTAL XYLENES	RNS	TR1	3	UG/L	U	UJ1	3	1	10000		Plume Degradation
0099	8/22/01	GW07718RG	trans-1,2-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	1	1	70		Plume Degradation
0099	8/22/01	GW07718RG	trans-1,3-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V1	1	1	0.473		Plume Degradation
90099	8/22/01	GW07718RG	TRICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	1	1	5		Plume Degradation
90099	8/22/01	GW07718RG	TRICHLOROFLUOROMETHANE	RNS	TR1	1	UG/L	U	V1	1	1			Plume Degradation
0099	8/22/01	GW07718RG	VINYL CHLORIDE	RNS	TR1	1	UG/L	U	V1	1	1	2		Plume Degradation
0299	9/5/01	GW07721RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
90299	9/5/01	GW07721RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	200		Plume Degradation
0299	9/5/01	GW07721RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	0.426		Plume Degradation
0299	9/5/01	GW07721RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Degradation
90299	9/5/01	GW07721RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
90299	9/5/01	GW07721RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	3650		Plume Degradation
0299	9/5/01	GW07721RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	7		Plume Degradation
0299	9/5/01	GW07721RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
90299	9/5/01	GW07721RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
0299	9/5/01	GW07721RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
299	9/5/01	GW07721RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	70		Plume Degradation
90299	9/5/01	GW07721RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
90299	9/5/01	GW07721RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	600		Plume Degradation
299	9/5/01	GW07721RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Degradation
299	9/5/01	GW07721RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Degradation
90299	9/5/01	GW07721RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	600		Plume Degradation
0299	9/5/01	GW07721RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
299	9/5/01	GW07721RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	75		Plume Degradation
90299	9/5/01	GW07721RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
90299	9/5/01	GW07721RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R	5	1	21900		Plume Degradation
299	9/5/01	GW07721RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V	5	1			Plume Degradation
299	9/5/01	GW07721RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
90299	9/5/01	GW07721RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V	5	1	2920		Plume Degradation
0299	9/5/01	GW07721RG	ACETONE	REAL	TR1	2	UG/L	J	J	5	1	3650		Plume Degradation
299	9/5/01	GW07721RG	BENZENE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Degradation
0299	9/5/01	GW07721RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
90299	9/5/01	GW07721RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
299	9/5/01	GW07721RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
299	9/5/01	GW07721RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
90299	9/5/01	GW07721RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	100		Plume Degradation
90299	9/5/01	GW07721RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	1	1	100		Plume Degradation
299	9/5/01	GW07721RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1	51.1		Plume Degradation
299	9/5/01	GW07721RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V	1	1	3650		Plume Degradation
90299	9/5/01	GW07721RG	CARBON TETRACHLORIDE	REAL	TR1	2.2	UG/L		V	1	1	5		Plume Degradation
299	9/5/01	GW07721RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	100		Plume Degradation
299	9/5/01	GW07721RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	29.4		Plume Degradation
90299	9/5/01	GW07721RG	CHLOROFORM	REAL	TR1	1.7	UG/L		V	1	1	100		Plume Degradation
90299	9/5/01	GW07721RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	6.55		Plume Degradation
299	9/5/01	GW07721RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70		Plume Degradation
299	9/5/01	GW07721RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473		Plume Degradation
90299	9/5/01	GW07721RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	1.01		Plume Degradation
299	9/5/01	GW07721RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
299	9/5/01	GW07721RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
90299	9/5/01	GW07721RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1	700		Plume Degradation
90299	9/5/01	GW07721RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	UJ	1	1	1.09		Plume Degradation
299	9/5/01	GW07721RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation

329

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
90299	9/5/01	GW07721RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Degradatio
90299	9/5/01	GW07721RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V	1	1	1460		Plume Degradation
90299	9/5/01	GW07721RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
90299	9/5/01	GW07721RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradatio
90299	9/5/01	GW07721RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
90299	9/5/01	GW07721RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
90299	9/5/01	GW07721RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V	1	1	0.2		Plume Degradatio
90299	9/5/01	GW07721RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradatio
90299	9/5/01	GW07721RG	STYRENE	REAL	TR1	1	UG/L	U	V	1	1	100		Plume Degradation
90299	9/5/01	GW07721RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
90299	9/5/01	GW07721RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Degradatio
90299	9/5/01	GW07721RG	TOLUENE	REAL	TR1	1	UG/L	U	V	1	1	1000		Plume Degradation
90299	9/5/01	GW07721RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	V	3	1	10000		Plume Degradation
90299	9/5/01	GW07721RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70		Plume Degradatio
90299	9/5/01	GW07721RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473		Plume Degradatio
90299	9/5/01	GW07721RG	TRICHLOROETHENE	REAL	TR1	3.4	UG/L		V	1	1	5		Plume Degradation
90299	9/5/01	GW07721RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Degradation
90299	9/5/01	GW07721RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	2		Plume Degradatio
90399	8/27/01	GW07722RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	20	UG/L	U	V1	20	20			Plume Degradation
90399	8/27/01	GW07722RG	1,1,1-TRICHLOROETHANE	REAL	TR1	20	UG/L	U	V1	20	20	200		Plume Degradation
90399	8/27/01	GW07722RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	20	UG/L	U	V1	20	20	0.426		Plume Degradatio
90399	8/27/01	GW07722RG	1,1,2-TRICHLOROETHANE	REAL	TR1	20	UG/L	U	V1	20	20	5		Plume Degradatio
90399	8/27/01	GW07722RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	20	UG/L	U	V1	20	20			Plume Degradation
90399	8/27/01	GW07722RG	1,1-DICHLOROETHANE	REAL	TR1	20	UG/L	U	V1	20	20	3650		Plume Degradation
90399	8/27/01	GW07722RG	1,1-DICHLOROETHENE	REAL	TR1	20	UG/L	U	V1	20	20	7		Plume Degradatio
90399	8/27/01	GW07722RG	1,1-DICHLOROPROPENE	REAL	TR1	20	UG/L	U	V1	20	20			Plume Degradatio
90399	8/27/01	GW07722RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	20	UG/L	U	UJ1	20	20			Plume Degradation
90399	8/27/01	GW07722RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	20	UG/L	U	V1	20	20			Plume Degradatio
90399	8/27/01	GW07722RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	20	UG/L	U	UJ1	20	20	70		Plume Degradatio
90399	8/27/01	GW07722RG	1,2-DIBROMOETHANE	REAL	TR1	20	UG/L	U	V1	20	20			Plume Degradation
90399	8/27/01	GW07722RG	1,2-DICHLOROBENZENE	REAL	TR1	20	UG/L	U	UJ1	20	20	600		Plume Degradation
90399	8/27/01	GW07722RG	1,2-DICHLOROETHANE	REAL	TR1	20	UG/L	U	V1	20	20	5		Plume Degradatio
90399	8/27/01	GW07722RG	1,2-DICHLOROPROPANE	REAL	TR1	20	UG/L	U	V1	20	20	5		Plume Degradatio
90399	8/27/01	GW07722RG	1,3-DICHLOROBENZENE	REAL	TR1	20	UG/L	U	UJ1	20	20	600		Plume Degradation
90399	8/27/01	GW07722RG	1,3-DICHLOROPROPANE	REAL	TR1	20	UG/L	U	V1	20	20			Plume Degradatio
90399	8/27/01	GW07722RG	1,4-DICHLOROBENZENE	REAL	TR1	20	UG/L	U	UJ1	20	20	75		Plume Degradatio
90399	8/27/01	GW07722RG	2,2-DICHLOROPROPANE	REAL	TR1	20	UG/L	U	V1	20	20			Plume Degradation
90399	8/27/01	GW07722RG	2-BUTANONE	REAL	TR1	100	UG/L	U	R1	100	20	21900		Plume Degradation
90399	8/27/01	GW07722RG	2-HEXANONE	REAL	TR1	100	UG/L	U	V1	100	20			Plume Degradatio
90399	8/27/01	GW07722RG	4-ISOPROPYLTOLUENE	REAL	TR1	20	UG/L	U	UJ1	20	20			Plume Degradatio
90399	8/27/01	GW07722RG	4-METHYL-2-PENTANONE	REAL	TR1	100	UG/L	U	V1	100	20	2920		Plume Degradation
90399	8/27/01	GW07722RG	ACETONE	REAL	TR1	70	UG/L	J	J1	100	20	3650		Plume Degradation
90399	8/27/01	GW07722RG	BENZENE	REAL	TR1	20	UG/L	U	UJ1	20	20	5		Plume Degradatio
90399	8/27/01	GW07722RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	20	UG/L	U	UJ1	20	20			Plume Degradation
90399	8/27/01	GW07722RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	20	UG/L	U	UJ1	20	20			Plume Degradation
90399	8/27/01	GW07722RG	BROMOBENZENE	REAL	TR1	20	UG/L	U	UJ1	20	20			Plume Degradatio
90399	8/27/01	GW07722RG	BROMOCHLOROMETHANE	REAL	TR1	20	UG/L	U	V1	20	20			Plume Degradatio
90399	8/27/01	GW07722RG	BROMODICHLOROMETHANE	REAL	TR1	20	UG/L	U	V1	20	20	100		Plume Degradation
90399	8/27/01	GW07722RG	BROMOFORM	REAL	TR1	20	UG/L	U	V1	20	20	100		Plume Degradation
90399	8/27/01	GW07722RG	BROMOMETHANE	REAL	TR1	20	UG/L	U	V1	20	20	51.1		Plume Degradatio
90399	8/27/01	GW07722RG	CARBON DISULFIDE	REAL	TR1	20	UG/L	U	V1	20	20	3650		Plume Degradation
90399	8/27/01	GW07722RG	CARBON TETRACHLORIDE	REAL	TR1	290	UG/L		V1	20	20	5		Plume Degradation
90399	8/27/01	GW07722RG	CHLOROBENZENE	REAL	TR1	20	UG/L	U	UJ1	20	20	100		Plume Degradatio
90399	8/27/01	GW07722RG	CHLOROETHANE	REAL	TR1	20	UG/L	U	V1	20	20	29.4		Plume Degradatio
90399	8/27/01	GW07722RG	CHLOROFORM	REAL	TR1	35	UG/L		V1	20	20	100		Plume Degradation
90399	8/27/01	GW07722RG	CHLOROMETHANE	REAL	TR1	20	UG/L	U	V1	20	20	6.55		Plume Degradation
90399	8/27/01	GW07722RG	cis-1,2-DICHLOROETHENE	REAL	TR1	20	UG/L	U	V1	20	20	70		Plume Degradatio

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Validation	Detect Limit	Dilution	Tier II	TICs	IMP Well Class
90399	8/27/01	GW07722RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	20	UG/L	U	V1	20	20	0.473		Plume Degradation
90399	8/27/01	GW07722RG	DIBROMOCHLOROMETHANE	REAL	TR1	20	UG/L	U	V1	20	20	1.01		Plume Degradation
90399	8/27/01	GW07722RG	DIBROMOMETHANE	REAL	TR1	20	UG/L	U	V1	20	20			Plume Degradation
90399	8/27/01	GW07722RG	DICHLORODIFLUOROMETHANE	REAL	TR1	20	UG/L	U	V1	20	20			Plume Degradation
90399	8/27/01	GW07722RG	ETHYLBENZENE	REAL	TR1	20	UG/L	U	UJ1	20	20	700		Plume Degradation
90399	8/27/01	GW07722RG	HEXACHLOROBUTADIENE	REAL	TR1	20	UG/L	U	V1	20	20	1.09		Plume Degradation
90399	8/27/01	GW07722RG	ISOPROPYLBENZENE	REAL	TR1	20	UG/L	U	UJ1	20	20			Plume Degradation
90399	8/27/01	GW07722RG	METHYLENE CHLORIDE	REAL	TR1	20	UG/L	U	V1	20	20	5		Plume Degradation
90399	8/27/01	GW07722RG	NAPHTHALENE	REAL	TR1	20	UG/L	U	UJ1	20	20	1460		Plume Degradation
90399	8/27/01	GW07722RG	n-BUTYLBENZENE	REAL	TR1	20	UG/L	U	UJ1	20	20			Plume Degradation
90399	8/27/01	GW07722RG	n-PROPYLBENZENE	REAL	TR1	20	UG/L	U	UJ1	20	20			Plume Degradation
90399	8/27/01	GW07722RG	o-CHLOROTOLUENE	REAL	TR1	20	UG/L	U	UJ1	20	20			Plume Degradation
90399	8/27/01	GW07722RG	p-CHLOROTOLUENE	REAL	TR1	20	UG/L	U	UJ1	20	20			Plume Degradation
90399	8/27/01	GW07722RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	20	UG/L	U	R1	20	20	0.2		Plume Degradation
90399	8/27/01	GW07722RG	sec-BUTYLBENZENE	REAL	TR1	20	UG/L	U	UJ1	20	20			Plume Degradation
90399	8/27/01	GW07722RG	STYRENE	REAL	TR1	20	UG/L	U	UJ1	20	20	100		Plume Degradation
90399	8/27/01	GW07722RG	tert-BUTYLBENZENE	REAL	TR1	20	UG/L	U	UJ1	20	20			Plume Degradation
90399	8/27/01	GW07722RG	TETRACHLOROETHENE	REAL	TR1	20	UG/L	U	V1	20	20	5		Plume Degradation
90399	8/27/01	GW07722RG	TOLUENE	REAL	TR1	20	UG/L	U	UJ1	20	20	1000		Plume Degradation
90399	8/27/01	GW07722RG	TOTAL XYLENES	REAL	TR1	60	UG/L	U	UJ1	60	20	10000		Plume Degradation
90399	8/27/01	GW07722RG	trans-1,2-DICHLOROETHENE	REAL	TR1	20	UG/L	U	V1	20	20	70		Plume Degradation
90399	8/27/01	GW07722RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	20	UG/L	U	V1	20	20	0.473		Plume Degradation
90399	8/27/01	GW07722RG	TRICHLOROETHENE	REAL	TR1	220	UG/L		V1	20	20	5		Plume Degradation
90399	8/27/01	GW07722RG	TRICHLOROFLUOROMETHANE	REAL	TR1	20	UG/L	U	V1	20	20			Plume Degradation
90399	8/27/01	GW07722RG	VINYL CHLORIDE	REAL	TR1	20	UG/L	U	V1	20	20	2		Plume Degradation
B206989	7/17/01	GW07705RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1			RCRA
B206989	7/17/01	GW07705RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	200		RCRA
B206989	7/17/01	GW07705RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.426		RCRA
B206989	7/17/01	GW07705RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1	5		RCRA
B206989	7/17/01	GW07705RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			RCRA
B206989	7/17/01	GW07705RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.17	1	3650		RCRA
B206989	7/17/01	GW07705RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.2	1	7		RCRA
B206989	7/17/01	GW07705RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1			RCRA
B206989	7/17/01	GW07705RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1			RCRA
B206989	7/17/01	GW07705RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.29	1			RCRA
B206989	7/17/01	GW07705RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	70		RCRA
B206989	7/17/01	GW07705RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.36	1			RCRA
B206989	7/17/01	GW07705RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	600		RCRA
B206989	7/17/01	GW07705RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5		RCRA
B206989	7/17/01	GW07705RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		RCRA
B206989	7/17/01	GW07705RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	600		RCRA
B206989	7/17/01	GW07705RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.26	1			RCRA
B206989	7/17/01	GW07705RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	75		RCRA
B206989	7/17/01	GW07705RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1			RCRA
B206989	7/17/01	GW07705RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V1	0.93	1	21900		RCRA
B206989	7/17/01	GW07705RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	0.7	1			RCRA
B206989	7/17/01	GW07705RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1			RCRA
B206989	7/17/01	GW07705RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	0.79	1	2920		RCRA
B206989	7/17/01	GW07705RG	ACETONE	REAL	TR1	10	UG/L	U	V1	1.9	1	3650		RCRA
B206989	7/17/01	GW07705RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1	5		RCRA
B206989	7/17/01	GW07705RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.22	1			RCRA
B206989	7/17/01	GW07705RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.29	1			RCRA
B206989	7/17/01	GW07705RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1			RCRA
B206989	7/17/01	GW07705RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			RCRA
B206989	7/17/01	GW07705RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	100		RCRA
B206989	7/17/01	GW07705RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.32	1	100		RCRA
B206989	7/17/01	GW07705RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	51.1		RCRA

331

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
B206989	7/17/01	GW07705RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	3650		RCRA
B206989	7/17/01	GW07705RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	5		RCRA
B206989	7/17/01	GW07705RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	100		RCRA
B206989	7/17/01	GW07705RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.25	1	29.4		RCRA
B206989	7/17/01	GW07705RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.23	1	100		RCRA
B206989	7/17/01	GW07705RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	6.55		RCRA
B206989	7/17/01	GW07705RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.26	1	70		RCRA
B206989	7/17/01	GW07705RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.28	1	0.473		RCRA
B206989	7/17/01	GW07705RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.38	1	1.01		RCRA
B206989	7/17/01	GW07705RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1			RCRA
B206989	7/17/01	GW07705RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1			RCRA
B206989	7/17/01	GW07705RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.28	1	700		RCRA
B206989	7/17/01	GW07705RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1.09		RCRA
B206989	7/17/01	GW07705RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			RCRA
B206989	7/17/01	GW07705RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.89	1	5		RCRA
B206989	7/17/01	GW07705RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1460		RCRA
B206989	7/17/01	GW07705RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			RCRA
B206989	7/17/01	GW07705RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1			RCRA
B206989	7/17/01	GW07705RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			RCRA
B206989	7/17/01	GW07705RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1			RCRA
B206989	7/17/01	GW07705RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.25	1	0.2		RCRA
B206989	7/17/01	GW07705RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			RCRA
B206989	7/17/01	GW07705RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.27	1	100		RCRA
B206989	7/17/01	GW07705RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1			RCRA
B206989	7/17/01	GW07705RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.36	1	5		RCRA
B206989	7/17/01	GW07705RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1	1000		RCRA
B206989	7/17/01	GW07705RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.95	1	10000		RCRA
B206989	7/17/01	GW07705RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.27	1	70		RCRA
B206989	7/17/01	GW07705RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.42	1	0.473		RCRA
B206989	7/17/01	GW07705RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.22	1	5		RCRA
B206989	7/17/01	GW07705RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.28	1			RCRA
B206989	7/17/01	GW07705RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.21	1	2		RCRA
B371BAS	8/14/01	SW07689RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	200		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	0.426		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	3650		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	7		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	70		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	600		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	600		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	75		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	2-BUTANONE	REAL	TR1	5	UG/L	U		5	1	21900		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	2-HEXANONE	REAL	TR1	10	UG/L	U		10	1			D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U		10	1	2920		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	ACETONE	REAL	TR1	10	UG/L	U		10	1	3650		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	BENZENE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 371/374

332

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
B371BAS	8/14/01	SW07689RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	BROMOBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1	100		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	BROMOFORM	REAL	TR1	1	UG/L	U		1	1	100		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	BROMOMETHANE	REAL	TR1	1	UG/L	U		1	1	51.1		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U		1	1	3650		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U		1	1	100		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	CHLOROETHANE	REAL	TR1	1	UG/L	U		1	1	29.4		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	CHLOROFORM	REAL	TR1	1	UG/L	U		1	1	100		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1	6.55		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	70		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U		1	1	0.473		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U		1	1	1.01		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U		1	1	700		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U		1	1	1.09		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	NAPHTHALENE	REAL	TR1	1	UG/L	U		1	1	1460		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U		1	1	0.2		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	STYRENE	REAL	TR1	1	UG/L	U		1	1	100		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	TOLUENE	REAL	TR1	1	UG/L	U		1	1	1000		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U		3	1	10000		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	70		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U		1	1	0.473		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U		1	1	5		D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U		1	1			D&D Bldg 371/374
B371BAS	8/14/01	SW07689RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U		1	1	2		D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	200		D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	0.426		D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	3650		D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	7		D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	70		D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	600		D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	600		D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	75		D&D Bldg 371/374

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
B371SUBBA	8/15/01	SW07690RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371/37
B371SUBBA	8/15/01	SW07690RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R	5	1	21900		D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V	10	1			D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371/37
B371SUBBA	8/15/01	SW07690RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V	10	1	2920		D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	ACETONE	REAL	TR1	3	UG/L	J	J	10	1	3650		D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	BENZENE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371/37
B371SUBBA	8/15/01	SW07690RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371/37
B371SUBBA	8/15/01	SW07690RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371/37
B371SUBBA	8/15/01	SW07690RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1	51.1		D&D Bldg 371/37
B371SUBBA	8/15/01	SW07690RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V	1	1	3650		D&D Bldg 371/37
B371SUBBA	8/15/01	SW07690RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	29.4		D&D Bldg 371/37
B371SUBBA	8/15/01	SW07690RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 371/37
B371SUBBA	8/15/01	SW07690RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	6.55		D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	cis-1,2-DICHLOROETHENE	REAL	TR1	0.3	UG/L	J	V	1	1	70		D&D Bldg 371/37
B371SUBBA	8/15/01	SW07690RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473		D&D Bldg 371/37
B371SUBBA	8/15/01	SW07690RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	1.01		D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371/37
B371SUBBA	8/15/01	SW07690RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1	700		D&D Bldg 371/37
B371SUBBA	8/15/01	SW07690RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	1	1	1.09		D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371/37
B371SUBBA	8/15/01	SW07690RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371/37
B371SUBBA	8/15/01	SW07690RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V	1	1	1460		D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371/37
B371SUBBA	8/15/01	SW07690RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371/37
B371SUBBA	8/15/01	SW07690RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V	1	1	0.2		D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371/37
B371SUBBA	8/15/01	SW07690RG	STYRENE	REAL	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371/37
B371SUBBA	8/15/01	SW07690RG	TOLUENE	REAL	TR1	1	UG/L	U	V	1	1	1000		D&D Bldg 371/37
B371SUBBA	8/15/01	SW07690RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	V	3	1	10000		D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70		D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473		D&D Bldg 371/37
B371SUBBA	8/15/01	SW07690RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 371/374
B371SUBBA	8/15/01	SW07690RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	2		D&D Bldg 371/37
P114389	8/24/01	GW07668RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
P114389	8/24/01	GW07668RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	200		Plume Extent
P114389	8/24/01	GW07668RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	0.426		Plume Extent
P114389	8/24/01	GW07668RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
P114389	8/24/01	GW07668RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
P114389	8/24/01	GW07668RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Plume Extent
P114389	8/24/01	GW07668RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	7		Plume Extent
P114389	8/24/01	GW07668RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
P114389	8/24/01	GW07668RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
P114389	8/24/01	GW07668RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
P114389	8/24/01	GW07668RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	70		Plume Extent

334

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
P114389	8/24/01	GW07668RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
P114389	8/24/01	GW07668RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		Plume Extent
P114389	8/24/01	GW07668RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
P114389	8/24/01	GW07668RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
P114389	8/24/01	GW07668RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		Plume Extent
P114389	8/24/01	GW07668RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
P114389	8/24/01	GW07668RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	75		Plume Extent
P114389	8/24/01	GW07668RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
P114389	8/24/01	GW07668RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R1	5	1	21900		Plume Extent
P114389	8/24/01	GW07668RG	2-HEXANONE	REAL	TR1	5	UG/L	U	UJ1	5	1			Plume Extent
P114389	8/24/01	GW07668RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
P114389	8/24/01	GW07668RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	5	1	2920		Plume Extent
P114389	8/24/01	GW07668RG	ACETONE	REAL	TR1	5	UG/L	U	R1	5	1	3650		Plume Extent
P114389	8/24/01	GW07668RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	5		Plume Extent
P114389	8/24/01	GW07668RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
P114389	8/24/01	GW07668RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
P114389	8/24/01	GW07668RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
P114389	8/24/01	GW07668RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
P114389	8/24/01	GW07668RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Extent
P114389	8/24/01	GW07668RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Extent
P114389	8/24/01	GW07668RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	51.1		Plume Extent
P114389	8/24/01	GW07668RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Plume Extent
P114389	8/24/01	GW07668RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
P114389	8/24/01	GW07668RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		Plume Extent
P114389	8/24/01	GW07668RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	29.4		Plume Extent
P114389	8/24/01	GW07668RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Plume Extent
P114389	8/24/01	GW07668RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	6.55		Plume Extent
P114389	8/24/01	GW07668RG	cis-1,2-DICHLOROETHENE	REAL	TR1	0.2	UG/L	J	V1	1	1	70		Plume Extent
P114389	8/24/01	GW07668RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Plume Extent
P114389	8/24/01	GW07668RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	1.01		Plume Extent
P114389	8/24/01	GW07668RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
P114389	8/24/01	GW07668RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
P114389	8/24/01	GW07668RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	700		Plume Extent
P114389	8/24/01	GW07668RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	1	1	1.09		Plume Extent
P114389	8/24/01	GW07668RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
P114389	8/24/01	GW07668RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
P114389	8/24/01	GW07668RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1460		Plume Extent
P114389	8/24/01	GW07668RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
P114389	8/24/01	GW07668RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
P114389	8/24/01	GW07668RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
P114389	8/24/01	GW07668RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
P114389	8/24/01	GW07668RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R1	1	1	0.2		Plume Extent
P114389	8/24/01	GW07668RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
P114389	8/24/01	GW07668RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		Plume Extent
P114389	8/24/01	GW07668RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Plume Extent
P114389	8/24/01	GW07668RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
P114389	8/24/01	GW07668RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1000		Plume Extent
P114389	8/24/01	GW07668RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	UJ1	3	1	10000		Plume Extent
P114389	8/24/01	GW07668RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Plume Extent
P114389	8/24/01	GW07668RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Plume Extent
P114389	8/24/01	GW07668RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	5		Plume Extent
P114389	8/24/01	GW07668RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Plume Extent
P114389	8/24/01	GW07668RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	2		Plume Extent
P209389	7/23/01	GW07669RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1			Plume Definition
P209389	7/23/01	GW07670RG	1,1,1,2-TETRACHLOROETHANE	DUP	TR1	1	UG/L	U	V1	0.22	1			Plume Definition
P209389	7/23/01	GW07669RG	1,1,1-TRICHLOROETHANE	REAL	TR1	0.29	UG/L	J	V1	0.26	1	200		Plume Definition
P209389	7/23/01	GW07670RG	1,1,1-TRICHLOROETHANE	DUP	TR1	1	UG/L	U	V1	0.26	1	200		Plume Definition

335

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
P209389	7/23/01	GW07669RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.426		Plume Definition
P209389	7/23/01	GW07670RG	1,1,2,2-TETRACHLOROETHANE	DUP	TR1	1	UG/L	U	V1	0.31	1	0.426		Plume Definition
P209389	7/23/01	GW07669RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1	5		Plume Definition
P209389	7/23/01	GW07670RG	1,1,2-TRICHLOROETHANE	DUP	TR1	1	UG/L	U	V1	0.39	1	5		Plume Definition
P209389	7/23/01	GW07669RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Plume Definition
P209389	7/23/01	GW07670RG	1,1,2-TRICHLOROTRIFLUOROETHANE	DUP	TR1	1	UG/L	U	V1	0.21	1			Plume Definition
P209389	7/23/01	GW07669RG	1,1-DICHLOROETHANE	REAL	TR1	0.48	UG/L	J	V1	0.17	1	3650		Plume Definition
P209389	7/23/01	GW07670RG	1,1-DICHLOROETHANE	DUP	TR1	0.44	UG/L	J	V1	0.17	1	3650		Plume Definition
P209389	7/23/01	GW07669RG	1,1-DICHLOROETHENE	REAL	TR1	13	UG/L		V1	0.2	1	7		Plume Definition
P209389	7/23/01	GW07670RG	1,1-DICHLOROETHENE	DUP	TR1	11	UG/L		V1	0.2	1	7		Plume Definition
P209389	7/23/01	GW07669RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1			Plume Definition
P209389	7/23/01	GW07670RG	1,1-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V1	0.22	1			Plume Definition
P209389	7/23/01	GW07669RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.16	1			Plume Definition
P209389	7/23/01	GW07670RG	1,2,3-TRICHLOROBENZENE	DUP	TR1	1	UG/L	U	V1	0.16	1			Plume Definition
P209389	7/23/01	GW07669RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.29	1			Plume Definition
P209389	7/23/01	GW07670RG	1,2,3-TRICHLOROPROPANE	DUP	TR1	1	UG/L	U	V1	0.29	1			Plume Definition
P209389	7/23/01	GW07669RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.2	1	70		Plume Definition
P209389	7/23/01	GW07670RG	1,2,4-TRICHLOROBENZENE	DUP	TR1	1	UG/L	U	V1	0.2	1	70		Plume Definition
P209389	7/23/01	GW07669RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.36	1			Plume Definition
P209389	7/23/01	GW07670RG	1,2-DIBROMOETHANE	DUP	TR1	1	UG/L	U	V1	0.36	1			Plume Definition
P209389	7/23/01	GW07669RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1	600		Plume Definition
P209389	7/23/01	GW07670RG	1,2-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	V1	0.24	1	600		Plume Definition
P209389	7/23/01	GW07669RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5		Plume Definition
P209389	7/23/01	GW07670RG	1,2-DICHLOROETHANE	DUP	TR1	1	UG/L	U	V1	0.28	1	5		Plume Definition
P209389	7/23/01	GW07669RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		Plume Definition
P209389	7/23/01	GW07670RG	1,2-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V1	0.21	1	5		Plume Definition
P209389	7/23/01	GW07669RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1	600		Plume Definition
P209389	7/23/01	GW07670RG	1,3-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	V1	0.26	1	600		Plume Definition
P209389	7/23/01	GW07669RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.26	1			Plume Definition
P209389	7/23/01	GW07670RG	1,3-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V1	0.26	1			Plume Definition
P209389	7/23/01	GW07669RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1	75		Plume Definition
P209389	7/23/01	GW07670RG	1,4-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	V1	0.24	1	75		Plume Definition
P209389	7/23/01	GW07669RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Plume Definition
P209389	7/23/01	GW07670RG	2,2-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V1	0.21	1			Plume Definition
P209389	7/23/01	GW07669RG	2-BUTANONE	REAL	TR1	5	UG/L	U	UJ1	0.93	1	21900		Plume Definition
P209389	7/23/01	GW07670RG	2-BUTANONE	DUP	TR1	5	UG/L	U	UJ1	0.93	1	21900		Plume Definition
P209389	7/23/01	GW07669RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	0.7	1			Plume Definition
P209389	7/23/01	GW07670RG	2-HEXANONE	DUP	TR1	5	UG/L	U	V1	0.7	1			Plume Definition
P209389	7/23/01	GW07669RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V1	0.3	1			Plume Definition
P209389	7/23/01	GW07670RG	4-ISOPROPYLTOLUENE	DUP	TR1	1	UG/L	U	V1	0.3	1			Plume Definition
P209389	7/23/01	GW07669RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	0.79	1	2920		Plume Definition
P209389	7/23/01	GW07670RG	4-METHYL-2-PENTANONE	DUP	TR1	5	UG/L	U	V1	0.79	1	2920		Plume Definition
P209389	7/23/01	GW07669RG	ACETONE	REAL	TR1	10	UG/L	U	UJ1	1.9	1	3650		Plume Definition
P209389	7/23/01	GW07670RG	ACETONE	DUP	TR1	10	UG/L	U	UJ1	1.9	1	3650		Plume Definition
P209389	7/23/01	GW07669RG	BENZENE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		Plume Definition
P209389	7/23/01	GW07670RG	BENZENE	DUP	TR1	1	UG/L	U	V1	0.21	1	5		Plume Definition
P209389	7/23/01	GW07669RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V1	0.22	1			Plume Definition
P209389	7/23/01	GW07670RG	BENZENE, 1,2,4-TRIMETHYL	DUP	TR1	1	UG/L	U	V1	0.22	1			Plume Definition
P209389	7/23/01	GW07669RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V1	0.29	1			Plume Definition
P209389	7/23/01	GW07670RG	BENZENE, 1,3,5-TRIMETHYL-	DUP	TR1	1	UG/L	U	V1	0.29	1			Plume Definition
P209389	7/23/01	GW07669RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1			Plume Definition
P209389	7/23/01	GW07670RG	BROMOBENZENE	DUP	TR1	1	UG/L	U	V1	0.24	1			Plume Definition
P209389	7/23/01	GW07669RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			Plume Definition
P209389	7/23/01	GW07670RG	BROMOCHLOROMETHANE	DUP	TR1	1	UG/L	U	V1	0.21	1			Plume Definition
P209389	7/23/01	GW07669RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	100		Plume Definition
P209389	7/23/01	GW07670RG	BROMODICHLOROMETHANE	DUP	TR1	1	UG/L	U	V1	0.22	1	100		Plume Definition
P209389	7/23/01	GW07669RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.32	1	100		Plume Definition

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
P209389	7/23/01	GW07670RG	BROMOFORM	DUP	TR1	1	UG/L	U	V1	0.32	1	100		Plume Definition
P209389	7/23/01	GW07669RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	51.1		Plume Definition
P209389	7/23/01	GW07670RG	BROMOMETHANE	DUP	TR1	1	UG/L	U	UJ1	0.3	1	51.1		Plume Definition
P209389	7/23/01	GW07669RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	3650		Plume Definition
P209389	7/23/01	GW07670RG	CARBON DISULFIDE	DUP	TR1	1	UG/L	U	V1	0.19	1	3650		Plume Definition
P209389	7/23/01	GW07669RG	CARBON TETRACHLORIDE	REAL	TR1	1.9	UG/L		V1	0.19	1	5		Plume Definition
P209389	7/23/01	GW07670RG	CARBON TETRACHLORIDE	DUP	TR1	1.6	UG/L		V1	0.19	1	5		Plume Definition
P209389	7/23/01	GW07669RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.3	1	100		Plume Definition
P209389	7/23/01	GW07670RG	CHLOROBENZENE	DUP	TR1	1	UG/L	U	V1	0.3	1	100		Plume Definition
P209389	7/23/01	GW07669RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.25	1	29.4		Plume Definition
P209389	7/23/01	GW07670RG	CHLOROETHANE	DUP	TR1	1	UG/L	U	V1	0.25	1	29.4		Plume Definition
P209389	7/23/01	GW07669RG	CHLOROFORM	REAL	TR1	4.2	UG/L		V1	0.23	1	100		Plume Definition
P209389	7/23/01	GW07670RG	CHLOROFORM	DUP	TR1	4.2	UG/L		V1	0.23	1	100		Plume Definition
P209389	7/23/01	GW07669RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	6.55		Plume Definition
P209389	7/23/01	GW07670RG	CHLOROMETHANE	DUP	TR1	1	UG/L	U	V1	0.3	1	6.55		Plume Definition
P209389	7/23/01	GW07669RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.26	1	70		Plume Definition
P209389	7/23/01	GW07670RG	cis-1,2-DICHLOROETHENE	DUP	TR1	1	UG/L	U	V1	0.26	1	70		Plume Definition
P209389	7/23/01	GW07669RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.28	1	0.473		Plume Definition
P209389	7/23/01	GW07670RG	cis-1,3-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V1	0.28	1	0.473		Plume Definition
P209389	7/23/01	GW07669RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.38	1	1.01		Plume Definition
P209389	7/23/01	GW07670RG	DIBROMOCHLOROMETHANE	DUP	TR1	1	UG/L	U	V1	0.38	1	1.01		Plume Definition
P209389	7/23/01	GW07669RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1			Plume Definition
P209389	7/23/01	GW07670RG	DIBROMOMETHANE	DUP	TR1	1	UG/L	U	V1	0.44	1			Plume Definition
P209389	7/23/01	GW07669RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1			Plume Definition
P209389	7/23/01	GW07670RG	DICHLORODIFLUOROMETHANE	DUP	TR1	1	UG/L	U	V1	0.23	1			Plume Definition
P209389	7/23/01	GW07669RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.28	1	700		Plume Definition
P209389	7/23/01	GW07670RG	ETHYLBENZENE	DUP	TR1	1	UG/L	U	V1	0.28	1	700		Plume Definition
P209389	7/23/01	GW07669RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1.09		Plume Definition
P209389	7/23/01	GW07670RG	HEXACHLOROBUTADIENE	DUP	TR1	1	UG/L	U	V1	0.29	1	1.09		Plume Definition
P209389	7/23/01	GW07669RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.31	1			Plume Definition
P209389	7/23/01	GW07670RG	ISOPROPYLBENZENE	DUP	TR1	1	UG/L	U	V1	0.31	1			Plume Definition
P209389	7/23/01	GW07669RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.89	1	5		Plume Definition
P209389	7/23/01	GW07670RG	METHYLENE CHLORIDE	DUP	TR1	1	UG/L	U	V1	0.89	1	5		Plume Definition
P209389	7/23/01	GW07669RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V1	0.15	1	1460		Plume Definition
P209389	7/23/01	GW07670RG	NAPHTHALENE	DUP	TR1	1	UG/L	U	V1	0.15	1	1460		Plume Definition
P209389	7/23/01	GW07669RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1			Plume Definition
P209389	7/23/01	GW07670RG	n-BUTYLBENZENE	DUP	TR1	1	UG/L	U	V1	0.26	1			Plume Definition
P209389	7/23/01	GW07669RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.23	1			Plume Definition
P209389	7/23/01	GW07670RG	n-PROPYLBENZENE	DUP	TR1	1	UG/L	U	V1	0.23	1			Plume Definition
P209389	7/23/01	GW07669RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.31	1			Plume Definition
P209389	7/23/01	GW07670RG	o-CHLOROTOLUENE	DUP	TR1	1	UG/L	U	V1	0.31	1			Plume Definition
P209389	7/23/01	GW07669RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.25	1			Plume Definition
P209389	7/23/01	GW07670RG	p-CHLOROTOLUENE	DUP	TR1	1	UG/L	U	V1	0.25	1			Plume Definition
P209389	7/23/01	GW07669RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	UJ1	0.25	1	0.2		Plume Definition
P209389	7/23/01	GW07670RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	DUP	TR1	1	UG/L	U	UJ1	0.25	1	0.2		Plume Definition
P209389	7/23/01	GW07669RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1			Plume Definition
P209389	7/23/01	GW07670RG	sec-BUTYLBENZENE	DUP	TR1	1	UG/L	U	V1	0.26	1			Plume Definition
P209389	7/23/01	GW07669RG	STYRENE	REAL	TR1	1	UG/L	U	V1	0.27	1	100		Plume Definition
P209389	7/23/01	GW07670RG	STYRENE	DUP	TR1	1	UG/L	U	V1	0.27	1	100		Plume Definition
P209389	7/23/01	GW07669RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.29	1			Plume Definition
P209389	7/23/01	GW07670RG	tert-BUTYLBENZENE	DUP	TR1	1	UG/L	U	V1	0.29	1			Plume Definition
P209389	7/23/01	GW07669RG	TETRACHLOROETHENE	REAL	TR1	0.83	UG/L	J	V1	0.36	1	5		Plume Definition
P209389	7/23/01	GW07670RG	TETRACHLOROETHENE	DUP	TR1	0.71	UG/L	J	V1	0.36	1	5		Plume Definition
P209389	7/23/01	GW07669RG	TOLUENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1000		Plume Definition
P209389	7/23/01	GW07670RG	TOLUENE	DUP	TR1	1	UG/L	U	V1	0.29	1	1000		Plume Definition
P209389	7/23/01	GW07669RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	V1	0.95	1	10000		Plume Definition
P209389	7/23/01	GW07670RG	TOTAL XYLENES	DUP	TR1	1	UG/L	U	V1	0.95	1	10000		Plume Definition

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
P209389	7/23/01	GW07669RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.27	1	70		Plume Definition
P209389	7/23/01	GW07670RG	trans-1,2-DICHLOROETHENE	DUP	TR1	0.5	UG/L	U	V1	0.27	1	70		Plume Definition
P209389	7/23/01	GW07669RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.42	1	0.473		Plume Definition
P209389	7/23/01	GW07670RG	trans-1,3-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V1	0.42	1	0.473		Plume Definition
P209389	7/23/01	GW07669RG	TRICHLOROETHENE	REAL	TR1	0.33	UG/L	J	V1	0.22	1	5		Plume Definition
P209389	7/23/01	GW07670RG	TRICHLOROETHENE	DUP	TR1	0.3	UG/L	J	V1	0.22	1	5		Plume Definition
P209389	7/23/01	GW07669RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1			Plume Definition
P209389	7/23/01	GW07670RG	TRICHLOROFLUOROMETHANE	DUP	TR1	1	UG/L	U	V1	0.28	1			Plume Definition
P209389	7/23/01	GW07669RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.21	1	2		Plume Definition
P209389	7/23/01	GW07670RG	VINYL CHLORIDE	DUP	TR1	1	UG/L	U	V1	0.21	1	2		Plume Definition
P209389	7/23/01	GW07671RG	1,1,1,2-TETRACHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.22	1			Plume Definition
P209389	7/23/01	GW07671RG	1,1,1-TRICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.26	1	200		Plume Definition
P209389	7/23/01	GW07671RG	1,1,2,2-TETRACHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.31	1	0.426		Plume Definition
P209389	7/23/01	GW07671RG	1,1,2-TRICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.39	1	5		Plume Definition
P209389	7/23/01	GW07671RG	1,1,2-TRICHLOROTRIFLUOROETHANE	RNS	TR1	1	UG/L	U	V1	0.21	1			Plume Definition
P209389	7/23/01	GW07671RG	1,1-DICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.17	1	3650		Plume Definition
P209389	7/23/01	GW07671RG	1,1-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	0.2	1	7		Plume Definition
P209389	7/23/01	GW07671RG	1,1-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V1	0.22	1			Plume Definition
P209389	7/23/01	GW07671RG	1,2,3-TRICHLOROBENZENE	RNS	TR1	1	UG/L	U	V1	0.16	1			Plume Definition
P209389	7/23/01	GW07671RG	1,2,3-TRICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	0.29	1			Plume Definition
P209389	7/23/01	GW07671RG	1,2,4-TRICHLOROBENZENE	RNS	TR1	1	UG/L	U	V1	0.2	1	70		Plume Definition
P209389	7/23/01	GW07671RG	1,2-DIBROMOETHANE	RNS	TR1	1	UG/L	U	V1	0.36	1			Plume Definition
P209389	7/23/01	GW07671RG	1,2-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	V1	0.24	1	600		Plume Definition
P209389	7/23/01	GW07671RG	1,2-DICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.28	1	5		Plume Definition
P209389	7/23/01	GW07671RG	1,2-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	0.21	1	5		Plume Definition
P209389	7/23/01	GW07671RG	1,3-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	V1	0.26	1	600		Plume Definition
P209389	7/23/01	GW07671RG	1,3-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	0.26	1			Plume Definition
P209389	7/23/01	GW07671RG	1,4-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	V1	0.24	1	75		Plume Definition
P209389	7/23/01	GW07671RG	2,2-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	0.21	1			Plume Definition
P209389	7/23/01	GW07671RG	2-BUTANONE	RNS	TR1	1.1	UG/L	J	J1	0.93	1	21900		Plume Definition
P209389	7/23/01	GW07671RG	2-HEXANONE	RNS	TR1	5	UG/L	U	V1	0.7	1			Plume Definition
P209389	7/23/01	GW07671RG	4-ISOPROPYLTOLUENE	RNS	TR1	1	UG/L	U	V1	0.3	1			Plume Definition
P209389	7/23/01	GW07671RG	4-METHYL-2-PENTANONE	RNS	TR1	5	UG/L	U	V1	0.79	1	2920		Plume Definition
P209389	7/23/01	GW07671RG	ACETONE	RNS	TR1	10	UG/L	U	UJ1	1.9	1	3650		Plume Definition
P209389	7/23/01	GW07671RG	BENZENE	RNS	TR1	1	UG/L	U	V1	0.21	1	5		Plume Definition
P209389	7/23/01	GW07671RG	BENZENE, 1,2,4-TRIMETHYL	RNS	TR1	1	UG/L	U	V1	0.22	1			Plume Definition
P209389	7/23/01	GW07671RG	BENZENE, 1,3,5-TRIMETHYL-	RNS	TR1	1	UG/L	U	V1	0.29	1			Plume Definition
P209389	7/23/01	GW07671RG	BROMOBENZENE	RNS	TR1	1	UG/L	U	V1	0.24	1			Plume Definition
P209389	7/23/01	GW07671RG	BROMOCHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.21	1			Plume Definition
P209389	7/23/01	GW07671RG	BROMODICHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.22	1	100		Plume Definition
P209389	7/23/01	GW07671RG	BROMOFORM	RNS	TR1	1	UG/L	U	V1	0.32	1	100		Plume Definition
P209389	7/23/01	GW07671RG	BROMOMETHANE	RNS	TR1	1	UG/L	U	UJ1	0.3	1	51.1		Plume Definition
P209389	7/23/01	GW07671RG	CARBON DISULFIDE	RNS	TR1	1	UG/L	U	V1	0.19	1	3650		Plume Definition
P209389	7/23/01	GW07671RG	CARBON TETRACHLORIDE	RNS	TR1	1	UG/L	U	V1	0.19	1	5		Plume Definition
P209389	7/23/01	GW07671RG	CHLOROBENZENE	RNS	TR1	1	UG/L	U	V1	0.3	1	100		Plume Definition
P209389	7/23/01	GW07671RG	CHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.25	1	29.4		Plume Definition
P209389	7/23/01	GW07671RG	CHLOROFORM	RNS	TR1	1	UG/L	U	V1	0.23	1	100		Plume Definition
P209389	7/23/01	GW07671RG	CHLOROMETHANE	RNS	TR1	1.3	UG/L		V1	0.3	1	6.55		Plume Definition
P209389	7/23/01	GW07671RG	cis-1,2-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	0.26	1	70		Plume Definition
P209389	7/23/01	GW07671RG	cis-1,3-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V1	0.28	1	0.473		Plume Definition
P209389	7/23/01	GW07671RG	DIBROMOCHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.38	1	1.01		Plume Definition
P209389	7/23/01	GW07671RG	DIBROMOMETHANE	RNS	TR1	1	UG/L	U	V1	0.44	1			Plume Definition
P209389	7/23/01	GW07671RG	DICHLORODIFLUOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.23	1			Plume Definition
P209389	7/23/01	GW07671RG	ETHYLBENZENE	RNS	TR1	1	UG/L	U	V1	0.28	1	700		Plume Definition
P209389	7/23/01	GW07671RG	HEXACHLOROBUTADIENE	RNS	TR1	1	UG/L	U	V1	0.29	1	1.09		Plume Definition
P209389	7/23/01	GW07671RG	ISOPROPYLBENZENE	RNS	TR1	1	UG/L	U	V1	0.31	1			Plume Definition
P209389	7/23/01	GW07671RG	METHYLENE CHLORIDE	RNS	TR1	1	UG/L	U	V1	0.89	1	5		Plume Definition

338

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
P209389	7/23/01	GW07671RG	NAPHTHALENE	RNS	TR1	1	UG/L	U	V1	0.15	1	1460		Plume Definition
P209389	7/23/01	GW07671RG	n-BUTYLBENZENE	RNS	TR1	1	UG/L	U	V1	0.26	1			Plume Definition
P209389	7/23/01	GW07671RG	n-PROPYLBENZENE	RNS	TR1	1	UG/L	U	V1	0.23	1			Plume Definition
P209389	7/23/01	GW07671RG	o-CHLOROTOLUENE	RNS	TR1	1	UG/L	U	V1	0.31	1			Plume Definition
P209389	7/23/01	GW07671RG	p-CHLOROTOLUENE	RNS	TR1	1	UG/L	U	V1	0.25	1			Plume Definition
P209389	7/23/01	GW07671RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	RNS	TR1	1	UG/L	U	UJ1	0.25	1	0.2		Plume Definition
P209389	7/23/01	GW07671RG	sec-BUTYLBENZENE	RNS	TR1	1	UG/L	U	V1	0.26	1			Plume Definition
P209389	7/23/01	GW07671RG	STYRENE	RNS	TR1	1	UG/L	U	V1	0.27	1	100		Plume Definition
P209389	7/23/01	GW07671RG	tert-BUTYLBENZENE	RNS	TR1	1	UG/L	U	V1	0.29	1			Plume Definition
P209389	7/23/01	GW07671RG	TETRACHLOROETHENE	RNS	TR1	1	UG/L	U	V1	0.36	1	5		Plume Definition
P209389	7/23/01	GW07671RG	TETRAHYDROFURAN	RNS	TR1	1.1	UG/L		V1		1		TIC	Plume Definition
P209389	7/23/01	GW07671RG	TOLUENE	RNS	TR1	1	UG/L	U	V1	0.29	1	1000		Plume Definition
P209389	7/23/01	GW07671RG	TOTAL XYLENES	RNS	TR1	1	UG/L	U	V1	0.95	1	10000		Plume Definition
P209389	7/23/01	GW07671RG	trans-1,2-DICHLOROETHENE	RNS	TR1	0.5	UG/L	U	V1	0.27	1	70		Plume Definition
P209389	7/23/01	GW07671RG	trans-1,3-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V1	0.42	1	0.473		Plume Definition
P209389	7/23/01	GW07671RG	TRICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	0.22	1	5		Plume Definition
P209389	7/23/01	GW07671RG	TRICHLOROFLUOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.28	1			Plume Definition
P209389	7/23/01	GW07671RG	VINYL CHLORIDE	RNS	TR1	1	UG/L	U	V1	0.21	1	2		Plume Definition
P219089	7/27/01	GW07754RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
P219089	7/27/01	GW07754RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		200		D&D Bldg 771
P219089	7/27/01	GW07754RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		0.426		D&D Bldg 771
P219089	7/27/01	GW07754RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		5		D&D Bldg 771
P219089	7/27/01	GW07754RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
P219089	7/27/01	GW07754RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		3650		D&D Bldg 771
P219089	7/27/01	GW07754RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1		7		D&D Bldg 771
P219089	7/27/01	GW07754RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
P219089	7/27/01	GW07754RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
P219089	7/27/01	GW07754RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
P219089	7/27/01	GW07754RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		70		D&D Bldg 771
P219089	7/27/01	GW07754RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
P219089	7/27/01	GW07754RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		600		D&D Bldg 771
P219089	7/27/01	GW07754RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		5		D&D Bldg 771
P219089	7/27/01	GW07754RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1		5		D&D Bldg 771
P219089	7/27/01	GW07754RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		600		D&D Bldg 771
P219089	7/27/01	GW07754RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
P219089	7/27/01	GW07754RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		75		D&D Bldg 771
P219089	7/27/01	GW07754RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
P219089	7/27/01	GW07754RG	2-BUTANONE	REAL	TR1	10	UG/L	U	R1	10		21900		D&D Bldg 771
P219089	7/27/01	GW07754RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	10				D&D Bldg 771
P219089	7/27/01	GW07754RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	2				D&D Bldg 771
P219089	7/27/01	GW07754RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	10		2920		D&D Bldg 771
P219089	7/27/01	GW07754RG	ACETONE	REAL	TR1	10	UG/L	U	R1	10		3650		D&D Bldg 771
P219089	7/27/01	GW07754RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	1		5		D&D Bldg 771
P219089	7/27/01	GW07754RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
P219089	7/27/01	GW07754RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
P219089	7/27/01	GW07754RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
P219089	7/27/01	GW07754RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
P219089	7/27/01	GW07754RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1		100		D&D Bldg 771
P219089	7/27/01	GW07754RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	1		100		D&D Bldg 771
P219089	7/27/01	GW07754RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1		51.1		D&D Bldg 771
P219089	7/27/01	GW07754RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	1		3650		D&D Bldg 771
P219089	7/27/01	GW07754RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	1		5		D&D Bldg 771
P219089	7/27/01	GW07754RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		100		D&D Bldg 771
P219089	7/27/01	GW07754RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1		29.4		D&D Bldg 771
P219089	7/27/01	GW07754RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	1		100		D&D Bldg 771
P219089	7/27/01	GW07754RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1		6.55		D&D Bldg 771
P219089	7/27/01	GW07754RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1		70		D&D Bldg 771

339

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
P219089	7/27/01	GW07754RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1		0.473		D&D Bldg 771
P219089	7/27/01	GW07754RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1		1.01		D&D Bldg 771
P219089	7/27/01	GW07754RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
P219089	7/27/01	GW07754RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
P219089	7/27/01	GW07754RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1		700		D&D Bldg 771
P219089	7/27/01	GW07754RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	1		1.09		D&D Bldg 771
P219089	7/27/01	GW07754RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
P219089	7/27/01	GW07754RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	1		5		D&D Bldg 771
P219089	7/27/01	GW07754RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	1		1460		D&D Bldg 771
P219089	7/27/01	GW07754RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
P219089	7/27/01	GW07754RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
P219089	7/27/01	GW07754RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
P219089	7/27/01	GW07754RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
P219089	7/27/01	GW07754RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R1	1		0.2		D&D Bldg 771
P219089	7/27/01	GW07754RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
P219089	7/27/01	GW07754RG	STYRENE	REAL	TR1	3	UG/L	U	UJ1	3		100		D&D Bldg 771
P219089	7/27/01	GW07754RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1				D&D Bldg 771
P219089	7/27/01	GW07754RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1		5		D&D Bldg 771
P219089	7/27/01	GW07754RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	1		1000		D&D Bldg 771
P219089	7/27/01	GW07754RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	1		10000		D&D Bldg 771
P219089	7/27/01	GW07754RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1		70		D&D Bldg 771
P219089	7/27/01	GW07754RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1		0.473		D&D Bldg 771
P219089	7/27/01	GW07754RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1		5		D&D Bldg 771
P219089	7/27/01	GW07754RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1				D&D Bldg 771
P219089	7/27/01	GW07754RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	1		2		D&D Bldg 771
P313589	8/30/01	GW07672RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P313589	8/30/01	GW07672RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	200		Plume Extent
P313589	8/30/01	GW07672RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	0.426		Plume Extent
P313589	8/30/01	GW07672RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Extent
P313589	8/30/01	GW07672RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P313589	8/30/01	GW07672RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	3650		Plume Extent
P313589	8/30/01	GW07672RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	7		Plume Extent
P313589	8/30/01	GW07672RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P313589	8/30/01	GW07672RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			Plume Extent
P313589	8/30/01	GW07672RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P313589	8/30/01	GW07672RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	70		Plume Extent
P313589	8/30/01	GW07672RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P313589	8/30/01	GW07672RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	600		Plume Extent
P313589	8/30/01	GW07672RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Extent
P313589	8/30/01	GW07672RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Extent
P313589	8/30/01	GW07672RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	600		Plume Extent
P313589	8/30/01	GW07672RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P313589	8/30/01	GW07672RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	75		Plume Extent
P313589	8/30/01	GW07672RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P313589	8/30/01	GW07672RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R	5	1	21900		Plume Extent
P313589	8/30/01	GW07672RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V	5	1			Plume Extent
P313589	8/30/01	GW07672RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ	1	1			Plume Extent
P313589	8/30/01	GW07672RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V	5	1	2920		Plume Extent
P313589	8/30/01	GW07672RG	ACETONE	REAL	TR1	5	UG/L	U	R	5	1	3650		Plume Extent
P313589	8/30/01	GW07672RG	BENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	5		Plume Extent
P313589	8/30/01	GW07672RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ	1	1			Plume Extent
P313589	8/30/01	GW07672RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ	1	1			Plume Extent
P313589	8/30/01	GW07672RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			Plume Extent
P313589	8/30/01	GW07672RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P313589	8/30/01	GW07672RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	100		Plume Extent
P313589	8/30/01	GW07672RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	1	1	100		Plume Extent
P313589	8/30/01	GW07672RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1	51.1		Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
P313589	8/30/01	GW07672RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V	1	1	3650		Plume Extent
P313589	8/30/01	GW07672RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Extent
P313589	8/30/01	GW07672RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	100		Plume Extent
P313589	8/30/01	GW07672RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	29.4		Plume Extent
P313589	8/30/01	GW07672RG	CHLOROFORM	REAL	TR1	2.6	UG/L		V	1	1	100		Plume Extent
P313589	8/30/01	GW07672RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	6.55		Plume Extent
P313589	8/30/01	GW07672RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70		Plume Extent
P313589	8/30/01	GW07672RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473		Plume Extent
P313589	8/30/01	GW07672RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	1.01		Plume Extent
P313589	8/30/01	GW07672RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P313589	8/30/01	GW07672RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P313589	8/30/01	GW07672RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	700		Plume Extent
P313589	8/30/01	GW07672RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	1	1	1.09		Plume Extent
P313589	8/30/01	GW07672RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			Plume Extent
P313589	8/30/01	GW07672RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Extent
P313589	8/30/01	GW07672RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ	1	1	1460		Plume Extent
P313589	8/30/01	GW07672RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			Plume Extent
P313589	8/30/01	GW07672RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			Plume Extent
P313589	8/30/01	GW07672RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	1	1			Plume Extent
P313589	8/30/01	GW07672RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	1	1			Plume Extent
P313589	8/30/01	GW07672RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R	1	1	0.2		Plume Extent
P313589	8/30/01	GW07672RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			Plume Extent
P313589	8/30/01	GW07672RG	STYRENE	REAL	TR1	1	UG/L	U	UJ	1	1	100		Plume Extent
P313589	8/30/01	GW07672RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1			Plume Extent
P313589	8/30/01	GW07672RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Extent
P313589	8/30/01	GW07672RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ	1	1	1000		Plume Extent
P313589	8/30/01	GW07672RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	UJ	3	1	10000		Plume Extent
P313589	8/30/01	GW07672RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70		Plume Extent
P313589	8/30/01	GW07672RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473		Plume Extent
P313589	8/30/01	GW07672RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Extent
P313589	8/30/01	GW07672RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P313589	8/30/01	GW07672RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	2		Plume Extent
P314289	9/6/01	GW07673RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P314289	9/6/01	GW07673RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	200		Plume Extent
P314289	9/6/01	GW07673RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	0.426		Plume Extent
P314289	9/6/01	GW07673RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Extent
P314289	9/6/01	GW07673RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P314289	9/6/01	GW07673RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	3650		Plume Extent
P314289	9/6/01	GW07673RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	7		Plume Extent
P314289	9/6/01	GW07673RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P314289	9/6/01	GW07673RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P314289	9/6/01	GW07673RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P314289	9/6/01	GW07673RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	70		Plume Extent
P314289	9/6/01	GW07673RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P314289	9/6/01	GW07673RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	600		Plume Extent
P314289	9/6/01	GW07673RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Extent
P314289	9/6/01	GW07673RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Extent
P314289	9/6/01	GW07673RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	600		Plume Extent
P314289	9/6/01	GW07673RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P314289	9/6/01	GW07673RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	75		Plume Extent
P314289	9/6/01	GW07673RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P314289	9/6/01	GW07673RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R	5	1	21900		Plume Extent
P314289	9/6/01	GW07673RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V	5	1			Plume Extent
P314289	9/6/01	GW07673RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P314289	9/6/01	GW07673RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V	5	1	2920		Plume Extent
P314289	9/6/01	GW07673RG	ACETONE	REAL	TR1	5	UG/L	U	R	5	1	3650		Plume Extent
P314289	9/6/01	GW07673RG	BENZENE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
P314289	9/6/01	GW07673RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P314289	9/6/01	GW07673RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P314289	9/6/01	GW07673RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P314289	9/6/01	GW07673RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P314289	9/6/01	GW07673RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	100		Plume Extent
P314289	9/6/01	GW07673RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	1	1	100		Plume Extent
P314289	9/6/01	GW07673RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1	51.1		Plume Extent
P314289	9/6/01	GW07673RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V	1	1	3650		Plume Extent
P314289	9/6/01	GW07673RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Extent
P314289	9/6/01	GW07673RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	100		Plume Extent
P314289	9/6/01	GW07673RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	29.4		Plume Extent
P314289	9/6/01	GW07673RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V	1	1	100		Plume Extent
P314289	9/6/01	GW07673RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	6.55		Plume Extent
P314289	9/6/01	GW07673RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70		Plume Extent
P314289	9/6/01	GW07673RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473		Plume Extent
P314289	9/6/01	GW07673RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	1.01		Plume Extent
P314289	9/6/01	GW07673RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P314289	9/6/01	GW07673RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P314289	9/6/01	GW07673RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1	700		Plume Extent
P314289	9/6/01	GW07673RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	UJ	1	1	1.09		Plume Extent
P314289	9/6/01	GW07673RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P314289	9/6/01	GW07673RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Extent
P314289	9/6/01	GW07673RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V	1	1	1460		Plume Extent
P314289	9/6/01	GW07673RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P314289	9/6/01	GW07673RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P314289	9/6/01	GW07673RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P314289	9/6/01	GW07673RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P314289	9/6/01	GW07673RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V	1	1	0.2		Plume Extent
P314289	9/6/01	GW07673RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P314289	9/6/01	GW07673RG	STYRENE	REAL	TR1	1	UG/L	U	V	1	1	100		Plume Extent
P314289	9/6/01	GW07673RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P314289	9/6/01	GW07673RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Extent
P314289	9/6/01	GW07673RG	TOLUENE	REAL	TR1	1	UG/L	U	V	1	1	1000		Plume Extent
P314289	9/6/01	GW07673RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	V	3	1	10000		Plume Extent
P314289	9/6/01	GW07673RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70		Plume Extent
P314289	9/6/01	GW07673RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473		Plume Extent
P314289	9/6/01	GW07673RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	5		Plume Extent
P314289	9/6/01	GW07673RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			Plume Extent
P314289	9/6/01	GW07673RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	2		Plume Extent
P317989	7/18/01	GW07697RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1			D&D Bldg 886/865
P317989	7/18/01	GW07697RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	200		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.426		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1	5		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 886/865
P317989	7/18/01	GW07697RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.17	1	3650		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.2	1	7		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1			D&D Bldg 886/865
P317989	7/18/01	GW07697RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	0.17	UG/L	J	JB1	0.16	1			D&D Bldg 886/865
P317989	7/18/01	GW07697RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.29	1			D&D Bldg 886/865
P317989	7/18/01	GW07697RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	70		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.36	1			D&D Bldg 886/865
P317989	7/18/01	GW07697RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	600		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1	5		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	600		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.26	1			D&D Bldg 886/865
P317989	7/18/01	GW07697RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	75		D&D Bldg 886/865

342

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
P317989	7/18/01	GW07697RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 886/865
P317989	7/18/01	GW07697RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V1	0.93	1	21900		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	0.7	1			D&D Bldg 886/865
P317989	7/18/01	GW07697RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1			D&D Bldg 886/865
P317989	7/18/01	GW07697RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	0.79	1	2920		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	ACETONE	REAL	TR1	10	UG/L	U	V1	1.9	1	3650		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1	5		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.22	1			D&D Bldg 886/865
P317989	7/18/01	GW07697RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.29	1			D&D Bldg 886/865
P317989	7/18/01	GW07697RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1			D&D Bldg 886/865
P317989	7/18/01	GW07697RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1			D&D Bldg 886/865
P317989	7/18/01	GW07697RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	100		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.32	1	100		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	51.1		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	3650		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.19	1	5		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	100		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.25	1	29.4		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.23	1	100		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.3	1	6.55		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.26	1	70		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.28	1	0.473		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.38	1	1.01		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1			D&D Bldg 886/865
P317989	7/18/01	GW07697RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1			D&D Bldg 886/865
P317989	7/18/01	GW07697RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.28	1	700		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.29	1	1.09		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			D&D Bldg 886/865
P317989	7/18/01	GW07697RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.89	1	5		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1460		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			D&D Bldg 886/865
P317989	7/18/01	GW07697RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1			D&D Bldg 886/865
P317989	7/18/01	GW07697RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1			D&D Bldg 886/865
P317989	7/18/01	GW07697RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1			D&D Bldg 886/865
P317989	7/18/01	GW07697RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.25	1	0.2		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1			D&D Bldg 886/865
P317989	7/18/01	GW07697RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.27	1	100		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1			D&D Bldg 886/865
P317989	7/18/01	GW07697RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.36	1	5		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1	1000		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.95	1	10000		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.27	1	70		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.42	1	0.473		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.22	1	5		D&D Bldg 886/865
P317989	7/18/01	GW07697RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1			D&D Bldg 886/865
P317989	7/18/01	GW07697RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.21	1	2		D&D Bldg 886/865
P419689	8/13/01	GW07719RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
P419689	8/13/01	GW07719RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	200		D&D Bldg 444
P419689	8/13/01	GW07719RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	0.426		D&D Bldg 444
P419689	8/13/01	GW07719RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 444
P419689	8/13/01	GW07719RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
P419689	8/13/01	GW07719RG	1,1-DICHLOROETHANE	REAL	TR1	1.9	UG/L		V	1	1	3650		D&D Bldg 444
P419689	8/13/01	GW07719RG	1,1-DICHLOROETHENE	REAL	TR1	0.7	UG/L	J	V	1	1	7		D&D Bldg 444
P419689	8/13/01	GW07719RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
P419689	8/13/01	GW07719RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
P419689	8/13/01	GW07719RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
P419689	8/13/01	GW07719RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	70		D&D Bldg 444

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
P419689	8/13/01	GW07719RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
P419689	8/13/01	GW07719RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	600		D&D Bldg 444
P419689	8/13/01	GW07719RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 444
P419689	8/13/01	GW07719RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 444
P419689	8/13/01	GW07719RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	600		D&D Bldg 444
P419689	8/13/01	GW07719RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
P419689	8/13/01	GW07719RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	75		D&D Bldg 444
P419689	8/13/01	GW07719RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
P419689	8/13/01	GW07719RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R	5	1	21900		D&D Bldg 444
P419689	8/13/01	GW07719RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V	10	1			D&D Bldg 444
P419689	8/13/01	GW07719RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
P419689	8/13/01	GW07719RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V	10	1	2920		D&D Bldg 444
P419689	8/13/01	GW07719RG	ACETONE	REAL	TR1	10	UG/L	U	R	10	1	3650		D&D Bldg 444
P419689	8/13/01	GW07719RG	BENZENE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 444
P419689	8/13/01	GW07719RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
P419689	8/13/01	GW07719RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
P419689	8/13/01	GW07719RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
P419689	8/13/01	GW07719RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
P419689	8/13/01	GW07719RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 444
P419689	8/13/01	GW07719RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 444
P419689	8/13/01	GW07719RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1	51.1		D&D Bldg 444
P419689	8/13/01	GW07719RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V	1	1	3650		D&D Bldg 444
P419689	8/13/01	GW07719RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 444
P419689	8/13/01	GW07719RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 444
P419689	8/13/01	GW07719RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	29.4		D&D Bldg 444
P419689	8/13/01	GW07719RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 444
P419689	8/13/01	GW07719RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	6.55		D&D Bldg 444
P419689	8/13/01	GW07719RG	cis-1,2-DICHLOROETHENE	REAL	TR1	4.3	UG/L		V	1	1	70		D&D Bldg 444
P419689	8/13/01	GW07719RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473		D&D Bldg 444
P419689	8/13/01	GW07719RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	1.01		D&D Bldg 444
P419689	8/13/01	GW07719RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
P419689	8/13/01	GW07719RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
P419689	8/13/01	GW07719RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1	700		D&D Bldg 444
P419689	8/13/01	GW07719RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	1	1	1.09		D&D Bldg 444
P419689	8/13/01	GW07719RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
P419689	8/13/01	GW07719RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5		D&D Bldg 444
P419689	8/13/01	GW07719RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V	1	1	1460		D&D Bldg 444
P419689	8/13/01	GW07719RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
P419689	8/13/01	GW07719RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
P419689	8/13/01	GW07719RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
P419689	8/13/01	GW07719RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
P419689	8/13/01	GW07719RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V	1	1	0.2		D&D Bldg 444
P419689	8/13/01	GW07719RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
P419689	8/13/01	GW07719RG	STYRENE	REAL	TR1	1	UG/L	U	V	1	1	100		D&D Bldg 444
P419689	8/13/01	GW07719RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
P419689	8/13/01	GW07719RG	TETRACHLOROETHENE	REAL	TR1	10	UG/L		V	1	1	5		D&D Bldg 444
P419689	8/13/01	GW07719RG	TOLUENE	REAL	TR1	1	UG/L	U	V	1	1	1000		D&D Bldg 444
P419689	8/13/01	GW07719RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	V	3	1	10000		D&D Bldg 444
P419689	8/13/01	GW07719RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70		D&D Bldg 444
P419689	8/13/01	GW07719RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473		D&D Bldg 444
P419689	8/13/01	GW07719RG	TRICHLOROETHENE	REAL	TR1	1.2	UG/L		V	1	1	5		D&D Bldg 444
P419689	8/13/01	GW07719RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1			D&D Bldg 444
P419689	8/13/01	GW07719RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	2		D&D Bldg 444
SW13494	8/28/01	SW07706RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
SW13494	8/28/01	SW07706RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	200		Perf Monitoring
SW13494	8/28/01	SW07706RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	0.426		Perf Monitoring
SW13494	8/28/01	SW07706RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Perf Monitoring

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	TICs	IMP Well Class
SW13494	8/28/01	SW07706RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	0.3	UG/L	J	V1	1	1			Perf Monitoring
SW13494	8/28/01	SW07706RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Perf Monitoring
SW13494	8/28/01	SW07706RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	7		Perf Monitoring
SW13494	8/28/01	SW07706RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
SW13494	8/28/01	SW07706RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
SW13494	8/28/01	SW07706RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
SW13494	8/28/01	SW07706RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	70		Perf Monitoring
SW13494	8/28/01	SW07706RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
SW13494	8/28/01	SW07706RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		Perf Monitoring
SW13494	8/28/01	SW07706RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Perf Monitoring
SW13494	8/28/01	SW07706RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1	5		Perf Monitoring
SW13494	8/28/01	SW07706RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	600		Perf Monitoring
SW13494	8/28/01	SW07706RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
SW13494	8/28/01	SW07706RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	75		Perf Monitoring
SW13494	8/28/01	SW07706RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
SW13494	8/28/01	SW07706RG	2-BUTANONE	REAL	TR1	5	UG/L	U	R1	5	1	21900		Perf Monitoring
SW13494	8/28/01	SW07706RG	2-HEXANONE	REAL	TR1	5	UG/L	U	UJ1	5	1			Perf Monitoring
SW13494	8/28/01	SW07706RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
SW13494	8/28/01	SW07706RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	5	1	2920		Perf Monitoring
SW13494	8/28/01	SW07706RG	ACETONE	REAL	TR1	5	UG/L	U	R1	5	1	3650		Perf Monitoring
SW13494	8/28/01	SW07706RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	5		Perf Monitoring
SW13494	8/28/01	SW07706RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
SW13494	8/28/01	SW07706RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
SW13494	8/28/01	SW07706RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
SW13494	8/28/01	SW07706RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
SW13494	8/28/01	SW07706RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	100		Perf Monitoring
SW13494	8/28/01	SW07706RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Perf Monitoring
SW13494	8/28/01	SW07706RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	51.1		Perf Monitoring
SW13494	8/28/01	SW07706RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	1	1	3650		Perf Monitoring
SW13494	8/28/01	SW07706RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		Perf Monitoring
SW13494	8/28/01	SW07706RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		Perf Monitoring
SW13494	8/28/01	SW07706RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	1	1	29.4		Perf Monitoring
SW13494	8/28/01	SW07706RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	1	1	100		Perf Monitoring
SW13494	8/28/01	SW07706RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	6.55		Perf Monitoring
SW13494	8/28/01	SW07706RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1.5	UG/L		V1	1	1	70		Perf Monitoring
SW13494	8/28/01	SW07706RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Perf Monitoring
SW13494	8/28/01	SW07706RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1	1.01		Perf Monitoring
SW13494	8/28/01	SW07706RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
SW13494	8/28/01	SW07706RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	1	1			Perf Monitoring
SW13494	8/28/01	SW07706RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1	700		Perf Monitoring
SW13494	8/28/01	SW07706RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	1	1	1.09		Perf Monitoring
SW13494	8/28/01	SW07706RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
SW13494	8/28/01	SW07706RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	1	1	5		Perf Monitoring
SW13494	8/28/01	SW07706RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1460		Perf Monitoring
SW13494	8/28/01	SW07706RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
SW13494	8/28/01	SW07706RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
SW13494	8/28/01	SW07706RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
SW13494	8/28/01	SW07706RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
SW13494	8/28/01	SW07706RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	R1	1	1	0.2		Perf Monitoring
SW13494	8/28/01	SW07706RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
SW13494	8/28/01	SW07706RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	1	1	100		Perf Monitoring
SW13494	8/28/01	SW07706RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	1	1			Perf Monitoring
SW13494	8/28/01	SW07706RG	TETRACHLOROETHENE	REAL	TR1	30	UG/L		V1	1	1	5		Perf Monitoring
SW13494	8/28/01	SW07706RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	1	1	1000		Perf Monitoring
SW13494	8/28/01	SW07706RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	UJ1	3	1	10000		Perf Monitoring
SW13494	8/28/01	SW07706RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	1	1	70		Perf Monitoring
SW13494	8/28/01	SW07706RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	1	1	0.473		Perf Monitoring

3 4/5

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
			Polychlorinated Biphenyls (PCBs)										
18199	9/10/01	GW07745RG	AROCLOR-1016	REAL	TR1	0.5	UG/L	U	V1	0.5	1	0.5	Plume Degradation
8199	9/10/01	GW07745RG	AROCLOR-1221	REAL	TR1	0.5	UG/L	U	V1	0.5	1	0.5	Plume Degradation
3199	9/10/01	GW07745RG	AROCLOR-1232	REAL	TR1	0.5	UG/L	U	V1	0.5	1	0.5	Plume Degradation
18199	9/10/01	GW07745RG	AROCLOR-1242	REAL	TR1	0.5	UG/L	U	V1	0.5	1	0.5	Plume Degradation
18199	9/10/01	GW07745RG	AROCLOR-1248	REAL	TR1	0.5	UG/L	U	V1	0.5	1	0.5	Plume Degradation
8199	9/10/01	GW07745RG	AROCLOR-1254	REAL	TR1	0.5	UG/L	U	V1	0.5	1	0.5	Plume Degradation
8199	9/10/01	GW07745RG	AROCLOR-1260	REAL	TR1	0.5	UG/L	U	V1	0.5	1	0.5	Plume Degradation
22696	7/30/01	GW07658RG	AROCLOR-1016	REAL	TR1	0.5	UG/L	U	V1	0.5		0.5	Plume Extent
2696	7/30/01	GW07658RG	AROCLOR-1221	REAL	TR1	0.5	UG/L	U	V1	0.5		0.5	Plume Extent
2696	7/30/01	GW07658RG	AROCLOR-1232	REAL	TR1	0.5	UG/L	U	V1	0.5		0.5	Plume Extent
22696	7/30/01	GW07658RG	AROCLOR-1242	REAL	TR1	0.5	UG/L	U	V1	0.5		0.5	Plume Extent
22696	7/30/01	GW07658RG	AROCLOR-1248	REAL	TR1	0.5	UG/L	U	V1	0.5		0.5	Plume Extent
2696	7/30/01	GW07658RG	AROCLOR-1254	REAL	TR1	0.5	UG/L	U	V1	0.5		0.5	Plume Extent
2696	7/30/01	GW07658RG	AROCLOR-1260	REAL	TR1	0.5	UG/L	U	V1	0.5		0.5	Plume Extent
P219089	7/27/01	GW07754RG	AROCLOR-1016	REAL	TR1	0.5	UG/L	U	V1	0.5		0.5	D&D Bldg 771
P219089	7/27/01	GW07754RG	AROCLOR-1221	REAL	TR1	0.5	UG/L	U	V1	0.5		0.5	D&D Bldg 771
219089	7/27/01	GW07754RG	AROCLOR-1232	REAL	TR1	0.5	UG/L	U	V1	0.5		0.5	D&D Bldg 771
219089	7/27/01	GW07754RG	AROCLOR-1242	REAL	TR1	0.5	UG/L	U	V1	0.5		0.5	D&D Bldg 771
P219089	7/27/01	GW07754RG	AROCLOR-1248	REAL	TR1	0.5	UG/L	U	V1	0.5		0.5	D&D Bldg 771
219089	7/27/01	GW07754RG	AROCLOR-1254	REAL	TR1	0.5	UG/L	U	V1	0.5		0.5	D&D Bldg 771
219089	7/27/01	GW07754RG	AROCLOR-1260	REAL	TR1	0.5	UG/L	U	V1	0.5		0.5	D&D Bldg 771
			Water Quality Parameters (WQPs)										
01097	8/29/01	GW07733RG	Alkalinity,Total as CaCO3	REAL	TR1	58	MG/L		V1	1.7	1		Plume Degradation
1497	9/4/01	GW07734RG	Alkalinity,Total as CaCO3	REAL	TR1	36	MG/L		V	5	1		Plume Degradation
02097	9/6/01	GW07736RG	Alkalinity,Total as CaCO3	REAL	TR1	150	MG/L	*	V	1.7	1		Plume Degradation
70693	9/5/01	GW07735RG	Alkalinity,Total as CaCO3	REAL	TR1	40	MG/L	*	V	1.7	1		Plume Degradation
1097	8/29/01	GW07733RG	CHLORIDE	REAL	TR1	7.9	MG/L		V1	0.02	1		Plume Degradation
1497	9/4/01	GW07734RG	CHLORIDE	REAL	TR1	12	MG/L		V	0.5	1		Plume Degradation
02097	9/6/01	GW07736RG	CHLORIDE	REAL	TR1	13	MG/L		V	0.02	1		Plume Degradation
07391	8/23/01	GW07724RG	CHLORIDE	REAL	TR1	370	MG/L		J1	25	50		Perf Monitoring
791	8/22/01	GW07725RG	CHLORIDE	REAL	TR1	71	MG/L		V1	12	25		Plume Degradation
187	8/27/01	GW07723RG	CHLORIDE	REAL	TR1	68	MG/L	U	V1	0.1	5		Plume Degradation
70693	9/5/01	GW07735RG	CHLORIDE	REAL	TR1	29	MG/L		V	0.2	10		Plume Degradation
0099	8/22/01	GW07716RG	CHLORIDE	REAL	TR1	64	MG/L		V1	2.5	5		Plume Degradation
0099	8/22/01	GW07717RG	CHLORIDE	DUP	TR1	64	MG/L		V1	2.5	5		Plume Degradation
90099	8/22/01	GW07718RG	CHLORIDE	RNS	TR1	0.5	MG/L	U	V1	0.5	1		Plume Degradation
90399	8/27/01	GW07722RG	CHLORIDE	REAL	TR1	45	MG/L	U	V1	0.1	5		Plume Degradation
0098	8/30/01	GW07674RG	CYANIDE	REAL	TR1	0.002	MG/L	U	V	0.002	1	200	D&D Bldg 123
0198	8/6/01	GW07675RG	CYANIDE	REAL	TR1	0.005	MG/L	U	V1	0.005	1	200	D&D Bldg 123
10298	7/31/01	GW07676RG	CYANIDE	REAL	TR1	0.005	MG/L	U	V1	0.005		200	D&D Bldg 123
0398	8/30/01	GW07677RG	CYANIDE	REAL	TR1	0.002	MG/L	U	V	0.002	1	200	D&D Bldg 123
0498	7/24/01	GW07678RG	CYANIDE	REAL	TR1	0.004	MG/L	B	V1	0.002	1	200	D&D Bldg 123
10598	7/24/01	GW07679RG	CYANIDE	REAL	TR1	0.007	MG/L		V1	0.002	1	200	D&D Bldg 123
40099	8/13/01	GW07737RG	CYANIDE	REAL	TR1	0.009	MG/L		V1	0.005	1	200	D&D Bldg 444
0199	8/13/01	GW07738RG	CYANIDE	REAL	TR1	0.005	MG/L	U	V1	0.005	1	200	D&D Bldg 444
0299	7/23/01	GW07739RG	CYANIDE	REAL	TR1	0.002	MG/L	U	V	0.002	1	200	D&D Bldg 444
40299	7/23/01	GW07740RG	CYANIDE	DUP	TR1	0.003	MG/L	B	V	0.002	1	200	D&D Bldg 444
0299	7/23/01	GW07741RG	CYANIDE	RNS	TR1	0.003	MG/L	B	V	0.002	1	200	D&D Bldg 444
0399	8/13/01	GW07742RG	CYANIDE	REAL	TR1	0.005	MG/L	U	V1	0.005	1	200	D&D Bldg 444
40499	8/13/01	GW07743RG	CYANIDE	REAL	TR1	0.005	MG/L	U	V1	0.005	1	200	D&D Bldg 444
41299	7/17/01	GW07744RG	CYANIDE	REAL	TR1	0.005	MG/L		V1	0.002	1	200	D&D Bldg 444
419689	8/13/01	GW07719RG	CYANIDE	REAL	TR1	0.005	MG/L	U	V1	0.005	1	200	D&D Bldg 444
0597	7/19/01	GW07625RG	FLUORIDE	REAL	TR1	0.4	MG/L	B	V	0.03	1	4	Plume Definition
00597	7/19/01	GW07626RG	FLUORIDE	DUP	TR1	0.44	MG/L	B	V	0.03	1	4	Plume Definition
0597	7/19/01	GW07627RG	FLUORIDE	RNS	TR1	0.03	MG/L	U	V	0.03	1	4	Plume Definition
2197	7/19/01	GW07612RG	FLUORIDE	REAL	TR1	1.5	MG/L		V1	0.03	1	4	Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
0386	8/2/01	GW07630RG	FLUORIDE	REAL	TR1	2.4	MG/L		J1	0.5	1	4	Boundary
10294	7/27/01	GW07649RG	FLUORIDE	REAL	TR1	2.7	MG/L		V1	0.05		4	Boundary
10394	7/16/01	GW07650RG	FLUORIDE	REAL	TR1	0.52	MG/L		V1	0.03	1	4	Boundary
41591	9/10/01	GW07663RG	FLUORIDE	REAL	TR1	5	MG/L	U		5	10	4	Boundary
41691	8/30/01	GW07664RG	FLUORIDE	REAL	TR1	0.43	MG/L	B	V	0.01	1	4	Boundary
52894	7/19/01	GW07700RG	FLUORIDE	REAL	TR1	2.1	MG/L		V1	0.03	1	4	RCRA
5887	7/12/01	GW07699RG	FLUORIDE	REAL	TR1	0.29	MG/L	B	V1	0.035	1	4	RCRA
70193	7/25/01	GW07702RG	FLUORIDE	REAL	TR1	0.39	MG/L	B	V1	0.03	1	4	RCRA
70393	7/11/01	GW07703RG	FLUORIDE	REAL	TR1	0.42	MG/L	B	V1	0.035	1	4	RCRA
70493	7/25/01	GW07704RG	FLUORIDE	REAL	TR1	0.86	MG/L		V1	0.03	1	4	RCRA
B206989	8/7/01	GW07705RG	FLUORIDE	REAL	TR1	0.5	MG/L	U	J1	0.5	1	4	RCRA
P209389	7/24/01	GW07669RG	FLUORIDE	REAL	TR1	0.46	MG/L	B	V1	0.03	1	4	Plume Definition
P209389	7/24/01	GW07670RG	FLUORIDE	DUP	TR1	0.5	MG/L		V1	0.03	1	4	Plume Definition
P209389	7/24/01	GW07671RG	FLUORIDE	RNS	TR1	0.03	MG/L	U	V1	0.03	1	4	Plume Definition
01097	8/29/01	GW07733RG	NITRATE	REAL	TR1	3.9	MG/L		V1	0.011	1	10	Plume Degradatio
01497	9/4/01	GW07734RG	NITRATE	REAL	TR1	6.9	MG/L		V	0.5	10	10	Plume Degradation
02097	9/6/01	GW07736RG	NITRATE	REAL	TR1	4.5	MG/L			0.11	10	10	Plume Degradation
07391	8/23/01	GW07724RG	NITRATE	REAL	TR1	65	MG/L		V1	1.2	25	10	Perf Monitoring
11791	8/22/01	GW07725RG	NITRATE	REAL	TR1	0.85	MG/L		J1	0.25	5	10	Plume Degradation
1187	8/27/01	GW07723RG	NITRATE	REAL	TR1	1.6	MG/L		V1	0.011	1	10	Plume Degradation
70693	9/5/01	GW07735RG	NITRATE	REAL	TR1	8	MG/L		V	0.11	10	10	Plume Degradatio
90099	8/22/01	GW07716RG	NITRATE	REAL	TR1	3.1	MG/L		J1	0.25	5	10	Plume Degradatio
90099	8/22/01	GW07717RG	NITRATE	DUP	TR1	3.2	MG/L		J1	0.25	5	10	Plume Degradation
90099	8/22/01	GW07718RG	NITRATE	RNS	TR1	0.1	MG/L		J1	0.05	1	10	Plume Degradation
90399	8/27/01	GW07722RG	NITRATE	REAL	TR1	2.8	MG/L		V1	0.011	1	10	Plume Degradatio
00491	7/12/01	GW07623RG	NITRATE/NITRITE	REAL	TR1	1.6	MG/L		V1	0.021	1	10	Plume Definition
00597	7/19/01	GW07625RG	NITRATE/NITRITE	REAL	DL1	9.9	MG/L		V	0.042	2	10	Plume Definition
00597	7/19/01	GW07626RG	NITRATE/NITRITE	DUP	DL1	10	MG/L		V	0.042	2	10	Plume Definition
00597	7/19/01	GW07627RG	NITRATE/NITRITE	RNS	TR1	0.12	MG/L		V	0.021	1	10	Plume Definition
00797	8/16/01	GW07628RG	NITRATE/NITRITE	REAL	TR1	0.79	MG/L		V1	0.05	1	10	Perf Monitoring
02197	7/19/01	GW07612RG	NITRATE/NITRITE	REAL	DL1	10.1	MG/L		V1	0.1	5	10	Plume Extent
0386	8/2/01	GW07630RG	NITRATE/NITRITE	REAL	TR1	3.1	MG/L		V1	0.1	2	10	Boundary
03991	8/7/01	GW07631RG	NITRATE/NITRITE	REAL	TR1	4.5	MG/L		V1	0.25	5	10	Plume Definition
03991	8/7/01	GW07632RG	NITRATE/NITRITE	DUP	TR1	4.5	MG/L		V1	0.25	5	10	Plume Definition
03991	8/7/01	GW07633RG	NITRATE/NITRITE	RNS	TR1	0.05	MG/L	U	V1	0.05	1	10	Plume Definition
04091	8/20/01	GW07613RG	NITRATE/NITRITE	REAL	TR1	4.3	MG/L		V1	0.25	5	10	Plume Extent
04591	8/21/01	GW07634RG	NITRATE/NITRITE	REAL	TR1	5	MG/L		V1	0.25	5	10	Plume Extent
0487	8/13/01	GW07635RG	NITRATE/NITRITE	REAL	TR1	1.9	MG/L		V1	0.1	2	10	Plume Definition
04991	9/7/01	GW07614RG	NITRATE/NITRITE	REAL	TR1	8.1	MG/L			0.5	10	10	Plume Extent
05091	8/13/01	GW07636RG	NITRATE/NITRITE	REAL	TR1	7.1	MG/L		V1	0.25	5	10	Plume Extent
05391	8/16/01	GW07637RG	NITRATE/NITRITE	REAL	TR1	3.8	MG/L		V1	0.25	5	10	Plume Definition
05691	8/24/01	GW07638RG	NITRATE/NITRITE	REAL	TR1	4	MG/L		V1	0.25	5	10	Perf Monitoring
06091	8/24/01	GW07615RG	NITRATE/NITRITE	REAL	TR1	7.6	MG/L		V1	0.05	5	10	Plume Extent
06491	8/23/01	GW07639RG	NITRATE/NITRITE	REAL	TR1	0.88	MG/L		V1	0.05	1	10	Boundary
10098	9/13/01	GW07674RG	NITRATE/NITRITE	REAL	TR1	2.8	MG/L		V1	0.021	1	10	D&D Bldg 123
10194	8/16/01	GW07648RG	NITRATE/NITRITE	REAL	TR1	3.9	MG/L		V1	0.25	5	10	Plume Extent
10198	8/23/01	GW07675RG	NITRATE/NITRITE	REAL	TR1	0.98	MG/L		V1	0.05	1	10	D&D Bldg 123
10294	7/27/01	GW07649RG	NITRATE/NITRITE	REAL	TR1	7.4	MG/L		V1	0.05	5	10	Boundary
10298	8/23/01	GW07676RG	NITRATE/NITRITE	REAL	TR1	11	MG/L		V1	0.5	10	10	D&D Bldg 123
10394	7/16/01	GW07650RG	NITRATE/NITRITE	REAL	TR1	0.16	MG/L		V1	0.021	1	10	Boundary
10398	8/23/01	GW07677RG	NITRATE/NITRITE	REAL	TR1	3.5	MG/L		V1	0.1	2	10	D&D Bldg 123
10498	7/24/01	GW07678RG	NITRATE/NITRITE	REAL	DL1	8.2	MG/L		V1	0.042	2	10	D&D Bldg 123
10592	7/25/01	GW07619RG	NITRATE/NITRITE	REAL	TR1	5.2	MG/L		V1	0.021	1	10	Perf Monitoring
10598	7/24/01	GW07679RG	NITRATE/NITRITE	REAL	TR1	0.097	MG/L		V1	0.021	1	10	D&D Bldg 123
10692	7/25/01	GW07651RG	NITRATE/NITRITE	REAL	TR1	0.26	MG/L		V1	0.021	1	10	Perf Monitoring
10792	7/25/01	GW07620RG	NITRATE/NITRITE	REAL	TR1	1.5	MG/L		V1	0.021	1	10	Perf Monitoring
10992	7/18/01	GW07652RG	NITRATE/NITRITE	REAL	DL1	18	MG/L		V1	0.1	5	10	Perf Monitoring

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
0994	8/14/01	GW07653RG	NITRATE/NITRITE	REAL	TR1	11	MG/L		V1	1	20	10	Plume Extent
12691	8/24/01	GW07654RG	NITRATE/NITRITE	REAL	TR1	5.4	MG/L		V1	0.05	5	10	Perf Monitoring
2691	8/24/01	GW07656RG	NITRATE/NITRITE	RNS	TR1	0.056	MG/L		V1	0.01	1	10	Perf Monitoring
386	8/27/01	GW07712RG	NITRATE/NITRITE	REAL	TR1	0.026	MG/L	B	V1	0.01	1	10	Plume Extent
1786	7/11/01	GW07713RG	NITRATE/NITRITE	REAL	DL1	363	MG/L		V1	2.1	100	10	Plume Extent
18199	9/10/01	GW07745RG	NITRATE/NITRITE	REAL	TR1	1.8	MG/L			0.1	2	10	Plume Degradation
2596	8/1/01	GW07657RG	NITRATE/NITRITE	REAL	TR1	1.7	MG/L		V1	0.05	2	10	Plume Extent
2696	7/23/01	GW07658RG	NITRATE/NITRITE	REAL	TR1	1.7	MG/L		V	0.021	1	10	Plume Extent
22896	9/12/01	GW07659RG	NITRATE/NITRITE	REAL	TR1	5.4	MG/L		V1	0.1	10	10	Plume Definition
2896	9/12/01	GW07660RG	NITRATE/NITRITE	DUP	TR1	4.2	MG/L		V1	0.1	10	10	Plume Definition
2996	8/1/01	GW07694RG	NITRATE/NITRITE	REAL	TR1	0.77	MG/L		V1	0.05		10	D&D Bldg 886
23096	8/14/01	GW07661RG	NITRATE/NITRITE	REAL	TR1	0.88	MG/L		V1	0.05	1	10	Plume Extent
37101	8/8/01	GW07680RG	NITRATE/NITRITE	REAL	TR1	3.6	MG/L		V1	0.25	5	10	D&D Bldg 371
7201	8/10/01	GW07681RG	NITRATE/NITRITE	REAL	TR1	0.84	MG/L		V1	0.05	1	10	D&D Bldg 371
7201	8/10/01	GW07682RG	NITRATE/NITRITE	DUP	TR1	0.84	MG/L		V1	0.05	1	10	D&D Bldg 371
37201	8/10/01	GW07683RG	NITRATE/NITRITE	RNS	TR1	0.071	MG/L		V1	0.05	1	10	D&D Bldg 371
37301	8/9/01	GW07684RG	NITRATE/NITRITE	REAL	TR1	0.05	MG/L	U	V1	0.05	1	10	D&D Bldg 371
7401	8/13/01	GW07685RG	NITRATE/NITRITE	REAL	TR1	1.3	MG/L		V1	0.05	1	10	D&D Bldg 371
7501	8/14/01	GW07686RG	NITRATE/NITRITE	REAL	TR1	9	MG/L		V1	0.5	10	10	D&D Bldg 371
37601	8/21/01	GW07687RG	NITRATE/NITRITE	REAL	TR1	4.2	MG/L		V1	0.25	5	10	D&D Bldg 371
7701	8/14/01	GW07688RG	NITRATE/NITRITE	REAL	TR1	0.05	MG/L	U	V1	0.05	1	10	D&D Bldg 371
0099	8/13/01	GW07737RG	NITRATE/NITRITE	REAL	TR1	4.8	MG/L		V1	0.25	5	10	D&D Bldg 444
40199	8/13/01	GW07738RG	NITRATE/NITRITE	REAL	TR1	1.3	MG/L		V1	0.1	2	10	D&D Bldg 444
40299	7/23/01	GW07739RG	NITRATE/NITRITE	REAL	TR1	5.6	MG/L		V	0.021	1	10	D&D Bldg 444
0299	7/23/01	GW07740RG	NITRATE/NITRITE	DUP	TR1	5.6	MG/L		V	0.021	1	10	D&D Bldg 444
0299	7/23/01	GW07741RG	NITRATE/NITRITE	RNS	TR1	0.047	MG/L	B	V	0.021	1	10	D&D Bldg 444
40399	8/13/01	GW07742RG	NITRATE/NITRITE	REAL	TR1	0.69	MG/L		V1	0.05	1	10	D&D Bldg 444
0499	8/13/01	GW07743RG	NITRATE/NITRITE	REAL	TR1	4.6	MG/L		V1	0.25	5	10	D&D Bldg 444
087	7/16/01	GW07698RG	NITRATE/NITRITE	REAL	TR1	0.13	MG/L		V1	0.021	1	10	RCRA
40999	9/24/01	GW07691RG	NITRATE/NITRITE	REAL	TR1	0.47	MG/L		V	0.021	1	10	D&D Bldg 886/865
41099	8/13/01	GW07692RG	NITRATE/NITRITE	REAL	TR1	22	MG/L		V1	1	20	10	D&D Bldg 886
1199	7/16/01	GW07693RG	NITRATE/NITRITE	REAL	TR1	0.79	MG/L		V1	0.021	1	10	D&D Bldg 886
1299	7/17/01	GW07744RG	NITRATE/NITRITE	REAL	TR1	2.3	MG/L		V1	0.021	1	10	D&D Bldg 444
41591	9/10/01	GW07663RG	NITRATE/NITRITE	REAL	TR1	0.36	MG/L			0.05	1	10	Boundary
1691	8/30/01	GW07664RG	NITRATE/NITRITE	REAL	TR1	0.01	MG/L	U	V	0.01	1	10	Boundary
3392	7/18/01	GW07665RG	NITRATE/NITRITE	REAL	TR1	2.9	MG/L		V1	0.021	1	10	Plume Extent
52894	7/17/01	GW07700RG	NITRATE/NITRITE	REAL	TR1	0.58	MG/L		V1	0.021	1	10	RCRA
5387	7/18/01	GW07617RG	NITRATE/NITRITE	REAL	TR1	0.062	MG/L		V1	0.021	1	10	Plume Extent
387	7/12/01	GW07699RG	NITRATE/NITRITE	REAL	TR1	2.4	MG/L		V1	0.021	1	10	RCRA
186	8/20/01	GW07642RG	NITRATE/NITRITE	REAL	TR1	1.8	MG/L		V1	0.05	1	10	Plume Extent
6286	7/18/01	GW07643RG	NITRATE/NITRITE	REAL	TR1	5.1	MG/L		V1	0.021	1	10	Plume Definition
386	8/14/01	GW07644RG	NITRATE/NITRITE	REAL	TR1	2.5	MG/L		V1	0.25	5	10	Plume Definition
586	9/17/01	GW07646RG	NITRATE/NITRITE	REAL	TR1	0.17	MG/L		V1	0.021	1	10	Drainage
70099	8/14/01	GW07710RG	NITRATE/NITRITE	REAL	TR1	2.2	MG/L		V1	0.25	5	10	Perf Monitoring
70193	7/25/01	GW07702RG	NITRATE/NITRITE	REAL	TR1	2.3	MG/L		V1	0.021	1	10	RCRA
0299	8/16/01	GW07711RG	NITRATE/NITRITE	REAL	TR1	0.064	MG/L		V1	0.05	1	10	Perf Monitoring
0393	7/11/01	GW07703RG	NITRATE/NITRITE	REAL	TR1	4.3	MG/L		V1	0.021	1	10	RCRA
70493	7/25/01	GW07704RG	NITRATE/NITRITE	REAL	TR1	2.1	MG/L		V1	0.021	1	10	RCRA
086	9/10/01	GW08647RG	NITRATE/NITRITE	REAL	TR1	0.05	MG/L	U		0.05	1	10	Plume Extent
5992	8/28/01	GW07666RG	NITRATE/NITRITE	REAL	TR1	0.3	MG/L		V1	0.01	1	10	Plume Extent
76992	8/29/01	GW07667RG	NITRATE/NITRITE	REAL	TR1	0.048	MG/L	B	V	0.01	1	10	Plume Extent
90299	9/12/01	GW07721RG	NITRATE/NITRITE	REAL	TR1	0.01	MG/L	U	V1	0.01	1	10	Plume Degradation
206989	7/17/01	GW07705RG	NITRATE/NITRITE	REAL	DL1	33.3	MG/L		V1	0.21	10	10	RCRA
371BAS	8/14/01	SW07689RG	NITRATE/NITRITE	REAL	TR1	2.7	MG/L		V1	0.25	5	10	D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	NITRATE/NITRITE	REAL	TR1	0.57	MG/L		V1	0.05	1	10	D&D Bldg 371/374
114389	8/24/01	GW07668RG	NITRATE/NITRITE	REAL	TR1	0.021	MG/L	B	V1	0.01	1	10	Plume Extent
209389	7/23/01	GW07669RG	NITRATE/NITRITE	REAL	TR1	2	MG/L		V1	0.021	1	10	Plume Definition

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
P209389	7/23/01	GW07670RG	NITRATE/NITRITE	DUP	TR1	2	MG/L		V1	0.021	1	10	Plume Definition
P209389	7/23/01	GW07671RG	NITRATE/NITRITE	RNS	TR1	0.021	MG/L	U	V1	0.021	1	10	Plume Definition
P219089	7/27/01	GW07754RG	NITRATE/NITRITE	REAL	TR1	3.7	MG/L		V1	0.05	5	10	D&D Bldg 771
P313589	8/30/01	GW07672RG	NITRATE/NITRITE	REAL	TR1	1.8	MG/L		V	0.02	2	10	Plume Extent
P314289	9/20/01	GW07673RG	NITRATE/NITRITE	REAL	TR1	0.061	MG/L		V	0.021	1	10	Plume Extent
P317989	7/18/01	GW07697RG	NITRATE/NITRITE	REAL	TR1	1.4	MG/L		V1	0.021	1	10	D&D Bldg 886/865
P419689	8/13/01	GW07719RG	NITRATE/NITRITE	REAL	TR1	1.4	MG/L		V1	0.05	1	10	D&D Bldg 444
37101	8/9/01	GW07680RG	PETROLEUM HYDROCARBONS, TOTAL RECOVER	REAL	TR1	1	MG/L	U	V1	1	1		D&D Bldg 371
37201	8/10/01	GW07682RG	PETROLEUM HYDROCARBONS, TOTAL RECOVER	DUP	TR1	1	MG/L	U	V1	1	1		D&D Bldg 371
37201	8/10/01	GW07683RG	PETROLEUM HYDROCARBONS, TOTAL RECOVER	RNS	TR1	1	MG/L	U	V1	1	1		D&D Bldg 371
37201	8/10/01	GW07681RG	PETROLEUM HYDROCARBONS, TOTAL RECOVER	REAL	TR1	1	MG/L	U	V1	1	1		D&D Bldg 371
37301	8/9/01	GW07684RG	PETROLEUM HYDROCARBONS, TOTAL RECOVER	REAL	TR1	1	MG/L	U	V1	1	1		D&D Bldg 371
37401	8/13/01	GW07685RG	PETROLEUM HYDROCARBONS, TOTAL RECOVER	REAL	TR1	1	MG/L	U	V1	1	1		D&D Bldg 371
37501	8/14/01	GW07686RG	PETROLEUM HYDROCARBONS, TOTAL RECOVER	REAL	TR1	1	MG/L	U	V1	1	1		D&D Bldg 371
37601	8/21/01	GW07687RG	PETROLEUM HYDROCARBONS, TOTAL RECOVER	REAL	TR1	1	MG/L	U	V1	1	1		D&D Bldg 371
37701	8/14/01	GW07688RG	PETROLEUM HYDROCARBONS, TOTAL RECOVER	REAL	TR1	1	MG/L	U	V1	1	1		D&D Bldg 371
B371BAS	8/14/01	SW07689RG	PETROLEUM HYDROCARBONS, TOTAL RECOVER	REAL	TR1	1	MG/L	U	V1	1	1		D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	PETROLEUM HYDROCARBONS, TOTAL RECOVER	REAL	TR1	1	MG/L	U	V1	1	1		D&D Bldg 371/374
00491	7/12/01	GW07623RG	SULFATE	REAL	TR1	51.1	MG/L		V1	0.2	1	500	Plume Definition
00597	7/19/01	GW07625RG	SULFATE	REAL	TR1	26.8	MG/L		V	0.1	1	500	Plume Definition
00597	7/19/01	GW07626RG	SULFATE	DUP	TR1	27.2	MG/L		V	0.1	1	500	Plume Definition
00597	7/19/01	GW07627RG	SULFATE	RNS	TR1	0.1	MG/L	U	V	0.1	1	500	Plume Definition
00797	8/16/01	GW07628RG	SULFATE	REAL	TR1	380	MG/L		V1	50	10	500	Perf Monitoring
01097	8/29/01	GW07733RG	SULFATE	REAL	TR1	19	MG/L		V1	0.05	1	500	Plume Degradation
01497	9/4/01	GW07734RG	SULFATE	REAL	TR1	24	MG/L		V	1	1	500	Plume Degradatio
02097	9/6/01	GW07736RG	SULFATE	REAL	TR1	30	MG/L			0.05	1	500	Plume Degradatio
02197	7/19/01	GW07612RG	SULFATE	REAL	DL1	59.2	MG/L		V1	0.2	2	500	Plume Extent
0386	8/2/01	GW07630RG	SULFATE	REAL	TR1	94	MG/L		V1	1	1	500	Boundary
0487	8/13/01	GW07635RG	SULFATE	REAL	TR1	130	MG/L		V1	50	10	500	Plume Definition
07391	8/23/01	GW07724RG	SULFATE	REAL	TR1	210	MG/L		J1	25	25	500	Perf Monitoring
10294	7/27/01	GW07649RG	SULFATE	REAL	TR1	790	MG/L		V1	1	50	500	Boundary
10394	7/16/01	GW07650RG	SULFATE	REAL	TR1	42.3	MG/L		V1	0.1	1	500	Boundary
10592	8/16/01	GW07619RG	SULFATE	REAL	TR1	350	MG/L		V1	120	25	500	Perf Monitoring
10692	7/27/01	GW07651RG	SULFATE	REAL	TR1	280	MG/L		V1	1	25	500	Perf Monitoring
10792	8/16/01	GW07620RG	SULFATE	REAL	TR1	160	MG/L		V1	50	10	500	Perf Monitoring
10992	7/31/01	GW07652RG	SULFATE	REAL	TR1	130	MG/L		V1	1	5	500	Perf Monitoring
11791	8/22/01	GW07725RG	SULFATE	REAL	TR1	19	MG/L		V1	1	1	500	Plume Degradation
1187	8/27/01	GW07723RG	SULFATE	REAL	TR1	71	MG/L		V1	0.25	5	500	Plume Degradation
23096	8/14/01	GW07661RG	SULFATE	REAL	TR1	30	MG/L		V1	25	5	500	Plume Extent
41591	9/10/01	GW07663RG	SULFATE	REAL	TR1	61	MG/L			10	10	500	Boundary
41691	8/30/01	GW07664RG	SULFATE	REAL	TR1	29	MG/L		V	0.1	2	500	Boundary
52894	7/19/01	GW07700RG	SULFATE	REAL	DL1	86.2	MG/L		V1	0.2	2	500	RCRA
5387	7/19/01	GW07617RG	SULFATE	REAL	DL1	204	MG/L		V1	0.5	5	500	Plume Extent
5887	7/12/01	GW07699RG	SULFATE	REAL	TR1	22.4	MG/L		V1	0.1	1	500	RCRA
6286	7/18/01	GW07643RG	SULFATE	REAL	DL1	52.1	MG/L		V1	0.2	2	500	Plume Definition
6386	8/9/01	GW07644RG	SULFATE	REAL	TR1	57	MG/L		V1	5	1	500	Plume Definition
70193	7/25/01	GW07702RG	SULFATE	REAL	TR1	23	MG/L		V1	0.1	1	500	RCRA
70393	7/11/01	GW07703RG	SULFATE	REAL	TR1	32	MG/L		V1	0.1	1	500	RCRA
70493	7/25/01	GW07704RG	SULFATE	REAL	TR1	13.9	MG/L		V1	0.1	1	500	RCRA
70693	9/5/01	GW07735RG	SULFATE	REAL	TR1	24	MG/L		V	0.05	1	500	Plume Degradatio
7086	9/10/01	GW08647RG	SULFATE	REAL	TR1	43	MG/L			5	1	500	Plume Extent
90099	8/22/01	GW07716RG	SULFATE	REAL	TR1	64	MG/L		V1	5	5	500	Plume Degradation
90099	8/22/01	GW07717RG	SULFATE	DUP	TR1	64	MG/L		V1	5	5	500	Plume Degradatio
90099	8/22/01	GW07718RG	SULFATE	RNS	TR1	1	MG/L	U	V1	1	1	500	Plume Degradatio
90299	9/12/01	GW07721RG	SULFATE	REAL	TR1	380	MG/L		V1	2.5	50	500	Plume Degradation
90399	8/27/01	GW07722RG	SULFATE	REAL	TR1	57	MG/L		1	0.25	5	500	Plume Degradation
90399	8/27/01	GW07722RG	SULFATE	REAL	TR1	57	MG/L		V1	0.25	5	500	Plume Degradatio

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
206989	8/7/01	GW07705RG	SULFATE	REAL	TR1	2800	MG/L		V1	1	1	500	RCRA
P209389	7/24/01	GW07669RG	SULFATE	REAL	DL1	136	MG/L		V1	0.5	5	500	Plume Definition
209389	7/24/01	GW07670RG	SULFATE	DUP	DL1	138	MG/L		V1	0.5	5	500	Plume Definition
209389	7/24/01	GW07671RG	SULFATE	RNS	TR1	0.1	MG/L	U	V1	0.1	1	500	Plume Definition
1097	8/29/01	GW07733RG	SULFIDE	REAL	TR1	0.11	MG/L	N	R1	0.002	1		Plume Degradation
01497	9/4/01	GW07734RG	SULFIDE	REAL	TR1	0.021	MG/L	N		0.002	1		Plume Degradation
2097	9/6/01	GW07736RG	SULFIDE	REAL	TR1	0.008	MG/L	N		0.002	1		Plume Degradation
7391	8/23/01	GW07724RG	SULFIDE	REAL	TR1	0.005	MG/L		V1	0.002	1		Perf Monitoring
11791	8/22/01	GW07725RG	SULFIDE	REAL	TR1	0.009	MG/L		V1	0.002	1		Plume Degradation
1187	8/27/01	GW07723RG	SULFIDE	REAL	TR1	0.035	MG/L		V1	0.002	1		Plume Degradation
0693	9/5/01	GW07735RG	SULFIDE	REAL	TR1	0.002	MG/L	UN	J	0.002	1		Plume Degradation
0099	8/22/01	GW07716RG	SULFIDE	REAL	TR1	0.08	MG/L		V1	0.002	1		Plume Degradation
90099	8/22/01	GW07717RG	SULFIDE	DUP	TR1	0.08	MG/L		V1	0.002	1		Plume Degradation
0099	8/22/01	GW07718RG	SULFIDE	RNS	TR1	0.003	MG/L		V1	0.002	1		Plume Degradation
0399	8/27/01	GW07722RG	SULFIDE	REAL	TR1	0.007	MG/L		V1	0.002	1		Plume Degradation
00491	7/12/01	GW07623RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	485	MG/L		V1	5.4	1		Plume Definition
00597	7/19/01	GW07625RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	191	MG/L		V	4.8	1		Plume Definition
0597	7/19/01	GW07626RG	TOTAL DISSOLVED SOLIDS	DUP	TR1	195	MG/L		V	4.8	1		Plume Definition
0597	7/19/01	GW07627RG	TOTAL DISSOLVED SOLIDS	RNS	TR1	4.8	MG/L	U	V	4.8	1		Plume Definition
00797	8/16/01	GW07628RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	1100	MG/L		V1	10	1		Perf Monitoring
0997	7/13/01	GW07629RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	665	MG/L		V1	4.8	1		Drainage
2197	7/19/01	GW07612RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	446	MG/L		V1	4.8	1		Plume Extent
0386	8/2/01	GW07630RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	530	MG/L		V1	10	1		Boundary
03991	8/7/01	GW07631RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	490	MG/L		V1	10	1		Plume Definition
3991	8/7/01	GW07632RG	TOTAL DISSOLVED SOLIDS	DUP	TR1	470	MG/L		V1	10	1		Plume Definition
3991	8/7/01	GW07633RG	TOTAL DISSOLVED SOLIDS	RNS	TR1	34	MG/L		V1	10	1		Plume Definition
04091	8/22/01	GW07613RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	350	MG/L		V1	10	1		Plume Extent
4591	8/21/01	GW07634RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	370	MG/L		V1	10	1		Plume Extent
487	8/13/01	GW07635RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	880	MG/L		V1	10	1		Plume Definition
04991	9/18/01	GW07614RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	467	MG/L		V1	4.8	1		Plume Extent
05091	8/13/01	GW07636RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	460	MG/L		V1	10	1		Plume Extent
5391	8/16/01	GW07637RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	890	MG/L		V1	10	1		Plume Definition
5691	8/24/01	GW07638RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	780	MG/L		V1	10	1		Perf Monitoring
06091	8/24/01	GW07615RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	650	MG/L		V1	4.6	1		Plume Extent
7391	8/23/01	GW07724RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	2300	MG/L		V1	10	1		Perf Monitoring
0098	9/20/01	GW07674RG	TOTAL DISSOLVED SOLIDS	REAL	DL1	3430	MG/L		V	9.6	2		D&D Bldg 123
10194	8/16/01	GW07648RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	320	MG/L		V1	10	1		Plume Extent
10198	8/20/01	GW07675RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	2100	MG/L		V1	10	1		D&D Bldg 123
0294	7/27/01	GW07649RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	2000	MG/L		V1	10			Boundary
0298	8/23/01	GW07676RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	540	MG/L		V1	10	1		D&D Bldg 123
10394	7/16/01	GW07650RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	722	MG/L		V1	4.8	1		Boundary
10398	9/18/01	GW07677RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	688	MG/L		V1	4.8	1		D&D Bldg 123
0498	7/24/01	GW07678RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	344	MG/L		V1	4.8	1		D&D Bldg 123
10592	8/16/01	GW07619RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	1300	MG/L		V1	10	1		Perf Monitoring
10598	7/18/01	GW07679RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	1610	MG/L		V1	4.8	1		D&D Bldg 123
0692	7/27/01	GW07651RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	1400	MG/L		V1	10			Perf Monitoring
0792	8/16/01	GW07620RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	660	MG/L		V1	10	1		Perf Monitoring
10992	7/31/01	GW07652RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	770	MG/L		V1	10			Perf Monitoring
10994	8/14/01	GW07653RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	820	MG/L		V1	10	1		Plume Extent
2691	8/24/01	GW07654RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	670	MG/L		V1	4.6	1		Perf Monitoring
2691	8/24/01	GW07656RG	TOTAL DISSOLVED SOLIDS	RNS	TR1	4.6	MG/L	U	V1	4.6	1		Perf Monitoring
1386	8/28/01	GW07712RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	1100	MG/L		V1	4.6	1		Plume Extent
786	7/11/01	GW07713RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	4050	MG/L		V1	5.4	1		Plume Extent
3199	9/10/01	GW07745RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	420	MG/L			10	1		Plume Degradation
22596	8/1/01	GW07657RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	410	MG/L		V1	10			Plume Extent
22696	8/22/01	GW07658RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	920	MG/L		V1	10	1		Plume Extent
2896	9/12/01	GW07659RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	460	MG/L		V1	4.6	1		Plume Definition

351

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
22896	9/12/01	GW07660RG	TOTAL DISSOLVED SOLIDS	DUP	TR1	450	MG/L		V1	4.6	1		Plume Definition
22996	8/1/01	GW07694RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	260	MG/L		V1	10			D&D Bldg 886
23096	8/14/01	GW07661RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	710	MG/L		V1	10	1		Plume Extent
37101	8/9/01	GW07680RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	530	MG/L		V1	10	1		D&D Bldg 371
37201	8/10/01	GW07681RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	1100	MG/L		J1	10	1		D&D Bldg 371
37201	8/10/01	GW07682RG	TOTAL DISSOLVED SOLIDS	DUP	TR1	1100	MG/L		J1	10	1		D&D Bldg 371
37201	8/10/01	GW07683RG	TOTAL DISSOLVED SOLIDS	RNS	TR1	10	MG/L	U	J1	10	1		D&D Bldg 371
37301	8/9/01	GW07684RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	2600	MG/L		V1	10	1		D&D Bldg 371
37401	8/15/01	GW07685RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	3100	MG/L		V1	10	1		D&D Bldg 371
37501	8/14/01	GW07686RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	7300	MG/L		V1	10	1		D&D Bldg 371
37601	8/15/01	GW07687RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	280	MG/L		V1	10	1		D&D Bldg 371
37701	8/14/01	GW07688RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	660	MG/L		V1	10	1		D&D Bldg 371
40099	8/13/01	GW07737RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	920	MG/L		V1	10	1		D&D Bldg 444
40199	8/13/01	GW07738RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	670	MG/L		V1	10	1		D&D Bldg 444
40299	7/23/01	GW07739RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	587	MG/L		V	4.8	1		D&D Bldg 444
40299	7/23/01	GW07740RG	TOTAL DISSOLVED SOLIDS	DUP	TR1	594	MG/L		V	4.8	1		D&D Bldg 444
40299	7/23/01	GW07741RG	TOTAL DISSOLVED SOLIDS	RNS	TR1	4.8	MG/L	U	V	4.8	1		D&D Bldg 444
40399	8/13/01	GW07742RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	630	MG/L		V1	10	1		D&D Bldg 444
40499	8/13/01	GW07743RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	700	MG/L		V1	10	1		D&D Bldg 444
41099	8/13/01	GW07692RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	3400	MG/L		V1	10	1		D&D Bldg 886
41199	7/16/01	GW07693RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	469	MG/L		V1	4.8	1		D&D Bldg 886
41299	7/17/01	GW07744RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	737	MG/L		V1	4.8	1		D&D Bldg 444
41591	9/10/01	GW07663RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	2100	MG/L			10	1		Boundary
41691	8/30/01	GW07664RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	600	MG/L		V	4.6	1		Boundary
43392	7/19/01	GW07665RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	427	MG/L		V1	4.8	1		Plume Extent
52894	7/19/01	GW07700RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	638	MG/L		V1	4.8	1		RCRA
5387	7/19/01	GW07617RG	TOTAL DISSOLVED SOLIDS	REAL	DL1	1170	MG/L		V1	9.6	2		Plume Extent
5887	7/12/01	GW07699RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	149	MG/L		V1	5.4	1		RCRA
6186	8/20/01	GW07642RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	330	MG/L		V1	10	1		Plume Extent
6286	7/18/01	GW07643RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	368	MG/L		V1	4.8	1		Plume Definition
6386	8/9/01	GW07644RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	470	MG/L		V1	10	1		Plume Definition
6586	9/17/01	GW07646RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	789	MG/L		V1	4.8	1		Drainage
70099	8/14/01	GW07710RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	3200	MG/L		V1	10	1		Perf Monitoring
70193	7/25/01	GW07702RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	193	MG/L		V1	4.8	1		RCRA
70299	8/16/01	GW07711RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	3700	MG/L		V1	10	1		Perf Monitoring
70393	7/11/01	GW07703RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	182	MG/L		V1	5.4	1		RCRA
70493	7/25/01	GW07704RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	207	MG/L		V1	4.8	1		RCRA
7086	9/10/01	GW08647RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	310	MG/L			10	1		Plume Extent
75992	8/28/01	GW07666RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	4000	MG/L		V1	4.6	1		Plume Extent
891COLWEL	9/6/01	GW07707RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	1100	MG/L		V	4.6	1		Perf Monitoring
90099	8/22/01	GW07716RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	560	MG/L		V1	10	1		Plume Degradation
90099	8/22/01	GW07717RG	TOTAL DISSOLVED SOLIDS	DUP	TR1	550	MG/L		V1	10	1		Plume Degradation
90099	8/22/01	GW07718RG	TOTAL DISSOLVED SOLIDS	RNS	TR1	20	MG/L		V1	10	1		Plume Degradation
90299	9/12/01	GW07721RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	1200	MG/L		V1	4.6	1		Plume Degradation
90399	8/27/01	GW07722RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	510	MG/L		1	4.6	1		Plume Degradation
B206989	8/7/01	GW07705RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	5200	MG/L		V1	10	1		RCRA
B371BAS	8/14/01	SW07689RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	730	MG/L		V1	10	1		D&D Bldg 371/374
B371SUBBAS	8/15/01	SW07690RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	820	MG/L		V1	10	1		D&D Bldg 371/374
P114389	8/28/01	GW07668RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	1000	MG/L		V1	4.6	1		Plume Extent
P209389	7/24/01	GW07669RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	649	MG/L		V1	4.8	1		Plume Definition
P209389	7/24/01	GW07670RG	TOTAL DISSOLVED SOLIDS	DUP	TR1	657	MG/L		V1	4.8	1		Plume Definition
P209389	7/24/01	GW07671RG	TOTAL DISSOLVED SOLIDS	RNS	TR1	4.8	MG/L	U	V1	4.8	1		Plume Definition
P219089	7/30/01	GW07754RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	490	MG/L		V1	10			D&D Bldg 771
P313589	8/30/01	GW07672RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	1200	MG/L		V	4.6	1		Plume Extent
P419689	8/13/01	GW07719RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	530	MG/L		V1	10	1		D&D Bldg 444
SW13494	8/28/01	SW07706RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	770	MG/L		V1	4.6	1		Perf Monitoring
01097	8/29/01	GW07733RG	TOTAL ORGANIC CARBON	REAL	TR1	1	MG/L	U	V1	1	1		Plume Degradation

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
1497	9/4/01	GW07734RG	TOTAL ORGANIC CARBON	REAL	TR1	1	MG/L	U	V	1	1		Plume Degradation
02097	9/6/01	GW07736RG	TOTAL ORGANIC CARBON	REAL	TR1	1.1	MG/L		V	1	1		Plume Degradation
7391	8/23/01	GW07724RG	TOTAL ORGANIC CARBON	REAL	TR1	11	MG/L		V1	1	1		Perf Monitoring
1791	8/22/01	GW07725RG	TOTAL ORGANIC CARBON	REAL	TR1	1.2	MG/L		V1	1	1		Plume Degradation
1187	8/27/01	GW07723RG	TOTAL ORGANIC CARBON	REAL	TR1	2.3	MG/L		V1	1	1		Plume Degradation
90099	8/22/01	GW07716RG	TOTAL ORGANIC CARBON	REAL	TR1	1.5	MG/L		V1	1	1		Plume Degradation
0099	8/22/01	GW07717RG	TOTAL ORGANIC CARBON	DUP	TR1	1.3	MG/L		V1	1	1		Plume Degradation
0099	8/22/01	GW07718RG	TOTAL ORGANIC CARBON	RNS	TR1	1	MG/L	U	V1	1	1		Plume Degradation
90399	8/27/01	GW07722RG	TOTAL ORGANIC CARBON	REAL	TR1	1.3	MG/L		V1	1	1		Plume Degradation



Figure 1B

Regulatory Required Industrial Area Groundwater Monitoring Wells

Selected VOC & Nitrate Plumes Third Quarter, 2001 Reportable Sample Analyses

EXPLANATION

- IMP Wells Not Sampled This Quarter
- IMP Wells Sampled/Visited This Quarter
- IMP Wells With Reportable Tier II Sample Analyses
- Composite VOC Groundwater Plume (100 X MCL)
- Composite VOC Groundwater Plume (concentration equal to MCL)
- 100 x Nitrate Standard (1000 mg/l)
- Nitrate Standard (10 mg/l)

Standard Map Features

- Buildings and other structures
- Solar Evaporation Ponds (SEPs)
- Lakes and ponds
- Streams, ditches, or other drainage features
- Fences and other barriers
- Rocky Flats boundary
- Paved roads
- Dirt roads

DATA SOURCE BASE FEATURES:
Buildings, fences, hydrography, roads and other structures from 1994 aerial fly-over data captured by EG&G RSL, Las Vegas. Digitized from the orthophotographs. 1/95

Scale = 1 : 8340
1 inch represents 695 feet

250 0 500 1000ft

State Plane Coordinate Projection
Colorado Central Zone
Datum: NAD27

U.S. Department of Energy
Rocky Flats Environmental Technology Site

GIS Dept. 303-966-7707

Prepared by: DynCorp THE ART OF TECHNOLOGY

Prepared for: KAISER•HILL COMPANY

MAP ID: 02-0378

February 21, 2002

NT_Svr w:/projects/fy2002/02-0378/rpt_qtr3_01_ia.aml



Figure 1C

Regulatory Required 700 Area Detail Groundwater Monitoring Wells

Selected VOC & Nitrate Plumes Third Quarter, 2001 Reportable Sample Analyses

EXPLANATION

- IMP Wells Not Sampled This Quarter
- IMP Wells Sampled/Visited This Quarter
- IMP Wells With Reportable Tier II Sample Analyses
- Composite VOC Groundwater Plume (100 X MCL)
- Composite VOC Groundwater Plume (concentration equal to MCL)
- 100 x Nitrate Standard (1000 mg/l)
- Nitrate Standard (10 mg/l)

Standard Map Features

- Buildings and other structures
- Solar Evaporation Ponds (SEPs)
- Lakes and ponds
- Streams, ditches, or other drainage features
- Fences and other barriers
- Rocky Flats boundary
- Paved roads
- Dirt roads

DATA SOURCE BASE FEATURES:
Buildings, fences, hydrography, roads and other structures from 1994 aerial fly-over data captured by EG&G RSL, Las Vegas.
Digitized from the orthophotographs. 1/95

Scale = 1 : 2080
1 inch represents approximately 173 feet

50 0 100 200ft

State Plane Coordinate Projection
Colorado Central Zone
Datum: NAD27

U.S. Department of Energy
Rocky Flats Environmental Technology Site

GIS Dept. 303-966-7707

Prepared by: DynCorp THE ART OF TECHNOLOGY

Prepared for: KAISER•HILL COMPANY

MAP ID: 02-0378

February 21, 2002

NT_Svr w:/projects/fy2002/02-0378/rpt_qtr3_01_700.aml

Figure 1A

Regulatory Required Buffer Zone Groundwater Monitoring Wells

Selected VOC & Nitrate Plumes Third Quarter, 2001 Reportable Sample Analyses

EXPLANATION

- IMP Wells Not Sampled This Quarter
- IMP Wells Sampled/Visited This Quarter
- IMP Wells With Reportable Tier II Sample Analyses
- Composite VOC Groundwater Plume (100 X MCL)
- Composite VOC Groundwater Plume (concentration equal to MCL)
- 100 x Nitrate Standard (1000 mg/l)
- Nitrate Standard (10 mg/l)

Standard Map Features

- Buildings and other structures
- Solar Evaporation Ponds (SEPs)
- Lakes and ponds
- Streams, ditches, or other drainage features
- Fences and other barriers
- Rocky Flats boundary
- Paved roads
- Dirt roads

DATA SOURCE BASE FEATURES:
Buildings, fences, hydrography, roads and other structures from 1994 aerial fly-over data captured by EG&G RSL, Las Vegas. Digitized from the orthophotographs. 1/95

Scale = 1 : 14310
1 inch represents approximately 1193 feet

250 0 500 1000ft

State Plane Coordinate Projection
Colorado Central Zone
Datum: NAD27

U.S. Department of Energy
Rocky Flats Environmental Technology Site

GIS Dept. 303-966-7707

Prepared by: DynCorp THE ART OF TECHNOLOGY

Prepared for: KAISER-HILL COMPANY

MAP ID: 02-0378

February 21, 2002

NT_Svr w:/projects/fy2002/02-0378/rpt_qtr3_01_buf.aml