NOTICE

All drawings located at the end of the document.

02-RF-02459

KAISER-HILL
COMPANY

Second Quarter RFCA Groundwater Monitoring Report for Calendar Year 2002

Rocky Flats Environmental Technology Site

Safe Sites
OF COLORADO, LLC
ROCKY FLATS ENVIRONMENTAL TECHNOLOGY SITE

November 2002

Environmental Media Management
Rocky Flats Environmental Technology Site

NOV 2002

Review Exemption: CEX-105-01

ADMIN RECORD

SW-A-004693

1/318

Second Quarter RFCA Groundwater Monitoring Report for Calendar Year 2002

Rocky Flats Environmental Technology Site

Kaiser-Hill, L.L.C.

Review Exemption: CEX-105-01

November 2002

2

This page intentionally left blank.

3

TABLE OF CONTENTS

EXECUTIVE SUMMARY ES-1

1.0 INTRODUCTION 1-1

ACRONYM LIST 1-2

2.0 METHODS 2-1

3.0 RESULTS 3-1

3.1 TIER I REPORTABLE RESULTS 3-1

3.2 TIER II REPORTABLE RESULTS 3-1

Table 3-1 RFCA Groundwater Monitoring Locations and Sample Collection Summary, Second Quarter, 2002 3-15
Table 3-2 Second Quarter, 2002 Groundwater Sample Comparisons With Tier II Action Levels and IMP Reportable Result Criteria 3-19

4.0 REQUIRED ACTIONS 4-1

5.0 REFERENCES 5-1

6.0 FIGURES 6-1

Figure 1A RFCA 2nd Quarter, 2002 Groundwater Monitoring Locations-Site Map 6-2
Figure 1B RFCA 2nd Quarter, 2002 Groundwater Monitoring Locations-Industrial Area 6-3
Figure 1C RFCA 2nd Quarter, 2002 Groundwater Monitoring Loc.-700 Area Detail 6-4
Figures 2-1 to 2-97 Trend Plots For Selected Analytes and Locations ..... 6-5 to 6-37

7.0 GROUNDWATER DATA QUALITY ASSESSMENT – GENERAL INTRODUCTION 7-1
DISCUSSION OF ANALYTE GROUPS
7.1 METALS 7-5

7.2 RADIONUCLIDES 7-8

7.3 VOCs, SVOCs and Dissolved Gases 7-10

7.4 WATER QUALITY PARAMETERS 7-14

7.5 POLYCHLORINATED BIPHENYLS 7-16

Table 7-1 Summary Statistics For Real-Duplicate-Rinse Sampling 7-17
Table 7-2 Relative Percent Differences and Duplicate Error Ratios 7-18
Table 7-3 Summary of RPD and DER Results 7-22
Table 7-4 Contract Required Detection Limits for Groundwater Analytes 7-23
Table 7-5 Matrix Spike Recovery for VOC – Metal – WQP Samples 7-27
Table 7-6 Lab Control Sample Recovery for Radionuclides 7-46
Table 7-7 Equipment Rinsate Results 7-48
Table 7-8 RFCA Groundwater Monitoring Sample Comparison: Real Vs Required 7-61
Table 7-9 Summary of Validation/Verification for Second Quarter, 2002 7-62

B4

TABLE OF CONTENTS (CONTINUED)

APPENDICES: Groundwater Analytical Data – Second Quarter, 2002
Appendix A: Metals A-1
Appendix A: Radionuclides A-42
Appendix A: Volatile Organic Compounds A-49
Appendix A: Water Quality Parameters A-169

5

EXECUTIVE SUMMARY

This report contains results of Integrated Monitoring Plan required groundwater monitoring for the second calendar quarter of 2002. Emphasis is placed throughout the presentation on features that are different or noteworthy compared to previous monitoring reports.

The report is organized into seven sections. Section 1 discusses any changes made since the preceding report. Section 2 gives a general overview of sampling for the quarter, data availability and manipulation, procedures and definition of well classes. Results for individual wells and Tier I and Tier II reportable occurrences are presented in Section 3. Required actions based on the current findings and completed actions from previous reports are given in Section 4. References appear in Section 5 and Maps and Trend Plots in Section 6. Quality Assurance issues are discussed in general and specifically with respect to analyte groups in Section 7. Finally, the data for the quarter is presented in the four Appendices.

Nitrate and VOC plume boundaries shown on location maps 1A, 1B and 1C were changed to reflect those from the 1997 Annual RFCA Groundwater Monitoring Report in the Fourth Quarter 2001 report. These are used again pending new plume boundaries being compiled for the 2001 Annual RFCA Groundwater Monitoring Report. These new plume boundaries should be available for the Third Quarter 2002 Groundwater Report. (Note: In both the Fourth Quarter 2001 and First Quarter 2002 Reports the plume boundary reference was erroneously given as the 1996 Annual RFCA Groundwater Monitoring Report.)

Groundwater sampling for the Second Quarter, 2002 included 106 locations. Of these, 24 locations were completely dry and a further 15 yielded only enough water to collect a partial analytical suite.

During the Second Quarter 2002 two reportable Tier I analyses were recorded at Plume Extent wells 21098 (carbon tetrachloride) and 23296 (trichloroethene).

In the Second Quarter 2002, there were 16 reportable results greater than Tier II Action Levels including the Tier I results mentioned above. With respect to Tier II reportable occurrences, three were from a Drainage well 6486 (two were for nickel) and 13 were from eight different Plume Extent Wells. No monthly sampling is planned based on these detections. (Well 21098 required monthly sampling but has been abandoned and replaced by well 21002. The first samples at 21002 were collected in November 2002.)

This report constitutes official notification of elevated nitrite/nitrate in Plume Extent well 01697. Three monthly samples collected in August, September and October confirmed a February analysis. Similarly this report is the official notification that Plume Extent well 30100 has elevated levels of trichloroethene. The initial sample was collected in February and confirmation samples in July, August and September. Attempts to collect monthly samples to confirm elevated nickel in Plume Extent well 5387 failed in August and September because the well was dry. The October attempt at 5387 had to be extended into November in order to get a sample, the November results have not returned from the lab at this time. Reportable nickel in 5387 had been reported for February. (Wells 01697, 30100, and 5387 are discussed in the Required Actions section.)

This page intentionally left blank.

1.0 INTRODUCTION

This report is required by Section 3.4.B of Attachment 5 of the Final Rocky Flats Cleanup Agreement (RFCA) (EPA, CDPHE, DOE, 1996) and is described in the FY 2002 Integrated Monitoring Plan (IMP) (DOE, 2002).

The DOE/K-H/SSOC team has completed evaluation of Second Quarter (April, May, June) 2002 groundwater analytical data using groundwater action level criteria as described in RFCA Attachment 5 (KAISER-HILL, 2000). The sampling for the Second Quarter of 2002 reflects the approval of the monitoring well list (CDPHE, Nov. 1996 and EPA, Nov. 1996) and the establishment of semi-annual sampling frequencies. Therefore, only a portion of the RFCA monitoring wells are sampled and reported each quarter. The remainder will be sampled in the following quarter as site conditions allow. RFCA groundwater monitoring locations and sump/drain locations (see below) are included in this report. The locations sampled during the Second Quarter, 2002 are listed in Table 3-1. The locations of the sampled sites are shown in Figures 1A, 1B and 1C. Figure 1A gives an overall view of the majority of the Rocky Flats Environmental Technology Site. Figure 1B focuses on just the Industrial Area and Figure 1C focuses on the 700 Buildings area. Note that as in the Fourth Quarter RFCA Groundwater Monitoring Report For CY 2001 (SSOC, 2002) the Nitrate and VOC Plume boundaries portrayed on Figures 1A, 1B and 1C are those found in the 1997 Annual RFCA Groundwater Monitoring Report. This change is being made because the 1997 data and plume boundaries derived from it provide a better baseline for comparison of site conditions overall. Subsequent local analyses were not planned as part of a site wide evaluation. If appended to the 1997 data, local analyses may cause unintended confusion regarding plume boundaries. It is anticipated that new Nitrate and VOC Plume boundaries derived from the 2001 Annual RFCA Groundwater Report (SSOC, 2002, in press) will be used for the subsequent 2002 quarterly reports. (Note: In both the Fourth Quarter 2001 and First Quarter 2002 Reports the plume boundary reference was erroneously given as the 1996 Annual RFCA Groundwater Monitoring Report.)

Plume Degradation well 21098 has been changed in to a Plume Extent well because of the switch from the FY 2001 to FY 2002 IMP well list. Well 21098 was not sampled in the First Quarter 2001 so the change occurs in this report. Plume Degradation well 30900 was switched from monthly to quarterly sampling during the Second Quarter. April and May samples were collected but not June.

In addition to monitoring wells cited in this report seven other locations are included: BS-865-2, B371BAS, B371SUBBAS, 891COLWEL, SW13494, SW085, SW099, and SW100. BS-865-2 is a footing drain outside Door #1 of Building 865. B371BAS and B371SUBBAS are footing drains collecting water from Buildings 371 and 374. 891COLWEL is a pump-equipped collection well that gets its water from the 881 Hillside above the former French Drain. Location SW13494 is a sump for the footing drain system of the 881 Building; it also is located on the 881 Hillside. SW085 is an outfall for Building 779 and is the only non-IMP location contained in this report. Surface water locations SW099 and SW100 are collection boxes associated with the groundwater intercept system for the Present Sanitary Landfill.

Acronym List

ACCU	Acculab Inc. (Laboratory), Lakewood, Colorado
ALF	Action Level Framework
Background M2SD	Background mean plus 2 standard deviations. There can also be a Mean minus 2 Standard Deviations. The value is calculated on a site wide basis.
BOA	Basic Ordering Agreement
CAS	Chemical Abstract Service (Assigns a number used to identify analytes that may have multiple common names. The registry number is called a "CAS Number".)
CDPHE	Colorado Department of Public Health and Environment
CLP	Contract Laboratory Program (or Procedure)
CRDL	Contract Required Detection Limit
D&D	Decontamination and Decommissioning
DER	Duplicate Error Ratio (calculated for real/duplicate radionuclide analyses)
DOE	United States Department of Energy
EPA	United States Environmental Protection Agency
GEL	General Engineering Labs Inc., Charleston, South Carolina
Historic M2SD	Historic mean plus 2 standard deviations (calculated on a per well basis)
IHSS	Individual Hazardous Substance Site
IMP	Integrated Monitoring Plan
KH	Kaiser-Hill, LLC
KH-ASD	Kaiser-Hill – Analytical Services Division (Receives data from laboratories, checks it and enters it into the Soil Water Database)
LVLI	New name for RECRL laboratory, Lionsville Laboratory, Inc.
MCL	Maximum Contaminant Level
µg/l or UG/L	microgram per liter
mg/l or MG/L	milligram per liter
PARA	Paragon Analytics, Inc. (Laboratory), Fort Collins, Colorado
PARCC	Precision, Accuracy, Representativeness, Comparability and Completeness
PCB	Polychlorinated Biphenyl
pCi/l or PCI/L	picocurie per liter
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
RECRL	RECRA Environmental Inc. (Laboratory), Lionsville, Pennsylvania
RFCA	Rocky Flats Cleanup Agreement
RFETS	Rocky Flats Environmental Technology Site
RMRS	Rocky Mountain Remediation Services, LLC
RPD	Relative Percent Difference (calculated for non-radionuclide real/duplicate analyses)
SCA	Sanford Cohen & Associates Laboratory, Montgomery, Alabama
SOP	Standard Operating Procedure
SOW	Statement of Work
SWLO	Southwest Laboratory of Oklahoma
s.l.	"sensu lato" – refers to a general case
s.s.	"sensu stricto" – refers to a specific case
SWD	Soil Water Database
TRPH	Total Recoverable Petroleum Hydrocarbon
TDS	Total Dissolved Solids
Tier I	Analyte specific action level originally defined by RFCA, updated by IMP
Tier II	10^{-2} of Tier I
TPU	Total Propagated Error
TSS	Total Suspended Solids
VOC	Volatile Organic Compound

9

2.0 METHODS

The Groundwater Monitoring program attempted to collect 682 samples in the Second Quarter of 2002 under the Integrated Monitoring Plan (DOE, 2002, see Table 7-8). Table 3-1 lists locations and sampling success by analyte. Because of dry wells and wells with insufficient water, only 454 requests for analysis were actually sent out. There were 162 uncollected samples related to completely dry wells and 66 related to wells with insufficient water for collection of a complete sample suite.

By the beginning of November 2002, all Second Quarter results (8824 records) were available electronically from the Soil-Water Database (SWD). Thirty-three additional dissolved gas records were manually compiled from the laboratory report packages. Results for all analyses that were sent out have been returned.

The analytical data are evaluated and classified in the following manner.

- Analytical results are uploaded from SWD into a local MS Access database maintained by the groundwater group.
- Data are examined for their presence/absence and consistency. Duplications and mismatches are excluded.
- Field and laboratory QC data are identified for use in the data quality assessment section (Sec. 7.0) using: Quality Assurance Program Plan For The Groundwater Monitoring Program Rocky Flats Environmental Technology Site, February 5, 2001 (RMRS, 2001).
- Results for all analytes are screened against Tier I and Tier II Action Level Framework (ALF) criteria except for non-detection results (with a "U" laboratory qualifier) or those results rejected in validation/verification (R/R1's).
- Results from Boundary, Drainage, Plume Definition, Plume Extent and downgradient RCRA wells are then classified as reportable or non-reportable. Methods for making these determinations are given in the following bulleted paragraph. Criteria for the determinations are given in the discussion of the IMP Well Classes.
- Plume Degradation and all upgradient and downgradient RCRA wells are evaluated in the Annual Groundwater Reports. Performance monitoring wells although screened against the ALF criteria are not subject to the reportable/non-reportable classification. Analytical baseline values for Decontamination and Decommissioning wells have not been determined at this time.

Calculated ratios between the analytical result and Tier II Action Level, Background M2SD and Historic M2SD are used to identify IMP reportable results as described in the IMP Well Class descriptions. (M2SD = Mean + 2 Standard Deviations)

- The Historic M2SD is calculated and displayed for wells with five or more sampling events collected during the years 1991 to 1995. To calculate the Historic M2SDs data are extracted directly from the SWD and/or the local groundwater database.
- Where no Historic M2SD for an analyte in a well is available, an evaluation of the concentration of the analyte over time is made by visual inspection of the associated trend plot if four or more data points are available.
- Because Volatile Organic Compounds and Polychlorinated Biphenyls have zero background concentration they are simply compared to available 1991-1995 Historic M2SDs.
- Results for Metals, Radionuclides and Water Quality Parameters have had background values established and therefore, where ALF values have been exceeded, are compared with the site-wide Background M2SD values and 1991-1995 well-specific Historic M2SD values.

- Background M2SD values for Metals, Water Quality Parameters, tritium and strontium-89/90 are taken from the Background Geochemical Characterization Report (DOE, 1993).
- Background M2SD values for americium-241, plutonium-239/240, uranium-233/234, uranium-235, and uranium-238 are taken from the Draft Background Comparison for Radionuclides in Groundwater Report (DOE, 1997). Background values for cesium-137 and neptunium-237 have not been determined.

Table 3-2 represents a summary of results that are equal to or exceed Tier II Action Levels. Table 3-2 is used to evaluate the reportable and non-reportable results via the Tier II, Background and Historic Ratios as described above. Tier II, Background and Historic ratios are also used to help select analytes and wells which are of interest for site cleanup but which may not be reportable under IMP criteria. Trend plots for reportable occurrences and selected analytes appearing in Table 3-2 can be found in Section 6, Figure 2. A trend plot is not presented if there are less than four data points.

For a given IMP Well Class, determination of whether a result is reportable or non-reportable is as follows.

Integrated Monitoring Plan (IMP) Well Class Definitions

The groundwater monitoring network, as defined in the FY 2002 IMP (DOE, 2002), contains eight categories of monitoring wells. The decision rule sequence presented in the IMP was followed for determining Tier I and II reportable results. The well types and decision rules are defined below:

Plume Definition Monitoring Wells: These wells are located within known contaminant plumes and are above Tier II Action Levels, but are below the Tier I Action Levels established in the ALF. When the measured concentration exceeds a Tier I Action Level and the Background M2SD, a reportable result occurs. The required action is to reclassify as a Tier I reportable result well and review historic data for the well to determine if it has been prioritized for remediation/evaluation based on possible impacts to surface water. If data show an increasing trend over a two-year period, or the well has not been previously prioritized for remediation then update the priority for remediation/evaluation.

Plume Extent Monitoring Wells: These wells are located at the edges of known groundwater-contaminant plumes, along pathways to surface water. These wells monitor for an increase in concentrations that may result in future impacts to surface water. A reportable result occurs if the measured concentration exceeds the Tier II Action Level and the Background M2SD value. If there are no previous historic reportable results, or when a value exceeds the Historic M2SD concentration in the well when there have been historic reportable results the required action is to initiate monthly sampling. If Action Levels are exceeded for three consecutive months, by the above criteria, then appropriate parties are notified and the possible impacts to surface water are evaluated.

Drainage Monitoring Wells: These wells are located in stream drainages, downgradient of contaminant plumes. They have the same programmatic requirements as Plume Extent wells under the IMP. A reportable result occurs if a measured concentration exceeds a Tier II Action Level and the Background M2SD value. If there are no historic reportable results, or a value exceeds the Historic M2SD concentration in the well when there have been historic reportable results the required action is to initiate monthly sampling. If Action Levels are exceeded for three consecutive months, by the above criteria, then appropriate parties are notified and the possible impacts to surface water are evaluated.

Boundary Monitoring Wells: These wells monitor ground water leaving the eastern Site boundary through the stream drainage channels. A reportable result occurs if a measured concentration exceeds a Tier II Action Level and the Background M2SD value. When there are no historic reportable results, or a value exceeds the Historic M2SD concentration in the well when there have been historic reportable results of Tier II Action Levels the required action is to initiate monthly sampling. If action levels are exceeded for three consecutive months, by the above criteria, then appropriate parties are notified and the possible impacts to surface water are evaluated.

D&D Monitoring Wells: These wells monitor for releases to groundwater from decontamination and decommissioning (D&D) activities. A reportable result occurs when a measured concentration exceeds the M2SD of the established Historic-Baseline concentration downgradient of the building(s). The required action is to inform appropriate parties and initiate an evaluation of the situation.

Performance Monitoring Wells: These wells monitor the effect of a remediation or source removal action, as required in the ALF. If an increasing trend in the concentration of a contaminant is noted, then the appropriate parties are notified and an evaluation of the situation is initiated.

RCRA Monitoring Wells: These wells monitor downgradient groundwater-contaminant concentrations at RCRA units. If the mean concentration of a contaminant in a downgradient well exceeds the mean concentration in upgradient wells and the downgradient concentration at the well shows an upward trend with time a report will be made to appropriate agencies and an investigation will be initiated to determine possible causes. This evaluation will be performed in the annual RFETS RFCA Groundwater Monitoring Report.

For the purposes of the quarterly reports, analytical results from downgradient RCRA wells will be treated in the same manner as Plume Extent wells. A reportable result for a RCRA well occurs if a measured concentration exceeds a Tier II Action Level and the Background M2SD value. When there are no historic reportable results, or a value exceeds the Historic M2SD concentration in the well when there have been historic reportable results of Tier II Action Levels, the required action is to initiate monthly sampling. If Action Levels are exceeded for three consecutive months, by the above criteria, then appropriate parties are notified and the possible impacts to surface water are evaluated. As noted above a review of the relative concentrations of upgradient and downgradient wells will be performed in an annual report.

Plume Degradation Monitoring Wells: These wells are located either in downgradient areas that may be contaminated from a specific source or in associated upgradient areas. Data will be reviewed annually to determine if sufficient data have been collected to support remedial decision making. Upon collection of sufficient data, an evaluation will be performed to establish inputs to the remedial conceptual model.

This page intentionally left blank.

3.0 RESULTS

One hundred six locations were visited for groundwater sample collection during the Second Quarter, 2002. Of the 106 wells visited, 24 were completely dry and 15 wells yielded only enough water to collect a partial analytical suite. Table 3-1 summarizes data collection activities for the Second Quarter. All sample results for the Second Quarter have been received as of this writing.

Data features of particular interest under RFCA are presented in Table 3-2 and are summarized in the following discussion. Figures 1A, 1B and 1C illustrate the location of major plume boundaries relative to monitoring locations. Locations found to have reportable results for Tier I or Tier II action level criteria are noted. Historic trend plots are shown for selected wells with analyte concentrations above Tier I or Tier II Action Levels (Figures 2-1 to 2-97). Other illustrated trends include organic compounds with concentrations exceeding Tier II Action Levels, and for any inorganic analytes with concentrations exceeding Tier II Action Levels and Background M2SDs. The RFCA (EPA, CDPHE, DOE, 1996) requires that this information be reported quarterly.

3.1 TIER I REPORTABLE RESULTS

During the Second Quarter 2002 two reportable Tier I analyses were recorded. Plume Extent well 21098 contained carbon tetrachloride that was greater than the Tier I Action Level (Figure 2-15). The result is the lowest recorded for the well. Plume Extent well 23296 had trichloroethene in excess of the Tier I level (Figure 2-58). This result represents an increase from the previous sample but is within the usual range for the well.

3.2 TIER II REPORTABLE RESULTS

Boundary Wells: No Boundary wells were visited during the Second Quarter 2002.

Decontamination & Decommissioning Locations: Fifty-two D&D locations were visited in the Second Quarter, 2002. Twelve wells (02397, 02497, 40999, 41499, 56101, 60299, 60599, 60699, 88101, 99201, 99401 and P317989) contained only enough water for collection of partial sample suites. Ten wells (5187, 20998, 39691, 40599, 40699, 40799, 40899, 41599, 61499 and 99101) were dry. Eight locations had no analytes above Tier II Action Levels (00200, 00600, 02497, 37791, 41099, 60699, 99201 and FD-707-4). Non-IMP location SW085 is included here as part of monitoring at Building 779. Thirty-four locations contained analytes that exceeded the Tier II Action Levels. At this writing, D&D locations have not had baselines established for analyte concentrations, criteria for classifying them as non-reportable or reportable have not been established. Criteria for D&D wells around Building 886 are being promulgated in the 2001 Annual RFCA Groundwater Report (SSOC, 2002, in press).

The following D&D locations 55901, 56001, 56101, 56201, 56301, and FD-559-561 monitor at Building 559. Wells 56001 and 56101 contained only uranium-233/234 and uranium-238 above Tier II Action Levels. Isotopes in both wells were below Background M2SDs so the wells will not be discussed further.

Decontamination and Decommissioning well 55901 contained 1,1-dichloroethene, carbon tetrachloride, trichloroethene, uranium-233/234 and uranium-238 that were above Tier II Action Levels. The Second Quarter sample is only the second sampling event at the well so no trend plots are available. From December 2001 to April 2002, 1,1-dichloroethene increased from 13.0 to 18.6 µg/l. Carbon tetrachloride increased from 49.0 to 70.4 µg/l. Trichloroethene decreased from 14.0 to 13.0 µg/l. The uranium isotopes were both below Background M2SDs. Well 55901 will be sampled again in the Fourth Quarter 2002.

55901	Date	Result	Tier II	Units	Lab Qualifier	Valid-ation	Detect Limit	Dilu-tion	QC Type	Result Type
1,1-Dichloroethene	12/17/01	13.0	7.0	µg/L		V1	0.2	1	Real	TR1
1,1-Dichloroethene	4/23/02	18.6	7.0	µg/L		V1	0.2	1	Real	TR1
Carbon Tetrachloride	12/17/01	49.0	5.0	µg/L		V1	0.2	1	Real	TR1
Carbon Tetrachloride	4/23/02	70.4	5.0	µg/L		J1	0.4	1	Real	TR1
Trichloroethene	12/17/01	14.0	5.0	µg/L		V1	0.2	1	Real	TR1
Trichloroethene	4/23/02	13.0	5.0	µg/L		V	0.2	1	Real	TR1

Decontamination and Decommissioning well 56201 contained carbon tetrachloride and trichloroethene that were above Tier II Action Levels. The Second Quarter results are only the second at the well so no trend plots are presented. From December 2001 to May 2002 carbon tetrachloride decreased from 37.0 to 34.0 µg/l. Note that validation (see the "B" lab qualifier) did not indicate that method blank contamination was significant. Trichloroethene decreased from 20.0 to 17.2 µg/l. Well 56201 will be sampled again in the Fourth Quarter 2002.

56201	Date	Result	Tier II	Units	Lab Qualifier	Valid-ation	Detect Limit	Dilu-tion	QC Type	Result Type
Carbon Tetrachloride	12/17/01	37.0	5.0	µg/L		V1	.2	1	Real	TR1
Carbon Tetrachloride	5/7/02	34.0	5.0	µg/L	B	V	.5	1	Real	TR1
Trichloroethene	12/17/01	20.0	5.0	µg/L		V1	.2	1	Real	TR1
Trichloroethene	5/7/02	17.2	5.0	µg/L		V	.5	1	Dup	TR1

Decontamination and Decommissioning well 56301 contained 1,1-dichloroethene, carbon tetrachloride, tetrachloroethene, trichloroethene, uranium-233/234 and uranium-238 that were above Tier II Action Levels. The Second Quarter sample is only the second sampling event at the well so no trend plots are available. From December 2001 to May 2002, 1,1-dichloroethene decreased from 21.0 to 15.0 µg/l. Carbon tetrachloride increased from 44.0 to 81.8 µg/l. (Note that validation for carbon tetrachloride (see the "B" lab qualifier) did not indicate that method blank contamination was significant.) Tetrachloroethene decreased from 9.7 to 7.4 µg/l. Trichloroethene decreased from 16.0 to 15.1 µg/l. The uranium isotopes were both well below Background M2SDs. Well 56301 will be sampled again in the Fourth Quarter 2002.

56301	Date	Result	Tier II	Units	Lab Qualifier	Valid-ation	Detect Limit	Dilu-tion	QC Type	Result Type
1,1-Dichloroethene	12/12/01	21.0	7.0	µg/L		V	0.2	1	Real	TR1
1,1-Dichloroethene	5/7/02	15.0	7.0	µg/L		V	0.5	1	Real	TR1
Carbon Tetrachloride	12/12/01	44.0	5.0	µg/L		V1	0.4	2	Real	DL1
Carbon Tetrachloride	5/7/02	81.8	5.0	µg/L	B	V	0.5	1	Real	TR1
Tetrachloroethene	12/12/01	9.70	5.0	µg/L		V	0.4	1	Real	TR1
Tetrachloroethene	5/7/02	7.42	5.0	µg/L		V	0.5	1	Real	TR1
Trichloroethene	12/12/01	16.0	5.0	µg/L		V	0.2	1	Real	TR1
Trichloroethene	5/7/02	15.1	5.0	µg/L		V	0.5	1	Real	TR1

Decontamination and Decommissioning location FD-559-561 contained 1,1-dichloroethene, carbon tetrachloride, tetrachloroethene, trichloroethene and uranium-233/234 above Tier II Action Levels. From December 2001 to May 2002, 1,1-dichloroethene increased slightly from 14.0 to 14.2 µg/l (Figure 2-6). Carbon tetrachloride decreased slightly from 100.0 to 99.0 µg/l (Figure 2-19). Tetrachloroethene increased from 5.5 to 6.2 µg/l (Figure 2-47). Trichloroethene decreased from 270.0 to 204.0 µg/l (Figure 2-66). Uranium-233/234 was well below the Background M2SD. FD-559-561 will be sampled again in the Fourth Quarter 2002.

15

The following D&D wells and locations, 00200, 00300, 60499, 60599, 60699, 61499, FD-707-4 and P218089 monitor Building 707. Locations 00200, 60699 and FD-707-4 had no analytes above Tier II Action Levels. Well 61499 was dry.

Decontamination and Decommissioning wells 60499 and P218089 contained only uranium-233/234 and uranium-238 above Tier II Action Levels. Isotopes in both wells were well below Background M2SDs. These locations will be sampled again in the Fourth Quarter 2002.

Decontamination and Decommissioning well 00300 contained uranium-233/234, uranium-235 and uranium-238 above Tier II Action Levels. Uranium-233/234 and uranium-238 were below Background M2SDs. Uranium-235 was above the Background M2SD. Results for three uranium isotope samples at the well are given in the following table. Well 00300 will be sampled again in the Fourth Quarter 2002.

00300	Date	Result	2 Sigma Error	Background M2SD	Units	Lab Qualifier	Valid-ation	Detect Limit	QC Type	Result Type
U-235	5/22/01	0.861	0.236	1.79	pCi/L	J	V1	0.153	Real	TR1
U-235	10/10/01	0.965	0.393	1.79	pCi/L	J	V1	0.237	Real	TR1
U-235	4/11/02	2.340	0.669	1.79	pCi/L	-	V1	0.179	Real	TR1

Decontamination and Decommissioning well 60599 contained tetrachloroethene, uranium-233/234, uranium-235 and uranium-238 above Tier II Action Levels. Tetrachloroethene continued to decrease from a high in May 2001 (Figure 2-42). Uranium-233/234 and uranium-238 were below Background M2SDs. Uranium-235 was above the Background M2SD. Results for three available uranium isotope sampling events are given in the following table. Well 60599 will be sampled again in the Fourth Quarter 2002.

60599	Date	Result	2 Sigma Error	Background M2SD	Units	Lab Qualifier	Valid-ation	Detect Limit	QC Type	Result Type
U-235	5/21/01	0.728	0.226	1.79	pCi/L	J	V1	0.113	Real	TR1
U-235	10/11/01	0.574	0.321	1.79	pCi/L	J	V	0.279	Real	TR1
U-235	4/16/02	2.070	0.656	1.79	pCi/L	-	V	0.255	Real	TR1

Building 771 is monitored by the following D&D locations: 18199, 20998, 40599, 40699, 40799, 40899, 41499, 41599, 771 FD OUT #2 and P209089. Wells 20998, 40599, 40799, 40899, and 41599 were dry. Well 41499 contained insufficient water for a complete sample suite. Well 20998 will be replaced by well 20902 in the Third Quarter because the current 20998 location is in the way of D&D activities in the area. Sampling at the new 20902 should resume in the Fourth Quarter.

Decontamination and Decommissioning well 18199 is classified by the IMP (DOE, 2002) as both a D&D monitoring well at Building 771 and as Plume Degradation well for assessing contamination in IHSS 118.1. Well 18199 is discussed in more detail in the Plume Degradation section. 18199 had carbon tetrachloride, chloroform, hexachloroethane and tetrachloroethene at levels above Tier II.

Decontamination and Decommissioning well 41499 had trichloroethene that was above the Tier II Action Level (Figure 2-60). Trichloroethene decreased from the maximum value recorded in July of 2001. It's concentration remains above those recorded earlier in 2001 and in 2000. Well 41499 is scheduled for sampling in the Fourth Quarter 2002.

Decontamination and Decommissioning footing drain location 771 FD OUT #2 contained carbon tetrachloride, chloroform, uranium-233/234 and uranium-238 that were above Tier II Action Levels. Both carbon tetrachloride and chloroform decreased from maximum values recorded in May 2001 (see the table below). Uranium-233/234 and uranium-238 were both well below Background M2SDs. 771 FD OUT #2 is scheduled for sampling again in the Fourth Quarter 2002.

16

771 FD OUT #2	Date	Result	Tier II	Units	Lab Qualifier	Valid-ation	Detect Limit	Dilu-tion	QC Type	Result Type
Carbon Tetrachloride	3/26/99	12.0	5.0	µg/L		V1	5	1	Real	TR1
Carbon Tetrachloride	5/15/01	310.0	5.0	µg/L	D	V1	10	10	Real	DL1
Carbon Tetrachloride	5/31/02	126.0	5.0	µg/L		V1	0.38	1	Real	TR1
Chloroform	3/26/99	23.0	100.0	µg/L		V1	5	1	Real	TR1
Chloroform	5/15/01	120.0	100.0	µg/L	D	V1	10	10	Real	DL1
Chloroform	5/31/02	101.0	100.0	µg/L	-	V1	0.21	1	Real	TR1

Decontamination and Decommissioning well P219089 contained uranium-233/234 and uranium-238 that were above Tier II Action Levels. Both isotopes were below Background M2SDs. Well P219089 will be sampled again in the Fourth Quarter.

Decontamination and Decommissioning wells 00400, 00500, 00600, 00700 and 60299 monitor the area around Buildings 776 and 777. Well 00600 did not have any results that were above Tier II Action Levels.

Decontamination and Decommissioning well 00400 contained uranium-233/234 and uranium-238 that were above Tier II Action Levels. Both isotopes were well below Background M2SDs. Well 00400 will be sampled again in the Fourth Quarter.

Decontamination and Decommissioning well 00500 contained manganese, uranium-233/234 and uranium-238 that were above Tier II Action Levels. Manganese was also above the Background M2SD (Table 3-2 and Figure 2-70). Manganese decreased from the sample collected in November 2001, 2610 µg/L, to 1760 µg/L in April 2002. Both uranium isotopes were well below Background M2SDs. Well 00500 will be sampled again in the Fourth Quarter.

Decontamination and Decommissioning well 00700 had 1,1-dichloroethene, 1,2-dichloroethane, carbon tetrachloride, chloroform and tetrachloroethene that were above Tier II Action Levels. Second Quarter results (May 2002) for1,1-dichloroethene (Figure 2-1), carbon tetrachloride (Figure 2-9), chloroform (Figure 2-21) and tetrachloroethene (Figure 2-31) decreased by varying amounts from the November 2001 sample. Only 1,2-dichloroethane increased over the interval (Figure 2-8). Well 00700 will be sampled again in the Fourth Quarter 2002.

Decontamination and Decommissioning well 60299 had trichloroethene that was above the Tier II Action Level (Figure 2-61). The Second Quarter result (20.8 µg/L) was a significant increase over the previous three samples collected at the well. 60299 will be sampled again in the Fourth Quarter 2002.

Building 779 is monitored at locations 00100, 02397, 02497, 02500 and SW085. Well 02497 had no results greater than Tier II.

Decontamination and Decommissioning well 00100 contained trichloroethene, americium-241, plutonium-239/240 and uranium-233/234 that were above Tier II Action Levels. (Note that although they are radionuclides, americium-241 and plutonium-239/240 are not compared to Background M2SD values, just the Tier II Action Levels.) Trichloroethene decreased from 55.0 µg/L in November 2001 to 41.7 µg/L in April 2002 (Figure 2-50). The April 2002 americium-241 (0.321 $\pm$ 0.076 pCi/L) increased compared to the November 2001 sample (0.065 $\pm$ 0.027 pCi/L, Figure 2-86). Plutonium-239/240 also increased between the November (0.050 + 0.026 pCi/L) and April (2.210 $\pm$ 0.301 pCi/L) sampling events (Figure 2-88). Uranium-233/234 was well below its Background M2SD. Well 00100 is scheduled for sampling in the Fourth Quarter 2002.

17

Decontamination and Decommissioning well 02397 exhibited nitrate/nitrite and uranium-233/234 results that were above Tier II Action Levels. Nitrate/nitrite decreased slightly from April 2001 (11.0 mg/L) to May 2002 (10.7 mg/L, Figure 2-81). The uranium-233/234 was well below its Background M2SD. Well 02397 will be sampled again in the Fourth Quarter 2002.

Decontamination and Decommissioning well 02500 had trichloroethene, uranium-233/234 and uranium-238 above Tier II Action Levels. The April 2002 trichloroethene (15.3 µg/L) decreased from the previous sample (October 2001 19.0 µg/L), the maximum reported to date (Figure 2-53). Both uranium-233/234 and uranium-238 were below Background M2SDs. Well 02500 will be sampled again in the Third Quarter 2002.

Non-IMP surface-water location SW085 contained plutonium-239/240, uranium-233/234 and uranium-238 that were above Tier II Action Levels. Plutonium-239/240 increased from 0.142 + 0.037 pCi/L in March 2002 to 0.161 + 0.041 pCi/L in June 2002 (Figure 2-89). Both uranium isotopes were well below Background M2SDs. Additional sampling at location SW085 is planned for the Third Quarter.

Building 865 is monitored at locations 86501, 86601, 86701 and BS-865-2. Wells 40999 and P317989 monitor Buildings 865 and 886.

Decontamination and Decommissioning well 40999 contained uranium-233/234 and uranium-238 that were above Tier II Action Levels. Both isotopes were below Background M2SDs. Well 40999 is scheduled for sampling in the Third Quarter 2002.

Decontamination and Decommissioning well 86501 had uranium-233/234, uranium-235 and uranium-238 that were above both Tier II Action Levels and Background M2SDs. The Second Quarter 2002 sampling event was only the third at the well so no trend plots are presented. Details of uranium isotope sampling at 86501 are presented in the following table. The activities of all three isotopes increased between the February and May 2002 sampling events. Well 86501 will be sampled in the Third Quarter 2002.

86501	Date	Result	2 Sigma Error	Back-ground M2SD	Units	Lab Qualifier	Valid-ation	Detect Limit	QC Type	Result Type
U-233/234	11/19/01	37.2	7.2	60.7	pCi/L		V1	0.168	Real	TR1
U-233/234	2/22/02	31.4	6.0	60.7	pCi/L		V	0.87	Real	TR1
U-233/234	5/20/02	67.0	12.7	60.7	pCi/L		V1	0.573	Real	TR1
U-235	11/19/01	1.10	0.53	1.79	pCi/L		V1	0.168	Real	TR1
U-235	2/22/02	1.92	0.72	1.79	pCi/L		V	0.87	Real	TR1
U-235	5/20/02	3.36	1.20	1.79	pCi/L		V1	0.515	Real	TR1
U-238	11/19/01	26.5	5.30	41.8	pCi/L		V1	0.296	Real	TR1
U-238	2/22/02	24.4	4.81	41.8	pCi/L		V	0.153	Real	TR1
U-238	5/20/02	51.7	9.99	41.8	pCi/L		V1	0.436	Real	TR1

Decontamination and Decommissioning well 86601 contained uranium-233/234 and uranium-238 that were above Tier II Action Levels. Both isotopes were below Background M2SDs. 86601 is scheduled for sampling in the Third Quarter 2002.

Decontamination and Decommissioning well 86701 held trichloroethene, uranium-233/234, uranium-235 and uranium-238 above Tier II Action Levels. The May 2002 sampling at the well was only the second at the well so analytical data are provided in the table below. Trichloroethene and all the uranium isotopes increased between the January and May 2002 sampling events. Well 86701 will be sampled again in the Third Quarter 2002.

86701	Date	Result	Tier II	Units	Lab Qualifier	Valid-ation	Detect Limit	Dilu-tion	QC Type	Result Type
Trichloroethene	1/15/02	34.1	5.0	µg/L		V	0.5	1	Real	TR1
Trichloroethene	5/20/02	38.7	5.0	µg/L		V1	0.2	1	Real	TR1
86701	**Date**	**Result**	**2 Sigma Error**	**Back-ground M2SD**	**Units**	**Lab Qualifier**	**Valid-ation**	**Detect Limit**	**QC Type**	**Result Type**
U-233/234	1/15/02	44.7	9.20	60.7	pCi/L		V	0.539	Real	TR1
U-233/234	5/20/02	515	9.27	60.7	pCi/L		V1	0.442	Real	TR1
U-235	1/15/02	1.27	0.64	1.79	pCi/L		V	0.505	Real	TR1
U-235	5/20/02	2.99	1.0	1.79	pCi/L		V1	0.517	Real	TR1
U-238	1/15/02	39.3	8.16	41.8	pCi/L		V	0.539	Real	TR1
U-238	5/20/02	41.5	7.59	41.8	pCi/L		V1	0.191	Real	TR1

Decontamination and Decommissioning location BS-865-2 is a footing drain outside door #1. Location BS-865-2 contained uranium-233/234 and uranium-238 above Tier II Action Levels. Both isotopes were well below Background M2SDs. Location BS-865-2 is scheduled for sampling in the Third Quarter 2002.

Decontamination and Decommissioning P317989 contained uranium-233/234, uranium-235 and uranium-238 that were above Tier II. The activities of uranium-233/234 and uranium-238 increased from July 2001 to June 2002 and surpassed their Background M2SDs (Figures 2-91 and 2-95 respectively). Uranium-235 has been above the Background M2SD since June of 2000. The June 2002 activity was the maximum recorded to date (Figure 2-93). Sampling at well P317989 will resume in the Third Quarter.

Decontamination and Decommissioning wells 37791, 39691, 5187 and 88101 monitor the area around Building 881. Wells 39691 and 5187 were dry during the Second Quarter. Well 37791 had no analyses with results greater than Tier II Action Levels.

Decontamination and Decommissioning well 88101 contained lithium, uranium-233/234, uranium-235 and uranium-238 that were greater than Tier II Action Levels. Only two sampling events have occurred at 88101 details are given in the table below. Lithium increase between the February and April 2002 sampling events while activities for the three uranium isotopes decreased. The next sampling of 88101 is scheduled for the Third Quarter 2002.

88101	Date	Result	Tier II	Units	Lab Qualifier	Valid-ation	Detect Limit	Dilu-tion	QC Type	Result Type
Lithium	2/19/02	564.0	730.0	µg/L		V1	4.1	1	Real	TR1
Lithium	4/23/02	746.0	730.0	µg/L		J	0.0.02	1	Real	TR1
88101	**Date**	**Result**	**2 Sigma Error**	**Back-ground M2SD**	**Units**	**Lab Qualifier**	**Valid-ation**	**Detect Limit**	**QC Type**	**Result Type**
U-233/234	2/19/02	246.0	37.3	60.7	pCi/L		V1	1.08	Real	TR1
U-233/234	4/23/02	115.0	23.9	60.7	pCi/L		V1	0.581	Real	TR1
U-235	2/19/02	12.10	2.76	1.79	pCi/L		V1	1.03	Real	TR1
U-235	4/23/02	4.76	1.57	1.79	pCi/L		V1	0.443	Real	TR1
U-238	2/19/02	173.0	26.6	41.8	pCi/L		V1	0.886	Real	TR1
U-238	4/23/02	79.5	16.7	41.8	pCi/L		V1	0.262	Real	TR1

Building 883 is monitored by D&D wells 61099, 61199, 83101 and 83201.

Decontamination and Decommissioning well 61099 had a result for tetrachloroethene that was above the Tier II Action Level. The May tetrachloroethene concentration (19.7 µg/L) decreased from the preceding sample (32.0 µg/L) collected in February (Figure 2-43). The February sample was the maximum recorded to date. Well 61099 will be sampled again in the Third Quarter 2002.

Decontamination and Decommissioning 61199 contained tetrachloroethene, trichloroethene, uranium-233/234 and uranium-238 that were above Tier II. Tetrachloroethene and trichloroethene increased to maximum levels between February and May (Figures 2-44 and 2-62 respectively). Tetrachloroethene went from 200 to 293 µg/L and trichloroethene from 16.0 to 24.5 µg/L. Both uranium isotopes were well below Background M2SDs. Sampling at well 61199 will resume in the Third Quarter.

Decontamination and Decommissioning well 83101 also had tetrachloroethene, trichloroethene, uranium-233/234 and uranium-238 that were above Tier II Action Levels. The Second Quarter samples are only the third at the well so no trend plots are presented. As shown in the table below both tetrachloroethene and trichloroethene increased between the February and May sampling events. Both uranium isotopes were below Background M2SDs. 83101 will be sampled again in the Third Quarter.

83101	Date	Result	Tier II	Units	Lab Qualifier	Valid-ation	Detect Limit	Dilu-tion	QC Type	Result Type
Tetrachloroethene	12/5/01	29.0	5.0	µg/L		V	0.36	1	Real	TR1
Tetrachloroethene	2/20/02	42.0	5.0	µg/L		V1	0.27	1	Real	TR1
Tetrachloroethene	5/8/02	49.4	5.0	µg/L	B	V	1	1	Real	TR1
Trichloroethene	12/5/01	8.6	5.0	µg/L		V	0.22	1	Real	TR1
Trichloroethene	2/20/02	13.0	5.0	µg/L		V1	0.24	1	Real	TR1
Trichloroethene	5/8/02	13.3	5.0	µg/L		V	1	1	Real	TR1

Decontamination and Decommissioning well 83201 contained uranium-233/234, uranium-235 and uranium-238 that were above Tier II Action Levels. All three isotopes were also above Background M2SDs. Because the Second Quarter was only the third sampling event at the well analytical results are given in the table below. Well 83201 will be sampled in the Third Quarter.

88101	Date	Result	2 Sigma Error	Back-ground M2SD	Units	Lab Qualifier	Valid-ation	Detect Limit	QC Type	Result Type
U-233/234	12/11/01	161.0	25.4	60.7	pCi/L		V	0.178	Real	TR1
U-233/234	2/21/02	142.0	22.7	60.7	pCi/L		V1	0.36	Dup	TR1
U-233/234	5/8/02	160.0	29.7	60.7	pCi/L		V	2.94	Real	TR1
U-235	12/11/01	7.19	1.43	1.79	pCi/L		V	0.217	Real	TR1
U-235	2/21/02	8.34	2.70	1.79	pCi/L		V1	0.812	Real	TR1
U-235	5/8/02	6.00	2.88	1.79	pCi/L		V	2.26	Real	TR1
U-238	12/11/01	127.0	20.0	41.8	pCi/L		V	0.217	Real	TR1
U-238	2/21/02	108.0	17.2	41.8	pCi/L		V1	0.28	Dup	TR1
U-238	5/8/02	133.0	25.2	41.8	pCi/L		V	0.227	Real	TR1

Building 886 (and in some cases Building 865) is monitored by the following D&D wells: 40999 41099, and P317989. Wells 40999 and P317989 were discussed above under Building 865. Well 41099 was only sampled for americium-241 and plutonium-239/240 this quarter and the results were below Tier II Action Levels. An attempt to fully sample well 41099 will be made in the Third Quarter, the well usually produces a limited amount of water.

Building 991 is monitored by wells 99101, 99201, 99301 and 99401. Well 99101 was dry this quarter. Wells 99201 and 99401 only had limited water so complete sample suites were not collected. Well 99201 did not have analytes above Tier II Action Levels.

Decontamination and Decommissioning well 99301 contained trichloroethene, uranium-233/234 and uranium-238 that were above Tier II Action Levels. Because this is only the third sampling event for the well, trichloroethene data are provided in a table. Trichloroethene increased between the March and May 2002 sampling events. The uranium-isotopes were below Background M2SDs. Well 99301 will be sampled in the Third Quarter 2002.

20

99301	Date	Result	Tier II	Units	Lab Qualifier	Valid-ation	Detect Limit	Dilu-tion	QC Type	Result Type
Trichloroethene	12/6/01	55.0	5.0	µg/L	-	V	0.22	1	Real	TR1
Trichloroethene	3/11/02	24.2	5.0	µg/L	-	V1	0.23	1	Real	TR1
Trichloroethene	5/6/02	31.0	5.0	µg/L	-	V	0.15	1	Real	TR1

Decontamination and Decommissioning well 99401 exhibited uranium-233/234, uranium-235 and uranium-238 that were above Tier II and Background M2SDs. All three isotopes increased since the first sampling event as shown in the following table. The well will be sampled again in the Third Quarter.

99401	Date	Result	2 Sigma Error	Background M2SD	Units	Lab Qualifier	Valid-ation	Detect Limit	QC Type	Result Type
U-233/234	1/17/02	241	47.0	60.7	pCi/L		V1	1.85	Real	TR1
U-233/234	5/6/02	317	50.8	60.7	pCi/L		V	1.23	Real	TR1
U-235	1/17/02	9.68	3.79	1.79	pCi/L		V1	1.85	Real	TR1
U-235	5/6/02	19.8	4.92	1.79	pCi/L		V	1.05	Real	TR1
U-238	1/17/02	185	36.6	41.8	pCi/L		V1	2.24	Real	TR1
U-238	5/6/02	233	37.9	41.8	pCi/L		V	1.6	Real	TR1

Drainage Wells: Well 6486 was the only Drainage well sampled in the Second Quarter 2002.

Drainage well 6486 contained reportable chromium and nickel in January 2002. Metal samples were collected in March, April and May 2002 to confirm the January detection. Results of the monthly analyses were recorded and discussed in the First Quarter RFCA Groundwater Monitoring Report for CY 2002 (SSOC, 2002). The First Quarter Report constituted official notification that elevated levels of chromium and nickel had been detected in the well. The results recorded here duplicate those recorded in the First Quarter Report they are being included for completeness. Chromium and nickel results for the sampling events discussed here are illustrated in Figures 2-69 and 2-74 respectively. Well 6486 does not have enough sampling events in the years from 1991 through 1995 (5-events) to calculate Historic Means and Standard Deviations for the well. Routine sampling of well 6486 will resume in the Third Quarter 2002.

Performance Monitoring Locations: Sixteen Performance Monitoring locations were visited in the Second Quarter 2002. Six locations, 15599, 15699, 15799, 95299, SW099 and SW100, were dry. All ten remaining locations had enough water to provide complete sample suites. These ten locations had analytes with concentrations that exceeded Tier II Action Levels. The IMP does not define reportable results for Performance Monitoring locations.

Performance Monitoring well 00897 exhibited tetrachloroethene, trichloroethene, uranium-233/234 and uranium-238 that were above Tier II Action Levels. No 1991-1995 Historic M2SDs are available for well 00897. By inspection, tetrachloroethene decreased slightly from the previous sample (Fourth Quarter 2001) which was the highest recorded to date (Figure 2-32). It remained within its usual range. Trichloroethene increased slightly from the previous sample, it has remained relatively unchanged since the Second Quarter 2001 (Figure 2-51). Both uranium isotopes were well below their respective Background M2SDs. Well 00897 will be sampled again in the Fourth Quarter 2002.

Performance Monitoring well 02291 also contained tetrachloroethene, trichloroethene, uranium-233/234 and uranium-238 that were above Tier II Levels. The uranium isotopes were below their site Background M2SDs. Tetrachloroethene (Figure 2-33) and trichloroethene (Figure 2-52) decreased significantly and were below their Historic M2SDs for the first time since the middle of 1999. Well 02291 is scheduled for sampling in the Fourth Quarter 2002.

Performance Monitoring well 11891 had carbon tetrachloride, tetrachloroethene, trichloroethene, americium-241, uranium-233/234 and uranium-238 that were above Tier II Action Levels. Carbon

21

tetrachloride decreased from the previous sample and it remains below its Historic M2SD near the middle of its range (Figure 2-10). Tetrachloroethene (Figure 2-34) and trichloroethene (Figure 2-55) both increased but are also below their Historic M2SDs in the middle of their usual ranges. Americium-241 increased significantly and rose above the Tier II Action Level and Historic M2SD for the first time (Figure 2-87). Uranium-233/234 and uranium-238 were well below Background M2SDs. Well 11891 is scheduled for sampling again in the Fourth Quarter 2002.

Performance Monitoring well 12191 had carbon tetrachloride, tetrachloroethene, trichloroethene, uranium-233/234 and uranium-238 that were above Tier II Action Levels. Carbon tetrachloride increase compared to the previous (Fourth Quarter 2001) sample but remained below its Historic M2SD (Figure 2-11). Tetrachloroethene (Figure 2-35) and trichloroethene (Figure 2-56) increased but were also near the middle of their ranges below Historic M2SDs. The uranium isotopes were both well below the Background M2SDs. Well 12191 is scheduled for sampling in the Fourth Quarter.

Performance Monitoring well 3687 contained 1,1-dichloroethene, carbon tetrachloride, chloroform, tetrachloroethene, trichloroethene, uranium-233/234 and uranium-238 above Tier II. 1,1-Dichloroethene and chloroform increased over the Fourth Quarter 2001 sampling event but were still below Historic M2SDs (Figure 2-3 and 2-26 respectively). The 1,1-dichloroethene and chloroform concentrations recorded since the Fourth Quarter 2000 are among the lowest reported for the well. Carbon tetrachloride increased also but is still below its Historic Mean and M2SD (Figure 2-17). Tetrachloroethene (Figure 2-41) and trichloroethene (Figure 2-59) both increased. Tetrachloroethene is near the middle of its range, below its Historic Mean and M2SD. Trichloroethene while having a high concentration is in the lower part of its range below its Historic Mean and M2SD. The uranium isotopes were both well below Background M2SDs. Well 3687 will be sampled in the Fourth Quarter 2002.

Performance Monitoring well 70099 had uranium-233/234, uranium-235 and uranium-238 activities that were above both Tier II Action Levels and Background M2SDs. No 1991-1995 Historic M2SDs are available for well 70099. By inspection, uranium-233/234 and uranium-238 activities in the well increased compared to the First Quarter sample (Figure 2-90 and 2-94 respectively). Uranium-235 remained relatively unchanged from the First Quarter (Figure 2-92). Uranium-233/234 and uranium-238 continue to increase slowly. All three isotopes are within the middle of their usual ranges. Well 70099 will be sampled again in the Third Quarter.

Performance Monitoring Well 70299 contained uranium-233/234 and uranium-238 activities that while they were above Tier II were below Background M2SDs. Well 70299 is scheduled for sampling in the Third Quarter.

Performance Monitoring well 95199 exhibited trichloroethene that was above the Tier II Action Level. By inspection, trichloroethene increased slightly since the Fourth Quarter 2001 sampling event (Figure 2-65). Trichloroethene in 95199 remains in the middle of its range. Well 95199 will be sampled again in the Fourth Quarter 2002.

Performance Monitoring location SW13494 (Building 881 sump) had tetrachloroethene, uranium-233/234 and uranium-238 that were above Tier II. Tetrachloroethene increased slightly since the last sampling event, the concentration is below its Historic M2SD (Figure 2-46). Uranium-233/234 and uranium-238 were both well below their Background M2SDs. SW13494 is being sampled on a quarterly basis and will be sampled again in the Third Quarter. (Note: The tetrachloroethene trend plot has been changed. It was determined that data points attributed to SW13494 prior to December 1995 did not in fact belong to it. The points were related to an OU-1 or Building 891 outfall. Data points prior to December 1995 have been removed from the SW13494 plot.)

Plume Definition Wells: Eight-Plume Definition wells were visited in the Second Quarter of 2002. One well was dry (00297). Wells P219189 and P416789 had insufficient water to collect complete sample suites. Six of seven sampled wells had at least one result that was above a Tier II Action Level. Well P209289 had no analytes greater than Tier II. Because there were no results greater than Tier I, there were no reportable results for Plume Definition wells.

Plume Definition well 0487 had concentrations of trichloroethene, selenium, uranium-233/234 and uranium-238 that were above Tier II Action Levels. None of the results associated with these analytes were reportable because they did not exceed Tier I Levels. Trichloroethene decreased from the First Quarter 2002 sample and were among the lowest recorded at the well (Figure 2-54). Selenium was above its Background M2SD having increased slightly since the First Quarter but was also in the lowest part of its range (Figure 2-75). Both trichloroethene and selenium were well below their Historic M2SDs. Uranium-233/234 and uranium-238 were both below site Background M2SDs. Well 00491 is on a quarterly schedule and will sampled in the Third Quarter 2002.

Plume Definition location 891COLWEL contained non-reportable 1,1-dichloroethene, carbon tetrachloride, tetrachloroethene, trichloroethene, selenium, uranium-233/234 and uranium-238 that were above Tier II Action Levels. Except for tetrachloroethene which increased slightly the three other VOCs decreased slightly over samples collected in the First Quarter 2002 (Figures 2-5, 2-18, 2-46 and 2-64 respectively). All four VOCs were in the middle to lower parts of their ranges below their Historic M2SDs. Selenium increased slightly from the First Quarter and remains near its Historic Mean in the middle of its range (Figure 2-78). The uranium isotopes were both below their Background M2SDs. Location 891COLWEL is on a quarterly sampling schedule and will be sampled again in the Third Quarter 2002.

Plume Definition well P209489 contained non-reportable carbon tetrachloride, trichloroethene, thallium, nitrate/nitrite, uranium-233/234, uranium-235 and uranium-238 that were above Tier II Action Levels. Carbon tetrachloride increased slightly (Figure 2-20) and trichloroethene decreased slightly (Figure 2-67) after the First Quarter. Both compounds were below their Historic M2SDs in the lowest part of their ranges. Thallium decreased compared to the First Quarter and was below its Background and Historic M2SDs (Figure 2-80). Nitrate/nitrite also decreased, was above the Background M2SD, but below its Historic M2SD (Figure 2-83). The uranium isotopes were all below Background M2SDs. Well P209489 is scheduled for Fourth Quarter Sampling.

Plume Definition well P219189 contained non-reportable 1,1-dichloroethene that was above the Tier II Level but below its Historic M2SD (Figure 2-7). 1,1-Dichloroethene increased compared to the previous sample (Fourth Quarter 2001) and was in the upper part of its usual range. The well will be sample in the Fourth Quarter 2002.

Plume Definition well P416789 held non-reportable nitrate/nitrite, uranium-233/234 and uranium-238 above Tier II Action Levels. By inspection, nitrate/nitrite increased above the Tier II Level for the first time since late 1999 (Figure 2-85). The preceding Fourth Quarter 2001 sample was the lowest recorded. Both uranium isotopes were well below their Background M2SDs. Well P416789 will be sampled again in the Fourth Quarter 2002.

Plume Definition well P416889 contained non-reportable tetrachloroethene and uranium-233/234 above Tier II Action Levels. Tetrachloroethene decreased from the Fourth Quarter 2001 was below its Historic M2SD and in the middle of its range (Figure 2-48). Uranium-233/234 was well below its Background M2SD. P416889 will be sampled again in the Fourth Quarter 2002.

Plume Degradation Wells: Five-Plume Degradation wells were visited in the Second Quarter of 2002. Well 18399 was dry and the only well where collection of complete sampling suites was not possible. All four sampled wells had analytical results greater than Tier II. Three of the wells had

23

results greater than Tier I. because analytical results for Plume Degradation wells are reviewed in the Groundwater Annual Report, there are no definitions for reportable occurrences.

Plume Degradation wells 18199 also serves as a D&D well that monitors Building 771. Well 18199 contained carbon tetrachloride, chloroform, hexachloroethane and tetrachloroethene that were above Tier II Action Levels. Carbon tetrachloride was above Tier I. There are no 1991-1995 Historic M2SDs for well 18199. By inspection, carbon tetrachloride and chloroform were in the upper part of their ranges although they decreased since the First Quarter (Figures 2-12 and 2-22). Hexachloroethane (a semi-volatile organic compound-SVOC) decreased from the preceding sample collected in 1999. Hexachloroethane has been sampled three times at well 18199 details are given in the table below. Tetrachloroethene has remained relatively constant since the inception of sampling in 1999 (Figure 2-36). Because it is a Plume Degradation well and a D&D well, 18199 will be sampled again in the Third Quarter 2002. The sampling suites for each IMP well class vary somewhat.

18199 All SVOC analyses	Date	Result	Tier II	Units	Lab Qualifier	Valid-ation	Detect Limit	Dilu-tion	QC Type	Result Type
Hexachloroethane	3/17/99	12.6	6.08	µg/L		V1	3.4	1	Real	TR1
Hexachloroethane	9/13/99	17.0	6.08	µg/L		V1	10.0	1	Real	TR1
Hexachloroethane	4/29/02	15.0	6.08	µg/L		V1	3.0	1	Real	TR1

Plume Degradation well 18499 had carbon tetrachloride, chloroform, hexachloroethane, methylene chloride and tetrachloroethene that were above Tier II Action Levels. Carbon tetrachloride was above Tier I. Carbon tetrachloride and chloroform decreased slightly compared to the Fourth Quarter 2001 (Figure 2-13 and 2-23 respectively). The carbon tetrachloride concentration remains within a relatively narrow range (note the elevated level) that began in mid-1999. Chloroform has a broader range at a lower concentration; the Second Quarter result was near the middle of that range. Hexachloroethane was detected in 18499 as both a semi-volatile organic compound (SVOC analysis) and as a tentatively identified volatile-organic compound (TIC in a VOC analysis). Note the difference between the SVOC and VOC result values in the table below and in Figure 2-26. The SVOC result is similar to analyses performed in 1999, the VOC-TIC analyses show a large decrease between the Fourth Quarter 2001 and Second Quarter 2002. The Second Quarter 2002 methylene chloride decreased compared to the Fourth Quarter 2001 (Figure 2-30). The current methylene chloride analysis is the lowest recorded to date. Detections of tetrachloroethene have remained relatively consistent from the Second Quarter 2001 through the current Second Quarter samplings (Figure 2-37).

18499 Hexachloroethane Date	VOC TIC Result	SVOC Result	Tier II	Units	Lab Qualifier	Valid-ation	Detect Limit	Dilu-tion	QC Type	Result Type
3/17/99		179.0	6.08	µg/L	D	V1	3.4	1	Real	DL1
9/20/99		50.0	6.08	µg/L		V1	10.0	1	Dup	TR1
10/30/01	1602.0		6.08	µg/L	J	V1	-	80	Real	TR1
4/29/02	210.0	74.0	6.08	µg/L	J/-	V1/V1	-/3.0	40/1	Rl/Dp	DL1/TR1

Plume Degradation well 18799 had 1,1-dichloroethene, carbon tetrachloride, chloroform, and tetrachloroethene above Tier II. Carbon tetrachloride was also above Tier I. 1,1-Dichloroethene remained unchanged from the Fourth Quarter 2001 (Figure 2-2). It is in the upper part of its range. Carbon tetrachloride decreased compared to the Fourth Quarter it remains in the middle of its range (Figure 2-14). The current chloroform and tetrachloroethene results are the maximums recorded to date, both showing an increase over the Fourth Quarter (Figures 2-24 and 2-38). Well 18799 is scheduled for sampling in the Fourth Quarter 2002.

Plume Degradation well 30900 was new to this report in the First Quarter RFCA Groundwater Monitoring Report For CY 2002 (SSOC, 2002). During the Second Quarter 2002, the well was

shifted from monthly sampling to quarterly. Samples were collected in April and May but not in June of the Second Quarter. This and sampling for both total and dissolved metals resulted in multiple entries in Table 3-2. Well 30900 contained cis-1,2-dichloroethene, tetrachloroethene, arsenic, manganese and thallium that were above the Tier II Level. Except for thallium, the metals were also above Background M2SDs. Cis-1,2-dichloroethene decreased in April and increased in May generally continuing an increasing trend that began in the Fourth Quarter 2001 (Figure 2-28). Tetrachloroethene increased in April and decreased in May to the lowest level recorded at the well (Figure 2-40). Arsenic decreased in April and increased in May to a new maximum (Figure 2-68). Manganese increased to a new maximum in April and then decreased in May (Figure 2-72). Concentrations of arsenic and manganese have generally increased since the inception of sampling in April of 2001. Note that well 30900 is located in the source area for a treatability study and results from the well may be influenced by activities associated with that study. Well 30900 will be sampled in the Third Quarter 2002.

Plume Extent Wells: Sixteen Plume Extent wells were visited in the Second Quarter. Four of these were dry (02197, 3386, B208289 and P218389). Well P219489 had insufficient water to collect a complete sample suite. Well 3586 had no returned results above Tier II Action Levels. From the 12 sampled wells eight had13 reportable analytical results. Well 21098 contained carbon tetrachloride and well 23296 trichloroethene that were above a Tier I Action Levels.

Plume Extent wells 2186, B208789 and P416689 had non-reportable uranium-233/234 and uranium-238 concentrations that were above Tier II Action Levels. The results for all uranium isotopes in these three wells were below their respective Background M2SDs (Table 3-2). These wells will continue to be monitored on a routine schedule in the Fourth Quarter of 2002.

Plume Extent well 02197 was dry and did not contain nitrate/nitrite above the Tier II Action Level. The April sampling represents the final unsuccessful attempt to collect a monthly suite of nitrate/nitrite samples that began in February 2002. Because the February and March results were below Tier II for nitrate/nitrite, well 02197 is being removed from the Groundwater Sampling Program.

Plume Extent well 1386 exhibited concentrations of nickel and total and dissolved uranium-233/234 and uranium-238 that were above Tier II Action Levels. The nickel concentration is reportable because it was above both the Background M2SD and Historic M2SD for the well (Figure 2-73). Because nickel has been above the Historic M2SD since 1997 and a suite of monthly samples was collected in 1998, no additional metal sampling at 1386 is planned at this time. All the uranium isotopic analyses were below Background M2SDs so they are not reportable. Well 1386 will be sampled in the Third Quarter 2002 in conjunction with remediation of the Solar Ponds area.

Plume Extent well 1786 had reportable selenium and nitrate/nitrite concentrations and non-reportable, uranium-233/234, uranium-235 and uranium-238 that exceeded Tier II Action Levels. Selenium was above the site Background M2SD and the Historic M2SD for the well (Figure 2-76). Selenium decreased relative to the Fourth Quarter 2001 sample to a level fractionally above its Historic M2SD. The current selenium is the lowest recorded since mid-1999. No additional sampling for metals at 1786 is necessary because of a suite of monthly samples collected in 2000 and the long history of elevated selenium results in the well. The nitrate/nitrite concentration was above the Background M2SD but below the Historic M2SD (Figure 2-82). The current nitrate/nitrite value is the lowest recorded to date. No further action with respect to nitrate/nitrite is planned due to the long history of elevated results from the well. The three uranium isotopes were below Background M2SDs. Well 1786 will continue to be monitored on a quarterly basis, the next sampling will occur in the Third Quarter 2002 in association with Solar Ponds Plume investigations.

Plume Extent well 1986 exhibited reportable manganese and non-reportable uranium-233/234 and uranium-238 results that were above Tier II Action Levels. Manganese was above both the Background M2SD and Historic M2SD (Figure 2-71). The total manganese result for the Second Quarter was greater than the dissolved result from the Fourth Quarter 2001. Monthly sampling for metals at 1986 is not necessary. A suite was completed in 1998. And there is a long history of elevated results at the well. Both uranium isotopes were well below the site Background M2SDs. Well 1986 will be sampled again in the Fourth Quarter 2002.

Plume Extent well 7086 had a reportable selenium analysis for a May 2002 sample. The analysis was above the Tier II Action Level, the Background M2SD and Historic M2SD. This selenium value appears anomalously high compared to previous analyses and one subsequent one (Figure 2-77). The Groundwater Program believes that this result is inaccurate. Note that the data package for the sample in question was verified at the V1 level (no problems were indicated) and was independently examined by the KH-ASD group where again no problems were detected. Monthly sampling and a routine sample for metals make selenium analyses available for February, March, April and September 2002. These analyses bracket the anomalous (May) result in time. Selenium values from the bracketing events are consistent with historic analyses dating back to 1990 that show selenium levels well below Tier II (principally non-detections). The Groundwater Program does not plan additional metal sampling at well 7086 at this time based on what appears to be an inaccurate analysis. Routine sampling at well 7086 will resume in the Fourth Quarter 2002.

Plume Extent well 21098 contained reportable carbon tetrachloride and chloroform. Both compounds were above Tier II Action Levels. No Historic M2SDs are available for 21098. By inspection, carbon tetrachloride decreased from the maximum recorded level in the Fourth Quarter 2001 to a new minimum for the Second Quarter 2002 (Figure 2-15). Chloroform decreased compared to the Fourth Quarter to the second lowest recorded value (Figure 2-25). The detections for carbon tetrachloride and chloroform in the Second Quarter are the first for well 21098 under its new IMP Plume Extent classification. The classification was formerly as a Plume Degradation well in the FY 2001 IMP. Normally monthly sampling for VOCs would have been initiated as required by the FY2002 IMP. However, it was necessary to abandon Plume Extent well 21098 because of building D&D activities in the area making it impossible to collect monthly samples. A replacement Plume Extent Well, 21002, was in stalled in August near the original 21098 location. Plume Extent well 21002 was sampled for the first time in mid-November 2002. A decision as to whether a suite of monthly samples will be collected at 21002 will be made when the November results are returned.

Plume Extent well 22796 contained reportable trichloroethene and non-reportable uranium-233-234 and uranium-238 at levels above Tier II. There are no Historic M2SDs for this well. Trichloroethene decreased from the First Quarter 2002 and remains in the middle to lower part of its range (Figure 2-57). Additional VOC sampling at 22796 is not required because of the level of trichloroethene is relatively low and monthly samples were collected in 1997. The uranium isotopes were both well below their Background M2SDs. Well 22796 will be sampled in the Fourth Quarter 2002.

Plume Extent 23296 had reportable quantities of carbon tetrachloride, cis-1,2-dichloroethene, tetrachloroethene and trichloroethene and non-reportable uranium-233/234 and uranium-238 that were above Tier II Action Levels. No Historic M2SDs are available for 23296. Carbon tetrachloride remained in the middle of its range essentially unchanged with respect to the Fourth Quarter 2001 (Figure 2-16). Cis-1,2-dichloroethene having decreased compared to the Fourth Quarter was in the mid to upper part of its range (Figure 2-27). Tetrachloroethene increased but remained in the middle of its usual range (Figure 2-39). Trichloroethene increased and was near the upper part of its range (Figure 2-58). None of the VOCs present in 23296 in Second Quarter samples necessitates additional sampling because no extremely elevated detections are present and a suite of monthly samples was

completed in 2000. The uranium isotopes were both below site Background M2SDs. Sampling will resume at 23296 in the Fourth Quarter 2002.

Plume Extent well P219489 contained reportable nitrate/nitrite and non-reportable uranium-233/234 and uranium-238 that were above Tier II. The nitrate/nitrite was also above the Background M2SD for the site making the result reportable (Figure 2-84). Nitrate/nitrite remained near the middle of its usual range increasing slightly from the Fourth Quarter 2001 to the Second Quarter 2002. Both uranium isotopes were well below their Background M2SDs. No additional sampling is required at P219489. The well will be sampled again in the Fourth Quarter 2002.

RCRA Monitoring Wells: Eight RCRA monitoring wells were visited in the Second Quarter of 2002. Wells 52894, 52994 and B206989 were dry. All other wells provided enough water for complete suites. For the five sampled wells, there were no reportable results. Upgradient wells 5887 and 70193 had no results above Tier II Action Levels.

Downgradient RCRA monitoring well 4087 contained non-reportable uranium-233/234 and uranium-238. Both isotopes were above Tier II Action Levels but below site Background M2SDs. Sampling will resume in the Third Quarter 2002.

Upgradient RCRA monitoring well 70393 contained non-reportable quantities of 1,1-dichloroethene, tetrachloroethene and trichloroethene that were above Tier II Action Levels. The concentrations of all three VOCs were below their Historic M2SDs. All three VOCs increased slightly from the First Quarter 2002 and remained near the middle of their normal ranges (Figures 2-4, 2-45 and 2-63 respectively). All three compounds have been increasing since the Second Quarter 2001. Routine quarterly monitoring of 70393 will be continued in the Third Quarter 2002.

Upgradient RCRA monitoring well 70493 contained non-reportable uranium-233/234 and uranium-238. Both isotopes were above Tier II Action Levels but well below site Background M2SDs. Sampling will resume in the Third Quarter 2002.

27

Table 3-1: Groundwater Monitoring Locations and Sample Collection Summary
Second Quarter, 2002

Well #	VOC's	Metals	Radionuclides				Water Quality Parameters			
			Pu/Am	U-isotope	Tritium	Sr89/90	Nitrate /Nitrite	TDS	SO_4^{-2}	Fluoride
00100	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
*00200	Sampled	Sampled	Sampled	Sampled	N/S	N/S	N/S	Sampled	N/S	N/S
00297	Dry	Dry	Dry	Dry	Dry	Dry	Dry	Dry	Dry	Dry
*00300	Sampled	Sampled	Sampled	Sampled	N/S	N/S	N/S	Sampled	N/S	N/S
00400	Sampled	Sampled	Sampled	Sampled	Sampled	N/S	Sampled	Sampled	N/S	N/S
00500	Sampled	Sampled	Sampled	Sampled	Sampled	N/S	Sampled	Sampled	N/S	N/S
00600	Sampled	Sampled	Sampled	Sampled	Sampled	N/S	Sampled	Sampled	N/S	N/S
00700	Sampled	Sampled	Sampled	Sampled	Sampled	N/S	Sampled	Sampled	N/S	N/S
00897	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
02197	N/S	N/S	N/S	N/S	N/S	N/S	Dry	N/S	N/S	N/S
02291	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
02397	Sampled	Insw	Insw	Insw	N/S	N/S	Sampled	Insw	N/S	N/S
02497	Insw	Insw	Insw	Insw	N/S	N/S	Sampled	Insw	N/S	N/S
02500	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
0487	Sampled	Sampled	N/S	Sampled	N/S	N/S	Sampled	Sampled	Sampled	N/S
11891	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
12191	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
1386	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled
15599	Dry	N/S	Dry	Dry	N/S	N/S	N/S	N/S	N/S	N/S
15699	Dry	N/S	Dry	Dry	N/S	N/S	N/S	N/S	N/S	N/S
15799	Dry	N/S	Dry	Dry	N/S	N/S	N/S	N/S	N/S	N/S
1786	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled
*18199	Sampled	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S
*18399	Dry	N/S	N/S	N/S	N/S	N/S	N/S	Dry	Dry	N/S
*18499	Sampled	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	Sampled	N/S
*18799	Sampled	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	Sampled	N/S
1986	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
*20998	Dry	Dry	Dry	Dry	Dry	N/S	Dry	Dry	N/S	N/S
*21098	Sampled	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	Sampled	N/S
2186	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
*22796	Sampled	Sampled	Sampled	Sampled	Sampled	N/S	Sampled	Sampled	N/S	N/S
23296	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
*30900	Sampled	Sampled	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	N/S
3386	Dry	Dry	Dry	Dry	Dry	Dry	Dry	Dry	Dry	Dry
3586	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
3687	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
37791	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
*39691	Dry	Dry	Dry	Dry	N/S	N/S	Dry	Dry	N/S	N/S
*40599	Dry	Dry	Dry	Dry	Dry	N/S	Dry	Dry	N/S	N/S
*40699	Dry	Dry	Dry	Dry	Dry	N/S	Dry	Dry	N/S	N/S
*40799	Dry	Dry	Dry	Dry	Dry	N/S	Dry	Dry	N/S	N/S
4087	Sampled	Sampled	N/S	Sampled	Sampled	N/S	Sampled	Sampled	Sampled	Sampled
*40899	Dry	Dry	Dry	Dry	Dry	N/S	Dry	Dry	N/S	N/S
40999	Sampled	Insw	Insw	Sampled	N/S	N/S	Insw	Insw	N/S	N/S
41099	N/S	N/S	Sampled	N/S	N/S	N/S	N/S	N/S	N/S	N/S
*41499	Sampled	Insw	Insw	Insw	Insw	N/S	Insw	Insw	N/S	N/S
*41599	Dry	Dry	Dry	Dry	Dry	N/S	Dry	Dry	N/S	N/S
*5187	Dry	Dry	Dry	Dry	N/S	N/S	Dry	Dry	N/S	N/S

N/S = Not sampled for this analyte.
Dry = Well did not recharge after purging, no samples collected.
Insw = Insufficient water to collect this sample.

28

Table 3-1: Groundwater Monitoring Locations and Sample Collection Summary
Second Quarter, 2002

Well #	VOC's	Metals	Radionuclides				Water Quality Parameters			
			Pu/Am	U-isotope	Tritium	Sr89/90	Nitrate /Nitrite	TDS	SO_4^{-2}	Fluoride
52894	Dry	Dry	N/S	Dry	Dry	N/S	Dry	Dry	Dry	Dry
52994	Dry	Dry	N/S	Dry	Dry	N/S	Dry	Dry	Dry	Dry
55901	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
*56001	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
*56101	Sampled	Insw	Insw	Sampled	N/S	N/S	Sampled	Insw	N/S	N/S
56201	Sampled	Sampled	Sampled	Sampled	Sampled	N/S	Sampled	Sampled	N/S	N/S
56301	Sampled	Sampled	Sampled	Sampled	Sampled	N/S	Sampled	Sampled	N/S	N/S
5887	Sampled	Sampled	N/S	Sampled	Sampled	N/S	Sampled	Sampled	Sampled	Sampled
60299	Sampled	Insw	Insw	Sampled	Insw	N/S	Insw	Insw	N/S	N/S
*60499	Sampled	Sampled	Sampled	Sampled	N/S	N/S	N/S	Sampled	N/S	N/S
*60599	Sampled	Sampled	Sampled	Sampled	N/S	N/S	N/S	Insw	N/S	N/S
*60699	Sampled	Insw	Sampled	Insw	N/S	N/S	N/S	Insw	N/S	N/S
61099	Sampled	Sampled	N/S	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
61199	Sampled	Sampled	N/S	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
*61499	Dry	Dry	Dry	Dry	N/S	N/S	N/S	Dry	N/S	N/S
6486	N/S	Sampled	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S
70099	N/S	N/S	N/S	Sampled	N/S	N/S	Sampled	N/S	N/S	N/S
70193	Sampled	Sampled	N/S	Sampled	Sampled	N/S	Sampled	Sampled	Sampled	Sampled
70299	N/S	N/S	N/S	Sampled	N/S	N/S	Sampled	N/S	N/S	N/S
70393	Sampled	Sampled	N/S	Sampled	Sampled	N/S	Sampled	Sampled	Sampled	Sampled
70493	Sampled	Sampled	N/S	Sampled	Sampled	N/S	Sampled	Sampled	Sampled	Sampled
7086	N/S	Sampled	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S
*771 FD OUT #2	Sampled	Sampled	Sampled	Sampled	Sampled	N/S	Sampled	Sampled	N/S	N/S
83101	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
83201	Sampled	Sampled	N/S	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
*86501	Sampled	Sampled	N/S	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
*86601	Sampled	Sampled	N/S	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
86701	Sampled	Sampled	N/S	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
88101	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Insw	Insw	N/S	N/S
891COLWEL	Sampled	Sampled	N/S	Sampled	N/S	N/S	N/S	Sampled	N/S	N/S
95099	Sampled	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S
95199	Sampled	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S
95299	Dry	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S
*99101	Dry	Dry	Dry	Dry	N/S	N/S	Dry	Dry	N/S	N/S
*99201	Sampled	Insw	Insw	Insw	N/S	N/S	Sampled	Insw	N/S	N/S
99301	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
*99401	Sampled	Insw	Insw	Sampled	N/S	N/S	Sampled	Insw	N/S	N/S
B206989	Dry	Dry	N/S	Dry	Dry	N/S	Dry	Dry	Dry	Dry
B208289	Dry	Dry	Dry	Dry	Dry	Dry	Dry	Dry	Dry	Dry
B208789	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled
BS-865-2	Sampled	Sampled	N/S	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
FD-559-561	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
FD-707-4	Sampled	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S
P209289	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled
P209489	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled	Sampled
*P218089	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
P218389	Dry	Dry	Dry	Dry	Dry	Dry	Dry	Dry	Dry	Dry
*P219089	Sampled	Sampled	Sampled	Sampled	Sampled	N/S	Sampled	Sampled	N/S	N/S

N/S = Not sampled for this analyte.
Dry = Well did not recharge after purging, no samples collected.
Insw = Insufficient water to collect this sample.

39

Table 3-1: Groundwater Monitoring Locations and Sample Collection Summary
Second Quarter, 2002

Well #	VOC's	Metals	Radionuclides				Water Quality Parameters			
			Pu/Am	U-isotope	Tritium	Sr89/90	Nitrate /Nitrite	TDS	SO_4^{-2}	Fluoride
*P219189	Sampled	Insw	Insw	Insw	Insw	Insw	Insw	Insw	Insw	Insw
P219489	Sampled	Sampled	Insw	Sampled	Insw	Insw	Insw	Insw	Insw	Insw
P317989	Sampled	Insw	Insw	Sampled	N/S	N/S	Sampled	Insw	N/S	N/S
P416689	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
P416789	Insw	Sampled	Insw	Sampled	N/S	N/S	Sampled	Insw	N/S	N/S
P416889	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
$SW085_{(779OF)}$	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S
SW099	Dry	N/S	N/S	N/S	N/S	N/S	N/S	Dry	N/S	N/S
SW100	Dry	N/S	N/S	N/S	N/S	N/S	N/S	Dry	N/S	N/S
SW13494	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled	Sampled	N/S	N/S

N/S = Not sampled for this analyte.
Dry = Well did not recharge after purging, no samples collected.
Insw = Insufficient water to collect this sample.

30

Table 3-1: Groundwater Monitoring Locations and Sample Collection Summary
Second Quarter, 2002

Well #	Additional Samples									
	Methane	PCBs	Sulfide	Chloride	Nitrate	TOC	Neptu-nium	Alka-linity	TPH	SVOC
*00200	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	N/S	N/S	N/S
*00300	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	N/S	N/S	N/S
*18199	Sampled	N/S	Sampled	Sampled	Sampled	Sampled	Sampled	N/S	N/S	Sampled
*18399	Dry	N/S	Dry	Dry	Dry	Dry	N/S	N/S	N/S	N/S
*18499	Sampled	N/S	Sampled	Sampled	Sampled	Sampled	N/S	N/S	N/S	Sampled
*18799	Sampled	N/S	Sampled	Sampled	Sampled	Sampled	N/S	N/S	N/S	N/S
*20998	N/S	N/S	N/S	N/S	N/S	N/S	Dry	N/S	N/S	N/S
*21098	Sampled	N/S	Sampled	Sampled	Sampled	Sampled	N/S	N/S	N/S	Sampled
*22796	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	N/S	N/S	N/S
*30900	Sampled	N/S	Sampled	Sampled	Sampled	Sampled	N/S	Sampled	N/S	N/S
*39691	N/S	Dry	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S
*40599	N/S	N/S	N/S	N/S	N/S	N/S	Dry	N/S	N/S	N/S
*40699	N/S	N/S	N/S	N/S	N/S	N/S	Dry	N/S	N/S	N/S
*40799	N/S	N/S	N/S	N/S	N/S	N/S	Dry	N/S	N/S	N/S
*40899	N/S	N/S	N/S	N/S	N/S	N/S	Dry	N/S	N/S	N/S
*41499	N/S	N/S	N/S	N/S	N/S	N/S	Insw	N/S	N/S	N/S
*41599	N/S	N/S	N/S	N/S	N/S	N/S	Dry	N/S	N/S	N/S
*5187	N/S	Dry	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S
*56001	N/S	Sampled	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S
*56101	N/S	Insw	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S
*60499	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	N/S	N/S	N/S
*60599	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	N/S	N/S	N/S
*60699	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	N/S	N/S	N/S
*61499	N/S	N/S	N/S	N/S	N/S	N/S	Dry	N/S	N/S	N/S
*771 FD OUT #2	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	N/S	N/S	N/S
*86501	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	N/S
*86601	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	N/S
*99101	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	Dry	N/S
*99201	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	Insw	N/S
*99401	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	N/S
*P218089	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	N/S	N/S	N/S
*P219089	N/S	N/S	N/S	N/S	N/S	N/S	Sampled	N/S	N/S	N/S
*P219189	N/S	N/S	N/S	N/S	N/S	N/S	Insw	N/S	N/S	N/S

N/S = Not sampled for this analyte.
Dry = Well did not recharge after purging, no samples collected.
Insw = Insufficient water to collect this sample.

31

Table 3-2: Second Quarter, 2002 RFCA Groundwater Sample Comparisons With Tier II Action Levels and IMP Reporting Criteria

02-RF-02459

Location	Sample Date	GW Sample#	Analyte	QC Type	Result Type	Result	Units	Tier II	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Filtered	Tier II Ratio	Back-ground M2SD	Back-ground Ratio	Historic M2SD	Historic Ratio	IMP Well Class	Report-able Result?
55901	4/23/02	GW08258RG	1,1-DICHLOROETHENE	REAL	TR1	18.6	UG/L	7		V1	0.19	1	NO	2.66			ND		D&D Bldg 559	No
55901	4/23/02	GW08258RG	CARBON TETRACHLORIDE	REAL	TR1	70.4	UG/L	5		J1	0.38	1	NO	14.08			ND		D&D Bldg 559	No
55901	4/23/02	GW08258RG	TRICHLOROETHENE	REAL	TR1	13	UG/L	5		V1	0.23	1	NO	2.60			ND		D&D Bldg 559	No
55901	4/23/02	GW08258RG	URANIUM-233,-234	REAL	TR1	7.42	PCI/L	1.06		V	0.429		YES	7.00	60.7	0.12			D&D Bldg 559	No
55901	4/23/02	GW08258RG	URANIUM-238	REAL	TR1	5.65	PCI/L	0.768		V	0.262		YES	7.36	41.8	0.14			D&D Bldg 559	No
56001	4/23/02	GW08259RG	URANIUM-233,-234	REAL	TR1	2 69	PCI/L	1.06		V1	0.286		YES	2.54	60.7	0.04			D&D Bldg 559	No
56001	4/23/02	GW08259RG	URANIUM-238	REAL	TR1	2 35	PCI/L	0 768		V1	0.26		YES	3.06	41.8	0.06			D&D Bldg 559	No
56101	4/23/02	GW08260RG	URANIUM-233,-234	REAL	TR1	17.1	PCI/L	1.06		V	0.271		YES	16.13	60.7	0.28			D&D Bldg 559	No
56101	4/23/02	GW08260RG	URANIUM-238	REAL	TR1	11	PCI/L	0 768		V	0.189		YES	14.32	41.8	0.26			D&D Bldg 559	No
56201	5/7/02	GW08262RG	CARBON TETRACHLORIDE	DUP	TR1	34	UG/L	5	B	V	0.5	1	NO	6.80			ND		D&D Bldg 559	No
56201	5/7/02	GW08262RG	TRICHLOROETHENE	DUP	TR1	17.2	UG/L	5		V	0.5	1	NO	3.44			ND		D&D Bldg 559	No
56301	5/7/02	GW08264RG	1,1-DICHLOROETHENE	REAL	TR1	15	UG/L	7		V	0.5	1	NO	2.14			ND		D&D Bldg 559	No
56301	5/7/02	GW08264RG	CARBON TETRACHLORIDE	REAL	TR1	81.8	UG/L	5	B	V	0.5	1	NO	16.36			ND		D&D Bldg 559	No
56301	5/7/02	GW08264RG	TETRACHLOROETHENE	REAL	TR1	7.42	UG/L	5		V	0.5	1	NO	1.48			ND		D&D Bldg 559	No
56301	5/7/02	GW08264RG	TRICHLOROETHENE	REAL	TR1	15.1	UG/L	5		V	0.5	1	NO	3.02			ND		D&D Bldg 559	No
56301	5/7/02	GW08264RG	URANIUM-233,-234	REAL	TR1	2.54	PCI/L	1.06		V	0.24		YES	2.40	60.7	0.04			D&D Bldg 559	No
56301	5/7/02	GW08264RG	URANIUM-238	REAL	TR1	1.67	PCI/L	0.768		V	0.206		YES	2.17	41.8	0.04			D&D Bldg 559	No
FD-559-561	5/7/02	SW08265RG	1,1-DICHLOROETHENE	REAL	TR1	14.2	UG/L	7		V	0.5	1	NO	2.03			ID		D&D Bldg 559-561	No
FD-559-561	5/7/02	SW08265RG	CARBON TETRACHLORIDE	REAL	DL1	99	UG/L	5		V	5	10	NO	19.80			ND		D&D Bldg 559-561	No
FD-559-561	5/7/02	SW08265RG	TETRACHLOROETHENE	REAL	TR1	6.19	UG/L	5		V	0.5	1	NO	1.24			ID		D&D Bldg 559-561	No
FD-559-561	5/7/02	SW08265RG	TRICHLOROETHENE	REAL	DL1	204	UG/L	5		V	5	10	NO	40.80			ND		D&D Bldg 559-561	No
FD-559-561	5/7/02	SW08265RG	URANIUM-233,-234	REAL	TR1	1.1	PCI/L	1.06		V	0.346		YES	1.04	60.7	0.02			D&D Bldg 559-561	No
00300	4/11/02	GW08268RG	URANIUM-233,-234	REAL	TR1	23.9	PCI/L	1.06		V1	0.291		YES	22.55	60.7	0.39			D&D Bldg 707	No
00300	4/11/02	GW08268RG	URANIUM-235	REAL	TR1	2.34	PCI/L	1.01		V1	0.179		YES	2.32	1.79	1.31	ND		D&D Bldg 707	No
00300	4/11/02	GW08268RG	URANIUM-238	REAL	TR1	15.8	PCI/L	0.768		V1	0.211		YES	20.57	41.8	0.38			D&D Bldg 707	No
60499	4/16/02	GW08269RG	URANIUM-233,-234	REAL	TR1	2.62	PCI/L	1.06		V	0.266		YES	2.47	60.7	0.04			D&D Bldg 707	No
60499	4/16/02	GW08269RG	URANIUM-238	REAL	TR1	1.83	PCI/L	0.768		V	0.202		YES	2.38	41.8	0.04			D&D Bldg 707	No
60599	4/16/02	GW08270RG	TETRACHLOROETHENE	REAL	TR1	118	UG/L	5		V1	0.56	1	NO	23.60			ND		D&D Bldg 707	No
60599	4/16/02	GW08270RG	URANIUM-233,-234	REAL	TR1	29.5	PCI/L	1.06		V	0.351		YES	27.83	60.7	0.49	ND		D&D Bldg 707	No
60599	4/16/02	GW08270RG	URANIUM-235	REAL	TR1	2.07	PCI/L	1.01		V	0.255		YES	2.05	1.79	1.16	ND		D&D Bldg 707	No
60599	4/16/02	GW08270RG	URANIUM-238	REAL	TR1	20.8	PCI/L	0.768		V	0.284		YES	27.08	41.8	0.50	ND		D&D Bldg 707	No
P218089	4/3/02	GW08184RG	URANIUM-233,-234	REAL	TR1	1.06	PCI/L	1.06		V1	0.239		YES	1.00	60.7	0.02			D&D Bldg 707	No
P218089	4/3/02	GW08184RG	URANIUM-238	REAL	TR1	1.23	PCI/L	0.768		V1	0.291		YES	1.60	41.8	0.03			D&D Bldg 707	No
41499	5/9/02	GW08278RG	TRICHLOROETHENE	REAL	TR2	96.4	UG/L	5	D	V	2	2	NO	19.28			ND		D&D Bldg 771	No
771 FD OUT #2	5/31/02	SW08282RG	CARBON TETRACHLORIDE	REAL	TR1	126	UG/L	5		V1	0.38	1	NO	25.20					D&D Bldg 771	No
771 FD OUT #2	5/31/02	SW08282RG	CHLOROFORM	REAL	TR1	101	UG/L	100		V1	0.21	1	NO	1.01					D&D Bldg 771	No
771 FD OUT #2	5/31/02	SW08282RG	URANIUM-233,-234	REAL	TR1	1.91	PCI/L	1.06		V1	0.281		YES	1.80	60.7	0.03			D&D Bldg 771	No
771 FD OUT #2	5/31/02	SW08282RG	URANIUM-238	REAL	TR1	1.52	PCI/L	0.768		V1	0.199		YES	1.98	41.8	0.04			D&D Bldg 771	No
P219089	5/15/02	GW08281RG	URANIUM-233,-234	REAL	TR1	9.45	PCI/L	1.06		V	0.377		YES	8.92	60.7	0.16			D&D Bldg 771	No
P219089	5/15/02	GW08281RG	URANIUM-238	REAL	TR1	8.02	PCI/L	0.768		V	0.315		YES	10.44	41.8	0.19			D&D Bldg 771	No
00400	4/16/02	GW08283RG	URANIUM-233,-234	REAL	TR1	1.74	PCI/L	1.06		V1	0.202		YES	1.64	60.7	0.03			D&D Bldg 776/777	No

Table 3-2: Second Quarter, 2002 RFCA Groundwater Sample Comparisons With Tier II Action Levels and IMP Reporting Criteria

02-RF-02459

Location	Sample Date	GW Sample#	Analyte	QC Type	Result Type	Result	Units	Tier II	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Filtered	Tier II Ratio	Back-ground M2SD	Back-ground Ratio	Historic M2SD	Historic Ratio	IMP Well Class	Report-able Result?
00400	4/16/02	GW08283RG	URANIUM-238	REAL	TR1	1.44	PCI/L	0.768		V1	0.12		YES	1.88	41.8	0.03			D&D Bldg 776/777	No
00500	4/30/02	GW08284RG	MANGANESE	REAL	TR1	1760	UG/L	1720		V	0.02	1	YES	1.02	162.33	10.84	ND		D&D Bldg 776/777	No
00500	4/30/02	GW08285RG	URANIUM-233,-234	DUP	TR1	1.63	PCI/L	1.06		V1	0.25		YES	1.54	60.7	0.03			D&D Bldg 776/777	No
00500	4/30/02	GW08284RG	URANIUM-238	REAL	TR1	1.19	PCI/L	0.768		V1	0.395		YES	1.55	41.8	0.03			D&D Bldg 776/777	No
00700	5/8/02	GW08288RG	1,1-DICHLOROETHENE	REAL	DL1	352	UG/L	7		V	50	100	NO	50.29			ND		D&D Bldg 776/777	No
00700	5/8/02	GW08288RG	1,2-DICHLOROETHANE	REAL	TR1	9.62	UG/L	5		V	0.5	1	NO	1.92			ND		D&D Bldg 776/777	No
00700	5/8/02	GW08288RG	CARBON TETRACHLORIDE	REAL	DL1	2830	UG/L	5		V	50	100	NO	566.00			ND		D&D Bldg 776/777	No
00700	5/8/02	GW08288RG	CHLOROFORM	REAL	TR1	278	UG/L	100		V	0.5	1	NO	2.78			ND		D&D Bldg 776/777	No
00700	5/8/02	GW08288RG	TETRACHLOROETHENE	REAL	TR1	10.2	UG/L	5		V	0.5	1	NO	2.04			ND		D&D Bldg 776/777	No
60299	4/17/02	GW08289RG	TRICHLOROETHENE	REAL	TR1	20.8	UG/L	5		V1	0.23	1	NO	4.16					D&D Bldg 776/777	No
00100	4/18/02	GW08290RG	AMERICIUM-241	REAL	TR1	0.321	PCI/L	0.145		V1	0.033		NO	2.21					D&D Bldg 779	No
00100	4/18/02	GW08290RG	PLUTONIUM-239/240	REAL	TR1	2.21	PCI/L	0.151		V1	0.037		NO	14.64					D&D Bldg 779	No
00100	4/18/02	GW08290RG	TRICHLOROETHENE	REAL	TR1	41.7	UG/L	5		V1	0.23	1	NO	8.34			ND		D&D Bldg 779	No
00100	4/18/02	GW08290RG	URANIUM-233,-234	REAL	TR1	1.42	PCI/L	1.06		V1	0.392		YES	1.34	60.7	0.02			D&D Bldg 779	No
02397	5/30/02	GW08292RG	NITRATE/NITRITE	REAL	TR1	10.7	MG/L	10		V1	0.4	20	NO	1.07	4.664	2.29	ND		D&D Bldg 779	No
02397	5/30/02	GW08292RG	URANIUM-233,-234	REAL	TR1	1.07	PCI/L	1.06		V	0.212		YES	1.01	60.7	0.02			D&D Bldg 779	No
02500	4/18/02	GW08291RG	TRICHLOROETHENE	REAL	TR1	15.3	UG/L	5		V1	0.23	1	NO	3.06			ND		D&D Bldg 779	No
02500	4/18/02	GW08291RG	URANIUM-233,-234	REAL	TR1	7.18	PCI/L	1.06		V1	0.666		YES	6.77	60.7	0.12			D&D Bldg 779	No
02500	4/18/02	GW08291RG	URANIUM-238	REAL	TR1	3.08	PCI/L	0.768		V1	0.597		YES	4.01	41.8	0.07			D&D Bldg 779	No
SW085	6/4/02	SW08294RG	PLUTONIUM-239/240	REAL	TR1	0.161	PCI/L	0.151		V1	0.032		NO	1.07					Non-IMP D&D 779	No
SW085	6/4/02	SW08294RG	URANIUM-233,-234	REAL	TR1	6.28	PCI/L	1.06		V1	0.295		YES	5.92	60.7	0.10			Non-IMP D&D 779	No
SW085	6/4/02	SW08294RG	URANIUM-238	REAL	TR1	3	PCI/L	0.768		V1	0.236		YES	3.91	41.8	0.07			Non-IMP D&D 779	No
86501	5/20/02	GW08304RG	URANIUM-233,-234	REAL	TR1	67	PCI/L	1.06		V1	0.573		YES	63.21	60.7	1.10	ND		D&D Bldg 865	No
86501	5/20/02	GW08304RG	URANIUM-235	REAL	TR1	3.36	PCI/L	1.01		V1	0.515		YES	3.33	1.79	1.88	ND		D&D Bldg 865	No
86501	5/20/02	GW08304RG	URANIUM-238	REAL	TR1	51.7	PCI/L	0.768		V1	0.436		YES	67.32	41.8	1.24	ND		D&D Bldg 865	No
86601	5/20/02	GW08305RG	URANIUM-233,-234	REAL	TR1	18	PCI/L	1.06		V1	0.311		YES	16.98	60.7	0.30			D&D Bldg 865	No
86601	5/20/02	GW08305RG	URANIUM-238	REAL	TR1	12.6	PCI/L	0.768		V1	0.256		YES	16.41	41.8	0.30			D&D Bldg 865	No
86701	5/20/02	GW08306RG	TRICHLOROETHENE	REAL	TR1	38.7	UG/L	5		V1	0.23	1	NO	7.74			ND		D&D Bldg 865	No
86701	5/20/02	GW08306RG	URANIUM-233,-234	REAL	TR1	51.5	PCI/L	1.06		V1	0.442		YES	48.58	60.7	0.85	ND		D&D Bldg 865	No
86701	5/20/02	GW08306RG	URANIUM-235	REAL	TR1	2.99	PCI/L	1.01		V1	0.517		YES	2.96	1.79	1.67	ND		D&D Bldg 865	No
86701	5/20/02	GW08306RG	URANIUM-238	REAL	TR1	41.5	PCI/L	0.768		V1	0.191		YES	54.04	41.8	0.99	ND		D&D Bldg 865	No
BS-865-2	5/21/02	SW08309RG	URANIUM-233,-234	REAL	TR1	3.54	PCI/L	1.06		V	0.335		YES	3.34	60.7	0.06			D&D Bldg 865	No
BS-865-2	5/21/02	SW08309RG	URANIUM-238	REAL	TR1	2.67	PCI/L	0.768		V	0.212		YES	3.48	41.8	0.06			D&D Bldg 865	No
40999	5/30/02	GW08307RG	URANIUM-233,-234	REAL	TR1	8.46	PCI/L	1.06		V1	0.34		YES	7.98	60.7	0.14			D&D Bldg 865/886	No
40999	5/30/02	GW08307RG	URANIUM-238	REAL	TR1	7.7	PCI/L	0.768	B	V1	0.291		YES	10.03	41.8	0.18			D&D Bldg 865/886	No
P317989	6/5/02	GW08308RG	URANIUM-233,-234	REAL	TR1	68.1	PCI/L	1.06		V	0.709		YES	64.25	60.7	1.12			D&D Bldg 865/886	No
P317989	6/5/02	GW08308RG	URANIUM-235	REAL	TR1	5.45	PCI/L	1.01		V	0.437		YES	5.40	1.79	3.04	ID		D&D Bldg 865/886	No
P317989	6/5/02	GW08308RG	URANIUM-238	REAL	TR1	55.1	PCI/L	0.768		V	0.436		YES	71.74	41.8	1.32			D&D Bldg 865/886	No
88101	4/23/02	GW08298RG	LITHIUM	REAL	TR1	746	UG/L	730		J	0.02	1	YES	1.02	142.55	5.23			D&D Bldg 881	No
88101	4/23/02	GW08298RG	URANIUM-233,-234	REAL	TR1	115	PCI/L	1.06		V1	0.581		YES	108.49	60.7	1.89	ND		D&D Bldg 881	No

Table 3-2: Second Quarter, 2002 RFCA Groundwater Sample Comparisons With Tier II Action Levels and IMP Reporting Criteria

02-RF-02459

Location	Sample Date	GW Sample#	Analyte	QC Type	Result Type	Result	Units	Tier II	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Filtered	Tier II Ratio	Back-ground M2SD	Back-ground Ratio	Historic M2SD	Historic Ratio	IMP Well Class	Report-able Result?
88101	4/23/02	GW08298RG	URANIUM-235	REAL	TR1	4.76	PCI/L	1.01		V1	0.443		YES	4.71	1.79	2.66	ND		D&D Bldg 881	No
88101	4/23/02	GW08298RG	URANIUM-238	REAL	TR1	79.5	PCI/L	0.768		V1	0.717		YES	103.52	41.8	1.90	ND		D&D Bldg 881	No
61099	5/15/02	GW08300RG	TETRACHLOROETHENE	REAL	TR1	19.7	UG/L	5		V	1	1	NO	3.94			ND		D&D Bldg 883	No
61199	5/14/02	GW08301RG	TETRACHLOROETHENE	REAL	TR2	293	UG/L	5	D	V	5	5	NO	58.60			ND		D&D Bldg 883	No
61199	5/14/02	GW08301RG	TRICHLOROETHENE	REAL	TR2	24.5	UG/L	5	D	V	5	5	NO	4.90			ND		D&D Bldg 883	No
61199	5/14/02	GW08301RG	URANIUM-233,-234	REAL	TR1	1.74	PCI/L	1.06		V	0.295		YES	1.64	60.7	0.03			D&D Bldg 883	No
61199	5/14/02	GW08301RG	URANIUM-238	REAL	TR1	1.12	PCI/L	0.768		V	0.351		YES	1.46	41.8	0.03			D&D Bldg 883	No
83201	5/8/02	GW08303RG	URANIUM-233,-234	REAL	TR1	160	PCI/L	1.06		V	2.94		YES	150.94	60.7	2.64	ND		D&D Bldg 883	No
83201	5/8/02	GW08303RG	URANIUM-235	REAL	TR1	6	PCI/L	1.01		V	2.26		YES	5.94	1.79	3.35	ND		D&D Bldg 883	No
83201	5/8/02	GW08303RG	URANIUM-238	REAL	TR1	133	PCI/L	0.768		V	2.56		YES	173.18	41.8	3.18	ND		D&D Bldg 883	No
83101	5/8/02	GW08302RG	TETRACHLOROETHENE	REAL	TR1	49.4	UG/L	5	B	V	1	1	NO	9.88			ND		D&D Bldg 883/881	No
83101	5/8/02	GW08302RG	TRICHLOROETHENE	REAL	TR1	13.3	UG/L	5		V	1	1	NO	2.66			ND		D&D Bldg 883/881	No
83101	5/8/02	GW08302RG	URANIUM-233,-234	REAL	TR1	7.56	PCI/L	1.06		V	0.285		YES	7.13	60.7	0.12			D&D Bldg 883/881	No
83101	5/8/02	GW08302RG	URANIUM-238	REAL	TR1	7.47	PCI/L	0.768		V	0.31		YES	9.73	41.8	0.18			D&D Bldg 883/881	No
99301	5/6/02	GW08312RG	TRICHLOROETHENE	REAL	TR1	31	UG/L	5		V	0.15	1	NO	6.20			ND		D&D Bldg 991	No
99301	5/6/02	GW08312RG	URANIUM-233,-234	REAL	TR1	12.6	PCI/L	1.06		V	0.31		YES	11.89	60.7	0.21			D&D Bldg 991	No
99301	5/6/02	GW08312RG	URANIUM-238	REAL	TR1	9.78	PCI/L	0.768		V	0.266		YES	12.73	41.8	0.23			D&D Bldg 991	No
99401	5/6/02	GW08313RG	URANIUM-233,-234	REAL	TR1	317	PCI/L	1.06		V	1.23		YES	299.06	60.7	5.22	ND		D&D Bldg 991	No
99401	5/6/02	GW08313RG	URANIUM-235	REAL	TR1	19.8	PCI/L	1.01		V	1.05		YES	19.60	1.79	11.06	ND		D&D Bldg 991	No
99401	5/6/02	GW08313RG	URANIUM-238	REAL	TR1	233	PCI/L	0.768		V	1.6		YES	303.39	41.8	5.57	ND		D&D Bldg 991	No
6486	5/15/02	GW08318RG	CHROMIUM	REAL	TR1	427	UG/L	100		V1	0.12	1	YES	4.27	12.44	34.32	ID		Drainage	Yes
6486	4/11/02	GW08317RG	NICKEL	REAL	TR1	1520	UG/L	140		V	0.3	1	YES	10.86	21.37	71.13	ID		Drainage	Yes
6486	5/15/02	GW08318RG	NICKEL	REAL	TR1	3950	UG/L	140		V1	0.22	1	YES	28.21	21.37	184.84	ID		Drainage	Yes
00897	5/8/02	GW08186RG	TETRACHLOROETHENE	REAL	TR2	20100	UG/L	5	BD	V	500	500	NO	4020.00			ND		Perf Monitoring	No
00897	5/8/02	GW08186RG	TRICHLOROETHENE	REAL	TR2	1530	UG/L	5	D	V	500	500	NO	306.00			ND		Perf Monitoring	No
00897	5/8/02	GW08186RG	URANIUM-233,-234	REAL	TR1	3.97	PCI/L	1.06		V	0.222		YES	3.75	60.7	0.07			Perf Monitoring	No
00897	5/8/02	GW08186RG	URANIUM-238	REAL	TR1	2.86	PCI/L	0.768		V	0.204		YES	3.72	41.8	0.07			Perf Monitoring	No
02291	5/14/02	GW08189RG	TETRACHLOROETHENE	REAL	TR2	1800	UG/L	5	D	V	20	20	NO	360.00			4204.6	0.43	Perf Monitoring	No
02291	5/14/02	GW08189RG	TRICHLOROETHENE	REAL	TR2	239	UG/L	5	D	V	20	20	NO	47.80			453.73	0.53	Perf Monitoring	No
02291	5/14/02	GW08189RG	URANIUM-233,-234	REAL	TR1	16.6	PCI/L	1.06		V	0.269		YES	15.66	60.7	0.27			Perf Monitoring	No
02291	5/14/02	GW08189RG	URANIUM-238	REAL	TR1	8.82	PCI/L	0.768		V	0.188		YES	11.48	41.8	0.21			Perf Monitoring	No
11891	5/16/02	GW08194RG	AMERICIUM-241	REAL	TR1	0.372	PCI/L	0.145		V	0.021		NO	2.57					Perf Monitoring	No
11891	5/16/02	GW08194RG	CARBON TETRACHLORIDE	REAL	DL1	452	UG/L	5	D	V1	1.3	3.33	NO	90.40			737.11	0.61	Perf Monitoring	No
11891	5/16/02	GW08194RG	TETRACHLOROETHENE	REAL	DL1	229	UG/L	5	D	V1	0.93	1.66	NO	45.80			319.91	0.72	Perf Monitoring	No
11891	5/16/02	GW08194RG	TRICHLOROETHENE	REAL	TR1	43.4	UG/L	5		V1	0.23	1	NO	8.68			97.07	0.45	Perf Monitoring	No
11891	5/16/02	GW08194RG	URANIUM-233,-234	REAL	TR1	2.7	PCI/L	1.06		V	0.277		YES	2.55	60.7	0.04			Perf Monitoring	No
11891	5/16/02	GW08194RG	URANIUM-238	REAL	TR1	1.68	PCI/L	0.768		V	0.259		YES	2.19	41.8	0.04			Perf Monitoring	No
12191	4/17/02	GW08196RG	CARBON TETRACHLORIDE	DUP	TR1	190	UG/L	5		V1	0.38	1	NO	38.00			435.97	0.44	Perf Monitoring	No
12191	4/17/02	GW08196RG	TETRACHLOROETHENE	DUP	DL1	282	UG/L	5	D	V1	1.4	2.5	NO	56.40			486.46	0.58	Perf Monitoring	No
12191	4/17/02	GW08196RG	TRICHLOROETHENE	DUP	TR1	37.7	UG/L	5		V1	0.23	1	NO	7.54			67.86	0.56	Perf Monitoring	No

34

Table 3-2: Second Quarter, 2002 RFCA Groundwater Sample Comparisons With Tier II Action Levels and IMP Reporting Criteria

02-RF-02459

Location	Sample Date	GW Sample#	Analyte	QC Type	Result Type	Result	Units	Tier II	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Filtered	Tier II Ratio	Back-ground M2SD	Back-ground Ratio	Historic M2SD	Historic Ratio	IMP Well Class	Report-able Result?
12191	4/17/02	GW08196RG	URANIUM-233,-234	DUP	TR1	2.54	PCI/L	1.06		V1	0.613		YES	2.40	60.7	0.04			Perf Monitoring	No
12191	4/17/02	GW08196RG	URANIUM-238	DUP	TR1	1.18	PCI/L	0.768		V1	0.187		YES	1.54	41.8	0.03			Perf Monitoring	No
3687	5/22/02	GW08193RG	1,1-DICHLOROETHENE	REAL	TR1	28	UG/L	7		V1	0.19	1	NO	4.00			191.6	0.15	Perf Monitoring	No
3687	5/22/02	GW08193RG	CARBON TETRACHLORIDE	REAL	DL1	501	UG/L	5	D	V1	1.3	3.33	NO	100.20			1255.4	0.40	Perf Monitoring	No
3687	5/22/02	GW08193RG	CHLOROFORM	REAL	DL1	233	UG/L	100	D	V1	0.35	1.66	NO	2.33			1072.39	0.22	Perf Monitoring	No
3687	5/22/02	GW08193RG	TETRACHLOROETHENE	REAL	DL1	435	UG/L	5	D	V1	1.9	3.33	NO	87.00			814.46	0.53	Perf Monitoring	No
3687	5/22/02	GW08193RG	TRICHLOROETHENE	REAL	DL1	16500	UG/L	5	D	V1	23	100	NO	3300.00			91325.3	0.18	Perf Monitoring	No
3687	5/22/02	GW08193RG	URANIUM-233,-234	REAL	TR1	1.95	PCI/L	1.06		V	0.36		NO	1.84	60.7	0.03			Perf Monitoring	No
3687	5/22/02	GW08193RG	URANIUM-238	REAL	TR1	1.05	PCI/L	0.768		V	0.328		NO	1.37	41.8	0.03			Perf Monitoring	No
70099	4/19/02	GW08223RG	URANIUM-233,-234	REAL	TR1	110	PCI/L	1.06		V1	0.669		NO	103.77	60.7	1.81	ND		Perf Monitoring	No
70099	4/19/02	GW08223RG	URANIUM-235	REAL	TR1	4.08	PCI/L	1.01		V1	0.266		NO	4.04	1.79	2.28	ND		Perf Monitoring	No
70099	4/19/02	GW08223RG	URANIUM-238	REAL	TR1	81.1	PCI/L	0.768		V1	0.551		NO	105.60	41.8	1.94	ND		Perf Monitoring	No
70299	4/19/02	GW08224RG	URANIUM-233,-234	REAL	TR1	5.79	PCI/L	1.06		V1	0.195		NO	5.46	60.7	0.10			Perf Monitoring	No
70299	4/19/02	GW08224RG	URANIUM-238	REAL	TR1	3.07	PCI/L	0.768		V1	0.166		NO	4.00	41.8	0.07			Perf Monitoring	No
95199	4/24/02	GW08220RG	TRICHLOROETHENE	REAL	TR1	54.8	UG/L	5		V1	0.23	1	NO	10.96			ND		Perf Monitoring	No
SW13494	5/13/02	SW08299RG	TETRACHLOROETHENE	REAL	TR1	30.5	UG/L	5	B	V	1	1	NO	6.10			ID		Perf Monitoring	No
SW13494	5/13/02	SW08299RG	URANIUM-233,-234	REAL	TR1	4.87	PCI/L	1.06		V	0.214		YES	4.59	60.7	0.08			Perf Monitoring	No
SW13494	5/13/02	SW08299RG	URANIUM-238	REAL	TR1	1.67	PCI/L	0.768		V	0.122		YES	2.17	41.8	0.04			Perf Monitoring	No
0487	4/24/02	GW08320RG	SELENIUM	REAL	TR1	71.9	UG/L	50		V	0.88	1	YES	1.44	43.72	1.64	699.76	0.10	Plume Definition	No
0487	4/24/02	GW08320RG	TRICHLOROETHENE	REAL	TR1	122	UG/L	5		V1	0.23	1	NO	24.40			1330.06	0.09	Plume Definition	No
0487	4/24/02	GW08320RG	URANIUM-233,-234	REAL	TR1	12.1	PCI/L	1.06		V	0.719		YES	11.42	60.7	0.20			Plume Definition	No
0487	4/24/02	GW08320RG	URANIUM-238	REAL	TR1	7.9	PCI/L	0.768		V	0.366		YES	10.29	41.8	0.19			Plume Definition	No
891COLWEL	5/15/02	GW08237RG	1,1-DICHLOROETHENE	REAL	TR1	16.1	UG/L	7		V	1	1	NO	2.30			44.16	0.36	Plume Definition	No
891COLWEL	5/15/02	GW08237RG	CARBON TETRACHLORIDE	REAL	TR1	14.4	UG/L	5		V	1	1	NO	2.88			34.7	0.41	Plume Definition	No
891COLWEL	5/15/02	GW08237RG	SELENIUM	REAL	TR1	641	UG/L	50		V1	0.88	1	YES	12.82	43.72	14.66	924.05	0.69	Plume Definition	No
891COLWEL	5/15/02	GW08237RG	TETRACHLOROETHENE	REAL	TR2	39.6	UG/L	5	D	V	5	5	NO	7.92			154.58	0.26	Plume Definition	No
891COLWEL	5/15/02	GW08237RG	TRICHLOROETHENE	REAL	TR2	371	UG/L	5	D	V	5	5	NO	74.20			1234.43	0.30	Plume Definition	No
891COLWEL	5/15/02	GW08237RG	URANIUM-233,-234	REAL	TR1	11.4	PCI/L	1.06		V	0.21		YES	10.75	60.7	0.19			Plume Definition	No
891COLWEL	5/15/02	GW08237RG	URANIUM-238	REAL	TR1	8.83	PCI/L	0.768		V	0.21		YES	11.50	41.8	0.21			Plume Definition	No
P209489	4/30/02	GW08202RG	CARBON TETRACHLORIDE	REAL	TR1	33	UG/L	5		V1	0.35	1	NO	6.60			83.26	0.40	Plume Definition	No
P209489	4/30/02	GW08202RG	NITRATE/NITRITE	REAL	TR1	183	MG/L	10		V1	4	200	NO	18.30	4.664	39.24	316.34	0.58	Plume Definition	No
P209489	4/30/02	GW08203RG	THALLIUM	DUP	TR1	2.8	UG/L	2	B	UJ	0.78	1	YES	1.40	4.9	0.57	6.54	0.43	Plume Definition	No
P209489	4/30/02	GW08202RG	TRICHLOROETHENE	REAL	TR1	51	UG/L	5		V1	0.24	1	NO	10.20			90.4	0.56	Plume Definition	No
P209489	4/30/02	GW08202RG	URANIUM-233,-234	REAL	TR1	33.3	PCI/L	1.06		V1	0.699		YES	31.42	60.7	0.55			Plume Definition	No
P209489	4/30/02	GW08203RG	URANIUM-235	DUP	TR1	1.16	PCI/L	1.01		V1	0.134		YES	1.15	1.79	0.65			Plume Definition	No
P209489	4/30/02	GW08202RG	URANIUM-238	REAL	TR1	28.7	PCI/L	0.768		V1	0.446		YES	37.37	41.8	0.69			Plume Definition	No
P219189	4/24/02	GW08206RG	1,1-DICHLOROETHENE	REAL	TR1	31.2	UG/L	7		V1	0.19	1	NO	4.46			46.79	0.67	Plume Definition	No
P416789	6/10/02	GW08209RG	NITRATE/NITRITE	REAL	DL1	10.6	MG/L	10		V1	0.02	2	NO	1.06	4.664	2.27	ID		Plume Definition	No
P416789	6/10/02	GW08209RG	URANIUM-233,-234	REAL	TR1	3.27	PCI/L	1.06		V1	0.252		YES	3.08	60.7	0.05			Plume Definition	No
P416789	6/10/02	GW08209RG	URANIUM-238	REAL	TR1	0.964	PCI/L	0.768	J	V1	0.214		YES	1.26	41.8	0.02			Plume Definition	No

Table 3-2: Second Quarter, 2002 RFCA Groundwater Sample Comparisons With Tier II Action Levels and IMP Reporting Criteria

02-RF-02459

Location	Sample Date	GW Sample#	Analyte	QC Type	Result Type	Result	Units	Tier II	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Filtered	Tier II Ratio	Back-ground M2SD	Back-ground Ratio	Historic M2SD	Historic Ratio	IMP Well Class	Report-able Result?
1786	4/16/02	GW08226RG	URANIUM-238	REAL	TR1	26	PCI/L	0.768		V1	0.446		YES	33.85	41.8	0.62			Plume Extent	No
1786	4/16/02	GW08226RG	URANIUM-238	REAL	TR1	26.8	PCI/L	0.768		V1	0.453		NO	34.90	41.8	0.64			Plume Extent	No
1986	5/20/02	GW08190RG	MANGANESE	REAL	TR1	3760	UG/L	1720		V1	0.02	1	NO	2.19	162.33	23.16	3316.1	1.13	Plume Extent	Yes
1986	5/20/02	GW08190RG	URANIUM-233,-234	REAL	TR1	3.73	PCI/L	1.06		V	0.261		NO	3.52	60.7	0.06			Plume Extent	No
1986	5/20/02	GW08190RG	URANIUM-238	REAL	TR1	3.19	PCI/L	0.768		V	0.19		NO	4.15	41.8	0.08			Plume Extent	No
2186	6/17/02	GW08191RG	URANIUM-233,-234	REAL	TR1	3.39	PCI/L	1.06		V	0.318		YES	3.20	60.7	0.06			Plume Extent	No
2186	6/17/02	GW08191RG	URANIUM-238	REAL	TR1	1.1	PCI/L	0.768		V	0.245		YES	1.43	41.8	0.03			Plume Extent	No
7086	5/16/02	GW08316RG	SELENIUM	REAL	TR1	257	UG/L	50		V1	0.88	1	NO	5.14	43.72	5.88	0.359	716.08	Plume Extent	Yes
21098	5/1/02	GW08250RG	CARBON TETRACHLORIDE	REAL	RX1	660	UG/L	5		V1	7	20	NO	132.00			ND		Plume Extent	Yes
21098	5/1/02	GW08250RG	CHLOROFORM	REAL	RX1	170	UG/L	100		V1	5.8	20	NO	1.70			ND		Plume Extent	Yes
22796	5/21/02	GW08198RG	TRICHLOROETHENE	REAL	TR1	12	UG/L	5		V1	0.23	1	NO	2.40			ND		Plume Extent	Yes
22796	5/21/02	GW08198RG	URANIUM-233,-234	REAL	TR1	2.07	PCI/L	1.06		V	0.34		NO	1.95	60.7	0.03			Plume Extent	No
22796	5/21/02	GW08198RG	URANIUM-238	REAL	TR1	1.57	PCI/L	0.768		V	0.24		NO	2.04	41.8	0.04			Plume Extent	No
23296	4/29/02	GW08222RG	CARBON TETRACHLORIDE	REAL	RX1	9.8	UG/L	5		V1	0.7	2	NO	1.96			ND		Plume Extent	Yes
23296	4/29/02	GW08222RG	cis-1,2-DICHLOROETHENE	REAL	RX1	100	UG/L	70		V1	0.66	2	NO	1.43			ND		Plume Extent	Yes
23296	4/29/02	GW08222RG	TETRACHLOROETHENE	REAL	RX1	17	UG/L	5		V1	0.54	2	NO	3.40			ND		Plume Extent	Yes
23296	4/29/02	GW08222RG	TRICHLOROETHENE	REAL	DL1	700	UG/L	5		V1	4.8	20	NO	140.00			ND		Plume Extent	Yes
23296	4/29/02	GW08222RG	URANIUM-233,-234	REAL	TR1	18.1	PCI/L	1.06		V1	0.375		NO	17.08	60.7	0.30			Plume Extent	No
23296	4/29/02	GW08222RG	URANIUM-238	REAL	TR1	13.8	PCI/L	0.768		V1	0.448		NO	17.97	41.8	0.33			Plume Extent	No
B208789	4/24/02	GW08200RG	URANIUM-233,-234	REAL	TR1	7.09	PCI/L	1.06		V1	0.178		YES	6.69	60.7	0.12			Plume Extent	No
B208789	4/24/02	GW08200RG	URANIUM-238	REAL	TR1	5.84	PCI/L	0.768		V1	0.178		YES	7.60	41.8	0.14			Plume Extent	No
P219489	4/23/02	GW08207RG	NITRATE/NITRITE	REAL	TR1	37.7	MG/L	10		V1	2	100	NO	3.77	4.664	8.08	ID		Plume Extent	Yes
P219489	4/23/02	GW08207RG	URANIUM-233,-234	REAL	TR1	5.2	PCI/L	1.06		V1	0.178		YES	4.91	60.7	0.09			Plume Extent	No
P219489	4/23/02	GW08207RG	URANIUM-238	REAL	TR1	3.63	PCI/L	0.768		V1	0.232		YES	4.73	41.8	0.09			Plume Extent	No
P416689	4/29/02	GW08208RG	URANIUM-233,-234	REAL	TR1	2.86	PCI/L	1.06		V	0.236		YES	2.70	60.7	0.05			Plume Extent	No
P416689	4/29/02	GW08208RG	URANIUM-238	REAL	TR1	1.21	PCI/L	0.768		V	0.114		YES	1.58	41.8	0.03			Plume Extent	No
4087	4/22/02	GW08227RG	URANIUM-233,-234	REAL	TR1	10.6	PCI/L	1.06		V1	0.281		YES	10.00	60.7	0.17			RCRA	No
4087	4/22/02	GW08227RG	URANIUM-238	REAL	TR1	7.53	PCI/L	0.768		V1	0.238		YES	9.80	41.8	0.18			RCRA	No
70393	5/21/02	GW08234RG	1,1-DICHLOROETHENE	DUP	TR1	12	UG/L	7		V1	0.19	1	NO	1.71			21.16	0.57	RCRA	No
70393	5/21/02	GW08234RG	TETRACHLOROETHENE	DUP	TR1	6.38	UG/L	5		V1	0.56	1	NO	1.28			9.06	0.70	RCRA	No
70393	5/21/02	GW08233RG	TRICHLOROETHENE	REAL	TR1	21.7	UG/L	5		V1	0.23	1	NO	4.34			36.33	0.60	RCRA	No
70493	5/17/02	GW08235RG	URANIUM-233,-234	REAL	TR1	1.12	PCI/L	1.06		V	0.303		YES	1.06	60.7	0.02			RCRA	No
70493	5/17/02	GW08235RG	URANIUM-238	REAL	TR1	0.833	PCI/L	0.768	J	V	0.303		YES	1.08	41.8	0.02			RCRA	No

Table 3-2: Second Quarter, 2002 RFCA Groundwater Sample Comparisons With Tier II Action Levels and IMP Reporting Criteria

02-RF-02459

Location	Sample Date	GW Sample#	Analyte	QC Type	Result Type	Result	Units	Tier II	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Filtered	Tier II Ratio	Back-ground M2SD	Back-ground Ratio	Historic M2SD	Historic Ratio	IMP Well Class	Report-able Result?
P416889	5/9/02	GW08210RG	TETRACHLOROETHENE	REAL	TR1	49.4	UG/L	5		V	1	1	NO	9.88			79.6	0.62	Plume Definition	No
P416889	5/9/02	GW08210RG	URANIUM-233,-234	REAL	TR1	1.37	PCI/L	1.06		V	0.262		NO	1.29	60.7	0.02			Plume Definition	No
18199	4/29/02	GW08252RG	CARBON TETRACHLORIDE	REAL	RX1	27000	UG/L	5		V1	230	667	NO	5400.00			ND		Plume Degradation	No
18199	4/29/02	GW08252RG	CHLOROFORM	REAL	RX1	4300	UG/L	100		V1	190	667	NO	43.00			ND		Plume Degradation	No
18199	4/29/02	GW08252RG	HEXACHLOROETHANE	REAL	TR1	15	UG/L	6.08		V1	3	1	NO	2.47			ND		Plume Degradation	No
18199	4/29/02	GW08252RG	TETRACHLOROETHENE	REAL	DL1	62	UG/L	5		V1	11	40	NO	12.40			ND		Plume Degradation	No
18499	4/30/02	GW08247RG	CARBON TETRACHLORIDE	REAL	RX1	22000	UG/L	5		V1	230	667	NO	4400.00			ND		Plume Degradation	No
18499	4/30/02	GW08247RG	CHLOROFORM	REAL	RX1	5100	UG/L	100		V1	190	667	NO	51.00			ND		Plume Degradation	No
18499	4/30/02	GW08248RG	HEXACHLOROETHANE (SVOC)	DUP	TR1	74	UG/L	6 08		V1	3	1	NO	12.17			ND		Plume Degradation	No
18499	4/30/02	GW08247RG	HEXACHLOROETHANE (VOC)	REAL	DL1	210	UG/L	6.08	J	V1		40	NO	34.54			ND		Plume Degradation	No
18499	4/30/02	GW08247RG	METHYLENE CHLORIDE	REAL	DL1	39	UG/L	5	J	V1	34	40	NO	7.80			ND		Plume Degradation	No
18499	4/30/02	GW08247RG	TETRACHLOROETHENE	REAL	DL1	87	UG/L	5		V1	11	40	NO	17.40			ND		Plume Degradation	No
18799	6/18/02	GW08249RG	1,1-DICHLOROETHENE	REAL	TR1	11	UG/L	7		V1	0.31	1	NO	1.57			ND		Plume Degradation	No
18799	6/18/02	GW08249RG	CARBON TETRACHLORIDE	REAL	RX1	630	UG/L	5		V1	7	20	NO	126.00			ND		Plume Degradation	No
18799	6/18/02	GW08249RG	CHLOROFORM	REAL	RX1	630	UG/L	100		V1	5.8	20	NO	6.30			ND		Plume Degradation	No
18799	6/18/02	GW08249RG	TETRACHLOROETHENE	REAL	TR1	15	UG/L	5		V1	0.27	1	NO	3.00			ND		Plume Degradation	No
30900	5/2/02	GW08242RG	ARSENIC	REAL	TR1	57.1	UG/L	50		V1	2	1	YES	1.14	5.31	10.75	ND		Plume Degradation	No
30900	5/2/02	GW08242RG	ARSENIC	REAL	TR1	57	UG/L	50		V1	2	1	NO	1.14	5.31	10.73	ND		Plume Degradation	No
30900	4/1/02	GW08182RG	cis-1,2-DICHLOROETHENE	REAL	DL1	160	UG/L	70		V1	6.6	20	NO	2.29			ND		Plume Degradation	No
30900	5/2/02	GW08242RG	cis-1,2-DICHLOROETHENE	REAL	RX1	200	UG/L	70		V1	6.6	20	NO	2.86			ND		Plume Degradation	No
30900	4/1/02	GW08182RG	MANGANESE	REAL	TR1	12200	UG/L	1720		V	0.2	1	YES	7.09	162.33	75.16	ND		Plume Degradation	No
30900	4/1/02	GW08182RG	MANGANESE	REAL	DL1	13200	UG/L	1720		V	2	10	NO	7.67	162.33	81.32	ND		Plume Degradation	No
30900	5/2/02	GW08242RG	MANGANESE	REAL	DL1	11000	UG/L	1720		J1	1	5	YES	6.40	162.33	67.76	ND		Plume Degradation	No
30900	5/2/02	GW08242RG	MANGANESE	REAL	DL1	10900	UG/L	1720		J1	1	5	NO	6.34	162.33	67.15	ND		Plume Degradation	No
30900	4/1/02	GW08182RG	TETRACHLOROETHENE	REAL	RX1	15	UG/L	5		V1	0.27	1	NO	3.00			ND		Plume Degradation	No
30900	5/2/02	GW08242RG	TETRACHLOROETHENE	REAL	TR1	7.5	UG/L	5		V1	0.27	1	NO	1.50			ND		Plume Degradation	No
30900	4/1/02	GW08182RG	THALLIUM	REAL	TR1	2.6	UG/L	2	B	UJ	2.2	1	YES	1.30	4.9	0.53	ND		Plume Degradation	No
30900	4/1/02	GW08182RG	THALLIUM	REAL	TR1	3.8	UG/L	2	B	UJ	2.2	1	NO	1.90	4.9	0.78	ND		Plume Degradation	No
30900	5/2/02	GW08242RG	THALLIUM	REAL	TR1	3.8	UG/L	2	B	UJ1	2.2	1	YES	1.90	4.9	0.78	ND		Plume Degradation	No
30900	5/2/02	GW08242RG	THALLIUM	REAL	TR1	4.7	UG/L	2		UJ1	2.2	1	NO	2.35	4.9	0.96	ND		Plume Degradation	No
1386	4/19/02	GW08225RG	NICKEL	REAL	TR1	360	UG/L	140		V1	0.22	1	YES	2.57	21.37	16.85	308.75	1.17	Plume Extent	Yes
1386	4/19/02	GW08225RG	URANIUM-233,-234	REAL	TR1	10.4	PCI/L	1.06		V1	0.18		YES	9.81	60.7	0.17			Plume Extent	No
1386	4/19/02	GW08225RG	URANIUM-233,-234	REAL	TR1	10.6	PCI/L	1.06		V1	0.586		NO	10.00	60.7	0.17			Plume Extent	No
1386	4/19/02	GW08225RG	URANIUM-238	REAL	TR1	9.68	PCI/L	0.768		V1	0.237		YES	12.60	41.8	0.23			Plume Extent	No
1386	4/19/02	GW08225RG	URANIUM-238	REAL	TR1	9.11	PCI/L	0.768		V1	0.358		NO	11.86	41.8	0.22			Plume Extent	No
1786	4/16/02	GW08226RG	NITRATE/NITRITE	REAL	TR1	315	MG/L	10		V	3.45	500	NO	31.50	4.664	67.54	689.31	0.46	Plume Extent	Yes
1786	4/16/02	GW08226RG	SELENIUM	REAL	TR1	249	UG/L	50		V	0.9	1	NO	4.98	43.72	5.70	245.7	1.01	Plume Extent	Yes
1786	4/16/02	GW08226RG	URANIUM-233,-234	REAL	TR1	33.5	PCI/L	1.06		V1	0.446		YES	31.60	60.7	0.55			Plume Extent	No
1786	4/16/02	GW08226RG	URANIUM-233,-234	REAL	TR1	37.4	PCI/L	1.06		V1	0.649		NO	35.28	60.7	0.62			Plume Extent	No
1786	4/16/02	GW08226RG	URANIUM-235	REAL	TR1	1.06	PCI/L	1.01		V1	0.598		NO	1.05	1.79	0.59	1.99	0.53	Plume Extent	No

36

Table 3-2: Second Quarter, 2002 RFCA Groundwater Sample Comparisons With Tier II Action Levels and IMP Reporting Criteria

02-RF-02459

Location	Sample Date	GW Sample#	Analyte	QC Type	Result Type	Result	Units	Tier II	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Filtered	Tier II Ratio	Back-ground M2SD	Back-ground Ratio	Historic M2SD	Historic Ratio	IMP Well Class	Report-able Result?

Abbreviations

ID = Insufficient number of 1991-95 samples (5) to calulate Historic M2SD.
MG/L = Milligrams per liter
ND = No 1991-1995 data, no Historic M2SD.
PCI/L = Picocuries per liter
TR1 = First analytical run
TR2 = Second analytical run, implies dilution (also DL1, DIL)
TR3 = Third analytical run, etc.
UG/L = Micrograms per liter (or µg/L)

Lab Qualifiers (note analyte group)

B = Detected concentration less than contract required detection limit (CRDL) but above instrument detection limit (IDL) (metals & other inorganics)
B = Analyte present in both sample and method blank (MB) (organics)
B = Activity in the method blank exceeds minimum detectable activity (MDA) (radionuclides)
D = Sample run at a dilution (organics)
E =analyte exceeds calibration range of instrument (organics)
E = reported result is estimated due to interference (inorganics)
J = Positively identified below sample quantification limit (SQL), result estimated (organics)
J = Estimated quantification (inorganics & radionuclides)
U = Target analyte not detected (all analytes)

Validation/Verification Qualifiers*

(list in order from highest confidence to lowest)
V/V1 = Valid
J/J1 = Estimated
NJ/NJ1 = Presumptively Estimated
UJ/UJ1 = Estimated at an elevated level of detection
R/R1 = Rejected

1 = Unvalidated/Unverified member of TR1-TR2 pair. Other pair member should be Validated/Verified.

*Validation is a more thorough review of laboratory package than verification.

This page intentionally left blank.

4.0 REQUIRED ACTIONS

Required Monthly Monitoring - **Second Quarter 2002**

In May 2002 Plume Extent well 21098 contained reportable carbon tetrachloride and chloroform. Both compounds were above Tier II Action Levels. No Historic M2SDs are available for 21098. By inspection, carbon tetrachloride decreased from the maximum recorded level in the Fourth Quarter 2001 to a new minimum for the Second Quarter 2002 (Figure 2-15). Chloroform decreased compared to the Fourth Quarter to the second lowest recorded value (Figure 2-25). The detections for carbon tetrachloride and chloroform in the Second Quarter are the first for well 21098 under its new IMP Plume Extent classification. (The well was formerly classified as a Plume Degradation well in the FY 2001 IMP.) Normally monthly sampling for VOCs would have been initiated as required by the FY2002 IMP. However, it was necessary to abandon Plume Extent well 21098 because of building D&D activities in the area making it impossible to collect monthly samples. A replacement Plume Extent Well, 21002, was in stalled in August near the original 21098 location. Plume Extent well 21002 was sampled for the first time in mid-November 2002. A decision as to whether a suite of monthly samples will be collected at 21002 will be made when the November results are returned.

Required Monthly Monitoring - **Begun In First Quarter and Completed Second Quarter 2002**

These actions were recorded in the First Quarter 2002 Report (SSOC, 2002) and are repeated here because they overlap quarters.

In January 2002, Drainage well 6486 contained reportable chromium and nickel that were above Tier II Action Levels and Background M2SDs. The chromium and nickel results for the 1/29/02 sampling event were identified as soon as they were returned by the laboratory. The Groundwater Program recognized the need for monthly sampling, which began in March 2002. The suite of three monthly samples was completed with successful sampling events in April and May.

Chromium in 6486 was well above the Tier II Action Level (100 μg/l) in January (649 μg/l), because it was also above the Background M2SD (12.4 μg/l) this result was reportable. A suite of monthly samples for metals had not been collected so in compliance with the FY 2002 IMP (DOE, 2002) procedures monthly sampling was initiated in March. Chromium levels decreased below Tier II and Background in March (12.4 μg/l) and April (10.2 μg/l) and then increased above Tier II and Background again in May (427 μg/l). This record of the increased chromium concentrations in well 6486 constitutes official notification as stipulated in the FY 2002 IMP.

Nickel in 6486 also above Tier II and the Background M2SD in January (result = 5390 μg/l, Tier II = 140 μg/l, Background = 21.4 μg/l). In conjunction with chromium, three monthly samples were collected for nickel. These continued to exhibit concentrations of nickel above both Tier II and Background (March 2330 μg/l, April 1520 μg/l and May 3950 μg/l). This record constitutes official notification as stipulated in the FY 2002 IMP (DOE, 2002) that elevated levels of nickel have been detected in well 6486.

Plume Extent well 7086 contained reportable chromium. Chromium was detected above Tier II, its Background M2SD and the well's Historic M2SD in February 2002. This anomalously high result was recognized by the Groundwater Program when it was submitted by the laboratory. The Groundwater Program collected a suite of monthly samples in March, April and May of 2002 that were all below Tier II. The February result for chromium was not supported by subsequent analyses.

Required Monthly Monitoring –**Initiated from the First Quarter 2002 Groundwater Monitoring Report and Completed**

In February 2002 Plume Extent well 01697 exhibited a reportable analysis for nitrate/nitrite that was above the Tier II Action Level and Background M2SD (Figure 2-96). Because this was the first nitrate/nitrite collected from the well, a suite of monthly samples was collected in August, September and October 2002. Nitrate/nitrite values for all three monthly samples remained above Tier II. This record of the elevated nitrate/nitrite concentrations in well 01697 constitutes official notification as stipulated in the FY 2002 IMP. Well 01697 was routinely sampled in August of the Third Quarter.

In February 2002, Plume Extent well 30100 contained reportable trichloroethene that was above the Tier II Action Level (Figure 2-97). This was only the second VOC sampling event at the well. Trichloroethene had increased compared to an October 2000 sample. Because 30100 was new to the Groundwater Sampling Program and trichloroethene was greater than Tier II, a series of monthly samples for VOCs was collected in July, August and September. Trichloroethene in all three monthly samples is above the Tier II Action Level. This record of the increased trichloroethene concentrations in well 30100 constitutes official notification as stipulated in the FY 2002 IMP. In addition to the monthly sampling well 30100 was routinely sampled in July of the Third Quarter.

In February 2002 Plume Extent well 5387 contained reportable nickel above Tier II and its Background M2SD for the first time except for a single total metal analysis collected in 1992. This nickel result required a series of monthly samples because it is an increase over dissolved detections dating back to 1996. Attempts at collecting monthly samples for metal were made in August and September but the well was dry. After multiple visits, beginning in mid-October well 5387 was successfully sampled for metals in mid-November. Analytical results for the final sample are not available at this time. They will be recorded in the Third Quarter Report when it is published. These activities will fulfill the requirement for monthly metal sampling at well 5387 as imposed by the FY 2002 IMP.

5.0 REFERENCES

CDPHE, 1996. Letter from Steve Tarlton to Steven W. Slaten. November 19, 1996.

CDPHE, 1998. Groundwater VOC Sample Preservation Policy, June 22, 1998.

DOE, 1993. Background Geochemical Characterization Report, September 30, 1993.

DOE, 1997. Background Comparison for Radionuclides in Groundwater, Draft, January, 1997.

DOE, 2002. FY2002 Integrated Monitoring Plan, July 2002.

EPA, 1996. Letter from Tim Rehder to Steven W. Slaten, RE: Monitoring Well List. November 14, 1996.

EPA, CDPHE, DOE, 1996. Final Rocky Flats Cleanup Agreement, July 19, 1996.

KAISER-HILL, 2000. Final Rocky Flats Cleanup Agreement, Attachment 5, Action Levels and Standards for Surface Water, Ground Water, and Soils, dated March 21, 2000.

RMRS, 1998. Procedure: Evaluation of Data for Usability in Final Reports. Document Number RF/RMRS-98-200, Revision 0, Effective date 8/14/98, 16 pages.

RMRS, 2001. Quality Assurance Program Plan For The Groundwater Monitoring Program Rocky Flats Environmental Technology Site, February 5, 2001, Ref: 01-RF-00338.

SSOC, 2002. Fourth Quarter RFCA Groundwater Monitoring Report for Calendar Year 2001: Rocky Flats Environmental Technology Site, May 2002, Ref: 02-RF-00920.

SSOC, 2002. First Quarter RFCA Groundwater Monitoring Report for Calendar Year 2002: Rocky Flats Environmental Technology Site, August 2002, Ref: 02-RF-01759.

SSOC, 2002. 2001 Annual RFCA Groundwater Monitoring Report for the Rocky Flats Environmental Technology Site, November 20, 2002, Ref: 02-RF-01873.

This page intentionally left blank.

6.0 FIGURES

This page intentionally left blank.

Fig 2-1



Fig 2-2



Fig 2-3



Fig 2-4



Fig 2-5



Fig 2-6



Fig 2-7



Fig 2-8



Fig 2-9



51

Fig 2-10



Fig 2-11



Fig 2-12



Fig 2-13



Fig 2-14



Fig 2-15



Fig 2-16



Fig 2-17



Fig 2-18



54

Fig 2-19



Fig 2-20



Fig 2-21



Fig 2-22



Fig 2-23



Fig 2-24



56

Fig 2-25



Fig 2-26



Fig 2-27



57

Fig 2-28



Fig 2-29



Fig 2-30



Fig 2-31



Fig 2-32



Fig 2-33



Fig 2-34



Fig 2-35



Fig 2-36



LeO

Fig 2-37



Fig 2-38



Fig 2-39



Fig 2-40



Fig 2-41



Fig 2-42



62

Fig 2-43



Fig 2-44



Fig 2-45



Fig 2-46



Fig 2-47



Fig 4-48



Q4

Fig 2-49



Fig 2-50



Fig 2-51



Fig 2-52



Fig 2-53



Fig 2-54



Fig 2-55



Fig 2-56



Fig 2-57



Fig 2-58



Fig 2-59



Fig 2-60



Fig 2-61



Fig 2-62



Fig 2-63



69

Fig 2-64



Fig 2-65



Fig 2-66



70

Fig 2-67



Fig 2-68



Fig 2-69



71

Fig 2-70



Fig 2-71



Fig 2-72



72

Fig 2-73



Fig 2-74



Fig 2-75



Fig 2-76



Fig 2-77



Fig 2-78



Fig 2-79



Fig 2-80



Fig 2-81



75

Fig 2-82



Fig 2-83



Fig 2-84



76

Fig 2-85



Fig 2-86



Fig 2-87



Fig 2-88



Fig 2-89



Fig 2-90



78

Fig 2-91



Fig 2-92



Fig 2-93



Fig 2-94



Fig 2-95



Fig 2-96



80

Fig 2-97


Trichloroethene Trend Plot For Well 30100
Concentration (UG/L)
16
14
12
10
8
6
4
2
0
Oct-00
Nov-00
Dec-00
Jan-01
Feb-01
Mar-01
Apr-01
May-01
Jun-01
Jul-01
Aug-01
Sep-01
Oct-01
Nov-01
Dec-01
Jan-02
Feb-02
Mar-02
Apr-02
May-02
Jun-02
Jul-02
Aug-02
Sep-02
Oct-02
= Detection
= "U" Qualified - Plotted at 0.5x Detection Limit

81

This page intentionally left blank.

7.0 GROUNDWATER DATA QUALITY ASSESSMENT – GENERAL INTRODUCTION

In this section, the quality of the analytical data is assessed in terms of five data-quality parameters: **precision, accuracy (bias), representativeness, completeness, and comparability (PARCC)**. These are derived from a Rocky Mountain Remediation Service document: "Quality Assurance Program Plan For The Groundwater Monitoring Program Rocky Flats Environmental Technology Site" (RMRS, 2001, referred to as the **QAPP**). Precision and accuracy (bias) are quantitative measures. Representativeness and comparability are qualitative measures. Completeness is a combination of both quantitative and qualitative measures. This section summarizes the types of data available to assess these PARCC parameters.

Prior to the evaluations made here the Kaiser Hill-Analytical Services Division (ASD) team performs its own data quality assessment on all Metal, Radionuclide, Volatile Organic Compound, Polychlorinated Biphenyl and Water Quality Parameter results that are derived from groundwater. The nature and extent of these verification and validation activities are based upon program and customer-specified requirements and requirements of ASD to evaluate contractor laboratory performance against Statement of Work (SOW) requirements. Verification-validation criteria are generally based on government-published standards and guidelines, primarily EPA Contract Laboratory Procedures (CLP) and SW-846 method guidelines for organic and inorganic data evaluation and review. Verification-validation is a graded process to assess both compliance of the data package with the SOW and acceptability of the data using parameter specific guidelines. Verification is an assessment process to ensure that data meet certain specified criteria. Verification is a check of the data based on a review of the summary sheets provided by the laboratory. Validation provides the same review with the addition of an examination of the raw data and calculations that go into the summary tables. Validation is a more thorough assessment process than verification. All laboratory generated components of the following PARCC evaluation such as matrix spikes, laboratory control samples and detection limits are considered in generating the verification and validation qualifiers. The quality of the verification-validation process should be considered a major influence on the quality of the PARCC assessment.

Data used to evaluate the PARCC parameters were included in the data set compiled as described in Section 2.

With respect to the 106 sites visited in the Second Quarter of 2002, samples were obtained at 74 (the maximum for VOCs) of the sites. Twenty-five sites were totally dry. Fifteen sites provided only partial samples due to insufficient water. Seven of the sampled sites were selected for the collection of field Real/Duplicate and Rinsate samples. On a per well basis overall frequency for field QC sampling is being maintained at 1 in 20 sites (5%) over the course of this quarter's sampling program. Duplicates and rinsates were collected at a ratio of 1 in 10.6 (9.5%). Table 7-1 lists duplicate and rinsate sampling frequencies on a per analyte basis. Second Quarter field QC data for the analytical groups are discussed in Sections 7.1 to 7.5.

<u>Precision:</u>

The precision of a measurement is an expression of the mutual agreement between duplicate measurements of the same property taken under similar conditions. Precision can be expressed quantitatively by the relative percent difference (RPD) between real and duplicate field samples for Metals, Volatile Organic Compounds, Polychlorinated Biphenyls and Water Quality Parameters as defined by the following equation:

$$RPD = \frac{|(S-D)|}{(S+D)/2} \times 100$$

where: S = Concentration of analyte in Real Sample
D = Concentration of analyte in Duplicate Sample

Similarly with respect to Radionuclide analyses, the RFETS Groundwater Program uses the following "Duplicate Error Ratio" equation to express their precision.

$$DER = \frac{|S-D|}{\sqrt{[(TPU_S)^2 + (TPU_D)^2]}}$$

where TPU_S = Total Propagated Uncertainty of the Sample
TPU_D = Total Propagated Uncertainty of the Duplicate or Lab Replicate
S = Sample Result
D = Duplicate or Lab Replicate Result

Because TPU is seldom reported for radionuclides (except possibly for Tritium analyses) in the laboratory data records, 2-Sigma Error or random counting error has been substituted for TPU in the Uranium, Americium/Plutonium and Strontium calculations made for this report. TPU was not reported for Second Quarter Tritium analyses, so 2-Sigma Error was also substituted in DER calculations for Tritium.

Individual RPDs/DERs can be found in Table 7-2. The individual QC criterion for groundwater RPDs is ≤30%, for DERs the criterion is ≤1.96. Table 7-3 gives a summary of the Overall Precision Compliance for RPDs and DERs for the quarter. The overall goal is to have 85% compliance.

Accuracy:

Accuracy is the degree of agreement for a measurement with an accepted reference or true value and is a measure of the bias in a system. The closer the measurement to the true value, the more accurate the measurement. The validation-verification process (see above) by assigning a qualifier is the principal means for evaluating the accuracy of analytical results. For this PARCC evaluation, the accuracy assessment is based on the Procedure for Evaluation of Data For Usability (RMRS, 1998). The PARCC analysis compares the actual analytical methods used to the required analytical methods and the contract required detection limits (CRDLs) for each analyte to the achieved detection limits. Table 7-4 gives the CRDLs for the various analytes. The Second Quarter 2002 determination of accuracy has been simplified by the presence of a complete data set derived from the SWD database. With respect to analytical results retrieved from electronic files (and 33 hand entered dissolved gases), detection limits are readily available.

Matrix spike recoveries for Metal, VOC, PCB and WQP samples are available, where appropriate, for the Second Quarter (Table 7-5). Acceptable criteria for matrix spikes cover a broad range depending on the analyte, analytical method and the individual laboratory. The Groundwater Program will briefly discuss matrix spike results outside of a range of 75-125 % recovery.

Laboratory control sample recoveries for radionuclides are also available for the quarter (Table 7-6). Laboratory control samples are being evaluated if they are outside a QC range of 75-125 % recovery. According to KH-ASD, laboratories in practice will commonly accept LCS values in the range of 70-130 %. LCS percent recoveries between the 70-130 % laboratory range and the 75-125 % QC range required by the KH-ASD laboratory contracts are examined by the validators for acceptability on an analyte by analyte basis.

84

Because of past laboratory confusion on how to report LCS results, whether as the raw results in terms of pCi/L on a per analyte basis or as a calculated % Recovery the ASD-KH team implemented a new reporting criteria. This Relative Bias criteria is defined in the BOA by the following formula (see Page J-6 of the National BOA, section 2.3.2.5):

$$\text{Relative Bias} = \frac{\text{observed} - \text{known}}{\text{known}}$$

observed = Measured activity of LCS Standard (pCi/L)
known = Known activity of LCS Standard (pCi/L)

Acceptable values for the Relative Bias calculation are in the range of –0.25 to +0.25. ASD-KH requested laboratories begin reporting Relative Bias calculations for LCS sample in November 2001 and actual reporting began during the First Quarter 2002.

Representativeness:

Representativeness in this section is limited to an evaluation of whether analytical results for field samples are truly representative of environmental concentrations or whether they may have been influenced by the introduction of contamination during collection and handling. The potential introduction of contamination is evaluated by examination of the analytical results for equipment rinsates (or field blanks, Table 7-7). Equipment rinsates are used to assess the efficacy of the decontamination process and possible cross-contamination between environmental samples. They are samples of volatile free "distilled" water that have been poured over or through decontaminated sampling equipment and subsequently handled in the same manner as environmental samples. Although rinsates are used specifically as indicators of cross-contamination during decontamination of equipment, they are carried through the entire sampling, shipping, and laboratory process and are consequently good indicators of potential contamination introduced during any of these steps. Because rinsate samples are judged adequate to assess introduced contamination, the groundwater program does not use trip blanks.

Other aspects of representativeness such as numbers of samples and spatial distribution are fixed in the FY 2002 Integrated Monitoring Plan (DOE, 2002). As determined by the IMP, all required wells for this quarter were visited. See Figures 1A-C for reference to the spatial distribution of the samples.

Completeness:

A qualitative measure of completeness is the rate of successful sampling. In the Second Quarter 2002 all samples specified in the IMP were collected unless well disposition was prohibitive (i.e. the well was dry or went dry during sampling). Table 3-1 presents a summary of sample collection and well disposition.

Table 7-8 compares the Actual Number of Samples taken in the Second Quarter to the IMP driven Required Number of Samples. The completeness goal of successfully sampling 90% of the locations was met in relatively few sampling groups: semi-volatile organic compounds and alkalinity. Because all required wells were visited (some more than once), and all analytical results had been received prior to the writing of this report, sampling is considered successful. The data set for the Second Quarter is considered complete in this sense.

Completeness as a quantitative measure of data quality may be expressed as the percentage of valid or acceptable data obtained from a measurement system. In the Second Quarter, the majority of analytical records were either Validated or Verified. Thirty-three dissolved gas (methane-ethane-ethene) analyses are not going to be validated (s.l.). Analytical records (one analyte) for one volatile organic compound, one metal and one americium were rejected in validation. Where available,

validation/verification data for each sample are listed in Appendix A. Table 7-9 summarizes the validation completeness based on the following formula:

DP_u = Percentage of usable data points
DP_t = Total number of data points
DP_n = Non-usable data points

$$\text{Completeness} = DP_u = \frac{DP_t - DP_n}{DP_t} \times 100 \text{ (in percent)}$$

The completeness criterion is having $\geq$ 90%valid samples.

Comparability:

Comparability is a qualitative parameter. Consistency in the acquisition, handling, and analysis of samples is necessary for comparing results. Data developed under the groundwater program are collected using RFETS SOPs, transported using both RFETS SOPs and US-DOT shipping regulations and analyzed using standard EPA or nationally recognized analytical methods (CLPs) to ensure comparability of results with other analyses performed in a similar manner.

During the Second Quarter of 2002, planned analytical methods for VOCs, dissolved gases, PCBs, WQPs and Radionuclides remained consistent over the sampling period. A discussion of a Fourth Quarter 1998 change in field sampling methods for metals is given below. At the start of the Third Quarter 2001, nomenclature of the Test Method for metal analyses was changed (see section 7.1 for a discussion). This change in nomenclature will not affect the comparability of results with previous analyses. Table 7-4 lists the required methods for the various analytes. Laboratory analyses were performed according to standard CLP protocols and results should be comparable to data produced by similar methods.

At the start of the Second Quarter 2001, the technique for the analysis of Volatile Organic Compounds was changed from the EPA 524.2 Drinking Water to the EPA SW-846, 8260 (Low Level) method. The change was made because the SW-846 method requires (as EPA 524.2 does not) a pre-screening analytical run that should help laboratories determine appropriate levels of dilution when needed. The list of analytes for SW-846 includes all analytes in the EPA 524.2 list with the addition of (detection limits in µg/l given in parentheses) 1,1,2-trichloro-1,2,2-trifluoroethane (1), acetone (10), carbon disulfide (1), 2-butanone (10), 2-hexanone (10), and 4-methyl-2-pentanone (10). Detection limits for all remaining compounds are unchanged (= 1 µg/l) including the RFETS contaminants of concern (vinyl chloride, 1,1-dichloroethene, methylene chloride, carbon tetrachloride, cis-1,2-dichloroethene, chloroform, 1,1,1-trichloroethane, trichloroethene and tetrachloroethene). Because both the EPA 524.2 and SW-846 methods use gas chromatography as the basic analytical method, and detection limits have not changed, results gathered using either method should be comparable.

In the Fourth Quarter of 1998, the sampling procedure was modified in order to enhance the quality of the samples collected and reduce the amount of purge water generated at certain wells. This practice has continued into the Second Quarter of 2002.

Some wells with adequate recharge rates had dedicated bladder pumps installed. Pump equipped wells provide an opportunity for "micropurging" at the time of sampling. Micropurging has several advantages. Micropurge sample collection provides a method of minimizing increased colloid mobilization by removing water from the well at the screen interval at a rate that preserves or

86

minimally disrupts steady-state flow conditions in the aquifer. During micropurge sampling, groundwater is discharged from the aquifer at a rate that minimizes drawdown at the well. Research indicates that colloid mobilization will not increase above steady-state conditions during low-flow discharge. Therefore, the collected sample is more likely to represent insitu groundwater chemistry. In addition, less water is needed to purge the pump system compared to purging the entire well with a bailer. Thus, there is less purge water to dispose of.

The installation of bladder pumps and micropurging without sample filtration resulted in a change in analytical method for metals. Pump equipped wells are sampled and analyzed for total metals because no filter is used during sample collection. Bailed well samples are filtered and analyzed for dissolved metals.

DISCUSSION OF ANALYTE GROUPS

7.1 METALS

Precision:

There were 168 records for duplicate samples versus 2045 real sample records in the data set for metals in the Second Quarter, 2002 (1 in 12.2, 8.2 %). The number of duplicate samples collected in the Quarter was adequate for data quality objectives. Of the possible 168 Relative Percent Differences (RPDs) for metals, 136 (81.0 %) were within the QC criterion of ≤30% for groundwater as summarized in Table 7-3 and 32 (19.0 %) were outside the criterion. Based on Relative Percent Difference calculations overall precision for metal analyses for the Second Quarter decreased significantly from the First Quarter 2002 and does not meet the compliance goal of 85%. The Kaiser-Hill-Analytical Services Division has been notified of this problem.

Of the 32 RPD pairs that do not meet the precision criterion, 21 pairs had laboratory qualifiers that were either a "U" and "B" or both "B's". This means they were non-detections (= "U") or the result was above the instrument detection limit but below the CRDL (= "B"). "U" and "B" lab qualifiers for metals indicate that small quantities of metal are being considered (commonly <1 μg/L). The ability to precisely measure both samples and get them to match may be difficult. Nine of these same "U" and "B" results were validated with "J/J1" or "UJ/UJ1" qualifiers and another five have a "J/J1" or "UJ/UJ1" paired with a "V/V1". These validation qualifiers also suggest that the results are non-detections or estimates in some way, again indicating that precisely matching two analyses may be difficult. Fifteen of the 32 RPD results are from metals that are not contaminants of concern (aluminum, copper, iron, molybdenum, tin, vanadium and zinc). These considerations may indicate that the precision of metal analyses is somewhat better than the RPD unacceptable figure of 81% indicates.

The 32-RPD results for metals that do not meet the QC criterion are distributed in the following manner (number of occurrences in parentheses)

aluminum (3)	iron (4)	silver (2)
antimony (1)	lead (2)	thallium (1)
arsenic (3)	manganese (1)	tin (1)
beryllium (1)	molybdenum (1)	vanadium (1)
chromium (3)	nickel (1)	zinc (1)
copper (4)	selenium (2)	

No metal or group of metal analytes, especially those that may be contaminants of concern, appear to dominate those RPDs that exceeded the 30% QC criterion.

From the 168-real/duplicate pairs in which a Relative Percent Difference (RPD) could be calculated, 121 are displayed in Table 7-2 (see Table 7-3 for criteria on which RPDs were calculated and displayed).

The recommended frequency for duplicate samples is 1 in 20 (5 %) on a per sample basis. This frequency was met as stated in the first paragraph above (also Table 7-1). In the Second Quarter 6 of 61 sampled wells were analyzed for metals as Real/Duplicate pairs, a ratio of 1 in 10.2 (9.8 %). Thus the Duplicate sampling frequency was within the requirements for the Second Quarter on both a per well and per sample basis.

Accuracy:

Contract-required-detection limits (CRDLs) for metals were met in all cases.

Of 2156 metal analyses for the Second Quarter (reals, duplicates and rinses) all were either validated or verified. One aluminum analysis was rejected, in this case verified as an "R1" because the magnitude of the calibration-verification-blank result exceeded the Required Detection Limit.

One hundred percent of the metal analyses from the First Quarter provided usable data points with respect to validation/verification. The accuracy of metal analysis with respect to the validation process was acceptable for the Second Quarter.

All 493 Laboratory Control Sample (LC1 and LC2) percent recoveries for metals were inside the 75-125 % validation QC criterion for the Quarter. Each batch of metal samples sent out for analysis (identified by a Report Identification Number, RIN) is represented by LCS analyses. LCS analyses for molybdenum were missing from the reports for 10 of the 13 RINs. Molybdenum is no a contaminant of concern. With respect to LCS sample recoveries for metal, accuracy for the Second Quarter 2002 is good.

Table 7-5 displays matrix spike recoveries for metals based on the electronic information for the Second Quarter. The results in Table 7-5 show that 659 of 686 (96.1 %) metal matrix spike and matrix spike duplicates were within the matrix spike criterion of 75-125 %. Except for RIN 02D1182, matrix spike information for metals was submitted electronically for all RINs. Only hardcopy is available for RIN 02D1182 where out of 22 analytes aluminum and iron were outside the 75-125% criterion. Results for RIN 02D1182 are not included in Table 7-5. Of the 27 matrix spikes outside the criteria in Table 7-5 only three iron spikes and one manganese have a second analysis that was within the 75-125 % criteria. The distribution of the 27 analytes not meeting the criteria in Table 7-5 was:

Aluminum	3 pairs of matrix spikes and matrix spike duplicates (six analytes total)
	1 single matrix spike
Iron	5 singles
Lithium	8 singles
Manganese	1 pair, 2 singles
Silver	1 pair
Strontium	1 single

Matrix spike accuracy for metals was acceptable for the Second Quarter 2002.

A change in nomenclature for metal analyses was initiated in the Second Quarter 2001. The nomenclature for the Test Method was changed from "CLP-SOW" to EPA 600. Because the actual analytical technique has not changed, just the name that is entered into the Soil-Water Database, past

88

and future analytical results remain comparable. All metal analyses were performed using the proper contract required methods listed in Table 7-4 in the Second Quarter of 2002. With respect to methods, the results for the Second Quarter are accurate.

Representativeness:

As mentioned in the general discussion above representativeness is an evaluation of the sampling procedure for its ability to reflect the true groundwater concentrations of contaminants. Rinsate samples are used by the Groundwater Program to determine whether there is introduced contamination from the sampling process. Note that rinsate results may also be reported as "FB" or field blanks in the data set.

There were 168 rinsate records versus 2213 real and duplicate sample records for metals from the Second Quarter 2002. That is a ratio of 1 in 13.2 which is within the criteria of 1 in 20 on a per record basis. Almost all (98.8%) rinsate results were lab qualified as either "U's" (non-detections) or "B's" (detection was less than Contract Required Detection Limit (CRDL) but greater than Instrument Detection Limit (IDL)). One aluminum and one copper rinse analysis (listed below) were qualified as detections. These rinse analyses were not associated with detections in the Real and Duplicate samples collected at the same time. The aluminum rinse received "UJ1" verification because low-level check-sample recovery criteria were not met and the analyte (was) detected at <CRDL in calibration blank verification. This suggests that aluminum was present in the method blank. And, that the sample result could be contaminated. The copper rinse received a "UJ" validation because the analyte (was) detected at <CRDL in calibration blank verification and the quality control sample frequency did not meet requirements. As with the aluminum, copper may have been present as a contaminant in the rinse analysis.

Analytes	RIN-Event-Bottle	Well	Sample Date	Result Type	Result	Units	Tier II	Lab Qual	Valid-ation	Detect Limit	Dilu-tion
Aluminum	02D1244-024.001	56201	5/7/02	TR1	17.9	µg/l	36500	-	UJ1	2	1
Copper	02D1199-006.004	00500	4/30/02	TR1	8.0	µg/l	1300	-	UJ	0.08	1

Given these few detections, in general no metal contamination was introduced during sampling and/or shipping activities. With the absence of contamination introduced during sampling activities, metal analyses for the Second Quarter are judged to be representative of the actual well water concentrations.

Because all required sampling locations defined in the IMP were visited and all samples that could be collected were analyzed, metal analyses for the Second Quarter 2002 are judged to be representative with respect to spatial coverage.

Completeness:

Table 7-8 indicates that 89 wells were to have been sampled for metals in the Second Quarter 2002. Twenty-eight wells did not contain enough water for collection of a metals sample. Sixty-one samples were collected, a success ratio of 68.5 %. The goal, groundwater conditions permitting, is to have greater or equal to 90 % successful sampling.

Validation/Verification completeness is summarized in Table 7-9. The validation process is complete with respect to metals all results. With 2155 metal results providing usable data points (100 %), metal analyses are considered complete with respect to validation and verification. Only one aluminum analysis was rejected in verification as mentioned in the Accuracy section above.

89

Comparability:

As stated in Section 2 no changes were made to analytical procedures for metals in the Second Quarter of 2002. The nomenclature for the analytical procedure was changed in the Second Quarter 2001 from "CLP-SOW" to EPA 600 but this did not affect the actual analytical technique. The analytical methods for metal analyses from the Second Quarter should be comparable to previous analyses.

7.2 RADIONUCLIDES

Precision:

In the First Quarter duplicate samples were collected for americium-241, plutonium-239/240, strontium-89-90, uranium isotopes and tritium. None were collected for neptunium-237 (10 samples). On a per well and per record basis (where duplicates were collected), duplicate ratios were 1 in 8.8 (11.4 %) for americium and plutonium, 1 in 5.0 (20.0 %) for strontium-89/90, 1 in 10.8 (9.2 %) for uranium and 1 in 5.0 (20.0 %) for tritium (Table 7-1). In total for radionuclides, there were 16 duplicate records versus 144 real records (1 in 9.0, 11.1 %) collected in the Second Quarter. Duplicate Error Ratios (DERs) for all 33 of the real-duplicate pairs were under the 1.96 criterion, a success ratio of 100 %. In Table 7-2 DERs for 10 real-duplicate pairs are displayed (see Table 7-3 for display criteria). The goal for DER values is to have 85% compliance. Precision with respect to being able to generate repeatable results for Second Quarter radionuclide data is adequate.

Accuracy:

Required detection limits for radionuclide analyses are given in Table 7-4. Contract required detection limits (CRDLs) were met by 385 of 396 (99.7 %) of the real, duplicate and rinse radionuclide analyses performed in the Second Quarter.

The eleven analyses listed in the table below did not meet the CRDL criteria. Detection limits for the americium-241 and plutonium-239/240 analyses were fractionally greater than the CRDL . (Note that the result for the americium-241 rinse collected well P209489 is much lower than both the reported detection limit and the CRDL.) The uranium isotopes exceeded the detection limit criteria by a greater margin. Uranium analytical results are significantly greater than the detection limits. The results should not have been affected by the failure to meet the CRDL criteria.

Location	Sample #	Date	Analyte	QC Type	Result Type	Result	2 Sigma Error	Units	Lab Qual	Valid-ation	Detect Limit	CRDL	Tier II	Back-ground M2SD	Filtered
00100	GW08290RG	4/18/02	AMERICIUM-241	REAL	TR1	0.321	0.0763	PCI/L		V1	0.0334	0.03	0.145		NO
60699	GW08271RG	4/16/02	AMERICIUM-241	REAL	TR1	0.12	0.0441	PCI/L		V1	0.0328	0.03	0.145		NO
P209489	GW08204RG	4/30/02	AMERICIUM-241	RNS	TR1	0.00211	0.0149	PCI/L	U	V1	0.0304	0.03	0.145		NO
00100	GW08290RG	4/18/02	PLUTONIUM-239/240	REAL	TR1	2.21	0.301	PCI/L		V1	0.0373	0.03	0.151		NO
SW085	SW08294RG	6/4/02	PLUTONIUM-239/240	REAL	TR1	0.161	0.0411	PCI/L		V1	0.0321	0.03	0.151		NO
99401	GW08313RG	5/6/02	URANIUM-233,-234	REAL	TR1	317	50.8	PCI/L		V	1.23	1	1.06	60.7	YES
99401	GW08313RG	5/6/02	URANIUM-235	REAL	TR1	19.8	4.92	PCI/L		V	1.05	1	1.01	1.79	YES
99401	GW08313RG	5/6/02	URANIUM-238	REAL	TR1	233	37.9	PCI/L		V	1.6	1	0.768	41.8	YES
83201	GW08303RG	5/8/02	URANIUM-233,-234	REAL	TR1	160	29.7	PCI/L		V	2.94	1	1.06	60.7	YES
83201	GW08303RG	5/8/02	URANIUM-235	REAL	TR1	6	2.88	PCI/L		V	2.26	1	1.01	1.79	YES
83201	GW08303RG	5/8/02	URANIUM-238	REAL	TR1	133	25.2	PCI/L		V	2.56	1	0.768	41.8	YES

All radionuclide analyses were performed using the proper contract required test methods in the Second Quarter of 2002 (Table 7-4). Results for the Second Quarter are accurate with respect to methods.

Table 7-6 gives the Laboratory Control Sample-Relative Bias calculations for radionuclides collected in the Second Quarter. Seventy-six of 77 Relative Bias entries for the First Quarter are acceptable and within the -0.25 to +0.25 quality control criterion (see general Accuracy discussion above). A Laboratory Control Sample (LCS) for americium-241 (RIN 02D1153) failed the criterion and was not reanalyzed. Because this LCS did not meet the Relative Bias criterion, the single associated americium-241 analysis from RIN 02D1153 was rejected in verification. Each RIN that was shipped out has the appropriate associated LCS recovery data. Accuracy with respect to the reported LCS recoveries is acceptable.

Representativeness:

There were 33 records from seven rinsate locations for radionuclides collected in the Second Quarter (Tables 7-1 and 7-7). The 33 records give a ratio of 1 in 9.3 (11.0 %) with respect to the 363 records for real-duplicate analyses. Rinsates were collected at 1 in 9.2 (10.8 %) wells with respect to the maximum number of wells actually sampled for radionuclides (65 for uranium isotopes). The number of rinsates is adequate to fulfill the 1 in 20 criterion per record and per well for the Second Quarter.

Ideally, all rinsate results should be "U" laboratory qualified as non-detections. Two of the 33 radionuclide analyses in Table 7-7 had "J" laboratory qualifiers, indicating estimation. These two americium results were estimated detections well below the Tier II Action Level. In both cases, the associated real or real and duplicate samples had equivalent (1) or lower activities (3) for americium. All radionuclide rinsate analyses in Table 7-7 were below the Tier II Action Level. Detection limits for the two americium rinse analyses were also an order of magnitude lower than most other americium analyses.

All 33 radionuclide rinsate results were verified or validated as "V" or "V1". All data points are usable. There is little indication that sampling activities introduced radionuclide contamination in the Second Quarter of 2002. Radionuclide results for the quarter are judged representative of environmental concentrations.

In the Second Quarter of 2002, all required sampling locations were visited and those samples that could be collected were analyzed. No samples were lost, destroyed in transit or failed validation. Radionuclide analyses for the Second Quarter are representative with respect to spatial coverage.

Completeness:

Sampling success for radionuclides (Table 7-8) was limited by the availability of water in dry or nearly dry wells. All wells that required radionuclide sampling were visited at least once in the Second Quarter. The success ratios for the various radionuclide analytes were 60.3 % for plutonium/americium, 71.4 % uranium isotopes, 54.1 % tritium, 45.5 % strontium-89/90 and 52.7 % for neptunium-237. The completeness goal of 90% was not met for any radionuclide in the Second Quarter.

All 396 radionuclide analyses were validated or verified. All radionuclide analyses provided usable data points (Table 7-9) except for the single americium-241 from RIN 02D1153 that was rejected. Radionuclide analytical data are complete with respect to validation and verification for the Second Quarter 2002.

Comparability:

No changes were made to radionuclide analytical procedures in the Second Quarter of 2002. Thus, the radionuclide analyses presented here are thought to be comparable to previous analyses.

7.3 VOLATILE and SEMI-VOLATILE ORGANIC COMPOUNDS And DISSOLVED GASES (Methane, Ethane, Ethene)

Precision:

Duplicates were collected at seven of the 74 wells sampled for volatile organic compounds (VOCs) in the Second Quarter 1 in 10.6 (9.5 %). There were 585 duplicate analyses versus 5284 real analyses for volatile organic compounds. The ratio for duplicate to real sample records for the Second Quarter is 1 in 9.0 (11.0 %). Semi-volatile organic (SVOC) duplicates were collected at one of the three sampled locations 1 in 3 (33 %) and the ratio of duplicate to real records is 66 to 198, 1 in 3 (33 %). Duplicate samples were collected at one of the four locations sampled for dissolved gases (1 in 4, or 25 %). There were six duplicate dissolved gas analyses versus 27 real analyses a ratio of 1 in 4.5 (22.0 %).

The relative percent differences (RPDs) for 518 of 521 real-duplicate pairs (99.4 %) were within the 30% quality control criterion for VOCs, SVOCs and dissolved gases. Forty calculated RPDs are displayed in Table 7-2 based on criteria from Table 7-3. Three VOC-RPD pairs that did not meet the criteria are included in Table 7-2. One of the three failed RPD pairs is not a contaminant of concern at RFETS, is from a tentatively identified compound and had a laboratory qualification ("J") that indicates a detection of <1 μg/L. The other two RPD pairs are for 1,1-dichloroethene and chloroform. In general, the three RPD pairs outside of the quality control criterion do not indicate a significant compromise of precision with respect to VOC analysis.

The Relative Percent Difference goal is to have 85% of the RPDs within +/-30 %. With 99.4 % of VOC-SVOC-dissolved gas real-duplicate pairs having acceptable RPDs, VOC, SVOC and dissolved gas analyses for the Second Quarter of 2002 are reproducible and are considered precise.

Accuracy:

Contract Required Detection Limits (CRDLs) for VOC and dissolved gas analyses are given in Table 7-4. In general, the CRDLs for VOCs (at a dilution of 1) are 1 μg/L, for the analytes; 2-butanone, 2-hexanone, 4-methyl-2-pentanone and acetone the CRDL is 10 μg/L. SVOCs have CRDLs ranging from 10 to 100 μg/L depending on the analyte. Fifty-four SVOCs have a 10 μg/L CRDL, eight have 50 μg/L CRDLs, four have 20 μg/L and there is one at 100 μg/L. Dissolved gas CRDLs are defined in the task orders that are part of the contractual arrangement. Data packages for dissolved gases report CRDLs for ethane and ethene at 2 μg/L and for methane at 1 μg/L.

Contract Required Detection Limits criteria for analytes in the SW-846 Method 8260 (VOC) technique were met in the Second Quarter 2002. Most samples were analyzed at a dilution of 1x and a detection limit that was less than or equal to one. There were 21 cases where individual analytes were reported at elevated dilutions (>1) with acceptable detection limits. These individual analytes did not meet the criteria. However, the rest of the analytes from the sample were acceptable. The 21 individual elevated dilutions were necessary due to detections for the analytes which included; 1,1-dichloroethene (1), 2-butanone (2), carbon tetrachloride (6), chloroform (3), cis-1,2-dichloroethene (2), octamethylcyclotetrasiloxane (1, a TIC), tetrachloroethene (4) and trichloroethene (2).

Both SVOC (SW-846 Method 8270B) and dissolved gas (Method 8015M) analyses were run at appropriate dilutions and detection limits for the associated techniques and analytes.

The table below lists VOC samples where elevated dilutions (>1) were reported for the entire sample and no results at lower dilutions were reported. In the cases cited in the table, the presence of an analyte(s) at elevated concentration(s) necessitated the elevated dilutions. The major analytes and their concentrations are listed in the table.

C.T. = Carbon Tetrachloride

Location	RIN-Event.Bottle	QC Type	Result Type	Dilution	Detection Limit	Major Analyte w/Result (µg/l)
18199	02D1199-007.015	Real	DL1	40	Most > 10	C.T. = 27000
23296	02D1199-013.010	Real	RX1	2	0.46-5.8, most < 1	Chloroform = 700
18499	02D1199-027.011	Real	DL1	40	Most > 10	C.T. = 22000
18499	02D1199-028.011	Dup	DL1	40	Most > 10	C.T. = 22000

There were 88 VOC samples submitted for analysis in the First Quarter resulting in 6888 records being returned. The four sampling events listed above represent 256 records in which the 1-10 µg/l CRDL was not met for a particular location. Eighty-four samples (94.5 %) and 6600 records (95.8 %) (6888 total-256 four entire suites -21 single analyses = 6600) met the detection limits. Given the necessity of using elevated dilutions and detection limits for analyzing the samples listed in the table above, the accuracy of VOC analyses with respect to detection limits is adequate for the Second Quarter 2002.

Five VOC and 11 SVOC Laboratory Control Sample (LCS) analyses out of 271 returned results did not meet the 75-125 % QC criterion. Dissolved gas LCS results were all acceptable. The VOCs consisted of four 1,1-dichloroethenes that were below the criteria and one was above it. Two of the low LCS values and the single high one had second LCS runs that were in compliance. The SVOC-compounds out of compliance are listed below; they were all below the 75 % lower criteria. None of these SVOC-compounds were detected in the analyzed samples. All RINs submitted for analyses had LCS data reported. Accuracy with respect to SVOC for the Second Quarter could be better with respect to LCS samples.

1,2,4-Trichlorobenzene	Acenaphthene
1,4-Dichlorobenzene	N-nitroso-Di-n-propylamine
2,4-Dinitrotoluene	Pentachlorophenol
2-Chlorophenol	Phenol
4-Chloro-3-methylphenol	Pyrene
4-Nitrophenol	

Table 7-5 gives the Second Quarter VOC, SVOC and dissolved gas matrix spike results. All VOC, SVOC, and dissolved gas RINs had associated data. Note that the laboratory procedure is to prepare and calculate results for VOC matrix spikes in only five or six compounds analyzed using the SW-846 Method 8260 technique and for eleven compounds for SVOC-SW-846 Method 8270B (the compounds in list above).

The acceptable matrix spike criterion for VOCs and dissolved gases is to have the recovery generally be between 75 % and 125 % (see the general Section 7.0-Accuracy discussion above). With respect to matrix spikes for VOCs in the Second Quarter, of 336 available matrix spike entries, all except 24, meet the 75-125 % criterion. The 22 of the 24 outside the criterion are covered by repeat analyses. Results for the available matrix spikes are acceptable indicating no matrix interference for VOCs in the Second Quarter 2002. In general, the VOC results for the Second Quarter are accurate and there does not appear to be any VOC matrix interference for VOCs.

Applying the 75 %-125 % criterion to SVOC matrix spikes, 40 of 44 SVOC matrix spikes fell outside the criterion (the SVOC list above shows the analytes used for matrix spikes). In checking the laboratory reports for SVOC matrix spikes, all 40 values outside the criterion were within the acceptable limits cited in the laboratory report. The acceptable laboratory range for SVOC matrix spikes from the only laboratory used this quarter ranged from approximately 40 to 100 % recovery. This would make all SVOC matrix spike values in Table 7-5 acceptable. There is no matrix interference for SVOCs in the Second Quarter.

In Table 7-5, sixteen of the twenty-four matrix spikes for dissolved gases do not meet the 75-125 % criteria, four ethane, four ethene and eight methane. In general, the matrix spike and matrix spike duplicates both failed to pass the criteria. The dissolved gas matrix spike analyses indicate matrix interference may be present with respect to dissolved gases. Note that except RIN 02D01316 all methane analyses for the quarter were detections most of which had concentration greater that 100 μg/L. The methane present in the samples may complicate matrix spike analysis.

All VOC, SVOC, and dissolved gas analyses were performed using the proper contract required methods in the Second Quarter of 2002 (Table 7-4). With respect to methods, results for the Second Quarter are accurate.

Representativeness:

There were 519 rinsate records from seven wells for VOCs from the Second Quarter of 2002 (Table 7-7). These represent 1 in 11.3 (8.8 %) with respect to real-duplicate records and 1 in 10.6 (9.5 %) for wells. The number of rinses taken in the Second Quarter is greater than the 1 in 20 (5%) requirement on a per record and per well basis.

Sixty-six SVOC rinse results are shown in Table 7-7. Sixty-five are "U" laboratory qualified indication non-detections. One is "J" qualified, an estimate for a tentatively identified compound (TIC). Sampling procedures do not appear to have introduced contamination to SVOC analyses.

No dissolved gas rinsates were collected during the Second Quarter.

Of the 519 VOC rinsate analyses, 503 (96.9 %) were at or below detection limits and were lab qualified as non-detections ("U"). Sixteen other analyses were above CRDL and included three detections, four samples associated with contaminated method blanks ("B"), and nine estimated detections "J". Two of the three detections were for acetone (result was well below Tier II) and 1,3-dichoropropane (the latter has no Tier II). The third detection was for methylene chloride at 1.03 μg/L (Tier II = 5). None of the three detections was associated with Real or Duplicate contamination. Three of the four "B" values ("B" indicates method blank contamination) were validated as non-detections or estimated detections because of the method blank contamination. In the fourth "B" result (well 00897 for tetrachloroethene), the method blank contamination was considered to be inconsequential in validation. This analysis may indicate minor cross-contamination because the associated Real and Duplicate analyses contained high levels (over 20000 μg/L) of tetrachloroethene. The nine "J" qualified results are estimates at least one order of magnitude below Tier II Action Levels (where there is a Tier II). Three of the nine are associated with real and duplicate contamination of over 100 μg/L. These may indicate cross-contamination. Two more are associated with real and duplicate contamination of less than 5.5 μg/L. These two may also indicate cross-contamination. Of the remaining 4 rinses, two are for acetone that are not associated with real and duplicate contamination and two are tentatively identified compounds (TIC) one of which is

94

associated with a real sample with also containing the TIC compound. All VOC rinsate values were below Tier II Action Levels.

VOC rinsate analyses indicate possible minor cross-contamination due to inadequate field decontamination of sampling equipment. The amount of cross contamination in the Second Quarter appears to have decreased relative to proceeding quarters. The field sampling crews have been shown these results. A lecture based on this example was given to the crews emphasizing the ease with which cross-contamination can occur.

Despite the possibility of introduced field contamination, the VOC samples in general are judged representative of environmental conditions indicating little introduced contamination due to sampling.

VOC, SVOC and dissolved gas analyses for the Second Quarter 2002 are judged representative with respect to spatial coverage. All required sampling locations were visited and those samples that could be collected were analyzed. No samples were lost or destroyed in transit.

Completeness:

Table 7-8 shows that 100 wells were to have been sampled for VOCs in the Second Quarter 2002. Because of the dry conditions, only 74 VOC samples could actually be collected. That translates to a success ratio of 74.0 % for VOCs. This is below the goal of collecting 90 % of the required samples. Sampling for VOCs in the Second Quarter is complete because all wells were visited as specified by the FY 2002 IMP (DOE, 2002).

Sampling for SVOCs was successful at all three locations scheduled for sampling during the quarter. Sampling for SVOCs is complete.

For dissolved gases five of six wells scheduled to be sampled provided water. The sampling success ratio is 83.3 %. Sampling was attempted at all locations at which dissolved gas samples were to be collected. Dissolved gas sampling is complete for the quarter.

All VOC samples collected in the Second Quarter of 2002 were validated (s.l.) on the assumption that the holding time for unpreserved VOC vials is 7 days. The RFETS groundwater program uses a 14-day hold time based on recent CDPHE guidance (CDPHE, 1998). Because of the 7-day hold time criteria, sample results may have received an erroneous "J" or "J1"validation qualifier if no other factors affected the analyses.

All VOC and SVOC samples (not counting dilutions) for the Second Quarter of 2002 were sent out to be validated or verified (Table 7-9). Except for one VOC rejected in verification, bromodichloromethane at FD-559-561, all VOC and SVOC analyses gave usable data points. Second Quarter VOC and SVOC results are complete from the standpoint of validation/verification as it pertains to completeness of the data set.

The 33 dissolved gas records returned during the quarter were not validated because the analysis is performed using a task order or special contract not covered by the validation contract.

Comparability:

As stated above no changes were made to analytical procedures for VOCs, SVOCs or dissolved gases in the Second Quarter of 2002. The VOC analytical method used was switched from the EPA 524.2 to EPA SW-846 method 8260 in the Second Quarter 2001. This was done in order to require

pre-screening analyses which would aid the laboratories in deciding at what level to dilute a sample should dilution be necessary. Because the two VOC methods are both based on gas chromatography and detection limits are the same, VOC analyses presented here are thought comparable to previous analyses. The SVOC method used in the Second Quarter is the same as that used in 1999 when sampling for this analysis was temporarily halted. The dissolved gas method did not change through the quarter.

7.4 WATER QUALITY PARAMETERS

Precision:

In the First Quarter duplicate samples were collected for the following Water-Quality-Parameter analytes (number of duplicates in parentheses):

chloride (1)	sulfate (3)
fluoride (2)	sulfide (1)
nitrate-sole (1)	total dissolved solids (7)
nitrate/nitrite (6)	total organic carbon (1)

These 22 duplicates versus the 186 real samples equal a ratio of 1 in 8.0 (11.8 %) for water quality records collected during the Second Quarter (see Tables 7-1 and 7-8 for a more detailed summaries). The ratio for duplicate wells to real wells is 7 to 7 (1 in 8.1, 12.3 %) based on Total Dissolved Solids.

All 22 duplicate-real paired sample records could be used to generate Relative Percent Difference (RPD) values and 18 of these are displayed Table 7-2 (see Table 7-3 for the display criteria). All 22 calculated pairs are below the +/-30 Percent Quality Control criterion (100 %). In general the RPD calculations presented here indicate that WQP analyses were reproducible and therefore in the Second Quarter precision is good.

Accuracy:

Electronic data indicate that contract required detection limits (CRDLs) were met for most WQP analyses. For 230 real, duplicate and rinse analyses for water quality parameters 87.0 % (200) were within the required detection limits. Thirty analyses (6-chloride, 4-nitrate/nitrite, 2-sulfate, 7-sulfide and 11 total dissolved solids) did not meet the CRDL criteria. Twenty-three analyses had elevated concentrations and dilution generally appears to have been appropriate. Seven sulfide analyses were reported as non-detections ("U" lab qualifiers) at the detection limit that was greater than the CRDL. The Groundwater program has been trying to locate a laboratory that can meet a detection limit of 0.002 mg/L for sulfides but has been unable to do so. The 0.023 mg/L for the seven sulfide samples is the best that can be achieved in the general laboratories available to the Program at this time. WQP results for the Second Quarter should be accurate with respect to detection limits.

All WQP analyses were performed using the proper contract required methods in the Second Quarter of 2002 (Table 7-4). With respect to methods, results for the Second Quarter are accurate.

One hundred eighteen records for Laboratory Control Samples (LCS) for WQPs are available and two more from hard copy. LCS results are present for each type of analysis requested and for each set of samples (RINs) sent out. All LCS results were within the 75-125 % validation (s.l.) QC criterion.

Table 7-5 gives matrix spike results for WQPs for the First Quarter of 2002. One hundred twenty-seven of 133 (95.4 %) matrix spikes shown in Table 7-5 are within the acceptable 75-125% recovery

range (see general Accuracy discussion Section 7.0). Matrix spikes for two pairs of nitrate/nitrite and pair of sulfide analyses were below 75 % recovery (matrix spike and matrix spike duplicate = a pair). One of the nitrate/nitrate pairs was associated with a real sample containing 349 mg/L of nitrate/nitrite that obliterated the 0.35 mg/L spike added by the laboratory. The laboratory chose not to run a second matrix spike. The laboratories attributed the spike results for the second nitrate/nitrite and sulfide to matrix interference. Numerous other matrix spike analyses for nitrate/nitrite and three additional sulfide spikes from this quarter contradict the inference that there is matrix interference in RFETS groundwater. In general, Water Quality Parameter analyses with respect to matrix spikes in the Second Quarter 2002 should be accurate.

Representativeness:

Rinse samples were collected for chloride (1), fluoride (2), nitrate (sole-1), nitrate/nitrite (6), sulfate (3), sulfide (1), total dissolved solids (7), and total organic carbon (1) in the Second Quarter. These 22 rinsates represent a ratio of 1 in 9.5 (10.6 %) with respect to all 208 WQP real-duplicate analytical records (not counting dilutions). With respect to wells (based on 57 total dissolved solids sampling locations), rinsates were collected at 1 in 8.1 (12.3%) locations. The sampling frequency for rinsates on per record and per well basis is adequate.

From Rinsate Table 7-7, the chloride and one nitrate/nitrite from the Second Quarter were classified as detections. The chloride result is 0.94 mg/L. The nitrate/nitrite result (0.02 mg/L) equals the stated detection limit for the analysis although no "U" lab qualifier is present; this record may in fact be a non-detection. All other analyses were either "U" or "B" qualified by the laboratories. These were either non-detections or below the CRDL but above the IDL for the analyses. The detections were all for small amounts of analyte with respect to Tier II or the detection limit. All rinses were well below Tier II Action Levels. (There is no Tier II Action Level defined for total dissolved solids.) Second Quarter rinsate analyses indicate that there was little or no introduced contamination. Second Quarter Water Quality Parameters are representative of environmental conditions, no introduction of contaminants due to the sampling process is indicated.

In general, WQP analyses for the Second Quarter 2002 are judged to be representative with respect to spatial coverage. All required sampling locations were visited and those samples that could be collected were analyzed. No samples were lost or destroyed in transit.

Completeness:

Table 7-8 indicates that for Water Quality Parameters sampling completeness was highly variable due to the availability of water at the wells. Sampling success ranged from 100 % for alkalinity to 52.6 % for fluoride. Obviously, analytes with few required locations have better success rates than those with more required sampling locations. Table 7-8 also shows that all wells requiring WQP samplings were visited during the quarter. Because all wells were visited and all samples were collected when water was available, Water Quality Parameter sampling for the Second Quarter is complete.

All 230 water quality parameter samples (100 %) collected this quarter gave usable results with respect to validation/verification (Table7-9). The water-quality-parameter data set is complete with respect to validation for the Second Quarter 2002.

Comparability:

As stated above no changes were made to analytical procedures in the Second Quarter of 2002. Thus, the WQP analyses presented here are comparable to previous analyses.

7.5 POLYCHLORINATED BIPHENYLS (PCBs)

Due to a lack of water, samples for polychlorinated biphenyls were successfully collected at only one of four locations during the Second Quarter 2002 (Table 7-8). All wells requiring PCB sampling were visited during the quarter. All seven PCB results from this one sample were non-detections. No duplicate or rinse samples were collected. All four Laboratory Control Samples submitted with the data were within the 75-125 % recovery criteria. No matrix spike analyses were run for PCBs. All analyses were verified or validated as usable data points (Table 7-9). PCB results are judged precise, accurate, representative and complete for the Second Quarter 2002. PCB results are included in the WQP Appendix.

Table 7-1
Summary Statistics For Real-Duplicate-Rinse Sampling
Groundwater - Second Quarter, 2002

Sample Types	Number of Real Wells Sampled	Number of Dup Wells Sampled	Duplicates vs Wells		Number of Rinse Wells Sampled	Rinses vs Wells		Rinses vs Real+Dup Samples		Records per suite	Number of Real Records (TR1+DL1...)	Number of Dup Records (TR1+DL1...)	Number of Real+Dup Records	Rinse Records (TR1+DL1...)	Total Records
			Percent #Dups/#Wells (Goal ≥ 5%)	Ratio 1-Dup per #Wells (# ≤ 20 is good)		Percent #Rinses/#Wells (Goal > 5%)	Ratio 1-Rinse per #Wells (# ≤ 20 is good)	Percent Rinse per Real+Dup (Goal > 5%)	Ratio 1-Rinse per #Real+#Dup (# ≤ 20 is good)						
VOCs**	74	7	9.5%	10.6	7	9.5%	10.6	8.8%	11.3	64	5284	585	5869	519	6388
Dissolved Gasses	4	1	25.0%	4.0	0	0.0%		0.0%		3	27	6	33	0	33
SVOCs	3	1	33.3%	3.0	1	33.3%	3.0	25.3%	4.0	66	198	67	265	67	332
Metals	61	6	9.8%	10.2	6	9.8%	10.2	7.6%	13.2	28	2045	168	2213	168	2381
PCBs	1	0	0.0%		0	0.0%		0.0%		7	7	0	7	0	7
Radionuclides															
Pu/Am	44	5	11.4%	8.8	5	11.4%	8.8	10.0%	10.0	2	90	10	100	10	110
U-isotope	65	6	9.2%	10.8	6	9.2%	10.8	8.1%	12.3	3	204	18	222	18	240
Tritium	20	4	20.0%	5.0	4	20.0%	5.0	16.0%	6.3	1	21	4	25	4	29
^{137}Cesium	0	0			0					1	0	0	0	0	0
$^{89/90}$Strontium	5	1	20.0%	5.0	1	20.0%	5.0	16.7%	6.0	1	5	1	6	1	7
^{237}Neptunium	10	0	0.0%		0	0.0%		0.0%		1	10	0	10	0	10
Radionuclides - Total	144	16	11.1%	9.0	16	11.1%	9.0	9.1%	11.0		330	33	363	33	396
Water Quality Parameters															
Alkalinity	1	0	0.0%		0	0.0%		0.0%		1	2	0	2	0	2
Cyanide, Total	0	0			0					1	0	0	0	0	0
Chloride	5	1	20.0%	5.0	1	20.0%	5.0	14.3%	7.0	1	6	1	7	1	8
Fluoride	10	2	20.0%	5.0	2	20.0%	5.0	14.3%	7.0	1	12	2	14	2	16
Nitrate (sole)	6	1	16.7%	6.0	1	16.7%	6.0	14.3%	7.0	1	6	1	7	1	8
Nitrate/Nitrite	58	6	10.3%	9.7	6	10.3%	9.7	8.6%	11.7	1	64	6	70	6	76
Sulfate	16	3	18.8%	5.3	3	18.8%	5.3	13.0%	7.7	1	20	3	23	3	26
Sulfide as H_2S	5	1	20.0%	5.0	1	20.0%	5.0	14.3%	7.0	1	6	1	7	1	8
Total Diss. Solids	57	7	12.3%	8.1	7	12.3%	8.1	10.4%	9.6	1	60	7	67	7	74
Total Organic Carb.	5	1	20.0%	5.0	1	20.0%	5.0	14.3%	7.0	1	6	1	7	1	8
T. Rcvr. Petroleum Hydrocarbon	3	0	0.0%		0	0.0%		0.0%		1	4	0	4	0	4
WQP - Totals	165	22	13.3%	7.5	22	13.3%	7.5	10.6%	9.5		186	22	208	22	230
Overall Totals											7879	814	8693	742	9435

99

Table 7-2
Relative Percent Differences (RPDs) and Duplicate Error Ratios (DERs) for Groundwater
Second Quarter, 2002

Location	Sample Date	Analyte	Real Result	Real 2 Sigma Error	Real LabQ/ Valid	Dup Result	Dup 2 Sigma Error	Dup LabQ/ Valid	Units	Absolute Value |Real-Dup|	Square Root of $(2SigR)^2+(2SigD)^2$	DER AbsVal/SqRt
		Radionuclides										
00500	4/30/02	URANIUM-233,-234	1.01	0.45	/V1	1.63	0.564	/V1	PCI/L	0.62	0.72	0.86
00500	4/30/02	URANIUM-238	1.19	0.5	/V1	1.03	0.432	/V1	PCI/L	0.16	0.66	0.24
00897	5/8/02	URANIUM-233,-234	3.97	0.888	/V	3.7	0.89	/V	PCI/L	0.27	1.26	0.21
00897	5/8/02	URANIUM-238	2.86	0.707	/V	2.09	0.607	/V	PCI/L	0.77	0.93	0.83
12191	4/17/02	URANIUM-233,-234	1.01	0.497	/V1	2.54	0.901	/V1	PCI/L	1.53	1.03	1.49
12191	4/17/02	URANIUM-238	0.952	0.47	J/V1	1.18	0.564	/V1	PCI/L	0.23	0.73	0.31
P209489	4/30/02	URANIUM-233,-234	33.3	6.24	/V1	30.1	5.2	/V1	PCI/L	3.20	8.12	0.39
P209489	4/30/02	URANIUM-235	0.953	0.534	J/V1	1.16	0.483	/V1	PCI/L	0.21	0.72	0.29
P209489	4/30/02	URANIUM-238	28.7	5.46	/V1	23.8	4.21	/V1	PCI/L	4.90	6.89	0.71
P209489	4/30/02	TRITIUM	548	234	/V1	525	224	/V1	PCI/L	23.00	323.93	0.07
Location	**Sample Date**	**Analyte**	**Real Result**	**Real Lab Qual**	**Real Valid-ation**	**Dup Result**	**Dup Lab Qual**	**Dup Valid-ation**	**Units**	**Absolute Value |Real-Dup|**	**Average (Real+Dup)/2**	**RPD AbsVal/Ave x 100**
		Dissolved Gases (Ethane, Ethene, Methane, SW-846 Method 8015)										
18499	4/30/02	METHANE	110	D		130	D		UG/L	20.00	120.00	16.67%
		Semi-Volatile Organic Compounds (SVOCs, SW-846 Method 8270B)										
18499	4/30/02	HEXACHLOROETHANE	63		V1	74		V1	UG/L	11.00	68.50	16.06%
		Volatile Organic Compounds (VOCs, SW-846 Method 8260 Low Level)										
00500	4/30/02	1,1-DICHLOROETHANE	0.98	J	V1	1		V1	UG/L	0.02	0.99	2.02%
00500	4/30/02	cis-1,2-DICHLOROETHENE	1.2		V1	1.3		V1	UG/L	0.10	1.25	8.00%
00500	4/30/02	CYCLOTETRASILOXANE, OCTAMETHYL (TIC)	1.6	J	V1	2.5	J	V1	UG/L	0.90	2.05	**43.90%**
00500	4/30/02	TETRACHLOROETHENE	1.7		V1	1.9		V1	UG/L	0.20	1.80	11.11%
00500	4/30/02	TRICHLOROETHENE	1.8		V1	1.9		V1	UG/L	0.10	1.85	5.41%
00897	5/8/02	1,1,1,2-TETRACHLOROETHANE	3.8		V	3.7		V	UG/L	0.10	3.75	2.67%
00897	5/8/02	CHLOROFORM	2.8		V	2.9		V	UG/L	0.10	2.85	3.51%
00897	5/8/02	cis-1,2-DICHLOROETHENE	63.4		V	63.3		V	UG/L	0.10	63.35	0.16%
00897	5/8/02	TETRACHLOROETHENE	20100	BD	V	17900	BD	V	UG/L	2200.00	19000.00	11.58%
00897	5/8/02	TRICHLOROETHENE	1530	D	V	1400	D	V	UG/L	130.00	1465.00	8.87%
12191	4/17/02	1,1-DICHLOROETHENE	1.42		V1	2.37		V1	UG/L	0.95	1.90	**50.13%**
12191	4/17/02	CARBON TETRACHLORIDE	148		V1	190		V1	UG/L	42.00	169.00	24.85%
12191	4/17/02	CHLOROFORM	3.89		V1	5.42		V1	UG/L	1.53	4.66	**32.87%**
12191	4/17/02	cis-1,2-DICHLOROETHENE	12.9		V1	15.8		V1	UG/L	2.90	14.35	20.21%
12191	4/17/02	TETRACHLOROETHENE	268	D	V1	282	D	V1	UG/L	14.00	275.00	5.09%
12191	4/17/02	TRICHLOROETHENE	30.5		V1	37.7		V1	UG/L	7.20	34.10	21.11%
18499	4/30/02	CARBON TETRACHLORIDE	22000		V1	22000		V1	UG/L	0.00	22000.00	0.00%
18499	4/30/02	CHLOROFORM	5100		V1	4900		V1	UG/L	200.00	5000.00	4.00%
18499	4/30/02	HEXACHLOROETHANE (TIC)	210	J	V1	180	J	V1	UG/L	30.00	195.00	15.38%
18499	4/30/02	METHYLENE CHLORIDE	39	J	V1	38	J	V1	UG/L	1.00	38.50	2.60%
18499	4/30/02	TETRACHLOROETHENE	87		V1	82		V1	UG/L	5.00	84.50	5.92%
56201	5/7/02	1,1,2-TRICHLOROTRIFLUOROETHANE	2.4	J	V	3	J	V	UG/L	0.60	2.70	22.22%
56201	5/7/02	1,1-DICHLOROETHENE	3.01		V	3.86		V	UG/L	0.85	3.44	24.75%
56201	5/7/02	CARBON TETRACHLORIDE	27.2	B	V	34	B	V	UG/L	6.80	30.60	22.22%
56201	5/7/02	CHLOROFORM	2.56		V	3.32		V	UG/L	0.76	2.94	25.85%
56201	5/7/02	TETRACHLOROETHENE	1.2		V	1.45		V	UG/L	0.25	1.33	18.87%
56201	5/7/02	TRICHLOROETHENE	13.7		V	17.2		V	UG/L	3.50	15.45	22.65%
70393	5/21/02	1,1,1-TRICHLOROETHANE	13.5		V1	13.6		V1	UG/L	0.10	13.55	0.74%
70393	5/21/02	1,1-DICHLOROETHENE	11.9		V1	12		V1	UG/L	0.10	11.95	0.84%
70393	5/21/02	TETRACHLOROETHENE	6.18		V1	6.38		V1	UG/L	0.20	6.28	3.18%
70393	5/21/02	TRICHLOROETHENE	21.7		V1	19.8		V1	UG/L	1.90	20.75	9.16%
P209489	4/30/02	1,1,2-TRICHLOROTRIFLUOROETHANE	1.2		V1	1.2		V1	UG/L	0.00	1.20	0.00%
P209489	4/30/02	CARBON TETRACHLORIDE	33		V1	32		V1	UG/L	1.00	32.50	3.08%

Table 7-2
Relative Percent Differences (RPDs) and Duplicate Error Ratios (DERs) for Groundwater
Second Quarter, 2002

Location	Sample Date	Analyte	Real Result	Real Lab Qual	Real Valid-ation	Dup Result	Dup Lab Qual	Dup Valid-ation	Units	Absolute Value |Real-Dup|	Average (Real+Dup)/2	RPD AbsVal/Ave x 100
P209489	4/30/02	CHLOROFORM	18		V1	17		V1	UG/L	1.00	17.50	5.71%
P209489	4/30/02	cis-1,2-DICHLOROETHENE	7.6		V1	7.3		V1	UG/L	0.30	7.45	4.03%
P209489	4/30/02	ETHANE, 1,2-DICHLORO-1,1,2-T (TIC)	6.7	J	V1	6.7	J	V1	UG/L	0.00	6.70	0.00%
P209489	4/30/02	TETRACHLOROETHENE	2.9		V1	2.9		V1	UG/L	0.00	2.90	0.00%
P209489	4/30/02	TRICHLOROETHENE	51		V1	49		V1	UG/L	2.00	50.00	4.00%
Dissolved and Total Metals (EPA 600)												
00500	4/30/02	ALUMINUM	52.9		V	28.8		UJ	UG/L	24.10	40.85	**59.00%**
00500	4/30/02	ANTIMONY	0.55	U	V	0.7	B	V	UG/L	0.15	0.63	24.00%
00500	4/30/02	ARSENIC	36.1		V	0.62	U	V	UG/L	35.48	18.36	**193.25%**
00500	4/30/02	BARIUM	184		V	186		V	UG/L	2.00	185.00	1.08%
00500	4/30/02	BERYLLIUM	0.09	B	UJ	0.08	B	UJ	UG/L	0.01	0.09	11.76%
00500	4/30/02	CADMIUM	0.74	B	V	0.55	B	V	UG/L	0.19	0.65	29.46%
00500	4/30/02	CALCIUM	102000		V	105000		V	UG/L	3000.00	103500.00	2.90%
00500	4/30/02	CHROMIUM	32.2		V	0.12	U	J	UG/L	32.08	16.16	**198.51%**
00500	4/30/02	COBALT	2.7	B	V	2.9	B	V	UG/L	0.20	2.80	7.14%
00500	4/30/02	COPPER	1.1	B	UJ	0.53	B	UJ	UG/L	0.57	0.82	**69.94%**
00500	4/30/02	IRON	1100		V	758		V	UG/L	342.00	929.00	**36.81%**
00500	4/30/02	LEAD	11.5		V	0.46	B	UJ	UG/L	11.04	5.98	**184.62%**
00500	4/30/02	LITHIUM	547		J	554		J	UG/L	7.00	550.50	1.27%
00500	4/30/02	MAGNESIUM	16300		V	16600		V	UG/L	300.00	16450.00	1.82%
00500	4/30/02	MANGANESE	1760		V	1710		V	UG/L	50.00	1735.00	2.88%
00500	4/30/02	MOLYBDENUM	2.4	B	V	2.9	B	V	UG/L	0.50	2.65	18.87%
00500	4/30/02	NICKEL	10.3	B	V	10.1	B	V	UG/L	0.20	10.20	1.96%
00500	4/30/02	POTASSIUM	3510	B	V	3570	B	V	UG/L	60.00	3540.00	1.69%
00500	4/30/02	SELENIUM	6.4		V	0.88	U	V	UG/L	5.52	3.64	**151.65%**
00500	4/30/02	SILVER	5.1		V	0.12	U	J	UG/L	4.98	2.61	**190.80%**
00500	4/30/02	SODIUM	66800		V	68300		V	UG/L	1500.00	67550.00	2.22%
00500	4/30/02	STRONTIUM	473		V	481		V	UG/L	8.00	477.00	1.68%
00500	4/30/02	VANADIUM	0.2	B	UJ	0.18	U	V	UG/L	0.02	0.19	10.53%
00500	4/30/02	ZINC	5.3	B	V	5.9	B	V	UG/L	0.60	5.60	10.71%
00897	5/8/02	ALUMINUM	18.4		UJ1	25		UJ1	UG/L	6.60	21.70	**30.41%**
00897	5/8/02	BARIUM	401		V1	408		V1	UG/L	7.00	404.50	1.73%
00897	5/8/02	BERYLLIUM	0.03	B	J1	0.03	B	J1	UG/L	0.00	0.03	0.00%
00897	5/8/02	CADMIUM	0.1	B	V1	0.08	U	V1	UG/L	0.02	0.09	22.22%
00897	5/8/02	CALCIUM	109000		V1	110000		V1	UG/L	1000.00	109500.00	0.91%
00897	5/8/02	CHROMIUM	1.3	B	V1	1.2	B	V1	UG/L	0.10	1.25	8.00%
00897	5/8/02	COPPER	0.56	B	J1	0.49	B	J1	UG/L	0.07	0.53	13.33%
00897	5/8/02	IRON	9.6	B	V1	8.4	B	V1	UG/L	1.20	9.00	13.33%
00897	5/8/02	LITHIUM	15.9	B	J1	16.1	B	J1	UG/L	0.20	16.00	1.25%
00897	5/8/02	MAGNESIUM	17100		V1	17400		V1	UG/L	300.00	17250.00	1.74%
00897	5/8/02	MANGANESE	1.9	B	V1	1.6	B	V1	UG/L	0.30	1.75	17.14%
00897	5/8/02	MOLYBDENUM	2.3	B	V1	2.1	B	V1	UG/L	0.20	2.20	9.09%
00897	5/8/02	NICKEL	1.8	B	J1	1.8	B	J1	UG/L	0.00	1.80	0.00%
00897	5/8/02	POTASSIUM	1620	B	J1	1650	B	J1	UG/L	30.00	1635.00	1.83%
00897	5/8/02	SELENIUM	1.1	B	UJ1	0.98	B	UJ1	UG/L	0.12	1.04	11.54%
00897	5/8/02	SODIUM	13300		V1	13500		V1	UG/L	200.00	13400.00	1.49%
00897	5/8/02	STRONTIUM	555		V1	564		V1	UG/L	9.00	559.50	1.61%
00897	5/8/02	URANIUM, TOTAL	3.5	B	V1	4	B	V1	UG/L	0.50	3.75	13.33%
00897	5/8/02	ZINC	3.3	B	UJ1	2.9	B	UJ1	UG/L	0.40	3.10	12.90%
12191	4/17/02	ALUMINUM	8.1	B	V	9.3	B	V	UG/L	1.20	8.70	13.79%
12191	4/17/02	BARIUM	230		V	214		V	UG/L	16.00	222.00	7.21%
12191	4/17/02	CALCIUM	173000		V	160000		V	UG/L	13000.00	166500.00	7.81%

101

Table 7-2
Relative Percent Differences (RPDs) and Duplicate Error Ratios (DERs) for Groundwater
Second Quarter, 2002

Location	Sample Date	Analyte	Real Result	Real Lab Qual	Real Valid-ation	Dup Result	Dup Lab Qual	Dup Valid-ation	Units	Absolute Value |Real-Dup|	Average (Real+Dup)/2	RPD AbsVal/Ave x 100
12191	4/17/02	CHROMIUM	0.2	U	V	0.27	B	J	UG/L	0.07	0.24	29.79%
12191	4/17/02	COPPER	0.73	B	UJ	1	B	UJ	UG/L	0.27	0.87	**31.21%**
12191	4/17/02	IRON	4.3	B	V	18.6	B	V	UG/L	14.30	11.45	**124.89%**
12191	4/17/02	LITHIUM	7.1	B	J	6.6	B	J	UG/L	0.50	6.85	7.30%
12191	4/17/02	MAGNESIUM	12600		V	11900		V	UG/L	700.00	12250.00	5.71%
12191	4/17/02	MANGANESE	0.2	B	UJ	0.62	B	V	UG/L	0.42	0.41	**102.44%**
12191	4/17/02	MOLYBDENUM	0.35	B	J	0.28	U	V	UG/L	0.07	0.32	22.22%
12191	4/17/02	NICKEL	0.55	B	J	0.75	B	J	UG/L	0.20	0.65	**30.77%**
12191	4/17/02	POTASSIUM	968	B	V	969		V	UG/L	1.00	968.50	0.10%
12191	4/17/02	SODIUM	16700		V	15700		V	UG/L	1000.00	16200.00	6.17%
12191	4/17/02	STRONTIUM	510		V	475		V	UG/L	35.00	492.50	7.11%
12191	4/17/02	VANADIUM	1.4	B	UJ	1.3	B	UJ	UG/L	0.10	1.35	7.41%
12191	4/17/02	ZINC	3.3	B	UJ	3.4	B	V	UG/L	0.10	3.35	2.99%
56201	5/7/02	ANTIMONY	1.2	B	UJ1	1.1	U	V1	UG/L	0.10	1.15	8.70%
56201	5/7/02	ARSENIC	2.3	B	V1	1.2	U	V1	UG/L	1.10	1.75	**62.86%**
56201	5/7/02	BARIUM	17.6	B	V1	17.3	B	V1	UG/L	0.30	17.45	1.72%
56201	5/7/02	CADMIUM	0.89	B	V1	0.84	B	V1	UG/L	0.05	0.87	5.78%
56201	5/7/02	CALCIUM	539000		V1	523000		V1	UG/L	16000.00	531000.00	3.01%
56201	5/7/02	CHROMIUM	1.1	B	UJ1	0.51	B	UJ1	UG/L	0.59	0.81	**73.29%**
56201	5/7/02	COBALT	9.6	B	V1	10.7	B	V1	UG/L	1.10	10.15	10.84%
56201	5/7/02	COPPER	1.8	B	V1	1	B	J1	UG/L	0.80	1.40	**57.14%**
56201	5/7/02	LITHIUM	45.8	B	J1	40.6	B	J1	UG/L	5.20	43.20	12.04%
56201	5/7/02	MAGNESIUM	80700		V1	74600		V1	UG/L	6100.00	77650.00	7.86%
56201	5/7/02	MANGANESE	1430		V1	1600		V1	UG/L	170.00	1515.00	11.22%
56201	5/7/02	MOLYBDENUM	17.9	B	V1	20.2	B	V1	UG/L	2.30	19.05	12.07%
56201	5/7/02	NICKEL	27.5	B	V1	31.1	B	V1	UG/L	3.60	29.30	12.29%
56201	5/7/02	POTASSIUM	7080	B	J1	6630	B	J1	UG/L	450.00	6855.00	6.56%
56201	5/7/02	SELENIUM	3.2	B	J1	2.6	B	J1	UG/L	0.60	2.90	20.69%
56201	5/7/02	SILVER	0.55	B	UJ1	0.25	U	V1	UG/L	0.30	0.40	**75.00%**
56201	5/7/02	SODIUM	521000		V1	568000		V1	UG/L	47000.00	544500.00	8.63%
56201	5/7/02	STRONTIUM	2450		V1	2180		V1	UG/L	270.00	2315.00	11.66%
56201	5/7/02	ZINC	31.7	B	UJ1	30.7	B	UJ1	UG/L	1.00	31.20	3.21%
70393	5/21/02	ALUMINUM	1060		V1	33.4		UJ1	UG/L	1026.60	546.70	**187.78%**
70393	5/21/02	ANTIMONY	0.71	B	UJ1	0.85	B	UJ1	UG/L	0.14	0.78	17.95%
70393	5/21/02	BARIUM	63.3	B	V1	61.4	B	V1	UG/L	1.90	62.35	3.05%
70393	5/21/02	BERYLLIUM	0.08	B	UJ1	0.08	B	UJ1	UG/L	0.00	0.08	0.00%
70393	5/21/02	CALCIUM	21300		V1	21000		V1	UG/L	300.00	21150.00	1.42%
70393	5/21/02	CHROMIUM	0.33	B	UJ1	0.82	B	UJ1	UG/L	0.49	0.58	**85.22%**
70393	5/21/02	IRON	37.4	B	V1	17.4	B	V1	UG/L	20.00	27.40	**72.99%**
70393	5/21/02	LITHIUM	7.1	B	J1	6.9	B	J1	UG/L	0.20	7.00	2.86%
70393	5/21/02	MAGNESIUM	4220	B	V1	4090	B	V1	UG/L	130.00	4155.00	3.13%
70393	5/21/02	MANGANESE	2.2	B	V1	2.2	B	V1	UG/L	0.00	2.20	0.00%
70393	5/21/02	MOLYBDENUM	0.29	B	V1	0.33	B	V1	UG/L	0.04	0.31	12.90%
70393	5/21/02	NICKEL	1.4	B	V1	1.8	B	V1	UG/L	0.40	1.60	25.00%
70393	5/21/02	POTASSIUM	528	B	J1	520	B	J1	UG/L	8.00	524.00	1.53%
70393	5/21/02	SODIUM	11700		V1	11300		V1	UG/L	400.00	11500.00	3.48%
70393	5/21/02	STRONTIUM	119	B	V1	116	B	V1	UG/L	3.00	117.50	2.55%
70393	5/21/02	VANADIUM	0.36	B	V1	0.31	B	V1	UG/L	0.05	0.34	14.93%
70393	5/21/02	ZINC	3.3	B	UJ1	20.6		UJ1	UG/L	17.30	11.95	**144.77%**
P209489	4/30/02	ALUMINUM	26.9		UJ	29.3		UJ	UG/L	2.40	28.10	8.54%
P209489	4/30/02	ANTIMONY	0.77	B	V	1.3	B	V	UG/L	0.53	1.04	**51.21%**
P209489	4/30/02	ARSENIC	0.62	U	V	4.8	B	V	UG/L	4.18	2.71	**154.24%**

102

Table 7-2
Relative Percent Differences (RPDs) and Duplicate Error Ratios (DERs) for Groundwater
Second Quarter, 2002

Location	Sample Date	Analyte	Real Result	Real Lab Qual	Real Valid-ation	Dup Result	Dup Lab Qual	Dup Valid-ation	Units	Absolute Value |Real-Dup|	Average (Real+Dup)/2	RPD AbsVal/Ave x 100
P209489	4/30/02	BARIUM	92.2	B	V	92.5	B	V	UG/L	0.30	92.35	0.32%
P209489	4/30/02	BERYLLIUM	0.09	B	UJ	0.15	B	UJ	UG/L	0.06	0.12	**50.00%**
P209489	4/30/02	CADMIUM	0.41	B	J	0.4	B	J	UG/L	0.01	0.41	2.47%
P209489	4/30/02	CALCIUM	172000		V	175000		V	UG/L	3000.00	173500.00	1.73%
P209489	4/30/02	CHROMIUM	0.68	B	UJ	0.71	B	UJ	UG/L	0.03	0.70	4.32%
P209489	4/30/02	COBALT	1.3	B	UJ	1.4	B	UJ	UG/L	0.10	1.35	7.41%
P209489	4/30/02	COPPER	3.5		UJ	2.2	B	UJ	UG/L	1.30	2.85	**45.61%**
P209489	4/30/02	IRON	3.6	U	V	6.8	B	UJ	UG/L	3.20	5.20	**61.54%**
P209489	4/30/02	LEAD	0.56	B	UJ	0.96	B	UJ	UG/L	0.40	0.76	**52.63%**
P209489	4/30/02	LITHIUM	181		J	181		J	UG/L	0.00	181.00	0.00%
P209489	4/30/02	MAGNESIUM	28900		V	29400		V	UG/L	500.00	29150.00	1.72%
P209489	4/30/02	MANGANESE	3.3	B	V	3.7	B	V	UG/L	0.40	3.50	11.43%
P209489	4/30/02	MOLYBDENUM	0.7	B	J	1.6	B	J	UG/L	0.90	1.15	**78.26%**
P209489	4/30/02	NICKEL	8.1	B	V	8.5	B	V	UG/L	0.40	8.30	4.82%
P209489	4/30/02	POTASSIUM	47900	B	V	49300	B	V	UG/L	1400.00	48600.00	2.88%
P209489	4/30/02	SELENIUM	0.88	U	V	2.7	B	V	UG/L	1.82	1.79	**101.68%**
P209489	4/30/02	SODIUM	288000		V	289000		V	UG/L	1000.00	288500.00	0.35%
P209489	4/30/02	STRONTIUM	808		V	812		V	UG/L	4.00	810.00	0.49%
P209489	4/30/02	THALLIUM	1.5	B	UJ	2.8	B	UJ	UG/L	1.30	2.15	**60.47%**
P209489	4/30/02	TIN	0.78	U	V	1.9	B	V	UG/L	1.12	1.34	**83.58%**
P209489	4/30/02	URANIUM, TOTAL	74.5		V	75.2	B	V	UG/L	0.70	74.85	0.94%
P209489	4/30/02	VANADIUM	0.18	U	V	0.59	B	UJ	UG/L	0.41	0.39	**106.49%**
P209489	4/30/02	ZINC	2.7	B	UJ	3.1	B	UJ	UG/L	0.40	2.90	13.79%
Water Quality Parameters (WQPs)												
18499	4/30/02	CHLORIDE	156		V	156		V	MG/L	0.00	156.00	0.00%
00500	4/30/02	NITRATE/NITRITE	0.5		V1	0.53		V1	MG/L	0.03	0.52	5.83%
00897	5/8/02	NITRATE/NITRITE	2.6		V	2.5		V	MG/L	0.10	2.55	3.92%
12191	4/17/02	NITRATE/NITRITE	5.7		V	5.7		V	MG/L	0.00	5.70	0.00%
56201	5/7/02	NITRATE/NITRITE	3.9		V1	3.9		V1	MG/L	0.00	3.90	0.00%
70393	5/21/02	NITRATE/NITRITE	5.3		V1	5.3		V1	MG/L	0.00	5.30	0.00%
P209489	4/30/02	NITRATE/NITRITE	183		V1	181		V1	MG/L	2.00	182.00	1.10%
18499	4/30/02	TOTAL ORGANIC CARBON	5.4		V	4.7		V	MG/L	0.70	5.05	13.86%
00500	4/30/02	TOTAL DISSOLVED SOLIDS	639		V1	632		V1	MG/L	7.00	635.50	1.10%
00897	5/8/02	TOTAL DISSOLVED SOLIDS	441		V	428		V	MG/L	13.00	434.50	2.99%
12191	4/17/02	TOTAL DISSOLVED SOLIDS	668		V	608		V	MG/L	60.00	638.00	9.40%
18499	4/30/02	TOTAL DISSOLVED SOLIDS	630		V1	659		V1	MG/L	29.00	644.50	4.50%
56201	5/7/02	TOTAL DISSOLVED SOLIDS	3920		J1	3630		J1	MG/L	290.00	3775.00	7.68%
70393	5/21/02	TOTAL DISSOLVED SOLIDS	147		V1	142		V1	MG/L	5.00	144.50	3.46%
P209489	4/30/02	TOTAL DISSOLVED SOLIDS	1780		V1	1840		V1	MG/L	60.00	1810.00	3.31%
18499	4/30/02	SULFATE	21.7		V	21.9		V	MG/L	0.20	21.80	0.92%
70393	5/21/02	SULFATE	26.9		V1	27		V1	MG/L	0.10	26.95	0.37%
P209489	4/30/02	SULFATE	78.4		V1	77.9		V1	MG/L	0.50	78.15	0.64%

Table 7-3
Summary of RPD and DER Results
Groundwater - Second Quarter, 2002

Analyte Group	QC Criterion for Acceptable RPD or DER Value	Original Number of Available Real/Dup Pairs	Number of Acceptable RPD/DER Calculations	Overall Precision Compliance (Goal = 85%)	Number of RPDs/DERs Shown In Table 7-1
Radionuclides	less than 1.96	33	33	100.0%	10
VOCs - SVOCs - Diss. Gas	less than 30%	521	518	99.4%	40
Metals	less than 30%	168	136	81.0%	121
Polychlorinated Biphenyls	less than 30%	0	0		0
Water Quality Parameters	less than 30%	22	22	100.0%	18

Based on 744 original Real-Duplicate pairs.

Calculation and Display Criteria for Table 7-2	Lab Qualifier = "U"		Lab Qualifier = "B"		Lab Qualifier = "J"	
	Meaning	Action	Meaning	Action	Meaning	Action
Radionuclides	Non-detect	If both real and dup are "U", DER is not displayed in 7-2 and value is counted as acceptable	Activity in the method blank exceeded the minimal detectable activity (MDA).	If real or dup is "B", qualified, DER is shown in 7-2	Result is estimate.	If both real and dup are "J", or if one "U" and one "J", DER is not displayed in 7-2 and value is counted as acceptable if results are less than CRDLs for both real and dup.
Organics	Non-detect	If both real and dup are "U", RPD is not displayed in 7-2 and value is counted as acceptable	Analyte in both sample and associated method blank.	If real or dup is "B", qualified, DER is shown in 7-2	Result is estimate.	If both real and dup are "J" or "JB", or if one "U" and one "J" or "JB", DER is not displayed in 7-2 and value is counted as acceptable if results are less than CRDLs for both real and dup.
Metals	Non-detect	If both real and dup are "U", RPD is not displayed in 7-2 and value is counted as acceptable	Result detected was less than contract required detection limit (CRDL) but greater than the instrument detection limit (IDL).	If real or dup is "B", qualified, DER is shown in 7-2	Result is estimate.	If both real and dup are "J", or if one "U" and one "J", DER is not displayed in 7-2 and value is counted as acceptable if results are less than CRDLs for both real and dup.
Water Quality Parameters and Polychlorinated Biphenyls (PCBs)	Non-detect	If both real and dup are "U", RPD is not displayed in 7-2 and value is counted as acceptable	Result detected was less than contract required detection limit (CRDL) but greater than the instrument detection limit (IDL).	If real or dup is "B", qualified, DER is shown in 7-2	Result is estimate.	If both real and dup are "J", or if one "U" and one "J", DER is not displayed in 7-2 and value is counted as acceptable if results are less than CRDLs for both real and dup.

104

Table 7-4
Contract Required Detection Limits (CRDLs) for Groundwater Analytes

CAS #	Analyte	Required Method	RDL	Units
		Dissolved Gas Analyses		
74-84-0	Ethane	Method 8015M (GC/FID Headsp)	Task Order	µg/L
74-85-1	Ethene	Method 8015M (GC/FID Headsp)	Task Order	µg/L
1333-74-0	Hydrogen	Method 8015M (GC/FID Headsp)	Task Order	µg/L
74-82-8	Methane	Method 8015M (GC/FID Headsp)	Task Order	µg/L
CAS #	Analyte	Required Method	RDL	Units
		Semi-Volatile Organic Compounds (SW-846 Method 8270B)		
120-82-1	1,2,4-Trichlorobenzene	SW-846 Method 8270B	10	µg/L
95-95-4	2,4,5-Trichlorophenol	SW-846 Method 8270B	10	µg/L
88-06-2	2,4,6-Trichlorophenol	SW-846 Method 8270B	10	µg/L
120-83-2	2,4-Dichlorophenol	SW-846 Method 8270B	10	µg/L
105-67-9	2,4-Dimethylphenol	SW-846 Method 8270B	10	µg/L
51-28-5	2,4-Dinitrophenol	SW-846 Method 8270B	50	µg/L
121-14-2	2,4-Dinitrotoluene	SW-846 Method 8270B	10	µg/L
606-20-2	2,6-Dinitrotoluene	SW-846 Method 8270B	10	µg/L
91-58-7	2-Chloronaphthalene	SW-846 Method 8270B	10	µg/L
95-57-8	2-Chlorophenol	SW-846 Method 8270B	10	µg/L
91-57-6	2-Methylnaphthalene	SW-846 Method 8270B	10	µg/L
95-48-7	2-Methylphenol	SW-846 Method 8270B	10	µg/L
91-94-1	3,3'-Dichlorobenzidine	SW-846 Method 8270B	20	µg/L
534-52-1	4,6-Dinitro-o-cresol	SW-846 Method 8270B	50	µg/L
101-55-3	4-Bromophenyl phenyl ether	SW-846 Method 8270B	10	µg/L
106-47-8	4-Chloroaniline	SW-846 Method 8270B	20	µg/L
7005-72-3	4-Chorophenyl phenyl ether	SW-846 Method 8270B	10	µg/L
106-44-5	4-Methylphenol	SW-846 Method 8270B	10	µg/L
83-32-9	Acenaphthene	SW-846 Method 8270B	10	µg/L
208-96-8	Acenaphthylene	SW-846 Method 8270B	10	µg/L
120-12-7	Anthracene	SW-846 Method 8270B	10	µg/L
56-55-3	Benzo[a]anthracene	SW-846 Method 8270B	10	µg/L
50-32-8	Benzo[a]pyrene	SW-846 Method 8270B	10	µg/L
205-99-2	Benzo[b]fluoranthene	SW-846 Method 8270B	10	µg/L
191-24-2	Benzo[ghi]perylene	SW-846 Method 8270B	10	µg/L
207-08-9	Benzo[k]fluoranthene	SW-846 Method 8270B	10	µg/L
65-85-0	Benzoic Acid	SW-846 Method 8270B	50	µg/L
100-51-6	Benzyl alcohol	SW-846 Method 8270B	20	µg/L
111-91-1	bis(2-Chloroethoxy) methane	SW-846 Method 8270B	10	µg/L
111-44-4	bis(2-Chloroethyl) ether	SW-846 Method 8270B	10	µg/L
39638-32-9	bis(2-Chloroisopropyl) ether	SW-846 Method 8270B	10	µg/L
117-81-7	bis(2-ethylhexyl) phthalate	SW-846 Method 8270B	10	µg/L
85-68-7	Butylbenzylphthalate	SW-846 Method 8270B	10	µg/L
218-01-9	Chrysene	SW-846 Method 8270B	10	µg/L
53-70-3	Dibenz[a,h]anthracene	SW-846 Method 8270B	10	µg/L
132-64-9	Dibenzofuran	SW-846 Method 8270B	10	µg/L
84-66-2	Diethyl phthalate	SW-846 Method 8270B	10	µg/L
131-11-3	Dimethyl phthalate	SW-846 Method 8270B	10	µg/L
84-74-2	Di-n-butyl phthalate	SW-846 Method 8270B	10	µg/L
117-84-0	Di-n-octyl phthalate	SW-846 Method 8270B	10	µg/L
206-44-0	Fluoranthene	SW-846 Method 8270B	10	µg/L
86-73-7	Fluorene	SW-846 Method 8270B	10	µg/L
118-74-1	Hexachlorobenzene	SW-846 Method 8270B	10	µg/L
87-68-3	Hexachlorobutadiene	SW-846 Method 8270B	10	µg/L
77-47-4	Hexachlorocyclopentadiene	SW-846 Method 8270B	10	µg/L
67-72-1	Hexachloroethane	SW-846 Method 8270B	10	µg/L
193-39-5	Ideno(1,2,3-cd)pyrene	SW-846 Method 8270B	10	µg/L
78-59-1	Isophorone	SW-846 Method 8270B	10	µg/L
541-73-1	m-Dichlorobenzene (1,3-)	SW-846 Method 8270B	10	µg/L
99-09-2	m-Nitroanaline (3)	SW-846 Method 8270B	50	µg/L
91-20-3	Naphthalene	SW-846 Method 8270B	10	µg/L
98-95-3	Nitrobenzene	SW-846 Method 8270B	10	µg/L

ND = Achievable RDL Not Determined.
Task Order = Determined by individual Task Order for specialized analyses.

Table 7-4
Contract Required Detection Limits (CRDLs) for Groundwater Analytes

CAS #	Analyte	Required Method	RDL	Units
	Semi-Volatile Organic Compounds (SW-846 Method 8270B)			
86-30-6	N-Nitrosodiphenylamine	SW-846 Method 8270B	10	µg/L
621-64-7	N-Nitrosodipropylamine; Di-n-propylnitrosamine	SW-846 Method 8270B	10	µg/L
95-50-1	o-Dichlorobenzene (1,2-)	SW-846 Method 8270B	10	µg/L
88-74-4	o-Nitroanaline (2)	SW-846 Method 8270B	50	µg/L
88-75-5	o-Nitrophenol (2)	SW-846 Method 8270B	10	µg/L
59-50-7	p-Chloro-m-cresol (4-Chloro-3-methylphenol)	SW-846 Method 8270B	20	µg/L
106-46-7	p-Dichlorobenzene (1,4-)	SW-846 Method 8270B	10	µg/L
87-86-5	Pentachlorophenol	SW-846 Method 8270B	50	µg/L
85-01-8	Phenanthrene	SW-846 Method 8270B	10	µg/L
108-95-2	Phenol	SW-846 Method 8270B	10	µg/L
100-01-6	p-Nitroanaline (4)	SW-846 Method 8270B	50	µg/L
100-02-7	p-Nitrophenol (4)	SW-846 Method 8270B	50	µg/L
129-00-0	Pyrene	SW-846 Method 8270B	10	µg/L
126-73-8	Tributyl Phosphate	SW-846 Method 8270B	100	µg/L
CAS #	Analyte	Required Method	RDL	Units
	Volatile Organic Compounds (SW-846 Method 8260 Low Level)			
630-20-6	1,1,1,2-Tetrachloroethane	SW-846 Method 8260	1	µg/L
71-55-6	1,1,1-Trichloroethane	SW-846 Method 8260	1	µg/L
79-34-5	1,1,2,2-Tetrachloroethane	SW-846 Method 8260	1	µg/L
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	SW-846 Method 8260	1	µg/L
79-00-5	1,1,2-Trichloroethane	SW-846 Method 8260	1	µg/L
75-34-3	1,1-Dichloroethane	SW-846 Method 8260	1	µg/L
75-35-4	1,1-Dichloroethene	SW-846 Method 8260	1	µg/L
563-58-6	1,1-Dichloropropene	SW-846 Method 8260	1	µg/L
87-61-6	1,2,3-Trichlorobenzene	SW-846 Method 8260	1	µg/L
96-18-4	1,2,3-Trichloropropane	SW-846 Method 8260	1	µg/L
120-82-1	1,2,4-Trichlorobenzene	SW-846 Method 8260	1	µg/L
95-63-6	1,2,4-Trimethylbenzene	SW-846 Method 8260	1	µg/L
96-12-8	1,2-Dibromo-3-chloropropane	SW-846 Method 8260	1	µg/L
106-93-4	1,2-Dibromoethane	SW-846 Method 8260	1	µg/L
95-50-1	1,2-Dichlorobenzene	SW-846 Method 8260	1	µg/L
107-06-2	1,2-Dichloroethane	SW-846 Method 8260	1	µg/L
78-87-5	1,2-Dichloropropane	SW-846 Method 8260	1	µg/L
108-67-8	1,3,5-Trimethylbenzene	SW-846 Method 8260	1	µg/L
541-73-1	1,3-Dichlorobenzene	SW-846 Method 8260	1	µg/L
142-28-9	1,3-Dichloropropane	SW-846 Method 8260	1	µg/L
106-46-7	1,4-Dichlorobenzene	SW-846 Method 8260	1	µg/L
594-20-7	2,2-Dichloropropane	SW-846 Method 8260	1	µg/L
78-93-3	2-Butanone	SW-846 Method 8260	10	µg/L
95-49-8	2-Chlorotoluene	SW-846 Method 8260	1	µg/L
591-78-1	2-Hexanone	SW-846 Method 8260	10	µg/L
106-43-4	4-Chlorotoluene	SW-846 Method 8260	1	µg/L
108-10-1	4-Methyl-2-pentanone	SW-846 Method 8260	10	µg/L
67-64-1	Acetone	SW-846 Method 8260	10	µg/L
71-43-2	Benzene	SW-846 Method 8260	1	µg/L
108-86-1	Bromobenzene	SW-846 Method 8260	1	µg/L
74-97-5	Bromochloromethane	SW-846 Method 8260	1	µg/L
75-27-4	Bromodichloromethane	SW-846 Method 8260	1	µg/L
75-25-2	Bromoform	SW-846 Method 8260	1	µg/L
74-83-9	Bromomethane	SW-846 Method 8260	1	µg/L
75-15-0	Carbon Disulfide	SW-846 Method 8260	1	µg/L
56-23-5	Carbon Tetrachloride	SW-846 Method 8260	1	µg/L
108-90-7	Chlorobenzene	SW-846 Method 8260	1	µg/L
75-00-3	Chloroethane	SW-846 Method 8260	1	µg/L
67-66-3	Chloroform	SW-846 Method 8260	1	µg/L
74-87-3	Chloromethane	SW-846 Method 8260	1	µg/L
156-59-2	cis-1,2-Dichloroethene	SW-846 Method 8260	1	µg/L
10061-01-5	cis-1,3-Dichloropropene	SW-846 Method 8260	1	µg/L

ND = Achievable RDL Not Determined.
Task Order = Determined by individual Task Order for specialized analyses.

Table 7-4
Contract Required Detection Limits (CRDLs) for Groundwater Analytes

CAS #	Analyte	Required Method	RDL	Units
Volatile Organic Compounds (SW-846 Method 8260 Low Level)				
124-48-1	Dibromochloromethane	SW-846 Method 8260	1	µg/L
74-95-3	Dibromomethane	SW-846 Method 8260	1	µg/L
75-71-8	Dichlorodifluoromethane	SW-846 Method 8260	1	µg/L
100-41-4	Ethylbenzene	SW-846 Method 8260	1	µg/L
87-68-3	Hexachlorobutadiene	SW-846 Method 8260	1	µg/L
98-82-8	Isopropylbenzene	SW-846 Method 8260	1	µg/L
75-09-2	Methylene Chloride	SW-846 Method 8260	1	µg/L
91-20-3	Naphthalene	SW-846 Method 8260	1	µg/L
104-51-8	n-Butylbenzene	SW-846 Method 8260	1	µg/L
103-65-1	n-Propylbenzene	SW-846 Method 8260	1	µg/L
99-87-6	p-Isopropyltoluene	SW-846 Method 8260	1	µg/L
135-98-8	sec-Butylbenzene	SW-846 Method 8260	1	µg/L
100-42-5	Styrene	SW-846 Method 8260	1	µg/L
98-06-6	tert-Butylbenzene	SW-846 Method 8260	1	µg/L
127-18-4	Tetrachloroethene	SW-846 Method 8260	1	µg/L
108-88-3	Toluene	SW-846 Method 8260	1	µg/L
1330-20-7	Total Xylenes	SW-846 Method 8260	1	µg/L
156-60-5	trans-1,2-Dichloroethene	SW-846 Method 8260	1	µg/L
10061-02-6	trans-1,3-Dichloropropene	SW-846 Method 8260	1	µg/L
79-01-6	Trichloroethene	SW-846 Method 8260	1	µg/L
75-69-4	Trichlorofluoromethane	SW-846 Method 8260	1	µg/L
75-01-4	Vinyl chloride	SW-846 Method 8260	1	µg/L
CAS #	**Analyte**	**Required Method**	**RDL**	**Units**
PCB/Pesticides (SW-846 Method 8082)				
12674-11-2	Aroclor-1016	SW-846 Method 8082	0.50	µg/L
11104-28-2	Aroclor-1221	SW-846 Method 8082	0.50	µg/L
11141-16-5	Aroclor-1232	SW-846 Method 8082	0.50	µg/L
53469-21-9	Aroclor-1242	SW-846 Method 8082	0.50	µg/L
12672-29-6	Aroclor-1248	SW-846 Method 8082	0.50	µg/L
11097-69-1	Aroclor-1254	SW-846 Method 8082	0.50	µg/L
11096-82-5	Aroclor-1260	SW-846 Method 8082	0.50	µg/L
CAS #	**Analyte**	**Required Method**	**RDL**	**Units**
Dissolved and Total Metals (EPA 600)				
7429-90-5	Aluminum	EPA 600	17	µg/L
7440-36-0	Antimony	EPA 600	3	µg/L
7440-38-2	Arsenic	EPA 600	5	µg/L
7440-39-3	Barium	EPA 600	100	µg/L
7440-41-7	Beryllium	EPA 600	1	µg/L
7440-43-9	Cadmium	EPA 600	1	µg/L
7440-70-2	Calcium	EPA 600	5000	µg/L
7440-47-3	Chromium	EPA 600	2	µg/L
7440-48-4	Cobalt	EPA 600	50	µg/L
7440-50-8	Copper	EPA 600	3	µg/L
7439-89-6	Iron	EPA 600	100	µg/L
7439-92-1	Lead	EPA 600	2	µg/L
7439-93-2	Lithium	EPA 600	100	µg/L
7439-95-4	Magnesium	EPA 600	5000	µg/L
7439-96-5	Manganese	EPA 600	15	µg/L
7439-97-6	Mercury	EPA 600	0.1	µg/L
7439-98-7	Molybdenum	EPA 600	30	µg/L
7440-02-0	Nickel	EPA 600	20	µg/L
7440-09-7	Potassium	EPA 600	5000	µg/L
7782-49-2	Selenium	EPA 600	3	µg/L
7440-22-4	Silver	EPA 600	1	µg/L
7440-23-5	Sodium	EPA 600	5000	µg/L
7440-24-6	Strontium	EPA 600	200	µg/L
7440-28-0	Thallium	EPA 600	4	µg/L

ND = Achievable RDL Not Determined.
Task Order = Determined by individual Task Order for specialized analyses.

107

Table 7-4
Contract Required Detection Limits (CRDLs) for Groundwater Analytes

CAS #	Analyte	Required Method	RDL	Units
	Dissolved and Total Metals (EPA 600)			
7440-31-5	Tin	EPA 600	200	µg/L
7440-61-1	Uranium	EPA 600	No Value	µg/L
7440-62-2	Vanadium	EPA 600	40	µg/L
7440-66-6	Zinc	EPA 600	20	µg/L
CAS #	**Analyte**	**Required Method**	**RDL**	**Units**
	Water Quality Parameters			
T-005	Alkalinity	EPA 310.1 or 310.2	10	mg/L
16887-00-6	Chloride	EPA 300.0	0.5	mg/L
10-30-0	Dissolved Organic Carbon-DOC	EPA 415.1	1.0	mg/L
16984-48-8	Fluoride	EPA 300.0	0.5	mg/L
14797-55-8	Nitrate as N	EPA 300.0	0.5	mg/L
C-005	Nitrate/Nitrite as N (Total)	EPA 353.1 or 353.2	0.05	mg/L
14808-79-8	Sulfate as SO_4^{2-}	EPA 375.1 or 375.2	5.0	mg/L
18496-25-8	Sulfide as S	EPA 376.1 or 376.3	0.002	mg/L
57-12-5	Total Cyanide	EPA 335.3 or 335.4	0.005	mg/L
10-33-3	Total Dissolved Solids-TDS	EPA 160.1	10.0	mg/L
11-59-6	Total Organic Carbon-TOC	EPA 415.1	1.0	mg/L
10-90-2	Total Petroleum Hydrocarbons-TPH	EPA 418.1	1	mg/L
10-32-2	Total Suspended Solids-TSS	EPA 160.2	5.0	mg/L
CAS #	**Analyte**	**Required Method**	**RDL**	**Units**
	Radionuclides			
14596-10-2	Americium-241	Alpha Spectrometry	0.03	pCi/L
10045-97-3	Cesium-137	Gamma Spectrometry	10	pCi/L
12587-46-1	Gross Alpha	Gas Proportional Counting	2	pCi/L
12587-47-2	Gross Beta	Gas Proportional Counting	4	pCi/L
13994-20-2	Neptunium-237	Alpha Spectrometry	1	pCi/L
10-12-8	Plutonium-239/240	Alpha Spectrometry	0.03	pCi/L
11-10-9	Strontium 89/90	Gas Proportional Counting	1.0	pCi/L
10028-17-8	Tritium	Liquid Scintillation Counting	400	pCi/L
11-08-5	Uranium-233/234	Alpha Spectrometry	1.0	pCi/L
15117-96-1	Uranium-235	Alpha Spectrometry	1.0	pCi/L
	Uranium-236	Alpha Spectrometry	Task Order	pCi/L
7440-61-1	Uranium-238	Alpha Spectrometry	1.0	pCi/L

ND = Achievable RDL Not Determined.
Task Order = Determined by individual Task Order for specialized analyses.

108

Table 7-5
Matrix Spike Recovery for Strontium89/90-Tritium-Dissolved Gases-SVOCs-VOCs-Metals-WQPS
Groundwater - Second Quarter, 2002

Lab	Location	Sample Date	RIN	Bottle#	Analyte	Result Type	Result	Units	Field Filter	Lab Qual	Detect Limit	Dilu-tion	Lab Sample#	Lab Batch#
					Radionuclides									
GEL	1786	4/16/02	02D1166	02D1166-005.010	STRONTIUM-89,90	MS1	96.13	%REC	NO		1.92		1200204686	160313
GEL	1386	4/19/02	02D1182	02D1182-022.010	STRONTIUM-89,90	MS1	95.24	%REC	YES		0.488		1200210344	162532
GEL	1386	4/19/02	02D1199	02D1182-022.010	STRONTIUM-89,90	MS1	95.24	%REC	YES		0.488		1200210344	162532
GEL	P209289	5/31/02	02D1278	02D1278-005.010	STRONTIUM-89,90	MS1	110.1	%REC	YES		0.809		1200235353	172789
GEL	GS01	3/22/02	02D1153		TRITIUM	MS1	89.2	%REC			308		1200200520	158611
GEL	85002	4/11/02	02D1166	02D1166-002.006	TRITIUM	MS1	98.95	%REC	NO		201		1200204063	160009
GEL	P114689	4/18/02	02D1182	02D1182-002.004	TRITIUM	MS1	85.31	%REC	NO		311		1200211013	162835
GEL	P114689	4/18/02	02D1199	02D1182-002.004	TRITIUM	MS1	85.31	%REC	NO		311		1200211013	162835
GEL	GS03	5/20/02	02D1215		TRITIUM	MS1	102.4	%REC			231		1200224823	168344
GEL	GS32	5/1/02	02D1227		TRITIUM	MS1	94.65	%REC			350		1200219177	166141
GEL	70493	5/17/02	02D1244	02D1244-002.008	TRITIUM	MS1	97.28	%REC	NO		339		1200227657	169549
GEL	771 FD OUT #2	5/31/02	02D1278	02D1278-001.009	TRITIUM	MS1	99.58	%REC	NO		338		1200233202	171946
GEL	GS32	6/19/02	02D1336		TRITIUM	MS1	78.91	%REC			359		1200257259	182805
					Dissolved Gasses (Ethane, Ethene, Methane)									
SWRI	30900	4/1/02	02D1074	02D1074-001.007	ETHANE	MS1	63	%REC			2	1	GW08182RG/MSD	202812
SWRI	30900	4/1/02	02D1074	02D1074-001.007	ETHANE	MD1	57	%REC			2	1	GW08182RG/MSD	202812
SWRI	30900	4/1/02	02D1074	02D1074-001.007	ETHENE	MS1	64	%REC			2	1	GW08182RG/MSD	202812
SWRI	30900	4/1/02	02D1074	02D1074-001.007	ETHENE	MD1	59	%REC			2	1	GW08182RG/MSD	202812
SWRI	30900	4/1/02	02D1074	02D1074-001.007	METHANE	MS1	65	%REC			1	1	GW08182RG/MSD	202812
SWRI	30900	4/1/02	02D1074	02D1074-001.007	METHANE	MD1	59	%REC			1	1	GW08182RG/MSD	202812
SWRI	30900	5/2/02	02D1198	02D1198-006.001	ETHANE	MS1	114	%REC			2	1	205173/MSD	205173
SWRI	30900	5/2/02	02D1198	02D1198-006.001	ETHANE	MD1	114	%REC			2	1	205173/MSD	205173
SWRI	30900	5/2/02	02D1198	02D1198-006.001	ETHENE	MS1	105	%REC			2	1	205173/MSD	205173
SWRI	30900	5/2/02	02D1198	02D1198-006.001	ETHENE	MD1	105	%REC			2	1	205173/MSD	205173
SWRI	30900	5/2/02	02D1198	02D1198-006.001	METHANE	MS1	-200	%REC			1	1	205173/MSD	205173
SWRI	30900	5/2/02	02D1198	02D1198-006.001	METHANE	MD1	-150	%REC			1	1	205173/MSD	205173
SWRI	30900	5/2/02	02D1199	02D1198-006.001	ETHANE	MS1	114	%REC			2	1	205173/MSD	205173
SWRI	30900	5/2/02	02D1199	02D1198-006.001	ETHANE	MD1	114	%REC			2	1	205173/MSD	205173
SWRI	30900	5/2/02	02D1199	02D1198-006.001	ETHENE	MS1	105	%REC			2	1	205173/MSD	205173
SWRI	30900	5/2/02	02D1199	02D1198-006.001	ETHENE	MD1	105	%REC			2	1	205173/MSD	205173
SWRI	30900	5/2/02	02D1199	02D1198-006.001	METHANE	MS1	-200	%REC			1	1	205173/MSD	205173
SWRI	30900	5/2/02	02D1199	02D1198-006.001	METHANE	MD1	-150	%REC			1	1	205173/MSD	205173
SWRI	18799	6/18/02	02D1316	02D1316-002.005	ETHANE	MS1	63	%REC			2	1	208253-MS/MSD	208253
SWRI	18799	6/18/02	02D1316	02D1316-002.005	ETHANE	MD1	57	%REC			2	1	208253-MS/MSD	208253
SWRI	18799	6/18/02	02D1316	02D1316-002.005	ETHENE	MS1	64	%REC			2	1	208253-MS/MSD	208253
SWRI	18799	6/18/02	02D1316	02D1316-002.005	ETHENE	MD1	59	%REC			2	1	208253-MS/MSD	208253
SWRI	18799	6/18/02	02D1316	02D1316-002.005	METHANE	MS1	65	%REC			1	1	208253-MS/MSD	208253
SWRI	18799	6/18/02	02D1316	02D1316-002.005	METHANE	MD1	59	%REC			1	1	208253-MS/MSD	208253
					Semi-Volatile Organic Compounds (SVOCs)									
STLDEN	18499	4/30/02	02D1200	02D1200-002.003	1,2,4-TRICHLOROBENZENE	MS1	65	%REC	NO			1	D2E030310-002S	2126162
STLDEN			02D1200		1,2,4-TRICHLOROBENZENE	MS1	59	%REC				1	D2D300265-041S	2126162
STLDEN	18499	4/30/02	02D1200	02D1200-002.002	1,2,4-TRICHLOROBENZENE	MD1	54	%REC	NO			1	D2E030310-002D	2126162
STLDEN			02D1200		1,2,4-TRICHLOROBENZENE	MD1	59	%REC				1	D2D300265-041D	2126162
STLDEN	18499	4/30/02	02D1200	02D1200-002.003	1,4-DICHLOROBENZENE	MS1	68	%REC	NO			1	D2E030310-002S	2126162
STLDEN			02D1200		1,4-DICHLOROBENZENE	MS1	62	%REC				1	D2D300265-041S	2126162
STLDEN	18499	4/30/02	02D1200	02D1200-002.002	1,4-DICHLOROBENZENE	MD1	56	%REC	NO			1	D2E030310-002D	2126162
STLDEN			02D1200		1,4-DICHLOROBENZENE	MD1	62	%REC				1	D2D300265-041D	2126162
STLDEN	18499	4/30/02	02D1200	02D1200-002.003	2,4-DINITROTOLUENE	MS1	73	%REC	NO			1	D2E030310-002S	2126162
STLDEN			02D1200		2,4-DINITROTOLUENE	MS1	69	%REC				1	D2D300265-041S	2126162
STLDEN	18499	4/30/02	02D1200	02D1200-002.002	2,4-DINITROTOLUENE	MD1	71	%REC	NO			1	D2E030310-002D	2126162
STLDEN			02D1200		2,4-DINITROTOLUENE	MD1	73	%REC				1	D2D300265-041D	2126162
STLDEN	18499	4/30/02	02D1200	02D1200-002.003	2-CHLOROPHENOL	MS1	70	%REC	NO			1	D2E030310-002S	2126162
STLDEN			02D1200		2-CHLOROPHENOL	MS1	66	%REC				1	D2D300265-041S	2126162
STLDEN	18499	4/30/02	02D1200	02D1200-002.002	2-CHLOROPHENOL	MD1	59	%REC	NO			1	D2E030310-002D	2126162
STLDEN			02D1200		2-CHLOROPHENOL	MD1	65	%REC				1	D2D300265-041D	2126162
STLDEN	18499	4/30/02	02D1200	02D1200-002.003	4-CHLORO-3-METHYLPHENOL	MS1	70	%REC	NO			1	D2E030310-002S	2126162
STLDEN			02D1200		4-CHLORO-3-METHYLPHENOL	MS1	59	%REC				1	D2D300265-041S	2126162
STLDEN	18499	4/30/02	02D1200	02D1200-002.002	4-CHLORO-3-METHYLPHENOL	MD1	61	%REC	NO			1	D2E030310-002D	2126162
STLDEN			02D1200		4-CHLORO-3-METHYLPHENOL	MD1	58	%REC				1	D2D300265-041D	2126162
STLDEN	18499	4/30/02	02D1200	02D1200-002.003	4-NITROPHENOL	MS1	82	%REC	NO			1	D2E030310-002S	2126162
STLDEN			02D1200		4-NITROPHENOL	MS1	75	%REC				1	D2D300265-041S	2126162

109

Table 7-5
Matrix Spike Recovery for Strontium89/90-Tritium-Dissolved Gases-SVOCs-VOCs-Metals-WQPS
Groundwater - Second Quarter, 2002

Lab	Location	Sample Date	RIN	Bottle#	Analyte	Result Type	Result	Units	Field Filter	Lab Qual	Detect Limit	Dilu-tion	Lab Sample#	Lab Batch#
STLDEN	18499	4/30/02	02D1200	02D1200-002.002	4-NITROPHENOL	MD1	76	%REC	NO			1	D2E030310-002D	2126162
STLDEN			02D1200		4-NITROPHENOL	MD1	79	%REC				1	D2D300265-041D	2126162
STLDEN	18499	4/30/02	02D1200	02D1200-002.003	ACENAPHTHENE	MS1	73	%REC	NO			1	D2E030310-002S	2126162
STLDEN			02D1200		ACENAPHTHENE	MS1	68	%REC				1	D2D300265-041S	2126162
STLDEN	18499	4/30/02	02D1200	02D1200-002.002	ACENAPHTHENE	MD1	64	%REC	NO			1	D2E030310-002D	2126162
STLDEN			02D1200		ACENAPHTHENE	MD1	68	%REC				1	D2D300265-041D	2126162
STLDEN	18499	4/30/02	02D1200	02D1200-002.003	N-NITROSO-DI-n-PROPYLAMINE	MS1	69	%REC	NO			1	D2E030310-002S	2126162
STLDEN			02D1200		N-NITROSO-DI-n-PROPYLAMINE	MS1	63	%REC				1	D2D300265-041S	2126162
STLDEN	18499	4/30/02	02D1200	02D1200-002.002	N-NITROSO-DI-n-PROPYLAMINE	MD1	57	%REC	NO			1	D2E030310-002D	2126162
STLDEN			02D1200		N-NITROSO-DI-n-PROPYLAMINE	MD1	64	%REC				1	D2D300265-041D	2126162
STLDEN	18499	4/30/02	02D1200	02D1200-002.003	PENTACHLOROPHENOL	MS1	68	%REC	NO			1	D2E030310-002S	2126162
STLDEN			02D1200		PENTACHLOROPHENOL	MS1	56	%REC				1	D2D300265-041S	2126162
STLDEN	18499	4/30/02	02D1200	02D1200-002.002	PENTACHLOROPHENOL	MD1	61	%REC	NO			1	D2E030310-002D	2126162
STLDEN			02D1200		PENTACHLOROPHENOL	MD1	58	%REC				1	D2D300265-041D	2126162
STLDEN	18499	4/30/02	02D1200	02D1200-002.003	PHENOL	MS1	74	%REC	NO			1	D2E030310-002S	2126162
STLDEN			02D1200		PHENOL	MS1	63	%REC				1	D2D300265-041S	2126162
STLDEN	18499	4/30/02	02D1200	02D1200-002.002	PHENOL	MD1	60	%REC	NO			1	D2E030310-002D	2126162
STLDEN			02D1200		PHENOL	MD1	63	%REC				1	D2D300265-041D	2126162
STLDEN	18499	4/30/02	02D1200	02D1200-002.003	PYRENE	MS1	70	%REC	NO			1	D2E030310-002S	2126162
STLDEN			02D1200		PYRENE	MS1	65	%REC				1	D2D300265-041S	2126162
STLDEN	18499	4/30/02	02D1200	02D1200-002.002	PYRENE	MD1	63	%REC	NO			1	D2E030310-002D	2126162
STLDEN			02D1200		PYRENE	MD1	73	%REC				1	D2D300265-041D	2126162
Volatile Organic Compounds (VOCs)														
STLDEN			02D1074		1,1-DICHLOROETHENE	MS1	93	%REC				1	D2D050272-001S	2101534
STLDEN			02D1074		1,1-DICHLOROETHENE	MD1	97	%REC				1	D2D050272-001D	2101534
STLDEN			02D1074		1,1-DICHLOROETHENE	MS2	89	%REC				10	D2D040329-001S	2106477
STLDEN			02D1074		1,1-DICHLOROETHENE	MD2	91	%REC				10	D2D040329-001D	2106477
STLDEN			02D1074		1,1-DICHLOROETHENE	MS3	90	%REC				10	D2D050112-003S	2107487
STLDEN			02D1074		1,1-DICHLOROETHENE	MD3	83	%REC				10	D2D050112-003D	2107487
STLDEN			02D1074		1,1-DICHLOROETHENE	MS4	96	%REC				1	D2D100179-005S	2108491
STLDEN			02D1074		1,1-DICHLOROETHENE	MD4	96	%REC				1	D2D100179-005D	2108491
STLDEN			02D1074		BENZENE	MS1	101	%REC				1	D2D050272-001S	2101534
STLDEN			02D1074		BENZENE	MD1	104	%REC				1	D2D050272-001D	2101534
STLDEN			02D1074		BENZENE	MS2	97	%REC				10	D2D040329-001S	2106477
STLDEN			02D1074		BENZENE	MD2	97	%REC				10	D2D040329-001D	2106477
STLDEN			02D1074		BENZENE	MS3	107	%REC				10	D2D050112-003S	2107487
STLDEN			02D1074		BENZENE	MD3	104	%REC				10	D2D050112-003D	2107487
STLDEN			02D1074		BENZENE	MS4	101	%REC				1	D2D100179-005S	2108491
STLDEN			02D1074		BENZENE	MD4	102	%REC				1	D2D100179-005D	2108491
STLDEN			02D1074		CHLOROBENZENE	MS1	94	%REC				1	D2D050272-001S	2101534
STLDEN			02D1074		CHLOROBENZENE	MD1	94	%REC				1	D2D050272-001D	2101534
STLDEN			02D1074		CHLOROBENZENE	MS2	98	%REC				10	D2D040329-001S	2106477
STLDEN			02D1074		CHLOROBENZENE	MD2	104	%REC				10	D2D040329-001D	2106477
STLDEN			02D1074		CHLOROBENZENE	MS3	100	%REC				10	D2D050112-003S	2107487
STLDEN			02D1074		CHLOROBENZENE	MD3	99	%REC				10	D2D050112-003D	2107487
STLDEN			02D1074		CHLOROBENZENE	MS4	93	%REC				1	D2D100179-005S	2108491
STLDEN			02D1074		CHLOROBENZENE	MD4	97	%REC				1	D2D100179-005D	2108491
STLDEN			02D1074		TOLUENE	MS1	91	%REC				1	D2D050272-001S	2101534
STLDEN			02D1074		TOLUENE	MD1	95	%REC				1	D2D050272-001D	2101534
STLDEN			02D1074		TOLUENE	MS2	98	%REC				10	D2D040329-001S	2106477
STLDEN			02D1074		TOLUENE	MD2	100	%REC				10	D2D040329-001D	2106477
STLDEN			02D1074		TOLUENE	MS3	94	%REC				10	D2D050112-003S	2107487
STLDEN			02D1074		TOLUENE	MD3	91	%REC				10	D2D050112-003D	2107487
STLDEN			02D1074		TOLUENE	MS4	89	%REC				1	D2D100179-005S	2108491
STLDEN			02D1074		TOLUENE	MD4	91	%REC				1	D2D100179-005D	2108491
STLDEN			02D1074		TRICHLOROETHENE	MS1	104	%REC				1	D2D050272-001S	2101534
STLDEN			02D1074		TRICHLOROETHENE	MD1	107	%REC				1	D2D050272-001D	2101534
STLDEN			02D1074		TRICHLOROETHENE	MS2	94	%REC				10	D2D040329-001S	2106477
STLDEN			02D1074		TRICHLOROETHENE	MD2	95	%REC				10	D2D040329-001D	2106477
STLDEN			02D1074		TRICHLOROETHENE	MS3	0	%REC				10	D2D050112-003S	2107487
STLDEN			02D1074		TRICHLOROETHENE	MD3	0	%REC				10	D2D050112-003D	2107487
STLDEN			02D1074		TRICHLOROETHENE	MS4	101	%REC				1	D2D100179-005S	2108491
STLDEN			02D1074		TRICHLOROETHENE	MD4	100	%REC				1	D2D100179-005D	2108491
FGL	84702	4/9/02	02D1153	02D1153-003.003	1,1-DICHLOROETHENE	MS1	56.2	%REC	NO		0.1	1	SP 20324301	20020419A233ORG

110

Table 7-5
Matrix Spike Recovery for Strontium89/90-Tritium-Dissolved Gases-SVOCs-VOCs-Metals-WQPS
Groundwater - Second Quarter, 2002

Lab	Location	Sample Date	RIN	Bottle#	Analyte	Result Type	Result	Units	Field Filter	Lab Qual	Detect Limit	Dilu-tion	Lab Sample#	Lab Batch#
FGL	84702	4/9/02	02D1153	02D1153-003.003	1,1-DICHLOROETHENE	MD1	119	%REC	NO		0.1	1	SP 20324301	20020419A233ORG
FGL	84702	4/9/02	02D1153	02D1153-003.003	BENZENE	MS1	95	%REC	NO		0.1	1	SP 20324301	20020419A233ORG
FGL	84702	4/9/02	02D1153	02D1153-003.003	BENZENE	MD1	98.5	%REC	NO		0.1	1	SP 20324301	20020419A233ORG
FGL	84702	4/9/02	02D1153	02D1153-003.003	CHLOROBENZENE	MS1	95.4	%REC	NO		0.1	1	SP 20324301	20020419A233ORG
FGL	84702	4/9/02	02D1153	02D1153-003.003	CHLOROBENZENE	MD1	86.7	%REC	NO		0.1	1	SP 20324301	20020419A233ORG
FGL	84702	4/9/02	02D1153	02D1153-003.003	CHLOROFORM	MS1	94.5	%REC	NO		0.1	1	SP 20324301	20020419A233ORG
FGL	84702	4/9/02	02D1153	02D1153-003.003	CHLOROFORM	MD1	98.7	%REC	NO		0.1	1	SP 20324301	20020419A233ORG
FGL	84702	4/9/02	02D1153	02D1153-003.003	TOLUENE	MS1	96.7	%REC	NO		0.1	1	SP 20324301	20020419A233ORG
FGL	84702	4/9/02	02D1153	02D1153-003.003	TOLUENE	MD1	98.7	%REC	NO		0.1	1	SP 20324301	20020419A233ORG
FGL	84702	4/9/02	02D1153	02D1153-003.003	TRICHLOROETHENE	MS1	**71.9**	%REC	NO		0.1	1	SP 20324301	20020419A233ORG
FGL	84702	4/9/02	02D1153	02D1153-003.003	TRICHLOROETHENE	MD1	108	%REC	NO		0.1	1	SP 20324301	20020419A233ORG
STLDEN			02D1162		1,1-DICHLOROETHENE	MS1	89	%REC				1	D2D120163-003S	2112536
STLDEN			02D1162		1,1-DICHLOROETHENE	MD1	84	%REC				1	D2D120163-003D	2112536
STLDEN			02D1162		BENZENE	MS1	105	%REC				1	D2D120163-003S	2112536
STLDEN			02D1162		BENZENE	MD1	104	%REC				1	D2D120163-003D	2112536
STLDEN			02D1162		CHLOROBENZENE	MS1	100	%REC				1	D2D120163-003S	2112536
STLDEN			02D1162		CHLOROBENZENE	MD1	102	%REC				1	D2D120163-003D	2112536
STLDEN			02D1162		TOLUENE	MS1	95	%REC				1	D2D120163-003S	2112536
STLDEN			02D1162		TOLUENE	MD1	96	%REC				1	D2D120163-003D	2112536
STLDEN			02D1162		TRICHLOROETHENE	MS1	102	%REC				1	D2D120163-003S	2112536
STLDEN			02D1162		TRICHLOROETHENE	MD1	103	%REC				1	D2D120163-003D	2112536
FGL			02D1166		1,1-DICHLOROETHENE	MS1	**56.2**	%REC			0.1	1	SP 20324301	20020419A233ORG
FGL			02D1166		1,1-DICHLOROETHENE	MD1	119	%REC			0.1	1	SP 20324301	20020419A233ORG
FGL			02D1166		1,1-DICHLOROETHENE	MS1	92.3	%REC			0.1	1	SP 20345513	20020423A233ORG
FGL			02D1166		1,1-DICHLOROETHENE	MD1	92.9	%REC			0.1	1	SP 20345513	20020423A233ORG
FGL			02D1166		1,1-DICHLOROETHENE	MS1	90.7	%REC			0.1	1	SP 20345526	20020425A233ORG
FGL			02D1166		1,1-DICHLOROETHENE	MD1	94	%REC			0.1	1	SP 20345526	20020425A233ORG
FGL			02D1166		BENZENE	MS1	95	%REC			0.1	1	SP 20324301	20020419A233ORG
FGL			02D1166		BENZENE	MD1	98.5	%REC			0.1	1	SP 20324301	20020419A233ORG
FGL			02D1166		BENZENE	MS1	85.6	%REC			0.1	1	SP 20345513	20020423A233ORG
FGL			02D1166		BENZENE	MD1	87.1	%REC			0.1	1	SP 20345513	20020423A233ORG
FGL			02D1166		BENZENE	MS1	90.4	%REC			0.1	1	SP 20345526	20020425A233ORG
FGL			02D1166		BENZENE	MD1	92.5	%REC			0.1	1	SP 20345526	20020425A233ORG
FGL			02D1166		CHLOROBENZENE	MS1	95.4	%REC			0.1	1	SP 20324301	20020419A233ORG
FGL			02D1166		CHLOROBENZENE	MD1	86.7	%REC			0.1	1	SP 20324301	20020419A233ORG
FGL			02D1166		CHLOROBENZENE	MS1	93.8	%REC			0.1	1	SP 20345513	20020423A233ORG
FGL			02D1166		CHLOROBENZENE	MD1	96.1	%REC			0.1	1	SP 20345513	20020423A233ORG
FGL			02D1166		CHLOROBENZENE	MS1	93.6	%REC			0.1	1	SP 20345526	20020425A233ORG
FGL			02D1166		CHLOROBENZENE	MD1	97.9	%REC			0.1	1	SP 20345526	20020425A233ORG
FGL			02D1166		CHLOROFORM	MS1	94.5	%REC			0.1	1	SP 20324301	20020419A233ORG
FGL			02D1166		CHLOROFORM	MD1	98.7	%REC			0.1	1	SP 20324301	20020419A233ORG
FGL			02D1166		CHLOROFORM	MS1	83.4	%REC			0.1	1	SP 20345513	20020423A233ORG
FGL			02D1166		CHLOROFORM	MD1	84.9	%REC			0.1	1	SP 20345513	20020423A233ORG
FGL			02D1166		CHLOROFORM	MS1	97.2	%REC			0.1	1	SP 20345526	20020425A233ORG
FGL			02D1166		CHLOROFORM	MD1	100	%REC			0.1	1	SP 20345526	20020425A233ORG
FGL			02D1166		TOLUENE	MS1	96.7	%REC			0.1	1	SP 20324301	20020419A233ORG
FGL			02D1166		TOLUENE	MD1	98.7	%REC			0.1	1	SP 20324301	20020419A233ORG
FGL			02D1166		TOLUENE	MS1	89.2	%REC			0.1	1	SP 20345513	20020423A233ORG
FGL			02D1166		TOLUENE	MD1	90	%REC			0.1	1	SP 20345513	20020423A233ORG
FGL			02D1166		TOLUENE	MS1	95.5	%REC			0.1	1	SP 20345526	20020425A233ORG
FGL			02D1166		TOLUENE	MD1	97.2	%REC			0.1	1	SP 20345526	20020425A233ORG
FGL			02D1166		TRICHLOROETHENE	MS1	**71.9**	%REC			0.1	1	SP 20324301	20020419A233ORG
FGL			02D1166		TRICHLOROETHENE	MD1	108	%REC			0.1	1	SP 20324301	20020419A233ORG
FGL			02D1166		TRICHLOROETHENE	MS1	85.2	%REC			0.1	1	SP 20345513	20020423A233ORG
FGL			02D1166		TRICHLOROETHENE	MD1	86.5	%REC			0.1	1	SP 20345513	20020423A233ORG
FGL			02D1166		TRICHLOROETHENE	MS1	92.6	%REC			0.1	1	SP 20345526	20020425A233ORG
FGL			02D1166		TRICHLOROETHENE	MD1	94.3	%REC			0.1	1	SP 20345526	20020425A233ORG
FGL			02D1182		1,1-DICHLOROETHENE	MS1	90.7	%REC			0.1	1	SP 20345526	20020425A233ORG
FGL			02D1182		1,1-DICHLOROETHENE	MD1	94	%REC			0.1	1	SP 20345526	20020425A233ORG
FGL	4087	4/22/02	02D1182	02D1182-003.001	1,1-DICHLOROETHENE	MS1	**149**	%REC	NO		0.1	1	SP 20367302	20020502A233ORG
FGL	4087	4/22/02	02D1182	02D1182-003.001	1,1-DICHLOROETHENE	MD1	**153**	%REC	NO		0.1	1	SP 20367302	20020502A233ORG
FGL			02D1182		1,1-DICHLOROETHENE	MS1	**137**	%REC			0.1	1	SP 20367318	20020506A233ORG
FGL			02D1182		1,1-DICHLOROETHENE	MD1	**138**	%REC			0.1	1	SP 20367318	20020506A233ORG
FGL	95099	4/24/02	02D1182	02D1182-031.001	1,1-DICHLOROETHENE	MS1	82.6	%REC	NO		0.1	1	SP 20367331	20020520A233ORG
FGL	95099	4/24/02	02D1182	02D1182-031.001	1,1-DICHLOROETHENE	MD1	87.4	%REC	NO		0.1	1	SP 20367331	20020520A233ORG

Table 7-5
Matrix Spike Recovery for Strontium89/90-Tritium-Dissolved Gases-SVOCs-VOCs-Metals-WQPS
Groundwater - Second Quarter, 2002

Lab	Location	Sample Date	RIN	Bottle#	Analyte	Result Type	Result	Units	Field Filter	Lab Qual	Detect Limit	Dilu-tion	Lab Sample#	Lab Batch#
FGL			02D1182		BENZENE	MS1	90.4	%REC			0.1	1	SP 20345526	20020425A233ORG
FGL			02D1182		BENZENE	MD1	92.5	%REC			0.1	1	SP 20345526	20020425A233ORG
FGL	4087	4/22/02	02D1182	02D1182-003.001	BENZENE	MS1	100	%REC	NO		0.1	1	SP 20367302	20020502A233ORG
FGL	4087	4/22/02	02D1182	02D1182-003.001	BENZENE	MD1	100	%REC	NO		0.1	1	SP 20367302	20020502A233ORG
FGL			02D1182		BENZENE	MS1	96.4	%REC			0.1	1	SP 20367318	20020506A233ORG
FGL			02D1182		BENZENE	MD1	93.9	%REC			0.1	1	SP 20367318	20020506A233ORG
FGL	95099	4/24/02	02D1182	02D1182-031.001	BENZENE	MS1	94.6	%REC	NO		0.1	1	SP 20367331	20020520A233ORG
FGL	95099	4/24/02	02D1182	02D1182-031.001	BENZENE	MD1	99.1	%REC	NO		0.1	1	SP 20367331	20020520A233ORG
FGL			02D1182		CHLOROBENZENE	MS1	93.6	%REC			0.1	1	SP 20345526	20020425A233ORG
FGL			02D1182		CHLOROBENZENE	MD1	97.9	%REC			0.1	1	SP 20345526	20020425A233ORG
FGL	4087	4/22/02	02D1182	02D1182-003.001	CHLOROBENZENE	MS1	109	%REC	NO		0.1	1	SP 20367302	20020502A233ORG
FGL	4087	4/22/02	02D1182	02D1182-003.001	CHLOROBENZENE	MD1	109	%REC	NO		0.1	1	SP 20367302	20020502A233ORG
FGL			02D1182		CHLOROBENZENE	MS1	104	%REC			0.1	1	SP 20367318	20020506A233ORG
FGL			02D1182		CHLOROBENZENE	MD1	104	%REC			0.1	1	SP 20367318	20020506A233ORG
FGL	95099	4/24/02	02D1182	02D1182-031.001	CHLOROBENZENE	MS1	104	%REC	NO		0.1	1	SP 20367331	20020520A233ORG
FGL	95099	4/24/02	02D1182	02D1182-031.001	CHLOROBENZENE	MD1	109	%REC	NO		0.1	1	SP 20367331	20020520A233ORG
FGL			02D1182		CHLOROFORM	MS1	97.2	%REC			0.1	1	SP 20345526	20020425A233ORG
FGL			02D1182		CHLOROFORM	MD1	100	%REC			0.1	1	SP 20345526	20020425A233ORG
FGL	4087	4/22/02	02D1182	02D1182-003.001	CHLOROFORM	MS1	89.3	%REC	NO		0.1	1	SP 20367302	20020502A233ORG
FGL	4087	4/22/02	02D1182	02D1182-003.001	CHLOROFORM	MD1	92.4	%REC	NO		0.1	1	SP 20367302	20020502A233ORG
FGL			02D1182		CHLOROFORM	MS1	90.5	%REC			0.1	1	SP 20367318	20020506A233ORG
FGL			02D1182		CHLOROFORM	MD1	89.1	%REC			0.1	1	SP 20367318	20020506A233ORG
FGL	95099	4/24/02	02D1182	02D1182-031.001	CHLOROFORM	MS1	84.8	%REC	NO		0.1	1	SP 20367331	20020520A233ORG
FGL	95099	4/24/02	02D1182	02D1182-031.001	CHLOROFORM	MD1	89.4	%REC	NO		0.1	1	SP 20367331	20020520A233ORG
FGL			02D1182		TOLUENE	MS1	95.5	%REC			0.1	1	SP 20345526	20020425A233ORG
FGL			02D1182		TOLUENE	MD1	97.2	%REC			0.1	1	SP 20345526	20020425A233ORG
FGL	4087	4/22/02	02D1182	02D1182-003.001	TOLUENE	MS1	102	%REC	NO		0.1	1	SP 20367302	20020502A233ORG
FGL	4087	4/22/02	02D1182	02D1182-003.001	TOLUENE	MD1	101	%REC	NO		0.1	1	SP 20367302	20020502A233ORG
FGL			02D1182		TOLUENE	MS1	99.4	%REC			0.1	1	SP 20367318	20020506A233ORG
FGL			02D1182		TOLUENE	MD1	98.7	%REC			0.1	1	SP 20367318	20020506A233ORG
FGL	95099	4/24/02	02D1182	02D1182-031.001	TOLUENE	MS1	98.3	%REC	NO		0.1	1	SP 20367331	20020520A233ORG
FGL	95099	4/24/02	02D1182	02D1182-031.001	TOLUENE	MD1	104	%REC	NO		0.1	1	SP 20367331	20020520A233ORG
FGL			02D1182		TRICHLOROETHENE	MS1	92.6	%REC			0.1	1	SP 20345526	20020425A233ORG
FGL			02D1182		TRICHLOROETHENE	MD1	94.3	%REC			0.1	1	SP 20345526	20020425A233ORG
FGL	4087	4/22/02	02D1182	02D1182-003.001	TRICHLOROETHENE	MS1	94.3	%REC	NO		0.1	1	SP 20367302	20020502A233ORG
FGL	4087	4/22/02	02D1182	02D1182-003.001	TRICHLOROETHENE	MD1	94.5	%REC	NO		0.1	1	SP 20367302	20020502A233ORG
FGL			02D1182		TRICHLOROETHENE	MS1	90.2	%REC			0.1	1	SP 20367318	20020506A233ORG
FGL			02D1182		TRICHLOROETHENE	MD1	89	%REC			0.1	1	SP 20367318	20020506A233ORG
FGL	95099	4/24/02	02D1182	02D1182-031.001	TRICHLOROETHENE	MS1	100	%REC	NO		0.1	1	SP 20367331	20020520A233ORG
FGL	95099	4/24/02	02D1182	02D1182-031.001	TRICHLOROETHENE	MD1	106	%REC	NO		0.1	1	SP 20367331	20020520A233ORG
STLDEN			02D1198		1,1-DICHLOROETHENE	MS1	110	%REC				2	D2D260333-003S	2127379
STLDEN			02D1198		1,1-DICHLOROETHENE	MD1	106	%REC				2	D2D260333-003D	2127379
STLDEN			02D1198		1,1-DICHLOROETHENE	MS2	**133**	%REC				1	D2D260215-002S	2128467
STLDEN			02D1198		1,1-DICHLOROETHENE	MD2	**140**	%REC				1	D2D260215-002D	2128467
STLDEN			02D1198		1,1-DICHLOROETHENE	MS3	99	%REC				1	D2E030153-012S	2134453
STLDEN			02D1198		1,1-DICHLOROETHENE	MD3	97	%REC				1	D2E030153-012D	2134453
STLDEN			02D1198		BENZENE	MS1	113	%REC				2	D2D260333-003S	2127379
STLDEN			02D1198		BENZENE	MD1	108	%REC				2	D2D260333-003D	2127379
STLDEN			02D1198		BENZENE	MS2	**132**	%REC				1	D2D260215-002S	2128467
STLDEN			02D1198		BENZENE	MD2	**136**	%REC				1	D2D260215-002D	2128467
STLDEN			02D1198		BENZENE	MS3	99	%REC				1	D2E030153-012S	2134453
STLDEN			02D1198		BENZENE	MD3	96	%REC				1	D2E030153-012D	2134453
STLDEN			02D1198		CHLOROBENZENE	MS1	106	%REC				2	D2D260333-003S	2127379
STLDEN			02D1198		CHLOROBENZENE	MD1	104	%REC				2	D2D260333-003D	2127379
STLDEN			02D1198		CHLOROBENZENE	MS2	116	%REC				1	D2D260215-002S	2128467
STLDEN			02D1198		CHLOROBENZENE	MD2	122	%REC				1	D2D260215-002D	2128467
STLDEN			02D1198		CHLOROBENZENE	MS3	95	%REC				1	D2E030153-012S	2134453
STLDEN			02D1198		CHLOROBENZENE	MD3	96	%REC				1	D2E030153-012D	2134453
STLDEN			02D1198		TOLUENE	MS1	95	%REC				2	D2D260333-003S	2127379
STLDEN			02D1198		TOLUENE	MD1	97	%REC				2	D2D260333-003D	2127379
STLDEN			02D1198		TOLUENE	MS2	107	%REC				1	D2D260215-002S	2128467
STLDEN			02D1198		TOLUENE	MD2	111	%REC				1	D2D260215-002D	2128467
STLDEN			02D1198		TOLUENE	MS3	95	%REC				1	D2E030153-012S	2134453
STLDEN			02D1198		TOLUENE	MD3	100	%REC				1	D2E030153-012D	2134453
STLDEN			02D1198		TRICHLOROETHENE	MS1	114	%REC				2	D2D260333-003S	2127379
STLDEN			02D1198		TRICHLOROETHENE	MD1	110	%REC				2	D2D260333-003D	2127379

112

Table 7-5
Matrix Spike Recovery for Strontium89/90-Tritium-Dissolved Gases-SVOCs-VOCs-Metals-WQPS
Groundwater - Second Quarter, 2002

Lab	Location	Sample Date	RIN	Bottle#	Analyte	Result Type	Result	Units	Field Filter	Lab Qual	Detect Limit	Dilu-tion	Lab Sample#	Lab Batch#
STLDEN			02D1198		TRICHLOROETHENE	MS2	132	%REC				1	D2D260215-002S	2128467
STLDEN			02D1198		TRICHLOROETHENE	MD2	138	%REC				1	D2D260215-002D	2128467
STLDEN			02D1198		TRICHLOROETHENE	MS3	98	%REC				1	D2E030153-012S	2134453
STLDEN			02D1198		TRICHLOROETHENE	MD3	97	%REC				1	D2E030153-012D	2134453
STLDEN	23296	4/29/02	02D1199	02D1199-013.010	1,1-DICHLOROETHENE	MS1	106	%REC	NO			20	D2E030320-026S	2133299
STLDEN	23296	4/29/02	02D1199	02D1199-013.010	1,1-DICHLOROETHENE	MD1	102	%REC	NO			20	D2E030320-026D	2133299
STLDEN	23296	4/29/02	02D1199	02D1199-013.010	BENZENE	MS1	102	%REC	NO			20	D2E030320-026S	2133299
STLDEN	23296	4/29/02	02D1199	02D1199-013.010	BENZENE	MD1	99	%REC	NO			20	D2E030320-026D	2133299
STLDEN	23296	4/29/02	02D1199	02D1199-013.010	CHLOROBENZENE	MS1	102	%REC	NO			20	D2E030320-026S	2133299
STLDEN	23296	4/29/02	02D1199	02D1199-013.010	CHLOROBENZENE	MD1	99	%REC	NO			20	D2E030320-026D	2133299
STLDEN	23296	4/29/02	02D1199	02D1199-013.010	TOLUENE	MS1	102	%REC	NO			20	D2E030320-026S	2133299
STLDEN	23296	4/29/02	02D1199	02D1199-013.010	TOLUENE	MD1	100	%REC	NO			20	D2E030320-026D	2133299
STLDEN	23296	4/29/02	02D1199	02D1199-013.010	TRICHLOROETHENE	MS1	81	%REC	NO			20	D2E030320-026S	2133299
STLDEN	23296	4/29/02	02D1199	02D1199-013.010	TRICHLOROETHENE	MD1	64	%REC	NO			20	D2E030320-026D	2133299
BC			02D1215		1,1-DICHLOROETHANE	MS1	110	%REC			0.099	1	020486801	1000036649
BC			02D1215		1,1-DICHLOROETHANE	MD1	104	%REC			0.099	1	020486801	1000036649
BC			02D1215		1,1-DICHLOROETHENE	MS1	118	%REC			0.12	1	020486801	1000036649
BC			02D1215		1,1-DICHLOROETHENE	MD1	116	%REC			0.12	1	020486801	1000036649
MSAI	FD-559-561	5/7/02	02D1215	02D1215-032.001	1,1-DICHLOROETHENE	MS2	95.5	%REC	NO		5	10	0205094-07A	HP-6_020516A
MSAI	FD-559-561	5/7/02	02D1215	02D1215-032.001	1,1-DICHLOROETHENE	MS1	115	%REC	NO		0.5	1	0205094-07A	HP-6_020515D
MSAI	FD-559-561	5/7/02	02D1215	02D1215-032.001	1,1-DICHLOROETHENE	MD2	102	%REC	NO		5	10	0205094-07A	HP-6_020516A
MSAI	FD-559-561	5/7/02	02D1215	02D1215-032.001	1,1-DICHLOROETHENE	MD1	99.1	%REC	NO		0.5	1	0205094-07A	HP-6_020515D
BC			02D1215		1,4-DICHLOROBENZENE	MS1	103	%REC			0.14	1	020486801	1000036649
BC			02D1215		1,4-DICHLOROBENZENE	MD1	102	%REC			0.14	1	020486801	1000036649
BC			02D1215		BENZENE	MS1	101	%REC			0.088	1	020486801	1000036649
BC			02D1215		BENZENE	MD1	98	%REC			0.088	1	020486801	1000036649
MSAI	FD-559-561	5/7/02	02D1215	02D1215-032.001	BENZENE	MS2	85.7	%REC	NO		5	10	0205094-07A	HP-6_020516A
MSAI	FD-559-561	5/7/02	02D1215	02D1215-032.001	BENZENE	MS1	99.7	%REC	NO		0.5	1	0205094-07A	HP-6_020515D
MSAI	FD-559-561	5/7/02	02D1215	02D1215-032.001	BENZENE	MD2	93	%REC	NO		5	10	0205094-07A	HP-6_020516A
MSAI	FD-559-561	5/7/02	02D1215	02D1215-032.001	BENZENE	MD1	95	%REC	NO		0.5	1	0205094-07A	HP-6_020515D
BC			02D1215		BROMODICHLOROMETHANE	MS1	90	%REC			0.14	1	020486801	1000036649
BC			02D1215		BROMODICHLOROMETHANE	MD1	95	%REC			0.14	1	020486801	1000036649
BC			02D1215		CHLOROBENZENE	MS1	110	%REC			0.11	1	020486801	1000036649
BC			02D1215		CHLOROBENZENE	MD1	102	%REC			0.11	1	020486801	1000036649
MSAI	FD-559-561	5/7/02	02D1215	02D1215-032.001	CHLOROBENZENE	MS2	88.8	%REC	NO		5	10	0205094-07A	HP-6_020516A
MSAI	FD-559-561	5/7/02	02D1215	02D1215-032.001	CHLOROBENZENE	MS1	99.1	%REC	NO		0.5	1	0205094-07A	HP-6_020515D
MSAI	FD-559-561	5/7/02	02D1215	02D1215-032.001	CHLOROBENZENE	MD2	92.6	%REC	NO		5	10	0205094-07A	HP-6_020516A
MSAI	FD-559-561	5/7/02	02D1215	02D1215-032.001	CHLOROBENZENE	MD1	92	%REC	NO		0.5	1	0205094-07A	HP-6_020515D
BC			02D1215		CHLOROETHANE	MS1	112	%REC			0.16	1	020486801	1000036649
BC			02D1215		CHLOROETHANE	MD1	113	%REC			0.16	1	020486801	1000036649
BC			02D1215		TOLUENE	MS1	109	%REC			0.11	1	020486801	1000036649
BC			02D1215		TOLUENE	MD1	100	%REC			0.11	1	020486801	1000036649
MSAI	FD-559-561	5/7/02	02D1215	02D1215-032.001	TOLUENE	MS2	88.1	%REC	NO		5	10	0205094-07A	HP-6_020516A
MSAI	FD-559-561	5/7/02	02D1215	02D1215-032.001	TOLUENE	MS1	102	%REC	NO		0.5	1	0205094-07A	HP-6_020515D
MSAI	FD-559-561	5/7/02	02D1215	02D1215-032.001	TOLUENE	MD2	96	%REC	NO		5	10	0205094-07A	HP-6_020516A
MSAI	FD-559-561	5/7/02	02D1215	02D1215-032.001	TOLUENE	MD1	93.3	%REC	NO		0.5	1	0205094-07A	HP-6_020515D
BC			02D1215		TRICHLOROETHENE	MS1	112	%REC			0.15	1	020486801	1000036649
BC			02D1215		TRICHLOROETHENE	MD1	101	%REC			0.15	1	020486801	1000036649
MSAI	FD-559-561	5/7/02	02D1215	02D1215-032.001	TRICHLOROETHENE	MS2	95.4	%REC	NO		5	10	0205094-07A	HP-6_020516A
MSAI	FD-559-561	5/7/02	02D1215	02D1215-032.001	TRICHLOROETHENE	MS1	114	%REC	NO	E	0.5	1	0205094-07A	HP-6_020515D
MSAI	FD-559-561	5/7/02	02D1215	02D1215-032.001	TRICHLOROETHENE	MD2	107	%REC	NO		5	10	0205094-07A	HP-6_020516A
MSAI	FD-559-561	5/7/02	02D1215	02D1215-032.001	TRICHLOROETHENE	MD1	-191	%REC	NO	E	0.5	1	0205094-07A	HP-6_020515D
GEL	P416889	5/9/02	02D1227	02D1227-001.001	1,1-DICHLOROETHENE	MS1	90	%REC	NO		1	1	1200219085	166111
GEL	P416889	5/9/02	02D1227	02D1227-001.001	1,1-DICHLOROETHENE	MD1	94	%REC	NO		1	1	1200219086	166111
GEL	P219089	5/15/02	02D1227	02D1227-033.001	1,1-DICHLOROETHENE	MS1	100	%REC	NO		1	1	1200219091	166111
GEL	P219089	5/15/02	02D1227	02D1227-033.001	1,1-DICHLOROETHENE	MD1	101	%REC	NO		1	1	1200219092	166111
GEL	P416889	5/9/02	02D1227	02D1227-001.001	BENZENE	MS1	90	%REC	NO		1	1	1200219085	166111
GEL	P416889	5/9/02	02D1227	02D1227-001.001	BENZENE	MD1	90	%REC	NO		1	1	1200219086	166111
GEL	P219089	5/15/02	02D1227	02D1227-033.001	BENZENE	MS1	100	%REC	NO		1	1	1200219091	166111
GEL	P219089	5/15/02	02D1227	02D1227-033.001	BENZENE	MD1	98	%REC	NO		1	1	1200219092	166111
GEL	P416889	5/9/02	02D1227	02D1227-001.001	CHLOROBENZENE	MS1	88	%REC	NO		1	1	1200219085	166111
GEL	P416889	5/9/02	02D1227	02D1227-001.001	CHLOROBENZENE	MD1	89	%REC	NO		1	1	1200219086	166111
GEL	P219089	5/15/02	02D1227	02D1227-033.001	CHLOROBENZENE	MS1	96	%REC	NO		1	1	1200219091	166111
GEL	P219089	5/15/02	02D1227	02D1227-033.001	CHLOROBENZENE	MD1	96	%REC	NO		1	1	1200219092	166111
GEL	P416889	5/9/02	02D1227	02D1227-001.001	TOLUENE	MS1	90	%REC	NO		1	1	1200219085	166111
GEL	P416889	5/9/02	02D1227	02D1227-001.001	TOLUENE	MD1	93	%REC	NO		1	1	1200219086	166111

113

Table 7-5
Matrix Spike Recovery for Strontium89/90-Tritium-Dissolved Gases-SVOCs-VOCs-Metals-WQPS
Groundwater - Second Quarter, 2002

Lab	Location	Sample Date	RIN	Bottle#	Analyte	Result Type	Result	Units	Field Filter	Lab Qual	Detect Limit	Dilu-tion	Lab Sample#	Lab Batch#
GEL	P219089	5/15/02	02D1227	02D1227-033.001	TOLUENE	MS1	98	%REC	NO		1	1	1200219091	166111
GEL	P219089	5/15/02	02D1227	02D1227-033.001	TOLUENE	MD1	98	%REC	NO		1	1	1200219092	166111
GEL	P416889	5/9/02	02D1227	02D1227-001.001	TRICHLOROETHENE	MS1	86	%REC	NO		1	1	1200219085	166111
GEL	P416889	5/9/02	02D1227	02D1227-001.001	TRICHLOROETHENE	MD1	88	%REC	NO		1	1	1200219086	166111
GEL	P219089	5/15/02	02D1227	02D1227-033.001	TRICHLOROETHENE	MS1	102	%REC	NO		1	1	1200219091	166111
GEL	P219089	5/15/02	02D1227	02D1227-033.001	TRICHLOROETHENE	MD1	101	%REC	NO		1	1	1200219092	166111
FGL			02D1244		1,1-DICHLOROETHENE	MS1	**67.7**	%REC			0.1	1	SP 20479007	20020529A233ORG
FGL			02D1244		1,1-DICHLOROETHENE	MD1	76.1	%REC			0.1	1	SP 20479007	20020529A233ORG
FGL			02D1244		BENZENE	MS1	96.7	%REC			0.1	1	SP 20479007	20020529A233ORG
FGL			02D1244		BENZENE	MD1	105	%REC			0.1	1	SP 20479007	20020529A233ORG
FGL			02D1244		CHLOROBENZENE	MS1	101	%REC			0.1	1	SP 20479007	20020529A233ORG
FGL			02D1244		CHLOROBENZENE	MD1	115	%REC			0.1	1	SP 20479007	20020529A233ORG
FGL			02D1244		CHLOROFORM	MS1	94.2	%REC			0.1	1	SP 20479007	20020529A233ORG
FGL			02D1244		CHLOROFORM	MD1	102	%REC			0.1	1	SP 20479007	20020529A233ORG
FGL			02D1244		TOLUENE	MS1	99.8	%REC			0.1	1	SP 20479007	20020529A233ORG
FGL			02D1244		TOLUENE	MD1	112	%REC			0.1	1	SP 20479007	20020529A233ORG
FGL			02D1244		TRICHLOROETHENE	MS1	99.2	%REC			0.1	1	SP 20479007	20020529A233ORG
FGL			02D1244		TRICHLOROETHENE	MD1	110	%REC			0.1	1	SP 20479007	20020529A233ORG
FGL	50894	5/29/02	02D1253	02D1253-006.001	1,1-DICHLOROETHENE	MS1	**60.3**	%REC	NO		0.1	1	SP 20505001	20020604A233ORG
FGL	50894	5/29/02	02D1253	02D1253-006.001	1,1-DICHLOROETHENE	MD1	**54.9**	%REC	NO		0.1	1	SP 20505001	20020604A233ORG
FGL	50894	5/29/02	02D1253	02D1253-006.001	BENZENE	MS1	103	%REC	NO		0.1	1	SP 20505001	20020604A233ORG
FGL	50894	5/29/02	02D1253	02D1253-006.001	BENZENE	MD1	96.8	%REC	NO		0.1	1	SP 20505001	20020604A233ORG
FGL	50894	5/29/02	02D1253	02D1253-006.001	CHLOROBENZENE	MS1	114	%REC	NO		0.1	1	SP 20505001	20020604A233ORG
FGL	50894	5/29/02	02D1253	02D1253-006.001	CHLOROBENZENE	MD1	107	%REC	NO		0.1	1	SP 20505001	20020604A233ORG
FGL	50894	5/29/02	02D1253	02D1253-006.001	CHLOROFORM	MS1	105	%REC	NO		0.1	1	SP 20505001	20020604A233ORG
FGL	50894	5/29/02	02D1253	02D1253-006.001	CHLOROFORM	MD1	96.2	%REC	NO		0.1	1	SP 20505001	20020604A233ORG
FGL	50894	5/29/02	02D1253	02D1253-006.001	TOLUENE	MS1	114	%REC	NO		0.1	1	SP 20505001	20020604A233ORG
FGL	50894	5/29/02	02D1253	02D1253-006.001	TOLUENE	MD1	107	%REC	NO		0.1	1	SP 20505001	20020604A233ORG
FGL	50894	5/29/02	02D1253	02D1253-006.001	TRICHLOROETHENE	MS1	115	%REC	NO		0.1	1	SP 20505001	20020604A233ORG
FGL	50894	5/29/02	02D1253	02D1253-006.001	TRICHLOROETHENE	MD1	101	%REC	NO		0.1	1	SP 20505001	20020604A233ORG
FGL			02D1278		1,1-DICHLOROETHENE	MS1	122	%REC			0.1	1	SP 20534704	20020610A233ORG
FGL			02D1278		1,1-DICHLOROETHENE	MD1	**126**	%REC			0.1	1	SP 20534704	20020610A233ORG
FGL			02D1278		BENZENE	MS1	101	%REC			0.1	1	SP 20534704	20020610A233ORG
FGL			02D1278		BENZENE	MD1	106	%REC			0.1	1	SP 20534704	20020610A233ORG
FGL			02D1278		CHLOROBENZENE	MS1	112	%REC			0.1	1	SP 20534704	20020610A233ORG
FGL			02D1278		CHLOROBENZENE	MD1	111	%REC			0.1	1	SP 20534704	20020610A233ORG
FGL			02D1278		CHLOROFORM	MS1	85.1	%REC			0.1	1	SP 20534704	20020610A233ORG
FGL			02D1278		CHLOROFORM	MD1	91	%REC			0.1	1	SP 20534704	20020610A233ORG
FGL			02D1278		TOLUENE	MS1	102	%REC			0.1	1	SP 20534704	20020610A233ORG
FGL			02D1278		TOLUENE	MD1	106	%REC			0.1	1	SP 20534704	20020610A233ORG
FGL			02D1278		TRICHLOROETHENE	MS1	106	%REC			0.1	1	SP 20534704	20020610A233ORG
FGL			02D1278		TRICHLOROETHENE	MD1	108	%REC			0.1	1	SP 20534704	20020610A233ORG
FGL			02D1298		1,1-DICHLOROETHENE	MS1	**127**	%REC			0.1	1	SP 20566103	20020619A233ORG
FGL			02D1298		1,1-DICHLOROETHENE	MD1	125	%REC			0.1	1	SP 20566103	20020619A233ORG
FGL			02D1298		BENZENE	MS1	105	%REC			0.1	1	SP 20566103	20020619A233ORG
FGL			02D1298		BENZENE	MD1	106	%REC			0.1	1	SP 20566103	20020619A233ORG
FGL			02D1298		CHLOROBENZENE	MS1	103	%REC			0.1	1	SP 20566103	20020619A233ORG
FGL			02D1298		CHLOROBENZENE	MD1	105	%REC			0.1	1	SP 20566103	20020619A233ORG
FGL			02D1298		CHLOROFORM	MS1	96.6	%REC			0.1	1	SP 20566103	20020619A233ORG
FGL			02D1298		CHLOROFORM	MD1	98.3	%REC			0.1	1	SP 20566103	20020619A233ORG
FGL			02D1298		TOLUENE	MS1	103	%REC			0.1	1	SP 20566103	20020619A233ORG
FGL			02D1298		TOLUENE	MD1	105	%REC			0.1	1	SP 20566103	20020619A233ORG
FGL			02D1298		TRICHLOROETHENE	MS1	104	%REC			0.1	1	SP 20566103	20020619A233ORG
FGL			02D1298		TRICHLOROETHENE	MD1	106	%REC			0.1	1	SP 20566103	20020619A233ORG
STLDEN			02D1316		1,1-DICHLOROETHENE	MS1	97	%REC				6.66	D2F140351-003S	2178395
STLDEN			02D1316		1,1-DICHLOROETHENE	MD1	107	%REC				6.66	D2F140351-003D	2178395
STLDEN	18799	6/18/02	02D1316	02D1316-002.002	1,1-DICHLOROETHENE	MS1	100	%REC	NO			20	D2F190323-005S	2183374
STLDEN	18799	6/18/02	02D1316	02D1316-002.002	1,1-DICHLOROETHENE	MD1	92	%REC	NO			20	D2F190323-005D	2183374
STLDEN			02D1316		BENZENE	MS1	102	%REC				6.66	D2F140351-003S	2178395
STLDEN			02D1316		BENZENE	MD1	112	%REC				6.66	D2F140351-003D	2178395
STLDEN			02D1316		CHLOROBENZENE	MS1	105	%REC				6.66	D2F140351-003S	2178395
STLDEN			02D1316		CHLOROBENZENE	MD1	108	%REC				6.66	D2F140351-003D	2178395
STLDEN			02D1316		TOLUENE	MS1	108	%REC				6.66	D2F140351-003S	2178395
STLDEN			02D1316		TOLUENE	MD1	110	%REC				6.66	D2F140351-003D	2178395
STLDEN	18799	6/18/02	02D1316	02D1316-002.002	TOLUENE	MS1	94	%REC	NO			20	D2F190323-005S	2183374

114

Table 7-5
Matrix Spike Recovery for Strontium89/90-Tritium-Dissolved Gases-SVOCs-VOCs-Metals-WQPS
Groundwater - Second Quarter, 2002

Lab	Location	Sample Date	RIN	Bottle#	Analyte	Result Type	Result	Units	Field Filter	Lab Qual	Detect Limit	Dilu-tion	Lab Sample#	Lab Batch#
STLDEN	18799	6/18/02	02D1316	02D1316-002.002	TOLUENE	MD1	91	%REC	NO			20	D2F190323-005D	2183374
STLDEN			02D1316		TRICHLOROETHENE	MS1	104	%REC				6.66	D2F140351-003S	2178395
STLDEN			02D1316		TRICHLOROETHENE	MD1	111	%REC				6.66	D2F140351-003D	2178395
STLDEN			02D1336		1,1-DICHLOROETHENE	MS1	90	%REC				10	D2F260361-001S	2184429
STLDEN			02D1336		1,1-DICHLOROETHENE	MD1	90	%REC				10	D2F260361-001D	2184429
STLDEN			02D1336		1,1-DICHLOROETHENE	MS2	102	%REC				1	D2F270292-001S	2186471
STLDEN			02D1336		1,1-DICHLOROETHENE	MD2	102	%REC				1	D2F270292-001D	2186471
STLDEN			02D1336		1,1-DICHLOROETHENE	MS3	92	%REC				1	D2G080106-001S	2192295
STLDEN			02D1336		1,1-DICHLOROETHENE	MD3	91	%REC				1	D2G080106-001D	2192295
STLDEN			02D1336		BENZENE	MS1	101	%REC				10	D2F260361-001S	2184429
STLDEN			02D1336		BENZENE	MD1	99	%REC				10	D2F260361-001D	2184429
STLDEN			02D1336		BENZENE	MS2	102	%REC				1	D2F270292-001S	2186471
STLDEN			02D1336		BENZENE	MD2	106	%REC				1	D2F270292-001D	2186471
STLDEN			02D1336		BENZENE	MS3	97	%REC				1	D2G080106-001S	2192295
STLDEN			02D1336		BENZENE	MD3	97	%REC				1	D2G080106-001D	2192295
STLDEN			02D1336		CHLOROBENZENE	MS1	103	%REC				10	D2F260361-001S	2184429
STLDEN			02D1336		CHLOROBENZENE	MD1	103	%REC				10	D2F260361-001D	2184429
STLDEN			02D1336		CHLOROBENZENE	MS2	105	%REC				1	D2F270292-001S	2186471
STLDEN			02D1336		CHLOROBENZENE	MD2	109	%REC				1	D2F270292-001D	2186471
STLDEN			02D1336		CHLOROBENZENE	MS3	93	%REC				1	D2G080106-001S	2192295
STLDEN			02D1336		CHLOROBENZENE	MD3	91	%REC				1	D2G080106-001D	2192295
STLDEN			02D1336		TOLUENE	MS1	100	%REC				10	D2F260361-001S	2184429
STLDEN			02D1336		TOLUENE	MD1	102	%REC				10	D2F260361-001D	2184429
STLDEN			02D1336		TOLUENE	MS2	107	%REC				1	D2F270292-001S	2186471
STLDEN			02D1336		TOLUENE	MD2	108	%REC				1	D2F270292-001D	2186471
STLDEN			02D1336		TOLUENE	MS3	93	%REC				1	D2G080106-001S	2192295
STLDEN			02D1336		TOLUENE	MD3	89	%REC				1	D2G080106-001D	2192295
STLDEN			02D1336		TRICHLOROETHENE	MS1	99	%REC				10	D2F260361-001S	2184429
STLDEN			02D1336		TRICHLOROETHENE	MD1	97	%REC				10	D2F260361-001D	2184429
STLDEN			02D1336		TRICHLOROETHENE	MS2	107	%REC				1	D2F270292-001S	2186471
STLDEN			02D1336		TRICHLOROETHENE	MD2	108	%REC				1	D2F270292-001D	2186471
STLDEN			02D1336		TRICHLOROETHENE	MS3	98	%REC				1	D2G080106-001S	2192295
STLDEN			02D1336		TRICHLOROETHENE	MD3	97	%REC				1	D2G080106-001D	2192295
Total and Dissolved Metals														
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	ALUMINUM	MD1	803	%REC	NO	N		1	D2D090183-002D	2101448
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	ALUMINUM	MS1	18	%REC	NO	N		1	D2D090183-002S	2101448
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	ALUMINUM	MS1	101	%REC	NO			1	D2D040330-002S	2098330
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	ALUMINUM	MD1	102	%REC	NO			1	D2D040330-002D	2098330
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	ANTIMONY	MD1	100	%REC	NO			1	D2D090183-002D	2101448
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	ANTIMONY	MS1	101	%REC	NO			1	D2D090183-002S	2101448
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	ANTIMONY	MS1	99	%REC	NO			1	D2D040330-002S	2098330
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	ANTIMONY	MD1	104	%REC	NO			1	D2D040330-002D	2098330
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	ARSENIC	MD1	108	%REC	NO			1	D2D090183-002D	2101448
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	ARSENIC	MS1	108	%REC	NO			1	D2D090183-002S	2101448
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	ARSENIC	MD1	102	%REC	NO			1	D2D040330-002D	2098330
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	ARSENIC	MS1	98	%REC	NO			1	D2D040330-002S	2098330
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	BARIUM	MD1	95	%REC	NO			1	D2D090183-002D	2101448
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	BARIUM	MS1	96	%REC	NO			1	D2D090183-002S	2101448
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	BARIUM	MS1	99	%REC	NO			1	D2D040330-002S	2098330
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	BARIUM	MD1	106	%REC	NO			1	D2D040330-002D	2098330
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	BERYLLIUM	MD1	88	%REC	NO	N		1	D2D090183-002D	2101448
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	BERYLLIUM	MS1	88	%REC	NO	N		1	D2D090183-002S	2101448
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	BERYLLIUM	MS1	90	%REC	NO			1	D2D040330-002S	2098330
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	BERYLLIUM	MD1	91	%REC	NO			1	D2D040330-002D	2098330
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	CADMIUM	MD1	98	%REC	NO			1	D2D090183-002D	2101448
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	CADMIUM	MS1	98	%REC	NO			1	D2D090183-002S	2101448
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	CADMIUM	MD1	94	%REC	NO			1	D2D040330-002D	2098330
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	CADMIUM	MS1	90	%REC	NO			1	D2D040330-002S	2098330
STLDEN	05093	4/3/02	02D1074	02D1074-015.004	CALCIUM	MD1	85	%REC	NO	N		1	D2D090183-001D	2101442
STLDEN	05093	4/3/02	02D1074	02D1074-015.004	CALCIUM	MS1	86	%REC	NO	N		1	D2D090183-001S	2101442
STLDEN	30900	4/1/02	02D1074	02D1074-001.011	CALCIUM	MD1	97	%REC	YES			1	D2D040330-001D	2098322
STLDEN	30900	4/1/02	02D1074	02D1074-001.011	CALCIUM	MS1	95	%REC	YES			1	D2D040330-001S	2098322
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	CHROMIUM	MD1	97	%REC	NO			1	D2D090183-002D	2101448
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	CHROMIUM	MS1	97	%REC	NO			1	D2D090183-002S	2101448
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	CHROMIUM	MD1	97	%REC	NO			1	D2D040330-002D	2098330
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	CHROMIUM	MS1	94	%REC	NO			1	D2D040330-002S	2098330

115

Table 7-5
Matrix Spike Recovery for Strontium89/90-Tritium-Dissolved Gases-SVOCs-VOCs-Metals-WQPS
Groundwater - Second Quarter, 2002

Lab	Location	Sample Date	RIN	Bottle#	Analyte	Result Type	Result	Units	Field Filter	Lab Qual	Detect Limit	Dilu-tion	Lab Sample#	Lab Batch#
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	COBALT	MD1	96	%REC	NO			1	D2D090183-002D	2101448
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	COBALT	MS1	97	%REC	NO			1	D2D090183-002S	2101448
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	COBALT	MD1	96	%REC	NO			1	D2D040330-002D	2098330
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	COBALT	MS1	91	%REC	NO			1	D2D040330-002S	2098330
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	COPPER	MS1	103	%REC	NO			1	D2D090183-002S	2101448
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	COPPER	MD1	103	%REC	NO			1	D2D090183-002D	2101448
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	COPPER	MS1	98	%REC	NO			1	D2D040330-002S	2098330
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	COPPER	MD1	103	%REC	NO			1	D2D040330-002D	2098330
STLDEN	05093	4/3/02	02D1074	02D1074-015.004	IRON	MD1	129	%REC	NO	N		1	D2D090183-001D	2101442
STLDEN	05093	4/3/02	02D1074	02D1074-015.004	IRON	MS1	118	%REC	NO	N		1	D2D090183-001S	2101442
STLDEN	30900	4/1/02	02D1074	02D1074-001.011	IRON	MD1	131	%REC	YES	N		1	D2D040330-001D	2098322
STLDEN	30900	4/1/02	02D1074	02D1074-001.011	IRON	MS1	103	%REC	YES			1	D2D040330-001S	2098322
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	LEAD	MS1	102	%REC	NO			1	D2D090183-002S	2101448
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	LEAD	MD1	101	%REC	NO			1	D2D090183-002D	2101448
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	LEAD	MS1	98	%REC	NO			1	D2D040330-002S	2098330
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	LEAD	MD1	102	%REC	NO			1	D2D040330-002D	2098330
STLDEN	05093	4/3/02	02D1074	02D1074-015.004	LITHIUM	MD1	111	%REC	NO			1	D2D090183-001D	2101442
STLDEN	05093	4/3/02	02D1074	02D1074-015.004	LITHIUM	MS1	111	%REC	NO			1	D2D090183-001S	2101442
STLDEN	30900	4/1/02	02D1074	02D1074-001.011	LITHIUM	MS1	101	%REC	YES			1	D2D040330-001S	2098322
STLDEN	30900	4/1/02	02D1074	02D1074-001.011	LITHIUM	MD1	101	%REC	YES			1	D2D040330-001D	2098322
STLDEN	05093	4/3/02	02D1074	02D1074-015.004	MAGNESIUM	MS1	105	%REC	NO			1	D2D090183-001S	2101442
STLDEN	05093	4/3/02	02D1074	02D1074-015.004	MAGNESIUM	MD1	106	%REC	NO			1	D2D090183-001D	2101442
STLDEN	30900	4/1/02	02D1074	02D1074-001.011	MAGNESIUM	MS1	99	%REC	YES			1	D2D040330-001S	2098322
STLDEN	30900	4/1/02	02D1074	02D1074-001.011	MAGNESIUM	MD1	101	%REC	YES			1	D2D040330-001D	2098322
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	MANGANESE	MS1	100	%REC	NO			1	D2D090183-002S	2101448
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	MANGANESE	MD1	98	%REC	NO			1	D2D090183-002D	2101448
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	MANGANESE	MS1	71	%REC	NO	N		10	D2D040330-002S	2098330
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	MANGANESE	MD1	164	%REC	NO	N		10	D2D040330-002D	2098330
STLDEN	05093	4/3/02	02D1074	02D1074-015.004	MERCURY	MS1	79	%REC	NO	N		1	D2D090183-001S	2100254
STLDEN	05093	4/3/02	02D1074	02D1074-015.004	MERCURY	MD1	78	%REC	NO	N		1	D2D090183-001D	2100254
STLDEN			02D1074		MERCURY	MD1	94	%REC				1	D2C280278-001D	2098333
STLDEN			02D1074		MERCURY	MS1	93	%REC				1	D2C280278-001S	2098333
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	MOLYBDENUM	MS1	97	%REC	NO			1	D2D090183-002S	2101448
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	MOLYBDENUM	MD1	97	%REC	NO			1	D2D090183-002D	2101448
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	MOLYBDENUM	MS1	93	%REC	NO			1	D2D040330-002S	2098330
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	MOLYBDENUM	MD1	98	%REC	NO			1	D2D040330-002D	2098330
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	NICKEL	MS1	99	%REC	NO			1	D2D090183-002S	2101448
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	NICKEL	MD1	98	%REC	NO			1	D2D090183-002D	2101448
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	NICKEL	MS1	96	%REC	NO			1	D2D040330-002S	2098330
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	NICKEL	MD1	101	%REC	NO			1	D2D040330-002D	2098330
STLDEN	05093	4/3/02	02D1074	02D1074-015.004	POTASSIUM	MS1	110	%REC	NO	N		1	D2D090183-001S	2101442
STLDEN	05093	4/3/02	02D1074	02D1074-015.004	POTASSIUM	MD1	111	%REC	NO	N		1	D2D090183-001D	2101442
STLDEN	30900	4/1/02	02D1074	02D1074-001.011	POTASSIUM	MS1	105	%REC	YES			1	D2D040330-001S	2098322
STLDEN	30900	4/1/02	02D1074	02D1074-001.011	POTASSIUM	MD1	106	%REC	YES			1	D2D040330-001D	2098322
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	SELENIUM	MS1	114	%REC	NO	N		1	D2D090183-002S	2101448
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	SELENIUM	MD1	115	%REC	NO	N		1	D2D090183-002D	2101448
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	SELENIUM	MS1	105	%REC	NO			1	D2D040330-002S	2098330
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	SELENIUM	MD1	108	%REC	NO			1	D2D040330-002D	2098330
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	SILVER	MS1	110	%REC	NO			1	D2D090183-002S	2101448
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	SILVER	MD1	110	%REC	NO			1	D2D090183-002D	2101448
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	SILVER	MS1	98	%REC	NO			1	D2D040330-002S	2098330
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	SILVER	MD1	102	%REC	NO			1	D2D040330-002D	2098330
STLDEN	05093	4/3/02	02D1074	02D1074-015.004	SODIUM	MS1	101	%REC	NO			1	D2D090183-001S	2101442
STLDEN	05093	4/3/02	02D1074	02D1074-015.004	SODIUM	MD1	108	%REC	NO			1	D2D090183-001D	2101442
STLDEN	30900	4/1/02	02D1074	02D1074-001.011	SODIUM	MS1	104	%REC	YES			1	D2D040330-001S	2098322
STLDEN	30900	4/1/02	02D1074	02D1074-001.011	SODIUM	MD1	105	%REC	YES			1	D2D040330-001D	2098322
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	STRONTIUM	MS1	96	%REC	NO			1	D2D090183-002S	2101448
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	STRONTIUM	MD1	97	%REC	NO			1	D2D090183-002D	2101448
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	STRONTIUM	MS1	93	%REC	NO			1	D2D040330-002S	2098330
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	STRONTIUM	MD1	103	%REC	NO			1	D2D040330-002D	2098330
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	THALLIUM	MD1	103	%REC	NO			1	D2D090183-002D	2101448
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	THALLIUM	MS1	103	%REC	NO			1	D2D090183-002S	2101448
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	THALLIUM	MS1	95	%REC	NO			1	D2D040330-002S	2098330
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	THALLIUM	MD1	100	%REC	NO			1	D2D040330-002D	2098330
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	TIN	MD1	90	%REC	NO			1	D2D090183-002D	2101448
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	TIN	MS1	93	%REC	NO			1	D2D090183-002S	2101448

116

Table 7-5
Matrix Spike Recovery for Strontium89/90-Tritium-Dissolved Gases-SVOCs-VOCs-Metals-WQPS
Groundwater - Second Quarter, 2002

Lab	Location	Sample Date	RIN	Bottle#	Analyte	Result Type	Result	Units	Field Filter	Lab Qual	Detect Limit	Dilu-tion	Lab Sample#	Lab Batch#
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	TIN	MS1	96	%REC	NO			1	D2D040330-002S	2098330
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	TIN	MD1	99	%REC	NO			1	D2D040330-002D	2098330
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	URANIUM, TOTAL	MD1	92	%REC	NO			1	D2D090183-002D	2101448
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	URANIUM, TOTAL	MS1	92	%REC	NO			1	D2D090183-002S	2101448
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	URANIUM, TOTAL	MS1	92	%REC	NO			1	D2D040330-002S	2098330
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	URANIUM, TOTAL	MD1	97	%REC	NO			1	D2D040330-002D	2098330
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	VANADIUM	MD1	98	%REC	NO			1	D2D090183-002D	2101448
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	VANADIUM	MS1	98	%REC	NO			1	D2D090183-002S	2101448
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	VANADIUM	MS1	93	%REC	NO			1	D2D040330-002S	2098330
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	VANADIUM	MD1	97	%REC	NO			1	D2D040330-002D	2098330
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	ZINC	MD1	100	%REC	NO			1	D2D090183-002D	2101448
STLDEN	05093	4/3/02	02D1074	02D1074-016.004	ZINC	MS1	102	%REC	NO			1	D2D090183-002S	2101448
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	ZINC	MS1	90	%REC	NO			1	D2D040330-002S	2098330
STLDEN	30900	4/1/02	02D1074	02D1074-001.012	ZINC	MD1	93	%REC	NO			1	D2D040330-002D	2098330
LVLI	84602	4/10/02	02D1153	02D1153-005.004	ALUMINUM	MS1	106.1	%REC	YES			1	0204L392-004	02L0198
STLDEN			02D1153		ALUMINUM	MD1	105	%REC				1	D2D110302-001D	2108280
STLDEN			02D1153		ALUMINUM	MS1	104	%REC				1	D2D110302-001S	2108280
LVLI	84602	4/10/02	02D1153	02D1153-005.004	ANTIMONY	MS1	97.7	%REC	YES			1	0204L392-004	02L0198
STLDEN			02D1153		ANTIMONY	MD1	104	%REC				1	D2D110302-001D	2108280
STLDEN			02D1153		ANTIMONY	MS1	103	%REC				1	D2D110302-001S	2108280
LVLI	84602	4/10/02	02D1153	02D1153-005.004	ARSENIC	MS1	101.7	%REC	YES			1	0204L392-004	02L0198
STLDEN			02D1153		ARSENIC	MD1	105	%REC				1	D2D110302-001D	2108280
STLDEN			02D1153		ARSENIC	MS1	104	%REC				1	D2D110302-001S	2108280
LVLI	84602	4/10/02	02D1153	02D1153-005.004	BARIUM	MS1	88	%REC	YES			1	0204L392-004	02L0198
STLDEN			02D1153		BARIUM	MD1	99	%REC				1	D2D110302-001D	2108280
STLDEN			02D1153		BARIUM	MS1	98	%REC				1	D2D110302-001S	2108280
LVLI	84602	4/10/02	02D1153	02D1153-005.004	BERYLLIUM	MS1	89.9	%REC	YES			1	0204L392-004	02L0198
STLDEN			02D1153		BERYLLIUM	MD1	85	%REC		N		1	D2D110302-001D	2108280
STLDEN			02D1153		BERYLLIUM	MS1	84	%REC		N		1	D2D110302-001S	2108280
LVLI	84602	4/10/02	02D1153	02D1153-005.004	CADMIUM	MS1	86.4	%REC	YES			1	0204L392-004	02L0198
STLDEN			02D1153		CADMIUM	MD1	94	%REC				1	D2D110302-001D	2108280
STLDEN			02D1153		CADMIUM	MS1	93	%REC				1	D2D110302-001S	2108280
STLDEN	31001	4/1/02	02D1153	02D1153-001.001	CALCIUM	MS1	95	%REC	NO			1	D2D110300-001S	2108275
STLDEN	31001	4/1/02	02D1153	02D1153-001.001	CALCIUM	MD1	97	%REC	NO			1	D2D110300-001D	2108275
LVLI	84602	4/10/02	02D1153	02D1153-005.004	CHROMIUM	MS1	88.2	%REC	YES			1	0204L392-004	02L0198
STLDEN			02D1153		CHROMIUM	MD1	94	%REC				1	D2D110302-001D	2108280
STLDEN			02D1153		CHROMIUM	MS1	92	%REC				1	D2D110302-001S	2108280
LVLI	84602	4/10/02	02D1153	02D1153-005.004	COBALT	MS1	90.3	%REC	YES			1	0204L392-004	02L0198
STLDEN			02D1153		COBALT	MD1	94	%REC				1	D2D110302-001D	2108280
STLDEN			02D1153		COBALT	MS1	93	%REC				1	D2D110302-001S	2108280
LVLI	84602	4/10/02	02D1153	02D1153-005.004	COPPER	MS1	100.2	%REC	YES			1	0204L392-004	02L0198
STLDEN			02D1153		COPPER	MD1	101	%REC				1	D2D110302-001D	2108280
STLDEN			02D1153		COPPER	MS1	100	%REC				1	D2D110302-001S	2108280
LVLI	84602	4/10/02	02D1153	02D1153-005.004	IRON	MS1	95.9	%REC	YES			1	0204L392-004	02L0198
STLDEN	31001	4/1/02	02D1153	02D1153-001.001	IRON	MD1	116	%REC	NO	N		1	D2D110300-001D	2108275
STLDEN	31001	4/1/02	02D1153	02D1153-001.001	IRON	MS1	119	%REC	NO	N		1	D2D110300-001S	2108275
LVLI	84602	4/10/02	02D1153	02D1153-005.004	LEAD	MS1	92.1	%REC	YES			1	0204L392-004	02L0198
STLDEN			02D1153		LEAD	MD1	102	%REC				1	D2D110302-001D	2108280
STLDEN			02D1153		LEAD	MS1	100	%REC				1	D2D110302-001S	2108280
LVLI	84602	4/10/02	02D1153	02D1153-005.004	LITHIUM	MS1	**149**	%REC	YES			1	0204L392-004	02L0198
STLDEN	31001	4/1/02	02D1153	02D1153-001.001	LITHIUM	MS1	100	%REC	NO			1	D2D110300-001S	2108275
STLDEN	31001	4/1/02	02D1153	02D1153-001.001	LITHIUM	MD1	102	%REC	NO			1	D2D110300-001D	2108275
STLDEN	31001	4/1/02	02D1153	02D1153-001.001	MAGNESIUM	MD1	102	%REC	NO			1	D2D110300-001D	2108275
STLDEN	31001	4/1/02	02D1153	02D1153-001.001	MAGNESIUM	MS1	100	%REC	NO			1	D2D110300-001S	2108275
LVLI	84602	4/10/02	02D1153	02D1153-005.004	MANGANESE	MS1	**140.2**	%REC	YES			1	0204L392-004	02L0198
STLDEN			02D1153		MANGANESE	MD1	94	%REC				1	D2D110302-001D	2108280
STLDEN			02D1153		MANGANESE	MS1	93	%REC				1	D2D110302-001S	2108280
LVLI	P218089	4/3/02	02D1153	02D1153-002.001	MERCURY	MS1	87	%REC	YES		0.1	1	0204L392-001	02C0101
STLDEN	31001	4/1/02	02D1153	02D1153-001.001	MERCURY	MD1	95	%REC	NO			1	D2D110300-001D	2106410
STLDEN	31001	4/1/02	02D1153	02D1153-001.001	MERCURY	MS1	93	%REC	NO			1	D2D110300-001S	2106410
LVLI	84602	4/10/02	02D1153	02D1153-005.004	MOLYBDENUM	MS1	94.8	%REC	YES			1	0204L392-004	02L0198
STLDEN			02D1153		MOLYBDENUM	MD1	96	%REC				1	D2D110302-001D	2108280
STLDEN			02D1153		MOLYBDENUM	MS1	95	%REC				1	D2D110302-001S	2108280
LVLI	84602	4/10/02	02D1153	02D1153-005.004	NICKEL	MS1	89.3	%REC	YES			1	0204L392-004	02L0198
STLDEN			02D1153		NICKEL	MD1	95	%REC				1	D2D110302-001D	2108280
STLDEN			02D1153		NICKEL	MS1	93	%REC				1	D2D110302-001S	2108280

177

Table 7-5
Matrix Spike Recovery for Strontium89/90-Tritium-Dissolved Gases-SVOCs-VOCs-Metals-WQPS
Groundwater - Second Quarter, 2002

Lab	Location	Sample Date	RIN	Bottle#	Analyte	Result Type	Result	Units	Field Filter	Lab Qual	Detect Limit	Dilu-tion	Lab Sample#	Lab Batch#
STLDEN	31001	4/1/02	02D1153	02D1153-001.001	POTASSIUM	MS1	99	%REC	NO			1	D2D110300-001S	2108275
STLDEN	31001	4/1/02	02D1153	02D1153-001.001	POTASSIUM	MD1	101	%REC	NO			1	D2D110300-001D	2108275
LVLI	84602	4/10/02	02D1153	02D1153-005.004	SELENIUM	MS1	106.2	%REC	YES			1	0204L392-004	02L0198
STLDEN			02D1153		SELENIUM	MD1	114	%REC		N		1	D2D110302-001D	2108280
STLDEN			02D1153		SELENIUM	MS1	113	%REC		N		1	D2D110302-001S	2108280
LVLI	84602	4/10/02	02D1153	02D1153-005.004	SILVER	MS1	75.8	%REC	YES			1	0204L392-004	02L0198
STLDEN			02D1153		SILVER	MD1	108	%REC				1	D2D110302-001D	2108280
STLDEN			02D1153		SILVER	MS1	106	%REC				1	D2D110302-001S	2108280
STLDEN	31001	4/1/02	02D1153	02D1153-001.001	SODIUM	MS1	99	%REC	NO			1	D2D110300-001S	2108275
STLDEN	31001	4/1/02	02D1153	02D1153-001.001	SODIUM	MD1	100	%REC	NO			1	D2D110300-001D	2108275
LVLI	84602	4/10/02	02D1153	02D1153-005.004	STRONTIUM	MS1	100.9	%REC	YES			1	0204L392-004	02L0198
STLDEN			02D1153		STRONTIUM	MD1	94	%REC				1	D2D110302-001D	2108280
STLDEN			02D1153		STRONTIUM	MS1	90	%REC				1	D2D110302-001S	2108280
LVLI	84602	4/10/02	02D1153	02D1153-005.004	THALLIUM	MS1	95.9	%REC	YES			1	0204L392-004	02L0198
STLDEN			02D1153		THALLIUM	MD1	102	%REC				1	D2D110302-001D	2108280
STLDEN			02D1153		THALLIUM	MS1	100	%REC				1	D2D110302-001S	2108280
LVLI	84602	4/10/02	02D1153	02D1153-005.004	TIN	MS1	95.4	%REC	YES			1	0204L392-004	02L0198
STLDEN			02D1153		TIN	MD1	102	%REC				1	D2D110302-001D	2108280
STLDEN			02D1153		TIN	MS1	100	%REC				1	D2D110302-001S	2108280
LVLI	84602	4/10/02	02D1153	02D1153-005.004	URANIUM, TOTAL	MS1	90.3	%REC	YES			1	0204L392-004	02L0198
STLDEN			02D1153		URANIUM, TOTAL	MD1	92	%REC				1	D2D110302-001D	2108280
STLDEN			02D1153		URANIUM, TOTAL	MS1	92	%REC				1	D2D110302-001S	2108280
LVLI	84602	4/10/02	02D1153	02D1153-005.004	VANADIUM	MS1	90.2	%REC	YES			1	0204L392-004	02L0198
STLDEN			02D1153		VANADIUM	MD1	95	%REC				1	D2D110302-001D	2108280
STLDEN			02D1153		VANADIUM	MS1	94	%REC				1	D2D110302-001S	2108280
LVLI	84602	4/10/02	02D1153	02D1153-005.004	ZINC	MS1	86.5	%REC	YES			1	0204L392-004	02L0198
STLDEN			02D1153		ZINC	MD1	92	%REC				1	D2D110302-001D	2108280
STLDEN			02D1153		ZINC	MS1	90	%REC				1	D2D110302-001S	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	ALUMINUM	MD1	105	%REC	YES			1	D2D110302-001D	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	ALUMINUM	MS1	104	%REC	YES			1	D2D110302-001S	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	ANTIMONY	MD1	104	%REC	YES			1	D2D110302-001D	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	ANTIMONY	MS1	103	%REC	YES			1	D2D110302-001S	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	ARSENIC	MD1	105	%REC	YES			1	D2D110302-001D	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	ARSENIC	MS1	104	%REC	YES			1	D2D110302-001S	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	BARIUM	MD1	99	%REC	YES			1	D2D110302-001D	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	BARIUM	MS1	98	%REC	YES			1	D2D110302-001S	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	BERYLLIUM	MD1	85	%REC	YES	N		1	D2D110302-001D	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	BERYLLIUM	MS1	84	%REC	YES	N		1	D2D110302-001S	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	CADMIUM	MD1	94	%REC	YES			1	D2D110302-001D	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	CADMIUM	MS1	93	%REC	YES			1	D2D110302-001S	2108280
STLDEN			02D1162		CALCIUM	MS1	95	%REC				1	D2D110300-001S	2108275
STLDEN			02D1162		CALCIUM	MD1	97	%REC				1	D2D110300-001D	2108275
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	CHROMIUM	MD1	94	%REC	YES			1	D2D110302-001D	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	CHROMIUM	MS1	92	%REC	YES			1	D2D110302-001S	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	COBALT	MD1	94	%REC	YES			1	D2D110302-001D	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	COBALT	MS1	93	%REC	YES			1	D2D110302-001S	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	COPPER	MS1	100	%REC	YES			1	D2D110302-001S	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	COPPER	MD1	101	%REC	YES			1	D2D110302-001D	2108280
STLDEN			02D1162		IRON	MD1	116	%REC		N		1	D2D110300-001D	2108275
STLDEN			02D1162		IRON	MS1	119	%REC		N		1	D2D110300-001S	2108275
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	LEAD	MS1	100	%REC	YES			1	D2D110302-001S	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	LEAD	MD1	102	%REC	YES			1	D2D110302-001D	2108280
STLDEN			02D1162		LITHIUM	MD1	102	%REC				1	D2D110300-001D	2108275
STLDEN			02D1162		LITHIUM	MS1	100	%REC				1	D2D110300-001S	2108275
STLDEN			02D1162		MAGNESIUM	MD1	102	%REC				1	D2D110300-001D	2108275
STLDEN			02D1162		MAGNESIUM	MS1	100	%REC				1	D2D110300-001S	2108275
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	MANGANESE	MS1	93	%REC	YES			1	D2D110302-001S	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	MANGANESE	MD1	94	%REC	YES			1	D2D110302-001D	2108280
STLDEN			02D1162		MERCURY	MS1	93	%REC				1	D2D110300-001S	2106410
STLDEN			02D1162		MERCURY	MD1	95	%REC				1	D2D110300-001D	2106410
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	MOLYBDENUM	MS1	95	%REC	YES			1	D2D110302-001S	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	MOLYBDENUM	MD1	96	%REC	YES			1	D2D110302-001D	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	NICKEL	MS1	93	%REC	YES			1	D2D110302-001S	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	NICKEL	MD1	95	%REC	YES			1	D2D110302-001D	2108280
STLDEN			02D1162		POTASSIUM	MS1	99	%REC				1	D2D110300-001S	2108275
STLDEN			02D1162		POTASSIUM	MD1	101	%REC				1	D2D110300-001D	2108275

118

Table 7-5
Matrix Spike Recovery for Strontium89/90-Tritium-Dissolved Gases-SVOCs-VOCs-Metals-WQPS
Groundwater - Second Quarter, 2002

Lab	Location	Sample Date	RIN	Bottle#	Analyte	Result Type	Result	Units	Field Filter	Lab Qual	Detect Limit	Dilu-tion	Lab Sample#	Lab Batch#
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	SELENIUM	MS1	113	%REC	YES	N		1	D2D110302-001S	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	SELENIUM	MD1	114	%REC	YES	N		1	D2D110302-001D	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	SILVER	MS1	106	%REC	YES			1	D2D110302-001S	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	SILVER	MD1	108	%REC	YES			1	D2D110302-001D	2108280
STLDEN			02D1162		SODIUM	MS1	99	%REC				1	D2D110300-001S	2108275
STLDEN			02D1162		SODIUM	MD1	100	%REC				1	D2D110300-001D	2108275
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	STRONTIUM	MS1	90	%REC	YES			1	D2D110302-001S	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	STRONTIUM	MD1	94	%REC	YES			1	D2D110302-001D	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	THALLIUM	MD1	102	%REC	YES			1	D2D110302-001D	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	THALLIUM	MS1	100	%REC	YES			1	D2D110302-001S	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	TIN	MD1	102	%REC	YES			1	D2D110302-001D	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	TIN	MS1	100	%REC	YES			1	D2D110302-001S	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	URANIUM, TOTAL	MD1	92	%REC	YES			1	D2D110302-001D	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	URANIUM, TOTAL	MS1	92	%REC	YES			1	D2D110302-001S	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	VANADIUM	MD1	95	%REC	YES			1	D2D110302-001D	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	VANADIUM	MS1	94	%REC	YES			1	D2D110302-001S	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	ZINC	MD1	92	%REC	YES			1	D2D110302-001D	2108280
STLDEN	05193	4/8/02	02D1162	02D1162-001.001	ZINC	MS1	90	%REC	YES			1	D2D110302-001S	2108280
LVLI	85002	4/11/02	02D1166	02D1166-002.004	ALUMINUM	MS1	96.8	%REC	YES			1	0204L442-002	02L0209
LVLI	00100	4/18/02	02D1166	02D1166-032.004	ALUMINUM	MS1	104	%REC	YES			1	0204L443-001	02L0210
LVLI	85002	4/11/02	02D1166	02D1166-002.004	ANTIMONY	MS1	89.9	%REC	YES			1	0204L442-002	02L0209
LVLI	00100	4/18/02	02D1166	02D1166-032.004	ANTIMONY	MS1	105	%REC	YES			1	0204L443-001	02L0210
LVLI	85002	4/11/02	02D1166	02D1166-002.004	ARSENIC	MS1	91.2	%REC	YES			1	0204L442-002	02L0209
LVLI	00100	4/18/02	02D1166	02D1166-032.004	ARSENIC	MS1	106.7	%REC	YES			1	0204L443-001	02L0210
LVLI	85002	4/11/02	02D1166	02D1166-002.004	BARIUM	MS1	87.6	%REC	YES			1	0204L442-002	02L0209
LVLI	00100	4/18/02	02D1166	02D1166-032.004	BARIUM	MS1	99.2	%REC	YES			1	0204L443-001	02L0210
LVLI	85002	4/11/02	02D1166	02D1166-002.004	BERYLLIUM	MS1	95	%REC	YES			1	0204L442-002	02L0209
LVLI	00100	4/18/02	02D1166	02D1166-032.004	BERYLLIUM	MS1	101.9	%REC	YES			1	0204L443-001	02L0210
LVLI	85002	4/11/02	02D1166	02D1166-002.004	CADMIUM	MS1	88.3	%REC	YES			1	0204L442-002	02L0209
LVLI	00100	4/18/02	02D1166	02D1166-032.004	CADMIUM	MS1	100.8	%REC	YES			1	0204L443-001	02L0210
LVLI	85002	4/11/02	02D1166	02D1166-002.004	CHROMIUM	MS1	89.2	%REC	YES			1	0204L442-002	02L0209
LVLI	00100	4/18/02	02D1166	02D1166-032.004	CHROMIUM	MS1	102.1	%REC	YES			1	0204L443-001	02L0210
LVLI	85002	4/11/02	02D1166	02D1166-002.004	COBALT	MS1	88.5	%REC	YES			1	0204L442-002	02L0209
LVLI	00100	4/18/02	02D1166	02D1166-032.004	COBALT	MS1	101.6	%REC	YES			1	0204L443-001	02L0210
LVLI	85002	4/11/02	02D1166	02D1166-002.004	COPPER	MS1	91.9	%REC	YES			1	0204L442-002	02L0209
LVLI	00100	4/18/02	02D1166	02D1166-032.004	COPPER	MS1	106.4	%REC	YES			1	0204L443-001	02L0210
LVLI	85002	4/11/02	02D1166	02D1166-002.004	IRON	MS1	92.1	%REC	YES			1	0204L442-002	02L0209
LVLI	00100	4/18/02	02D1166	02D1166-032.004	IRON	MS1	95.3	%REC	YES			1	0204L443-001	02L0210
LVLI	85002	4/11/02	02D1166	02D1166-002.004	LEAD	MS1	87.2	%REC	YES			1	0204L442-002	02L0209
LVLI	00100	4/18/02	02D1166	02D1166-032.004	LEAD	MS1	102.7	%REC	YES			1	0204L443-001	02L0210
LVLI	85002	4/11/02	02D1166	02D1166-002.004	LITHIUM	MS1	99	%REC	YES			1	0204L442-002	02L0209
LVLI	00100	4/18/02	02D1166	02D1166-032.004	LITHIUM	MS1	128	%REC	YES			1	0204L443-001	02L0210
LVLI	85002	4/11/02	02D1166	02D1166-002.004	MANGANESE	MS1	92.7	%REC	YES			1	0204L442-002	02L0209
LVLI	00100	4/18/02	02D1166	02D1166-032.004	MANGANESE	MS1	105	%REC	YES			1	0204L443-001	02L0210
LVLI	7086	4/15/02	02D1166	02D1166-001.001	MERCURY	MS1	101	%REC	NO			1	0204L442-001	02C0107
LVLI	00100	4/18/02	02D1166	02D1166-032.004	MERCURY	MS1	91	%REC	YES			1	0204L443-001	02C0108
LVLI	85002	4/11/02	02D1166	02D1166-002.004	MOLYBDENUM	MS1	88.8	%REC	YES			1	0204L442-002	02L0209
LVLI	00100	4/18/02	02D1166	02D1166-032.004	MOLYBDENUM	MS1	103.5	%REC	YES			1	0204L443-001	02L0210
LVLI	85002	4/11/02	02D1166	02D1166-002.004	NICKEL	MS1	85.8	%REC	YES			1	0204L442-002	02L0209
LVLI	00100	4/18/02	02D1166	02D1166-032.004	NICKEL	MS1	100.7	%REC	YES			1	0204L443-001	02L0210
LVLI	85002	4/11/02	02D1166	02D1166-002.004	SELENIUM	MS1	91.4	%REC	YES			1	0204L442-002	02L0209
LVLI	00100	4/18/02	02D1166	02D1166-032.004	SELENIUM	MS1	108.2	%REC	YES			1	0204L443-001	02L0210
LVLI	85002	4/11/02	02D1166	02D1166-002.004	SILVER	MS1	93.2	%REC	YES			1	0204L442-002	02L0209
LVLI	00100	4/18/02	02D1166	02D1166-032.004	SILVER	MS1	105.3	%REC	YES			1	0204L443-001	02L0210
LVLI	85002	4/11/02	02D1166	02D1166-002.004	STRONTIUM	MS1	91.5	%REC	YES			1	0204L442-002	02L0209
LVLI	00100	4/18/02	02D1166	02D1166-032.004	STRONTIUM	MS1	105	%REC	YES			1	0204L443-001	02L0210
LVLI	85002	4/11/02	02D1166	02D1166-002.004	THALLIUM	MS1	92.2	%REC	YES			1	0204L442-002	02L0209
LVLI	00100	4/18/02	02D1166	02D1166-032.004	THALLIUM	MS1	104	%REC	YES			1	0204L443-001	02L0210
LVLI	85002	4/11/02	02D1166	02D1166-002.004	TIN	MS1	91.2	%REC	YES			1	0204L442-002	02L0209
LVLI	00100	4/18/02	02D1166	02D1166-032.004	TIN	MS1	105.6	%REC	YES			1	0204L443-001	02L0210
LVLI	85002	4/11/02	02D1166	02D1166-002.004	URANIUM, TOTAL	MS1	90.6	%REC	YES			1	0204L442-002	02L0209
LVLI	00100	4/18/02	02D1166	02D1166-032.004	URANIUM, TOTAL	MS1	102.2	%REC	YES			1	0204L443-001	02L0210
LVLI	85002	4/11/02	02D1166	02D1166-002.004	VANADIUM	MS1	90.2	%REC	YES			1	0204L442-002	02L0209
LVLI	00100	4/18/02	02D1166	02D1166-032.004	VANADIUM	MS1	100.7	%REC	YES			1	0204L443-001	02L0210
LVLI	85002	4/11/02	02D1166	02D1166-002.004	ZINC	MS1	90.8	%REC	YES			1	0204L442-002	02L0209
LVLI	00100	4/18/02	02D1166	02D1166-032.004	ZINC	MS1	106.2	%REC	YES			1	0204L443-001	02L0210

Table 7-5
Matrix Spike Recovery for Strontium89/90-Tritium-Dissolved Gases-SVOCs-VOCs-Metals-WQPS
Groundwater - Second Quarter, 2002

Lab	Location	Sample Date	RIN	Bottle#	Analyte	Result Type	Result	Units	Field Filter	Lab Qual	Detect Limit	Dilu-tion	Lab Sample#	Lab Batch#
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	ALUMINUM	MD1	171	%REC	NO	N		1	D2E030315-002D	2129343
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	ALUMINUM	MS1	179	%REC	NO	N		1	D2E030315-002S	2129343
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	ALUMINUM	MS1	111	%REC	NO	N		1	D2D290202-001S	2120368
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	ALUMINUM	MD1	106	%REC	NO			1	D2D290202-001D	2120368
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	ANTIMONY	MD1	96	%REC	NO			1	D2E030315-002D	2129343
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	ANTIMONY	MS1	95	%REC	NO			1	D2E030315-002S	2129343
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	ANTIMONY	MS1	101	%REC	NO			1	D2D290202-001S	2120368
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	ANTIMONY	MD1	100	%REC	NO			1	D2D290202-001D	2120368
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	ARSENIC	MD1	97	%REC	NO			1	D2E030315-002D	2129343
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	ARSENIC	MS1	97	%REC	NO			1	D2E030315-002S	2129343
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	ARSENIC	MS1	102	%REC	NO			1	D2D290202-001S	2120368
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	ARSENIC	MD1	103	%REC	NO			1	D2D290202-001D	2120368
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	BARIUM	MD1	96	%REC	NO			1	D2E030315-002D	2129343
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	BARIUM	MS1	97	%REC	NO			1	D2E030315-002S	2129343
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	BARIUM	MS1	103	%REC	NO			1	D2D290202-001S	2120368
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	BARIUM	MD1	102	%REC	NO			1	D2D290202-001D	2120368
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	BERYLLIUM	MD1	91	%REC	NO			1	D2E030315-002D	2129343
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	BERYLLIUM	MS1	91	%REC	NO			1	D2E030315-002S	2129343
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	BERYLLIUM	MS1	95	%REC	NO			1	D2D290202-001S	2120368
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	BERYLLIUM	MD1	97	%REC	NO			1	D2D290202-001D	2120368
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	CADMIUM	MD1	86	%REC	NO	N		1	D2E030315-002D	2129343
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	CADMIUM	MS1	89	%REC	NO			1	D2E030315-002S	2129343
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	CADMIUM	MS1	96	%REC	NO			1	D2D290202-001S	2120368
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	CADMIUM	MD1	98	%REC	NO			1	D2D290202-001D	2120368
STLDEN	30900	5/2/02	02D1198	02D1198-006.011	CALCIUM	MD1	90	%REC	YES			1	D2E030315-001D	2129342
STLDEN	30900	5/2/02	02D1198	02D1198-006.011	CALCIUM	MS1	92	%REC	YES			1	D2E030315-001S	2129342
STLDEN			02D1198		CALCIUM	MS1	95	%REC				1	D2D240233-001S	2120365
STLDEN			02D1198		CALCIUM	MD1	101	%REC				1	D2D240233-001D	2120365
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	CHROMIUM	MD1	93	%REC	NO			1	D2E030315-002D	2129343
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	CHROMIUM	MS1	93	%REC	NO			1	D2E030315-002S	2129343
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	CHROMIUM	MS1	99	%REC	NO			1	D2D290202-001S	2120368
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	CHROMIUM	MD1	100	%REC	NO			1	D2D290202-001D	2120368
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	COBALT	MD1	90	%REC	NO			1	D2E030315-002D	2129343
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	COBALT	MS1	91	%REC	NO			1	D2E030315-002S	2129343
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	COBALT	MS1	98	%REC	NO			1	D2D290202-001S	2120368
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	COBALT	MD1	98	%REC	NO			1	D2D290202-001D	2120368
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	COPPER	MD1	95	%REC	NO			1	D2E030315-002D	2129343
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	COPPER	MS1	96	%REC	NO			1	D2E030315-002S	2129343
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	COPPER	MS1	99	%REC	NO			1	D2D290202-001S	2120368
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	COPPER	MD1	98	%REC	NO			1	D2D290202-001D	2120368
STLDEN	30900	5/2/02	02D1198	02D1198-006.011	IRON	MS1	76	%REC	YES	N		1	D2E030315-001S	2129342
STLDEN	30900	5/2/02	02D1198	02D1198-006.011	IRON	MD1	57	%REC	YES	N		1	D2E030315-001D	2129342
STLDEN			02D1198		IRON	MD1	136	%REC		N		1	D2D240233-001D	2120365
STLDEN			02D1198		IRON	MS1	120	%REC		N		1	D2D240233-001S	2120365
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	LEAD	MD1	95	%REC	NO			1	D2E030315-002D	2129343
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	LEAD	MS1	96	%REC	NO			1	D2E030315-002S	2129343
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	LEAD	MS1	102	%REC	NO			1	D2D290202-001S	2120368
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	LEAD	MD1	102	%REC	NO			1	D2D290202-001D	2120368
STLDEN	30900	5/2/02	02D1198	02D1198-006.011	LITHIUM	MD1	96	%REC	YES			1	D2E030315-001D	2129342
STLDEN	30900	5/2/02	02D1198	02D1198-006.011	LITHIUM	MS1	98	%REC	YES			1	D2E030315-001S	2129342
STLDEN			02D1198		LITHIUM	MD1	103	%REC				1	D2D240233-001D	2120365
STLDEN			02D1198		LITHIUM	MS1	100	%REC				1	D2D240233-001S	2120365
STLDEN	30900	5/2/02	02D1198	02D1198-006.011	MAGNESIUM	MS1	95	%REC	YES			1	D2E030315-001S	2129342
STLDEN	30900	5/2/02	02D1198	02D1198-006.011	MAGNESIUM	MD1	93	%REC	YES			1	D2E030315-001D	2129342
STLDEN			02D1198		MAGNESIUM	MD1	103	%REC				1	D2D240233-001D	2120365
STLDEN			02D1198		MAGNESIUM	MS1	99	%REC				1	D2D240233-001S	2120365
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	MANGANESE	MS1	106	%REC	NO			1	D2E030315-002S	2129343
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	MANGANESE	MD1	60	%REC	NO	N		1	D2E030315-002D	2129343
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	MANGANESE	MS1	94	%REC	NO			1	D2D290202-001S	2120368
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	MANGANESE	MD1	90	%REC	NO			1	D2D290202-001D	2120368
STLDEN			02D1198		MERCURY	MD1	92	%REC				1	D2D240233-001D	2128258
STLDEN			02D1198		MERCURY	MS1	92	%REC				1	D2D240233-001S	2128258
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	MOLYBDENUM	MD1	92	%REC	NO			1	D2E030315-002D	2129343
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	MOLYBDENUM	MS1	93	%REC	NO			1	D2E030315-002S	2129343
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	MOLYBDENUM	MS1	97	%REC	NO			1	D2D290202-001S	2120368
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	MOLYBDENUM	MD1	97	%REC	NO			1	D2D290202-001D	2120368

120

Table 7-5
Matrix Spike Recovery for Strontium89/90-Tritium-Dissolved Gases-SVOCs-VOCs-Metals-WQPS
Groundwater - Second Quarter, 2002

Lab	Location	Sample Date	RIN	Bottle#	Analyte	Result Type	Result	Units	Field Filter	Lab Qual	Detect Limit	Dilu-tion	Lab Sample#	Lab Batch#
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	NICKEL	MD1	94	%REC	NO			1	D2E030315-002D	2129343
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	NICKEL	MS1	94	%REC	NO			1	D2E030315-002S	2129343
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	NICKEL	MS1	99	%REC	NO			1	D2D290202-001S	2120368
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	NICKEL	MD1	100	%REC	NO			1	D2D290202-001D	2120368
STLDEN	30900	5/2/02	02D1198	02D1198-006.011	POTASSIUM	MD1	95	%REC	YES			1	D2E030315-001D	2129342
STLDEN	30900	5/2/02	02D1198	02D1198-006.011	POTASSIUM	MS1	97	%REC	YES			1	D2E030315-001S	2129342
STLDEN			02D1198		POTASSIUM	MD1	101	%REC				1	D2D240233-001D	2120365
STLDEN			02D1198		POTASSIUM	MS1	98	%REC				1	D2D240233-001S	2120365
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	SELENIUM	MD1	100	%REC	NO			1	D2E030315-002D	2129343
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	SELENIUM	MS1	100	%REC	NO			1	D2E030315-002S	2129343
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	SELENIUM	MS1	106	%REC	NO			1	D2D290202-001S	2120368
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	SELENIUM	MD1	105	%REC	NO			1	D2D290202-001D	2120368
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	SILVER	MD1	96	%REC	NO			1	D2E030315-002D	2129343
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	SILVER	MS1	96	%REC	NO			1	D2E030315-002S	2129343
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	SILVER	MS1	103	%REC	NO			1	D2D290202-001S	2120368
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	SILVER	MD1	102	%REC	NO			1	D2D290202-001D	2120368
STLDEN	30900	5/2/02	02D1198	02D1198-006.011	SODIUM	MS1	96	%REC	YES			1	D2E030315-001S	2129342
STLDEN	30900	5/2/02	02D1198	02D1198-006.011	SODIUM	MD1	94	%REC	YES			1	D2E030315-001D	2129342
STLDEN			02D1198		SODIUM	MD1	104	%REC				1	D2D240233-001D	2120365
STLDEN			02D1198		SODIUM	MS1	100	%REC				1	D2D240233-001S	2120365
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	STRONTIUM	MD1	94	%REC	NO			1	D2E030315-002D	2129343
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	STRONTIUM	MS1	95	%REC	NO			1	D2E030315-002S	2129343
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	STRONTIUM	MS1	101	%REC	NO			1	D2D290202-001S	2120368
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	STRONTIUM	MD1	100	%REC	NO			1	D2D290202-001D	2120368
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	THALLIUM	MD1	92	%REC	NO			1	D2E030315-002D	2129343
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	THALLIUM	MS1	93	%REC	NO			1	D2E030315-002S	2129343
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	THALLIUM	MD1	98	%REC	NO			1	D2D290202-001D	2120368
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	THALLIUM	MS1	98	%REC	NO			1	D2D290202-001S	2120368
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	TIN	MD1	93	%REC	NO			1	D2E030315-002D	2129343
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	TIN	MS1	93	%REC	NO			1	D2E030315-002S	2129343
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	TIN	MD1	98	%REC	NO			1	D2D290202-001D	2120368
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	TIN	MS1	98	%REC	NO			1	D2D290202-001S	2120368
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	URANIUM, TOTAL	MD1	100	%REC	NO			1	D2E030315-002D	2129343
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	URANIUM, TOTAL	MS1	100	%REC	NO			1	D2E030315-002S	2129343
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	URANIUM, TOTAL	MD1	100	%REC	NO			1	D2D290202-001D	2120368
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	URANIUM, TOTAL	MS1	102	%REC	NO			1	D2D290202-001S	2120368
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	VANADIUM	MD1	93	%REC	NO			1	D2E030315-002D	2129343
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	VANADIUM	MS1	94	%REC	NO			1	D2E030315-002S	2129343
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	VANADIUM	MD1	101	%REC	NO			1	D2D290202-001D	2120368
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	VANADIUM	MS1	101	%REC	NO			1	D2D290202-001S	2120368
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	ZINC	MD1	89	%REC	NO			1	D2E030315-002D	2129343
STLDEN	30900	5/2/02	02D1198	02D1198-006.012	ZINC	MS1	90	%REC	NO			1	D2E030315-002S	2129343
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	ZINC	MD1	104	%REC	NO			1	D2D290202-001D	2120368
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.004	ZINC	MS1	95	%REC	NO			1	D2D290202-001S	2120368
LVLI	P209489	4/30/02	02D1199	02D1199-002.004	ALUMINUM	MS1	107.1	%REC	YES			1	0205L577-004	02L0245
LVLI	P209489	4/30/02	02D1199	02D1199-002.004	ANTIMONY	MS1	108.3	%REC	YES			1	0205L577-004	02L0245
LVLI	P209489	4/30/02	02D1199	02D1199-002.004	ARSENIC	MS1	111.1	%REC	YES			1	0205L577-004	02L0245
LVLI	P209489	4/30/02	02D1199	02D1199-002.004	BARIUM	MS1	97.7	%REC	YES			1	0205L577-004	02L0245
LVLI	P209489	4/30/02	02D1199	02D1199-002.004	BERYLLIUM	MS1	105.5	%REC	YES			1	0205L577-004	02L0245
LVLI	P209489	4/30/02	02D1199	02D1199-002.004	CADMIUM	MS1	103	%REC	YES			1	0205L577-004	02L0245
LVLI	P209489	4/30/02	02D1199	02D1199-002.004	CHROMIUM	MS1	102.2	%REC	YES			1	0205L577-004	02L0245
LVLI	P209489	4/30/02	02D1199	02D1199-002.004	COBALT	MS1	103.5	%REC	YES			1	0205L577-004	02L0245
LVLI	P209489	4/30/02	02D1199	02D1199-002.004	COPPER	MS1	106.6	%REC	YES			1	0205L577-004	02L0245
LVLI	P209489	4/30/02	02D1199	02D1199-002.004	IRON	MS1	99.6	%REC	YES			1	0205L577-004	02L0245
LVLI	P209489	4/30/02	02D1199	02D1199-002.004	LEAD	MS1	104.2	%REC	YES			1	0205L577-004	02L0245
LVLI	P209489	4/30/02	02D1199	02D1199-002.004	LITHIUM	MS1	**144.6**	%REC	YES			1	0205L577-004	02L0245
LVLI	P209489	4/30/02	02D1199	02D1199-002.004	MANGANESE	MS1	106.1	%REC	YES			1	0205L577-004	02L0245
LVLI	P209489	4/30/02	02D1199	02D1199-001.004	MERCURY	MS1	95	%REC	YES			1	0205L577-001	02C0132
LVLI	23296	4/29/02	02D1199	02D1199-013.006	MERCURY	MS1	105	%REC	NO			1	0205L577-032	02C0133
LVLI	P209489	4/30/02	02D1199	02D1199-002.004	MOLYBDENUM	MS1	107.4	%REC	YES			1	0205L577-004	02L0245
LVLI	P209489	4/30/02	02D1199	02D1199-002.004	NICKEL	MS1	100.8	%REC	YES			1	0205L577-004	02L0245
LVLI	P209489	4/30/02	02D1199	02D1199-002.004	SELENIUM	MS1	110.6	%REC	YES			1	0205L577-004	02L0245
LVLI	P209489	4/30/02	02D1199	02D1199-002.004	SILVER	MS1	108.6	%REC	YES			1	0205L577-004	02L0245
LVLI	P209489	4/30/02	02D1199	02D1199-002.004	STRONTIUM	MS1	102.1	%REC	YES			1	0205L577-004	02L0245
LVLI	P209489	4/30/02	02D1199	02D1199-002.004	THALLIUM	MS1	108.1	%REC	YES			1	0205L577-004	02L0245
LVLI	P209489	4/30/02	02D1199	02D1199-002.004	TIN	MS1	110.7	%REC	YES			1	0205L577-004	02L0245

121

Table 7-5
Matrix Spike Recovery for Strontium89/90-Tritium-Dissolved Gases-SVOCs-VOCs-Metals-WQPS
Groundwater - Second Quarter, 2002

Lab	Location	Sample Date	RIN	Bottle#	Analyte	Result Type	Result	Units	Field Filter	Lab Qual	Detect Limit	Dilu-tion	Lab Sample#	Lab Batch#
LVLI	P209489	4/30/02	02D1199	02D1199-002.004	URANIUM, TOTAL	MS1	100.2	%REC	YES			1	0205L577-004	02L0245
LVLI	P209489	4/30/02	02D1199	02D1199-002.004	VANADIUM	MS1	102.8	%REC	YES			1	0205L577-004	02L0245
LVLI	P209489	4/30/02	02D1199	02D1199-002.004	ZINC	MS1	109.2	%REC	YES			1	0205L577-004	02L0245
LVLI	85202	4/25/02	02D1215	02D1215-003.001	ALUMINUM	MS1	105.7	%REC	YES			1	0205L630-001	02L0262
LVLI	85202	4/25/02	02D1215	02D1215-003.001	ANTIMONY	MS1	102.6	%REC	YES			1	0205L630-001	02L0262
LVLI	85202	4/25/02	02D1215	02D1215-003.001	ARSENIC	MS1	103.6	%REC	YES			1	0205L630-001	02L0262
LVLI	85202	4/25/02	02D1215	02D1215-003.001	BARIUM	MS1	97.2	%REC	YES			1	0205L630-001	02L0262
LVLI	85202	4/25/02	02D1215	02D1215-003.001	BERYLLIUM	MS1	99.6	%REC	YES			1	0205L630-001	02L0262
LVLI	85202	4/25/02	02D1215	02D1215-003.001	CADMIUM	MS1	96.3	%REC	YES			1	0205L630-001	02L0262
LVLI	85202	4/25/02	02D1215	02D1215-003.001	CHROMIUM	MS1	96.4	%REC	YES			1	0205L630-001	02L0262
LVLI	85202	4/25/02	02D1215	02D1215-003.001	COBALT	MS1	96.3	%REC	YES			1	0205L630-001	02L0262
LVLI	85202	4/25/02	02D1215	02D1215-003.001	COPPER	MS1	101.6	%REC	YES			1	0205L630-001	02L0262
LVLI	85202	4/25/02	02D1215	02D1215-003.001	IRON	MS1	95.2	%REC	YES			1	0205L630-001	02L0262
LVLI	85202	4/25/02	02D1215	02D1215-003.001	LEAD	MS1	99.8	%REC	YES			1	0205L630-001	02L0262
LVLI	85202	4/25/02	02D1215	02D1215-003.001	LITHIUM	MS1	**132.1**	%REC	YES			1	0205L630-001	02L0262
LVLI	85202	4/25/02	02D1215	02D1215-003.001	MANGANESE	MS1	98.1	%REC	YES			1	0205L630-001	02L0262
LVLI	85202	4/25/02	02D1215	02D1215-003.001	MERCURY	MS1	96	%REC	YES			1	0205L630-001	02C0143
LVLI	85202	4/25/02	02D1215	02D1215-003.001	MOLYBDENUM	MS1	99.1	%REC	YES			1	0205L630-001	02L0262
LVLI	85202	4/25/02	02D1215	02D1215-003.001	NICKEL	MS1	96.2	%REC	YES			1	0205L630-001	02L0262
LVLI	85202	4/25/02	02D1215	02D1215-003.001	SELENIUM	MS1	105.9	%REC	YES			1	0205L630-001	02L0262
LVLI	85202	4/25/02	02D1215	02D1215-003.001	SILVER	MS1	101.7	%REC	YES			1	0205L630-001	02L0262
LVLI	85202	4/25/02	02D1215	02D1215-003.001	STRONTIUM	MS1	100.8	%REC	YES			1	0205L630-001	02L0262
LVLI	85202	4/25/02	02D1215	02D1215-003.001	THALLIUM	MS1	100.1	%REC	YES			1	0205L630-001	02L0262
LVLI	85202	4/25/02	02D1215	02D1215-003.001	TIN	MS1	100.5	%REC	YES			1	0205L630-001	02L0262
LVLI	85202	4/25/02	02D1215	02D1215-003.001	URANIUM, TOTAL	MS1	100.1	%REC	YES			1	0205L630-001	02L0262
LVLI	85202	4/25/02	02D1215	02D1215-003.001	VANADIUM	MS1	96.5	%REC	YES			1	0205L630-001	02L0262
LVLI	85202	4/25/02	02D1215	02D1215-003.001	ZINC	MS1	100.2	%REC	YES			1	0205L630-001	02L0262
LVLI	55901	4/23/02	02D1227	02D1227-003.001	ALUMINUM	MS1	115.8	%REC	YES			1	0205L698-005	02L0317
LVLI	55901	4/23/02	02D1227	02D1227-003.001	ANTIMONY	MS1	107.1	%REC	YES			1	0205L698-005	02L0317
LVLI	55901	4/23/02	02D1227	02D1227-003.001	ARSENIC	MS1	109.1	%REC	YES			1	0205L698-005	02L0317
LVLI	55901	4/23/02	02D1227	02D1227-003.001	BARIUM	MS1	100.1	%REC	YES			1	0205L698-005	02L0317
LVLI	55901	4/23/02	02D1227	02D1227-003.001	BERYLLIUM	MS1	100.8	%REC	YES			1	0205L698-005	02L0317
LVLI	55901	4/23/02	02D1227	02D1227-003.001	CADMIUM	MS1	99.7	%REC	YES			1	0205L698-005	02L0317
LVLI	55901	4/23/02	02D1227	02D1227-003.001	CHROMIUM	MS1	101.6	%REC	YES			1	0205L698-005	02L0317
LVLI	55901	4/23/02	02D1227	02D1227-003.001	COBALT	MS1	102.4	%REC	YES			1	0205L698-005	02L0317
LVLI	55901	4/23/02	02D1227	02D1227-003.001	COPPER	MS1	110.5	%REC	YES			1	0205L698-005	02L0317
LVLI	55901	4/23/02	02D1227	02D1227-003.001	IRON	MS1	101.3	%REC	YES			1	0205L698-005	02L0317
LVLI	55901	4/23/02	02D1227	02D1227-003.001	LEAD	MS1	104.9	%REC	YES			1	0205L698-005	02L0317
LVLI	55901	4/23/02	02D1227	02D1227-003.001	LITHIUM	MS1	**157.3**	%REC	YES			1	0205L698-005	02L0317
LVLI	55901	4/23/02	02D1227	02D1227-003.001	MANGANESE	MS1	101.4	%REC	YES			1	0205L698-005	02L0317
LVLI	P416889	5/9/02	02D1227	02D1227-001.004	MERCURY	MS1	98	%REC	NO			1	0205L698-001	02C0148
LVLI	55901	4/23/02	02D1227	02D1227-003.001	MOLYBDENUM	MS1	105.2	%REC	YES			1	0205L698-005	02L0317
LVLI	55901	4/23/02	02D1227	02D1227-003.001	NICKEL	MS1	99.5	%REC	YES			1	0205L698-005	02L0317
LVLI	55901	4/23/02	02D1227	02D1227-003.001	SELENIUM	MS1	111.9	%REC	YES			1	0205L698-005	02L0317
LVLI	55901	4/23/02	02D1227	02D1227-003.001	SILVER	MS1	110.3	%REC	YES			1	0205L698-005	02L0317
LVLI	55901	4/23/02	02D1227	02D1227-003.001	STRONTIUM	MS1	96.5	%REC	YES			1	0205L698-005	02L0317
LVLI	55901	4/23/02	02D1227	02D1227-003.001	THALLIUM	MS1	107.8	%REC	YES			1	0205L698-005	02L0317
LVLI	55901	4/23/02	02D1227	02D1227-003.001	TIN	MS1	110.2	%REC	YES			1	0205L698-005	02L0317
LVLI	55901	4/23/02	02D1227	02D1227-003.001	URANIUM, TOTAL	MS1	98	%REC	YES			1	0205L698-005	02L0317
LVLI	55901	4/23/02	02D1227	02D1227-003.001	VANADIUM	MS1	101.6	%REC	YES			1	0205L698-005	02L0317
LVLI	55901	4/23/02	02D1227	02D1227-003.001	ZINC	MS1	105.7	%REC	YES			1	0205L698-005	02L0317
LVLI	22796	5/21/02	02D1244	02D1244-004.004	ALUMINUM	MS1	118.8	%REC	NO			1	0205L764-010	02L0323
LVLI	22796	5/21/02	02D1244	02D1244-004.004	ANTIMONY	MS1	109	%REC	NO			1	0205L764-010	02L0323
LVLI	22796	5/21/02	02D1244	02D1244-004.004	ARSENIC	MS1	110.5	%REC	NO			1	0205L764-010	02L0323
LVLI	22796	5/21/02	02D1244	02D1244-004.004	BARIUM	MS1	102.5	%REC	NO			1	0205L764-010	02L0323
LVLI	22796	5/21/02	02D1244	02D1244-004.004	BERYLLIUM	MS1	98.5	%REC	NO			1	0205L764-010	02L0323
LVLI	22796	5/21/02	02D1244	02D1244-004.004	CADMIUM	MS1	98	%REC	NO			1	0205L764-010	02L0323
LVLI	22796	5/21/02	02D1244	02D1244-004.004	CHROMIUM	MS1	102.5	%REC	NO			1	0205L764-010	02L0323
LVLI	22796	5/21/02	02D1244	02D1244-004.004	COBALT	MS1	100.9	%REC	NO			1	0205L764-010	02L0323
LVLI	22796	5/21/02	02D1244	02D1244-004.004	COPPER	MS1	111.7	%REC	NO			1	0205L764-010	02L0323
LVLI	22796	5/21/02	02D1244	02D1244-004.004	IRON	MS1	104.3	%REC	NO			1	0205L764-010	02L0323
LVLI	22796	5/21/02	02D1244	02D1244-004.004	LEAD	MS1	103.1	%REC	NO			1	0205L764-010	02L0323
LVLI	22796	5/21/02	02D1244	02D1244-004.004	LITHIUM	MS1	**160.2**	%REC	NO			1	0205L764-010	02L0323
LVLI	22796	5/21/02	02D1244	02D1244-004.004	MANGANESE	MS1	121.3	%REC	NO			1	0205L764-010	02L0323
LVLI	11891	5/16/02	02D1244	02D1244-001.004	MERCURY	MS1	95	%REC	YES			1	0205L764-001	02C0162
LVLI	22796	5/21/02	02D1244	02D1244-004.004	MOLYBDENUM	MS1	106.9	%REC	NO			1	0205L764-010	02L0323

122

Table 7-5
Matrix Spike Recovery for Strontium89/90-Tritium-Dissolved Gases-SVOCs-VOCs-Metals-WQPS
Groundwater - Second Quarter, 2002

Lab	Location	Sample Date	RIN	Bottle#	Analyte	Result Type	Result	Units	Field Filter	Lab Qual	Detect Limit	Dilu-tion	Lab Sample#	Lab Batch#
LVLI	22796	5/21/02	02D1244	02D1244-004.004	NICKEL	MS1	96.1	%REC	NO			1	0205L764-010	02L0323
LVLI	22796	5/21/02	02D1244	02D1244-004.004	SELENIUM	MS1	106.8	%REC	NO			1	0205L764-010	02L0323
LVLI	22796	5/21/02	02D1244	02D1244-004.004	SILVER	MS1	112.1	%REC	NO			1	0205L764-010	02L0323
LVLI	22796	5/21/02	02D1244	02D1244-004.004	STRONTIUM	MS1	**128.7**	%REC	NO			1	0205L764-010	02L0323
LVLI	22796	5/21/02	02D1244	02D1244-004.004	THALLIUM	MS1	103.6	%REC	NO			1	0205L764-010	02L0323
LVLI	22796	5/21/02	02D1244	02D1244-004.004	TIN	MS1	112.4	%REC	NO			1	0205L764-010	02L0323
LVLI	22796	5/21/02	02D1244	02D1244-004.004	URANIUM, TOTAL	MS1	98.3	%REC	NO			1	0205L764-010	02L0323
LVLI	22796	5/21/02	02D1244	02D1244-004.004	VANADIUM	MS1	102.2	%REC	NO			1	0205L764-010	02L0323
LVLI	22796	5/21/02	02D1244	02D1244-004.004	ZINC	MS1	108.4	%REC	NO			1	0205L764-010	02L0323
LVLI	86701	5/20/02	02D1253	02D1253-001.001	ALUMINUM	MS1	87.3	%REC	YES			1	0205L821-001	02L0340
LVLI	86701	5/20/02	02D1253	02D1253-001.001	ANTIMONY	MS1	104.4	%REC	YES			1	0205L821-001	02L0340
LVLI	86701	5/20/02	02D1253	02D1253-001.001	ARSENIC	MS1	107.3	%REC	YES			1	0205L821-001	02L0340
LVLI	86701	5/20/02	02D1253	02D1253-001.001	BARIUM	MS1	96.6	%REC	YES			1	0205L821-001	02L0340
LVLI	86701	5/20/02	02D1253	02D1253-001.001	BERYLLIUM	MS1	81.8	%REC	YES			1	0205L821-001	02L0340
LVLI	86701	5/20/02	02D1253	02D1253-001.001	CADMIUM	MS1	97.3	%REC	YES			1	0205L821-001	02L0340
LVLI	86701	5/20/02	02D1253	02D1253-001.001	CHROMIUM	MS1	101.9	%REC	YES			1	0205L821-001	02L0340
LVLI	86701	5/20/02	02D1253	02D1253-001.001	COBALT	MS1	98	%REC	YES			1	0205L821-001	02L0340
LVLI	86701	5/20/02	02D1253	02D1253-001.001	COPPER	MS1	103	%REC	YES			1	0205L821-001	02L0340
LVLI	86701	5/20/02	02D1253	02D1253-001.001	IRON	MS1	98	%REC	YES			1	0205L821-001	02L0340
LVLI	86701	5/20/02	02D1253	02D1253-001.001	LEAD	MS1	98.9	%REC	YES			1	0205L821-001	02L0340
LVLI	86701	5/20/02	02D1253	02D1253-001.001	LITHIUM	MS1	**147.9**	%REC	YES			1	0205L821-001	02L0340
LVLI	86701	5/20/02	02D1253	02D1253-001.001	MANGANESE	MS1	101.4	%REC	YES			1	0205L821-001	02L0340
LVLI	86701	5/20/02	02D1253	02D1253-001.001	MOLYBDENUM	MS1	102.4	%REC	YES			1	0205L821-001	02L0340
LVLI	86701	5/20/02	02D1253	02D1253-001.001	NICKEL	MS1	96.7	%REC	YES			1	0205L821-001	02L0340
LVLI	86701	5/20/02	02D1253	02D1253-001.001	SELENIUM	MS1	109.5	%REC	YES			1	0205L821-001	02L0340
LVLI	86701	5/20/02	02D1253	02D1253-001.001	SILVER	MS1	102.2	%REC	YES			1	0205L821-001	02L0340
LVLI	86701	5/20/02	02D1253	02D1253-001.001	STRONTIUM	MS1	99.9	%REC	YES			1	0205L821-001	02L0340
LVLI	86701	5/20/02	02D1253	02D1253-001.001	THALLIUM	MS1	100.5	%REC	YES			1	0205L821-001	02L0340
LVLI	86701	5/20/02	02D1253	02D1253-001.001	TIN	MS1	103.5	%REC	YES			1	0205L821-001	02L0340
LVLI	86701	5/20/02	02D1253	02D1253-001.001	URANIUM, TOTAL	MS1	94.9	%REC	YES			1	0205L821-001	02L0340
LVLI	86701	5/20/02	02D1253	02D1253-001.001	VANADIUM	MS1	98.5	%REC	YES			1	0205L821-001	02L0340
LVLI	86701	5/20/02	02D1253	02D1253-001.001	ZINC	MS1	116.2	%REC	YES			1	0205L821-001	02L0340
LVLI	P209289	5/31/02	02D1278	02D1278-005.004	ALUMINUM	MS1	110	%REC	YES			1	0206L833-004	02L0344
LVLI	P209289	5/31/02	02D1278	02D1278-005.004	ANTIMONY	MS1	104.5	%REC	YES			1	0206L833-004	02L0344
LVLI	P209289	5/31/02	02D1278	02D1278-005.004	ARSENIC	MS1	104.3	%REC	YES			1	0206L833-004	02L0344
LVLI	P209289	5/31/02	02D1278	02D1278-005.004	BARIUM	MS1	102.7	%REC	YES			1	0206L833-004	02L0344
LVLI	P209289	5/31/02	02D1278	02D1278-005.004	BERYLLIUM	MS1	103.6	%REC	YES			1	0206L833-004	02L0344
LVLI	P209289	5/31/02	02D1278	02D1278-005.004	CADMIUM	MS1	102.1	%REC	YES			1	0206L833-004	02L0344
LVLI	P209289	5/31/02	02D1278	02D1278-005.004	CHROMIUM	MS1	101.9	%REC	YES			1	0206L833-004	02L0344
LVLI	P209289	5/31/02	02D1278	02D1278-005.004	COBALT	MS1	101.6	%REC	YES			1	0206L833-004	02L0344
LVLI	P209289	5/31/02	02D1278	02D1278-005.004	COPPER	MS1	105.2	%REC	YES			1	0206L833-004	02L0344
LVLI	P209289	5/31/02	02D1278	02D1278-005.004	IRON	MS1	102.1	%REC	YES			1	0206L833-004	02L0344
LVLI	P209289	5/31/02	02D1278	02D1278-005.004	LEAD	MS1	102.2	%REC	YES			1	0206L833-004	02L0344
LVLI	P209289	5/31/02	02D1278	02D1278-005.004	LITHIUM	MS1	**126.2**	%REC	YES			1	0206L833-004	02L0344
LVLI	P209289	5/31/02	02D1278	02D1278-005.004	MANGANESE	MS1	103.3	%REC	YES			1	0206L833-004	02L0344
LVLI	P209289	5/31/02	02D1278	02D1278-005.004	MERCURY	MS1	94	%REC	YES			1	0206L833-004	02C0181
LVLI	P209289	5/31/02	02D1278	02D1278-005.004	MOLYBDENUM	MS1	104.5	%REC	YES			1	0206L833-004	02L0344
LVLI	P209289	5/31/02	02D1278	02D1278-005.004	NICKEL	MS1	100.5	%REC	YES			1	0206L833-004	02L0344
LVLI	P209289	5/31/02	02D1278	02D1278-005.004	SELENIUM	MS1	102.1	%REC	YES			1	0206L833-004	02L0344
LVLI	P209289	5/31/02	02D1278	02D1278-005.004	SILVER	MS1	106.8	%REC	YES			1	0206L833-004	02L0344
LVLI	P209289	5/31/02	02D1278	02D1278-005.004	STRONTIUM	MS1	104.6	%REC	YES			1	0206L833-004	02L0344
LVLI	P209289	5/31/02	02D1278	02D1278-005.004	THALLIUM	MS1	103.5	%REC	YES			1	0206L833-004	02L0344
LVLI	P209289	5/31/02	02D1278	02D1278-005.004	TIN	MS1	104.2	%REC	YES			1	0206L833-004	02L0344
LVLI	P209289	5/31/02	02D1278	02D1278-005.004	URANIUM, TOTAL	MS1	101.1	%REC	YES			1	0206L833-004	02L0344
LVLI	P209289	5/31/02	02D1278	02D1278-005.004	VANADIUM	MS1	101.6	%REC	YES			1	0206L833-004	02L0344
LVLI	P209289	5/31/02	02D1278	02D1278-005.004	ZINC	MS1	102.7	%REC	YES			1	0206L833-004	02L0344
LVLI	63895	6/5/02	02D1298	02D1298-005.001	ALUMINUM	MS1	**165.5**	%REC	YES			1	0206L923-004	02L0352
LVLI	63895	6/5/02	02D1298	02D1298-005.001	ANTIMONY	MS1	93.2	%REC	YES			1	0206L923-004	02L0352
LVLI	63895	6/5/02	02D1298	02D1298-005.001	ARSENIC	MS1	94.8	%REC	YES			1	0206L923-004	02L0352
LVLI	63895	6/5/02	02D1298	02D1298-005.001	BARIUM	MS1	92.7	%REC	YES			1	0206L923-004	02L0352
LVLI	63895	6/5/02	02D1298	02D1298-005.001	BERYLLIUM	MS1	94.1	%REC	YES			1	0206L923-004	02L0352
LVLI	63895	6/5/02	02D1298	02D1298-005.001	CADMIUM	MS1	93.9	%REC	YES			1	0206L923-004	02L0352
LVLI	63895	6/5/02	02D1298	02D1298-005.001	CHROMIUM	MS1	93.9	%REC	YES			1	0206L923-004	02L0352
LVLI	63895	6/5/02	02D1298	02D1298-005.001	COBALT	MS1	92	%REC	YES			1	0206L923-004	02L0352
LVLI	63895	6/5/02	02D1298	02D1298-005.001	COPPER	MS1	91.9	%REC	YES			1	0206L923-004	02L0352

123

Table 7-5
Matrix Spike Recovery for Strontium89/90-Tritium-Dissolved Gases-SVOCs-VOCs-Metals-WQPS
Groundwater - Second Quarter, 2002

Lab	Location	Sample Date	RIN	Bottle#	Analyte	Result Type	Result	Units	Field Filter	Lab Qual	Detect Limit	Dilu-tion	Lab Sample#	Lab Batch#
LVLI	63895	6/5/02	02D1298	02D1298-005.001	IRON	MS1	131.7	%REC	YES			1	0206L923-004	02L0352
LVLI	63895	6/5/02	02D1298	02D1298-005.001	LEAD	MS1	93.7	%REC	YES			1	0206L923-004	02L0352
LVLI	63895	6/5/02	02D1298	02D1298-005.001	LITHIUM	MS1	108	%REC	YES			1	0206L923-004	02L0352
LVLI	63895	6/5/02	02D1298	02D1298-005.001	MANGANESE	MS1	95	%REC	YES			1	0206L923-004	02L0352
LVLI	P416789	6/10/02	02D1298	02D1298-002.001	MERCURY	MS1	99	%REC	YES			1	0206L923-002	02C0184
LVLI	63895	6/5/02	02D1298	02D1298-005.001	MOLYBDENUM	MS1	92.1	%REC	YES			1	0206L923-004	02L0352
LVLI	63895	6/5/02	02D1298	02D1298-005.001	NICKEL	MS1	93.3	%REC	YES			1	0206L923-004	02L0352
LVLI	63895	6/5/02	02D1298	02D1298-005.001	SELENIUM	MS1	93.8	%REC	YES			1	0206L923-004	02L0352
LVLI	63895	6/5/02	02D1298	02D1298-005.001	SILVER	MS1	91.6	%REC	YES			1	0206L923-004	02L0352
LVLI	63895	6/5/02	02D1298	02D1298-005.001	STRONTIUM	MS1	94.9	%REC	YES			1	0206L923-004	02L0352
LVLI	63895	6/5/02	02D1298	02D1298-005.001	THALLIUM	MS1	93.1	%REC	YES			1	0206L923-004	02L0352
LVLI	63895	6/5/02	02D1298	02D1298-005.001	TIN	MS1	92	%REC	YES			1	0206L923-004	02L0352
LVLI	63895	6/5/02	02D1298	02D1298-005.001	URANIUM, TOTAL	MS1	90.7	%REC	YES			1	0206L923-004	02L0352
LVLI	63895	6/5/02	02D1298	02D1298-005.001	VANADIUM	MS1	91	%REC	YES			1	0206L923-004	02L0352
LVLI	63895	6/5/02	02D1298	02D1298-005.001	ZINC	MS1	87.7	%REC	YES			1	0206L923-004	02L0352
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	ALUMINUM	MD1	94	%REC	YES			1	D2F190325-002D	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	ALUMINUM	MS1	103	%REC	YES			1	D2F190325-002S	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	ANTIMONY	MD1	95	%REC	YES			1	D2F190325-002D	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	ANTIMONY	MS1	100	%REC	YES			1	D2F190325-002S	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	ARSENIC	MD1	93	%REC	YES			1	D2F190325-002D	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	ARSENIC	MS1	101	%REC	YES			1	D2F190325-002S	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	BARIUM	MD1	92	%REC	YES			1	D2F190325-002D	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	BARIUM	MS1	99	%REC	YES			1	D2F190325-002S	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	BERYLLIUM	MD1	88	%REC	YES	N		1	D2F190325-002D	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	BERYLLIUM	MS1	95	%REC	YES			1	D2F190325-002S	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	CADMIUM	MD1	91	%REC	YES			1	D2F190325-002D	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	CADMIUM	MS1	98	%REC	YES			1	D2F190325-002S	2175383
STLDEN	2186	6/17/02	02D1316	02D1316-001.004	CALCIUM	MD1	98	%REC	YES			1	D2F190325-001D	2175381
STLDEN	2186	6/17/02	02D1316	02D1316-001.004	CALCIUM	MS1	93	%REC	YES			1	D2F190325-001S	2175381
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	CHROMIUM	MD1	89	%REC	YES			1	D2F190325-002D	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	CHROMIUM	MS1	95	%REC	YES			1	D2F190325-002S	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	COBALT	MD1	87	%REC	YES	N		1	D2F190325-002D	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	COBALT	MS1	93	%REC	YES			1	D2F190325-002S	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	COPPER	MD1	89	%REC	YES	N		1	D2F190325-002D	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	COPPER	MS1	98	%REC	YES			1	D2F190325-002S	2175383
STLDEN	2186	6/17/02	02D1316	02D1316-001.004	IRON	MS1	99	%REC	YES			1	D2F190325-001S	2175381
STLDEN	2186	6/17/02	02D1316	02D1316-001.004	IRON	MD1	103	%REC	YES			1	D2F190325-001D	2175381
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	LEAD	MD1	94	%REC	YES			1	D2F190325-002D	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	LEAD	MS1	99	%REC	YES			1	D2F190325-002S	2175383
STLDEN	2186	6/17/02	02D1316	02D1316-001.004	LITHIUM	MD1	102	%REC	YES			1	D2F190325-001D	2175381
STLDEN	2186	6/17/02	02D1316	02D1316-001.004	LITHIUM	MS1	99	%REC	YES			1	D2F190325-001S	2175381
STLDEN	2186	6/17/02	02D1316	02D1316-001.004	MAGNESIUM	MS1	99	%REC	YES			1	D2F190325-001S	2175381
STLDEN	2186	6/17/02	02D1316	02D1316-001.004	MAGNESIUM	MD1	103	%REC	YES			1	D2F190325-001D	2175381
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	MANGANESE	MD1	90	%REC	YES			1	D2F190325-002D	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	MANGANESE	MS1	96	%REC	YES			1	D2F190325-002S	2175383
STLDEN	2186	6/17/02	02D1316	02D1316-001.004	MERCURY	MD1	98	%REC	YES			1	D2F190325-001D	2183277
STLDEN	2186	6/17/02	02D1316	02D1316-001.004	MERCURY	MS1	98	%REC	YES			1	D2F190325-001S	2183277
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	MOLYBDENUM	MD1	88	%REC	YES	N		1	D2F190325-002D	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	MOLYBDENUM	MS1	93	%REC	YES			1	D2F190325-002S	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	NICKEL	MD1	92	%REC	YES			1	D2F190325-002D	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	NICKEL	MS1	98	%REC	YES			1	D2F190325-002S	2175383
STLDEN	2186	6/17/02	02D1316	02D1316-001.004	POTASSIUM	MD1	101	%REC	YES			1	D2F190325-001D	2175381
STLDEN	2186	6/17/02	02D1316	02D1316-001.004	POTASSIUM	MS1	97	%REC	YES			1	D2F190325-001S	2175381
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	SELENIUM	MD1	100	%REC	YES			1	D2F190325-002D	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	SELENIUM	MS1	112	%REC	YES	N		1	D2F190325-002S	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	SILVER	MD1	95	%REC	YES			1	D2F190325-002D	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	SILVER	MS1	98	%REC	YES			1	D2F190325-002S	2175383
STLDEN	2186	6/17/02	02D1316	02D1316-001.004	SODIUM	MS1	95	%REC	YES			1	D2F190325-001S	2175381
STLDEN	2186	6/17/02	02D1316	02D1316-001.004	SODIUM	MD1	100	%REC	YES			1	D2F190325-001D	2175381
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	STRONTIUM	MD1	91	%REC	YES			1	D2F190325-002D	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	STRONTIUM	MS1	98	%REC	YES			1	D2F190325-002S	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	THALLIUM	MD1	92	%REC	YES			1	D2F190325-002D	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	THALLIUM	MS1	97	%REC	YES			1	D2F190325-002S	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	TIN	MD1	88	%REC	YES			1	D2F190325-002D	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	TIN	MS1	94	%REC	YES			1	D2F190325-002S	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	URANIUM, TOTAL	MD1	92	%REC	YES			1	D2F190325-002D	2175383

124

Table 7-5
Matrix Spike Recovery for Strontium89/90-Tritium-Dissolved Gases-SVOCs-VOCs-Metals-WQPS
Groundwater - Second Quarter, 2002

Lab	Location	Sample Date	RIN	Bottle#	Analyte	Result Type	Result	Units	Field Filter	Lab Qual	Detect Limit	Dilu-tion	Lab Sample#	Lab Batch#
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	URANIUM, TOTAL	MS1	99	%REC	YES			1	D2F190325-002S	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	VANADIUM	MD1	89	%REC	YES			1	D2F190325-002D	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	VANADIUM	MS1	95	%REC	YES			1	D2F190325-002S	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	ZINC	MD1	87	%REC	YES			1	D2F190325-002D	2175383
STLDEN	63695	6/13/02	02D1316	02D1316-003.004	ZINC	MS1	93	%REC	YES			1	D2F190325-002S	2175383
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	ALUMINUM	MS1	**172**	%REC	YES	N		1	D2F290169-002S	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	ALUMINUM	MD1	**160**	%REC	YES	N		1	D2F290169-002D	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	ANTIMONY	MD1	111	%REC	YES	N		1	D2F290169-002D	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	ANTIMONY	MS1	112	%REC	YES	N		1	D2F290169-002S	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	ARSENIC	MS1	112	%REC	YES	N		1	D2F290169-002S	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	ARSENIC	MD1	111	%REC	YES	N		1	D2F290169-002D	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	BARIUM	MD1	93	%REC	YES			1	D2F290169-002D	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	BARIUM	MS1	93	%REC	YES			1	D2F290169-002S	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	BERYLLIUM	MS1	82	%REC	YES	N		1	D2F290169-002S	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	BERYLLIUM	MD1	81	%REC	YES	N		1	D2F290169-002D	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	CADMIUM	MD1	91	%REC	YES			1	D2F290169-002D	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	CADMIUM	MS1	92	%REC	YES			1	D2F290169-002S	2183393
STLDEN	0790	6/19/02	02D1336	02D1336-001.004	CALCIUM	MD1	99	%REC	YES			1	D2F290169-001D	2183389
STLDEN	0790	6/19/02	02D1336	02D1336-001.004	CALCIUM	MS1	102	%REC	YES			1	D2F290169-001S	2183389
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	CHROMIUM	MS1	92	%REC	YES			1	D2F290169-002S	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	CHROMIUM	MD1	90	%REC	YES			1	D2F290169-002D	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	COBALT	MD1	91	%REC	YES			1	D2F290169-002D	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	COBALT	MS1	92	%REC	YES			1	D2F290169-002S	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	COPPER	MS1	108	%REC	YES			1	D2F290169-002S	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	COPPER	MD1	108	%REC	YES			1	D2F290169-002D	2183393
STLDEN	0790	6/19/02	02D1336	02D1336-001.004	IRON	MS1	103	%REC	YES			1	D2F290169-001S	2183389
STLDEN	0790	6/19/02	02D1336	02D1336-001.004	IRON	MD1	102	%REC	YES			1	D2F290169-001D	2183389
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	LEAD	MD1	102	%REC	YES			1	D2F290169-002D	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	LEAD	MS1	102	%REC	YES			1	D2F290169-002S	2183393
STLDEN	0790	6/19/02	02D1336	02D1336-001.004	LITHIUM	MD1	98	%REC	YES			1	D2F290169-001D	2183389
STLDEN	0790	6/19/02	02D1336	02D1336-001.004	LITHIUM	MS1	99	%REC	YES			1	D2F290169-001S	2183389
STLDEN	0790	6/19/02	02D1336	02D1336-001.004	MAGNESIUM	MS1	102	%REC	YES			1	D2F290169-001S	2183389
STLDEN	0790	6/19/02	02D1336	02D1336-001.004	MAGNESIUM	MD1	100	%REC	YES			1	D2F290169-001D	2183389
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	MANGANESE	MS1	86	%REC	YES	N		1	D2F290169-002S	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	MANGANESE	MD1	80	%REC	YES	N		1	D2F290169-002D	2183393
STLDEN			02D1336		MERCURY	MS1	98	%REC				1	D2F190325-001S	2183277
STLDEN			02D1336		MERCURY	MD1	98	%REC				1	D2F190325-001D	2183277
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	MOLYBDENUM	MD1	97	%REC	YES			1	D2F290169-002D	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	MOLYBDENUM	MS1	99	%REC	YES			1	D2F290169-002S	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	NICKEL	MS1	91	%REC	YES			1	D2F290169-002S	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	NICKEL	MD1	90	%REC	YES			1	D2F290169-002D	2183393
STLDEN	0790	6/19/02	02D1336	02D1336-001.004	POTASSIUM	MD1	96	%REC	YES			1	D2F290169-001D	2183389
STLDEN	0790	6/19/02	02D1336	02D1336-001.004	POTASSIUM	MS1	97	%REC	YES			1	D2F290169-001S	2183389
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	SELENIUM	MS1	113	%REC	YES	N		1	D2F290169-002S	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	SELENIUM	MD1	113	%REC	YES	N		1	D2F290169-002D	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	SILVER	MS1	**134**	%REC	YES	N		1	D2F290169-002S	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	SILVER	MD1	**134**	%REC	YES	N		1	D2F290169-002D	2183393
STLDEN	0790	6/19/02	02D1336	02D1336-001.004	SODIUM	MD1	100	%REC	YES			1	D2F290169-001D	2183389
STLDEN	0790	6/19/02	02D1336	02D1336-001.004	SODIUM	MS1	102	%REC	YES			1	D2F290169-001S	2183389
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	STRONTIUM	MD1	78	%REC	YES	N		1	D2F290169-002D	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	STRONTIUM	MS1	78	%REC	YES	N		1	D2F290169-002S	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	THALLIUM	MD1	101	%REC	YES			1	D2F290169-002D	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	THALLIUM	MS1	101	%REC	YES			1	D2F290169-002S	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	TIN	MD1	107	%REC	YES			1	D2F290169-002D	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	TIN	MS1	108	%REC	YES			1	D2F290169-002S	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	URANIUM, TOTAL	MD1	95	%REC	YES			1	D2F290169-002D	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	URANIUM, TOTAL	MS1	95	%REC	YES			1	D2F290169-002S	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	VANADIUM	MD1	93	%REC	YES			1	D2F290169-002D	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	VANADIUM	MS1	94	%REC	YES			1	D2F290169-002S	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	ZINC	MD1	89	%REC	YES			1	D2F290169-002D	2183393
STLDEN	41693	6/25/02	02D1336	02D1336-009.004	ZINC	MS1	91	%REC	YES			1	D2F290169-002S	2183393
Water Quality Parameters (WQPs)														
STLDEN	30900	4/1/02	02D1074	02D1074-001.004	CHLORIDE	MS1	97	%REC	NO			1	D2D040326-001S	2095374
STLDEN	30900	4/1/02	02D1074	02D1074-001.004	CHLORIDE	MD1	98	%REC	NO			1	D2D040326-001D	2095374
STLDEN	30900	4/1/02	02D1074	02D1074-001.004	CHLORIDE	MS1	97	%REC	NO			1	D2D040326-001S	2095374

125

Table 7-5
Matrix Spike Recovery for Strontium89/90-Tritium-Dissolved Gases-SVOCs-VOCs-Metals-WQPS
Groundwater - Second Quarter, 2002

Lab	Location	Sample Date	RIN	Bottle#	Analyte	Result Type	Result	Units	Field Filter	Lab Qual	Detect Limit	Dilu-tion	Lab Sample#	Lab Batch#
STLDEN	30900	4/1/02	02D1074	02D1074-001.004	CHLORIDE	MD1	98	%REC	NO			1	D2D040326-001D	2095374
STLDEN	30900	4/1/02	02D1074	02D1074-001.004	CHLORIDE	MS1	97	%REC	NO			1	D2D040326-001S	2095374
STLDEN	30900	4/1/02	02D1074	02D1074-001.004	CHLORIDE	MD1	98	%REC	NO			1	D2D040326-001D	2095374
STLDEN	31001	5/1/02	02D1198	02D1198-005.007	CHLORIDE	MS1	90	%REC	NO			1	D2E030264-001S	2126312
STLDEN	31001	5/1/02	02D1198	02D1198-005.007	CHLORIDE	MD1	91	%REC	NO			1	D2E030264-001D	2126312
STLDEN	31001	5/1/02	02D1198	02D1198-005.007	CHLORIDE	MS1	90	%REC	NO			1	D2E030264-001S	2126312
STLDEN	31001	5/1/02	02D1198	02D1198-005.007	CHLORIDE	MD1	91	%REC	NO			1	D2E030264-001D	2126312
STLDEN	31001	5/1/02	02D1198	02D1198-005.007	CHLORIDE	MS1	90	%REC	NO			1	D2E030264-001S	2126312
STLDEN	31001	5/1/02	02D1198	02D1198-005.007	CHLORIDE	MD1	91	%REC	NO			1	D2E030264-001D	2126312
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.005	CHLORIDE	MS1	102	%REC	NO			1	D2D290203-001S	2123253
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.005	CHLORIDE	MD1	102	%REC	NO			1	D2D290203-001D	2123253
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.005	CHLORIDE	MS1	102	%REC	NO			1	D2D290203-001S	2123253
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.005	CHLORIDE	MD1	102	%REC	NO			1	D2D290203-001D	2123253
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.005	CHLORIDE	MS1	102	%REC	NO			1	D2D290203-001S	2123253
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.005	CHLORIDE	MD1	102	%REC	NO			1	D2D290203-001D	2123253
STLDEN			02D1199		CHLORIDE	MS1	90	%REC				1	D2E030264-001S	2126312
STLDEN			02D1199		CHLORIDE	MD1	91	%REC				1	D2E030264-001D	2126312
STLDEN	18799	6/18/02	02D1316	02D1316-002.010	CHLORIDE	MS1	97	%REC	NO			1	D2F190328-005S	2172284
STLDEN	18799	6/18/02	02D1316	02D1316-002.010	CHLORIDE	MD1	97	%REC	NO			1	D2F190328-005D	2172284
STLDEN	18799	6/18/02	02D1316	02D1316-002.010	CHLORIDE	MS1	97	%REC	NO			1	D2F190328-005S	2172284
STLDEN	18799	6/18/02	02D1316	02D1316-002.010	CHLORIDE	MD1	97	%REC	NO			1	D2F190328-005D	2172284
STLDEN	18799	6/18/02	02D1316	02D1316-002.010	CHLORIDE	MS1	97	%REC	NO			1	D2F190328-005S	2172284
STLDEN	18799	6/18/02	02D1316	02D1316-002.010	CHLORIDE	MD1	97	%REC	NO			1	D2F190328-005D	2172284
GEL	1786	4/16/02	02D1166	02D1166-005.006	FLUORIDE	MS1	91	%REC	NO		0.014	1	1200205292	160242
GEL	1786	4/16/02	02D1166	02D1166-005.006	FLUORIDE	MS1	91	%REC	NO		0.014	1	1200205292	160242
GEL	1786	4/16/02	02D1166	02D1166-005.006	FLUORIDE	MS1	91	%REC	NO		0.014	1	1200205292	160242
GEL	1386	4/19/02	02D1182	02D1182-022.006	FLUORIDE	MS1	93	%REC	NO		0.014	1	1200218791	165966
GEL	1386	4/19/02	02D1182	02D1182-022.006	FLUORIDE	MS1	93	%REC	NO		0.014	1	1200218791	165966
GEL	1386	4/19/02	02D1182	02D1182-022.006	FLUORIDE	MS1	93	%REC	NO		0.014	1	1200218791	165966
LVLI	4087	4/22/02	02D1215	02D1215-012.001	FLUORIDE	MS1	112.4	%REC	NO			1	0205L630-014	02LICC34
LVLI	4087	4/22/02	02D1215	02D1215-012.001	FLUORIDE	MS1	112.4	%REC	NO			1	0205L630-014	02LICC34
LVLI	4087	4/22/02	02D1215	02D1215-012.001	FLUORIDE	MS1	112.4	%REC	NO			1	0205L630-014	02LICC34
LVLI	70493	5/17/02	02D1244	02D1244-002.006	FLUORIDE	MS1	108.8	%REC	NO			2	0205L764-006	02LICB37
LVLI	70493	5/17/02	02D1244	02D1244-002.006	FLUORIDE	MS1	108.8	%REC	NO			2	0205L764-006	02LICB37
LVLI	70493	5/17/02	02D1244	02D1244-002.006	FLUORIDE	MS1	108.8	%REC	NO			2	0205L764-006	02LICB37
STLDEN	30900	4/1/02	02D1074	02D1074-001.004	NITRATE	MS1	98	%REC	NO			1	D2D040326-001S	2095375
STLDEN	30900	4/1/02	02D1074	02D1074-001.004	NITRATE	MD1	98	%REC	NO			1	D2D040326-001D	2095375
STLDEN	30900	4/1/02	02D1074	02D1074-001.004	NITRATE	MS1	98	%REC	NO			1	D2D040326-001S	2095375
STLDEN	30900	4/1/02	02D1074	02D1074-001.004	NITRATE	MD1	98	%REC	NO			1	D2D040326-001D	2095375
STLDEN	30900	4/1/02	02D1074	02D1074-001.004	NITRATE	MS1	98	%REC	NO			1	D2D040326-001S	2095375
STLDEN	30900	4/1/02	02D1074	02D1074-001.004	NITRATE	MD1	98	%REC	NO			1	D2D040326-001D	2095375
STLDEN	31001	5/1/02	02D1198	02D1198-005.007	NITRATE	MS1	93	%REC	NO			1	D2E030264-001S	2126313
STLDEN	31001	5/1/02	02D1198	02D1198-005.007	NITRATE	MD1	92	%REC	NO			1	D2E030264-001D	2126313
STLDEN	31001	5/1/02	02D1198	02D1198-005.007	NITRATE	MS1	93	%REC	NO			1	D2E030264-001S	2126313
STLDEN	31001	5/1/02	02D1198	02D1198-005.007	NITRATE	MD1	92	%REC	NO			1	D2E030264-001D	2126313
STLDEN	31001	5/1/02	02D1198	02D1198-005.007	NITRATE	MS1	93	%REC	NO			1	D2E030264-001S	2126313
STLDEN	31001	5/1/02	02D1198	02D1198-005.007	NITRATE	MD1	92	%REC	NO			1	D2E030264-001D	2126313
STLDEN			02D1199		NITRATE	MS1	93	%REC				1	D2E030264-001S	2126313
STLDEN			02D1199		NITRATE	MD1	92	%REC				1	D2E030264-001D	2126313
STLDEN	18799	6/18/02	02D1316	02D1316-002.010	NITRATE	MS1	92	%REC	NO			1	D2F190328-005S	2172285
STLDEN	18799	6/18/02	02D1316	02D1316-002.010	NITRATE	MD1	92	%REC	NO			1	D2F190328-005D	2172285
STLDEN	18799	6/18/02	02D1316	02D1316-002.010	NITRATE	MS1	92	%REC	NO			1	D2F190328-005S	2172285
STLDEN	18799	6/18/02	02D1316	02D1316-002.010	NITRATE	MD1	92	%REC	NO			1	D2F190328-005D	2172285
STLDEN	18799	6/18/02	02D1316	02D1316-002.010	NITRATE	MS1	92	%REC	NO			1	D2F190328-005S	2172285
STLDEN	18799	6/18/02	02D1316	02D1316-002.010	NITRATE	MD1	92	%REC	NO			1	D2F190328-005D	2172285
STLDEN	05093	4/4/02	02D1074	02D1074-009.001	NITRATE/NITRITE	MD1	0	%REC	NO	UN		1	D2D040342-005D	2095383
STLDEN	05093	4/4/02	02D1074	02D1074-009.001	NITRATE/NITRITE	MS1	0	%REC	NO	UN		1	D2D040342-005S	2095383
GEL	P218089	4/3/02	02D1153	02D1153-002.002	NITRATE/NITRITE	MS1	95	%REC	NO		0.007	1	1200206017	160844
STLDEN			02D1162		NITRATE/NITRITE	MS1	69	%REC		N		1	D2D090223-001S	2113236
STLDEN			02D1162		NITRATE/NITRITE	MD1	69	%REC		N		1	D2D090223-001D	2113236
LVLI	B208189	5/1/02	02D1199	02D1199-031.001	NITRATE/NITRITE	MS1	103.8	%REC	NO			1	0204L576-001	02LN3028
LVLI	P213689	4/19/02	02D1199	02D1199-018.002	NITRATE/NITRITE	MS1	101.4	%REC	NO			1	0204L577-042	02LN3028
LVLI	P115589	4/17/02	02D1215	02D1215-004.002	NITRATE/NITRITE	MS1	95.6	%REC	NO			1	0205L630-005	02LN3C30
LVLI	FD-559-561	5/7/02	02D1215	02D1215-032.005	NITRATE/NITRITE	MS1	97	%REC	NO			1	0205L630-035	02LN3C30
LVLI	84002	4/17/02	02D1227	02D1227-002.001	NITRATE/NITRITE	MS1	93.8	%REC	NO			1	0205L698-004	02LN3C30
LVLI	BS-865-2	5/21/02	02D1244	02D1244-003.005	NITRATE/NITRITE	MS1	89	%REC	NO			10	0205L764-008	02LN3032

126

Table 7-5
Matrix Spike Recovery for Strontium89/90-Tritium-Dissolved Gases-SVOCs-VOCs-Metals-WQPS
Groundwater - Second Quarter, 2002

Lab	Location	Sample Date	RIN	Bottle#	Analyte	Result Type	Result	Units	Field Filter	Lab Qual	Detect Limit	Dilu-tion	Lab Sample#	Lab Batch#
LVLI	P219089	5/15/02	02D1244	02D1244-019.002	NITRATE/NITRITE	MS1	89.4	%REC	NO			10	0205L764-037	02LN3032
LVLI	99301	5/6/02	02D1253	02D1253-004.001	NITRATE/NITRITE	MS1	94.8	%REC	NO			1	0205L821-005	02LN3034
LVLI	771 FD OUT #2	5/31/02	02D1278	02D1278-001.005	NITRATE/NITRITE	MS1	84	%REC	NO			1	0206L883-002	02LN3E35
LVLI	06791	6/11/02	02D1298	02D1298-013.005	NITRATE/NITRITE	MS1	101.8	%REC	NO			10	0206L923-015	02LN3A37
STLDEN			02D1316		NITRATE/NITRITE	MS1	85	%REC		N		1	D2F180240-006S	2179349
STLDEN			02D1316		NITRATE/NITRITE	MD1	84	%REC		N		1	D2F180240-006D	2179349
STLDEN			02D1336		NITRATE/NITRITE	MS1	102	%REC				1	D2F270298-003S	2192258
STLDEN			02D1336		NITRATE/NITRITE	MD1	99	%REC				1	D2F270298-003D	2192258
STLDEN			02D1336		NITRATE/NITRITE	MS2	92	%REC				1	D2G090220-006S	2199430
STLDEN			02D1336		NITRATE/NITRITE	MD2	91	%REC				1	D2G090220-006D	2199430
STLDEN			02D1074		TOTAL ORGANIC CARBON	MS1	96	%REC				1	D2C200220-002S	2099334
STLDEN			02D1074		TOTAL ORGANIC CARBON	MD1	97	%REC				1	D2C200220-002D	2099334
STLDEN	31001	5/1/02	02D1198	02D1198-005.008	TOTAL ORGANIC CARBON	MS1	98	%REC	NO			1	D2E030264-002S	2148239
STLDEN	31001	5/1/02	02D1198	02D1198-005.008	TOTAL ORGANIC CARBON	MD1	98	%REC	NO			1	D2E030264-002D	2148239
STLDEN			02D1199		TOTAL ORGANIC CARBON	MD1	98	%REC				1	D2E030264-002D	2148239
STLDEN			02D1199		TOTAL ORGANIC CARBON	MS1	98	%REC				1	D2E030264-002S	2148239
STLDEN	18799	6/18/02	02D1316	02D1316-002.011	TOTAL ORGANIC CARBON	MD1	100	%REC	NO			1	D2F190328-006D	2192478
STLDEN	18799	6/18/02	02D1316	02D1316-002.011	TOTAL ORGANIC CARBON	MS1	101	%REC	NO			1	D2F190328-006S	2192478
STLDEN	30900	4/1/02	02D1074	02D1074-001.004	SULFATE	MD1	106	%REC	NO			1	D2D040326-001D	2095376
STLDEN	30900	4/1/02	02D1074	02D1074-001.004	SULFATE	MS1	102	%REC	NO			1	D2D040326-001S	2095376
STLDEN	30900	4/1/02	02D1074	02D1074-001.004	SULFATE	MD1	106	%REC	NO			1	D2D040326-001D	2095376
STLDEN	30900	4/1/02	02D1074	02D1074-001.004	SULFATE	MS1	102	%REC	NO			1	D2D040326-001S	2095376
STLDEN	30900	4/1/02	02D1074	02D1074-001.004	SULFATE	MD1	106	%REC	NO			1	D2D040326-001D	2095376
STLDEN	30900	4/1/02	02D1074	02D1074-001.004	SULFATE	MS1	102	%REC	NO			1	D2D040326-001S	2095376
GEL	1786	4/16/02	02D1166	02D1166-005.006	SULFATE	MS1	101	%REC	NO		1.24	20	1200205292	160242
GEL	1786	4/16/02	02D1166	02D1166-005.006	SULFATE	MS1	101	%REC	NO		1.24	20	1200205292	160242
GEL	1786	4/16/02	02D1166	02D1166-005.006	SULFATE	MS1	101	%REC	NO		1.24	20	1200205292	160242
GEL	1386	4/19/02	02D1182	02D1182-022.006	SULFATE	MS1	80	%REC	NO		0.62	10	1200218791	165966
GEL	1386	4/19/02	02D1182	02D1182-022.006	SULFATE	MS1	80	%REC	NO		0.62	10	1200218791	165966
GEL	1386	4/19/02	02D1182	02D1182-022.006	SULFATE	MS1	80	%REC	NO		0.62	10	1200218791	165966
STLDEN	31001	5/1/02	02D1198	02D1198-005.007	SULFATE	MS1	94	%REC	NO			1	D2E030264-001S	2126314
STLDEN	31001	5/1/02	02D1198	02D1198-005.007	SULFATE	MD1	94	%REC	NO			1	D2E030264-001D	2126314
STLDEN	31001	5/1/02	02D1198	02D1198-005.007	SULFATE	MS1	94	%REC	NO			1	D2E030264-001S	2126314
STLDEN	31001	5/1/02	02D1198	02D1198-005.007	SULFATE	MD1	94	%REC	NO			1	D2E030264-001D	2126314
STLDEN	31001	5/1/02	02D1198	02D1198-005.007	SULFATE	MS1	94	%REC	NO			1	D2E030264-001S	2126314
STLDEN	31001	5/1/02	02D1198	02D1198-005.007	SULFATE	MD1	94	%REC	NO			1	D2E030264-001D	2126314
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.005	SULFATE	MS1	96	%REC	NO			1	D2D290203-001S	2123254
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.005	SULFATE	MD1	97	%REC	NO			1	D2D290203-001D	2123254
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.005	SULFATE	MS1	96	%REC	NO			1	D2D290203-001S	2123254
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.005	SULFATE	MD1	97	%REC	NO			1	D2D290203-001D	2123254
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.005	SULFATE	MS1	96	%REC	NO			1	D2D290203-001S	2123254
STLDEN	ET EFFLUENT	4/24/02	02D1198	02D1198-001.005	SULFATE	MD1	97	%REC	NO			1	D2D290203-001D	2123254
STLDEN			02D1199		SULFATE	MS1	94	%REC				1	D2E030264-001S	2126314
STLDEN			02D1199		SULFATE	MD1	94	%REC				1	D2E030264-001D	2126314
LVLI	4087	4/22/02	02D1215	02D1215-012.001	SULFATE	MS1	105.6	%REC	NO			1	0205L630-014	02LIC034
LVLI	4087	4/22/02	02D1215	02D1215-012.001	SULFATE	MS1	105.6	%REC	NO			1	0205L630-014	02LIC034
LVLI	4087	4/22/02	02D1215	02D1215-012.001	SULFATE	MS1	105.6	%REC	NO			1	0205L630-014	02LIC034
LVLI	70493	5/17/02	02D1244	02D1244-002.006	SULFATE	MS1	100.3	%REC	NO			5	0205L764-006	02LICB37
LVLI	70493	5/17/02	02D1244	02D1244-002.006	SULFATE	MS1	100.3	%REC	NO			5	0205L764-006	02LICB37
LVLI	70493	5/17/02	02D1244	02D1244-002.006	SULFATE	MS1	100.3	%REC	NO			5	0205L764-006	02LICB37
LVLI	P209289	5/31/02	02D1278	02D1278-005.006	SULFATE	MS1	101.7	%REC	NO			1	0206L883-006	02LICB41
LVLI	P209289	5/31/02	02D1278	02D1278-005.006	SULFATE	MS1	101.7	%REC	NO			1	0206L883-006	02LICB41
LVLI	P209289	5/31/02	02D1278	02D1278-005.006	SULFATE	MS1	101.7	%REC	NO			1	0206L883-006	02LICB41
STLDEN	18799	6/18/02	02D1316	02D1316-002.010	SULFATE	MD1	85	%REC	NO	N		1	D2F190328-005D	2172286
STLDEN	18799	6/18/02	02D1316	02D1316-002.010	SULFATE	MS1	84	%REC	NO	N		1	D2F190328-005S	2172286
STLDEN	18799	6/18/02	02D1316	02D1316-002.010	SULFATE	MD1	85	%REC	NO	N		1	D2F190328-005D	2172286
STLDEN	18799	6/18/02	02D1316	02D1316-002.010	SULFATE	MS1	84	%REC	NO	N		1	D2F190328-005S	2172286
STLDEN	18799	6/18/02	02D1316	02D1316-002.010	SULFATE	MD1	85	%REC	NO	N		1	D2F190328-005D	2172286
STLDEN	18799	6/18/02	02D1316	02D1316-002.010	SULFATE	MS1	84	%REC	NO	N		1	D2F190328-005S	2172286
GEL	30900	4/1/02	02D1074	02D1074-001.017	SULFIDE	MS1	84	%REC	NO		0.023	1	1200196397	156970
GEL	31001	5/1/02	02D1198	02D1198-005.006	SULFIDE	MS1	21	%REC	NO		0.023	1	1200210292	162508
GEL	31001	5/1/02	02D1199	02D1198-005.006	SULFIDE	MS1	21	%REC	NO		0.023	1	1200210292	162508
STLDEN	18799	6/18/02	02D1316	02D1316-002.009	SULFIDE	MS1	90	%REC	NO			1	D2F190328-004S	2182222
STLDEN	18799	6/18/02	02D1316	02D1316-002.009	SULFIDE	MD1	80	%REC	NO	*		1	D2F190328-004D	2182222

127

Table 7-6
Laboratory Control Samples (LCS)
Groundwater - Second Quarter, 2002

Lab	RIN	Analyte	Result Type	Relative Bias	Observed Result	Observed 2 Sigma Error	Known Value	Obs. Units	Detect Limit	Test Method	Lab Sample#	Lab Batch#
GEL	02D1153	AMERICIUM-241	LC1	**-0.689**	0.913	0.124	2.94	PCI/L	0.0351	ALPHA SPEC	1200201122	158826
GEL	02D1166	AMERICIUM-241	LC1	0.058	3.11	0.382	2.94	PCI/L	0.0265	ALPHA SPEC	1200204070	160012
GEL	02D1182	AMERICIUM-241	LC1	-0.0204	2.88	0.353	2.94	PCI/L	0.0323	ALPHA SPEC	1200207837	161512
GEL	02D1198	AMERICIUM-241	LC1	-0.0884	2.68	0.333	2.94	PCI/L	0.0071	ALPHA SPEC	1200210910	162793
GEL	02D1199	AMERICIUM-241	LC1	-0.0884	2.68	0.333	2.94	PCI/L	0.0071	ALPHA SPEC	1200210910	162793
GEL	02D1215	AMERICIUM-241	LC1	0.02	3	0.373	2.94	PCI/L	0.0194	ALPHA SPEC	1200221215	167049
GEL	02D1227	AMERICIUM-241	LC1	-0.051	2.79	0.334	2.94	PCI/L	0.0058	ALPHA SPEC	1200220276	166640
GEL	02D1244	AMERICIUM-241	LC1	0.024	3.01	0.405	2.94	PCI/L	0.0686	ALPHA SPEC	1200225536	168698
GEL	02D1244	AMERICIUM-241	LC1	-0.0544	2.78	0.332	2.94	PCI/L	0.0302	ALPHA SPEC	1200238482	174192
GEL	02D1253	AMERICIUM-241	LC1	0.065	3.13	0.375	2.94	PCI/L	0.0158	ALPHA SPEC	1200228803	169989
GEL	02D1278	AMERICIUM-241	LC1	-0.0034	2.92	0.344	2.93	PCI/L	0.0197	ALPHA SPEC	1200235125	172705
GEL	02D1278	AMERICIUM-241	LC1	-0.119	2.59	0.317	2.94	PCI/L	0.0203	ALPHA SPEC	1200238551	174212
GEL	02D1298	AMERICIUM-241	LC1	-0.0918	2.67	0.328	2.94	PCI/L	0.0248	ALPHA SPEC	1200243825	176419
GEL	02D1316	AMERICIUM-241	LC1	-0.0102	2.91	0.344	2.94	PCI/L	0.0281	ALPHA SPEC	1200256387	182481
GEL	02D1336	AMERICIUM-241	LC1	-0.0102	2.91	0.344	2.94	PCI/L	0.0281	ALPHA SPEC	1200256387	182481
GEL	02D1336	AMERICIUM-241	LC1	-0.0306	3.8	0.463	3.92	PCI/L	0.0277	ALPHA SPEC	1200270862	188745
GEL	02D1153	NEPTUNIUM-237	LC1	0.115	24.3	3.36	21.80	PCI/L	0.227	ALPHA SPEC	1200201128	158828
GEL	02D1182	NEPTUNIUM-237	LC1	-0.11	19.4	2.8	21.80	PCI/L	0.197	ALPHA SPEC	1200207830	161510
GEL	02D1199	NEPTUNIUM-237	LC1	0.078	23.5	3.41	21.80	PCI/L	0.203	ALPHA SPEC	1200213301	163750
GEL	02D1215	NEPTUNIUM-237	LC1	-0.243	16.5	2.64	21.80	PCI/L	0.284	ALPHA SPEC	1200221221	167052
GEL	02D1227	NEPTUNIUM-237	LC1	0.005	21.9	2.86	21.80	PCI/L	0.309	ALPHA SPEC	1200220282	166642
GEL	02D1244	NEPTUNIUM-237	LC1	-0.0229	21.3	2.44	21.80	PCI/L	0.38	ALPHA SPEC	1200227223	169367
GEL	02D1278	NEPTUNIUM-237	LC1	-0.154	18.4	2.4	21.76	PCI/L	0.43	ALPHA SPEC	1200238556	174214
GEL	02D1298	NEPTUNIUM-237	LC1	-0.133	18.9	2.63	21.80	PCI/L	0.191	ALPHA SPEC	1200243831	176421
GEL	02D1336	NEPTUNIUM-237	LC1	0.191	5.18	0.521	4.35	PCI/L	0.058	ALPHA SPEC	1200256393	182484
GEL	02D1153	PLUTONIUM-239/240	LC1	0.003	2.92	0.325	2.91	PCI/L	0.0204	ALPHA SPEC	1200201125	158827
GEL	02D1166	PLUTONIUM-239/240	LC1	-0.0378	2.8	0.314	2.91	PCI/L	0.033	ALPHA SPEC	1200204073	160013
GEL	02D1182	PLUTONIUM-239/240	LC1	-0.0172	2.86	0.349	2.91	PCI/L	0.0217	ALPHA SPEC	1200207834	161511
GEL	02D1198	PLUTONIUM-239/240	LC1	-0.0653	2.72	0.289	2.91	PCI/L	0.0218	ALPHA SPEC	1200210913	162794
GEL	02D1199	PLUTONIUM-239/240	LC1	-0.0653	2.72	0.289	2.91	PCI/L	0.0218	ALPHA SPEC	1200210913	162794
GEL	02D1215	PLUTONIUM-239/240	LC1	-0.0859	2.66	0.283	2.91	PCI/L	0.0334	ALPHA SPEC	1200221218	167050
GEL	02D1227	PLUTONIUM-239/240	LC1	-0.0069	2.89	0.301	2.91	PCI/L	0.0296	ALPHA SPEC	1200220279	166641
GEL	02D1244	PLUTONIUM-239/240	LC1	-0.0447	2.78	0.302	2.91	PCI/L	0.0171	ALPHA SPEC	1200225539	168701
GEL	02D1253	PLUTONIUM-239/240	LC1	-0.0309	2.82	0.301	2.91	PCI/L	0.0325	ALPHA SPEC	1200228810	169991
GEL	02D1278	PLUTONIUM-239/240	LC1	-0.0412	2.79	0.298	2.91	PCI/L	0.0196	ALPHA SPEC	1200235128	172707
GEL	02D1278	PLUTONIUM-239/240	LC1	-0.127	2.54	0.279	2.91	PCI/L	0.0426	ALPHA SPEC	1200238559	174215
GEL	02D1298	PLUTONIUM-239/240	LC1	-0.0103	2.88	0.306	2.91	PCI/L	0.0355	ALPHA SPEC	1200243828	176420
GEL	02D1316	PLUTONIUM-239/240	LC1	-0.0687	2.71	0.292	2.91	PCI/L	0.032	ALPHA SPEC	1200256390	182483
GEL	02D1336	PLUTONIUM-239/240	LC1	-0.0687	2.71	0.292	2.91	PCI/L	0.032	ALPHA SPEC	1200256390	182483
GEL	02D1336	PLUTONIUM-239/240	LC1	-0.0567	3.66	0.397	3.88	PCI/L	0.0288	ALPHA SPEC	1200270865	188746
GEL	02D1074	URANIUM-238	LC1	-0.101	11	2.16	12.23	PCI/L	0.106	ALPHA SPEC	1200197115	157262
GEL	02D1153	URANIUM-238	LC1	0.055	12.9	2.51	12.23	PCI/L	0.198	ALPHA SPEC	1200201119	158825
GEL	02D1162	URANIUM-238	LC1	-0.204	19.5	3.34	24.50	PCI/L	0.115	ALPHA SPEC	1200201463	158939
GEL	02D1166	URANIUM-238	LC1	-0.118	21.6	4.13	24.50	PCI/L	0.191	ALPHA SPEC	1200204067	160010
GEL	02D1182	URANIUM-238	LC1	-0.115	10.8	2.1	12.23	PCI/L	0.21	ALPHA SPEC	1200207826	161509
GEL	02D1182	URANIUM-238	LC1	0.038	12.7	2.27	12.23	PCI/L	0.201	ALPHA SPEC	1200215993	164793
GEL	02D1198	URANIUM-238	LC1	0.071	13.1	2.61	12.23	PCI/L	0.261	ALPHA SPEC	1200210907	162791
GEL	02D1199	URANIUM-238	LC1	0.071	13.1	2.61	12.23	PCI/L	0.261	ALPHA SPEC	1200210907	162791
GEL	02D1215	URANIUM-238	LC1	-0.0352	11.8	2.25	12.23	PCI/L	0.273	ALPHA SPEC	1200221212	167048
GEL	02D1227	URANIUM-238	LC1	0.153	14.1	2.8	12.23	PCI/L	0.27	ALPHA SPEC	1200220270	166638
GEL	02D1227	URANIUM-238	LC1	0.006	12.3	2.27	12.23	PCI/L	0.225	ALPHA SPEC	1200220273	166639
GEL	02D1227	URANIUM-238	LC1	-0.0784	56.4	10.9	61.20	PCI/L	1.27	ALPHA SPEC	1200232927	171846
GEL	02D1244	URANIUM-238	LC1	-0.109	10.9	2.2	12.23	PCI/L	0.317	ALPHA SPEC	1200228765	169978

128

Table 7-6
Laboratory Control Samples (LCS)
Groundwater - Second Quarter, 2002

Lab	RIN	Analyte	Result Type	Relative Bias	Observed Result	Observed 2 Sigma Error	Known Value	Obs. Units	Detect Limit	Test Method	Lab Sample#	Lab Batch#
GEL	02D1253	URANIUM-238	LC1	0.014	12.4	2.23	12.23	PCI/L	0.204	ALPHA SPEC	1200239667	174707
GEL	02D1253	URANIUM-238	LC1	-0.0515	11.6	2.29	12.23	PCI/L	0.305	ALPHA SPEC	1200228800	169988
GEL	02D1278	URANIUM-238	LC1	0.063	13	2.43	12.23	PCI/L	0.12	ALPHA SPEC	1200235122	172704
GEL	02D1278	URANIUM-238	LC1	-0.0352	11.8	2.17	12.23	PCI/L	0.105	ALPHA SPEC	1200238548	174211
GEL	02D1298	URANIUM-238	LC1	-0.0106	12.1	2.31	12.23	PCI/L	0.253	ALPHA SPEC	1200243822	176414
GEL	02D1316	URANIUM-238	LC1	-0.0842	11.2	2.17	12.23	PCI/L	0.277	ALPHA SPEC	1200256384	182479
GEL	02D1336	URANIUM-238	LC1	-0.0842	11.2	2.17	12.23	PCI/L	0.277	ALPHA SPEC	1200256384	182479
GEL	02D1336	URANIUM-238	LC1	-0.0343	59.1	11.1	61.20	PCI/L	0.784	ALPHA SPEC	1200270604	188603
GEL	02D1182	CESIUM-137	LC1	0.126	349	43.8	309.50	PCI/L	8.09	GAMMA SPEC	1200209774	162299
GEL	02D1278	CESIUM-137	LC1	0.104	341	43.8	309.00	PCI/L	8.78	GAMMA SPEC	1200232265	171596
GEL	02D1166	STRONTIUM-89,90	LC1	0.015	49.6	12.8	48.88	PCI/L	0.693	GAS PROPORTIONAL COUNTER	1200204687	160313
GEL	02D1182	STRONTIUM-89,90	LC1	0.119	23.9	6.72	21.39	PCI/L	0.139	GAS PROPORTIONAL COUNTER	1200210345	162532
GEL	02D1199	STRONTIUM-89,90	LC1	0.119	23.9	6.72	21.39	PCI/L	0.139	GAS PROPORTIONAL COUNTER	1200210345	162532
GEL	02D1215	STRONTIUM-89,90	LC1	0.054	36	10.2	34.17	PCI/L	0.168	GAS PROPORTIONAL COUNTER	1200225667	168755
GEL	02D1278	STRONTIUM-89,90	LC1	-0.0082	21.2	5.09	21.33	PCI/L	0.136	GAS PROPORTIONAL COUNTER	1200235354	172789
GEL	02D1153	TRITIUM	LC1	-0.173	2740	378	3317.50	PCI/L	313	LIQUID SCINTILLATION COUNTER	1200200521	158611
GEL	02D1166	TRITIUM	LC1	-0.111	2950	361	3313.40	PCI/L	195	LIQUID SCINTILLATION COUNTER	1200204064	160009
GEL	02D1182	TRITIUM	LC1	-0.0122	3270	491	3308.30	PCI/L	308	LIQUID SCINTILLATION COUNTER	1200211014	162835
GEL	02D1199	TRITIUM	LC1	-0.0122	3270	491	3308.30	PCI/L	308	LIQUID SCINTILLATION COUNTER	1200211014	162835
GEL	02D1215	TRITIUM	LC1	0.128	3720	488	3297.60	PCI/L	238	LIQUID SCINTILLATION COUNTER	1200224824	168344
GEL	02D1227	TRITIUM	LC1	0.081	3570	459	3300.60	PCI/L	330	LIQUID SCINTILLATION COUNTER	1200219178	166141
GEL	02D1244	TRITIUM	LC1	0.111	3650	543	3289.40	PCI/L	334	LIQUID SCINTILLATION COUNTER	1200227658	169549
GEL	02D1278	TRITIUM	LC1	0.042	3420	521	3286.40	PCI/L	336	LIQUID SCINTILLATION COUNTER	1200233203	171946
GEL	02D1336	TRITIUM	LC1	0.062	3480	527	3273.70	PCI/L	359	LIQUID SCINTILLATION COUNTER	1200257260	182805

$$\text{Relative Bias} = \frac{\text{Observed Result - Known Standard}}{\text{Known Standard}}$$

Relative Bias acceptance criteria = -0.25 to +0.25

129

Table 7-7
Equipment Rinsate Results
Groundwater - Second Quarter, 2002

Location	Sample Date	Analyte	Sample#	Result Type	Result	Tier II	Units	Lab Qual	Valid-ation	Valid Reason	Detect Limit	2 Sigma Error	Field Filtered	RIN
Radionuclides														
00500	4/30/02	AMERICIUM-241	GW08286RG	TR1	0.0105	0.145	PCI/L	J	V1		0.0063	0.0093	NO	02D1199
00897	5/8/02	AMERICIUM-241	GW08188RG	TR1	0.00685	0.145	PCI/L	U	V		0.0281	0.0149	NO	02D1227
12191	4/17/02	AMERICIUM-241	GW08197RG	TR1	0.00895	0.145	PCI/L	U	V1	804	0.0214	0.0124	NO	02D1166
56201	5/7/02	AMERICIUM-241	GW08263RG	TR1	0.016	0.145	PCI/L	J	V		0.008	0.0129	NO	02D1244
P209489	4/30/02	AMERICIUM-241	GW08204RG	TR1	0.00211	0.145	PCI/L	U	V1		0.0304	0.0149	NO	02D1199
00500	4/30/02	PLUTONIUM-239/240	GW08286RG	TR1	0.00547	0.151	PCI/L	U	V1		0.0209	0.0107	NO	02D1199
00897	5/8/02	PLUTONIUM-239/240	GW08188RG	TR1	-0.00417	0.151	PCI/L	U	V		0.0256	0.01	NO	02D1227
12191	4/17/02	PLUTONIUM-239/240	GW08197RG	TR1	-0.00406	0.151	PCI/L	U	V1	804	0.025	0.00976	NO	02D1166
56201	5/7/02	PLUTONIUM-239/240	GW08263RG	TR1	0.00431	0.151	PCI/L	U	V		0.0289	0.0147	NO	02D1244
P209489	4/30/02	PLUTONIUM-239/240	GW08204RG	TR1	-0.00457	0.151	PCI/L	U	V1		0.0281	0.011	NO	02D1199
P209489	4/30/02	STRONTIUM-89,90	GW08204RG	TR1	0.0805	0.852	PCI/L	U	V		0.117	0.0741	YES	02D1199
00500	4/30/02	TRITIUM	GW08286RG	TR1	-78.6	666	PCI/L	U	V1		314	165	NO	02D1199
56201	5/7/02	TRITIUM	GW08263RG	TR1	-27.3	666	PCI/L	U	V1	703	328	178	NO	02D1244
70193	5/21/02	TRITIUM	GW08232RG	TR1	166	666	PCI/L	U	V1	703	331	199	NO	02D1244
P209489	4/30/02	TRITIUM	GW08204RG	TR1	-100	666	PCI/L	U	V1		300	155	NO	02D1199
00500	4/30/02	URANIUM-233,-234	GW08286RG	TR1	0.0621	1.06	PCI/L	U	V1		0.342	0.143	YES	02D1199
00897	5/8/02	URANIUM-233,-234	GW08188RG	TR1	0.00575	1.06	PCI/L	U	V		0.679	0.221	YES	02D1227
12191	4/17/02	URANIUM-233,-234	GW08197RG	TR1	0.00596	1.06	PCI/L	U	V1	804	0.703	0.229	YES	02D1166
56201	5/7/02	URANIUM-233,-234	GW08263RG	TR1	0.0606	1.06	PCI/L	U	V		0.224	0.105	YES	02D1227
70193	5/21/02	URANIUM-233,-234	GW08232RG	TR1	0.11	1.06	PCI/L	U	V		0.274	0.147	YES	02D1244
P209489	4/30/02	URANIUM-233,-234	GW08204RG	TR1	0.0361	1.06	PCI/L	U	V1		0.262	0.102	YES	02D1199
00500	4/30/02	URANIUM-235	GW08286RG	TR1	0.0623	1.01	PCI/L	U	V1		0.343	0.144	YES	02D1199
00897	5/8/02	URANIUM-235	GW08188RG	TR1	-0.104	1.01	PCI/L	U	V		0.619	0.085	YES	02D1227
12191	4/17/02	URANIUM-235	GW08197RG	TR1	0.132	1.01	PCI/L	U	V1	804	0.394	0.211	YES	02D1166
56201	5/7/02	URANIUM-235	GW08263RG	TR1	-0.0214	1.01	PCI/L	U	V		0.207	0.0245	YES	02D1227
70193	5/21/02	URANIUM-235	GW08232RG	TR1	0.0364	1.01	PCI/L	U	V		0.109	0.0716	YES	02D1244
P209489	4/30/02	URANIUM-235	GW08204RG	TR1	0.0362	1.01	PCI/L	U	V1		0.263	0.102	YES	02D1199
00500	4/30/02	URANIUM-238	GW08286RG	TR1	0	0.768	PCI/L	U	V1		0.12	0.0781	YES	02D1199
00897	5/8/02	URANIUM-238	GW08188RG	TR1	-0.0144	0.768	PCI/L	U	V		0.582	0.16	YES	02D1227
12191	4/17/02	URANIUM-238	GW08197RG	TR1	-0.0328	0.768	PCI/L	U	V1	804	0.639	0.169	YES	02D1166
56201	5/7/02	URANIUM-238	GW08263RG	TR1	0.141	0.768	PCI/L	U	V		0.157	0.133	YES	02D1227
70193	5/21/02	URANIUM-238	GW08232RG	TR1	0.0189	0.768	PCI/L	U	V		0.226	0.0752	YES	02D1244
P209489	4/30/02	URANIUM-238	GW08204RG	TR1	0.0527	0.768	PCI/L	U	V1		0.216	0.0992	YES	02D1199
Location	**Sample Date**	**Analyte**	**Sample#**	**Result Type**	**Result**	**Tier II**	**Units**	**Lab Qual**	**Valid-ation**	**Valid Reason**	**Detect Limit**	**Dilu-tion**	**Field Filtered**	**RIN**
Semi-Volatile Organic Compounds (SVOCs)														
21098	5/1/02	1,2,4-TRICHLOROBENZENE	GW08251RG	TR1	10	70	UG/L	U	V1		1.8	1	NO	02D1200
21098	5/1/02	1,2-DICHLOROBENZENE	GW08251RG	TR1	10	600	UG/L	U	V1		1.9	1	NO	02D1200
21098	5/1/02	1,3-DICHLOROBENZENE	GW08251RG	TR1	10	600	UG/L	U	V1		2.5	1	NO	02D1200
21098	5/1/02	1,4-DICHLOROBENZENE	GW08251RG	TR1	10	75	UG/L	U	V1		2.2	1	NO	02D1200
21098	5/1/02	1-PROPENE, 1,1,2-TRICHLORO- (TIC)	GW08251RG	TR1	41		UG/L	J	V1			1	NO	02D1200
21098	5/1/02	2,4,5-TRICHLOROPHENOL	GW08251RG	TR1	10	50	UG/L	U	V1		1.1	1	NO	02D1200
21098	5/1/02	2,4,6-TRICHLOROPHENOL	GW08251RG	TR1	10	7.74	UG/L	U	V1		1.1	1	NO	02D1200
21098	5/1/02	2,4-DICHLOROPHENOL	GW08251RG	TR1	10	110	UG/L	U	V1		1.7	1	NO	02D1200
21098	5/1/02	2,4-DIMETHYLPHENOL	GW08251RG	TR1	10	730	UG/L	U	V1		2.1	1	NO	02D1200
21098	5/1/02	2,4-DINITROPHENOL	GW08251RG	TR1	50	73	UG/L	U	V1		16	1	NO	02D1200
21098	5/1/02	2,4-DINITROTOLUENE	GW08251RG	TR1	10	0.125	UG/L	U	V1		2.4	1	NO	02D1200
21098	5/1/02	2,6-DINITROTOLUENE	GW08251RG	TR1	10	0.125	UG/L	U	V1		2.3	1	NO	02D1200
21098	5/1/02	2-CHLORONAPHTHALENE	GW08251RG	TR1	10	2920	UG/L	U	V1		1.4	1	NO	02D1200
21098	5/1/02	2-CHLOROPHENOL	GW08251RG	TR1	10	183	UG/L	U	V1		1.5	1	NO	02D1200
21098	5/1/02	2-METHYLNAPHTHALENE	GW08251RG	TR1	10	1460	UG/L	U	V1		1.9	1	NO	02D1200
21098	5/1/02	2-METHYLPHENOL	GW08251RG	TR1	10	1830	UG/L	U	V1		1.6	1	NO	02D1200
21098	5/1/02	2-NITROANILINE	GW08251RG	TR1	50	2.19	UG/L	U	V1		1.6	1	NO	02D1200
21098	5/1/02	2-NITROPHENOL	GW08251RG	TR1	10		UG/L	U	V1		1.7	1	NO	02D1200
21098	5/1/02	3,3'-DICHLOROBENZIDINE	GW08251RG	TR1	20	0.189	UG/L	U	V1		16	1	NO	02D1200
21098	5/1/02	3-NITROANILINE	GW08251RG	TR1	50		UG/L	U	V1		6.7	1	NO	02D1200
21098	5/1/02	4,6-DINITRO-2-METHYLPHENOL	GW08251RG	TR1	50	3.65	UG/L	U	V1		15	1	NO	02D1200
21098	5/1/02	4-CHLORO-3-METHYLPHENOL	GW08251RG	TR1	10		UG/L	U	V1		1.3	1	NO	02D1200
21098	5/1/02	4-CHLOROANILINE	GW08251RG	TR1	10	146	UG/L	U	V1		7.3	1	NO	02D1200
21098	5/1/02	4-CHLOROPHENYL PHENYL ETHER	GW08251RG	TR1	10		UG/L	U	V1		1.5	1	NO	02D1200
21098	5/1/02	4-METHYLPHENOL	GW08251RG	TR1	10	183	UG/L	U	V1		1.4	1	NO	02D1200
21098	5/1/02	4-NITROANILINE	GW08251RG	TR1	50		UG/L	U	V1		4.4	1	NO	02D1200
21098	5/1/02	4-NITROPHENOL	GW08251RG	TR1	50	292	UG/L	U	V1		7.1	1	NO	02D1200
21098	5/1/02	ACENAPHTHENE	GW08251RG	TR1	10	2190	UG/L	U	V1		1	1	NO	02D1200

2Q2002 Table 7-7 (Rns).xls

Validation Reason Codes listed on last page of table.

130

Table 7-7
Equipment Rinsate Results
Groundwater - Second Quarter, 2002

Location	Sample Date	Analyte	Sample#	Result Type	Result	Tier II	Units	Lab Qual	Valid-ation	Valid Reason	Detect Limit	Dilu-tion	Field Filtered	RIN
21098	5/1/02	ACENAPHTHYLENE	GW08251RG	TR1	10		UG/L	U	V1		1	1	NO	02D1200
21098	5/1/02	ANTHRACENE	GW08251RG	TR1	10	11000	UG/L	U	V1		1.2	1	NO	02D1200
21098	5/1/02	BENZO(a)ANTHRACENE	GW08251RG	TR1	10	0.117	UG/L	U	V1		1.3	1	NO	02D1200
21098	5/1/02	BENZO(a)PYRENE	GW08251RG	TR1	10	0.2	UG/L	U	V1		1.9	1	NO	02D1200
21098	5/1/02	BENZO(b)FLUORANTHENE	GW08251RG	TR1	10	0.117	UG/L	U	V1		2.2	1	NO	02D1200
21098	5/1/02	BENZO(ghi)PERYLENE	GW08251RG	TR1	10		UG/L	U	V1		1.1	1	NO	02D1200
21098	5/1/02	BENZO(k)FLUORANTHENE	GW08251RG	TR1	10	1.17	UG/L	U	V1		2.2	1	NO	02D1200
21098	5/1/02	BENZOIC ACID	GW08251RG	TR1	50	146000	UG/L	U	V1		19	1	NO	02D1200
21098	5/1/02	BENZYL ALCOHOL	GW08251RG	TR1	10	11000	UG/L	U	V1		3	1	NO	02D1200
21098	5/1/02	BIS(2-CHLOROETHOXY)METHANE	GW08251RG	TR1	10		UG/L	U	V1		1.4	1	NO	02D1200
21098	5/1/02	BIS(2-CHLOROETHYL)ETHER	GW08251RG	TR1	10	0.0774	UG/L	U	V1		1.8	1	NO	02D1200
21098	5/1/02	bis(2-Chloroisopropyl) ether	GW08251RG	TR1	10		UG/L	U	V1		1.3	1	NO	02D1200
21098	5/1/02	BIS(2-ETHYLHEXYL)PHTHALATE	GW08251RG	TR1	10	6	UG/L	U	V1		1.9	1	NO	02D1200
21098	5/1/02	BUTYL BENZYL PHTHALATE	GW08251RG	TR1	10	7300	UG/L	U	V1		1.9	1	NO	02D1200
21098	5/1/02	CHRYSENE	GW08251RG	TR1	10	11.7	UG/L	U	V1		1.5	1	NO	02D1200
21098	5/1/02	DIBENZO(a,h)ANTHRACENE	GW08251RG	TR1	10	0.0117	UG/L	U	V1		1.6	1	NO	02D1200
21098	5/1/02	DIBENZOFURAN	GW08251RG	TR1	10	146	UG/L	U	V1		1.3	1	NO	02D1200
21098	5/1/02	DIETHYL PHTHALATE	GW08251RG	TR1	10	29200	UG/L	U	V1		2	1	NO	02D1200
21098	5/1/02	DIMETHYL PHTHALATE	GW08251RG	TR1	10	365000	UG/L	U	V1		1.8	1	NO	02D1200
21098	5/1/02	DI-n-BUTYL PHTHALATE	GW08251RG	TR1	10		UG/L	U	V1		2.1	1	NO	02D1200
21098	5/1/02	DI-n-OCTYL PHTHALATE	GW08251RG	TR1	10	730	UG/L	U	V1		2	1	NO	02D1200
21098	5/1/02	FLUORANTHENE	GW08251RG	TR1	10	1460	UG/L	U	V1		2	1	NO	02D1200
21098	5/1/02	FLUORENE	GW08251RG	TR1	10	1460	UG/L	U	V1		1.4	1	NO	02D1200
21098	5/1/02	HEXACHLOROBENZENE	GW08251RG	TR1	10	1	UG/L	U	V1		1.5	1	NO	02D1200
21098	5/1/02	HEXACHLOROBUTADIENE	GW08251RG	TR1	10	1.09	UG/L	U	V1		3.3	1	NO	02D1200
21098	5/1/02	HEXACHLOROCYCLOPENTADIENE	GW08251RG	TR1	10	50	UG/L	U	UJ1	140	9.1	1	NO	02D1200
21098	5/1/02	HEXACHLOROETHANE	GW08251RG	TR1	10	6.08	UG/L	U	V1		3	1	NO	02D1200
21098	5/1/02	INDENO(1,2,3-cd)PYRENE	GW08251RG	TR1	10	0.117	UG/L	U	V1		1.3	1	NO	02D1200
21098	5/1/02	ISOPHORONE	GW08251RG	TR1	10	89.6	UG/L	U	V1		1.6	1	NO	02D1200
21098	5/1/02	NAPHTHALENE	GW08251RG	TR1	10	1460	UG/L	U	V1		1.4	1	NO	02D1200
21098	5/1/02	NITROBENZENE	GW08251RG	TR1	10	18.3	UG/L	U	V1		1.7	1	NO	02D1200
21098	5/1/02	N-NITROSO-DI-n-PROPYLAMINE	GW08251RG	TR1	10	0.0122	UG/L	U	V1		1.8	1	NO	02D1200
21098	5/1/02	N-NITROSODIPHENYLAMINE	GW08251RG	TR1	10	17.4	UG/L	U	V1		5.3	1	NO	02D1200
21098	5/1/02	p-BROMODIPHENYL ETHER	GW08251RG	TR1	10		UG/L	U	V1		1.3	1	NO	02D1200
21098	5/1/02	PENTACHLOROPHENOL	GW08251RG	TR1	50	1	UG/L	U	V1		7.7	1	NO	02D1200
21098	5/1/02	PHENANTHRENE	GW08251RG	TR1	10		UG/L	U	V1		1.2	1	NO	02D1200
21098	5/1/02	PHENOL	GW08251RG	TR1	10	21900	UG/L	U	V1		1.4	1	NO	02D1200
21098	5/1/02	PYRENE	GW08251RG	TR1	10	1100	UG/L	U	V1		1.7	1	NO	02D1200
Volatile Organic Compounds (VOCs)														
12191	4/17/02	1,1,1,2-TETRACHLOROETHANE	GW08197RG	TR1	1		UG/L	U	V1		0.21	1	NO	02D1166
12191	4/17/02	1,1,1-TRICHLOROETHANE	GW08197RG	TR1	1	200	UG/L	U	V1		0.23	1	NO	02D1166
12191	4/17/02	1,1,2,2-TETRACHLOROETHANE	GW08197RG	TR1	1	0.426	UG/L	U	V1		0.24	1	NO	02D1166
12191	4/17/02	1,1,2-TRICHLOROETHANE	GW08197RG	TR1	1	5	UG/L	U	V1		0.28	1	NO	02D1166
12191	4/17/02	1,1,2-TRICHLOROTRIFLUOROETHANE	GW08197RG	TR1	1		UG/L	U	V1		0.2	1	NO	02D1166
12191	4/17/02	1,1-DICHLOROETHANE	GW08197RG	TR1	1	3650	UG/L	U	V1		0.22	1	NO	02D1166
12191	4/17/02	1,1-DICHLOROETHENE	GW08197RG	TR1	1	7	UG/L	U	V1		0.19	1	NO	02D1166
12191	4/17/02	1,1-DICHLOROPROPENE	GW08197RG	TR1	1		UG/L	U	V1		0.23	1	NO	02D1166
12191	4/17/02	1,2,3-TRICHLOROBENZENE	GW08197RG	TR1	1		UG/L	U	UJ1	701	0.78	1	NO	02D1166
12191	4/17/02	1,2,3-TRICHLOROPROPANE	GW08197RG	TR1	1		UG/L	U	V1		0.23	1	NO	02D1166
12191	4/17/02	1,2,4-TRICHLOROBENZENE	GW08197RG	TR1	1	70	UG/L	U	UJ1	701	0.3	1	NO	02D1166
12191	4/17/02	1,2-DIBROMOETHANE	GW08197RG	TR1	1		UG/L	U	V1		0.21	1	NO	02D1166
12191	4/17/02	1,2-DICHLOROBENZENE	GW08197RG	TR1	1	600	UG/L	U	UJ1	701	0.17	1	NO	02D1166
12191	4/17/02	1,2-DICHLOROETHANE	GW08197RG	TR1	1	5	UG/L	U	V1		0.22	1	NO	02D1166
12191	4/17/02	1,2-DICHLOROPROPANE	GW08197RG	TR1	1	5	UG/L	U	V1		0.17	1	NO	02D1166
12191	4/17/02	1,3-DICHLOROBENZENE	GW08197RG	TR1	1	600	UG/L	U	UJ1	701	0.096	1	NO	02D1166
12191	4/17/02	1,3-DICHLOROPROPANE	GW08197RG	TR1	1		UG/L	U	V1		0.15	1	NO	02D1166
12191	4/17/02	1,4-DICHLOROBENZENE	GW08197RG	TR1	1	75	UG/L	U	UJ1	701	0.12	1	NO	02D1166
12191	4/17/02	2,2-DICHLOROPROPANE	GW08197RG	TR1	1		UG/L	U	V1		0.65	1	NO	02D1166
12191	4/17/02	2-BUTANONE	GW08197RG	TR1	10	21900	UG/L	U	V1		4.4	1	NO	02D1166
12191	4/17/02	2-HEXANONE	GW08197RG	TR1	10		UG/L	U	V1		1.4	1	NO	02D1166
12191	4/17/02	4-ISOPROPYLTOLUENE	GW08197RG	TR1	1		UG/L	U	UJ1	701	0.15	1	NO	02D1166
12191	4/17/02	4-METHYL-2-PENTANONE	GW08197RG	TR1	10	2920	UG/L	U	V1		1.7	1	NO	02D1166
12191	4/17/02	ACETONE	GW08197RG	TR1	14.3	3650	UG/L		V1		3.4	1	NO	02D1166
12191	4/17/02	BENZENE	GW08197RG	TR1	1	5	UG/L	U	UJ1	701	0.26	1	NO	02D1166
12191	4/17/02	BENZENE, 1,2,4-TRIMETHYL	GW08197RG	TR1	1		UG/L	U	UJ1	701	0.25	1	NO	02D1166
12191	4/17/02	BENZENE, 1,3,5-TRIMETHYL-	GW08197RG	TR1	1		UG/L	U	UJ1	701	0.19	1	NO	02D1166
12191	4/17/02	BROMOBENZENE	GW08197RG	TR1	1		UG/L	U	UJ1	701	0.16	1	NO	02D1166

2Q2002 Table 7-7 (Rns).xls

Validation Reason Codes listed on last page of table.

131

Table 7-7
Equipment Rinsate Results
Groundwater - Second Quarter, 2002

Location	Sample Date	Analyte	Sample#	Result Type	Result	Tier II	Units	Lab Qual	Valid-ation	Valid Reason	Detect Limit	Dilu-tion	Field Filtered	RIN
12191	4/17/02	BROMOCHLOROMETHANE	GW08197RG	TR1	1		UG/L	U	V1		0.46	1	NO	02D1166
12191	4/17/02	BROMODICHLOROMETHANE	GW08197RG	TR1	1	100	UG/L	U	V1		0.21	1	NO	02D1166
12191	4/17/02	BROMOFORM	GW08197RG	TR1	1	100	UG/L	U	V1		0.4	1	NO	02D1166
12191	4/17/02	BROMOMETHANE	GW08197RG	TR1	1	51.1	UG/L	U	V1		0.99	1	NO	02D1166
12191	4/17/02	CARBON DISULFIDE	GW08197RG	TR1	1	3650	UG/L	U	V1		0.35	1	NO	02D1166
12191	4/17/02	CARBON TETRACHLORIDE	GW08197RG	TR1	1	5	UG/L	U	V1		0.38	1	NO	02D1166
12191	4/17/02	CHLOROBENZENE	GW08197RG	TR1	1	100	UG/L	U	UJ1	701	0.23	1	NO	02D1166
12191	4/17/02	CHLOROETHANE	GW08197RG	TR1	1	29.4	UG/L	U	V1		0.94	1	NO	02D1166
12191	4/17/02	CHLOROFORM	GW08197RG	TR1	0.31	100	UG/L	J	V1		0.21	1	NO	02D1166
12191	4/17/02	CHLOROMETHANE	GW08197RG	TR1	1	6.55	UG/L	U	UJ1	141	0.26	1	NO	02D1166
12191	4/17/02	cis-1,2-DICHLOROETHENE	GW08197RG	TR1	1	70	UG/L	U	V1		0.15	1	NO	02D1166
12191	4/17/02	cis-1,3-DICHLOROPROPENE	GW08197RG	TR1	1	0.473	UG/L	U	V1		0.17	1	NO	02D1166
12191	4/17/02	DIBROMOCHLOROMETHANE	GW08197RG	TR1	1	1.01	UG/L	U	V1		0.54	1	NO	02D1166
12191	4/17/02	DIBROMOMETHANE	GW08197RG	TR1	1		UG/L	U	V1		0.55	1	NO	02D1166
12191	4/17/02	DICHLORODIFLUOROMETHANE	GW08197RG	TR1	1		UG/L	U	UJ1	141	0.26	1	NO	02D1166
12191	4/17/02	ETHYLBENZENE	GW08197RG	TR1	1	700	UG/L	U	UJ1	701	0.2	1	NO	02D1166
12191	4/17/02	HEXACHLOROBUTADIENE	GW08197RG	TR1	1	1.09	UG/L	U	V1		0.65	1	NO	02D1166
12191	4/17/02	ISOPROPYLBENZENE	GW08197RG	TR1	1		UG/L	U	UJ1	701	0.2	1	NO	02D1166
12191	4/17/02	METHYLENE CHLORIDE	GW08197RG	TR1	1.03	5	UG/L		V1		0.82	1	NO	02D1166
12191	4/17/02	NAPHTHALENE	GW08197RG	TR1	1	1460	UG/L	U	UJ1	701	0.25	1	NO	02D1166
12191	4/17/02	n-BUTYLBENZENE	GW08197RG	TR1	1		UG/L	U	UJ1	701	0.15	1	NO	02D1166
12191	4/17/02	n-PROPYLBENZENE	GW08197RG	TR1	1		UG/L	U	UJ1	701	0.19	1	NO	02D1166
12191	4/17/02	o-CHLOROTOLUENE	GW08197RG	TR1	1		UG/L	U	UJ1	701	0.23	1	NO	02D1166
12191	4/17/02	p-CHLOROTOLUENE	GW08197RG	TR1	1		UG/L	U	UJ1	701	0.21	1	NO	02D1166
12191	4/17/02	PROPANE, 1,2-DIBROMO-3-CHLORO-	GW08197RG	TR1	1	0.2	UG/L	U	V1		0.56	1	NO	02D1166
12191	4/17/02	sec-BUTYLBENZENE	GW08197RG	TR1	1		UG/L	U	UJ1	701	0.31	1	NO	02D1166
12191	4/17/02	STYRENE	GW08197RG	TR1	1	100	UG/L	U	UJ1	701	0.22	1	NO	02D1166
12191	4/17/02	tert-BUTYLBENZENE	GW08197RG	TR1	1		UG/L	U	UJ1	701	0.25	1	NO	02D1166
12191	4/17/02	TETRACHLOROETHENE	GW08197RG	TR1	0.8	5	UG/L	J	V1		0.56	1	NO	02D1166
12191	4/17/02	TOLUENE	GW08197RG	TR1	1	1000	UG/L	U	UJ1	701	0.15	1	NO	02D1166
12191	4/17/02	TOTAL XYLENES	GW08197RG	TR1	1	10000	UG/L	U	UJ1	701	0.19	1	NO	02D1166
12191	4/17/02	trans-1,2-DICHLOROETHENE	GW08197RG	TR1	1	70	UG/L	U	V1		0.092	1	NO	02D1166
12191	4/17/02	trans-1,3-DICHLOROPROPENE	GW08197RG	TR1	1	0.473	UG/L	U	V1		0.22	1	NO	02D1166
12191	4/17/02	TRICHLOROETHENE	GW08197RG	TR1	1	5	UG/L	U	V1		0.23	1	NO	02D1166
12191	4/17/02	TRICHLOROFLUOROMETHANE	GW08197RG	TR1	1		UG/L	U	V1		0.21	1	NO	02D1166
12191	4/17/02	VINYL CHLORIDE	GW08197RG	TR1	1	2	UG/L	U	V1		0.25	1	NO	02D1166
00500	4/30/02	1,1,1,2-TETRACHLOROETHANE	GW08286RG	TR1	1		UG/L	U	V1		0.28	1	NO	02D1199
00500	4/30/02	1,1,1-TRICHLOROETHANE	GW08286RG	TR1	1	200	UG/L	U	V1		0.32	1	NO	02D1199
00500	4/30/02	1,1,2,2-TETRACHLOROETHANE	GW08286RG	TR1	1	0.426	UG/L	U	V1		0.5	1	NO	02D1199
00500	4/30/02	1,1,2-TRICHLOROETHANE	GW08286RG	TR1	1	5	UG/L	U	V1		0.41	1	NO	02D1199
00500	4/30/02	1,1,2-TRICHLOROTRIFLUOROETHANE	GW08286RG	TR1	1		UG/L	U	V1		0.56	1	NO	02D1199
00500	4/30/02	1,1-DICHLOROETHANE	GW08286RG	TR1	1	3650	UG/L	U	V1		0.29	1	NO	02D1199
00500	4/30/02	1,1-DICHLOROETHENE	GW08286RG	TR1	1	7	UG/L	U	V1		0.31	1	NO	02D1199
00500	4/30/02	1,1-DICHLOROPROPENE	GW08286RG	TR1	1		UG/L	U	V1		0.29	1	NO	02D1199
00500	4/30/02	1,2,3-TRICHLOROBENZENE	GW08286RG	TR1	1		UG/L	U	UJ1	701	0.62	1	NO	02D1199
00500	4/30/02	1,2,3-TRICHLOROPROPANE	GW08286RG	TR1	1		UG/L	U	V1		0.76	1	NO	02D1199
00500	4/30/02	1,2,4-TRICHLOROBENZENE	GW08286RG	TR1	1	70	UG/L	U	UJ1	701	0.63	1	NO	02D1199
00500	4/30/02	1,2-DIBROMOETHANE	GW08286RG	TR1	1		UG/L	U	V1		0.46	1	NO	02D1199
00500	4/30/02	1,2-DICHLOROBENZENE	GW08286RG	TR1	1	600	UG/L	U	UJ1	701	0.3	1	NO	02D1199
00500	4/30/02	1,2-DICHLOROETHANE	GW08286RG	TR1	1	5	UG/L	U	V1		0.43	1	NO	02D1199
00500	4/30/02	1,2-DICHLOROPROPANE	GW08286RG	TR1	1	5	UG/L	U	V1		0.38	1	NO	02D1199
00500	4/30/02	1,3-DICHLOROBENZENE	GW08286RG	TR1	1	600	UG/L	U	UJ1	701	0.3	1	NO	02D1199
00500	4/30/02	1,3-DICHLOROPROPANE	GW08286RG	TR1	1		UG/L	U	V1		0.37	1	NO	02D1199
00500	4/30/02	1,4-DICHLOROBENZENE	GW08286RG	TR1	1	75	UG/L	U	UJ1	701	0.31	1	NO	02D1199
00500	4/30/02	2,2-DICHLOROPROPANE	GW08286RG	TR1	1		UG/L	U	V1		0.37	1	NO	02D1199
00500	4/30/02	2-BUTANONE	GW08286RG	TR1	5	21900	UG/L	U	V1		2.4	1	NO	02D1199
00500	4/30/02	2-HEXANONE	GW08286RG	TR1	5		UG/L	U	V1		1.8	1	NO	02D1199
00500	4/30/02	4-ISOPROPYLTOLUENE	GW08286RG	TR1	1		UG/L	U	UJ1	701	0.32	1	NO	02D1199
00500	4/30/02	4-METHYL-2-PENTANONE	GW08286RG	TR1	5	2920	UG/L	U	V1		1.8	1	NO	02D1199
00500	4/30/02	ACETONE	GW08286RG	TR1	2.9	3650	UG/L	J	V1		2.9	1	NO	02D1199
00500	4/30/02	BENZENE	GW08286RG	TR1	1	5	UG/L	U	UJ1	701	0.27	1	NO	02D1199
00500	4/30/02	BENZENE, 1,2,4-TRIMETHYL	GW08286RG	TR1	1		UG/L	U	UJ1	701	0.3	1	NO	02D1199
00500	4/30/02	BENZENE, 1,3,5-TRIMETHYL-	GW08286RG	TR1	1		UG/L	U	UJ1	701	0.31	1	NO	02D1199
00500	4/30/02	BROMOBENZENE	GW08286RG	TR1	1		UG/L	U	UJ1	701	0.32	1	NO	02D1199
00500	4/30/02	BROMOCHLOROMETHANE	GW08286RG	TR1	1		UG/L	U	V1		0.39	1	NO	02D1199
00500	4/30/02	BROMODICHLOROMETHANE	GW08286RG	TR1	1	100	UG/L	U	V1		0.35	1	NO	02D1199
00500	4/30/02	BROMOFORM	GW08286RG	TR1	1	100	UG/L	U	V1		0.46	1	NO	02D1199

Validation Reason Codes listed on last page of table.

132

Table 7-7
Equipment Rinsate Results
Groundwater - Second Quarter, 2002

Location	Sample Date	Analyte	Sample#	Result Type	Result	Tier II	Units	Lab Qual	Valid-ation	Valid Reason	Detect Limit	Dilu-tion	Field Filtered	RIN
00500	4/30/02	CARBON DISULFIDE	GW08286RG	TR1	1	3650	UG/L	U	V1		0.67	1	NO	02D1199
00500	4/30/02	CARBON TETRACHLORIDE	GW08286RG	TR1	1	5	UG/L	U	V1		0.35	1	NO	02D1199
00500	4/30/02	CHLOROBENZENE	GW08286RG	TR1	1	100	UG/L	U	UJ1	701	0.24	1	NO	02D1199
00500	4/30/02	CHLOROETHANE	GW08286RG	TR1	1	29.4	UG/L	U	V1		0.26	1	NO	02D1199
00500	4/30/02	CHLOROFORM	GW08286RG	TR1	1	100	UG/L	U	V1		0.29	1	NO	02D1199
00500	4/30/02	CHLOROMETHANE	GW08286RG	TR1	1	6.55	UG/L	U	V1		0.26	1	NO	02D1199
00500	4/30/02	cis-1,2-DICHLOROETHENE	GW08286RG	TR1	1	70	UG/L	U	V1		0.33	1	NO	02D1199
00500	4/30/02	cis-1,3-DICHLOROPROPENE	GW08286RG	TR1	1	0.473	UG/L	U	V1		0.31	1	NO	02D1199
00500	4/30/02	DIBROMOCHLOROMETHANE	GW08286RG	TR1	1	1.01	UG/L	U	V1		0.37	1	NO	02D1199
00500	4/30/02	DIBROMOMETHANE	GW08286RG	TR1	1		UG/L	U	V1		0.4	1	NO	02D1199
00500	4/30/02	DICHLORODIFLUOROMETHANE	GW08286RG	TR1	1		UG/L	U	V1		0.44	1	NO	02D1199
00500	4/30/02	ETHYLBENZENE	GW08286RG	TR1	1	700	UG/L	U	UJ1	701	0.51	1	NO	02D1199
00500	4/30/02	HEXACHLOROBUTADIENE	GW08286RG	TR1	1	1.09	UG/L	U	V1		0.37	1	NO	02D1199
00500	4/30/02	ISOPROPYLBENZENE	GW08286RG	TR1	1		UG/L	U	UJ1	701	0.3	1	NO	02D1199
00500	4/30/02	METHYLENE CHLORIDE	GW08286RG	TR1	1	5	UG/L	U	V1		0.86	1	NO	02D1199
00500	4/30/02	NAPHTHALENE	GW08286RG	TR1	1	1460	UG/L	U	UJ1	701	0.78	1	NO	02D1199
00500	4/30/02	n-BUTYLBENZENE	GW08286RG	TR1	1		UG/L	U	UJ1	701	0.41	1	NO	02D1199
00500	4/30/02	n-PROPYLBENZENE	GW08286RG	TR1	1		UG/L	U	UJ1	701	0.33	1	NO	02D1199
00500	4/30/02	o-CHLOROTOLUENE	GW08286RG	TR1	1		UG/L	U	UJ1	701	0.23	1	NO	02D1199
00500	4/30/02	p-CHLOROTOLUENE	GW08286RG	TR1	1		UG/L	U	UJ1	701	0.26	1	NO	02D1199
00500	4/30/02	PROPANE, 1,2-DIBROMO-3-CHLORO-	GW08286RG	TR1	1	0.2	UG/L	U	V1		0.49	1	NO	02D1199
00500	4/30/02	sec-BUTYLBENZENE	GW08286RG	TR1	1		UG/L	U	UJ1	701	0.34	1	NO	02D1199
00500	4/30/02	STYRENE	GW08286RG	TR1	1	100	UG/L	U	UJ1	701	0.28	1	NO	02D1199
00500	4/30/02	tert-BUTYLBENZENE	GW08286RG	TR1	1		UG/L	U	UJ1	701	0.29	1	NO	02D1199
00500	4/30/02	TETRACHLOROETHENE	GW08286RG	TR1	1	5	UG/L	U	V1		0.27	1	NO	02D1199
00500	4/30/02	TOLUENE	GW08286RG	TR1	1	1000	UG/L	U	UJ1	701	0.26	1	NO	02D1199
00500	4/30/02	TOTAL XYLENES	GW08286RG	TR1	1	10000	UG/L	U	UJ1	701	0.73	1	NO	02D1199
00500	4/30/02	trans-1,2-DICHLOROETHENE	GW08286RG	TR1	0.5	70	UG/L	U	V1		0.25	1	NO	02D1199
00500	4/30/02	trans-1,3-DICHLOROPROPENE	GW08286RG	TR1	1	0.473	UG/L	U	V1		0.36	1	NO	02D1199
00500	4/30/02	TRICHLOROETHENE	GW08286RG	TR1	1	5	UG/L	U	V1		0.24	1	NO	02D1199
00500	4/30/02	TRICHLOROFLUOROMETHANE	GW08286RG	TR1	1		UG/L	U	V1		0.43	1	NO	02D1199
00500	4/30/02	VINYL CHLORIDE	GW08286RG	TR1	1	2	UG/L	U	V1		0.26	1	NO	02D1199
21098	5/1/02	1,1,1,2-TETRACHLOROETHANE	GW08251RG	TR1	1		UG/L	U	V1		0.28	1	NO	02D1199
21098	5/1/02	1,1,1-TRICHLOROETHANE	GW08251RG	TR1	1	200	UG/L	U	V1		0.32	1	NO	02D1199
21098	5/1/02	1,1,2,2-TETRACHLOROETHANE	GW08251RG	TR1	1	0.426	UG/L	U	V1		0.5	1	NO	02D1199
21098	5/1/02	1,1,2-TRICHLOROETHANE	GW08251RG	TR1	1	5	UG/L	U	V1		0.41	1	NO	02D1199
21098	5/1/02	1,1,2-TRICHLOROTRIFLUOROETHANE	GW08251RG	TR1	1		UG/L	U	V1		0.56	1	NO	02D1199
21098	5/1/02	1,1-DICHLOROETHANE	GW08251RG	TR1	1	3650	UG/L	U	V1		0.29	1	NO	02D1199
21098	5/1/02	1,1-DICHLOROETHENE	GW08251RG	TR1	1	7	UG/L	U	V1		0.31	1	NO	02D1199
21098	5/1/02	1,1-DICHLOROPROPENE	GW08251RG	TR1	1		UG/L	U	V1		0.29	1	NO	02D1199
21098	5/1/02	1,2,3-TRICHLOROBENZENE	GW08251RG	TR1	1		UG/L	U	V1		0.62	1	NO	02D1199
21098	5/1/02	1,2,3-TRICHLOROPROPANE	GW08251RG	TR1	1		UG/L	U	V1		0.76	1	NO	02D1199
21098	5/1/02	1,2,4-TRICHLOROBENZENE	GW08251RG	TR1	1	70	UG/L	U	V1		0.63	1	NO	02D1199
21098	5/1/02	1,2-DIBROMOETHANE	GW08251RG	TR1	1		UG/L	U	V1		0.46	1	NO	02D1199
21098	5/1/02	1,2-DICHLOROBENZENE	GW08251RG	TR1	1	600	UG/L	U	V1		0.3	1	NO	02D1199
21098	5/1/02	1,2-DICHLOROETHANE	GW08251RG	TR1	1	5	UG/L	U	V1		0.43	1	NO	02D1199
21098	5/1/02	1,2-DICHLOROPROPANE	GW08251RG	TR1	1	5	UG/L	U	V1		0.38	1	NO	02D1199
21098	5/1/02	1,3-DICHLOROBENZENE	GW08251RG	TR1	1	600	UG/L	U	V1		0.3	1	NO	02D1199
21098	5/1/02	1,3-DICHLOROPROPANE	GW08251RG	TR1	1		UG/L	U	V1		0.37	1	NO	02D1199
21098	5/1/02	1,4-DICHLOROBENZENE	GW08251RG	TR1	1	75	UG/L	U	V1		0.31	1	NO	02D1199
21098	5/1/02	2,2-DICHLOROPROPANE	GW08251RG	TR1	1		UG/L	U	V1		0.37	1	NO	02D1199
21098	5/1/02	2-BUTANONE	GW08251RG	TR1	5	21900	UG/L	U	V1		2.4	1	NO	02D1199
21098	5/1/02	2-HEXANONE	GW08251RG	TR1	5		UG/L	U	V1		1.8	1	NO	02D1199
21098	5/1/02	4-ISOPROPYLTOLUENE	GW08251RG	TR1	1		UG/L	U	V1		0.32	1	NO	02D1199
21098	5/1/02	4-METHYL-2-PENTANONE	GW08251RG	TR1	5	2920	UG/L	U	V1		1.8	1	NO	02D1199
21098	5/1/02	ACETONE	GW08251RG	TR1	3.2	3650	UG/L	J	V1		2.9	1	NO	02D1199
21098	5/1/02	BENZENE	GW08251RG	TR1	1	5	UG/L	U	V1		0.27	1	NO	02D1199
21098	5/1/02	BENZENE, 1,2,4-TRIMETHYL	GW08251RG	TR1	1		UG/L	U	V1		0.3	1	NO	02D1199
21098	5/1/02	BENZENE, 1,3,5-TRIMETHYL-	GW08251RG	TR1	1		UG/L	U	V1		0.31	1	NO	02D1199
21098	5/1/02	BROMOBENZENE	GW08251RG	TR1	1		UG/L	U	V1		0.32	1	NO	02D1199
21098	5/1/02	BROMOCHLOROMETHANE	GW08251RG	TR1	1		UG/L	U	V1		0.39	1	NO	02D1199
21098	5/1/02	BROMODICHLOROMETHANE	GW08251RG	TR1	1	100	UG/L	U	V1		0.35	1	NO	02D1199
21098	5/1/02	BROMOFORM	GW08251RG	TR1	1	100	UG/L	U	V1		0.46	1	NO	02D1199
21098	5/1/02	BROMOMETHANE	GW08251RG	TR1	1	51.1	UG/L	U	V1		0.28	1	NO	02D1199
21098	5/1/02	CARBON DISULFIDE	GW08251RG	TR1	1	3650	UG/L	U	V1		0.67	1	NO	02D1199
21098	5/1/02	CARBON TETRACHLORIDE	GW08251RG	TR1	0.68	5	UG/L	J	V1		0.35	1	NO	02D1199
21098	5/1/02	CHLOROBENZENE	GW08251RG	TR1	1	100	UG/L	U	V1		0.24	1	NO	02D1199

Validation Reason Codes listed on last page of table.

133

Table 7-7
Equipment Rinsate Results
Groundwater - Second Quarter, 2002

Location	Sample Date	Analyte	Sample#	Result Type	Result	Tier II	Units	Lab Qual	Valid-ation	Valid Reason	Detect Limit	Dilu-tion	Field Filtered	RIN
21098	5/1/02	CHLOROFORM	GW08251RG	TR1	0.32	100	UG/L	J	V1		0.29	1	NO	02D1199
21098	5/1/02	CHLOROMETHANE	GW08251RG	TR1	1	6.55	UG/L	U	V1		0.26	1	NO	02D1199
21098	5/1/02	cis-1,2-DICHLOROETHENE	GW08251RG	TR1	1	70	UG/L	U	V1		0.33	1	NO	02D1199
21098	5/1/02	cis-1,3-DICHLOROPROPENE	GW08251RG	TR1	1	0.473	UG/L	U	V1		0.31	1	NO	02D1199
21098	5/1/02	DIBROMOCHLOROMETHANE	GW08251RG	TR1	1	1.01	UG/L	U	V1		0.37	1	NO	02D1199
21098	5/1/02	DIBROMOMETHANE	GW08251RG	TR1	1		UG/L	U	V1		0.4	1	NO	02D1199
21098	5/1/02	DICHLORODIFLUOROMETHANE	GW08251RG	TR1	1		UG/L	U	V1		0.44	1	NO	02D1199
21098	5/1/02	ETHYLBENZENE	GW08251RG	TR1	1	700	UG/L	U	V1		0.51	1	NO	02D1199
21098	5/1/02	HEXACHLOROBUTADIENE	GW08251RG	TR1	1	1.09	UG/L	U	V1		0.37	1	NO	02D1199
21098	5/1/02	ISOPROPYLBENZENE	GW08251RG	TR1	1		UG/L	U	V1		0.3	1	NO	02D1199
21098	5/1/02	METHYLENE CHLORIDE	GW08251RG	TR1	1	5	UG/L	U	V1		0.86	1	NO	02D1199
21098	5/1/02	NAPHTHALENE	GW08251RG	TR1	1	1460	UG/L	U	V1		0.78	1	NO	02D1199
21098	5/1/02	n-BUTYLBENZENE	GW08251RG	TR1	1		UG/L	U	V1		0.41	1	NO	02D1199
21098	5/1/02	n-PROPYLBENZENE	GW08251RG	TR1	1		UG/L	U	V1		0.33	1	NO	02D1199
21098	5/1/02	o-CHLOROTOLUENE	GW08251RG	TR1	1		UG/L	U	V1		0.23	1	NO	02D1199
21098	5/1/02	p-CHLOROTOLUENE	GW08251RG	TR1	1		UG/L	U	V1		0.26	1	NO	02D1199
21098	5/1/02	PROPANE, 1,2-DIBROMO-3-CHLORO-	GW08251RG	TR1	1	0.2	UG/L	U	V1		0.49	1	NO	02D1199
21098	5/1/02	sec-BUTYLBENZENE	GW08251RG	TR1	1		UG/L	U	V1		0.34	1	NO	02D1199
21098	5/1/02	STYRENE	GW08251RG	TR1	1	100	UG/L	U	V1		0.28	1	NO	02D1199
21098	5/1/02	tert-BUTYLBENZENE	GW08251RG	TR1	1		UG/L	U	V1		0.29	1	NO	02D1199
21098	5/1/02	TETRACHLOROETHENE	GW08251RG	TR1	1	5	UG/L	U	V1		0.27	1	NO	02D1199
21098	5/1/02	TOLUENE	GW08251RG	TR1	1	1000	UG/L	U	V1		0.26	1	NO	02D1199
21098	5/1/02	TOTAL XYLENES	GW08251RG	TR1	1	10000	UG/L	U	V1		0.73	1	NO	02D1199
21098	5/1/02	trans-1,2-DICHLOROETHENE	GW08251RG	TR1	0.5	70	UG/L	U	V1		0.25	1	NO	02D1199
21098	5/1/02	trans-1,3-DICHLOROPROPENE	GW08251RG	TR1	1	0.473	UG/L	U	V1		0.36	1	NO	02D1199
21098	5/1/02	TRICHLOROETHENE	GW08251RG	TR1	1	5	UG/L	U	V1		0.24	1	NO	02D1199
21098	5/1/02	TRICHLOROFLUOROMETHANE	GW08251RG	TR1	1		UG/L	U	V1		0.43	1	NO	02D1199
21098	5/1/02	VINYL CHLORIDE	GW08251RG	TR1	1	2	UG/L	U	V1		0.26	1	NO	02D1199
P209489	4/30/02	1,1,1,2-TETRACHLOROETHANE	GW08204RG	TR1	1		UG/L	U	V1		0.28	1	NO	02D1199
P209489	4/30/02	1,1,1-TRICHLOROETHANE	GW08204RG	TR1	1	200	UG/L	U	V1		0.32	1	NO	02D1199
P209489	4/30/02	1,1,2,2-TETRACHLOROETHANE	GW08204RG	TR1	1	0.426	UG/L	U	V1		0.5	1	NO	02D1199
P209489	4/30/02	1,1,2-TRICHLOROETHANE	GW08204RG	TR1	1	5	UG/L	U	V1		0.41	1	NO	02D1199
P209489	4/30/02	1,1,2-TRICHLOROTRIFLUOROETHANE	GW08204RG	TR1	1		UG/L	U	V1		0.56	1	NO	02D1199
P209489	4/30/02	1,1-DICHLOROETHANE	GW08204RG	TR1	1	3650	UG/L	U	V1		0.29	1	NO	02D1199
P209489	4/30/02	1,1-DICHLOROETHENE	GW08204RG	TR1	1	7	UG/L	U	V1		0.31	1	NO	02D1199
P209489	4/30/02	1,1-DICHLOROPROPENE	GW08204RG	TR1	1		UG/L	U	V1		0.29	1	NO	02D1199
P209489	4/30/02	1,2,3-TRICHLOROBENZENE	GW08204RG	TR1	1		UG/L	U	UJ1	701	0.62	1	NO	02D1199
P209489	4/30/02	1,2,3-TRICHLOROPROPANE	GW08204RG	TR1	1		UG/L	U	V1		0.76	1	NO	02D1199
P209489	4/30/02	1,2,4-TRICHLOROBENZENE	GW08204RG	TR1	1	70	UG/L	U	UJ1	701	0.63	1	NO	02D1199
P209489	4/30/02	1,2-DIBROMOETHANE	GW08204RG	TR1	1		UG/L	U	V1		0.46	1	NO	02D1199
P209489	4/30/02	1,2-DICHLOROBENZENE	GW08204RG	TR1	1	600	UG/L	U	UJ1	701	0.3	1	NO	02D1199
P209489	4/30/02	1,2-DICHLOROETHANE	GW08204RG	TR1	1	5	UG/L	U	V1		0.43	1	NO	02D1199
P209489	4/30/02	1,2-DICHLOROPROPANE	GW08204RG	TR1	1	5	UG/L	U	V1		0.38	1	NO	02D1199
P209489	4/30/02	1,3-DICHLOROBENZENE	GW08204RG	TR1	1	600	UG/L	U	UJ1	701	0.3	1	NO	02D1199
P209489	4/30/02	1,3-DICHLOROPROPANE	GW08204RG	TR1	1		UG/L	U	V1		0.37	1	NO	02D1199
P209489	4/30/02	1,4-DICHLOROBENZENE	GW08204RG	TR1	1	75	UG/L	U	UJ1	701	0.31	1	NO	02D1199
P209489	4/30/02	2,2-DICHLOROPROPANE	GW08204RG	TR1	1		UG/L	U	V1		0.37	1	NO	02D1199
P209489	4/30/02	2-BUTANONE	GW08204RG	TR1	5	21900	UG/L	U	V1		2.4	1	NO	02D1199
P209489	4/30/02	2-HEXANONE	GW08204RG	TR1	5		UG/L	U	V1		1.8	1	NO	02D1199
P209489	4/30/02	4-ISOPROPYLTOLUENE	GW08204RG	TR1	1		UG/L	U	UJ1	701	0.32	1	NO	02D1199
P209489	4/30/02	4-METHYL-2-PENTANONE	GW08204RG	TR1	5	2920	UG/L	U	V1		1.8	1	NO	02D1199
P209489	4/30/02	ACETONE	GW08204RG	TR1	10	3650	UG/L	U	V1		2.9	1	NO	02D1199
P209489	4/30/02	BENZENE	GW08204RG	TR1	1	5	UG/L	U	UJ1	701	0.27	1	NO	02D1199
P209489	4/30/02	BENZENE, 1,2,4-TRIMETHYL	GW08204RG	TR1	1		UG/L	U	UJ1	701	0.3	1	NO	02D1199
P209489	4/30/02	BENZENE, 1,3,5-TRIMETHYL-	GW08204RG	TR1	1		UG/L	U	UJ1	701	0.31	1	NO	02D1199
P209489	4/30/02	BROMOBENZENE	GW08204RG	TR1	1		UG/L	U	UJ1	701	0.32	1	NO	02D1199
P209489	4/30/02	BROMOCHLOROMETHANE	GW08204RG	TR1	1		UG/L	U	V1		0.39	1	NO	02D1199
P209489	4/30/02	BROMODICHLOROMETHANE	GW08204RG	TR1	1	100	UG/L	U	V1		0.35	1	NO	02D1199
P209489	4/30/02	BROMOFORM	GW08204RG	TR1	1	100	UG/L	U	V1		0.46	1	NO	02D1199
P209489	4/30/02	BROMOMETHANE	GW08204RG	TR1	1	51.1	UG/L	U	V1		0.28	1	NO	02D1199
P209489	4/30/02	CARBON DISULFIDE	GW08204RG	TR1	1	3650	UG/L	U	V1		0.67	1	NO	02D1199
P209489	4/30/02	CARBON TETRACHLORIDE	GW08204RG	TR1	1	5	UG/L	U	V1		0.35	1	NO	02D1199
P209489	4/30/02	CHLOROBENZENE	GW08204RG	TR1	1	100	UG/L	U	UJ1	701	0.24	1	NO	02D1199
P209489	4/30/02	CHLOROETHANE	GW08204RG	TR1	1	29.4	UG/L	U	V1		0.26	1	NO	02D1199
P209489	4/30/02	CHLOROFORM	GW08204RG	TR1	1	100	UG/L	U	V1		0.29	1	NO	02D1199
P209489	4/30/02	CHLOROMETHANE	GW08204RG	TR1	1	6.55	UG/L	U	V1		0.26	1	NO	02D1199
P209489	4/30/02	cis-1,2-DICHLOROETHENE	GW08204RG	TR1	1	70	UG/L	U	V1		0.33	1	NO	02D1199
P209489	4/30/02	cis-1,3-DICHLOROPROPENE	GW08204RG	TR1	1	0.473	UG/L	U	V1		0.31	1	NO	02D1199

Validation Reason Codes listed on last page of table.

134

Table 7-7
Equipment Rinsate Results
Groundwater - Second Quarter, 2002

Location	Sample Date	Analyte	Sample#	Result Type	Result	Tier II	Units	Lab Qual	Valid-ation	Valid Reason	Detect Limit	Dilu-tion	Field Filtered	RIN
P209489	4/30/02	DIBROMOCHLOROMETHANE	GW08204RG	TR1	1	1.01	UG/L	U	V1		0.37	1	NO	02D1199
P209489	4/30/02	DIBROMOMETHANE	GW08204RG	TR1	1		UG/L	U	V1		0.4	1	NO	02D1199
P209489	4/30/02	DICHLORODIFLUOROMETHANE	GW08204RG	TR1	1		UG/L	U	V1		0.44	1	NO	02D1199
P209489	4/30/02	ETHYLBENZENE	GW08204RG	TR1	1	700	UG/L	U	UJ1	701	0.51	1	NO	02D1199
P209489	4/30/02	HEXACHLOROBUTADIENE	GW08204RG	TR1	1	1.09	UG/L	U	V1		0.37	1	NO	02D1199
P209489	4/30/02	ISOPROPYLBENZENE	GW08204RG	TR1	1		UG/L	U	UJ1	701	0.3	1	NO	02D1199
P209489	4/30/02	METHYLENE CHLORIDE	GW08204RG	TR1	1	5	UG/L	U	V1		0.86	1	NO	02D1199
P209489	4/30/02	NAPHTHALENE	GW08204RG	TR1	1	1460	UG/L	U	UJ1	701	0.78	1	NO	02D1199
P209489	4/30/02	n-BUTYLBENZENE	GW08204RG	TR1	1		UG/L	U	UJ1	701	0.41	1	NO	02D1199
P209489	4/30/02	n-PROPYLBENZENE	GW08204RG	TR1	1		UG/L	U	UJ1	701	0.33	1	NO	02D1199
P209489	4/30/02	o-CHLOROTOLUENE	GW08204RG	TR1	1		UG/L	U	UJ1	701	0.23	1	NO	02D1199
P209489	4/30/02	p-CHLOROTOLUENE	GW08204RG	TR1	1		UG/L	U	UJ1	701	0.26	1	NO	02D1199
P209489	4/30/02	PROPANE, 1,2-DIBROMO-3-CHLORO-	GW08204RG	TR1	1	0.2	UG/L	U	V1		0.49	1	NO	02D1199
P209489	4/30/02	sec-BUTYLBENZENE	GW08204RG	TR1	1		UG/L	U	UJ1	701	0.34	1	NO	02D1199
P209489	4/30/02	STYRENE	GW08204RG	TR1	1	100	UG/L	U	UJ1	701	0.28	1	NO	02D1199
P209489	4/30/02	tert-BUTYLBENZENE	GW08204RG	TR1	1		UG/L	U	UJ1	701	0.29	1	NO	02D1199
P209489	4/30/02	TETRACHLOROETHENE	GW08204RG	TR1	1	5	UG/L	U	V1		0.27	1	NO	02D1199
P209489	4/30/02	TOLUENE	GW08204RG	TR1	1	1000	UG/L	U	UJ1	701	0.26	1	NO	02D1199
P209489	4/30/02	TOTAL XYLENES	GW08204RG	TR1	1	10000	UG/L	U	UJ1	701	0.73	1	NO	02D1199
P209489	4/30/02	trans-1,2-DICHLOROETHENE	GW08204RG	TR1	0.5	70	UG/L	U	V1		0.25	1	NO	02D1199
P209489	4/30/02	trans-1,3-DICHLOROPROPENE	GW08204RG	TR1	1	0.473	UG/L	U	V1		0.36	1	NO	02D1199
P209489	4/30/02	TRICHLOROETHENE	GW08204RG	TR1	1	5	UG/L	U	V1		0.24	1	NO	02D1199
P209489	4/30/02	TRICHLOROFLUOROMETHANE	GW08204RG	TR1	1		UG/L	U	V1		0.43	1	NO	02D1199
P209489	4/30/02	VINYL CHLORIDE	GW08204RG	TR1	1	2	UG/L	U	V1		0.26	1	NO	02D1199
56201	5/7/02	1,1,1,2-TETRACHLOROETHANE	GW08263RG	TR1	1		UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	1,1,1,2-TETRACHLOROETHANE	GW08263RG	TR2	1		UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	1,1,1-TRICHLOROETHANE	GW08263RG	TR1	1	200	UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	1,1,1-TRICHLOROETHANE	GW08263RG	TR2	1	200	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	1,1,2,2-TETRACHLOROETHANE	GW08263RG	TR1	1	0.426	UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	1,1,2,2-TETRACHLOROETHANE	GW08263RG	TR2	1	0.426	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	1,1,2-TRICHLOROETHANE	GW08263RG	TR1	1	5	UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	1,1,2-TRICHLOROETHANE	GW08263RG	TR2	1	5	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	1,1,2-TRICHLOROTRIFLUOROETHANE	GW08263RG	TR1	20		UG/L	U	V		2	1	NO	02D1215
56201	5/7/02	1,1,2-TRICHLOROTRIFLUOROETHANE	GW08263RG	TR2	20		UG/L	U			2	1	NO	02D1215
56201	5/7/02	1,1-DICHLOROETHANE	GW08263RG	TR1	1	3650	UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	1,1-DICHLOROETHANE	GW08263RG	TR2	1	3650	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	1,1-DICHLOROETHENE	GW08263RG	TR1	1	7	UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	1,1-DICHLOROETHENE	GW08263RG	TR2	1	7	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	1,1-DICHLOROPROPENE	GW08263RG	TR1	1		UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	1,1-DICHLOROPROPENE	GW08263RG	TR2	1		UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	1,2,3-TRICHLOROBENZENE	GW08263RG	TR1	1		UG/L	U	UJ	701	0.5	1	NO	02D1215
56201	5/7/02	1,2,3-TRICHLOROBENZENE	GW08263RG	TR2	1		UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	1,2,3-TRICHLOROPROPANE	GW08263RG	TR1	1		UG/L	U	V		1	1	NO	02D1215
56201	5/7/02	1,2,3-TRICHLOROPROPANE	GW08263RG	TR2	1		UG/L	U			1	1	NO	02D1215
56201	5/7/02	1,2,4-TRICHLOROBENZENE	GW08263RG	TR1	1	70	UG/L	U	UJ	140/141/701	0.5	1	NO	02D1215
56201	5/7/02	1,2,4-TRICHLOROBENZENE	GW08263RG	TR2	1	70	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	1,2-DIBROMOETHANE	GW08263RG	TR1	1		UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	1,2-DIBROMOETHANE	GW08263RG	TR2	1		UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	1,2-DICHLOROBENZENE	GW08263RG	TR1	1	600	UG/L	U	UJ	701	0.5	1	NO	02D1215
56201	5/7/02	1,2-DICHLOROBENZENE	GW08263RG	TR2	1	600	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	1,2-DICHLOROETHANE	GW08263RG	TR1	1	5	UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	1,2-DICHLOROETHANE	GW08263RG	TR2	1	5	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	1,2-DICHLOROPROPANE	GW08263RG	TR1	1	5	UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	1,2-DICHLOROPROPANE	GW08263RG	TR2	1	5	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	1,3-DICHLOROBENZENE	GW08263RG	TR1	1	600	UG/L	U	UJ	701	0.5	1	NO	02D1215
56201	5/7/02	1,3-DICHLOROBENZENE	GW08263RG	TR2	1	600	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	1,3-DICHLOROPROPANE	GW08263RG	TR1	1.32		UG/L		V		0.5	1	NO	02D1215
56201	5/7/02	1,3-DICHLOROPROPANE	GW08263RG	TR2	1		UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	1,4-DICHLOROBENZENE	GW08263RG	TR1	1	75	UG/L	U	UJ	701	0.5	1	NO	02D1215
56201	5/7/02	1,4-DICHLOROBENZENE	GW08263RG	TR2	1	75	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	2,2-DICHLOROPROPANE	GW08263RG	TR1	1		UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	2,2-DICHLOROPROPANE	GW08263RG	TR2	1		UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	2-BUTANONE	GW08263RG	TR1	12.5	21900	UG/L	U	UJ	141	2	1	NO	02D1215
56201	5/7/02	2-BUTANONE	GW08263RG	TR2	12.5	21900	UG/L	U			2	1	NO	02D1215
56201	5/7/02	2-HEXANONE	GW08263RG	TR1	2.5		UG/L	U	UJ	141	1	1	NO	02D1215
56201	5/7/02	2-HEXANONE	GW08263RG	TR2	2.5		UG/L	U			1	1	NO	02D1215
56201	5/7/02	4-ISOPROPYLTOLUENE	GW08263RG	TR1	1		UG/L	U	UJ	701	0.5	1	NO	02D1215
56201	5/7/02	4-ISOPROPYLTOLUENE	GW08263RG	TR2	1		UG/L	U			0.5	1	NO	02D1215

Validation Reason Codes listed on last page of table.

135

Table 7-7
Equipment Rinsate Results
Groundwater - Second Quarter, 2002

Location	Sample Date	Analyte	Sample#	Result Type	Result	Tier II	Units	Lab Qual	Valid-ation	Valid Reason	Detect Limit	Dilu-tion	Field Filtered	RIN
56201	5/7/02	4-METHYL-2-PENTANONE	GW08263RG	TR1	2.5	2920	UG/L	U	V		1	1	NO	02D1215
56201	5/7/02	4-METHYL-2-PENTANONE	GW08263RG	TR2	2.5	2920	UG/L	U			1	1	NO	02D1215
56201	5/7/02	ACETONE	GW08263RG	TR1	12.5	3650	UG/L	U	UJ	141	2	1	NO	02D1215
56201	5/7/02	ACETONE	GW08263RG	TR2	12.5	3650	UG/L	U			2	1	NO	02D1215
56201	5/7/02	BENZENE	GW08263RG	TR1	1	5	UG/L	U	UJ	701	0.5	1	NO	02D1215
56201	5/7/02	BENZENE	GW08263RG	TR2	1	5	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	BENZENE, 1,2,4-TRIMETHYL	GW08263RG	TR1	1		UG/L	U	UJ	701	0.5	1	NO	02D1215
56201	5/7/02	BENZENE, 1,2,4-TRIMETHYL	GW08263RG	TR2	1		UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	BENZENE, 1,3,5-TRIMETHYL-	GW08263RG	TR1	1		UG/L	U	UJ	701	0.5	1	NO	02D1215
56201	5/7/02	BENZENE, 1,3,5-TRIMETHYL-	GW08263RG	TR2	1		UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	BROMOBENZENE	GW08263RG	TR1	1		UG/L	U	UJ	701	0.5	1	NO	02D1215
56201	5/7/02	BROMOBENZENE	GW08263RG	TR2	1		UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	BROMOCHLOROMETHANE	GW08263RG	TR1	1		UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	BROMOCHLOROMETHANE	GW08263RG	TR2	1		UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	BROMODICHLOROMETHANE	GW08263RG	TR1	1	100	UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	BROMODICHLOROMETHANE	GW08263RG	TR2	1	100	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	BROMOFORM	GW08263RG	TR1	1	100	UG/L	U	UJ	141	0.5	1	NO	02D1215
56201	5/7/02	BROMOFORM	GW08263RG	TR2	1	100	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	BROMOMETHANE	GW08263RG	TR1	1	51.1	UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	BROMOMETHANE	GW08263RG	TR2	1	51.1	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	CARBON DISULFIDE	GW08263RG	TR1	1	3650	UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	CARBON DISULFIDE	GW08263RG	TR2	1	3650	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	CARBON TETRACHLORIDE	GW08263RG	TR1	1.05	5	UG/L	B	U	249	0.5	1	NO	02D1215
56201	5/7/02	CARBON TETRACHLORIDE	GW08263RG	TR2	1	5	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	CHLOROBENZENE	GW08263RG	TR1	1	100	UG/L	U	UJ	701	0.5	1	NO	02D1215
56201	5/7/02	CHLOROBENZENE	GW08263RG	TR2	1	100	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	CHLOROETHANE	GW08263RG	TR1	1	29.4	UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	CHLOROETHANE	GW08263RG	TR2	1	29.4	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	CHLOROFORM	GW08263RG	TR1	1	100	UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	CHLOROFORM	GW08263RG	TR2	1	100	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	CHLOROMETHANE	GW08263RG	TR1	1	6.55	UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	CHLOROMETHANE	GW08263RG	TR2	1	6.55	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	cis-1,2-DICHLOROETHENE	GW08263RG	TR1	1	70	UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	cis-1,2-DICHLOROETHENE	GW08263RG	TR2	1	70	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	cis-1,3-DICHLOROPROPENE	GW08263RG	TR1	1	0.473	UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	cis-1,3-DICHLOROPROPENE	GW08263RG	TR2	1	0.473	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	DIBROMOCHLOROMETHANE	GW08263RG	TR1	1	1.01	UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	DIBROMOCHLOROMETHANE	GW08263RG	TR2	1	1.01	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	DIBROMOMETHANE	GW08263RG	TR1	1		UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	DIBROMOMETHANE	GW08263RG	TR2	1		UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	DICHLORODIFLUOROMETHANE	GW08263RG	TR1	1		UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	DICHLORODIFLUOROMETHANE	GW08263RG	TR2	1		UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	ETHYLBENZENE	GW08263RG	TR1	1	700	UG/L	U	UJ	701	0.5	1	NO	02D1215
56201	5/7/02	ETHYLBENZENE	GW08263RG	TR2	1	700	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	HEXACHLOROBUTADIENE	GW08263RG	TR1	1	1.09	UG/L	U	V		0.3	1	NO	02D1215
56201	5/7/02	HEXACHLOROBUTADIENE	GW08263RG	TR2	1	1.09	UG/L	U			0.3	1	NO	02D1215
56201	5/7/02	ISOPROPYLBENZENE	GW08263RG	TR1	1		UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	ISOPROPYLBENZENE	GW08263RG	TR2	1		UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	METHYLENE CHLORIDE	GW08263RG	TR1	1	5	UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	METHYLENE CHLORIDE	GW08263RG	TR2	1	5	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	NAPHTHALENE	GW08263RG	TR1	1	1460	UG/L	U	UJ	140/141/701	0.5	1	NO	02D1215
56201	5/7/02	NAPHTHALENE	GW08263RG	TR2	1	1460	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	n-BUTYLBENZENE	GW08263RG	TR1	1		UG/L	U	UJ	701	0.5	1	NO	02D1215
56201	5/7/02	n-BUTYLBENZENE	GW08263RG	TR2	1		UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	n-PROPYLBENZENE	GW08263RG	TR1	1		UG/L	U	UJ	701	0.5	1	NO	02D1215
56201	5/7/02	n-PROPYLBENZENE	GW08263RG	TR2	1		UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	o-CHLOROTOLUENE	GW08263RG	TR1	1		UG/L	U	UJ	701	0.5	1	NO	02D1215
56201	5/7/02	o-CHLOROTOLUENE	GW08263RG	TR2	1		UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	p-CHLOROTOLUENE	GW08263RG	TR1	1		UG/L	U	UJ	701	0.5	1	NO	02D1215
56201	5/7/02	p-CHLOROTOLUENE	GW08263RG	TR2	1		UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	PROPANE, 1,2-DIBROMO-3-CHLORO-	GW08263RG	TR1	1	0.2	UG/L	U	V		1	1	NO	02D1215
56201	5/7/02	PROPANE, 1,2-DIBROMO-3-CHLORO-	GW08263RG	TR2	1	0.2	UG/L	U			1	1	NO	02D1215
56201	5/7/02	sec-BUTYLBENZENE	GW08263RG	TR1	1		UG/L	U	UJ	701	0.5	1	NO	02D1215
56201	5/7/02	sec-BUTYLBENZENE	GW08263RG	TR2	1		UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	STYRENE	GW08263RG	TR1	1	100	UG/L	U	UJ	701	0.5	1	NO	02D1215
56201	5/7/02	STYRENE	GW08263RG	TR2	1	100	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	tert-BUTYLBENZENE	GW08263RG	TR1	1		UG/L	U	UJ	701	0.5	1	NO	02D1215
56201	5/7/02	tert-BUTYLBENZENE	GW08263RG	TR2	1		UG/L	U			0.5	1	NO	02D1215

Validation Reason Codes listed on last page of table.

136

Table 7-7
Equipment Rinsate Results
Groundwater - Second Quarter, 2002

Location	Sample Date	Analyte	Sample#	Result Type	Result	Tier II	Units	Lab Qual	Valid-ation	Valid Reason	Detect Limit	Dilu-tion	Field Filtered	RIN
56201	5/7/02	TETRACHLOROETHENE	GW08263RG	TR1	1	5	UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	TETRACHLOROETHENE	GW08263RG	TR2	1	5	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	TOLUENE	GW08263RG	TR1	1	1000	UG/L	U	UJ	701	0.5	1	NO	02D1215
56201	5/7/02	TOLUENE	GW08263RG	TR2	1	1000	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	TOTAL XYLENES	GW08263RG	TR1	3	10000	UG/L	U	UJ	701	0.5	1	NO	02D1215
56201	5/7/02	TOTAL XYLENES	GW08263RG	TR2	3	10000	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	trans-1,2-DICHLOROETHENE	GW08263RG	TR1	1	70	UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	trans-1,2-DICHLOROETHENE	GW08263RG	TR2	1	70	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	trans-1,3-DICHLOROPROPENE	GW08263RG	TR1	1	0.473	UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	trans-1,3-DICHLOROPROPENE	GW08263RG	TR2	1	0.473	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	TRICHLOROETHENE	GW08263RG	TR1	1	5	UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	TRICHLOROETHENE	GW08263RG	TR2	1	5	UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	TRICHLOROFLUOROMETHANE	GW08263RG	TR1	1		UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	TRICHLOROFLUOROMETHANE	GW08263RG	TR2	1		UG/L	U			0.5	1	NO	02D1215
56201	5/7/02	VINYL CHLORIDE	GW08263RG	TR1	1	2	UG/L	U	V		0.5	1	NO	02D1215
56201	5/7/02	VINYL CHLORIDE	GW08263RG	TR2	1	2	UG/L	U			0.5	1	NO	02D1215
00897	5/8/02	1,1,1,2-TETRACHLOROETHANE	GW08188RG	TR1	1		UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	1,1,1-TRICHLOROETHANE	GW08188RG	TR1	1	200	UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	1,1,2,2-TETRACHLOROETHANE	GW08188RG	TR1	1	0.426	UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	1,1,2-TRICHLOROETHANE	GW08188RG	TR1	1	5	UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	1,1,2-TRICHLOROTRIFLUOROETHANE	GW08188RG	TR1	5		UG/L	U	V	703	5	1	NO	02D1227
00897	5/8/02	1,1-DICHLOROETHANE	GW08188RG	TR1	1	3650	UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	1,1-DICHLOROETHENE	GW08188RG	TR1	1	7	UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	1,1-DICHLOROPROPENE	GW08188RG	TR1	1		UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	1,2,3-TRICHLOROBENZENE	GW08188RG	TR1	1		UG/L	U	UJ	701/703	1	1	NO	02D1227
00897	5/8/02	1,2,3-TRICHLOROPROPANE	GW08188RG	TR1	1		UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	1,2,4-TRICHLOROBENZENE	GW08188RG	TR1	1	70	UG/L	U	UJ	701/703	1	1	NO	02D1227
00897	5/8/02	1,2-DIBROMOETHANE	GW08188RG	TR1	1		UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	1,2-DICHLOROBENZENE	GW08188RG	TR1	1	600	UG/L	U	UJ	701/703	1	1	NO	02D1227
00897	5/8/02	1,2-DICHLOROETHANE	GW08188RG	TR1	1	5	UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	1,2-DICHLOROPROPANE	GW08188RG	TR1	1	5	UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	1,3-DICHLOROBENZENE	GW08188RG	TR1	1	600	UG/L	U	UJ	701/703	1	1	NO	02D1227
00897	5/8/02	1,3-DICHLOROPROPANE	GW08188RG	TR1	1		UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	1,4-DICHLOROBENZENE	GW08188RG	TR1	1	75	UG/L	U	UJ	701/703	1	1	NO	02D1227
00897	5/8/02	2,2-DICHLOROPROPANE	GW08188RG	TR1	1		UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	2-BUTANONE	GW08188RG	TR1	10	21900	UG/L	U	V	703	10	1	NO	02D1227
00897	5/8/02	2-HEXANONE	GW08188RG	TR1	10		UG/L	U	V	703	10	1	NO	02D1227
00897	5/8/02	4-ISOPROPYLTOLUENE	GW08188RG	TR1	1		UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	4-METHYL-2-PENTANONE	GW08188RG	TR1	10	2920	UG/L	U	V	703	10	1	NO	02D1227
00897	5/8/02	ACETONE	GW08188RG	TR1	10.1	3650	UG/L	B	UJ	141/249/703	10	1	NO	02D1227
00897	5/8/02	BENZENE	GW08188RG	TR1	1	5	UG/L	U	UJ	701/703	1	1	NO	02D1227
00897	5/8/02	BENZENE, 1,2,4-TRIMETHYL	GW08188RG	TR1	1		UG/L	U	UJ	701/703	1	1	NO	02D1227
00897	5/8/02	BENZENE, 1,3,5-TRIMETHYL-	GW08188RG	TR1	1		UG/L	U	UJ	701/703	1	1	NO	02D1227
00897	5/8/02	BROMOBENZENE	GW08188RG	TR1	1		UG/L	U	UJ	701/703	1	1	NO	02D1227
00897	5/8/02	BROMOCHLOROMETHANE	GW08188RG	TR1	1		UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	BROMODICHLOROMETHANE	GW08188RG	TR1	1	100	UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	BROMOFORM	GW08188RG	TR1	1	100	UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	BROMOMETHANE	GW08188RG	TR1	1	51.1	UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	CARBON DISULFIDE	GW08188RG	TR1	5	3650	UG/L	U	V	703	5	1	NO	02D1227
00897	5/8/02	CARBON TETRACHLORIDE	GW08188RG	TR1	1	5	UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	CHLOROBENZENE	GW08188RG	TR1	1	100	UG/L	U	UJ	701/703	1	1	NO	02D1227
00897	5/8/02	CHLOROETHANE	GW08188RG	TR1	1	29.4	UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	CHLOROFORM	GW08188RG	TR1	0.38	100	UG/L	J	V	703	1	1	NO	02D1227
00897	5/8/02	CHLOROMETHANE	GW08188RG	TR1	1	6.55	UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	cis-1,2-DICHLOROETHENE	GW08188RG	TR1	1	70	UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	cis-1,3-DICHLOROPROPENE	GW08188RG	TR1	1	0.473	UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	DIBROMOCHLOROMETHANE	GW08188RG	TR1	1	1.01	UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	DIBROMOMETHANE	GW08188RG	TR1	1		UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	DICHLORODIFLUOROMETHANE	GW08188RG	TR1	1		UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	ETHYLBENZENE	GW08188RG	TR1	1	700	UG/L	U	UJ	701/703	1	1	NO	02D1227
00897	5/8/02	HEXACHLOROBUTADIENE	GW08188RG	TR1	1	1.09	UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	ISOPROPYLBENZENE	GW08188RG	TR1	1		UG/L	U	UJ	701/703	1	1	NO	02D1227
00897	5/8/02	METHYLENE CHLORIDE	GW08188RG	TR1	3.1	5	UG/L	B	U	249/703	1	1	NO	02D1227
00897	5/8/02	NAPHTHALENE	GW08188RG	TR1	1	1460	UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	n-BUTYLBENZENE	GW08188RG	TR1	1		UG/L	U	UJ	701/703	1	1	NO	02D1227
00897	5/8/02	n-PROPYLBENZENE	GW08188RG	TR1	1		UG/L	U	UJ	701/703	1	1	NO	02D1227
00897	5/8/02	o-CHLOROTOLUENE	GW08188RG	TR1	1		UG/L	U	V	703	1	1	NO	02D1227

Validation Reason Codes listed on last page of table.

137

Table 7-7
Equipment Rinsate Results
Groundwater - Second Quarter, 2002

Location	Sample Date	Analyte	Sample#	Result Type	Result	Tier II	Units	Lab Qual	Valid-ation	Valid Reason	Detect Limit	Dilu-tion	Field Filtered	RIN
00897	5/8/02	p-CHLOROTOLUENE	GW08188RG	TR1	1		UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	PROPANE, 1,2-DIBROMO-3-CHLORO-	GW08188RG	TR1	1	0.2	UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	STYRENE	GW08188RG	TR1	1	100	UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	tert-BUTYLBENZENE	GW08188RG	TR1	1		UG/L	U	UJ	701/703	1	1	NO	02D1227
00897	5/8/02	TETRACHLOROETHENE	GW08188RG	TR1	3.3	5	UG/L	B	V	703	1	1	NO	02D1227
00897	5/8/02	TOLUENE	GW08188RG	TR1	1	1000	UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	TOTAL XYLENES	GW08188RG	TR1	3	10000	UG/L	U	V	703	3	1	NO	02D1227
00897	5/8/02	trans-1,2-DICHLOROETHENE	GW08188RG	TR1	1	70	UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	trans-1,3-DICHLOROPROPENE	GW08188RG	TR1	1	0.473	UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	TRICHLOROETHENE	GW08188RG	TR1	1	5	UG/L	U	V	703	1	1	NO	02D1227
00897	5/8/02	TRICHLOROFLUOROMETHANE	GW08188RG	TR1	1		UG/L	U	UJ	141/703	1	1	NO	02D1227
00897	5/8/02	VINYL CHLORIDE	GW08188RG	TR1	1	2	UG/L	U	V	703	1	1	NO	02D1227
70193	5/21/02	1,1,1,2-TETRACHLOROETHANE	GW08232RG	TR1	1		UG/L	U	V1		0.21	1	NO	02D1244
70193	5/21/02	1,1,1-TRICHLOROETHANE	GW08232RG	TR1	1	200	UG/L	U	V1		0.23	1	NO	02D1244
70193	5/21/02	1,1,2,2-TETRACHLOROETHANE	GW08232RG	TR1	1	0.426	UG/L	U	V1		0.24	1	NO	02D1244
70193	5/21/02	1,1,2-TRICHLOROETHANE	GW08232RG	TR1	1	5	UG/L	U	V1		0.28	1	NO	02D1244
70193	5/21/02	1,1,2-TRICHLOROTRIFLUOROETHANE	GW08232RG	TR1	1		UG/L	U	V1		0.2	1	NO	02D1244
70193	5/21/02	1,1-DICHLOROETHANE	GW08232RG	TR1	1	3650	UG/L	U	V1		0.22	1	NO	02D1244
70193	5/21/02	1,1-DICHLOROETHENE	GW08232RG	TR1	1	7	UG/L	U	V1		0.19	1	NO	02D1244
70193	5/21/02	1,1-DICHLOROPROPENE	GW08232RG	TR1	1		UG/L	U	V1		0.23	1	NO	02D1244
70193	5/21/02	1,2,3-TRICHLOROBENZENE	GW08232RG	TR1	1		UG/L	U	UJ1	701	0.78	1	NO	02D1244
70193	5/21/02	1,2,3-TRICHLOROPROPANE	GW08232RG	TR1	1		UG/L	U	V1		0.23	1	NO	02D1244
70193	5/21/02	1,2,4-TRICHLOROBENZENE	GW08232RG	TR1	1	70	UG/L	U	UJ1	701	0.3	1	NO	02D1244
70193	5/21/02	1,2-DIBROMOETHANE	GW08232RG	TR1	1		UG/L	U	V1		0.21	1	NO	02D1244
70193	5/21/02	1,2-DICHLOROBENZENE	GW08232RG	TR1	1	600	UG/L	U	UJ1	701	0.17	1	NO	02D1244
70193	5/21/02	1,2-DICHLOROETHANE	GW08232RG	TR1	1	5	UG/L	U	V1		0.22	1	NO	02D1244
70193	5/21/02	1,2-DICHLOROPROPANE	GW08232RG	TR1	1	5	UG/L	U	V1		0.17	1	NO	02D1244
70193	5/21/02	1,3-DICHLOROBENZENE	GW08232RG	TR1	1	600	UG/L	U	UJ1	701	0.096	1	NO	02D1244
70193	5/21/02	1,3-DICHLOROPROPANE	GW08232RG	TR1	1		UG/L	U	V1		0.15	1	NO	02D1244
70193	5/21/02	1,4-DICHLOROBENZENE	GW08232RG	TR1	1	75	UG/L	U	UJ1	701	0.12	1	NO	02D1244
70193	5/21/02	2,2-DICHLOROPROPANE	GW08232RG	TR1	1		UG/L	U	V1		0.65	1	NO	02D1244
70193	5/21/02	2-BUTANONE	GW08232RG	TR1	10	21900	UG/L	U	V1		4.4	1	NO	02D1244
70193	5/21/02	2-HEXANONE	GW08232RG	TR1	10		UG/L	U	V1		1.4	1	NO	02D1244
70193	5/21/02	4-ISOPROPYLTOLUENE	GW08232RG	TR1	1		UG/L	U	UJ1	701	0.15	1	NO	02D1244
70193	5/21/02	4-METHYL-2-PENTANONE	GW08232RG	TR1	10	2920	UG/L	U	V1		1.7	1	NO	02D1244
70193	5/21/02	ACETONE	GW08232RG	TR1	10	3650	UG/L	U	V1		3.4	1	NO	02D1244
70193	5/21/02	BENZENE	GW08232RG	TR1	1	5	UG/L	U	UJ1	701	0.26	1	NO	02D1244
70193	5/21/02	BENZENE, 1,2,4-TRIMETHYL	GW08232RG	TR1	1		UG/L	U	UJ1	701	0.25	1	NO	02D1244
70193	5/21/02	BENZENE, 1,3,5-TRIMETHYL-	GW08232RG	TR1	1		UG/L	U	UJ1	701	0.19	1	NO	02D1244
70193	5/21/02	BROMOBENZENE	GW08232RG	TR1	1		UG/L	U	UJ1	701	0.16	1	NO	02D1244
70193	5/21/02	BROMOCHLOROMETHANE	GW08232RG	TR1	1		UG/L	U	V1		0.46	1	NO	02D1244
70193	5/21/02	BROMODICHLOROMETHANE	GW08232RG	TR1	1	100	UG/L	U	V1		0.21	1	NO	02D1244
70193	5/21/02	BROMOFORM	GW08232RG	TR1	1	100	UG/L	U	V1		0.4	1	NO	02D1244
70193	5/21/02	BROMOMETHANE	GW08232RG	TR1	1	51.1	UG/L	U	V1		0.99	1	NO	02D1244
70193	5/21/02	CARBON DISULFIDE	GW08232RG	TR1	1	3650	UG/L	U	V1		0.35	1	NO	02D1244
70193	5/21/02	CARBON TETRACHLORIDE	GW08232RG	TR1	1	5	UG/L	U	V1		0.38	1	NO	02D1244
70193	5/21/02	CHLOROBENZENE	GW08232RG	TR1	1	100	UG/L	U	UJ1	701	0.23	1	NO	02D1244
70193	5/21/02	CHLOROETHANE	GW08232RG	TR1	1	29.4	UG/L	U	V1		0.94	1	NO	02D1244
70193	5/21/02	CHLOROFORM	GW08232RG	TR1	1	100	UG/L	U	V1		0.21	1	NO	02D1244
70193	5/21/02	CHLOROMETHANE	GW08232RG	TR1	1	6.55	UG/L	U	V1		0.26	1	NO	02D1244
70193	5/21/02	cis-1,2-DICHLOROETHENE	GW08232RG	TR1	1	70	UG/L	U	V1		0.15	1	NO	02D1244
70193	5/21/02	cis-1,3-DICHLOROPROPENE	GW08232RG	TR1	1	0.473	UG/L	U	V1		0.17	1	NO	02D1244
70193	5/21/02	DIBROMOCHLOROMETHANE	GW08232RG	TR1	1	1.01	UG/L	U	V1		0.54	1	NO	02D1244
70193	5/21/02	DIBROMOMETHANE	GW08232RG	TR1	1		UG/L	U	V1		0.55	1	NO	02D1244
70193	5/21/02	DICHLORODIFLUOROMETHANE	GW08232RG	TR1	1		UG/L	U	UJ1	141	0.26	1	NO	02D1244
70193	5/21/02	ETHYLBENZENE	GW08232RG	TR1	1	700	UG/L	U	UJ1	701	0.2	1	NO	02D1244
70193	5/21/02	HEXACHLOROBUTADIENE	GW08232RG	TR1	1	1.09	UG/L	U	V1		0.65	1	NO	02D1244
70193	5/21/02	ISOPROPYLBENZENE	GW08232RG	TR1	1		UG/L	U	UJ1	701	0.2	1	NO	02D1244
70193	5/21/02	METHYLENE CHLORIDE	GW08232RG	TR1	1	5	UG/L	U	V1		0.82	1	NO	02D1244
70193	5/21/02	NAPHTHALENE	GW08232RG	TR1	1	1460	UG/L	U	UJ1	701	0.25	1	NO	02D1244
70193	5/21/02	n-BUTYLBENZENE	GW08232RG	TR1	1		UG/L	U	UJ1	701	0.15	1	NO	02D1244
70193	5/21/02	n-PROPYLBENZENE	GW08232RG	TR1	1		UG/L	U	UJ1	701	0.19	1	NO	02D1244
70193	5/21/02	o-CHLOROTOLUENE	GW08232RG	TR1	1		UG/L	U	UJ1	701	0.23	1	NO	02D1244
70193	5/21/02	p-CHLOROTOLUENE	GW08232RG	TR1	1		UG/L	U	UJ1	701	0.21	1	NO	02D1244
70193	5/21/02	PROPANE, 1,2-DIBROMO-3-CHLORO-	GW08232RG	TR1	1	0.2	UG/L	U	V1		0.56	1	NO	02D1244
70193	5/21/02	sec-BUTYLBENZENE	GW08232RG	TR1	1		UG/L	U	UJ1	701	0.31	1	NO	02D1244
70193	5/21/02	STYRENE	GW08232RG	TR1	1	100	UG/L	U	UJ1	701	0.22	1	NO	02D1244
70193	5/21/02	tert-BUTYLBENZENE	GW08232RG	TR1	1		UG/L	U	UJ1	701	0.25	1	NO	02D1244

2Q2002 Table 7-7 (Rns).xls

Validation Reason Codes listed on last page of table.

138

Table 7-7
Equipment Rinsate Results
Groundwater - Second Quarter, 2002

Location	Sample Date	Analyte	Sample#	Result Type	Result	Tier II	Units	Lab Qual	Valid-ation	Valid Reason	Detect Limit	Dilu-tion	Field Filtered	RIN
70193	5/21/02	TETRACHLOROETHENE	GW08232RG	TR1	1	5	UG/L	U	V1		0.56	1	NO	02D1244
70193	5/21/02	TOLUENE	GW08232RG	TR1	1	1000	UG/L	U	UJ1	701	0.15	1	NO	02D1244
70193	5/21/02	trans-1,2-DICHLOROETHENE	GW08232RG	TR1	1	70	UG/L	U	V1		0.092	1	NO	02D1244
70193	5/21/02	trans-1,3-DICHLOROPROPENE	GW08232RG	TR1	1	0.473	UG/L	U	V1		0.22	1	NO	02D1244
70193	5/21/02	TRICHLOROETHENE	GW08232RG	TR1	1	5	UG/L	U	V1		0.23	1	NO	02D1244
70193	5/21/02	TRICHLOROFLUOROMETHANE	GW08232RG	TR1	1		UG/L	U	V1		0.21	1	NO	02D1244
70193	5/21/02	VINYL CHLORIDE	GW08232RG	TR1	1	2	UG/L	U	V1		0.25	1	NO	02D1244
Total and Dissolved Metals														
12191	4/17/02	ALUMINUM	GW08197RG	TR1	7.1	36500	UG/L	B	V	214	6.3	1	YES	02D1166
12191	4/17/02	ANTIMONY	GW08197RG	TR1	0.48	6	UG/L	U	J	107/214	0.48	1	YES	02D1166
12191	4/17/02	ARSENIC	GW08197RG	TR1	0.75	50	UG/L	U	V	214	0.75	1	YES	02D1166
12191	4/17/02	BARIUM	GW08197RG	TR1	0.31	2000	UG/L	B	UJ	107/214	0.05	1	YES	02D1166
12191	4/17/02	BERYLLIUM	GW08197RG	TR1	0.12	4	UG/L	U	V	214	0.12	1	YES	02D1166
12191	4/17/02	CADMIUM	GW08197RG	TR1	0.08	5	UG/L	U	V	214	0.08	1	YES	02D1166
12191	4/17/02	CALCIUM	GW08197RG	TR1	115		UG/L	B	V	214	4.4	1	YES	02D1166
12191	4/17/02	CHROMIUM	GW08197RG	TR1	0.28	100	UG/L	B	V	214	0.2	1	YES	02D1166
12191	4/17/02	COBALT	GW08197RG	TR1	0.15	2190	UG/L	U	V	214	0.15	1	YES	02D1166
12191	4/17/02	COPPER	GW08197RG	TR1	1.1	1300	UG/L	B	UJ	107/214	0.18	1	YES	02D1166
12191	4/17/02	IRON	GW08197RG	TR1	14		UG/L	B	V	214	3.8	1	YES	02D1166
12191	4/17/02	LEAD	GW08197RG	TR1	0.55	15	UG/L	U	V	214	0.55	1	YES	02D1166
12191	4/17/02	LITHIUM	GW08197RG	TR1	0.09	730	UG/L	B	UJ	107/214	0.05	1	YES	02D1166
12191	4/17/02	MAGNESIUM	GW08197RG	TR1	21.6		UG/L	B	V	214	6.1	1	YES	02D1166
12191	4/17/02	MANGANESE	GW08197RG	TR1	0.64	1720	UG/L	B	V	214	0.08	1	YES	02D1166
12191	4/17/02	MERCURY	GW08197RG	TR1	0.1	2	UG/L	U	V	214	0.1	1	YES	02D1166
12191	4/17/02	MOLYBDENUM	GW08197RG	TR1	0.28	183	UG/L	U	V	214	0.28	1	YES	02D1166
12191	4/17/02	NICKEL	GW08197RG	TR1	0.5	140	UG/L	B	V	214	0.3	1	YES	02D1166
12191	4/17/02	POTASSIUM	GW08197RG	TR1	82.8		UG/L	U	V	214	82.8	1	YES	02D1166
12191	4/17/02	SELENIUM	GW08197RG	TR1	0.9	50	UG/L	U	V	214	0.9	1	YES	02D1166
12191	4/17/02	SILVER	GW08197RG	TR1	0.18	183	UG/L	U	V	214	0.18	1	YES	02D1166
12191	4/17/02	SODIUM	GW08197RG	TR1	110		UG/L	B	V	214	8.8	1	YES	02D1166
12191	4/17/02	STRONTIUM	GW08197RG	TR1	0.47	21900	UG/L	B	V	214	0.02	1	YES	02D1166
12191	4/17/02	THALLIUM	GW08197RG	TR1	1.4	2	UG/L	U	V	214	1.4	1	YES	02D1166
12191	4/17/02	TIN	GW08197RG	TR1	0.82	21900	UG/L	U	V	214	0.82	1	YES	02D1166
12191	4/17/02	URANIUM, TOTAL	GW08197RG	TR1	3.3		UG/L	U	V	214	3.3	1	YES	02D1166
12191	4/17/02	VANADIUM	GW08197RG	TR1	0.22	256	UG/L	B	UJ	107/214	0.18	1	YES	02D1166
12191	4/17/02	ZINC	GW08197RG	TR1	5.3	11000	UG/L	B	UJ	107/214	0.1	1	YES	02D1166
00500	4/30/02	ALUMINUM	GW08286RG	TR1	16.4	36500	UG/L	B	UJ	107/168	2	1	YES	02D1199
00500	4/30/02	ANTIMONY	GW08286RG	TR1	0.55	6	UG/L	U	V	168	0.55	1	YES	02D1199
00500	4/30/02	ARSENIC	GW08286RG	TR1	0.62	50	UG/L	U	V	168	0.62	1	YES	02D1199
00500	4/30/02	BARIUM	GW08286RG	TR1	0.29	2000	UG/L	B	UJ	107/168	0.02	1	YES	02D1199
00500	4/30/02	BERYLLIUM	GW08286RG	TR1	0.05	4	UG/L	B	UJ	107/168	0.02	1	YES	02D1199
00500	4/30/02	CADMIUM	GW08286RG	TR1	0.08	5	UG/L	U	V	168	0.08	1	YES	02D1199
00500	4/30/02	CALCIUM	GW08286RG	TR1	85.9		UG/L	B	V	168	9.2	1	YES	02D1199
00500	4/30/02	CHROMIUM	GW08286RG	TR1	0.12	100	UG/L	U	J	107/168	0.12	1	YES	02D1199
00500	4/30/02	COBALT	GW08286RG	TR1	0.19	2190	UG/L	B	UJ	107/168	0.18	1	YES	02D1199
00500	4/30/02	COPPER	GW08286RG	TR1	8	1300	UG/L		UJ	107/168	0.08	1	YES	02D1199
00500	4/30/02	IRON	GW08286RG	TR1	4.2		UG/L	B	UJ	107/168	3.6	1	YES	02D1199
00500	4/30/02	LEAD	GW08286RG	TR1	0.42	15	UG/L	U	V	168	0.42	1	YES	02D1199
00500	4/30/02	LITHIUM	GW08286RG	TR1	0.12	730	UG/L	B	UJ	107/112/117/	0.02	1	YES	02D1199
00500	4/30/02	MAGNESIUM	GW08286RG	TR1	24.9		UG/L	B	V	168	1.4	1	YES	02D1199
00500	4/30/02	MANGANESE	GW08286RG	TR1	0.23	1720	UG/L	B	UJ	107/168	0.02	1	YES	02D1199
00500	4/30/02	MERCURY	GW08286RG	TR1	0.1	2	UG/L	U	V	168	0.1	1	YES	02D1199
00500	4/30/02	MOLYBDENUM	GW08286RG	TR1	0.28	183	UG/L	U	V	168	0.28	1	YES	02D1199
00500	4/30/02	NICKEL	GW08286RG	TR1	0.22	140	UG/L	U	V	168	0.22	1	YES	02D1199
00500	4/30/02	POTASSIUM	GW08286RG	TR1	90.3		UG/L	B	V	168	78.2	1	YES	02D1199
00500	4/30/02	SELENIUM	GW08286RG	TR1	0.88	50	UG/L	U	V	168	0.88	1	YES	02D1199
00500	4/30/02	SILVER	GW08286RG	TR1	0.12	183	UG/L	U	J	107/168	0.12	1	YES	02D1199
00500	4/30/02	SODIUM	GW08286RG	TR1	84.4		UG/L	B	V	168	5.1	1	YES.	02D1199
00500	4/30/02	STRONTIUM	GW08286RG	TR1	0.45	21900	UG/L	B	V	168	0.02	1	YES	02D1199
00500	4/30/02	THALLIUM	GW08286RG	TR1	0.78	2	UG/L	U	V	168	0.78	1	YES	02D1199
00500	4/30/02	TIN	GW08286RG	TR1	0.78	21900	UG/L	U	V	168	0.78	1	YES	02D1199
00500	4/30/02	URANIUM, TOTAL	GW08286RG	TR1	2.8		UG/L	U	J	107/168	2.8	1	YES	02D1199
00500	4/30/02	VANADIUM	GW08286RG	TR1	0.18	256	UG/L	U	V	168	0.18	1	YES	02D1199
00500	4/30/02	ZINC	GW08286RG	TR1	6.4	11000	UG/L	B	V	168	0.1	1	YES	02D1199
P209489	4/30/02	ALUMINUM	GW08204RG	TR1	15.1	36500	UG/L	B	UJ	107/168	2	1	YES	02D1199
P209489	4/30/02	ANTIMONY	GW08204RG	TR1	0.55	6	UG/L	U	V	168	0.55	1	YES	02D1199
P209489	4/30/02	ARSENIC	GW08204RG	TR1	0.62	50	UG/L	U	V	168	0.62	1	YES	02D1199

Validation Reason Codes listed on last page of table.

139

Table 7-7
Equipment Rinsate Results
Groundwater - Second Quarter, 2002

Location	Sample Date	Analyte	Sample#	Result Type	Result	Tier II	Units	Lab Qual	Valid-ation	Valid Reason	Detect Limit	Dilu-tion	Field Filtered	RIN
P209489	4/30/02	BARIUM	GW08204RG	TR1	0.43	2000	UG/L	B	UJ	107/168	0.02	1	YES	02D1199
P209489	4/30/02	BERYLLIUM	GW08204RG	TR1	0.04	4	UG/L	B	UJ	107/168	0.02	1	YES	02D1199
P209489	4/30/02	CALCIUM	GW08204RG	TR1	149		UG/L	B	V	168	9.2	1	YES	02D1199
P209489	4/30/02	CHROMIUM	GW08204RG	TR1	0.57	100	UG/L	B	UJ	107/168	0.12	1	YES	02D1199
P209489	4/30/02	COBALT	GW08204RG	TR1	0.38	2190	UG/L	B	UJ	107/168	0.18	1	YES	02D1199
P209489	4/30/02	COPPER	GW08204RG	TR1	1.3	1300	UG/L	B	UJ	107/168	0.08	1	YES	02D1199
P209489	4/30/02	IRON	GW08204RG	TR1	13.4		UG/L	B	UJ	107/168	3.6	1	YES	02D1199
P209489	4/30/02	LEAD	GW08204RG	TR1	0.42	15	UG/L	U	V	168	0.42	1	YES	02D1199
P209489	4/30/02	LITHIUM	GW08204RG	TR1	0.12	730	UG/L	B	UJ	107/112/117/1	0.02	1	YES	02D1199
P209489	4/30/02	MAGNESIUM	GW08204RG	TR1	32.4		UG/L	B	V	168	1.4	1	YES	02D1199
P209489	4/30/02	MANGANESE	GW08204RG	TR1	0.6	1720	UG/L	B	V	168	0.02	1	YES	02D1199
P209489	4/30/02	MERCURY	GW08204RG	TR1	0.1	2	UG/L	U	V	168	0.1	1	YES	02D1199
P209489	4/30/02	MOLYBDENUM	GW08204RG	TR1	0.28	183	UG/L	U	V	168	0.28	1	YES	02D1199
P209489	4/30/02	NICKEL	GW08204RG	TR1	0.78	140	UG/L	B	UJ	107/168	0.22	1	YES	02D1199
P209489	4/30/02	POTASSIUM	GW08204RG	TR1	78.2		UG/L	U	V	168	78.2	1	YES	02D1199
P209489	4/30/02	SELENIUM	GW08204RG	TR1	0.88	50	UG/L	U	V	168	0.88	1	YES	02D1199
P209489	4/30/02	SILVER	GW08204RG	TR1	0.12	183	UG/L	U	J	107/168	0.12	1	YES	02D1199
P209489	4/30/02	SODIUM	GW08204RG	TR1	148		UG/L	B	V	168	5.1	1	YES	02D1199
P209489	4/30/02	STRONTIUM	GW08204RG	TR1	0.65	21900	UG/L	B	V	168	0.02	1	YES	02D1199
P209489	4/30/02	THALLIUM	GW08204RG	TR1	1.3	2	UG/L	B	UJ	105/107/168	0.78	1	YES	02D1199
P209489	4/30/02	TIN	GW08204RG	TR1	0.78	21900	UG/L	U	V	168	0.78	1	YES	02D1199
P209489	4/30/02	URANIUM, TOTAL	GW08204RG	TR1	2.8		UG/L	U	J	107/168	2.8	1	YES	02D1199
P209489	4/30/02	VANADIUM	GW08204RG	TR1	0.28	256	UG/L	B	UJ	107/168	0.18	1	YES	02D1199
P209489	4/30/02	ZINC	GW08204RG	TR1	4.2	11000	UG/L	B	UJ	107/168	0.1	1	YES	02D1199
00897	5/8/02	ALUMINUM	GW08188RG	TR1	9.3	36500	UG/L	B	UJ1	107	2	1	YES	02D1227
00897	5/8/02	ANTIMONY	GW08188RG	TR1	0.55	6	UG/L	U	V1		0.55	1	YES	02D1227
00897	5/8/02	ARSENIC	GW08188RG	TR1	0.62	50	UG/L	U	V1		0.62	1	YES	02D1227
00897	5/8/02	BARIUM	GW08188RG	TR1	0.36	2000	UG/L	B	UJ1	107	0.02	1	YES	02D1227
00897	5/8/02	BERYLLIUM	GW08188RG	TR1	0.02	4	UG/L	U	J1	107	0.02	1	YES	02D1227
00897	5/8/02	CADMIUM	GW08188RG	TR1	0.08	5	UG/L	U	V1		0.08	1	YES	02D1227
00897	5/8/02	CALCIUM	GW08188RG	TR1	115		UG/L	B	V1		9.2	1	YES	02D1227
00897	5/8/02	CHROMIUM	GW08188RG	TR1	0.26	100	UG/L	B	UJ1	107	0.12	1	YES	02D1227
00897	5/8/02	COBALT	GW08188RG	TR1	0.18	2190	UG/L	U	V1		0.18	1	YES	02D1227
00897	5/8/02	COPPER	GW08188RG	TR1	1.2	1300	UG/L	B	V1		0.08	1	YES	02D1227
00897	5/8/02	IRON	GW08188RG	TR1	7.3		UG/L	B	V1		3.6	1	YES	02D1227
00897	5/8/02	LEAD	GW08188RG	TR1	0.42	15	UG/L	U	J1	105/107	0.42	1	YES	02D1227
00897	5/8/02	LITHIUM	GW08188RG	TR1	0.04	730	UG/L	B	J1	112/117	0.02	1	YES	02D1227
00897	5/8/02	MAGNESIUM	GW08188RG	TR1	24.6		UG/L	B	V1		4.8	1	YES	02D1227
00897	5/8/02	MANGANESE	GW08188RG	TR1	0.47	1720	UG/L	B	UJ1	107	0.02	1	YES	02D1227
00897	5/8/02	MERCURY	GW08188RG	TR1	0.1	2	UG/L	U	V1		0.1	1	YES	02D1227
00897	5/8/02	MOLYBDENUM	GW08188RG	TR1	0.44	183	UG/L	B	UJ1	107	0.28	1	YES	02D1227
00897	5/8/02	NICKEL	GW08188RG	TR1	0.37	140	UG/L	B	J1	107	0.22	1	YES	02D1227
00897	5/8/02	POTASSIUM	GW08188RG	TR1	37.5		UG/L	B	J1	117	5.1	1	YES	02D1227
00897	5/8/02	SELENIUM	GW08188RG	TR1	0.88	50	UG/L	U	V1		0.88	1	YES	02D1227
00897	5/8/02	SILVER	GW08188RG	TR1	0.12	183	UG/L	U	V1		0.12	1	YES	02D1227
00897	5/8/02	SODIUM	GW08188RG	TR1	86.6		UG/L	B	V1		5.1	1	YES	02D1227
00897	5/8/02	STRONTIUM	GW08188RG	TR1	0.57	21900	UG/L	B	V1		0.02	1	YES	02D1227
00897	5/8/02	THALLIUM	GW08188RG	TR1	1	2	UG/L	B	UJ1	107	0.78	1	YES	02D1227
00897	5/8/02	TIN	GW08188RG	TR1	0.78	21900	UG/L	U	J1	107	0.78	1	YES	02D1227
00897	5/8/02	URANIUM, TOTAL	GW08188RG	TR1	2.8		UG/L	U	V1		2.8	1	YES	02D1227
00897	5/8/02	VANADIUM	GW08188RG	TR1	0.18	256	UG/L	U	V1		0.18	1	YES	02D1227
00897	5/8/02	ZINC	GW08188RG	TR1	4.5	11000	UG/L	B	UJ1	107	0.1	1	YES	02D1227
56201	5/7/02	ALUMINUM	GW08263RG	TR1	17.9	36500	UG/L		UJ1	105/107	2	1	YES	02D1244
56201	5/7/02	ANTIMONY	GW08263RG	TR1	0.55	6	UG/L	U	V1		0.55	1	YES	02D1244
56201	5/7/02	ARSENIC	GW08263RG	TR1	0.62	50	UG/L	U	V1		0.62	1	YES	02D1244
56201	5/7/02	BARIUM	GW08263RG	TR1	0.38	2000	UG/L	B	V1		0.02	1	YES	02D1244
56201	5/7/02	BERYLLIUM	GW08263RG	TR1	0.03	4	UG/L	B	UJ1	107	0.02	1	YES	02D1244
56201	5/7/02	CADMIUM	GW08263RG	TR1	0.08	5	UG/L	U	V1		0.08	1	YES	02D1244
56201	5/7/02	CALCIUM	GW08263RG	TR1	83.4		UG/L	B	V1		9.2	1	YES	02D1244
56201	5/7/02	CHROMIUM	GW08263RG	TR1	1.2	100	UG/L	B	UJ1	107	0.12	1	YES	02D1244
56201	5/7/02	COBALT	GW08263RG	TR1	0.18	2190	UG/L	U	V1		0.18	1	YES	02D1244
56201	5/7/02	COPPER	GW08263RG	TR1	0.27	1300	UG/L	B	J1	107	0.08	1	YES	02D1244
56201	5/7/02	IRON	GW08263RG	TR1	12.9		UG/L	B	V1		3.6	1	YES	02D1244
56201	5/7/02	LEAD	GW08263RG	TR1	0.42	15	UG/L	U	J1	105	0.42	1	YES	02D1244
56201	5/7/02	LITHIUM	GW08263RG	TR1	0.09	730	UG/L	B	J1	112/117	0.02	1	YES	02D1244
56201	5/7/02	MAGNESIUM	GW08263RG	TR1	19.4		UG/L	B	V1		4.8	1	YES	02D1244
56201	5/7/02	MANGANESE	GW08263RG	TR1	0.42	1720	UG/L	B	V1		0.02	1	YES	02D1244
56201	5/7/02	MERCURY	GW08263RG	TR1	0.1	2	UG/L	U	V1		0.1	1	YES	02D1244

2Q2002 Table 7-7 (Rns).xls

Validation Reason Codes listed on last page of table.

140

Table 7-7
Equipment Rinsate Results
Groundwater - Second Quarter, 2002

Location	Sample Date	Analyte	Sample#	Result Type	Result	Tier II	Units	Lab Qual	Valid-ation	Valid Reason	Detect Limit	Dilu-tion	Field Filtered	RIN
56201	5/7/02	MOLYBDENUM	GW08263RG	TR1	0.28	183	UG/L	U	V1		0.28	1	YES	02D1244
56201	5/7/02	NICKEL	GW08263RG	TR1	0.92	140	UG/L	B	V1		0.22	1	YES	02D1244
56201	5/7/02	SELENIUM	GW08263RG	TR1	0.88	50	UG/L	U	V1		0.88	1	YES	02D1244
56201	5/7/02	SILVER	GW08263RG	TR1	0.12	183	UG/L	U	V1		0.12	1	YES	02D1244
56201	5/7/02	SODIUM	GW08263RG	TR1	69.7		UG/L	B	V1		5.1	1	YES	02D1244
56201	5/7/02	STRONTIUM	GW08263RG	TR1	0.44	21900	UG/L	B	V1		0.02	1	YES	02D1244
56201	5/7/02	THALLIUM	GW08263RG	TR1	0.78	2	UG/L	U	J1	107	0.78	1	YES	02D1244
56201	5/7/02	TIN	GW08263RG	TR1	0.88	21900	UG/L	B	UJ1	107	0.78	1	YES	02D1244
56201	5/7/02	URANIUM, TOTAL	GW08263RG	TR1	2.8		UG/L	U	V1		2.8	1	YES	02D1244
56201	5/7/02	VANADIUM	GW08263RG	TR1	0.18	256	UG/L	U	V1		0.18	1	YES	02D1244
56201	5/7/02	ZINC	GW08263RG	TR1	6.5	11000	UG/L	B	UJ1	107	0.1	1	YES	02D1244
70193	5/21/02	ALUMINUM	GW08232RG	TR1	12.9	36500	UG/L	B	UJ1	105/107	2	1	YES	02D1244
70193	5/21/02	ANTIMONY	GW08232RG	TR1	0.89	6	UG/L	B	UJ1	107	0.55	1	YES	02D1244
70193	5/21/02	ARSENIC	GW08232RG	TR1	0.62	50	UG/L	U	V1		0.62	1	YES	02D1244
70193	5/21/02	BARIUM	GW08232RG	TR1	0.2	2000	UG/L	B	V1		0.02	1	YES	02D1244
70193	5/21/02	BERYLLIUM	GW08232RG	TR1	0.03	4	UG/L	B	UJ1	107	0.02	1	YES	02D1244
70193	5/21/02	CADMIUM	GW08232RG	TR1	0.08	5	UG/L	U	V1		0.08	1	YES	02D1244
70193	5/21/02	CALCIUM	GW08232RG	TR1	84.7		UG/L	B	V1		9.2	1	YES	02D1244
70193	5/21/02	CHROMIUM	GW08232RG	TR1	0.19	100	UG/L	B	UJ1	107	0.12	1	YES	02D1244
70193	5/21/02	COBALT	GW08232RG	TR1	0.18	2190	UG/L	U	V1		0.18	1	YES	02D1244
70193	5/21/02	COPPER	GW08232RG	TR1	0.4	1300	UG/L	B	J1	107	0.08	1	YES	02D1244
70193	5/21/02	IRON	GW08232RG	TR1	9.2		UG/L	B	V1		3.6	1	YES	02D1244
70193	5/21/02	LEAD	GW08232RG	TR1	0.42	15	UG/L	U	J1	105	0.42	1	YES	02D1244
70193	5/21/02	LITHIUM	GW08232RG	TR1	0.18	730	UG/L	B	J1	112/117	0.02	1	YES	02D1244
70193	5/21/02	MAGNESIUM	GW08232RG	TR1	23.3		UG/L	B	V1		4.8	1	YES	02D1244
70193	5/21/02	MANGANESE	GW08232RG	TR1	0.31	1720	UG/L	B	V1		0.02	1	YES	02D1244
70193	5/21/02	MERCURY	GW08232RG	TR1	0.1	2	UG/L	U	V1		0.1	1	YES	02D1244
70193	5/21/02	MOLYBDENUM	GW08232RG	TR1	0.28	183	UG/L	U	V1		0.28	1	YES	02D1244
70193	5/21/02	NICKEL	GW08232RG	TR1	0.22	140	UG/L	U	V1		0.22	1	YES	02D1244
70193	5/21/02	POTASSIUM	GW08232RG	TR1	17.2		UG/L	B	J1	117	5.1	1	YES	02D1244
70193	5/21/02	SELENIUM	GW08232RG	TR1	0.88	50	UG/L	U	V1		0.88	1	YES	02D1244
70193	5/21/02	SILVER	GW08232RG	TR1	0.16	183	UG/L	B	UJ1	107	0.12	1	YES	02D1244
70193	5/21/02	SODIUM	GW08232RG	TR1	86		UG/L	B	V1		5.1	1	YES	02D1244
70193	5/21/02	STRONTIUM	GW08232RG	TR1	0.52	21900	UG/L	B	V1		0.02	1	YES	02D1244
70193	5/21/02	THALLIUM	GW08232RG	TR1	0.78	2	UG/L	U	J1	107	0.78	1	YES	02D1244
70193	5/21/02	TIN	GW08232RG	TR1	0.78	21900	UG/L	U	V1		0.78	1	YES	02D1244
70193	5/21/02	URANIUM, TOTAL	GW08232RG	TR1	2.8		UG/L	U	V1		2.8	1	YES	02D1244
70193	5/21/02	VANADIUM	GW08232RG	TR1	0.18	256	UG/L	U	V1		0.18	1	YES	02D1244
70193	5/21/02	ZINC	GW08232RG	TR1	1.1	11000	UG/L	B	UJ1	107	0.1	1	YES	02D1244
Water Quality Parameters (WQPs)														
21098	5/1/02	CHLORIDE	GW08251RG	TR1	0.94		MG/L		V		0.12	1	NO	02D1199
P209489	4/30/02	FLUORIDE	GW08204RG	TR1	0.25	4	MG/L	U	V1		0.25	1	NO	02D1199
70193	5/21/02	FLUORIDE	GW08232RG	TR1	0.25	4	MG/L	U	V1		0.25	1	NO	02D1244
21098	5/1/02	NITRATE	GW08251RG	TR1	0.5	10	MG/L	U	V	804	0.031	1	NO	02D1199
12191	4/17/02	NITRATE/NITRITE	GW08197RG	TR1	0.04	10	MG/L	J	UJ	107/232/802	0.0069	1	NO	02D1166
P209489	4/30/02	NITRATE/NITRITE	GW08204RG	TR1	0.02	10	MG/L	U	V1		0.02	1	NO	02D1199
00500	4/30/02	NITRATE/NITRITE	GW08286RG	TR1	0.02	10	MG/L	U	V1		0.02	1	NO	02D1199
00897	5/8/02	NITRATE/NITRITE	GW08188RG	TR1	0.02	10	MG/L	U	V		0.02	1	NO	02D1227
56201	5/7/02	NITRATE/NITRITE	GW08263RG	TR1	0.02	10	MG/L		V1		0.02	1	NO	02D1244
70193	5/21/02	NITRATE/NITRITE	GW08232RG	TR1	0.02	10	MG/L	U	V1		0.02	1	NO	02D1244
P209489	4/30/02	SULFATE	GW08204RG	TR1	0.25	500	MG/L	U	V1		0.25	1	NO	02D1199
21098	5/1/02	SULFATE	GW08251RG	TR1	5	500	MG/L	U	V		0.2	1	NO	02D1199
70193	5/21/02	SULFATE	GW08232RG	TR1	0.25	500	MG/L	U	V1		0.25	1	NO	02D1244
21098	5/1/02	SULFIDE	GW08251RG	TR1	0.023		MG/L	U	V1	112	0.023	1	NO	02D1199
12191	4/17/02	TOTAL DISSOLVED SOLIDS	GW08197RG	TR1	5.09		MG/L	U	V	802	5.09	1	NO	02D1166
P209489	4/30/02	TOTAL DISSOLVED SOLIDS	GW08204RG	TR2	5		MG/L	U	V1		5	1	NO	02D1199
00500	4/30/02	TOTAL DISSOLVED SOLIDS	GW08286RG	TR2	5		MG/L	U	V1		5	1	NO	02D1199
21098	5/1/02	TOTAL DISSOLVED SOLIDS	GW08251RG	TR2	5		MG/L	U	V1		5	1	NO	02D1199
00897	5/8/02	TOTAL DISSOLVED SOLIDS	GW08188RG	TR1	5		MG/L	U	V		5	1	NO	02D1227
56201	5/7/02	TOTAL DISSOLVED SOLIDS	GW08263RG	TR2	5		MG/L	U	V1		5	1	NO	02D1244
70193	5/21/02	TOTAL DISSOLVED SOLIDS	GW08232RG	TR2	5		MG/L	U	V1		5	1	NO	02D1244
21098	5/1/02	TOTAL ORGANIC CARBON	GW08251RG	TR1	0.51		MG/L	B	V		0.34	1	NO	02D1199

Validation Reason Codes listed on last page of table.

141

Table 7-7
Equipment Rinsate Results
Groundwater - Second Quarter, 2002

Validation Reason Codes

105 = Low-level check sample recovery criteria were not met
107 = Analyte detected but < Required Detection Limit in calibration blank verification
112 = Predigestion matrix spike criteria were not met (+/- 25%)
117 = Serial dilution difference criteria not met
140 = Requirements for independent calibration verification were not met
141 = Continuing calibration verification criteria were not met
168 = QC sample freqency does not meet requirements
214 = Instrument Detection Limit is older than 3 months from date of analysis
232 = Control limits not assigned correctly
249 = Result qualified due to Blank Contamination
701 = Holding times were exceeded (not attributed to lab)
703 = Samples were not preserved properly in the field (not attributed to lab)
802 = Missing deliverables (Not required for data assessment)
804 = Omissions or errors on Sample Data Package deliverables (Not required for Data Assessment)
805 = Information missing from narrative

Validation Reason Codes listed on last page of table.

142

Table 7-8
RFCA Groundwater Monitoring Sample Comparison:
Required versus Actual
Second Quarter, 2002

Sample Types		Required Number of Visits	Actual Number of Visits*	Actual Number of Locations Sampled	Deviation	Success Ratio; % Samples Collected (or Wells Visited)	Discrepancy Justification
Groundwater Wells (Visits)		106	106	NA	0	100.0	
Volatile Organic Compounds		100	100	74	26	74.0	Dry or Insw
Semi-Volatile Organic Compounds		3	3	3	0	100.0	
Dissolved Gasses (Methane/Ethane/Ethene)		6	6	5	1	83.3	Dry or Insw
Metals		89	89	61	28	68.5	Dry or Insw
PCBs		4	4	1	3	25.0	Dry or Insw
Radionuclides							
	Pu/Am	73	73	44	29	60.3	Dry or Insw
	U-isotope	91	91	65	26	71.4	Dry or Insw
	Tritium	37	37	20	17	54.1	Dry or Insw
	^{137}Cesium	0	0	0	0		
	$^{89/90}$Strontium	11	11	5	6	45.5	Dry or Insw
	^{237}Neptunium	19	19	10	9	52.6	Dry or Insw
Water Quality Parameters							
	Alkalinity	1	1	1	0	100.0	
	Chloride	6	6	5	1	83.3	Dry or Insw
	Cyanide, Total	0	0	0	0		
	Fluoride	19	19	10	9	52.6	Dry or Insw
	Nitrate or Nitrite (sole)	7	7	6	1	85.7	Dry or Insw
	Nitrate/Nitrite	81	81	58	23	71.6	Dry or Insw
	Sulfate	26	26	16	10	61.5	Dry or Insw
	Sulfide as H_2S	6	6	5	1	83.3	Dry or Insw
	Total Dissolved Solids	92	92	57	35	62.0	Dry or Insw
	Total Organic Carbon	6	6	5	1	83.3	Dry or Insw
	Petroleum Hydrocarbons, T. Rec.	5	5	3	2	60.0	Dry or Insw
Totals		682	682	454	228	66.6	Dry or Insw

*Does not reflect multiple visits to totally dry wells, wells with limited water or multiple visits for monthly sampling.
Dry = Well did not recharge after purging. No samples collected.
Insw = Insufficient water to complete sample suite.

Table 7-9
Summary of Validation / Verification Completeness
Groundwater
Second Quarter, 2002

		Usable Data Points - Dp_u	Non-usable Data Points - DP_n	Total Data Points - DP_t	Percent of Usable Data Points	No Validation / Verification
Volatile Organic Compounds		5744	1	5745	100.0%	
Semi-Volatile Organic Compounds		332	0	332	100.0%	
Dissolved Gas (Methane, etc.)						33
Metals		2155	1	2156	100.0%	
PCBs		7	0	7	100.0%	
Radionuclides						
	Pu / Am	109	1	110	99.1%	
	U-isotope	240	0	240	100.0%	
	Tritium	29	0	29	100.0%	
	^{137}Cesium	0	0	0		Not Sampled
	$^{89/90}$Strontium	7	0	7	100.0%	
	^{237}Neptunium	10	0	10	100.0%	
Water Quality Parameters						
	Alkalinity	2	0	2	100.0%	
	Chloride	8	0	8	100.0%	
	Cyanide, Total	0	0	0		Not Sampled
	Fluoride	15	0	15	100.0%	
	Nitrate or Nitrite (sole)	8	0	8	100.0%	
	Nitrate/Nitrite	72	0	72	100.0%	
	Sulfate	24	0	24	100.0%	
	Sulfide as H_2S	8	0	8	100.0%	
Total Dissolved Solids		72	0	72	100.0%	
Total Organic Carbon		8	0	8	100.0%	
Total Recoverable Petroleum Hydrocarbons		4	0	4	100.0%	
Totals		8854	3	8857	100.0%	33

Usable data points include the following Validation/Verification qualifiers: J/J1, JB/JB1, U/U1, UJ/UJ1, V/V1.
Non-usable data points include the following Validation/Verification qualifiers: R/R1.

Because Dissolved Gas analyses are set up via special contracts they are not being validated at this time.

With respect to TR1-DL1 or TR1-TR2 analytical series, only one Result from a pair (with a validation qualifier) is counted here.

Completeness = $Dp_u = \frac{DP_t - DP_n}{DP_t} \times 100$ (in percent)

The acceptable QC criterion is **>90%.**

1411

APPENDIX A:
GROUNDWATER ANALYTICAL DATA

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
00100	4/18/02	GW08290RG	ALUMINUM	REAL	TR1	13.7	UG/L	B	V	6.3	1	36500	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	ALUMINUM	REAL	TR2	8.5	UG/L	B		6.3	1	36500	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	ANTIMONY	REAL	TR1	0.48	UG/L	U	J	0.48	1	6	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	ANTIMONY	REAL	TR2	0.48	UG/L	U		0.48	1	6	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	ARSENIC	REAL	TR1	0.75	UG/L	U	V	0.75	1	50	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	ARSENIC	REAL	TR2	0.75	UG/L	U		0.75	1	50	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	BARIUM	REAL	TR1	105	UG/L		V	0.05	1	2000	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	BARIUM	REAL	TR2	109	UG/L			0.05	1	2000	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	BERYLLIUM	REAL	TR1	0.12	UG/L	U	V	0.12	1	4	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	BERYLLIUM	REAL	TR2	0.12	UG/L	U		0.12	1	4	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	CADMIUM	REAL	TR1	0.16	UG/L	B	UJ	0.08	1	5	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	CADMIUM	REAL	TR2	0.14	UG/L	B		0.08	1	5	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	CALCIUM	REAL	TR1	88900	UG/L		V	4.4	1		YES	D&D Bldg 779
00100	4/18/02	GW08290RG	CALCIUM	REAL	TR2	89400	UG/L			4.4	1		YES	D&D Bldg 779
00100	4/18/02	GW08290RG	CHROMIUM	REAL	TR1	0.2	UG/L	U	V	0.2	1	100	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	CHROMIUM	REAL	TR2	0.23	UG/L	B		0.2	1	100	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	COBALT	REAL	TR1	0.62	UG/L	B	UJ	0.15	1	2190	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	COBALT	REAL	TR2	0.52	UG/L	B		0.15	1	2190	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	COPPER	REAL	TR1	0.52	UG/L	B	UJ	0.18	1	1300	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	COPPER	REAL	TR2	0.57	UG/L	B		0.18	1	1300	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	IRON	REAL	TR1	26	UG/L	B	V	3.8	1		YES	D&D Bldg 779
00100	4/18/02	GW08290RG	IRON	REAL	TR2	12.9	UG/L	B		3.8	1		YES	D&D Bldg 779
00100	4/18/02	GW08290RG	LEAD	REAL	TR1	0.55	UG/L	U	V	0.55	1	15	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	LEAD	REAL	TR2	0.55	UG/L	U		0.55	1	15	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	LITHIUM	REAL	TR1	13.6	UG/L	B	J	0.05	1	730	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	LITHIUM	REAL	TR2	14.1	UG/L	B		0.05	1	730	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	MAGNESIUM	REAL	TR1	13300	UG/L		V	6.1	1		YES	D&D Bldg 779
00100	4/18/02	GW08290RG	MAGNESIUM	REAL	TR2	13700	UG/L			6.1	1		YES	D&D Bldg 779
00100	4/18/02	GW08290RG	MANGANESE	REAL	TR1	57.7	UG/L		V	0.08	1	1720	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	MANGANESE	REAL	TR2	59.5	UG/L			0.08	1	1720	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	MERCURY	REAL	TR1	0.1	UG/L	U	V	0.1	1	2	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	MERCURY	REAL	TR2	0.1	UG/L	U		0.1	1	2	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	MOLYBDENUM	REAL	TR1	1.2	UG/L	B	V	0.28	1	183	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	MOLYBDENUM	REAL	TR2	1.1	UG/L	B		0.28	1	183	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	NICKEL	REAL	TR1	9.4	UG/L	B	V	0.3	1	140	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	NICKEL	REAL	TR2	9.8	UG/L	B		0.3	1	140	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	POTASSIUM	REAL	TR1	755	UG/L	B	V	82.8	1		YES	D&D Bldg 779
00100	4/18/02	GW08290RG	POTASSIUM	REAL	TR2	766	UG/L	B		82.8	1		YES	D&D Bldg 779
00100	4/18/02	GW08290RG	SELENIUM	REAL	TR1	1	UG/L	B	J	0.9	1	50	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	SELENIUM	REAL	TR2	0.9	UG/L	U		0.9	1	50	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	SILVER	REAL	TR1	0.18	UG/L	U	V	0.18	1	183	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	SILVER	REAL	TR2	0.18	UG/L	U		0.18	1	183	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	SODIUM	REAL	TR1	23700	UG/L		V	8.8	1		YES	D&D Bldg 779
00100	4/18/02	GW08290RG	SODIUM	REAL	TR2	24300	UG/L			8.8	1		YES	D&D Bldg 779
00100	4/18/02	GW08290RG	STRONTIUM	REAL	TR1	405	UG/L		V	0.02	1	21900	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	STRONTIUM	REAL	TR2	417	UG/L			0.02	1	21900	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	THALLIUM	REAL	TR1	1.4	UG/L	U	V	1.4	1	2	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	THALLIUM	REAL	TR2	1.45	UG/L	U		1.4	1	2	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	TIN	REAL	TR1	0.82	UG/L	U	V	0.82	1	21900	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	TIN	REAL	TR2	0.82	UG/L	U		0.82	1	21900	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	URANIUM, TOTAL	REAL	TR1	3.3	UG/L	U	V	3.3	1		YES	D&D Bldg 779
00100	4/18/02	GW08290RG	URANIUM, TOTAL	REAL	TR2	3.3	UG/L	U		3.3	1		YES	D&D Bldg 779
00100	4/18/02	GW08290RG	VANADIUM	REAL	TR1	0.58	UG/L	B	UJ	0.18	1	256	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	VANADIUM	REAL	TR2	0.48	UG/L	B		0.18	1	256	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	ZINC	REAL	TR1	4.5	UG/L	B	UJ	0.1	1	11000	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	ZINC	REAL	TR2	6.9	UG/L	B		0.1	1	11000	YES	D&D Bldg 779
00200	4/11/02	GW08267RG	ALUMINUM	REAL	TR1	14.2	UG/L	B	V	6.3	1	36500	YES	D&D Bldg 707

146

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
00200	4/11/02	GW08267RG	ANTIMONY	REAL	TR1	0.48	UG/L	U	J	0.48	1	6	YES	D&D Bldg 707
00200	4/11/02	GW08267RG	ARSENIC	REAL	TR1	0.75	UG/L	U	V	0.75	1	50	YES	D&D Bldg 707
00200	4/11/02	GW08267RG	BARIUM	REAL	TR1	70.2	UG/L	B	V	0.05	1	2000	YES	D&D Bldg 707
00200	4/11/02	GW08267RG	BERYLLIUM	REAL	TR1	0.12	UG/L	U	V	0.12	1	4	YES	D&D Bldg 707
00200	4/11/02	GW08267RG	CADMIUM	REAL	TR1	3.1	UG/L		V	0.08	1	5	YES	D&D Bldg 707
00200	4/11/02	GW08267RG	CALCIUM	REAL	TR1	24600	UG/L		V	4.4	1		YES	D&D Bldg 707
00200	4/11/02	GW08267RG	CHROMIUM	REAL	TR1	0.23	UG/L	B	V	0.2	1	100	YES	D&D Bldg 707
00200	4/11/02	GW08267RG	COBALT	REAL	TR1	0.15	UG/L	U	V	0.15	1	2190	YES	D&D Bldg 707
00200	4/11/02	GW08267RG	COPPER	REAL	TR1	1.3	UG/L	B	UJ	0.18	1	1300	YES	D&D Bldg 707
00200	4/11/02	GW08267RG	IRON	REAL	TR1	19.9	UG/L	B	V	3.8	1		YES	D&D Bldg 707
00200	4/11/02	GW08267RG	LEAD	REAL	TR1	0.55	UG/L	U	V	0.55	1	15	YES	D&D Bldg 707
00200	4/11/02	GW08267RG	LITHIUM	REAL	TR1	12	UG/L	B	V	0.05	1	730	YES	D&D Bldg 707
00200	4/11/02	GW08267RG	MAGNESIUM	REAL	TR1	5120	UG/L		V	6.1	1		YES	D&D Bldg 707
00200	4/11/02	GW08267RG	MANGANESE	REAL	TR1	0.65	UG/L	B	V	0.08	1	1720	YES	D&D Bldg 707
00200	4/11/02	GW08267RG	MERCURY	REAL	TR1	0.1	UG/L	U	V	0.1	1	2	YES	D&D Bldg 707
00200	4/11/02	GW08267RG	MOLYBDENUM	REAL	TR1	1.4	UG/L	B	V	0.28	1	183	YES	D&D Bldg 707
00200	4/11/02	GW08267RG	NICKEL	REAL	TR1	0.83	UG/L	B	V	0.3	1	140	YES	D&D Bldg 707
00200	4/11/02	GW08267RG	POTASSIUM	REAL	TR1	794	UG/L	B	V	82.8	1		YES	D&D Bldg 707
00200	4/11/02	GW08267RG	SELENIUM	REAL	TR1	0.9	UG/L	U	V	0.9	1	50	YES	D&D Bldg 707
00200	4/11/02	GW08267RG	SILVER	REAL	TR1	0.18	UG/L	U	V	0.18	1	183	YES	D&D Bldg 707
00200	4/11/02	GW08267RG	SODIUM	REAL	TR1	11000	UG/L		V	8.8	1		YES	D&D Bldg 707
00200	4/11/02	GW08267RG	STRONTIUM	REAL	TR1	146	UG/L	B	V	0.02	1	21900	YES	D&D Bldg 707
00200	4/11/02	GW08267RG	THALLIUM	REAL	TR1	1.4	UG/L	U	V	1.4	1	2	YES	D&D Bldg 707
00200	4/11/02	GW08267RG	TIN	REAL	TR1	0.82	UG/L	U	V	0.82	1	21900	YES	D&D Bldg 707
00200	4/11/02	GW08267RG	URANIUM, TOTAL	REAL	TR1	3.3	UG/L	U	V	3.3	1		YES	D&D Bldg 707
00200	4/11/02	GW08267RG	VANADIUM	REAL	TR1	0.32	UG/L	B	UJ	0.18	1	256	YES	D&D Bldg 707
00200	4/11/02	GW08267RG	ZINC	REAL	TR1	11.5	UG/L	B	V	0.1	1	11000	YES	D&D Bldg 707
00300	4/11/02	GW08268RG	ALUMINUM	REAL	TR1	20.3	UG/L		J1	2	1	36500	YES	D&D Bldg 707
00300	4/11/02	GW08268RG	ANTIMONY	REAL	TR1	0.63	UG/L	B	V1	0.55	1	6	YES	D&D Bldg 707
00300	4/11/02	GW08268RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V1	0.62	1	50	YES	D&D Bldg 707
00300	4/11/02	GW08268RG	BARIUM	REAL	TR1	109	UG/L		V1	0.02	1	2000	YES	D&D Bldg 707
00300	4/11/02	GW08268RG	BERYLLIUM	REAL	TR1	0.03	UG/L	B	V1	0.02	1	4	YES	D&D Bldg 707
00300	4/11/02	GW08268RG	CADMIUM	REAL	TR1	1.8	UG/L		V1	0.08	1	5	YES	D&D Bldg 707
00300	4/11/02	GW08268RG	CALCIUM	REAL	TR1	133000	UG/L		V1	25.5	5		YES	D&D Bldg 707
00300	4/11/02	GW08268RG	CHROMIUM	REAL	TR1	0.37	UG/L	B	V1	0.12	1	100	YES	D&D Bldg 707
00300	4/11/02	GW08268RG	COBALT	REAL	TR1	0.18	UG/L	U	V1	0.18	1	2190	YES	D&D Bldg 707
00300	4/11/02	GW08268RG	COPPER	REAL	TR1	1.6	UG/L	B	V1	0.08	1	1300	YES	D&D Bldg 707
00300	4/11/02	GW08268RG	IRON	REAL	TR1	13.4	UG/L	B	UJ1	3.6	1		YES	D&D Bldg 707
00300	4/11/02	GW08268RG	LEAD	REAL	TR1	0.42	UG/L	U	V1	0.42	1	15	YES	D&D Bldg 707
00300	4/11/02	GW08268RG	LITHIUM	REAL	TR1	119	UG/L		J1	0.02	1	730	YES	D&D Bldg 707
00300	4/11/02	GW08268RG	MAGNESIUM	REAL	TR1	61300	UG/L		V1	1.4	1		YES	D&D Bldg 707
00300	4/11/02	GW08268RG	MANGANESE	REAL	TR1	0.02	UG/L	U	V1	0.02	1	1720	YES	D&D Bldg 707
00300	4/11/02	GW08268RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	D&D Bldg 707
00300	4/11/02	GW08268RG	MOLYBDENUM	REAL	TR1	6	UG/L	B	V1	0.28	1	183	YES	D&D Bldg 707
00300	4/11/02	GW08268RG	NICKEL	REAL	TR1	0.93	UG/L	B	V1	0.22	1	140	YES	D&D Bldg 707
00300	4/11/02	GW08268RG	POTASSIUM	REAL	TR1	1560	UG/L	B	V1	391	5		YES	D&D Bldg 707
00300	4/11/02	GW08268RG	SELENIUM	REAL	TR1	0.88	UG/L	U	V1	0.88	1	50	YES	D&D Bldg 707
00300	4/11/02	GW08268RG	SILVER	REAL	TR1	0.12	UG/L	U	V1	0.12	1	183	YES	D&D Bldg 707
00300	4/11/02	GW08268RG	SODIUM	REAL	TR1	190000	UG/L		V1	25.5	5		YES	D&D Bldg 707
00300	4/11/02	GW08268RG	STRONTIUM	REAL	TR1	1480	UG/L		V1	0.02	1	21900	YES	D&D Bldg 707
00300	4/11/02	GW08268RG	THALLIUM	REAL	TR1	1.1	UG/L	B	UJ1	0.78	1	2	YES	D&D Bldg 707
00300	4/11/02	GW08268RG	TIN	REAL	TR1	0.78	UG/L	U	V1	0.78	1	21900	YES	D&D Bldg 707
00300	4/11/02	GW08268RG	URANIUM, TOTAL	REAL	TR1	48.5	UG/L	B	V1	2.8	1		YES	D&D Bldg 707
00300	4/11/02	GW08268RG	VANADIUM	REAL	TR1	0.9	UG/L	B	V1	0.18	1	256	YES	D&D Bldg 707
00300	4/11/02	GW08268RG	ZINC	REAL	TR1	5.8	UG/L	B	UJ1	0.1	1	11000	YES	D&D Bldg 707
00400	4/16/02	GW08283RG	ALUMINUM	REAL	TR1	9.9	UG/L	B	V	6.3	1	36500	YES	D&D Bldg 776/777
00400	4/16/02	GW08283RG	ANTIMONY	REAL	TR1	0.48	UG/L	B	J	0.48	1	6	YES	D&D Bldg 776/777

147

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
00400	4/16/02	GW08283RG	ARSENIC	REAL	TR1	0.75	UG/L	U	V	0.75	1	50	YES	D&D Bldg 776/777
00400	4/16/02	GW08283RG	BARIUM	REAL	TR1	36.3	UG/L	B	V	0.05	1	2000	YES	D&D Bldg 776/777
00400	4/16/02	GW08283RG	BERYLLIUM	REAL	TR1	0.12	UG/L	U	V	0.12	1	4	YES	D&D Bldg 776/777
00400	4/16/02	GW08283RG	CADMIUM	REAL	TR1	1.7	UG/L		V	0.08	1	5	YES	D&D Bldg 776/777
00400	4/16/02	GW08283RG	CALCIUM	REAL	TR1	36200	UG/L		V	4.4	1		YES	D&D Bldg 776/777
00400	4/16/02	GW08283RG	CHROMIUM	REAL	TR1	0.86	UG/L	B	V	0.2	1	100	YES	D&D Bldg 776/777
00400	4/16/02	GW08283RG	COBALT	REAL	TR1	0.15	UG/L	U	V	0.15	1	2190	YES	D&D Bldg 776/777
00400	4/16/02	GW08283RG	COPPER	REAL	TR1	1.9	UG/L	B	UJ	0.18	1	1300	YES	D&D Bldg 776/777
00400	4/16/02	GW08283RG	IRON	REAL	TR1	14.4	UG/L	B	V	3.8	1		YES	D&D Bldg 776/777
00400	4/16/02	GW08283RG	LEAD	REAL	TR1	0.57	UG/L	B	J	0.55	1	15	YES	D&D Bldg 776/777
00400	4/16/02	GW08283RG	LITHIUM	REAL	TR1	12.3	UG/L	B	V	0.05	1	730	YES	D&D Bldg 776/777
00400	4/16/02	GW08283RG	MAGNESIUM	REAL	TR1	11000	UG/L		V	6.1	1		YES	D&D Bldg 776/777
00400	4/16/02	GW08283RG	MANGANESE	REAL	TR1	1.2	UG/L	B	V	0.08	1	1720	YES	D&D Bldg 776/777
00400	4/16/02	GW08283RG	MERCURY	REAL	TR1	0.1	UG/L	U	V	0.1	1	2	YES	D&D Bldg 776/777
00400	4/16/02	GW08283RG	MOLYBDENUM	REAL	TR1	6.3	UG/L	B	V	0.28	1	183	YES	D&D Bldg 776/777
00400	4/16/02	GW08283RG	NICKEL	REAL	TR1	0.89	UG/L	B	V	0.3	1	140	YES	D&D Bldg 776/777
00400	4/16/02	GW08283RG	POTASSIUM	REAL	TR1	667	UG/L	B	V	82.8	1		YES	D&D Bldg 776/777
00400	4/16/02	GW08283RG	SELENIUM	REAL	TR1	2.7	UG/L	B	V	0.9	1	50	YES	D&D Bldg 776/777
00400	4/16/02	GW08283RG	SILVER	REAL	TR1	0.18	UG/L	U	V	0.18	1	183	YES	D&D Bldg 776/777
00400	4/16/02	GW08283RG	SODIUM	REAL	TR1	18800	UG/L		V	8.8	1		YES	D&D Bldg 776/777
00400	4/16/02	GW08283RG	STRONTIUM	REAL	TR1	284	UG/L		V	0.02	1	21900	YES	D&D Bldg 776/777
00400	4/16/02	GW08283RG	THALLIUM	REAL	TR1	1.4	UG/L	U	V	1.4	1	2	YES	D&D Bldg 776/777
00400	4/16/02	GW08283RG	TIN	REAL	TR1	0.82	UG/L	U	V	0.82	1	21900	YES	D&D Bldg 776/777
00400	4/16/02	GW08283RG	URANIUM, TOTAL	REAL	TR1	3.3	UG/L	U	V	3.3	1		YES	D&D Bldg 776/777
00400	4/16/02	GW08283RG	VANADIUM	REAL	TR1	0.66	UG/L	B	UJ	0.18	1	256	YES	D&D Bldg 776/777
00400	4/16/02	GW08283RG	ZINC	REAL	TR1	10.8	UG/L	B	V	0.1	1	11000	YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	ALUMINUM	REAL	TR1	52.9	UG/L		V	2	1	36500	YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	ANTIMONY	REAL	TR1	0.55	UG/L	U	V	0.55	1	6	YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	ARSENIC	REAL	TR1	36.1	UG/L		V	0.62	1	50	YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	BARIUM	REAL	TR1	184	UG/L		V	0.02	1	2000	YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	BERYLLIUM	REAL	TR1	0.09	UG/L	B	UJ	0.02	1	4	YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	CADMIUM	REAL	TR1	0.74	UG/L	B	V	0.08	1	5	YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	CALCIUM	REAL	TR1	102000	UG/L		V	9.2	1		YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	CHROMIUM	REAL	TR1	32.2	UG/L		V	0.12	1	100	YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	COBALT	REAL	TR1	2.7	UG/L	B	V	0.18	1	2190	YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	COPPER	REAL	TR1	1.1	UG/L	B	UJ	0.08	1	1300	YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	IRON	REAL	TR1	1100	UG/L		V	3.6	1		YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	LEAD	REAL	TR1	11.5	UG/L		V	0.42	1	15	YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	LITHIUM	REAL	TR1	547	UG/L		J	0.02	1	730	YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	MAGNESIUM	REAL	TR1	16300	UG/L		V	1.4	1		YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	MANGANESE	REAL	TR1	1760	UG/L		V	0.02	1	1720	YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	MERCURY	REAL	TR1	0.1	UG/L	U	V	0.1	1	2	YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	MOLYBDENUM	REAL	TR1	2.4	UG/L	B	V	0.28	1	183	YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	NICKEL	REAL	TR1	10.3	UG/L	B	V	0.22	1	140	YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	POTASSIUM	REAL	TR1	3510	UG/L	B	V	78.2	1		YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	SELENIUM	REAL	TR1	6.4	UG/L		V	0.88	1	50	YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	SILVER	REAL	TR1	5.1	UG/L		V	0.12	1	183	YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	SODIUM	REAL	TR1	66800	UG/L		V	51	10		YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	STRONTIUM	REAL	TR1	473	UG/L		V	0.02	1	21900	YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	THALLIUM	REAL	TR1	0.78	UG/L	U	V	0.78	1	2	YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	TIN	REAL	TR1	0.78	UG/L	U	V	0.78	1	21900	YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	URANIUM, TOTAL	REAL	TR1	2.8	UG/L	U	J	2.8	1		YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	VANADIUM	REAL	TR1	0.2	UG/L	B	UJ	0.18	1	256	YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	ZINC	REAL	TR1	5.3	UG/L	B	V	0.1	1	11000	YES	D&D Bldg 776/777
00500	4/30/02	GW08285RG	ALUMINUM	DUP	TR1	28.8	UG/L		UJ	2	1	36500	YES	D&D Bldg 776/777
00500	4/30/02	GW08285RG	ANTIMONY	DUP	TR1	0.7	UG/L	B	V	0.55	1	6	YES	D&D Bldg 776/777
00500	4/30/02	GW08285RG	ARSENIC	DUP	TR1	0.62	UG/L	U	V	0.62	1	50	YES	D&D Bldg 776/777

148

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
00500	4/30/02	GW08285RG	BARIUM	DUP	TR1	186	UG/L		V	0.02	1	2000	YES	D&D Bldg 776/777
00500	4/30/02	GW08285RG	BERYLLIUM	DUP	TR1	0.08	UG/L	B	UJ	0.02	1	4	YES	D&D Bldg 776/777
00500	4/30/02	GW08285RG	CADMIUM	DUP	TR1	0.55	UG/L	B	V	0.08	1	5	YES	D&D Bldg 776/777
00500	4/30/02	GW08285RG	CALCIUM	DUP	TR1	105000	UG/L		V	9.2	1		YES	D&D Bldg 776/777
00500	4/30/02	GW08285RG	CHROMIUM	DUP	TR1	0.12	UG/L	U	J	0.12	1	100	YES	D&D Bldg 776/777
00500	4/30/02	GW08285RG	COBALT	DUP	TR1	2.9	UG/L	B	V	0.18	1	2190	YES	D&D Bldg 776/777
00500	4/30/02	GW08285RG	COPPER	DUP	TR1	0.53	UG/L	B	UJ	0.08	1	1300	YES	D&D Bldg 776/777
00500	4/30/02	GW08285RG	IRON	DUP	TR1	758	UG/L		V	3.6	1		YES	D&D Bldg 776/777
00500	4/30/02	GW08285RG	LEAD	DUP	TR1	0.46	UG/L	B	UJ	0.42	1	15	YES	D&D Bldg 776/777
00500	4/30/02	GW08285RG	LITHIUM	DUP	TR1	554	UG/L		J	0.02	1	730	YES	D&D Bldg 776/777
00500	4/30/02	GW08285RG	MAGNESIUM	DUP	TR1	16600	UG/L		V	1.4	1		YES	D&D Bldg 776/777
00500	4/30/02	GW08285RG	MANGANESE	DUP	TR1	1710	UG/L		V	0.02	1	1720	YES	D&D Bldg 776/777
00500	4/30/02	GW08285RG	MERCURY	DUP	TR1	0.1	UG/L	U	V	0.1	1	2	YES	D&D Bldg 776/777
00500	4/30/02	GW08285RG	MOLYBDENUM	DUP	TR1	2.9	UG/L	B	V	0.28	1	183	YES	D&D Bldg 776/777
00500	4/30/02	GW08285RG	NICKEL	DUP	TR1	10.1	UG/L	B	V	0.22	1	140	YES	D&D Bldg 776/777
00500	4/30/02	GW08285RG	POTASSIUM	DUP	TR1	3570	UG/L	B	V	78.2	1		YES	D&D Bldg 776/777
00500	4/30/02	GW08285RG	SELENIUM	DUP	TR1	0.88	UG/L	U	V	0.88	1	50	YES	D&D Bldg 776/777
00500	4/30/02	GW08285RG	SILVER	DUP	TR1	0.12	UG/L	U	J	0.12	1	183	YES	D&D Bldg 776/777
00500	4/30/02	GW08285RG	SODIUM	DUP	TR1	68300	UG/L		V	51	10		YES	D&D Bldg 776/777
00500	4/30/02	GW08285RG	STRONTIUM	DUP	TR1	481	UG/L		V	0.02	1	21900	YES	D&D Bldg 776/777
00500	4/30/02	GW08285RG	THALLIUM	DUP	TR1	0.78	UG/L	U	V	0.78	1	2	YES	D&D Bldg 776/777
00500	4/30/02	GW08285RG	TIN	DUP	TR1	0.78	UG/L	U	V	0.78	1	21900	YES	D&D Bldg 776/777
00500	4/30/02	GW08285RG	URANIUM, TOTAL	DUP	TR1	2.8	UG/L	U	J	2.8	1		YES	D&D Bldg 776/777
00500	4/30/02	GW08285RG	VANADIUM	DUP	TR1	0.18	UG/L	U	V	0.18	1	256	YES	D&D Bldg 776/777
00500	4/30/02	GW08285RG	ZINC	DUP	TR1	5.9	UG/L	B	V	0.1	1	11000	YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	ALUMINUM	RNS	TR1	16.4	UG/L	B	UJ	2	1	36500	YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	ANTIMONY	RNS	TR1	0.55	UG/L	U	V	0.55	1	6	YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	ARSENIC	RNS	TR1	0.62	UG/L	U	V	0.62	1	50	YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	BARIUM	RNS	TR1	0.29	UG/L	B	UJ	0.02	1	2000	YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	BERYLLIUM	RNS	TR1	0.05	UG/L	B	UJ	0.02	1	4	YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	CADMIUM	RNS	TR1	0.08	UG/L	U	V	0.08	1	5	YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	CALCIUM	RNS	TR1	85.9	UG/L	B	V	9.2	1		YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	CHROMIUM	RNS	TR1	0.12	UG/L	U	J	0.12	1	100	YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	COBALT	RNS	TR1	0.19	UG/L	B	UJ	0.18	1	2190	YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	COPPER	RNS	TR1	8	UG/L		UJ	0.08	1	1300	YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	IRON	RNS	TR1	4.2	UG/L	B	UJ	3.6	1		YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	LEAD	RNS	TR1	0.42	UG/L	U	V	0.42	1	15	YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	LITHIUM	RNS	TR1	0.12	UG/L	B	UJ	0.02	1	730	YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	MAGNESIUM	RNS	TR1	24.9	UG/L	B	V	1.4	1		YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	MANGANESE	RNS	TR1	0.23	UG/L	B	UJ	0.02	1	1720	YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	MERCURY	RNS	TR1	0.1	UG/L	U	V	0.1	1	2	YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	MOLYBDENUM	RNS	TR1	0.28	UG/L	U	V	0.28	1	183	YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	NICKEL	RNS	TR1	0.22	UG/L	U	V	0.22	1	140	YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	POTASSIUM	RNS	TR1	90.3	UG/L	B	V	78.2	1		YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	SELENIUM	RNS	TR1	0.88	UG/L	U	V	0.88	1	50	YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	SILVER	RNS	TR1	0.12	UG/L	U	J	0.12	1	183	YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	SODIUM	RNS	TR1	84.4	UG/L	B	V	5.1	1		YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	STRONTIUM	RNS	TR1	0.45	UG/L	B	V	0.02	1	21900	YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	THALLIUM	RNS	TR1	0.78	UG/L	U	V	0.78	1	2	YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	TIN	RNS	TR1	0.78	UG/L	U	V	0.78	1	21900	YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	URANIUM, TOTAL	RNS	TR1	2.8	UG/L	U	J	2.8	1		YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	VANADIUM	RNS	TR1	0.18	UG/L	U	V	0.18	1	256	YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	ZINC	RNS	TR1	6.4	UG/L	B	V	0.1	1	11000	YES	D&D Bldg 776/777
00600	4/16/02	GW08287RG	ALUMINUM	REAL	TR1	11.1	UG/L	B	V	6.3	1	36500	YES	D&D Bldg 776/777
00600	4/16/02	GW08287RG	ANTIMONY	REAL	TR1	0.48	UG/L	U	J	0.48	1	6	YES	D&D Bldg 776/777
00600	4/16/02	GW08287RG	ARSENIC	REAL	TR1	3.5	UG/L	B	V	0.75	1	50	YES	D&D Bldg 776/777
00600	4/16/02	GW08287RG	BARIUM	REAL	TR1	147	UG/L		V	0.05	1	2000	YES	D&D Bldg 776/777

149

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
00600	4/16/02	GW08287RG	BERYLLIUM	REAL	TR1	0.12	UG/L	U	V	0.12	1	4	YES	D&D Bldg 776/777
00600	4/16/02	GW08287RG	CADMIUM	REAL	TR1	0.47	UG/L	B	V	0.08	1	5	YES	D&D Bldg 776/777
00600	4/16/02	GW08287RG	CALCIUM	REAL	TR1	108000	UG/L		V	4.4	1		YES	D&D Bldg 776/777
00600	4/16/02	GW08287RG	CHROMIUM	REAL	TR1	0.23	UG/L	B	V	0.2	1	100	YES	D&D Bldg 776/777
00600	4/16/02	GW08287RG	COBALT	REAL	TR1	6.8	UG/L	B	V	0.15	1	2190	YES	D&D Bldg 776/777
00600	4/16/02	GW08287RG	COPPER	REAL	TR1	1.5	UG/L	B	UJ	0.18	1	1300	YES	D&D Bldg 776/777
00600	4/16/02	GW08287RG	IRON	REAL	TR1	6420	UG/L		V	3.8	1		YES	D&D Bldg 776/777
00600	4/16/02	GW08287RG	LEAD	REAL	TR1	0.55	UG/L	U	V	0.55	1	15	YES	D&D Bldg 776/777
00600	4/16/02	GW08287RG	LITHIUM	REAL	TR1	4.5	UG/L	B	V	0.05	1	730	YES	D&D Bldg 776/777
00600	4/16/02	GW08287RG	MAGNESIUM	REAL	TR1	19000	UG/L		V	6.1	1		YES	D&D Bldg 776/777
00600	4/16/02	GW08287RG	MANGANESE	REAL	TR1	1210	UG/L		V	0.08	1	1720	YES	D&D Bldg 776/777
00600	4/16/02	GW08287RG	MERCURY	REAL	TR1	0.1	UG/L	U	V	0.1	1	2	YES	D&D Bldg 776/777
00600	4/16/02	GW08287RG	MOLYBDENUM	REAL	TR1	2	UG/L	B	V	0.28	1	183	YES	D&D Bldg 776/777
00600	4/16/02	GW08287RG	NICKEL	REAL	TR1	5.8	UG/L	B	V	0.3	1	140	YES	D&D Bldg 776/777
00600	4/16/02	GW08287RG	POTASSIUM	REAL	TR1	301	UG/L	B	V	82.8	1		YES	D&D Bldg 776/777
00600	4/16/02	GW08287RG	SELENIUM	REAL	TR1	0.9	UG/L	U	V	0.9	1	50	YES	D&D Bldg 776/777
00600	4/16/02	GW08287RG	SILVER	REAL	TR1	0.22	UG/L	B	UJ	0.18	1	183	YES	D&D Bldg 776/777
00600	4/16/02	GW08287RG	SODIUM	REAL	TR1	19600	UG/L		V	8.8	1		YES	D&D Bldg 776/777
00600	4/16/02	GW08287RG	STRONTIUM	REAL	TR1	498	UG/L		V	0.02	1	21900	YES	D&D Bldg 776/777
00600	4/16/02	GW08287RG	THALLIUM	REAL	TR1	1.4	UG/L	U	V	1.4	1	2	YES	D&D Bldg 776/777
00600	4/16/02	GW08287RG	TIN	REAL	TR1	0.82	UG/L	U	V	0.82	1	21900	YES	D&D Bldg 776/777
00600	4/16/02	GW08287RG	URANIUM, TOTAL	REAL	TR1	19.8	UG/L	B	V	3.3	1		YES	D&D Bldg 776/777
00600	4/16/02	GW08287RG	VANADIUM	REAL	TR1	0.18	UG/L	U	V	0.18	1	256	YES	D&D Bldg 776/777
00600	4/16/02	GW08287RG	ZINC	REAL	TR1	6.2	UG/L	B	UJ	0.1	1	11000	YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	ALUMINUM	REAL	TR1	17	UG/L		UJ	2	1	36500	YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	ANTIMONY	REAL	TR1	0.55	UG/L	U	V	0.55	1	6	YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	ARSENIC	REAL	TR1	0.91	UG/L	B	UJ	0.62	1	50	YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	BARIUM	REAL	TR1	102	UG/L		V	0.02	1	2000	YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	BERYLLIUM	REAL	TR1	0.02	UG/L	U	V	0.02	1	4	YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	CADMIUM	REAL	TR1	0.5	UG/L	B	V	0.08	1	5	YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	CALCIUM	REAL	TR1	356000	UG/L		V	25.5	5		YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	CHROMIUM	REAL	TR1	0.12	UG/L	U	V	0.12	1	100	YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	COBALT	REAL	TR1	0.18	UG/L	U	V	0.18	1	2190	YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	COPPER	REAL	TR1	0.47	UG/L	B	UJ	0.08	1	1300	YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	IRON	REAL	TR1	10.2	UG/L	B	UJ	3.6	1		YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	LEAD	REAL	TR1	0.42	UG/L	U	V	0.42	1	15	YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	LITHIUM	REAL	TR1	22.5	UG/L	B	J	0.02	1	730	YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	MAGNESIUM	REAL	TR1	61100	UG/L		V	23.8	5		YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	MANGANESE	REAL	TR1	21.5	UG/L		V	0.02	1	1720	YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	MERCURY	REAL	TR1	0.1	UG/L	U	V	0.1	1	2	YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	MOLYBDENUM	REAL	TR1	0.28	UG/L	U	V	0.28	1	183	YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	NICKEL	REAL	TR1	2.1	UG/L	B	V	0.22	1	140	YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	POTASSIUM	REAL	TR1	6030	UG/L	B	V	391	5		YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	SELENIUM	REAL	TR1	0.88	UG/L	U	V	0.88	1	50	YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	SILVER	REAL	TR1	0.12	UG/L	U	V	0.12	1	183	YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	SODIUM	REAL	TR1	97600	UG/L		V	25.5	5		YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	STRONTIUM	REAL	TR1	354	UG/L		V	0.02	1	21900	YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	THALLIUM	REAL	TR1	0.93	UG/L	B	UJ	0.78	1	2	YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	TIN	REAL	TR1	0.78	UG/L	U	V	0.78	1	21900	YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	URANIUM, TOTAL	REAL	TR1	2.8	UG/L	U	V	2.8	1		YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	VANADIUM	REAL	TR1	0.18	UG/L	B	UJ	0.18	1	256	YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	ZINC	REAL	TR1	2.8	UG/L	B	J	0.1	1	11000	YES	D&D Bldg 776/777
00897	5/8/02	GW08186RG	ALUMINUM	REAL	TR1	18.4	UG/L		UJ1	2	1	36500	YES	Perf Monitoring
00897	5/8/02	GW08186RG	ANTIMONY	REAL	TR1	0.55	UG/L	U	V1	0.55	1	6	YES	Perf Monitoring
00897	5/8/02	GW08186RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V1	0.62	1	50	YES	Perf Monitoring
00897	5/8/02	GW08186RG	BARIUM	REAL	TR1	401	UG/L		V1	0.02	1	2000	YES	Perf Monitoring
00897	5/8/02	GW08186RG	BERYLLIUM	REAL	TR1	0.03	UG/L	B	J1	0.02	1	4	YES	Perf Monitoring

150

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
00897	5/8/02	GW08186RG	CADMIUM	REAL	TR1	0.1	UG/L	B	V1	0.08	1	5	YES	Perf Monitoring
00897	5/8/02	GW08186RG	CALCIUM	REAL	TR1	109000	UG/L		V1	9.2	1		YES	Perf Monitoring
00897	5/8/02	GW08186RG	CHROMIUM	REAL	TR1	1.3	UG/L	B	V1	0.12	1	100	YES	Perf Monitoring
00897	5/8/02	GW08186RG	COBALT	REAL	TR1	0.18	UG/L	U	V1	0.18	1	2190	YES	Perf Monitoring
00897	5/8/02	GW08186RG	COPPER	REAL	TR1	0.56	UG/L	B	J1	0.08	1	1300	YES	Perf Monitoring
00897	5/8/02	GW08186RG	IRON	REAL	TR1	9.6	UG/L	B	V1	3.6	1		YES	Perf Monitoring
00897	5/8/02	GW08186RG	LEAD	REAL	TR1	0.42	UG/L	U	J1	0.42	1	15	YES	Perf Monitoring
00897	5/8/02	GW08186RG	LITHIUM	REAL	TR1	15.9	UG/L	B	J1	0.02	1	730	YES	Perf Monitoring
00897	5/8/02	GW08186RG	MAGNESIUM	REAL	TR1	17100	UG/L		V1	4.8	1		YES	Perf Monitoring
00897	5/8/02	GW08186RG	MANGANESE	REAL	TR1	1.9	UG/L	B	V1	0.02	1	1720	YES	Perf Monitoring
00897	5/8/02	GW08186RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	Perf Monitoring
00897	5/8/02	GW08186RG	MOLYBDENUM	REAL	TR1	2.3	UG/L	B	V1	0.28	1	183	YES	Perf Monitoring
00897	5/8/02	GW08186RG	NICKEL	REAL	TR1	1.8	UG/L	B	J1	0.22	1	140	YES	Perf Monitoring
00897	5/8/02	GW08186RG	POTASSIUM	REAL	TR1	1620	UG/L	B	J1	5.1	1		YES	Perf Monitoring
00897	5/8/02	GW08186RG	SELENIUM	REAL	TR1	1.1	UG/L	B	UJ1	0.88	1	50	YES	Perf Monitoring
00897	5/8/02	GW08186RG	SILVER	REAL	TR1	0.12	UG/L	U	V1	0.12	1	183	YES	Perf Monitoring
00897	5/8/02	GW08186RG	SODIUM	REAL	TR1	13300	UG/L		V1	5.1	1		YES	Perf Monitoring
00897	5/8/02	GW08186RG	STRONTIUM	REAL	TR1	555	UG/L		V1	0.02	1	21900	YES	Perf Monitoring
00897	5/8/02	GW08186RG	THALLIUM	REAL	TR1	0.78	UG/L	U	V1	0.78	1	2	YES	Perf Monitoring
00897	5/8/02	GW08186RG	TIN	REAL	TR1	0.78	UG/L	U	J1	0.78	1	21900	YES	Perf Monitoring
00897	5/8/02	GW08186RG	URANIUM, TOTAL	REAL	TR1	3.5	UG/L	B	V1	2.8	1		YES	Perf Monitoring
00897	5/8/02	GW08186RG	VANADIUM	REAL	TR1	0.18	UG/L	U	V1	0.18	1	256	YES	Perf Monitoring
00897	5/8/02	GW08186RG	ZINC	REAL	TR1	3.3	UG/L	B	UJ1	0.1	1	11000	YES	Perf Monitoring
00897	5/8/02	GW08187RG	ALUMINUM	DUP	TR1	25	UG/L		UJ1	2	1	36500	YES	Perf Monitoring
00897	5/8/02	GW08187RG	ANTIMONY	DUP	TR1	0.55	UG/L	U	V1	0.55	1	6	YES	Perf Monitoring
00897	5/8/02	GW08187RG	ARSENIC	DUP	TR1	0.62	UG/L	U	V1	0.62	1	50	YES	Perf Monitoring
00897	5/8/02	GW08187RG	BARIUM	DUP	TR1	408	UG/L		V1	0.02	1	2000	YES	Perf Monitoring
00897	5/8/02	GW08187RG	BERYLLIUM	DUP	TR1	0.03	UG/L	B	J1	0.02	1	4	YES	Perf Monitoring
00897	5/8/02	GW08187RG	CADMIUM	DUP	TR1	0.08	UG/L	U	V1	0.08	1	5	YES	Perf Monitoring
00897	5/8/02	GW08187RG	CALCIUM	DUP	TR1	110000	UG/L		V1	9.2	1		YES	Perf Monitoring
00897	5/8/02	GW08187RG	CHROMIUM	DUP	TR1	1.2	UG/L	B	V1	0.12	1	100	YES	Perf Monitoring
00897	5/8/02	GW08187RG	COBALT	DUP	TR1	0.18	UG/L	U	V1	0.18	1	2190	YES	Perf Monitoring
00897	5/8/02	GW08187RG	COPPER	DUP	TR1	0.49	UG/L	B	J1	0.08	1	1300	YES	Perf Monitoring
00897	5/8/02	GW08187RG	IRON	DUP	TR1	8.4	UG/L	B	V1	3.6	1		YES	Perf Monitoring
00897	5/8/02	GW08187RG	LEAD	DUP	TR1	0.42	UG/L	U	J1	0.42	1	15	YES	Perf Monitoring
00897	5/8/02	GW08187RG	LITHIUM	DUP	TR1	16.1	UG/L	B	J1	0.02	1	730	YES	Perf Monitoring
00897	5/8/02	GW08187RG	MAGNESIUM	DUP	TR1	17400	UG/L		V1	4.8	1		YES	Perf Monitoring
00897	5/8/02	GW08187RG	MANGANESE	DUP	TR1	1.6	UG/L	B	V1	0.02	1	1720	YES	Perf Monitoring
00897	5/8/02	GW08187RG	MERCURY	DUP	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	Perf Monitoring
00897	5/8/02	GW08187RG	MOLYBDENUM	DUP	TR1	2.1	UG/L	B	V1	0.28	1	183	YES	Perf Monitoring
00897	5/8/02	GW08187RG	NICKEL	DUP	TR1	1.8	UG/L	B	J1	0.22	1	140	YES	Perf Monitoring
00897	5/8/02	GW08187RG	POTASSIUM	DUP	TR1	1650	UG/L	B	J1	5.1	1		YES	Perf Monitoring
00897	5/8/02	GW08187RG	SELENIUM	DUP	TR1	0.98	UG/L	B	UJ1	0.88	1	50	YES	Perf Monitoring
00897	5/8/02	GW08187RG	SILVER	DUP	TR1	0.12	UG/L	U	V1	0.12	1	183	YES	Perf Monitoring
00897	5/8/02	GW08187RG	SODIUM	DUP	TR1	13500	UG/L		V1	5.1	1		YES	Perf Monitoring
00897	5/8/02	GW08187RG	STRONTIUM	DUP	TR1	564	UG/L		V1	0.02	1	21900	YES	Perf Monitoring
00897	5/8/02	GW08187RG	THALLIUM	DUP	TR1	0.78	UG/L	U	V1	0.78	1	2	YES	Perf Monitoring
00897	5/8/02	GW08187RG	TIN	DUP	TR1	0.78	UG/L	U	J1	0.78	1	21900	YES	Perf Monitoring
00897	5/8/02	GW08187RG	URANIUM, TOTAL	DUP	TR1	4	UG/L	B	V1	2.8	1		YES	Perf Monitoring
00897	5/8/02	GW08187RG	VANADIUM	DUP	TR1	0.18	UG/L	U	V1	0.18	1	256	YES	Perf Monitoring
00897	5/8/02	GW08187RG	ZINC	DUP	TR1	2.9	UG/L	B	UJ1	0.1	1	11000	YES	Perf Monitoring
00897	5/8/02	GW08188RG	ALUMINUM	RNS	TR1	9.3	UG/L	B	UJ1	2	1	36500	YES	Perf Monitoring
00897	5/8/02	GW08188RG	ANTIMONY	RNS	TR1	0.55	UG/L	U	V1	0.55	1	6	YES	Perf Monitoring
00897	5/8/02	GW08188RG	ARSENIC	RNS	TR1	0.62	UG/L	U	V1	0.62	1	50	YES	Perf Monitoring
00897	5/8/02	GW08188RG	BARIUM	RNS	TR1	0.36	UG/L	B	UJ1	0.02	1	2000	YES	Perf Monitoring
00897	5/8/02	GW08188RG	BERYLLIUM	RNS	TR1	0.02	UG/L	U	J1	0.02	1	4	YES	Perf Monitoring
00897	5/8/02	GW08188RG	CADMIUM	RNS	TR1	0.08	UG/L	U	V1	0.08	1	5	YES	Perf Monitoring

151

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
00897	5/8/02	GW08188RG	CALCIUM	RNS	TR1	115	UG/L	B	V1	9.2	1		YES	Perf Monitoring
00897	5/8/02	GW08188RG	CHROMIUM	RNS	TR1	0.26	UG/L	B	UJ1	0.12	1	100	YES	Perf Monitoring
00897	5/8/02	GW08188RG	COBALT	RNS	TR1	0.18	UG/L	U	V1	0.18	1	2190	YES	Perf Monitoring
00897	5/8/02	GW08188RG	COPPER	RNS	TR1	1.2	UG/L	B	V1	0.08	1	1300	YES	Perf Monitoring
00897	5/8/02	GW08188RG	IRON	RNS	TR1	7.3	UG/L	B	V1	3.6	1		YES	Perf Monitoring
00897	5/8/02	GW08188RG	LEAD	RNS	TR1	0.42	UG/L	U	J1	0.42	1	15	YES	Perf Monitoring
00897	5/8/02	GW08188RG	LITHIUM	RNS	TR1	0.04	UG/L	B	J1	0.02	1	730	YES	Perf Monitoring
00897	5/8/02	GW08188RG	MAGNESIUM	RNS	TR1	24.6	UG/L	B	V1	4.8	1		YES	Perf Monitoring
00897	5/8/02	GW08188RG	MANGANESE	RNS	TR1	0.47	UG/L	B	UJ1	0.02	1	1720	YES	Perf Monitoring
00897	5/8/02	GW08188RG	MERCURY	RNS	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	Perf Monitoring
00897	5/8/02	GW08188RG	MOLYBDENUM	RNS	TR1	0.44	UG/L	B	UJ1	0.28	1	183	YES	Perf Monitoring
00897	5/8/02	GW08188RG	NICKEL	RNS	TR1	0.37	UG/L	B	J1	0.22	1	140	YES	Perf Monitoring
00897	5/8/02	GW08188RG	POTASSIUM	RNS	TR1	37.5	UG/L	B	J1	5.1	1		YES	Perf Monitoring
00897	5/8/02	GW08188RG	SELENIUM	RNS	TR1	0.88	UG/L	U	V1	0.88	1	50	YES	Perf Monitoring
00897	5/8/02	GW08188RG	SILVER	RNS	TR1	0.12	UG/L	U	V1	0.12	1	183	YES	Perf Monitoring
00897	5/8/02	GW08188RG	SODIUM	RNS	TR1	86.6	UG/L	B	V1	5.1	1		YES	Perf Monitoring
00897	5/8/02	GW08188RG	STRONTIUM	RNS	TR1	0.57	UG/L	B	V1	0.02	1	21900	YES	Perf Monitoring
00897	5/8/02	GW08188RG	THALLIUM	RNS	TR1	1	UG/L	B	UJ1	0.78	1	2	YES	Perf Monitoring
00897	5/8/02	GW08188RG	TIN	RNS	TR1	0.78	UG/L	U	J1	0.78	1	21900	YES	Perf Monitoring
00897	5/8/02	GW08188RG	URANIUM, TOTAL	RNS	TR1	2.8	UG/L	U	V1	2.8	1		YES	Perf Monitoring
00897	5/8/02	GW08188RG	VANADIUM	RNS	TR1	0.18	UG/L	U	V1	0.18	1	256	YES	Perf Monitoring
00897	5/8/02	GW08188RG	ZINC	RNS	TR1	4.5	UG/L	B	UJ1	0.1	1	11000	YES	Perf Monitoring
02291	5/14/02	GW08189RG	ALUMINUM	REAL	TR1	28.4	UG/L		UJ1	2	1	36500	YES	Perf Monitoring
02291	5/14/02	GW08189RG	ANTIMONY	REAL	TR1	0.65	UG/L	B	V1	0.55	1	6	YES	Perf Monitoring
02291	5/14/02	GW08189RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V1	0.62	1	50	YES	Perf Monitoring
02291	5/14/02	GW08189RG	BARIUM	REAL	TR1	100	UG/L		V1	0.02	1	2000	YES	Perf Monitoring
02291	5/14/02	GW08189RG	BERYLLIUM	REAL	TR1	0.05	UG/L	B	J1	0.02	1	4	YES	Perf Monitoring
02291	5/14/02	GW08189RG	CADMIUM	REAL	TR1	0.11	UG/L	B	V1	0.08	1	5	YES	Perf Monitoring
02291	5/14/02	GW08189RG	CALCIUM	REAL	TR1	65500	UG/L		V1	9.2	1		YES	Perf Monitoring
02291	5/14/02	GW08189RG	CHROMIUM	REAL	TR1	0.14	UG/L	B	UJ1	0.12	1	100	YES	Perf Monitoring
02291	5/14/02	GW08189RG	COBALT	REAL	TR1	0.57	UG/L	B	V1	0.18	1	2190	YES	Perf Monitoring
02291	5/14/02	GW08189RG	COPPER	REAL	TR1	0.74	UG/L	B	J1	0.08	1	1300	YES	Perf Monitoring
02291	5/14/02	GW08189RG	IRON	REAL	TR1	24.2	UG/L	B	V1	3.6	1		YES	Perf Monitoring
02291	5/14/02	GW08189RG	LEAD	REAL	TR1	0.42	UG/L	U	J1	0.42	1	15	YES	Perf Monitoring
02291	5/14/02	GW08189RG	LITHIUM	REAL	TR1	75.4	UG/L	B	J1	0.02	1	730	YES	Perf Monitoring
02291	5/14/02	GW08189RG	MAGNESIUM	REAL	TR1	16300	UG/L		V1	4.8	1		YES	Perf Monitoring
02291	5/14/02	GW08189RG	MANGANESE	REAL	TR1	219	UG/L		V1	0.02	1	1720	YES	Perf Monitoring
02291	5/14/02	GW08189RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	Perf Monitoring
02291	5/14/02	GW08189RG	MOLYBDENUM	REAL	TR1	9.9	UG/L	B	V1	0.28	1	183	YES	Perf Monitoring
02291	5/14/02	GW08189RG	NICKEL	REAL	TR1	1.9	UG/L	B	J1	0.22	1	140	YES	Perf Monitoring
02291	5/14/02	GW08189RG	POTASSIUM	REAL	TR1	1890	UG/L	B	J1	5.1	1		YES	Perf Monitoring
02291	5/14/02	GW08189RG	SELENIUM	REAL	TR1	0.88	UG/L	U	V1	0.88	1	50	YES	Perf Monitoring
02291	5/14/02	GW08189RG	SILVER	REAL	TR1	0.12	UG/L	U	V1	0.12	1	183	YES	Perf Monitoring
02291	5/14/02	GW08189RG	SODIUM	REAL	TR1	83300	UG/L		V1	5.1	10		YES	Perf Monitoring
02291	5/14/02	GW08189RG	STRONTIUM	REAL	TR1	550	UG/L		V1	0.02	1	21900	YES	Perf Monitoring
02291	5/14/02	GW08189RG	THALLIUM	REAL	TR1	0.78	UG/L	U	V1	0.78	1	2	YES	Perf Monitoring
02291	5/14/02	GW08189RG	TIN	REAL	TR1	0.78	UG/L	U	J1	0.78	1	21900	YES	Perf Monitoring
02291	5/14/02	GW08189RG	URANIUM, TOTAL	REAL	TR1	23.3	UG/L	B	V1	2.8	1		YES	Perf Monitoring
02291	5/14/02	GW08189RG	VANADIUM	REAL	TR1	0.21	UG/L	B	UJ1	0.18	1	256	YES	Perf Monitoring
02291	5/14/02	GW08189RG	ZINC	REAL	TR1	2.7	UG/L	B	UJ1	0.1	1	11000	YES	Perf Monitoring
02500	4/18/02	GW08291RG	ALUMINUM	REAL	TR1	30.5	UG/L		V	6.3	1	36500	YES	D&D Bldg 779
02500	4/18/02	GW08291RG	ANTIMONY	REAL	TR1	0.5	UG/L	B	J	0.48	1	6	YES	D&D Bldg 779
02500	4/18/02	GW08291RG	ARSENIC	REAL	TR1	0.75	UG/L	U	V	0.75	1	50	YES	D&D Bldg 779
02500	4/18/02	GW08291RG	BARIUM	REAL	TR1	304	UG/L		V	0.05	1	2000	YES	D&D Bldg 779
02500	4/18/02	GW08291RG	BERYLLIUM	REAL	TR1	0.12	UG/L	U	V	0.12	1	4	YES	D&D Bldg 779
02500	4/18/02	GW08291RG	CADMIUM	REAL	TR1	0.75	UG/L	B	J	0.08	1	5	YES	D&D Bldg 779
02500	4/18/02	GW08291RG	CALCIUM	REAL	TR1	228000	UG/L		V	4.4	10		YES	D&D Bldg 779

152

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
02500	4/18/02	GW08291RG	CHROMIUM	REAL	TR1	0.2	UG/L	U	V	0.2	1	100	YES	D&D Bldg 779
02500	4/18/02	GW08291RG	COBALT	REAL	TR1	0.28	UG/L	B	V	0.15	1	2190	YES	D&D Bldg 779
02500	4/18/02	GW08291RG	COPPER	REAL	TR1	1.4	UG/L	B	UJ	0.18	1	1300	YES	D&D Bldg 779
02500	4/18/02	GW08291RG	IRON	REAL	TR1	43.8	UG/L	B	V	3.8	1		YES	D&D Bldg 779
02500	4/18/02	GW08291RG	LEAD	REAL	TR1	0.55	UG/L	U	V	0.55	1	15	YES	D&D Bldg 779
02500	4/18/02	GW08291RG	LITHIUM	REAL	TR1	11.1	UG/L	B	J	0.05	1	730	YES	D&D Bldg 779
02500	4/18/02	GW08291RG	MAGNESIUM	REAL	TR1	37300	UG/L		V	6.1	1		YES	D&D Bldg 779
02500	4/18/02	GW08291RG	MANGANESE	REAL	TR1	99.5	UG/L		V	0.08	1	1720	YES	D&D Bldg 779
02500	4/18/02	GW08291RG	MERCURY	REAL	TR1	0.1	UG/L	U	V	0.1	1	2	YES	D&D Bldg 779
02500	4/18/02	GW08291RG	MOLYBDENUM	REAL	TR1	2.3	UG/L	B	J	0.28	1	183	YES	D&D Bldg 779
02500	4/18/02	GW08291RG	NICKEL	REAL	TR1	4.1	UG/L	B	J	0.3	1	140	YES	D&D Bldg 779
02500	4/18/02	GW08291RG	POTASSIUM	REAL	TR1	4740	UG/L	B	V	82.8	1		YES	D&D Bldg 779
02500	4/18/02	GW08291RG	SELENIUM	REAL	TR1	0.9	UG/L	U	V	0.9	1	50	YES	D&D Bldg 779
02500	4/18/02	GW08291RG	SILVER	REAL	TR1	0.18	UG/L	U	V	0.18	1	183	YES	D&D Bldg 779
02500	4/18/02	GW08291RG	SODIUM	REAL	TR1	195000	UG/L		V	8.8	10		YES	D&D Bldg 779
02500	4/18/02	GW08291RG	STRONTIUM	REAL	TR1	1190	UG/L		V	0.02	1	21900	YES	D&D Bldg 779
02500	4/18/02	GW08291RG	THALLIUM	REAL	TR1	1.4	UG/L	U	V	1.4	1	2	YES	D&D Bldg 779
02500	4/18/02	GW08291RG	TIN	REAL	TR1	0.82	UG/L	U	V	0.82	1	21900	YES	D&D Bldg 779
02500	4/18/02	GW08291RG	URANIUM, TOTAL	REAL	TR1	4.2	UG/L	B	V	3.3	1		YES	D&D Bldg 779
02500	4/18/02	GW08291RG	VANADIUM	REAL	TR1	0.48	UG/L	B	UJ	0.18	1	256	YES	D&D Bldg 779
02500	4/18/02	GW08291RG	ZINC	REAL	TR1	6.2	UG/L	B	UJ	0.1	1	11000	YES	D&D Bldg 779
0487	4/24/02	GW08320RG	ALUMINUM	REAL	TR1	24.9	UG/L		UJ	2	1	36500	YES	Plume Definition
0487	4/24/02	GW08320RG	ANTIMONY	REAL	TR1	0.55	UG/L	U	V	0.55	1	6	YES	Plume Definition
0487	4/24/02	GW08320RG	ARSENIC	REAL	TR1	0.65	UG/L	B	V	0.62	1	50	YES	Plume Definition
0487	4/24/02	GW08320RG	BARIUM	REAL	TR1	36.3	UG/L	B	V	0.02	1	2000	YES	Plume Definition
0487	4/24/02	GW08320RG	BERYLLIUM	REAL	TR1	0.05	UG/L	B	V	0.02	1	4	YES	Plume Definition
0487	4/24/02	GW08320RG	CADMIUM	REAL	TR1	0.09	UG/L	B	V	0.08	1	5	YES	Plume Definition
0487	4/24/02	GW08320RG	CALCIUM	REAL	TR1	120000	UG/L		V	25.5	5		YES	Plume Definition
0487	4/24/02	GW08320RG	CHROMIUM	REAL	TR1	5.5	UG/L		V	0.12	1	100	YES	Plume Definition
0487	4/24/02	GW08320RG	COBALT	REAL	TR1	0.18	UG/L	U	V	0.18	1	2190	YES	Plume Definition
0487	4/24/02	GW08320RG	COPPER	REAL	TR1	1.1	UG/L	B	UJ	0.08	1	1300	YES	Plume Definition
0487	4/24/02	GW08320RG	IRON	REAL	TR1	22.3	UG/L	B	V	3.6	1		YES	Plume Definition
0487	4/24/02	GW08320RG	LEAD	REAL	TR1	0.42	UG/L	U	V	0.42	1	15	YES	Plume Definition
0487	4/24/02	GW08320RG	LITHIUM	REAL	TR1	27.5	UG/L	B	J	0.02	1	730	YES	Plume Definition
0487	4/24/02	GW08320RG	MAGNESIUM	REAL	TR1	25600	UG/L		V	23.8	5		YES	Plume Definition
0487	4/24/02	GW08320RG	MANGANESE	REAL	TR1	0.02	UG/L	U	V	0.02	1	1720	YES	Plume Definition
0487	4/24/02	GW08320RG	MERCURY	REAL	TR1	0.1	UG/L	U	V	0.1	1	2	YES	Plume Definition
0487	4/24/02	GW08320RG	MOLYBDENUM	REAL	TR1	15.9	UG/L	B	V	0.28	1	183	YES	Plume Definition
0487	4/24/02	GW08320RG	NICKEL	REAL	TR1	26.9	UG/L		V	0.22	1	140	YES	Plume Definition
0487	4/24/02	GW08320RG	POTASSIUM	REAL	TR1	633	UG/L	B	V	391	5		YES	Plume Definition
0487	4/24/02	GW08320RG	SELENIUM	REAL	TR1	71.9	UG/L		V	0.88	1	50	YES	Plume Definition
0487	4/24/02	GW08320RG	SILVER	REAL	TR1	0.12	UG/L	U	V	0.12	1	183	YES	Plume Definition
0487	4/24/02	GW08320RG	SODIUM	REAL	TR1	124000	UG/L		V	25.5	5		YES	Plume Definition
0487	4/24/02	GW08320RG	STRONTIUM	REAL	TR1	857	UG/L		V	0.02	1	21900	YES	Plume Definition
0487	4/24/02	GW08320RG	THALLIUM	REAL	TR1	0.78	UG/L	U	V	0.78	1	2	YES	Plume Definition
0487	4/24/02	GW08320RG	TIN	REAL	TR1	0.78	UG/L	U	V	0.78	1	21900	YES	Plume Definition
0487	4/24/02	GW08320RG	URANIUM, TOTAL	REAL	TR1	18.2	UG/L	B	V	2.8	1		YES	Plume Definition
0487	4/24/02	GW08320RG	VANADIUM	REAL	TR1	1.3	UG/L	B	V	0.18	1	256	YES	Plume Definition
0487	4/24/02	GW08320RG	ZINC	REAL	TR1	2.2	UG/L	B	J	0.1	1	11000	YES	Plume Definition
11891	5/16/02	GW08194RG	ALUMINUM	REAL	TR1	26.4	UG/L		UJ1	2	1	36500	YES	Perf Monitoring
11891	5/16/02	GW08194RG	ANTIMONY	REAL	TR1	0.7	UG/L	B	UJ1	0.55	1	6	YES	Perf Monitoring
11891	5/16/02	GW08194RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V1	0.62	1	50	YES	Perf Monitoring
11891	5/16/02	GW08194RG	BARIUM	REAL	TR1	269	UG/L		V1	0.02	1	2000	YES	Perf Monitoring
11891	5/16/02	GW08194RG	BERYLLIUM	REAL	TR1	0.06	UG/L	B	UJ1	0.02	1	4	YES	Perf Monitoring
11891	5/16/02	GW08194RG	CADMIUM	REAL	TR1	0.08	UG/L	U	V1	0.08	1	5	YES	Perf Monitoring
11891	5/16/02	GW08194RG	CALCIUM	REAL	TR1	156000	UG/L		V1	46.2	5		YES	Perf Monitoring
11891	5/16/02	GW08194RG	CHROMIUM	REAL	TR1	0.22	UG/L	B	UJ1	0.12	1	100	YES	Perf Monitoring

153

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
11891	5/16/02	GW08194RG	COBALT	REAL	TR1	0.18	UG/L	U	V1	0.18	1	2190	YES	Perf Monitoring
11891	5/16/02	GW08194RG	COPPER	REAL	TR1	1.2	UG/L	B	V1	0.08	1	1300	YES	Perf Monitoring
11891	5/16/02	GW08194RG	IRON	REAL	TR1	6.3	UG/L	B	V1	3.6	1		YES	Perf Monitoring
11891	5/16/02	GW08194RG	LEAD	REAL	TR1	0.42	UG/L	U	J1	0.42	1	15	YES	Perf Monitoring
11891	5/16/02	GW08194RG	LITHIUM	REAL	TR1	9.8	UG/L	B	J1	0.02	1	730	YES	Perf Monitoring
11891	5/16/02	GW08194RG	MAGNESIUM	REAL	TR1	14000	UG/L		V1	4.8	1		YES	Perf Monitoring
11891	5/16/02	GW08194RG	MANGANESE	REAL	TR1	0.82	UG/L	B	V1	0.02	1	1720	YES	Perf Monitoring
11891	5/16/02	GW08194RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	Perf Monitoring
11891	5/16/02	GW08194RG	MERCURY	REAL	TR2	0.1	UG/L	U	1	0.1	1	2	YES	Perf Monitoring
11891	5/16/02	GW08194RG	MOLYBDENUM	REAL	TR1	0.81	UG/L	B	V1	0.28	1	183	YES	Perf Monitoring
11891	5/16/02	GW08194RG	NICKEL	REAL	TR1	0.74	UG/L	B	V1	0.22	1	140	YES	Perf Monitoring
11891	5/16/02	GW08194RG	POTASSIUM	REAL	TR1	1570	UG/L	B	J1	5.1	1		YES	Perf Monitoring
11891	5/16/02	GW08194RG	SELENIUM	REAL	TR1	0.88	UG/L	U	V1	0.88	1	50	YES	Perf Monitoring
11891	5/16/02	GW08194RG	SILVER	REAL	TR1	0.12	UG/L	U	V1	0.12	1	183	YES	Perf Monitoring
11891	5/16/02	GW08194RG	SODIUM	REAL	TR1	18800	UG/L		V1	5.1	1		YES	Perf Monitoring
11891	5/16/02	GW08194RG	STRONTIUM	REAL	TR1	520	UG/L		V1	0.02	1	21900	YES	Perf Monitoring
11891	5/16/02	GW08194RG	THALLIUM	REAL	TR1	0.78	UG/L	U	J1	0.78	1	2	YES	Perf Monitoring
11891	5/16/02	GW08194RG	TIN	REAL	TR1	0.78	UG/L	U	V1	0.78	1	21900	YES	Perf Monitoring
11891	5/16/02	GW08194RG	URANIUM, TOTAL	REAL	TR1	2.8	UG/L	U	V1	2.8	1		YES	Perf Monitoring
11891	5/16/02	GW08194RG	VANADIUM	REAL	TR1	0.39	UG/L	B	V1	0.18	1	256	YES	Perf Monitoring
11891	5/16/02	GW08194RG	ZINC	REAL	TR1	5.3	UG/L	B	UJ1	0.1	1	11000	YES	Perf Monitoring
12191	4/17/02	GW08195RG	ALUMINUM	REAL	TR1	8.1	UG/L	B	V	6.3	1	36500	YES	Perf Monitoring
12191	4/17/02	GW08195RG	ANTIMONY	REAL	TR1	0.48	UG/L	U	J	0.48	1	6	YES	Perf Monitoring
12191	4/17/02	GW08195RG	ARSENIC	REAL	TR1	0.75	UG/L	U	V	0.75	1	50	YES	Perf Monitoring
12191	4/17/02	GW08195RG	BARIUM	REAL	TR1	230	UG/L		V	0.05	1	2000	YES	Perf Monitoring
12191	4/17/02	GW08195RG	BERYLLIUM	REAL	TR1	0.12	UG/L	U	V	0.12	1	4	YES	Perf Monitoring
12191	4/17/02	GW08195RG	CADMIUM	REAL	TR1	0.08	UG/L	U	V	0.08	1	5	YES	Perf Monitoring
12191	4/17/02	GW08195RG	CALCIUM	REAL	TR1	173000	UG/L		V	4.4	10		YES	Perf Monitoring
12191	4/17/02	GW08195RG	CHROMIUM	REAL	TR1	0.2	UG/L	U	V	0.2	1	100	YES	Perf Monitoring
12191	4/17/02	GW08195RG	COBALT	REAL	TR1	0.15	UG/L	U	V	0.15	1	2190	YES	Perf Monitoring
12191	4/17/02	GW08195RG	COPPER	REAL	TR1	0.73	UG/L	B	UJ	0.18	1	1300	YES	Perf Monitoring
12191	4/17/02	GW08195RG	IRON	REAL	TR1	4.3	UG/L	B	V	3.8	1		YES	Perf Monitoring
12191	4/17/02	GW08195RG	LEAD	REAL	TR1	0.55	UG/L	U	V	0.55	1	15	YES	Perf Monitoring
12191	4/17/02	GW08195RG	LITHIUM	REAL	TR1	7.1	UG/L	B	J	0.05	1	730	YES	Perf Monitoring
12191	4/17/02	GW08195RG	MAGNESIUM	REAL	TR1	12600	UG/L		V	6.1	1		YES	Perf Monitoring
12191	4/17/02	GW08195RG	MANGANESE	REAL	TR1	0.2	UG/L	B	UJ	0.08	1	1720	YES	Perf Monitoring
12191	4/17/02	GW08195RG	MERCURY	REAL	TR1	0.1	UG/L	U	V	0.1	1	2	YES	Perf Monitoring
12191	4/17/02	GW08195RG	MOLYBDENUM	REAL	TR1	0.35	UG/L	B	J	0.28	1	183	YES	Perf Monitoring
12191	4/17/02	GW08195RG	NICKEL	REAL	TR1	0.55	UG/L	B	J	0.3	1	140	YES	Perf Monitoring
12191	4/17/02	GW08195RG	POTASSIUM	REAL	TR1	968	UG/L	B	V	82.8	1		YES	Perf Monitoring
12191	4/17/02	GW08195RG	SELENIUM	REAL	TR1	0.9	UG/L	U	V	0.9	1	50	YES	Perf Monitoring
12191	4/17/02	GW08195RG	SILVER	REAL	TR1	0.18	UG/L	U	V	0.18	1	183	YES	Perf Monitoring
12191	4/17/02	GW08195RG	SODIUM	REAL	TR1	16700	UG/L		V	8.8	1		YES	Perf Monitoring
12191	4/17/02	GW08195RG	STRONTIUM	REAL	TR1	510	UG/L		V	0.02	1	21900	YES	Perf Monitoring
12191	4/17/02	GW08195RG	THALLIUM	REAL	TR1	1.4	UG/L	U	V	1.4	1	2	YES	Perf Monitoring
12191	4/17/02	GW08195RG	TIN	REAL	TR1	0.82	UG/L	U	V	0.82	1	21900	YES	Perf Monitoring
12191	4/17/02	GW08195RG	URANIUM, TOTAL	REAL	TR1	3.3	UG/L	U	V	3.3	1		YES	Perf Monitoring
12191	4/17/02	GW08195RG	VANADIUM	REAL	TR1	1.4	UG/L	B	UJ	0.18	1	256	YES	Perf Monitoring
12191	4/17/02	GW08195RG	ZINC	REAL	TR1	3.3	UG/L	B	UJ	0.1	1	11000	YES	Perf Monitoring
12191	4/17/02	GW08196RG	ALUMINUM	DUP	TR1	9.3	UG/L	B	V	6.3	1	36500	YES	Perf Monitoring
12191	4/17/02	GW08196RG	ANTIMONY	DUP	TR1	0.48	UG/L	U	J	0.48	1	6	YES	Perf Monitoring
12191	4/17/02	GW08196RG	ARSENIC	DUP	TR1	0.75	UG/L	U	V	0.75	1	50	YES	Perf Monitoring
12191	4/17/02	GW08196RG	BARIUM	DUP	TR1	214	UG/L		V	0.05	1	2000	YES	Perf Monitoring
12191	4/17/02	GW08196RG	BERYLLIUM	DUP	TR1	0.12	UG/L	U	V	0.12	1	4	YES	Perf Monitoring
12191	4/17/02	GW08196RG	CADMIUM	DUP	TR1	0.08	UG/L	U	V	0.08	1	5	YES	Perf Monitoring
12191	4/17/02	GW08196RG	CALCIUM	DUP	TR1	160000	UG/L		V	4.4	10		YES	Perf Monitoring
12191	4/17/02	GW08196RG	CHROMIUM	DUP	TR1	0.27	UG/L	B	J	0.2	1	100	YES	Perf Monitoring

154

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
12191	4/17/02	GW08196RG	COBALT	DUP	TR1	0.15	UG/L	U	V	0.15	1	2190	YES	Perf Monitoring
12191	4/17/02	GW08196RG	COPPER	DUP	TR1	1	UG/L	B	UJ	0.18	1	1300	YES	Perf Monitoring
12191	4/17/02	GW08196RG	IRON	DUP	TR1	18.6	UG/L	B	V	3.8	1		YES	Perf Monitoring
12191	4/17/02	GW08196RG	LEAD	DUP	TR1	0.55	UG/L	U	V	0.55	1	15	YES	Perf Monitoring
12191	4/17/02	GW08196RG	LITHIUM	DUP	TR1	6.6	UG/L	B	J	0.05	1	730	YES	Perf Monitoring
12191	4/17/02	GW08196RG	MAGNESIUM	DUP	TR1	11900	UG/L		V	6.1	1		YES	Perf Monitoring
12191	4/17/02	GW08196RG	MANGANESE	DUP	TR1	0.62	UG/L	B	V	0.08	1	1720	YES	Perf Monitoring
12191	4/17/02	GW08196RG	MERCURY	DUP	TR1	0.1	UG/L	U	V	0.1	1	2	YES	Perf Monitoring
12191	4/17/02	GW08196RG	MOLYBDENUM	DUP	TR1	0.28	UG/L	U	V	0.28	1	183	YES	Perf Monitoring
12191	4/17/02	GW08196RG	NICKEL	DUP	TR1	0.75	UG/L	B	J	0.3	1	140	YES	Perf Monitoring
12191	4/17/02	GW08196RG	POTASSIUM	DUP	TR1	969	UG/L		V	82.8	1		YES	Perf Monitoring
12191	4/17/02	GW08196RG	SELENIUM	DUP	TR1	0.9	UG/L	U	V	0.9	1	50	YES	Perf Monitoring
12191	4/17/02	GW08196RG	SILVER	DUP	TR1	0.18	UG/L	U	V	0.18	1	183	YES	Perf Monitoring
12191	4/17/02	GW08196RG	SODIUM	DUP	TR1	15700	UG/L		V	8.8	1		YES	Perf Monitoring
12191	4/17/02	GW08196RG	STRONTIUM	DUP	TR1	475	UG/L		V	0.02	1	21900	YES	Perf Monitoring
12191	4/17/02	GW08196RG	THALLIUM	DUP	TR1	1.4	UG/L	U	V	1.4	1	2	YES	Perf Monitoring
12191	4/17/02	GW08196RG	TIN	DUP	TR1	0.82	UG/L	U	V	0.82	1	21900	YES	Perf Monitoring
12191	4/17/02	GW08196RG	URANIUM, TOTAL	DUP	TR1	3.3	UG/L	U	V	3.3	1		YES	Perf Monitoring
12191	4/17/02	GW08196RG	VANADIUM	DUP	TR1	1.3	UG/L	B	UJ	0.18	1	256	YES	Perf Monitoring
12191	4/17/02	GW08196RG	ZINC	DUP	TR1	3.4	UG/L	B	V	0.1	1	11000	YES	Perf Monitoring
12191	4/17/02	GW08197RG	ALUMINUM	RNS	TR1	7.1	UG/L	B	V	6.3	1	36500	YES	Perf Monitoring
12191	4/17/02	GW08197RG	ANTIMONY	RNS	TR1	0.48	UG/L	U	J	0.48	1	6	YES	Perf Monitoring
12191	4/17/02	GW08197RG	ARSENIC	RNS	TR1	0.75	UG/L	U	V	0.75	1	50	YES	Perf Monitoring
12191	4/17/02	GW08197RG	BARIUM	RNS	TR1	0.31	UG/L	B	UJ	0.05	1	2000	YES	Perf Monitoring
12191	4/17/02	GW08197RG	BERYLLIUM	RNS	TR1	0.12	UG/L	U	V	0.12	1	4	YES	Perf Monitoring
12191	4/17/02	GW08197RG	CADMIUM	RNS	TR1	0.08	UG/L	U	V	0.08	1	5	YES	Perf Monitoring
12191	4/17/02	GW08197RG	CALCIUM	RNS	TR1	115	UG/L	B	V	4.4	1		YES	Perf Monitoring
12191	4/17/02	GW08197RG	CHROMIUM	RNS	TR1	0.28	UG/L	B	V	0.2	1	100	YES	Perf Monitoring
12191	4/17/02	GW08197RG	COBALT	RNS	TR1	0.15	UG/L	U	V	0.15	1	2190	YES	Perf Monitoring
12191	4/17/02	GW08197RG	COPPER	RNS	TR1	1.1	UG/L	B	UJ	0.18	1	1300	YES	Perf Monitoring
12191	4/17/02	GW08197RG	IRON	RNS	TR1	14	UG/L	B	V	3.8	1		YES	Perf Monitoring
12191	4/17/02	GW08197RG	LEAD	RNS	TR1	0.55	UG/L	U	V	0.55	1	15	YES	Perf Monitoring
12191	4/17/02	GW08197RG	LITHIUM	RNS	TR1	0.09	UG/L	B	UJ	0.05	1	730	YES	Perf Monitoring
12191	4/17/02	GW08197RG	MAGNESIUM	RNS	TR1	21.6	UG/L	B	V	6.1	1		YES	Perf Monitoring
12191	4/17/02	GW08197RG	MANGANESE	RNS	TR1	0.64	UG/L	B	V	0.08	1	1720	YES	Perf Monitoring
12191	4/17/02	GW08197RG	MERCURY	RNS	TR1	0.1	UG/L	U	V	0.1	1	2	YES	Perf Monitoring
12191	4/17/02	GW08197RG	MOLYBDENUM	RNS	TR1	0.28	UG/L	U	V	0.28	1	183	YES	Perf Monitoring
12191	4/17/02	GW08197RG	NICKEL	RNS	TR1	0.5	UG/L	B	V	0.3	1	140	YES	Perf Monitoring
12191	4/17/02	GW08197RG	POTASSIUM	RNS	TR1	82.8	UG/L	U	V	82.8	1		YES	Perf Monitoring
12191	4/17/02	GW08197RG	SELENIUM	RNS	TR1	0.9	UG/L	U	V	0.9	1	50	YES	Perf Monitoring
12191	4/17/02	GW08197RG	SILVER	RNS	TR1	0.18	UG/L	U	V	0.18	1	183	YES	Perf Monitoring
12191	4/17/02	GW08197RG	SODIUM	RNS	TR1	110	UG/L	B	V	8.8	1		YES	Perf Monitoring
12191	4/17/02	GW08197RG	STRONTIUM	RNS	TR1	0.47	UG/L	B	V	0.02	1	21900	YES	Perf Monitoring
12191	4/17/02	GW08197RG	THALLIUM	RNS	TR1	1.4	UG/L	U	V	1.4	1	2	YES	Perf Monitoring
12191	4/17/02	GW08197RG	TIN	RNS	TR1	0.82	UG/L	U	V	0.82	1	21900	YES	Perf Monitoring
12191	4/17/02	GW08197RG	URANIUM, TOTAL	RNS	TR1	3.3	UG/L	U	V	3.3	1		YES	Perf Monitoring
12191	4/17/02	GW08197RG	VANADIUM	RNS	TR1	0.22	UG/L	B	UJ	0.18	1	256	YES	Perf Monitoring
12191	4/17/02	GW08197RG	ZINC	RNS	TR1	5.3	UG/L	B	UJ	0.1	1	11000	YES	Perf Monitoring
1386	4/19/02	GW08225RG	ALUMINUM	REAL	TR1	15.6	UG/L	B	J1	2	1	36500	YES	Plume Extent
1386	4/19/02	GW08225RG	ANTIMONY	REAL	TR1	0.91	UG/L	B	V1	0.55	1	6	YES	Plume Extent
1386	4/19/02	GW08225RG	ARSENIC	REAL	TR1	1.1	UG/L	B	V1	0.62	1	50	YES	Plume Extent
1386	4/19/02	GW08225RG	BARIUM	REAL	TR1	156	UG/L		V1	0.02	1	2000	YES	Plume Extent
1386	4/19/02	GW08225RG	BERYLLIUM	REAL	TR1	0.02	UG/L	U	V1	0.02	1	4	YES	Plume Extent
1386	4/19/02	GW08225RG	CADMIUM	REAL	TR1	0.12	UG/L	B	V1	0.08	1	5	YES	Plume Extent
1386	4/19/02	GW08225RG	CALCIUM	REAL	TR1	221000	UG/L		V1	25.5	5		YES	Plume Extent
1386	4/19/02	GW08225RG	CHROMIUM	REAL	TR1	1.2	UG/L	B	V1	0.12	1	100	YES	Plume Extent
1386	4/19/02	GW08225RG	COBALT	REAL	TR1	1.1	UG/L	B	V1	0.18	1	2190	YES	Plume Extent

155

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
1386	4/19/02	GW08225RG	COPPER	REAL	TR1	1.1	UG/L	B	V1	0.08	1	1300	YES	Plume Extent
1386	4/19/02	GW08225RG	IRON	REAL	TR1	8.4	UG/L	B	UJ1	3.6	1		YES	Plume Extent
1386	4/19/02	GW08225RG	LEAD	REAL	TR1	0.42	UG/L	U	V1	0.42	1	15	YES	Plume Extent
1386	4/19/02	GW08225RG	LITHIUM	REAL	TR1	47.6	UG/L	B	J1	0.02	1	730	YES	Plume Extent
1386	4/19/02	GW08225RG	MAGNESIUM	REAL	TR1	71300	UG/L		V1	1.4	1		YES	Plume Extent
1386	4/19/02	GW08225RG	MANGANESE	REAL	TR1	98	UG/L		V1	0.02	1	1720	YES	Plume Extent
1386	4/19/02	GW08225RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	Plume Extent
1386	4/19/02	GW08225RG	MOLYBDENUM	REAL	TR1	4.8	UG/L	B	V1	0.28	1	183	YES	Plume Extent
1386	4/19/02	GW08225RG	NICKEL	REAL	TR1	360	UG/L		V1	0.22	1	140	YES	Plume Extent
1386	4/19/02	GW08225RG	POTASSIUM	REAL	TR1	1930	UG/L	B	V1	391	5		YES	Plume Extent
1386	4/19/02	GW08225RG	SELENIUM	REAL	TR1	0.88	UG/L	U	V1	0.88	1	50	YES	Plume Extent
1386	4/19/02	GW08225RG	SILVER	REAL	TR1	0.12	UG/L	U	V1	0.12	1	183	YES	Plume Extent
1386	4/19/02	GW08225RG	SODIUM	REAL	TR1	122000	UG/L		V1	25.5	5		YES	Plume Extent
1386	4/19/02	GW08225RG	STRONTIUM	REAL	TR1	1820	UG/L		V1	0.02	1	21900	YES	Plume Extent
1386	4/19/02	GW08225RG	THALLIUM	REAL	TR1	0.78	UG/L	U	V1	0.78	1	2	YES	Plume Extent
1386	4/19/02	GW08225RG	TIN	REAL	TR1	0.78	UG/L	U	V1	0.78	1	21900	YES	Plume Extent
1386	4/19/02	GW08225RG	URANIUM, TOTAL	REAL	TR1	15.1	UG/L	B	V1	2.8	1		YES	Plume Extent
1386	4/19/02	GW08225RG	VANADIUM	REAL	TR1	0.18	UG/L	U	V1	0.18	1	256	YES	Plume Extent
1386	4/19/02	GW08225RG	ZINC	REAL	TR1	2.5	UG/L	B	UJ1	0.1	1	11000	YES	Plume Extent
1786	4/16/02	GW08226RG	ALUMINUM	REAL	TR1	160	UG/L		V	6.3	1	36500	NO	Plume Extent
1786	4/16/02	GW08226RG	ANTIMONY	REAL	TR1	0.48	UG/L	U	J	0.48	1	6	NO	Plume Extent
1786	4/16/02	GW08226RG	ARSENIC	REAL	TR1	0.75	UG/L	U	V	0.75	1	50	NO	Plume Extent
1786	4/16/02	GW08226RG	BARIUM	REAL	TR1	129	UG/L		V	0.05	1	2000	NO	Plume Extent
1786	4/16/02	GW08226RG	BERYLLIUM	REAL	TR1	0.12	UG/L	U	V	0.12	1	4	NO	Plume Extent
1786	4/16/02	GW08226RG	CADMIUM	REAL	TR1	0.14	UG/L	B	J	0.08	1	5	NO	Plume Extent
1786	4/16/02	GW08226RG	CALCIUM	REAL	TR1	415000	UG/L		V	4.4	10		NO	Plume Extent
1786	4/16/02	GW08226RG	CHROMIUM	REAL	TR1	0.45	UG/L	B	J	0.2	1	100	NO	Plume Extent
1786	4/16/02	GW08226RG	COBALT	REAL	TR1	1.8	UG/L	B	V	0.15	1	2190	NO	Plume Extent
1786	4/16/02	GW08226RG	COPPER	REAL	TR1	2	UG/L	B	UJ	0.18	1	1300	NO	Plume Extent
1786	4/16/02	GW08226RG	IRON	REAL	TR1	123	UG/L		V	3.8	1		NO	Plume Extent
1786	4/16/02	GW08226RG	LEAD	REAL	TR1	0.55	UG/L	U	V	0.55	1	15	NO	Plume Extent
1786	4/16/02	GW08226RG	LITHIUM	REAL	TR1	289	UG/L		J	0.05	1	730	NO	Plume Extent
1786	4/16/02	GW08226RG	MAGNESIUM	REAL	TR1	145000	UG/L		V	6.1	10		NO	Plume Extent
1786	4/16/02	GW08226RG	MANGANESE	REAL	TR1	0.08	UG/L	U	V	0.08	1	1720	NO	Plume Extent
1786	4/16/02	GW08226RG	MERCURY	REAL	TR1	0.1	UG/L	U	V	0.1	1	2	NO	Plume Extent
1786	4/16/02	GW08226RG	MOLYBDENUM	REAL	TR1	0.92	UG/L	B	J	0.28	1	183	NO	Plume Extent
1786	4/16/02	GW08226RG	NICKEL	REAL	TR1	4.4	UG/L	B	J	0.3	1	140	NO	Plume Extent
1786	4/16/02	GW08226RG	POTASSIUM	REAL	TR1	3720	UG/L	B	V	82.8	1		NO	Plume Extent
1786	4/16/02	GW08226RG	SELENIUM	REAL	TR1	249	UG/L		V	0.9	1	50	NO	Plume Extent
1786	4/16/02	GW08226RG	SILVER	REAL	TR1	0.18	UG/L	U	V	0.18	1	183	NO	Plume Extent
1786	4/16/02	GW08226RG	SODIUM	REAL	TR1	274000	UG/L		V	8.8	10		NO	Plume Extent
1786	4/16/02	GW08226RG	STRONTIUM	REAL	TR1	4520	UG/L		V	0.02	1	21900	NO	Plume Extent
1786	4/16/02	GW08226RG	THALLIUM	REAL	TR1	1.4	UG/L	U	V	1.4	1	2	NO	Plume Extent
1786	4/16/02	GW08226RG	TIN	REAL	TR1	0.82	UG/L	U	V	0.82	1	21900	NO	Plume Extent
1786	4/16/02	GW08226RG	URANIUM, TOTAL	REAL	TR1	65.7	UG/L	B	V	3.3	1		NO	Plume Extent
1786	4/16/02	GW08226RG	VANADIUM	REAL	TR1	0.18	UG/L	U	J	0.18	1	256	NO	Plume Extent
1786	4/16/02	GW08226RG	ZINC	REAL	TR1	4.6	UG/L	B	UJ	0.1	1	11000	NO	Plume Extent
18199	4/29/02	GW08252RG	ALUMINUM	REAL	TR1	19	UG/L		J	2	1	36500	NO	Plume Degradation
18199	4/29/02	GW08252RG	ANTIMONY	REAL	TR1	0.55	UG/L	U	V	0.55	1	6	NO	Plume Degradation
18199	4/29/02	GW08252RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V	0.62	1	50	NO	Plume Degradation
18199	4/29/02	GW08252RG	BARIUM	REAL	TR1	120	UG/L		V	0.02	1	2000	NO	Plume Degradation
18199	4/29/02	GW08252RG	BERYLLIUM	REAL	TR1	0.02	UG/L	U	J	0.02	1	4	NO	Plume Degradation
18199	4/29/02	GW08252RG	CADMIUM	REAL	TR1	0.11	UG/L	B	V	0.08	1	5	NO	Plume Degradation
18199	4/29/02	GW08252RG	CALCIUM	REAL	TR1	81900	UG/L		V	9.2	1		NO	Plume Degradation
18199	4/29/02	GW08252RG	CHROMIUM	REAL	TR1	0.42	UG/L	B	UJ	0.12	1	100	NO	Plume Degradation
18199	4/29/02	GW08252RG	COBALT	REAL	TR1	0.87	UG/L	B	V	0.18	1	2190	NO	Plume Degradation
18199	4/29/02	GW08252RG	COPPER	REAL	TR1	1.6	UG/L	B	V	0.08	1	1300	NO	Plume Degradation

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
18199	4/29/02	GW08252RG	IRON	REAL	TR1	56.7	UG/L	B	V	3.6	1		NO	Plume Degradation
18199	4/29/02	GW08252RG	LEAD	REAL	TR1	0.42	UG/L	U	V	0.42	1	15	NO	Plume Degradation
18199	4/29/02	GW08252RG	LITHIUM	REAL	TR1	7.5	UG/L	B	J	0.02	1	730	NO	Plume Degradation
18199	4/29/02	GW08252RG	MAGNESIUM	REAL	TR1	13600	UG/L		V	1.4	1		NO	Plume Degradation
18199	4/29/02	GW08252RG	MANGANESE	REAL	TR1	891	UG/L		V	0.02	1	1720	NO	Plume Degradation
18199	4/29/02	GW08252RG	MERCURY	REAL	TR1	0.1	UG/L	U	V	0.1	1	2	NO	Plume Degradation
18199	4/29/02	GW08252RG	MOLYBDENUM	REAL	TR1	0.38	UG/L	B	V	0.28	1	183	NO	Plume Degradation
18199	4/29/02	GW08252RG	NICKEL	REAL	TR1	12.2	UG/L	B	V	0.22	1	140	NO	Plume Degradation
18199	4/29/02	GW08252RG	POTASSIUM	REAL	TR1	2810	UG/L	B	V	78.2	1		NO	Plume Degradation
18199	4/29/02	GW08252RG	SELENIUM	REAL	TR1	0.88	UG/L	U	V	0.88	1	50	NO	Plume Degradation
18199	4/29/02	GW08252RG	SILVER	REAL	TR1	0.12	UG/L	U	V	0.12	1	183	NO	Plume Degradation
18199	4/29/02	GW08252RG	SODIUM	REAL	TR1	28600	UG/L	B	V	51	10		NO	Plume Degradation
18199	4/29/02	GW08252RG	STRONTIUM	REAL	TR1	368	UG/L		V	0.02	1	21900	NO	Plume Degradation
18199	4/29/02	GW08252RG	THALLIUM	REAL	TR1	0.78	UG/L	U	V	0.78	1	2	NO	Plume Degradation
18199	4/29/02	GW08252RG	TIN	REAL	TR1	0.78	UG/L	U	V	0.78	1	21900	NO	Plume Degradation
18199	4/29/02	GW08252RG	URANIUM, TOTAL	REAL	TR1	2.8	UG/L	U	V	2.8	1		NO	Plume Degradation
18199	4/29/02	GW08252RG	VANADIUM	REAL	TR1	0.42	UG/L	B	V	0.18	1	256	NO	Plume Degradation
18199	4/29/02	GW08252RG	ZINC	REAL	TR1	6.9	UG/L	B	V	0.1	1	11000	NO	Plume Degradation
1986	5/20/02	GW08190RG	ALUMINUM	REAL	TR1	26.6	UG/L		UJ1	2	1	36500	NO	Plume Extent
1986	5/20/02	GW08190RG	ANTIMONY	REAL	TR1	0.96	UG/L	B	UJ1	0.55	1	6	NO	Plume Extent
1986	5/20/02	GW08190RG	ARSENIC	REAL	TR1	9.1	UG/L		V1	0.62	1	50	NO	Plume Extent
1986	5/20/02	GW08190RG	BARIUM	REAL	TR1	288	UG/L		V1	0.02	1	2000	NO	Plume Extent
1986	5/20/02	GW08190RG	BERYLLIUM	REAL	TR1	0.02	UG/L	U	V1	0.02	1	4	NO	Plume Extent
1986	5/20/02	GW08190RG	CADMIUM	REAL	TR1	0.31	UG/L	B	V1	0.08	1	5	NO	Plume Extent
1986	5/20/02	GW08190RG	CALCIUM	REAL	TR1	202000	UG/L		V1	46.2	5		NO	Plume Extent
1986	5/20/02	GW08190RG	CHROMIUM	REAL	TR1	0.46	UG/L	B	UJ1	0.12	1	100	NO	Plume Extent
1986	5/20/02	GW08190RG	COBALT	REAL	TR1	2.9	UG/L	B	V1	0.18	1	2190	NO	Plume Extent
1986	5/20/02	GW08190RG	COPPER	REAL	TR1	0.62	UG/L	B	J1	0.08	1	1300	NO	Plume Extent
1986	5/20/02	GW08190RG	IRON	REAL	TR1	25000	UG/L		V1	3.6	1		NO	Plume Extent
1986	5/20/02	GW08190RG	LEAD	REAL	TR1	0.67	UG/L	B	UJ1	0.42	1	15	NO	Plume Extent
1986	5/20/02	GW08190RG	LITHIUM	REAL	TR1	34	UG/L	B	J1	0.02	1	730	NO	Plume Extent
1986	5/20/02	GW08190RG	MAGNESIUM	REAL	TR1	60900	UG/L		V1	4.8	1		NO	Plume Extent
1986	5/20/02	GW08190RG	MANGANESE	REAL	TR1	3760	UG/L		V1	0.02	1	1720	NO	Plume Extent
1986	5/20/02	GW08190RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	NO	Plume Extent
1986	5/20/02	GW08190RG	MOLYBDENUM	REAL	TR1	2	UG/L	B	V1	0.28	1	183	NO	Plume Extent
1986	5/20/02	GW08190RG	NICKEL	REAL	TR1	2.8	UG/L	B	V1	0.22	1	140	NO	Plume Extent
1986	5/20/02	GW08190RG	POTASSIUM	REAL	TR1	3540	UG/L	B	J1	5.1	1		NO	Plume Extent
1986	5/20/02	GW08190RG	SELENIUM	REAL	TR1	0.88	UG/L	U	V1	0.88	1	50	NO	Plume Extent
1986	5/20/02	GW08190RG	SILVER	REAL	TR1	0.15	UG/L	B	UJ1	0.12	1	183	NO	Plume Extent
1986	5/20/02	GW08190RG	SODIUM	REAL	TR1	289000	UG/L		V1	25.5	5		NO	Plume Extent
1986	5/20/02	GW08190RG	STRONTIUM	REAL	TR1	1360	UG/L		V1	0.02	1	21900	NO	Plume Extent
1986	5/20/02	GW08190RG	THALLIUM	REAL	TR1	0.78	UG/L	U	J1	0.78	1	2	NO	Plume Extent
1986	5/20/02	GW08190RG	TIN	REAL	TR1	0.78	UG/L	U	V1	0.78	1	21900	NO	Plume Extent
1986	5/20/02	GW08190RG	URANIUM, TOTAL	REAL	TR1	2.8	UG/L	U	V1	2.8	1		NO	Plume Extent
1986	5/20/02	GW08190RG	VANADIUM	REAL	TR1	0.18	UG/L	U	V1	0.18	1	256	NO	Plume Extent
1986	5/20/02	GW08190RG	ZINC	REAL	TR1	4.7	UG/L	B	UJ1	0.1	1	11000	NO	Plume Extent
2186	6/17/02	GW08191RG	ALUMINUM	REAL	TR1	27.8	UG/L		R1	6	1	36500	YES	Plume Extent
2186	6/17/02	GW08191RG	ANTIMONY	REAL	TR1	2.1	UG/L	U	V1	2.1	1	6	YES	Plume Extent
2186	6/17/02	GW08191RG	ARSENIC	REAL	TR1	3	UG/L	B	J1	2.8	1	50	YES	Plume Extent
2186	6/17/02	GW08191RG	BARIUM	REAL	TR1	110	UG/L		V1	0.19	1	2000	YES	Plume Extent
2186	6/17/02	GW08191RG	BERYLLIUM	REAL	TR1	0.15	UG/L	U	V1	0.15	1	4	YES	Plume Extent
2186	6/17/02	GW08191RG	CADMIUM	REAL	TR1	0.23	UG/L	U	V1	0.23	1	5	YES	Plume Extent
2186	6/17/02	GW08191RG	CALCIUM	REAL	TR1	36100	UG/L		V1	31	1		YES	Plume Extent
2186	6/17/02	GW08191RG	CHROMIUM	REAL	TR1	0.46	UG/L	B	V1	0.26	1	100	YES	Plume Extent
2186	6/17/02	GW08191RG	COBALT	REAL	TR1	0.5	UG/L	B	V1	0.38	1	2190	YES	Plume Extent
2186	6/17/02	GW08191RG	COPPER	REAL	TR1	1	UG/L	B	V1	0.75	1	1300	YES	Plume Extent
2186	6/17/02	GW08191RG	IRON	REAL	TR1	14	UG/L	U	V1	14	1		YES	Plume Extent

157

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
2186	6/17/02	GW08191RG	LEAD	REAL	TR1	0.95	UG/L	U	V1	0.95	1	15	YES	Plume Extent
2186	6/17/02	GW08191RG	LITHIUM	REAL	TR1	15.7	UG/L	B	J1	1.7	1	730	YES	Plume Extent
2186	6/17/02	GW08191RG	MAGNESIUM	REAL	TR1	9010	UG/L		V1	16	1		YES	Plume Extent
2186	6/17/02	GW08191RG	MANGANESE	REAL	TR1	8.8	UG/L	B	UJ1	0.16	1	1720	YES	Plume Extent
2186	6/17/02	GW08191RG	MERCURY	REAL	TR1	0.014	UG/L	U	J1	0.014	1	2	YES	Plume Extent
2186	6/17/02	GW08191RG	MOLYBDENUM	REAL	TR1	4.4	UG/L	B	UJ1	0.65	1	183	YES	Plume Extent
2186	6/17/02	GW08191RG	NICKEL	REAL	TR1	3.2	UG/L	U	V1	3.2	1	140	YES	Plume Extent
2186	6/17/02	GW08191RG	POTASSIUM	REAL	TR1	1870	UG/L	B	UJ1	410	1		YES	Plume Extent
2186	6/17/02	GW08191RG	SELENIUM	REAL	TR1	3	UG/L		V1	2.2	1	50	YES	Plume Extent
2186	6/17/02	GW08191RG	SILVER	REAL	TR1	0.27	UG/L	U	V1	0.27	1	183	YES	Plume Extent
2186	6/17/02	GW08191RG	SODIUM	REAL	TR1	30100	UG/L		V1	1030	1		YES	Plume Extent
2186	6/17/02	GW08191RG	STRONTIUM	REAL	TR1	258	UG/L		V1	0.03	1	21900	YES	Plume Extent
2186	6/17/02	GW08191RG	THALLIUM	REAL	TR1	3.8	UG/L	U	V1	3.8	1	2	YES	Plume Extent
2186	6/17/02	GW08191RG	TIN	REAL	TR1	1.9	UG/L	U	UJ1	1.9	1	21900	YES	Plume Extent
2186	6/17/02	GW08191RG	URANIUM, TOTAL	REAL	TR1	7	UG/L	U	V1	7	1		YES	Plume Extent
2186	6/17/02	GW08191RG	VANADIUM	REAL	TR1	1.2	UG/L	U	V1	1.2	1	256	YES	Plume Extent
2186	6/17/02	GW08191RG	ZINC	REAL	TR1	5.5	UG/L	B	UJ1	1	1	11000	YES	Plume Extent
22796	5/21/02	GW08198RG	ALUMINUM	REAL	TR1	26.5	UG/L		UJ1	2	1	36500	NO	Plume Extent
22796	5/21/02	GW08198RG	ALUMINUM	REAL	TR2	22.6	UG/L		1	2	1	36500	NO	Plume Extent
22796	5/21/02	GW08198RG	ANTIMONY	REAL	TR1	0.55	UG/L	U	UJ1	0.55	1	6	NO	Plume Extent
22796	5/21/02	GW08198RG	ANTIMONY	REAL	TR2	0.75	UG/L	B	1	0.55	1	6	NO	Plume Extent
22796	5/21/02	GW08198RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V1	0.62	1	50	NO	Plume Extent
22796	5/21/02	GW08198RG	ARSENIC	REAL	TR2	1.1	UG/L	B	1	0.62	1	50	NO	Plume Extent
22796	5/21/02	GW08198RG	BARIUM	REAL	TR1	569	UG/L		V1	0.02	1	2000	NO	Plume Extent
22796	5/21/02	GW08198RG	BARIUM	REAL	TR2	579	UG/L		1	0.02	1	2000	NO	Plume Extent
22796	5/21/02	GW08198RG	BERYLLIUM	REAL	TR1	0.03	UG/L	B	UJ1	0.02	1	4	NO	Plume Extent
22796	5/21/02	GW08198RG	BERYLLIUM	REAL	TR2	0.03	UG/L	U	1	0.02	1	4	NO	Plume Extent
22796	5/21/02	GW08198RG	CADMIUM	REAL	TR1	0.16	UG/L	B	V1	0.08	1	5	NO	Plume Extent
22796	5/21/02	GW08198RG	CADMIUM	REAL	TR2	0.22	UG/L	B	1	0.08	1	5	NO	Plume Extent
22796	5/21/02	GW08198RG	CALCIUM	REAL	TR1	525000	UG/L		V1	46.2	5		NO	Plume Extent
22796	5/21/02	GW08198RG	CALCIUM	REAL	TR2	525507	UG/L		1	46.2	5		NO	Plume Extent
22796	5/21/02	GW08198RG	CHROMIUM	REAL	TR1	12.2	UG/L		V1	0.12	1	100	NO	Plume Extent
22796	5/21/02	GW08198RG	CHROMIUM	REAL	TR2	12.1	UG/L		1	0.12	1	100	NO	Plume Extent
22796	5/21/02	GW08198RG	COBALT	REAL	TR1	0.92	UG/L	B	V1	0.18	1	2190	NO	Plume Extent
22796	5/21/02	GW08198RG	COBALT	REAL	TR2	0.94	UG/L	B	1	0.18	1	2190	NO	Plume Extent
22796	5/21/02	GW08198RG	COPPER	REAL	TR1	1.4	UG/L	B	V1	0.08	1	1300	NO	Plume Extent
22796	5/21/02	GW08198RG	COPPER	REAL	TR2	1.2	UG/L	B	1	0.08	1	1300	NO	Plume Extent
22796	5/21/02	GW08198RG	IRON	REAL	TR1	129	UG/L		V1	3.6	1		NO	Plume Extent
22796	5/21/02	GW08198RG	IRON	REAL	TR2	128.4	UG/L		1	3.6	1		NO	Plume Extent
22796	5/21/02	GW08198RG	LEAD	REAL	TR1	0.61	UG/L	B	UJ1	0.42	1	15	NO	Plume Extent
22796	5/21/02	GW08198RG	LEAD	REAL	TR2	0.43	UG/L	U	1	0.42	1	15	NO	Plume Extent
22796	5/21/02	GW08198RG	LITHIUM	REAL	TR1	65.1	UG/L	B	J1	0.02	1	730	NO	Plume Extent
22796	5/21/02	GW08198RG	LITHIUM	REAL	TR2	66.4	UG/L	B	1	0.02	1	730	NO	Plume Extent
22796	5/21/02	GW08198RG	MAGNESIUM	REAL	TR1	137000	UG/L		V1	23.8	5		NO	Plume Extent
22796	5/21/02	GW08198RG	MAGNESIUM	REAL	TR2	136822	UG/L		1	23.8	5		NO	Plume Extent
22796	5/21/02	GW08198RG	MANGANESE	REAL	TR1	1090	UG/L		V1	0.02	1	1720	NO	Plume Extent
22796	5/21/02	GW08198RG	MANGANESE	REAL	TR2	1102	UG/L		1	0.02	1	1720	NO	Plume Extent
22796	5/21/02	GW08198RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	NO	Plume Extent
22796	5/21/02	GW08198RG	MOLYBDENUM	REAL	TR1	6.3	UG/L	B	V1	0.28	1	183	NO	Plume Extent
22796	5/21/02	GW08198RG	MOLYBDENUM	REAL	TR2	5.9	UG/L	B	1	0.28	1	183	NO	Plume Extent
22796	5/21/02	GW08198RG	NICKEL	REAL	TR1	37	UG/L		V1	0.22	1	140	NO	Plume Extent
22796	5/21/02	GW08198RG	NICKEL	REAL	TR2	37.4	UG/L		1	0.22	1	140	NO	Plume Extent
22796	5/21/02	GW08198RG	POTASSIUM	REAL	TR1	1010	UG/L	B	J1	5.1	1		NO	Plume Extent
22796	5/21/02	GW08198RG	POTASSIUM	REAL	TR2	993.7	UG/L	B	1	5.1	1		NO	Plume Extent
22796	5/21/02	GW08198RG	SELENIUM	REAL	TR1	1	UG/L	B	J1	0.88	1	50	NO	Plume Extent
22796	5/21/02	GW08198RG	SELENIUM	REAL	TR2	0.88	UG/L	U	1	0.88	1	50	NO	Plume Extent
22796	5/21/02	GW08198RG	SILVER	REAL	TR1	0.12	UG/L	U	V1	0.12	1	183	NO	Plume Extent

158

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
22796	5/21/02	GW08198RG	SILVER	REAL	TR2	0.13	UG/L	U	1	0.12	1	183	NO	Plume Extent
22796	5/21/02	GW08198RG	SODIUM	REAL	TR1	410000	UG/L		V1	25.5	5		NO	Plume Extent
22796	5/21/02	GW08198RG	SODIUM	REAL	TR2	407733	UG/L		1	25.5	5		NO	Plume Extent
22796	5/21/02	GW08198RG	STRONTIUM	REAL	TR1	3350	UG/L		V1	0.02	1	21900	NO	Plume Extent
22796	5/21/02	GW08198RG	STRONTIUM	REAL	TR2	3394	UG/L		1	0.02	1	21900	NO	Plume Extent
22796	5/21/02	GW08198RG	THALLIUM	REAL	TR1	0.78	UG/L	U	J1	0.78	1	2	NO	Plume Extent
22796	5/21/02	GW08198RG	THALLIUM	REAL	TR2	0.78	UG/L	U	1	0.78	1	2	NO	Plume Extent
22796	5/21/02	GW08198RG	TIN	REAL	TR1	0.78	UG/L	U	V1	0.78	1	21900	NO	Plume Extent
22796	5/21/02	GW08198RG	TIN	REAL	TR2	0.78	UG/L	U	1	0.78	1	21900	NO	Plume Extent
22796	5/21/02	GW08198RG	URANIUM, TOTAL	REAL	TR1	2.8	UG/L	U	V1	2.8	1		NO	Plume Extent
22796	5/21/02	GW08198RG	URANIUM, TOTAL	REAL	TR2	2.8	UG/L	U	1	2.8	1		NO	Plume Extent
22796	5/21/02	GW08198RG	VANADIUM	REAL	TR1	0.18	UG/L	U	V1	0.18	1	256	NO	Plume Extent
22796	5/21/02	GW08198RG	VANADIUM	REAL	TR2	0.18	UG/L	U	1	0.18	1	256	NO	Plume Extent
22796	5/21/02	GW08198RG	ZINC	REAL	TR1	1.6	UG/L	B	UJ1	0.1	1	11000	NO	Plume Extent
22796	5/21/02	GW08198RG	ZINC	REAL	TR2	1.1	UG/L	B	1	0.1	1	11000	NO	Plume Extent
23296	4/29/02	GW08222RG	ALUMINUM	REAL	TR1	20.7	UG/L		J	2	1	36500	NO	Plume Extent
23296	4/29/02	GW08222RG	ANTIMONY	REAL	TR1	0.55	UG/L	U	V	0.55	1	6	NO	Plume Extent
23296	4/29/02	GW08222RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V	0.62	1	50	NO	Plume Extent
23296	4/29/02	GW08222RG	BARIUM	REAL	TR1	104	UG/L		V	0.02	1	2000	NO	Plume Extent
23296	4/29/02	GW08222RG	BERYLLIUM	REAL	TR1	0.03	UG/L	B	J	0.02	1	4	NO	Plume Extent
23296	4/29/02	GW08222RG	CADMIUM	REAL	TR1	0.08	UG/L	U	V	0.08	1	5	NO	Plume Extent
23296	4/29/02	GW08222RG	CALCIUM	REAL	TR1	144000	UG/L		V	92.5	10		NO	Plume Extent
23296	4/29/02	GW08222RG	CHROMIUM	REAL	TR1	6.6	UG/L		J	0.12	1	100	NO	Plume Extent
23296	4/29/02	GW08222RG	COBALT	REAL	TR1	0.18	UG/L	U	V	0.18	1	2190	NO	Plume Extent
23296	4/29/02	GW08222RG	COPPER	REAL	TR1	1.5	UG/L	B	J	0.08	1	1300	NO	Plume Extent
23296	4/29/02	GW08222RG	IRON	REAL	TR1	111	UG/L		V	3.6	1		NO	Plume Extent
23296	4/29/02	GW08222RG	LEAD	REAL	TR1	0.42	UG/L	U	V	0.42	1	15	NO	Plume Extent
23296	4/29/02	GW08222RG	LITHIUM	REAL	TR1	50.3	UG/L	B	J	0.02	1	730	NO	Plume Extent
23296	4/29/02	GW08222RG	MAGNESIUM	REAL	TR1	33000	UG/L		V	1.4	1		NO	Plume Extent
23296	4/29/02	GW08222RG	MANGANESE	REAL	TR1	5.4	UG/L	B	V	0.02	1	1720	NO	Plume Extent
23296	4/29/02	GW08222RG	MERCURY	REAL	TR1	0.1	UG/L	U	V	0.1	1	2	NO	Plume Extent
23296	4/29/02	GW08222RG	MERCURY	REAL	TR2	0.1	UG/L	U		0.1	1	2	NO	Plume Extent
23296	4/29/02	GW08222RG	MOLYBDENUM	REAL	TR1	3.1	UG/L	B	J	0.28	1	183	NO	Plume Extent
23296	4/29/02	GW08222RG	NICKEL	REAL	TR1	63.3	UG/L		V	0.22	1	140	NO	Plume Extent
23296	4/29/02	GW08222RG	POTASSIUM	REAL	TR1	2740	UG/L	B	V	78.2	1		NO	Plume Extent
23296	4/29/02	GW08222RG	SELENIUM	REAL	TR1	3.2	UG/L		V	0.88	1	50	NO	Plume Extent
23296	4/29/02	GW08222RG	SILVER	REAL	TR1	0.12	UG/L	U	V	0.12	1	183	NO	Plume Extent
23296	4/29/02	GW08222RG	SODIUM	REAL	TR1	82000	UG/L		V	51	10		NO	Plume Extent
23296	4/29/02	GW08222RG	STRONTIUM	REAL	TR1	1020	UG/L		V	0.02	1	21900	NO	Plume Extent
23296	4/29/02	GW08222RG	THALLIUM	REAL	TR1	0.89	UG/L	B	UJ	0.78	1	2	NO	Plume Extent
23296	4/29/02	GW08222RG	TIN	REAL	TR1	0.78	UG/L	U	V	0.78	1	21900	NO	Plume Extent
23296	4/29/02	GW08222RG	URANIUM, TOTAL	REAL	TR1	36.8	UG/L	B	V	2.8	1		NO	Plume Extent
23296	4/29/02	GW08222RG	VANADIUM	REAL	TR1	1.6	UG/L	B	V	0.18	1	256	NO	Plume Extent
23296	4/29/02	GW08222RG	ZINC	REAL	TR1	4.9	UG/L	B	V	0.1	1	11000	NO	Plume Extent
30900	4/1/02	GW08182RG	ALUMINUM	REAL	TR1	122	UG/L		V	8.9	1	36500	NO	Plume Degradation
30900	4/1/02	GW08182RG	ALUMINUM	REAL	TR1	34.4	UG/L		J	8.9	1	36500	YES	Plume Degradation
30900	4/1/02	GW08182RG	ANTIMONY	REAL	TR1	2.1	UG/L	U	V	2.1	1	6	NO	Plume Degradation
30900	4/1/02	GW08182RG	ANTIMONY	REAL	TR1	2.1	UG/L	U	V	2.1	1	6	YES	Plume Degradation
30900	4/1/02	GW08182RG	ARSENIC	REAL	TR1	49.7	UG/L		V	2	1	50	NO	Plume Degradation
30900	4/1/02	GW08182RG	ARSENIC	REAL	TR1	47.2	UG/L		V	2	1	50	YES	Plume Degradation
30900	4/1/02	GW08182RG	BARIUM	REAL	TR1	632	UG/L		V	0.26	1	2000	NO	Plume Degradation
30900	4/1/02	GW08182RG	BARIUM	REAL	TR1	614	UG/L		V	0.26	1	2000	YES	Plume Degradation
30900	4/1/02	GW08182RG	BERYLLIUM	REAL	TR1	0.25	UG/L	U	V	0.25	1	4	NO	Plume Degradation
30900	4/1/02	GW08182RG	BERYLLIUM	REAL	TR1	0.25	UG/L	U	V	0.25	1	4	YES	Plume Degradation
30900	4/1/02	GW08182RG	CADMIUM	REAL	TR1	0.18	UG/L	U	J	0.18	1	5	NO	Plume Degradation
30900	4/1/02	GW08182RG	CADMIUM	REAL	TR1	0.18	UG/L	U	J	0.18	1	5	YES	Plume Degradation
30900	4/1/02	GW08182RG	CALCIUM	REAL	TR1	102000	UG/L		V	45	1		NO	Plume Degradation

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
30900	4/1/02	GW08182RG	CALCIUM	REAL	TR1	103000	UG/L		V	45	1		YES	Plume Degradation
30900	4/1/02	GW08182RG	CHROMIUM	REAL	TR1	0.86	UG/L	B	V	0.26	1	100	NO	Plume Degradation
30900	4/1/02	GW08182RG	CHROMIUM	REAL	TR1	0.94	UG/L	B	V	0.26	1	100	YES	Plume Degradation
30900	4/1/02	GW08182RG	COBALT	REAL	TR1	69.8	UG/L		V	1.7	1	2190	NO	Plume Degradation
30900	4/1/02	GW08182RG	COBALT	REAL	TR1	70.4	UG/L		V	1.7	1	2190	YES	Plume Degradation
30900	4/1/02	GW08182RG	COPPER	REAL	TR1	0.88	UG/L	U	J	0.88	1	1300	NO	Plume Degradation
30900	4/1/02	GW08182RG	COPPER	REAL	TR1	0.88	UG/L	U	J	0.88	1	1300	YES	Plume Degradation
30900	4/1/02	GW08182RG	IRON	REAL	TR1	26700	UG/L		V	16	1		NO	Plume Degradation
30900	4/1/02	GW08182RG	IRON	REAL	TR1	26800	UG/L		V	16	1		YES	Plume Degradation
30900	4/1/02	GW08182RG	LEAD	REAL	TR1	0.98	UG/L	U	J	0.98	1	15	NO	Plume Degradation
30900	4/1/02	GW08182RG	LEAD	REAL	TR1	0.98	UG/L	U	J	0.98	1	15	YES	Plume Degradation
30900	4/1/02	GW08182RG	LITHIUM	REAL	TR1	15.9	UG/L	B	J	4.1	1	730	NO	Plume Degradation
30900	4/1/02	GW08182RG	LITHIUM	REAL	TR1	12.5	UG/L	B	J	4.1	1	730	YES	Plume Degradation
30900	4/1/02	GW08182RG	MAGNESIUM	REAL	TR1	22100	UG/L		V	36	1		NO	Plume Degradation
30900	4/1/02	GW08182RG	MAGNESIUM	REAL	TR1	22200	UG/L		V	36	1		YES	Plume Degradation
30900	4/1/02	GW08182RG	MANGANESE	REAL	DL1	13200	UG/L		V	2	10	1720	NO	Plume Degradation
30900	4/1/02	GW08182RG	MANGANESE	REAL	TR1	12200	UG/L		V	0.2	1	1720	YES	Plume Degradation
30900	4/1/02	GW08182RG	MERCURY	REAL	TR1	0.051	UG/L	B	UJ	0.023	1	2	NO	Plume Degradation
30900	4/1/02	GW08182RG	MERCURY	REAL	TR1	0.045	UG/L	B	UJ	0.023	1	2	YES	Plume Degradation
30900	4/1/02	GW08182RG	MOLYBDENUM	REAL	TR1	3.1	UG/L	B	J	0.66	1	183	NO	Plume Degradation
30900	4/1/02	GW08182RG	MOLYBDENUM	REAL	TR1	2.9	UG/L	B	J	0.66	1	183	YES	Plume Degradation
30900	4/1/02	GW08182RG	NICKEL	REAL	TR1	54.3	UG/L		J	2.2	1	140	NO	Plume Degradation
30900	4/1/02	GW08182RG	NICKEL	REAL	TR1	54.3	UG/L		J	2.2	1	140	YES	Plume Degradation
30900	4/1/02	GW08182RG	POTASSIUM	REAL	TR1	807	UG/L	B	J	700	1		NO	Plume Degradation
30900	4/1/02	GW08182RG	POTASSIUM	REAL	TR1	700	UG/L	U	J	700	1		YES	Plume Degradation
30900	4/1/02	GW08182RG	SELENIUM	REAL	TR1	2	UG/L	U	V	2	1	50	NO	Plume Degradation
30900	4/1/02	GW08182RG	SELENIUM	REAL	TR1	2	UG/L	U	V	2	1	50	YES	Plume Degradation
30900	4/1/02	GW08182RG	SILVER	REAL	TR1	0.58	UG/L	B	J	0.33	1	183	NO	Plume Degradation
30900	4/1/02	GW08182RG	SILVER	REAL	TR1	0.66	UG/L	B	J	0.33	1	183	YES	Plume Degradation
30900	4/1/02	GW08182RG	SODIUM	REAL	TR1	23800	UG/L		V	3500	1		NO	Plume Degradation
30900	4/1/02	GW08182RG	SODIUM	REAL	TR1	21400	UG/L		V	3500	1		YES	Plume Degradation
30900	4/1/02	GW08182RG	STRONTIUM	REAL	TR1	618	UG/L		V	0.075	1	21900	NO	Plume Degradation
30900	4/1/02	GW08182RG	STRONTIUM	REAL	TR1	621	UG/L		V	0.075	1	21900	YES	Plume Degradation
30900	4/1/02	GW08182RG	THALLIUM	REAL	TR1	3.8	UG/L	B	UJ	2.2	1	2	NO	Plume Degradation
30900	4/1/02	GW08182RG	THALLIUM	REAL	TR1	2.6	UG/L	B	UJ	2.2	1	2	YES	Plume Degradation
30900	4/1/02	GW08182RG	TIN	REAL	TR1	1.4	UG/L	U	J	1.4	1	21900	NO	Plume Degradation
30900	4/1/02	GW08182RG	TIN	REAL	TR1	1.4	UG/L	U	J	1.4	1	21900	YES	Plume Degradation
30900	4/1/02	GW08182RG	URANIUM, TOTAL	REAL	TR1	28	UG/L	U	V	28	1		NO	Plume Degradation
30900	4/1/02	GW08182RG	URANIUM, TOTAL	REAL	TR1	28	UG/L	U	V	28	1		YES	Plume Degradation
30900	4/1/02	GW08182RG	VANADIUM	REAL	TR1	6.2	UG/L	B	V	1.5	1	256	NO	Plume Degradation
30900	4/1/02	GW08182RG	VANADIUM	REAL	TR1	4.8	UG/L	B	V	1.5	1	256	YES	Plume Degradation
30900	4/1/02	GW08182RG	ZINC	REAL	TR1	3.4	UG/L	B	V	0.55	1	11000	NO	Plume Degradation
30900	4/1/02	GW08182RG	ZINC	REAL	TR1	1.1	UG/L	B	V	0.55	1	11000	YES	Plume Degradation
30900	5/2/02	GW08242RG	ALUMINUM	REAL	TR1	528	UG/L		J1	8.9	1	36500	NO	Plume Degradation
30900	5/2/02	GW08242RG	ALUMINUM	REAL	TR1	29.7	UG/L		J1	8.9	1	36500	YES	Plume Degradation
30900	5/2/02	GW08242RG	ANTIMONY	REAL	TR1	2.1	UG/L	U	V1	2.1	1	6	NO	Plume Degradation
30900	5/2/02	GW08242RG	ANTIMONY	REAL	TR1	2.1	UG/L	U	V1	2.1	1	6	YES	Plume Degradation
30900	5/2/02	GW08242RG	ARSENIC	REAL	TR1	57	UG/L		V1	2	1	50	NO	Plume Degradation
30900	5/2/02	GW08242RG	ARSENIC	REAL	TR1	57.1	UG/L		V1	2	1	50	YES	Plume Degradation
30900	5/2/02	GW08242RG	BARIUM	REAL	TR1	765	UG/L		V1	0.26	1	2000	NO	Plume Degradation
30900	5/2/02	GW08242RG	BARIUM	REAL	TR1	697	UG/L		V1	0.26	1	2000	YES	Plume Degradation
30900	5/2/02	GW08242RG	BERYLLIUM	REAL	TR1	0.25	UG/L	U	V1	0.25	1	4	NO	Plume Degradation
30900	5/2/02	GW08242RG	BERYLLIUM	REAL	TR1	0.25	UG/L	U	V1	0.25	1	4	YES	Plume Degradation
30900	5/2/02	GW08242RG	CADMIUM	REAL	TR1	0.18	UG/L	U	V1	0.18	1	5	NO	Plume Degradation
30900	5/2/02	GW08242RG	CADMIUM	REAL	TR1	0.18	UG/L	U	V1	0.18	1	5	YES	Plume Degradation
30900	5/2/02	GW08242RG	CALCIUM	REAL	TR1	90800	UG/L		V1	45	1		NO	Plume Degradation
30900	5/2/02	GW08242RG	CALCIUM	REAL	TR1	89000	UG/L		V1	45	1		YES	Plume Degradation

160

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
30900	5/2/02	GW08242RG	CHROMIUM	REAL	TR1	1.8	UG/L	B	UJ1	0.26	1	100	NO	Plume Degradation
30900	5/2/02	GW08242RG	CHROMIUM	REAL	TR1	0.82	UG/L	B	UJ1	0.26	1	100	YES	Plume Degradation
30900	5/2/02	GW08242RG	COBALT	REAL	TR1	55.7	UG/L		V1	1.7	1	2190	NO	Plume Degradation
30900	5/2/02	GW08242RG	COBALT	REAL	TR1	56.7	UG/L		V1	1.7	1	2190	YES	Plume Degradation
30900	5/2/02	GW08242RG	COPPER	REAL	TR1	0.88	UG/L	U	J1	0.88	1	1300	NO	Plume Degradation
30900	5/2/02	GW08242RG	COPPER	REAL	TR1	0.88	UG/L	U	J1	0.88	1	1300	YES	Plume Degradation
30900	5/2/02	GW08242RG	IRON	REAL	TR1	22500	UG/L		V1	16	1		NO	Plume Degradation
30900	5/2/02	GW08242RG	IRON	REAL	TR1	20100	UG/L		V1	16	1		YES	Plume Degradation
30900	5/2/02	GW08242RG	LEAD	REAL	TR1	0.98	UG/L	U	J1	0.98	1	15	NO	Plume Degradation
30900	5/2/02	GW08242RG	LEAD	REAL	TR1	0.98	UG/L	U	J1	0.98	1	15	YES	Plume Degradation
30900	5/2/02	GW08242RG	LITHIUM	REAL	TR1	16.2	UG/L	B	V1	4.1	1	730	NO	Plume Degradation
30900	5/2/02	GW08242RG	LITHIUM	REAL	TR1	14.5	UG/L	B	V1	4.1	1	730	YES	Plume Degradation
30900	5/2/02	GW08242RG	MAGNESIUM	REAL	TR1	19100	UG/L		V1	36	1		NO	Plume Degradation
30900	5/2/02	GW08242RG	MAGNESIUM	REAL	TR1	18500	UG/L		V1	36	1		YES	Plume Degradation
30900	5/2/02	GW08242RG	MANGANESE	REAL	DL1	10900	UG/L		J1	1	5	1720	NO	Plume Degradation
30900	5/2/02	GW08242RG	MANGANESE	REAL	DL1	11000	UG/L		J1	1	5	1720	YES	Plume Degradation
30900	5/2/02	GW08242RG	MERCURY	REAL	TR1	0.025	UG/L	B	V1	0.014	1	2	NO	Plume Degradation
30900	5/2/02	GW08242RG	MERCURY	REAL	TR1	0.014	UG/L	U	V1	0.014	1	2	YES	Plume Degradation
30900	5/2/02	GW08242RG	MOLYBDENUM	REAL	TR1	8.3	UG/L	B	V1	0.66	1	183	NO	Plume Degradation
30900	5/2/02	GW08242RG	MOLYBDENUM	REAL	TR1	7	UG/L	B	V1	0.66	1	183	YES	Plume Degradation
30900	5/2/02	GW08242RG	NICKEL	REAL	TR1	40	UG/L		V1	2.2	1	140	NO	Plume Degradation
30900	5/2/02	GW08242RG	NICKEL	REAL	TR1	44.4	UG/L		V1	2.2	1	140	YES	Plume Degradation
30900	5/2/02	GW08242RG	POTASSIUM	REAL	TR1	1240	UG/L	B	V1	700	1		NO	Plume Degradation
30900	5/2/02	GW08242RG	POTASSIUM	REAL	TR1	979	UG/L	B	V1	700	1		YES	Plume Degradation
30900	5/2/02	GW08242RG	SELENIUM	REAL	TR1	2	UG/L	U	J1	2	1	50	NO	Plume Degradation
30900	5/2/02	GW08242RG	SELENIUM	REAL	TR1	2	UG/L	U	J1	2	1	50	YES	Plume Degradation
30900	5/2/02	GW08242RG	SILVER	REAL	TR1	0.6	UG/L	B	UJ1	0.33	1	183	NO	Plume Degradation
30900	5/2/02	GW08242RG	SILVER	REAL	TR1	0.54	UG/L	B	UJ1	0.33	1	183	YES	Plume Degradation
30900	5/2/02	GW08242RG	SODIUM	REAL	TR1	21700	UG/L		V1	3500	1		NO	Plume Degradation
30900	5/2/02	GW08242RG	SODIUM	REAL	TR1	20100	UG/L		V1	3500	1		YES	Plume Degradation
30900	5/2/02	GW08242RG	STRONTIUM	REAL	TR1	540	UG/L		V1	0.075	1	21900	NO	Plume Degradation
30900	5/2/02	GW08242RG	STRONTIUM	REAL	TR1	527	UG/L		V1	0.075	1	21900	YES	Plume Degradation
30900	5/2/02	GW08242RG	THALLIUM	REAL	TR1	4.7	UG/L		UJ1	2.2	1	2	NO	Plume Degradation
30900	5/2/02	GW08242RG	THALLIUM	REAL	TR1	3.8	UG/L	B	UJ1	2.2	1	2	YES	Plume Degradation
30900	5/2/02	GW08242RG	TIN	REAL	TR1	1.4	UG/L	U	J1	1.4	1	21900	NO	Plume Degradation
30900	5/2/02	GW08242RG	TIN	REAL	TR1	1.4	UG/L	U	J1	1.4	1	21900	YES	Plume Degradation
30900	5/2/02	GW08242RG	URANIUM, TOTAL	REAL	TR1	28	UG/L	U	V1	28	1		NO	Plume Degradation
30900	5/2/02	GW08242RG	URANIUM, TOTAL	REAL	TR1	28	UG/L	U	V1	28	1		YES	Plume Degradation
30900	5/2/02	GW08242RG	VANADIUM	REAL	TR1	6.4	UG/L	B	V1	1.5	1	256	NO	Plume Degradation
30900	5/2/02	GW08242RG	VANADIUM	REAL	TR1	3.7	UG/L	B	V1	1.5	1	256	YES	Plume Degradation
30900	5/2/02	GW08242RG	ZINC	REAL	TR1	8.6	UG/L	B	V1	0.55	1	11000	NO	Plume Degradation
30900	5/2/02	GW08242RG	ZINC	REAL	TR1	0.55	UG/L	U	V1	0.55	1	11000	YES	Plume Degradation
3586	4/25/02	GW08216RG	ALUMINUM	REAL	TR1	33.8	UG/L		UJ	2	1	36500	YES	Plume Extent
3586	4/25/02	GW08216RG	ANTIMONY	REAL	TR1	0.55	UG/L	U	V	0.55	1	6	YES	Plume Extent
3586	4/25/02	GW08216RG	ARSENIC	REAL	TR1	1.5	UG/L	B	V	0.62	1	50	YES	Plume Extent
3586	4/25/02	GW08216RG	BARIUM	REAL	TR1	18.7	UG/L	B	V	0.02	1	2000	YES	Plume Extent
3586	4/25/02	GW08216RG	BERYLLIUM	REAL	TR1	0.08	UG/L	B	UJ	0.02	1	4	YES	Plume Extent
3586	4/25/02	GW08216RG	CADMIUM	REAL	TR1	0.08	UG/L	U	V	0.08	1	5	YES	Plume Extent
3586	4/25/02	GW08216RG	CALCIUM	REAL	TR1	229000	UG/L		V	92.5	10		YES	Plume Extent
3586	4/25/02	GW08216RG	CHROMIUM	REAL	TR1	0.45	UG/L	B	UJ	0.12	1	100	YES	Plume Extent
3586	4/25/02	GW08216RG	COBALT	REAL	TR1	0.59	UG/L	B	UJ	0.18	1	2190	YES	Plume Extent
3586	4/25/02	GW08216RG	COPPER	REAL	TR1	0.64	UG/L	B	UJ	0.08	1	1300	YES	Plume Extent
3586	4/25/02	GW08216RG	IRON	REAL	TR1	1490	UG/L		V	3.6	1		YES	Plume Extent
3586	4/25/02	GW08216RG	LEAD	REAL	TR1	0.93	UG/L	B	UJ	0.42	1	15	YES	Plume Extent
3586	4/25/02	GW08216RG	LITHIUM	REAL	TR1	354	UG/L		J	0.02	1	730	YES	Plume Extent
3586	4/25/02	GW08216RG	MAGNESIUM	REAL	TR1	79100	UG/L		V	1.4	1		YES	Plume Extent
3586	4/25/02	GW08216RG	MANGANESE	REAL	TR1	107	UG/L		V	0.02	1	1720	YES	Plume Extent

161

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
3586	4/25/02	GW08216RG	MERCURY	REAL	TR1	0.1	UG/L	U	V	0.1	1	2	YES	Plume Extent
3586	4/25/02	GW08216RG	MOLYBDENUM	REAL	TR1	11.4	UG/L	B	V	0.28	1	183	YES	Plume Extent
3586	4/25/02	GW08216RG	NICKEL	REAL	TR1	1.9	UG/L	B	J	0.22	1	140	YES	Plume Extent
3586	4/25/02	GW08216RG	POTASSIUM	REAL	TR1	12600	UG/L		V	78.2	1		YES	Plume Extent
3586	4/25/02	GW08216RG	SELENIUM	REAL	TR1	0.88	UG/L	U	V	0.88	1	50	YES	Plume Extent
3586	4/25/02	GW08216RG	SILVER	REAL	TR1	0.12	UG/L	U	J	0.12	1	183	YES	Plume Extent
3586	4/25/02	GW08216RG	SODIUM	REAL	TR1	209000	UG/L		V	51	10		YES	Plume Extent
3586	4/25/02	GW08216RG	STRONTIUM	REAL	TR1	2970	UG/L		V	0.02	1	21900	YES	Plume Extent
3586	4/25/02	GW08216RG	THALLIUM	REAL	TR1	1.1	UG/L	B	UJ	0.78	1	2	YES	Plume Extent
3586	4/25/02	GW08216RG	TIN	REAL	TR1	0.78	UG/L	U	V	0.78	1	21900	YES	Plume Extent
3586	4/25/02	GW08216RG	URANIUM, TOTAL	REAL	TR1	2.8	UG/L	U	J	2.8	1		YES	Plume Extent
3586	4/25/02	GW08216RG	VANADIUM	REAL	TR1	0.57	UG/L	B	UJ	0.18	1	256	YES	Plume Extent
3586	4/25/02	GW08216RG	ZINC	REAL	TR1	7.3	UG/L	B	V	0.1	1	11000	YES	Plume Extent
3687	5/22/02	GW08193RG	ALUMINUM	REAL	TR1	26.3	UG/L		UJ1	2	1	36500	NO	Perf Monitoring
3687	5/22/02	GW08193RG	ANTIMONY	REAL	TR1	0.55	UG/L	U	V1	0.55	1	6	NO	Perf Monitoring
3687	5/22/02	GW08193RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V1	0.62	1	50	NO	Perf Monitoring
3687	5/22/02	GW08193RG	BARIUM	REAL	TR1	258	UG/L		V1	0.02	1	2000	NO	Perf Monitoring
3687	5/22/02	GW08193RG	BERYLLIUM	REAL	TR1	0.05	UG/L	B	UJ1	0.02	1	4	NO	Perf Monitoring
3687	5/22/02	GW08193RG	CADMIUM	REAL	TR1	0.08	UG/L	U	V1	0.08	1	5	NO	Perf Monitoring
3687	5/22/02	GW08193RG	CALCIUM	REAL	TR1	160000	UG/L		V1	46.2	5		NO	Perf Monitoring
3687	5/22/02	GW08193RG	CHROMIUM	REAL	TR1	18.7	UG/L		V1	0.12	1	100	NO	Perf Monitoring
3687	5/22/02	GW08193RG	COBALT	REAL	TR1	0.71	UG/L	B	V1	0.18	1	2190	NO	Perf Monitoring
3687	5/22/02	GW08193RG	COPPER	REAL	TR1	0.5	UG/L	B	J1	0.08	1	1300	NO	Perf Monitoring
3687	5/22/02	GW08193RG	IRON	REAL	TR1	241	UG/L		V1	3.6	1		NO	Perf Monitoring
3687	5/22/02	GW08193RG	LEAD	REAL	TR1	0.42	UG/L	U	J1	0.42	1	15	NO	Perf Monitoring
3687	5/22/02	GW08193RG	LITHIUM	REAL	TR1	7.8	UG/L	B	J1	0.02	1	730	NO	Perf Monitoring
3687	5/22/02	GW08193RG	MAGNESIUM	REAL	TR1	11700	UG/L		V1	4.8	1		NO	Perf Monitoring
3687	5/22/02	GW08193RG	MANGANESE	REAL	TR1	17.2	UG/L		V1	0.02	1	1720	NO	Perf Monitoring
3687	5/22/02	GW08193RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	NO	Perf Monitoring
3687	5/22/02	GW08193RG	MOLYBDENUM	REAL	TR1	1	UG/L	B	V1	0.28	1	183	NO	Perf Monitoring
3687	5/22/02	GW08193RG	NICKEL	REAL	TR1	32.5	UG/L		V1	0.22	1	140	NO	Perf Monitoring
3687	5/22/02	GW08193RG	POTASSIUM	REAL	TR1	1200	UG/L	B	J1	5.1	1		NO	Perf Monitoring
3687	5/22/02	GW08193RG	SELENIUM	REAL	TR1	0.97	UG/L	B	J1	0.88	1	50	NO	Perf Monitoring
3687	5/22/02	GW08193RG	SILVER	REAL	TR1	0.12	UG/L	U	V1	0.12	1	183	NO	Perf Monitoring
3687	5/22/02	GW08193RG	SODIUM	REAL	TR1	14000	UG/L		V1	5.1	1		NO	Perf Monitoring
3687	5/22/02	GW08193RG	STRONTIUM	REAL	TR1	433	UG/L		V1	0.02	1	21900	NO	Perf Monitoring
3687	5/22/02	GW08193RG	THALLIUM	REAL	TR1	0.78	UG/L	U	J1	0.78	1	2	NO	Perf Monitoring
3687	5/22/02	GW08193RG	TIN	REAL	TR1	0.78	UG/L	U	V1	0.78	1	21900	NO	Perf Monitoring
3687	5/22/02	GW08193RG	URANIUM, TOTAL	REAL	TR1	2.8	UG/L	U	V1	2.8	1		NO	Perf Monitoring
3687	5/22/02	GW08193RG	VANADIUM	REAL	TR1	0.76	UG/L	B	V1	0.18	1	256	NO	Perf Monitoring
3687	5/22/02	GW08193RG	ZINC	REAL	TR1	2.4	UG/L	B	UJ1	0.1	1	11000	NO	Perf Monitoring
37791	4/16/02	GW08103RG	ALUMINUM	REAL	TR1	30.8	UG/L		J1	2	1	36500	YES	D&D Bldg 881
37791	4/16/02	GW08103RG	ANTIMONY	REAL	TR1	0.55	UG/L	U	V1	0.55	1	6	YES	D&D Bldg 881
37791	4/16/02	GW08103RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V1	0.62	1	50	YES	D&D Bldg 881
37791	4/16/02	GW08103RG	BARIUM	REAL	TR1	207	UG/L		V1	0.02	1	2000	YES	D&D Bldg 881
37791	4/16/02	GW08103RG	BERYLLIUM	REAL	TR1	0.03	UG/L	B	V1	0.02	1	4	YES	D&D Bldg 881
37791	4/16/02	GW08103RG	CADMIUM	REAL	TR1	0.25	UG/L	B	V1	0.08	1	5	YES	D&D Bldg 881
37791	4/16/02	GW08103RG	CALCIUM	REAL	TR1	91600	UG/L		V1	25.5	5		YES	D&D Bldg 881
37791	4/16/02	GW08103RG	CHROMIUM	REAL	TR1	0.25	UG/L	B	V1	0.12	1	100	YES	D&D Bldg 881
37791	4/16/02	GW08103RG	COBALT	REAL	TR1	0.18	UG/L	U	V1	0.18	1	2190	YES	D&D Bldg 881
37791	4/16/02	GW08103RG	COPPER	REAL	TR1	1.4	UG/L	B	V1	0.08	1	1300	YES	D&D Bldg 881
37791	4/16/02	GW08103RG	IRON	REAL	TR1	9.7	UG/L	B	UJ1	3.6	1		YES	D&D Bldg 881
37791	4/16/02	GW08103RG	LEAD	REAL	TR1	0.42	UG/L	U	V1	0.42	1	15	YES	D&D Bldg 881
37791	4/16/02	GW08103RG	LITHIUM	REAL	TR1	29.8	UG/L	B	J1	0.02	1	730	YES	D&D Bldg 881
37791	4/16/02	GW08103RG	MAGNESIUM	REAL	TR1	60700	UG/L		V1	1.4	1		YES	D&D Bldg 881
37791	4/16/02	GW08103RG	MANGANESE	REAL	TR1	0.02	UG/L	U	V1	0.02	1	1720	YES	D&D Bldg 881
37791	4/16/02	GW08103RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	D&D Bldg 881

162

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
37791	4/16/02	GW08103RG	MOLYBDENUM	REAL	TR1	6.3	UG/L	B	V1	0.28	1	183	YES	D&D Bldg 881
37791	4/16/02	GW08103RG	NICKEL	REAL	TR1	0.99	UG/L	B	V1	0.22	1	140	YES	D&D Bldg 881
37791	4/16/02	GW08103RG	POTASSIUM	REAL	TR1	4570	UG/L	B	V1	391	5		YES	D&D Bldg 881
37791	4/16/02	GW08103RG	SELENIUM	REAL	TR1	2.1	UG/L	B	V1	0.88	1	50	YES	D&D Bldg 881
37791	4/16/02	GW08103RG	SILVER	REAL	TR1	0.12	UG/L	U	V1	0.12	1	183	YES	D&D Bldg 881
37791	4/16/02	GW08103RG	SODIUM	REAL	TR1	119000	UG/L		V1	25.5	5		YES	D&D Bldg 881
37791	4/16/02	GW08103RG	STRONTIUM	REAL	TR1	1290	UG/L		V1	0.02	1	21900	YES	D&D Bldg 881
37791	4/16/02	GW08103RG	THALLIUM	REAL	TR1	1.4	UG/L	B	UJ1	0.78	1	2	YES	D&D Bldg 881
37791	4/16/02	GW08103RG	TIN	REAL	TR1	0.78	UG/L	U	V1	0.78	1	21900	YES	D&D Bldg 881
37791	4/16/02	GW08103RG	URANIUM, TOTAL	REAL	TR1	26.9	UG/L	B	V1	2.8	1		YES	D&D Bldg 881
37791	4/16/02	GW08103RG	VANADIUM	REAL	TR1	0.18	UG/L	B	V1	0.18	1	256	YES	D&D Bldg 881
37791	4/16/02	GW08103RG	ZINC	REAL	TR1	1.7	UG/L	B	UJ1	0.1	1	11000	YES	D&D Bldg 881
4087	4/22/02	GW08227RG	ALUMINUM	REAL	TR1	23.8	UG/L		J1	2	1	36500	YES	RCRA
4087	4/22/02	GW08227RG	ANTIMONY	REAL	TR1	0.7	UG/L	B	V1	0.55	1	6	YES	RCRA
4087	4/22/02	GW08227RG	ARSENIC	REAL	TR1	1.4	UG/L	B	V1	0.62	1	50	YES	RCRA
4087	4/22/02	GW08227RG	BARIUM	REAL	TR1	15.4	UG/L	B	V1	0.02	1	2000	YES	RCRA
4087	4/22/02	GW08227RG	BERYLLIUM	REAL	TR1	0.02	UG/L	U	V1	0.02	1	4	YES	RCRA
4087	4/22/02	GW08227RG	CADMIUM	REAL	TR1	0.19	UG/L	B	V1	0.08	1	5	YES	RCRA
4087	4/22/02	GW08227RG	CALCIUM	REAL	TR1	59100	UG/L		V1	25.5	5		YES	RCRA
4087	4/22/02	GW08227RG	CHROMIUM	REAL	TR1	31	UG/L		V1	0.12	1	100	YES	RCRA
4087	4/22/02	GW08227RG	COBALT	REAL	TR1	0.18	UG/L	U	V1	0.18	1	2190	YES	RCRA
4087	4/22/02	GW08227RG	COPPER	REAL	TR1	2.6	UG/L	B	V1	0.08	1	1300	YES	RCRA
4087	4/22/02	GW08227RG	IRON	REAL	TR1	26.8	UG/L	B	J1	3.6	1		YES	RCRA
4087	4/22/02	GW08227RG	LEAD	REAL	TR1	0.42	UG/L	U	V1	0.42	1	15	YES	RCRA
4087	4/22/02	GW08227RG	LITHIUM	REAL	TR1	129	UG/L		J1	0.02	1	730	YES	RCRA
4087	4/22/02	GW08227RG	MAGNESIUM	REAL	TR1	22200	UG/L		V1	1.4	1		YES	RCRA
4087	4/22/02	GW08227RG	MANGANESE	REAL	TR1	0.74	UG/L	B	UJ1	0.02	1	1720	YES	RCRA
4087	4/22/02	GW08227RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	RCRA
4087	4/22/02	GW08227RG	MOLYBDENUM	REAL	TR1	6.4	UG/L	B	V1	0.28	1	183	YES	RCRA
4087	4/22/02	GW08227RG	NICKEL	REAL	TR1	4	UG/L	B	V1	0.22	1	140	YES	RCRA
4087	4/22/02	GW08227RG	POTASSIUM	REAL	TR1	988	UG/L	B	V1	391	5		YES	RCRA
4087	4/22/02	GW08227RG	SELENIUM	REAL	TR1	15.8	UG/L		V1	0.88	1	50	YES	RCRA
4087	4/22/02	GW08227RG	SILVER	REAL	TR1	0.12	UG/L	U	V1	0.12	1	183	YES	RCRA
4087	4/22/02	GW08227RG	SODIUM	REAL	TR1	196000	UG/L		V1	25.5	5		YES	RCRA
4087	4/22/02	GW08227RG	STRONTIUM	REAL	TR1	608	UG/L		V1	0.02	1	21900	YES	RCRA
4087	4/22/02	GW08227RG	THALLIUM	REAL	TR1	1.9	UG/L	B	UJ1	0.78	1	2	YES	RCRA
4087	4/22/02	GW08227RG	TIN	REAL	TR1	0.78	UG/L	U	V1	0.78	1	21900	YES	RCRA
4087	4/22/02	GW08227RG	URANIUM, TOTAL	REAL	TR1	21.7	UG/L	B	V1	2.8	1		YES	RCRA
4087	4/22/02	GW08227RG	VANADIUM	REAL	TR1	0.6	UG/L	B	V1	0.18	1	256	YES	RCRA
4087	4/22/02	GW08227RG	ZINC	REAL	TR1	13.7	UG/L	B	J1	0.1	1	11000	YES	RCRA
55901	4/23/02	GW08258RG	ALUMINUM	REAL	TR1	29.7	UG/L		UJ1	2	1	36500	YES	D&D Bldg 559
55901	4/23/02	GW08258RG	ANTIMONY	REAL	TR1	0.55	UG/L	U	V1	0.55	1	6	YES	D&D Bldg 559
55901	4/23/02	GW08258RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V1	0.62	1	50	YES	D&D Bldg 559
55901	4/23/02	GW08258RG	BARIUM	REAL	TR1	62.1	UG/L	B	V1	0.02	1	2000	YES	D&D Bldg 559
55901	4/23/02	GW08258RG	BERYLLIUM	REAL	TR1	0.07	UG/L	B	J1	0.02	1	4	YES	D&D Bldg 559
55901	4/23/02	GW08258RG	CADMIUM	REAL	TR1	0.68	UG/L	B	V1	0.08	1	5	YES	D&D Bldg 559
55901	4/23/02	GW08258RG	CALCIUM	REAL	TR1	204000	UG/L		V1	92.5	10		YES	D&D Bldg 559
55901	4/23/02	GW08258RG	CHROMIUM	REAL	TR1	0.12	UG/L	U	V1	0.12	1	100	YES	D&D Bldg 559
55901	4/23/02	GW08258RG	COBALT	REAL	TR1	1.5	UG/L	B	V1	0.18	1	2190	YES	D&D Bldg 559
55901	4/23/02	GW08258RG	COPPER	REAL	TR1	1.1	UG/L	B	V1	0.08	1	1300	YES	D&D Bldg 559
55901	4/23/02	GW08258RG	IRON	REAL	TR1	3.6	UG/L	U	V1	3.6	1		YES	D&D Bldg 559
55901	4/23/02	GW08258RG	LEAD	REAL	TR1	0.42	UG/L	U	J1	0.42	1	15	YES	D&D Bldg 559
55901	4/23/02	GW08258RG	LITHIUM	REAL	TR1	30.4	UG/L	B	J1	0.02	1	730	YES	D&D Bldg 559
55901	4/23/02	GW08258RG	MAGNESIUM	REAL	TR1	29500	UG/L		V1	4.8	1		YES	D&D Bldg 559
55901	4/23/02	GW08258RG	MANGANESE	REAL	TR1	347	UG/L		V1	0.02	1	1720	YES	D&D Bldg 559
55901	4/23/02	GW08258RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	D&D Bldg 559
55901	4/23/02	GW08258RG	MOLYBDENUM	REAL	TR1	11.6	UG/L	B	V1	0.28	1	183	YES	D&D Bldg 559

163

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
55901	4/23/02	GW08258RG	NICKEL	REAL	TR1	8.9	UG/L	B	V1	0.22	1	140	YES	D&D Bldg 559
55901	4/23/02	GW08258RG	POTASSIUM	REAL	TR1	5290	UG/L		J1	5.1	1		YES	D&D Bldg 559
55901	4/23/02	GW08258RG	SELENIUM	REAL	TR1	1.8	UG/L	B	UJ1	0.88	1	50	YES	D&D Bldg 559
55901	4/23/02	GW08258RG	SILVER	REAL	TR1	0.12	UG/L	U	V1	0.12	1	183	YES	D&D Bldg 559
55901	4/23/02	GW08258RG	SODIUM	REAL	TR1	207000	UG/L		V1	51	10		YES	D&D Bldg 559
55901	4/23/02	GW08258RG	STRONTIUM	REAL	TR1	873	UG/L		V1	0.02	1	21900	YES	D&D Bldg 559
55901	4/23/02	GW08258RG	THALLIUM	REAL	TR1	0.78	UG/L	U	V1	0.78	1	2	YES	D&D Bldg 559
55901	4/23/02	GW08258RG	TIN	REAL	TR1	0.78	UG/L	U	J1	0.78	1	21900	YES	D&D Bldg 559
55901	4/23/02	GW08258RG	URANIUM, TOTAL	REAL	TR1	15.3	UG/L	B	V1	2.8	1		YES	D&D Bldg 559
55901	4/23/02	GW08258RG	VANADIUM	REAL	TR1	0.18	UG/L	U	V1	0.18	1	256	YES	D&D Bldg 559
55901	4/23/02	GW08258RG	ZINC	REAL	TR1	26.3	UG/L		V1	0.1	1	11000	YES	D&D Bldg 559
56001	4/23/02	GW08259RG	ALUMINUM	REAL	TR1	29.4	UG/L		UJ1	2	1	36500	YES	D&D Bldg 559
56001	4/23/02	GW08259RG	ANTIMONY	REAL	TR1	0.85	UG/L	B	V1	0.55	1	6	YES	D&D Bldg 559
56001	4/23/02	GW08259RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V1	0.62	1	50	YES	D&D Bldg 559
56001	4/23/02	GW08259RG	BARIUM	REAL	TR1	131	UG/L		V1	0.02	1	2000	YES	D&D Bldg 559
56001	4/23/02	GW08259RG	BERYLLIUM	REAL	TR1	0.06	UG/L	B	J1	0.02	1	4	YES	D&D Bldg 559
56001	4/23/02	GW08259RG	CADMIUM	REAL	TR1	0.43	UG/L	B	V1	0.08	1	5	YES	D&D Bldg 559
56001	4/23/02	GW08259RG	CALCIUM	REAL	TR1	79100	UG/L		V1	9.2	1		YES	D&D Bldg 559
56001	4/23/02	GW08259RG	CHROMIUM	REAL	TR1	0.26	UG/L	B	UJ1	0.12	1	100	YES	D&D Bldg 559
56001	4/23/02	GW08259RG	COBALT	REAL	TR1	0.31	UG/L	B	V1	0.18	1	2190	YES	D&D Bldg 559
56001	4/23/02	GW08259RG	COPPER	REAL	TR1	1.5	UG/L	B	V1	0.08	1	1300	YES	D&D Bldg 559
56001	4/23/02	GW08259RG	IRON	REAL	TR1	23.6	UG/L	B	V1	3.6	1		YES	D&D Bldg 559
56001	4/23/02	GW08259RG	LEAD	REAL	TR1	0.42	UG/L	U	J1	0.42	1	15	YES	D&D Bldg 559
56001	4/23/02	GW08259RG	LITHIUM	REAL	TR1	59	UG/L	B	J1	0.02	1	730	YES	D&D Bldg 559
56001	4/23/02	GW08259RG	MAGNESIUM	REAL	TR1	17500	UG/L		V1	4.8	1		YES	D&D Bldg 559
56001	4/23/02	GW08259RG	MANGANESE	REAL	TR1	59.2	UG/L		V1	0.02	1	1720	YES	D&D Bldg 559
56001	4/23/02	GW08259RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	D&D Bldg 559
56001	4/23/02	GW08259RG	MOLYBDENUM	REAL	TR1	5	UG/L	B	V1	0.28	1	183	YES	D&D Bldg 559
56001	4/23/02	GW08259RG	NICKEL	REAL	TR1	2.9	UG/L	B	V1	0.22	1	140	YES	D&D Bldg 559
56001	4/23/02	GW08259RG	POTASSIUM	REAL	TR1	2230	UG/L	B	J1	5.1	1		YES	D&D Bldg 559
56001	4/23/02	GW08259RG	SELENIUM	REAL	TR1	2.6	UG/L	B	UJ1	0.88	1	50	YES	D&D Bldg 559
56001	4/23/02	GW08259RG	SILVER	REAL	TR1	0.12	UG/L	U	V1	0.12	1	183	YES	D&D Bldg 559
56001	4/23/02	GW08259RG	SODIUM	REAL	TR1	35700	UG/L	B	V1	5.1	10		YES	D&D Bldg 559
56001	4/23/02	GW08259RG	STRONTIUM	REAL	TR1	496	UG/L		V1	0.02	1	21900	YES	D&D Bldg 559
56001	4/23/02	GW08259RG	THALLIUM	REAL	TR1	0.78	UG/L	U	V1	0.78	1	2	YES	D&D Bldg 559
56001	4/23/02	GW08259RG	TIN	REAL	TR1	0.78	UG/L	U	J1	0.78	1	21900	YES	D&D Bldg 559
56001	4/23/02	GW08259RG	URANIUM, TOTAL	REAL	TR1	2.8	UG/L	U	V1	2.8	1		YES	D&D Bldg 559
56001	4/23/02	GW08259RG	VANADIUM	REAL	TR1	0.78	UG/L	B	UJ1	0.18	1	256	YES	D&D Bldg 559
56001	4/23/02	GW08259RG	ZINC	REAL	TR1	8.3	UG/L	B	UJ1	0.1	1	11000	YES	D&D Bldg 559
56201	5/7/02	GW08261RG	ALUMINUM	REAL	TR1	4	UG/L	U	J1	4	2	36500	YES	D&D Bldg 559
56201	5/7/02	GW08261RG	ANTIMONY	REAL	TR1	1.2	UG/L	B	UJ1	1.1	2	6	YES	D&D Bldg 559
56201	5/7/02	GW08261RG	ARSENIC	REAL	TR1	2.3	UG/L	B	V1	1.2	2	50	YES	D&D Bldg 559
56201	5/7/02	GW08261RG	BARIUM	REAL	TR1	17.6	UG/L	B	V1	0.05	2	2000	YES	D&D Bldg 559
56201	5/7/02	GW08261RG	BERYLLIUM	REAL	TR1	0.05	UG/L	U	V1	0.05	2	4	YES	D&D Bldg 559
56201	5/7/02	GW08261RG	CADMIUM	REAL	TR1	0.89	UG/L	B	V1	0.15	2	5	YES	D&D Bldg 559
56201	5/7/02	GW08261RG	CALCIUM	REAL	TR1	539000	UG/L		V1	46.2	5		YES	D&D Bldg 559
56201	5/7/02	GW08261RG	CHROMIUM	REAL	TR1	1.1	UG/L	B	UJ1	0.25	2	100	YES	D&D Bldg 559
56201	5/7/02	GW08261RG	COBALT	REAL	TR1	9.6	UG/L	B	V1	0.35	2	2190	YES	D&D Bldg 559
56201	5/7/02	GW08261RG	COPPER	REAL	TR1	1.8	UG/L	B	V1	0.15	2	1300	YES	D&D Bldg 559
56201	5/7/02	GW08261RG	IRON	REAL	TR1	7.2	UG/L	U	V1	7.2	2		YES	D&D Bldg 559
56201	5/7/02	GW08261RG	LEAD	REAL	TR1	0.85	UG/L	U	J1	0.85	2	15	YES	D&D Bldg 559
56201	5/7/02	GW08261RG	LITHIUM	REAL	TR1	45.8	UG/L	B	J1	0.05	2	730	YES	D&D Bldg 559
56201	5/7/02	GW08261RG	MAGNESIUM	REAL	TR1	80700	UG/L		V1	9.5	2		YES	D&D Bldg 559
56201	5/7/02	GW08261RG	MANGANESE	REAL	TR1	1430	UG/L		V1	0.05	2	1720	YES	D&D Bldg 559
56201	5/7/02	GW08261RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	D&D Bldg 559
56201	5/7/02	GW08261RG	MOLYBDENUM	REAL	TR1	17.9	UG/L	B	V1	0.55	2	183	YES	D&D Bldg 559
56201	5/7/02	GW08261RG	NICKEL	REAL	TR1	27.5	UG/L	B	V1	0.45	2	140	YES	D&D Bldg 559

164

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
56201	5/7/02	GW08261RG	POTASSIUM	REAL	TR1	7080	UG/L	B	J1	10.2	2		YES	D&D Bldg 559
56201	5/7/02	GW08261RG	SELENIUM	REAL	TR1	3.2	UG/L	B	J1	1.8	2	50	YES	D&D Bldg 559
56201	5/7/02	GW08261RG	SILVER	REAL	TR1	0.55	UG/L	B	UJ1	0.25	2	183	YES	D&D Bldg 559
56201	5/7/02	GW08261RG	SODIUM	REAL	TR1	521000	UG/L		V1	25.5	5		YES	D&D Bldg 559
56201	5/7/02	GW08261RG	STRONTIUM	REAL	TR1	2450	UG/L		V1	0.05	2	21900	YES	D&D Bldg 559
56201	5/7/02	GW08261RG	THALLIUM	REAL	TR1	1.6	UG/L	U	J1	1.6	2	2	YES	D&D Bldg 559
56201	5/7/02	GW08261RG	TIN	REAL	TR1	1.6	UG/L	U	V1	1.6	2	21900	YES	D&D Bldg 559
56201	5/7/02	GW08261RG	URANIUM, TOTAL	REAL	TR1	5.6	UG/L	U	V1	5.6	2		YES	D&D Bldg 559
56201	5/7/02	GW08261RG	VANADIUM	REAL	TR1	0.35	UG/L	U	V1	0.35	2	256	YES	D&D Bldg 559
56201	5/7/02	GW08261RG	ZINC	REAL	TR1	31.7	UG/L	B	UJ1	0.2	2	11000	YES	D&D Bldg 559
56201	5/7/02	GW08262RG	ALUMINUM	DUP	TR1	4	UG/L	U	J1	4	2	36500	YES	D&D Bldg 559
56201	5/7/02	GW08262RG	ANTIMONY	DUP	TR1	1.1	UG/L	U	V1	1.1	2	6	YES	D&D Bldg 559
56201	5/7/02	GW08262RG	ARSENIC	DUP	TR1	1.2	UG/L	U	V1	1.2	2	50	YES	D&D Bldg 559
56201	5/7/02	GW08262RG	BARIUM	DUP	TR1	17.3	UG/L	B	V1	0.05	2	2000	YES	D&D Bldg 559
56201	5/7/02	GW08262RG	BERYLLIUM	DUP	TR1	0.05	UG/L	U	V1	0.05	2	4	YES	D&D Bldg 559
56201	5/7/02	GW08262RG	CADMIUM	DUP	TR1	0.84	UG/L	B	V1	0.15	2	5	YES	D&D Bldg 559
56201	5/7/02	GW08262RG	CALCIUM	DUP	TR1	523000	UG/L		V1	92.5	10		YES	D&D Bldg 559
56201	5/7/02	GW08262RG	CHROMIUM	DUP	TR1	0.51	UG/L	B	UJ1	0.25	2	100	YES	D&D Bldg 559
56201	5/7/02	GW08262RG	COBALT	DUP	TR1	10.7	UG/L	B	V1	0.35	2	2190	YES	D&D Bldg 559
56201	5/7/02	GW08262RG	COPPER	DUP	TR1	1	UG/L	B	J1	0.15	2	1300	YES	D&D Bldg 559
56201	5/7/02	GW08262RG	IRON	DUP	TR1	7.2	UG/L	U	V1	7.2	2		YES	D&D Bldg 559
56201	5/7/02	GW08262RG	LEAD	DUP	TR1	0.85	UG/L	U	J1	0.85	2	15	YES	D&D Bldg 559
56201	5/7/02	GW08262RG	LITHIUM	DUP	TR1	40.6	UG/L	B	J1	0.05	2	730	YES	D&D Bldg 559
56201	5/7/02	GW08262RG	MAGNESIUM	DUP	TR1	74600	UG/L		V1	9.5	2		YES	D&D Bldg 559
56201	5/7/02	GW08262RG	MANGANESE	DUP	TR1	1600	UG/L		V1	0.05	2	1720	YES	D&D Bldg 559
56201	5/7/02	GW08262RG	MERCURY	DUP	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	D&D Bldg 559
56201	5/7/02	GW08262RG	MOLYBDENUM	DUP	TR1	20.2	UG/L	B	V1	0.55	2	183	YES	D&D Bldg 559
56201	5/7/02	GW08262RG	NICKEL	DUP	TR1	31.1	UG/L	B	V1	0.45	2	140	YES	D&D Bldg 559
56201	5/7/02	GW08262RG	POTASSIUM	DUP	TR1	6630	UG/L	B	J1	10.2	2		YES	D&D Bldg 559
56201	5/7/02	GW08262RG	SELENIUM	DUP	TR1	2.6	UG/L	B	J1	1.8	2	50	YES	D&D Bldg 559
56201	5/7/02	GW08262RG	SILVER	DUP	TR1	0.25	UG/L	U	V1	0.25	2	183	YES	D&D Bldg 559
56201	5/7/02	GW08262RG	SODIUM	DUP	TR1	568000	UG/L		V1	51	10		YES	D&D Bldg 559
56201	5/7/02	GW08262RG	STRONTIUM	DUP	TR1	2180	UG/L		V1	0.05	2	21900	YES	D&D Bldg 559
56201	5/7/02	GW08262RG	THALLIUM	DUP	TR1	1.6	UG/L	U	J1	1.6	2	2	YES	D&D Bldg 559
56201	5/7/02	GW08262RG	TIN	DUP	TR1	1.6	UG/L	U	V1	1.6	2	21900	YES	D&D Bldg 559
56201	5/7/02	GW08262RG	URANIUM, TOTAL	DUP	TR1	5.6	UG/L	U	V1	5.6	2		YES	D&D Bldg 559
56201	5/7/02	GW08262RG	VANADIUM	DUP	TR1	0.35	UG/L	U	V1	0.35	2	256	YES	D&D Bldg 559
56201	5/7/02	GW08262RG	ZINC	DUP	TR1	30.7	UG/L	B	UJ1	0.2	2	11000	YES	D&D Bldg 559
56201	5/7/02	GW08263RG	ALUMINUM	RNS	TR1	17.9	UG/L		UJ1	2	1	36500	YES	D&D Bldg 559
56201	5/7/02	GW08263RG	ANTIMONY	RNS	TR1	0.55	UG/L	U	V1	0.55	1	6	YES	D&D Bldg 559
56201	5/7/02	GW08263RG	ARSENIC	RNS	TR1	0.62	UG/L	U	V1	0.62	1	50	YES	D&D Bldg 559
56201	5/7/02	GW08263RG	BARIUM	RNS	TR1	0.38	UG/L	B	V1	0.02	1	2000	YES	D&D Bldg 559
56201	5/7/02	GW08263RG	BERYLLIUM	RNS	TR1	0.03	UG/L	B	UJ1	0.02	1	4	YES	D&D Bldg 559
56201	5/7/02	GW08263RG	CADMIUM	RNS	TR1	0.08	UG/L	U	V1	0.08	1	5	YES	D&D Bldg 559
56201	5/7/02	GW08263RG	CALCIUM	RNS	TR1	83.4	UG/L	B	V1	9.2	1		YES	D&D Bldg 559
56201	5/7/02	GW08263RG	CHROMIUM	RNS	TR1	1.2	UG/L	B	UJ1	0.12	1	100	YES	D&D Bldg 559
56201	5/7/02	GW08263RG	COBALT	RNS	TR1	0.18	UG/L	U	V1	0.18	1	2190	YES	D&D Bldg 559
56201	5/7/02	GW08263RG	COPPER	RNS	TR1	0.27	UG/L	B	J1	0.08	1	1300	YES	D&D Bldg 559
56201	5/7/02	GW08263RG	IRON	RNS	TR1	12.9	UG/L	B	V1	3.6	1		YES	D&D Bldg 559
56201	5/7/02	GW08263RG	LEAD	RNS	TR1	0.42	UG/L	U	J1	0.42	1	15	YES	D&D Bldg 559
56201	5/7/02	GW08263RG	LITHIUM	RNS	TR1	0.09	UG/L	B	J1	0.02	1	730	YES	D&D Bldg 559
56201	5/7/02	GW08263RG	MAGNESIUM	RNS	TR1	19.4	UG/L	B	V1	4.8	1		YES	D&D Bldg 559
56201	5/7/02	GW08263RG	MANGANESE	RNS	TR1	0.42	UG/L	B	V1	0.02	1	1720	YES	D&D Bldg 559
56201	5/7/02	GW08263RG	MERCURY	RNS	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	D&D Bldg 559
56201	5/7/02	GW08263RG	MOLYBDENUM	RNS	TR1	0.28	UG/L	U	V1	0.28	1	183	YES	D&D Bldg 559
56201	5/7/02	GW08263RG	NICKEL	RNS	TR1	0.92	UG/L	B	V1	0.22	1	140	YES	D&D Bldg 559
56201	5/7/02	GW08263RG	POTASSIUM	RNS	TR1	22.1	UG/L	B	J1	5.1	1		YES	D&D Bldg 559

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
56201	5/7/02	GW08263RG	SELENIUM	RNS	TR1	0.88	UG/L	U	V1	0.88	1	50	YES	D&D Bldg 559
56201	5/7/02	GW08263RG	SILVER	RNS	TR1	0.12	UG/L	U	V1	0.12	1	183	YES	D&D Bldg 559
56201	5/7/02	GW08263RG	SODIUM	RNS	TR1	69.7	UG/L	B	V1	5.1	1		YES	D&D Bldg 559
56201	5/7/02	GW08263RG	STRONTIUM	RNS	TR1	0.44	UG/L	B	V1	0.02	1	21900	YES	D&D Bldg 559
56201	5/7/02	GW08263RG	THALLIUM	RNS	TR1	0.78	UG/L	U	J1	0.78	1	2	YES	D&D Bldg 559
56201	5/7/02	GW08263RG	TIN	RNS	TR1	0.88	UG/L	B	UJ1	0.78	1	21900	YES	D&D Bldg 559
56201	5/7/02	GW08263RG	URANIUM, TOTAL	RNS	TR1	2.8	UG/L	U	V1	2.8	1		YES	D&D Bldg 559
56201	5/7/02	GW08263RG	VANADIUM	RNS	TR1	0.18	UG/L	U	V1	0.18	1	256	YES	D&D Bldg 559
56201	5/7/02	GW08263RG	ZINC	RNS	TR1	6.5	UG/L	B	UJ1	0.1	1	11000	YES	D&D Bldg 559
56301	5/7/02	GW08264RG	ALUMINUM	REAL	TR1	40	UG/L		V1	2	1	36500	YES	D&D Bldg 559
56301	5/7/02	GW08264RG	ANTIMONY	REAL	TR1	0.55	UG/L	U	V1	0.55	1	6	YES	D&D Bldg 559
56301	5/7/02	GW08264RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V1	0.62	1	50	YES	D&D Bldg 559
56301	5/7/02	GW08264RG	BARIUM	REAL	TR1	53	UG/L	B	V1	0.02	1	2000	YES	D&D Bldg 559
56301	5/7/02	GW08264RG	BERYLLIUM	REAL	TR1	0.05	UG/L	B	J1	0.02	1	4	YES	D&D Bldg 559
56301	5/7/02	GW08264RG	CADMIUM	REAL	TR1	0.39	UG/L	B	V1	0.08	1	5	YES	D&D Bldg 559
56301	5/7/02	GW08264RG	CALCIUM	REAL	TR1	233000	UG/L		V1	9.2	10		YES	D&D Bldg 559
56301	5/7/02	GW08264RG	CHROMIUM	REAL	TR1	0.42	UG/L	B	UJ1	0.12	1	100	YES	D&D Bldg 559
56301	5/7/02	GW08264RG	COBALT	REAL	TR1	1.6	UG/L	B	V1	0.18	1	2190	YES	D&D Bldg 559
56301	5/7/02	GW08264RG	COPPER	REAL	TR1	2.7	UG/L	B	V1	0.08	1	1300	YES	D&D Bldg 559
56301	5/7/02	GW08264RG	IRON	REAL	TR1	47.8	UG/L	B	V1	3.6	1		YES	D&D Bldg 559
56301	5/7/02	GW08264RG	LEAD	REAL	TR1	0.42	UG/L	U	J1	0.42	1	15	YES	D&D Bldg 559
56301	5/7/02	GW08264RG	LITHIUM	REAL	TR1	21.3	UG/L	B	J1	0.02	1	730	YES	D&D Bldg 559
56301	5/7/02	GW08264RG	MAGNESIUM	REAL	TR1	37200	UG/L		V1	4.8	1		YES	D&D Bldg 559
56301	5/7/02	GW08264RG	MANGANESE	REAL	TR1	442	UG/L		V1	0.02	1	1720	YES	D&D Bldg 559
56301	5/7/02	GW08264RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	D&D Bldg 559
56301	5/7/02	GW08264RG	MOLYBDENUM	REAL	TR1	11.3	UG/L	B	V1	0.28	1	183	YES	D&D Bldg 559
56301	5/7/02	GW08264RG	NICKEL	REAL	TR1	10.8	UG/L	B	V1	0.22	1	140	YES	D&D Bldg 559
56301	5/7/02	GW08264RG	POTASSIUM	REAL	TR1	4150	UG/L	B	J1	5.1	1		YES	D&D Bldg 559
56301	5/7/02	GW08264RG	SELENIUM	REAL	TR1	2.2	UG/L	B	UJ1	0.88	1	50	YES	D&D Bldg 559
56301	5/7/02	GW08264RG	SILVER	REAL	TR1	0.12	UG/L	U	V1	0.12	1	183	YES	D&D Bldg 559
56301	5/7/02	GW08264RG	SODIUM	REAL	TR1	64500	UG/L		V1	5.1	10		YES	D&D Bldg 559
56301	5/7/02	GW08264RG	STRONTIUM	REAL	TR1	997	UG/L		V1	0.02	1	21900	YES	D&D Bldg 559
56301	5/7/02	GW08264RG	THALLIUM	REAL	TR1	0.78	UG/L	U	V1	0.78	1	2	YES	D&D Bldg 559
56301	5/7/02	GW08264RG	TIN	REAL	TR1	0.78	UG/L	U	J1	0.78	1	21900	YES	D&D Bldg 559
56301	5/7/02	GW08264RG	URANIUM, TOTAL	REAL	TR1	18.2	UG/L	B	V1	2.8	1		YES	D&D Bldg 559
56301	5/7/02	GW08264RG	VANADIUM	REAL	TR1	0.18	UG/L	U	V1	0.18	1	256	YES	D&D Bldg 559
56301	5/7/02	GW08264RG	ZINC	REAL	TR1	17.2	UG/L	B	V1	0.1	1	11000	YES	D&D Bldg 559
5887	5/20/02	GW08228RG	ALUMINUM	REAL	TR1	30.9	UG/L		UJ1	2	1	36500	NO	RCRA
5887	5/20/02	GW08228RG	ANTIMONY	REAL	TR1	0.55	UG/L	U	V1	0.55	1	6	NO	RCRA
5887	5/20/02	GW08228RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V1	0.62	1	50	NO	RCRA
5887	5/20/02	GW08228RG	BARIUM	REAL	TR1	65.6	UG/L	B	V1	0.02	1	2000	NO	RCRA
5887	5/20/02	GW08228RG	BERYLLIUM	REAL	TR1	0.06	UG/L	B	UJ1	0.02	1	4	NO	RCRA
5887	5/20/02	GW08228RG	CADMIUM	REAL	TR1	0.08	UG/L	U	V1	0.08	1	5	NO	RCRA
5887	5/20/02	GW08228RG	CALCIUM	REAL	TR1	23600	UG/L		V1	9.2	1		NO	RCRA
5887	5/20/02	GW08228RG	CHROMIUM	REAL	TR1	1.3	UG/L	B	UJ1	0.12	1	100	NO	RCRA
5887	5/20/02	GW08228RG	COBALT	REAL	TR1	0.18	UG/L	U	V1	0.18	1	2190	NO	RCRA
5887	5/20/02	GW08228RG	COPPER	REAL	TR1	2	UG/L	B	V1	0.08	1	1300	NO	RCRA
5887	5/20/02	GW08228RG	IRON	REAL	TR1	13.3	UG/L	B	V1	3.6	1		NO	RCRA
5887	5/20/02	GW08228RG	LEAD	REAL	TR1	0.42	UG/L	U	J1	0.42	1	15	NO	RCRA
5887	5/20/02	GW08228RG	LITHIUM	REAL	TR1	4.1	UG/L	B	J1	0.02	1	730	NO	RCRA
5887	5/20/02	GW08228RG	MAGNESIUM	REAL	TR1	4740	UG/L	B	V1	4.8	1		NO	RCRA
5887	5/20/02	GW08228RG	MANGANESE	REAL	TR1	1.9	UG/L	B	V1	0.02	1	1720	NO	RCRA
5887	5/20/02	GW08228RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	NO	RCRA
5887	5/20/02	GW08228RG	MOLYBDENUM	REAL	TR1	0.73	UG/L	B	V1	0.28	1	183	NO	RCRA
5887	5/20/02	GW08228RG	NICKEL	REAL	TR1	2.2	UG/L	B	V1	0.22	1	140	NO	RCRA
5887	5/20/02	GW08228RG	POTASSIUM	REAL	TR1	855	UG/L	B	J1	5.1	1		NO	RCRA
5887	5/20/02	GW08228RG	SELENIUM	REAL	TR1	0.88	UG/L	U	V1	0.88	1	50	NO	RCRA

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
5887	5/20/02	GW08228RG	SILVER	REAL	TR1	0.12	UG/L	U	V1	0.12	1	183	NO	RCRA
5887	5/20/02	GW08228RG	SODIUM	REAL	TR1	9710	UG/L		V1	5.1	1		NO	RCRA
5887	5/20/02	GW08228RG	STRONTIUM	REAL	TR1	135	UG/L	B	V1	0.02	1	21900	NO	RCRA
5887	5/20/02	GW08228RG	THALLIUM	REAL	TR1	0.78	UG/L	U	J1	0.78	1	2	NO	RCRA
5887	5/20/02	GW08228RG	TIN	REAL	TR1	0.78	UG/L	U	V1	0.78	1	21900	NO	RCRA
5887	5/20/02	GW08228RG	URANIUM, TOTAL	REAL	TR1	2.8	UG/L	U	V1	2.8	1		NO	RCRA
5887	5/20/02	GW08228RG	VANADIUM	REAL	TR1	0.18	UG/L	U	V1	0.18	1	256	NO	RCRA
5887	5/20/02	GW08228RG	ZINC	REAL	TR1	8.3	UG/L	B	UJ1	0.1	1	11000	NO	RCRA
60499	4/16/02	GW08269RG	ALUMINUM	REAL	TR1	19.3	UG/L		UJ1	2	1	36500	YES	D&D Bldg 707
60499	4/16/02	GW08269RG	ANTIMONY	REAL	TR1	0.55	UG/L	U	V1	0.55	1	6	YES	D&D Bldg 707
60499	4/16/02	GW08269RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V1	0.62	1	50	YES	D&D Bldg 707
60499	4/16/02	GW08269RG	BARIUM	REAL	TR1	73.9	UG/L	B	V1	0.02	1	2000	YES	D&D Bldg 707
60499	4/16/02	GW08269RG	BERYLLIUM	REAL	TR1	0.02	UG/L	U	J1	0.02	1	4	YES	D&D Bldg 707
60499	4/16/02	GW08269RG	CADMIUM	REAL	TR1	0.48	UG/L	B	V1	0.08	1	5	YES	D&D Bldg 707
60499	4/16/02	GW08269RG	CALCIUM	REAL	TR1	71900	UG/L		V1	9.2	1		YES	D&D Bldg 707
60499	4/16/02	GW08269RG	CHROMIUM	REAL	TR1	0.46	UG/L	B	UJ1	0.12	1	100	YES	D&D Bldg 707
60499	4/16/02	GW08269RG	COBALT	REAL	TR1	0.18	UG/L	U	V1	0.18	1	2190	YES	D&D Bldg 707
60499	4/16/02	GW08269RG	COPPER	REAL	TR1	0.59	UG/L	B	J1	0.08	1	1300	YES	D&D Bldg 707
60499	4/16/02	GW08269RG	IRON	REAL	TR1	5.6	UG/L	B	V1	3.6	1		YES	D&D Bldg 707
60499	4/16/02	GW08269RG	LEAD	REAL	TR1	0.42	UG/L	U	J1	0.42	1	15	YES	D&D Bldg 707
60499	4/16/02	GW08269RG	LITHIUM	REAL	TR1	25.2	UG/L	B	J1	0.02	1	730	YES	D&D Bldg 707
60499	4/16/02	GW08269RG	MAGNESIUM	REAL	TR1	19200	UG/L		V1	4.8	1		YES	D&D Bldg 707
60499	4/16/02	GW08269RG	MANGANESE	REAL	TR1	0.1	UG/L	B	UJ1	0.02	1	1720	YES	D&D Bldg 707
60499	4/16/02	GW08269RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	D&D Bldg 707
60499	4/16/02	GW08269RG	MOLYBDENUM	REAL	TR1	8.3	UG/L	B	V1	0.28	1	183	YES	D&D Bldg 707
60499	4/16/02	GW08269RG	NICKEL	REAL	TR1	0.39	UG/L	B	J1	0.22	1	140	YES	D&D Bldg 707
60499	4/16/02	GW08269RG	POTASSIUM	REAL	TR1	1320	UG/L	B	J1	5.1	1		YES	D&D Bldg 707
60499	4/16/02	GW08269RG	SELENIUM	REAL	TR1	2.1	UG/L	B	UJ1	0.88	1	50	YES	D&D Bldg 707
60499	4/16/02	GW08269RG	SILVER	REAL	TR1	0.12	UG/L	U	V1	0.12	1	183	YES	D&D Bldg 707
60499	4/16/02	GW08269RG	SODIUM	REAL	TR1	29400	UG/L	B	V1	5.1	10		YES	D&D Bldg 707
60499	4/16/02	GW08269RG	STRONTIUM	REAL	TR1	522	UG/L		V1	0.02	1	21900	YES	D&D Bldg 707
60499	4/16/02	GW08269RG	THALLIUM	REAL	TR1	0.78	UG/L	U	V1	0.78	1	2	YES	D&D Bldg 707
60499	4/16/02	GW08269RG	TIN	REAL	TR1	0.78	UG/L	U	J1	0.78	1	21900	YES	D&D Bldg 707
60499	4/16/02	GW08269RG	URANIUM, TOTAL	REAL	TR1	3.1	UG/L	B	V1	2.8	1		YES	D&D Bldg 707
60499	4/16/02	GW08269RG	VANADIUM	REAL	TR1	0.28	UG/L	B	UJ1	0.18	1	256	YES	D&D Bldg 707
60499	4/16/02	GW08269RG	ZINC	REAL	TR1	3.7	UG/L	B	UJ1	0.1	1	11000	YES	D&D Bldg 707
60599	4/16/02	GW08270RG	ALUMINUM	REAL	TR1	54.8	UG/L		V1	2	1	36500	YES	D&D Bldg 707
60599	4/16/02	GW08270RG	ANTIMONY	REAL	TR1	0.55	UG/L	U	V1	0.55	1	6	YES	D&D Bldg 707
60599	4/16/02	GW08270RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V1	0.62	1	50	YES	D&D Bldg 707
60599	4/16/02	GW08270RG	BARIUM	REAL	TR1	385	UG/L		V1	0.02	1	2000	YES	D&D Bldg 707
60599	4/16/02	GW08270RG	BERYLLIUM	REAL	TR1	0.06	UG/L	B	UJ1	0.02	1	4	YES	D&D Bldg 707
60599	4/16/02	GW08270RG	CADMIUM	REAL	TR1	3.2	UG/L		V1	0.08	1	5	YES	D&D Bldg 707
60599	4/16/02	GW08270RG	CALCIUM	REAL	TR1	454000	UG/L		V1	185	20		YES	D&D Bldg 707
60599	4/16/02	GW08270RG	CHROMIUM	REAL	TR1	0.17	UG/L	B	UJ1	0.12	1	100	YES	D&D Bldg 707
60599	4/16/02	GW08270RG	COBALT	REAL	TR1	0.52	UG/L	B	UJ1	0.18	1	2190	YES	D&D Bldg 707
60599	4/16/02	GW08270RG	COPPER	REAL	TR1	3.5	UG/L		V1	0.08	1	1300	YES	D&D Bldg 707
60599	4/16/02	GW08270RG	IRON	REAL	TR1	16.8	UG/L	B	V1	3.6	1		YES	D&D Bldg 707
60599	4/16/02	GW08270RG	LEAD	REAL	TR1	0.77	UG/L	B	UJ1	0.42	1	15	YES	D&D Bldg 707
60599	4/16/02	GW08270RG	LITHIUM	REAL	TR1	112	UG/L		J1	0.02	1	730	YES	D&D Bldg 707
60599	4/16/02	GW08270RG	MAGNESIUM	REAL	TR1	151000	UG/L		V1	95	20		YES	D&D Bldg 707
60599	4/16/02	GW08270RG	MANGANESE	REAL	TR1	1.6	UG/L	B	V1	0.02	1	1720	YES	D&D Bldg 707
60599	4/16/02	GW08270RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	D&D Bldg 707
60599	4/16/02	GW08270RG	MOLYBDENUM	REAL	TR1	0.9	UG/L	B	V1	0.28	1	183	YES	D&D Bldg 707
60599	4/16/02	GW08270RG	NICKEL	REAL	TR1	2.1	UG/L	B	V1	0.22	1	140	YES	D&D Bldg 707
60599	4/16/02	GW08270RG	POTASSIUM	REAL	TR1	2310	UG/L	B	J1	5.1	1		YES	D&D Bldg 707
60599	4/16/02	GW08270RG	SELENIUM	REAL	TR1	2	UG/L	B	V1	0.88	1	50	YES	D&D Bldg 707
60599	4/16/02	GW08270RG	SILVER	REAL	TR1	0.12	UG/L	U	V1	0.12	1	183	YES	D&D Bldg 707

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
60599	4/16/02	GW08270RG	SODIUM	REAL	TR1	431000	UG/L		V1	102	20		YES	D&D Bldg 707
60599	4/16/02	GW08270RG	STRONTIUM	REAL	TR1	4010	UG/L		V1	0.02	1	21900	YES	D&D Bldg 707
60599	4/16/02	GW08270RG	THALLIUM	REAL	TR1	0.78	UG/L	U	J1	0.78	1	2	YES	D&D Bldg 707
60599	4/16/02	GW08270RG	TIN	REAL	TR1	0.78	UG/L	U	V1	0.78	1	21900	YES	D&D Bldg 707
60599	4/16/02	GW08270RG	URANIUM, TOTAL	REAL	TR1	40.1	UG/L	B	J1	2.8	1		YES	D&D Bldg 707
60599	4/16/02	GW08270RG	VANADIUM	REAL	TR1	0.18	UG/L	U	V1	0.18	1	256	YES	D&D Bldg 707
60599	4/16/02	GW08270RG	ZINC	REAL	TR1	13.9	UG/L	B	J1	0.1	1	11000	YES	D&D Bldg 707
61099	5/15/02	GW08300RG	ALUMINUM	REAL	TR1	18.9	UG/L		UJ1	2	1	36500	YES	D&D Bldg 883
61099	5/15/02	GW08300RG	ANTIMONY	REAL	TR1	0.95	UG/L	B	UJ1	0.55	1	6	YES	D&D Bldg 883
61099	5/15/02	GW08300RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V1	0.62	1	50	YES	D&D Bldg 883
61099	5/15/02	GW08300RG	BARIUM	REAL	TR1	190	UG/L		V1	0.02	1	2000	YES	D&D Bldg 883
61099	5/15/02	GW08300RG	BERYLLIUM	REAL	TR1	0.05	UG/L	B	UJ1	0.02	1	4	YES	D&D Bldg 883
61099	5/15/02	GW08300RG	CADMIUM	REAL	TR1	0.35	UG/L	B	V1	0.08	1	5	YES	D&D Bldg 883
61099	5/15/02	GW08300RG	CALCIUM	REAL	TR1	117000	UG/L		V1	9.2	1		YES	D&D Bldg 883
61099	5/15/02	GW08300RG	CHROMIUM	REAL	TR1	1.2	UG/L	B	UJ1	0.12	1	100	YES	D&D Bldg 883
61099	5/15/02	GW08300RG	COBALT	REAL	TR1	0.18	UG/L	U	V1	0.18	1	2190	YES	D&D Bldg 883
61099	5/15/02	GW08300RG	COPPER	REAL	TR1	0.08	UG/L	U	J1	0.08	1	1300	YES	D&D Bldg 883
61099	5/15/02	GW08300RG	IRON	REAL	TR1	6.6	UG/L	B	V1	3.6	1		YES	D&D Bldg 883
61099	5/15/02	GW08300RG	LEAD	REAL	TR1	0.42	UG/L	U	J1	0.42	1	15	YES	D&D Bldg 883
61099	5/15/02	GW08300RG	LITHIUM	REAL	TR1	10.7	UG/L	B	J1	0.02	1	730	YES	D&D Bldg 883
61099	5/15/02	GW08300RG	MAGNESIUM	REAL	TR1	16200	UG/L		V1	4.8	1		YES	D&D Bldg 883
61099	5/15/02	GW08300RG	MANGANESE	REAL	TR1	0.09	UG/L	B	V1	0.02	1	1720	YES	D&D Bldg 883
61099	5/15/02	GW08300RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	D&D Bldg 883
61099	5/15/02	GW08300RG	MOLYBDENUM	REAL	TR1	2	UG/L	B	V1	0.28	1	183	YES	D&D Bldg 883
61099	5/15/02	GW08300RG	NICKEL	REAL	TR1	0.89	UG/L	B	V1	0.22	1	140	YES	D&D Bldg 883
61099	5/15/02	GW08300RG	POTASSIUM	REAL	TR1	1150	UG/L	B	J1	5.1	1		YES	D&D Bldg 883
61099	5/15/02	GW08300RG	SELENIUM	REAL	TR1	0.88	UG/L	U	V1	0.88	1	50	YES	D&D Bldg 883
61099	5/15/02	GW08300RG	SILVER	REAL	TR1	0.12	UG/L	U	V1	0.12	1	183	YES	D&D Bldg 883
61099	5/15/02	GW08300RG	SODIUM	REAL	TR1	18600	UG/L		V1	5.1	1		YES	D&D Bldg 883
61099	5/15/02	GW08300RG	STRONTIUM	REAL	TR1	520	UG/L		V1	0.02	1	21900	YES	D&D Bldg 883
61099	5/15/02	GW08300RG	THALLIUM	REAL	TR1	0.78	UG/L	U	J1	0.78	1	2	YES	D&D Bldg 883
61099	5/15/02	GW08300RG	TIN	REAL	TR1	0.78	UG/L	U	V1	0.78	1	21900	YES	D&D Bldg 883
61099	5/15/02	GW08300RG	URANIUM, TOTAL	REAL	TR1	2.8	UG/L	U	V1	2.8	1		YES	D&D Bldg 883
61099	5/15/02	GW08300RG	VANADIUM	REAL	TR1	0.28	UG/L	B	V1	0.18	1	256	YES	D&D Bldg 883
61099	5/15/02	GW08300RG	ZINC	REAL	TR1	14.8	UG/L	B	UJ1	0.1	1	11000	YES	D&D Bldg 883
61199	5/14/02	GW08301RG	ALUMINUM	REAL	TR1	20.5	UG/L		UJ1	2	1	36500	YES	D&D Bldg 883
61199	5/14/02	GW08301RG	ANTIMONY	REAL	TR1	0.56	UG/L	B	V1	0.55	1	6	YES	D&D Bldg 883
61199	5/14/02	GW08301RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V1	0.62	1	50	YES	D&D Bldg 883
61199	5/14/02	GW08301RG	BARIUM	REAL	TR1	260	UG/L		V1	0.02	1	2000	YES	D&D Bldg 883
61199	5/14/02	GW08301RG	BERYLLIUM	REAL	TR1	0.06	UG/L	B	J1	0.02	1	4	YES	D&D Bldg 883
61199	5/14/02	GW08301RG	CADMIUM	REAL	TR1	0.08	UG/L	U	V1	0.08	1	5	YES	D&D Bldg 883
61199	5/14/02	GW08301RG	CALCIUM	REAL	TR1	190000	UG/L		V1	9.2	10		YES	D&D Bldg 883
61199	5/14/02	GW08301RG	CHROMIUM	REAL	TR1	0.12	UG/L	U	V1	0.12	1	100	YES	D&D Bldg 883
61199	5/14/02	GW08301RG	COBALT	REAL	TR1	0.18	UG/L	U	V1	0.18	1	2190	YES	D&D Bldg 883
61199	5/14/02	GW08301RG	COPPER	REAL	TR1	0.73	UG/L	B	J1	0.08	1	1300	YES	D&D Bldg 883
61199	5/14/02	GW08301RG	IRON	REAL	TR1	8.7	UG/L	B	V1	3.6	1		YES	D&D Bldg 883
61199	5/14/02	GW08301RG	LEAD	REAL	TR1	0.42	UG/L	U	J1	0.42	1	15	YES	D&D Bldg 883
61199	5/14/02	GW08301RG	LITHIUM	REAL	TR1	21.7	UG/L	B	J1	0.02	1	730	YES	D&D Bldg 883
61199	5/14/02	GW08301RG	MAGNESIUM	REAL	TR1	24500	UG/L		V1	4.8	1		YES	D&D Bldg 883
61199	5/14/02	GW08301RG	MANGANESE	REAL	TR1	0.38	UG/L	B	UJ1	0.02	1	1720	YES	D&D Bldg 883
61199	5/14/02	GW08301RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	D&D Bldg 883
61199	5/14/02	GW08301RG	MOLYBDENUM	REAL	TR1	0.79	UG/L	B	UJ1	0.28	1	183	YES	D&D Bldg 883
61199	5/14/02	GW08301RG	NICKEL	REAL	TR1	0.94	UG/L	B	J1	0.22	1	140	YES	D&D Bldg 883
61199	5/14/02	GW08301RG	POTASSIUM	REAL	TR1	2190	UG/L	B	J1	5.1	1		YES	D&D Bldg 883
61199	5/14/02	GW08301RG	SELENIUM	REAL	TR1	1.6	UG/L	B	UJ1	0.88	1	50	YES	D&D Bldg 883
61199	5/14/02	GW08301RG	SILVER	REAL	TR1	0.12	UG/L	U	V1	0.12	1	183	YES	D&D Bldg 883
61199	5/14/02	GW08301RG	SODIUM	REAL	TR1	64100	UG/L		V1	5.1	10		YES	D&D Bldg 883

168

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
61199	5/14/02	GW08301RG	STRONTIUM	REAL	TR1	780	UG/L		V1	0.02	1	21900	YES	D&D Bldg 883
61199	5/14/02	GW08301RG	THALLIUM	REAL	TR1	0.98	UG/L	B	UJ1	0.78	1	2	YES	D&D Bldg 883
61199	5/14/02	GW08301RG	TIN	REAL	TR1	0.78	UG/L	U	J1	0.78	1	21900	YES	D&D Bldg 883
61199	5/14/02	GW08301RG	URANIUM, TOTAL	REAL	TR1	2.8	UG/L	U	V1	2.8	1		YES	D&D Bldg 883
61199	5/14/02	GW08301RG	VANADIUM	REAL	TR1	0.44	UG/L	B	UJ1	0.18	1	256	YES	D&D Bldg 883
61199	5/14/02	GW08301RG	ZINC	REAL	TR1	1.5	UG/L	B	UJ1	0.1	1	11000	YES	D&D Bldg 883
6486	4/11/02	GW08317RG	ALUMINUM	REAL	TR1	10.1	UG/L	B	V	6.3	1	36500	YES	Drainage
6486	5/15/02	GW08318RG	ALUMINUM	REAL	TR1	35.6	UG/L		V1	2	1	36500	YES	Drainage
6486	4/11/02	GW08317RG	ANTIMONY	REAL	TR1	0.48	UG/L	U	J	0.48	1	6	YES	Drainage
6486	5/15/02	GW08318RG	ANTIMONY	REAL	TR1	0.55	UG/L	U	V1	0.55	1	6	YES	Drainage
6486	4/11/02	GW08317RG	ARSENIC	REAL	TR1	0.75	UG/L	U	V	0.75	1	50	YES	Drainage
6486	5/15/02	GW08318RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V1	0.62	1	50	YES	Drainage
6486	4/11/02	GW08317RG	BARIUM	REAL	TR1	49.1	UG/L	B	V	0.05	1	2000	YES	Drainage
6486	5/15/02	GW08318RG	BARIUM	REAL	TR1	75.8	UG/L	B	V1	0.02	1	2000	YES	Drainage
6486	4/11/02	GW08317RG	BERYLLIUM	REAL	TR1	0.12	UG/L	U	V	0.12	1	4	YES	Drainage
6486	5/15/02	GW08318RG	BERYLLIUM	REAL	TR1	0.08	UG/L	B	J1	0.02	1	4	YES	Drainage
6486	4/11/02	GW08317RG	CADMIUM	REAL	TR1	0.24	UG/L	B	J	0.08	1	5	YES	Drainage
6486	5/15/02	GW08318RG	CADMIUM	REAL	TR1	0.37	UG/L	B	V1	0.08	1	5	YES	Drainage
6486	4/11/02	GW08317RG	CALCIUM	REAL	TR1	157000	UG/L		V	4.4	10		YES	Drainage
6486	5/15/02	GW08318RG	CALCIUM	REAL	TR1	162000	UG/L		V1	9.2	10		YES	Drainage
6486	4/11/02	GW08317RG	CHROMIUM	REAL	TR1	10.2	UG/L		V	0.2	1	100	YES	Drainage
6486	5/15/02	GW08318RG	CHROMIUM	REAL	TR1	427	UG/L		V1	0.12	1	100	YES	Drainage
6486	4/11/02	GW08317RG	COBALT	REAL	TR1	16.1	UG/L	B	V	0.15	1	2190	YES	Drainage
6486	5/15/02	GW08318RG	COBALT	REAL	TR1	58.4	UG/L		V1	0.18	1	2190	YES	Drainage
6486	4/11/02	GW08317RG	COPPER	REAL	TR1	7	UG/L		J	0.18	1	1300	YES	Drainage
6486	5/15/02	GW08318RG	COPPER	REAL	TR1	6.6	UG/L		V1	0.08	1	1300	YES	Drainage
6486	4/11/02	GW08317RG	IRON	REAL	TR1	2280	UG/L		V	3.8	1		YES	Drainage
6486	5/15/02	GW08318RG	IRON	REAL	TR1	7250	UG/L		V1	3.6	1		YES	Drainage
6486	4/11/02	GW08317RG	LEAD	REAL	TR1	0.55	UG/L	U	V	0.55	1	15	YES	Drainage
6486	5/15/02	GW08318RG	LEAD	REAL	TR1	0.67	UG/L	B	J1	0.42	1	15	YES	Drainage
6486	4/11/02	GW08317RG	LITHIUM	REAL	TR1	87.5	UG/L	B	J	0.05	1	730	YES	Drainage
6486	5/15/02	GW08318RG	LITHIUM	REAL	TR1	107	UG/L		J1	0.02	1	730	YES	Drainage
6486	4/11/02	GW08317RG	MAGNESIUM	REAL	TR1	49900	UG/L		V	6.1	1		YES	Drainage
6486	5/15/02	GW08318RG	MAGNESIUM	REAL	TR1	52800	UG/L		V1	4.8	1		YES	Drainage
6486	4/11/02	GW08317RG	MANGANESE	REAL	TR1	244	UG/L		V	0.08	1	1720	YES	Drainage
6486	5/15/02	GW08318RG	MANGANESE	REAL	TR1	523	UG/L		V1	0.02	1	1720	YES	Drainage
6486	4/11/02	GW08317RG	MERCURY	REAL	TR1	0.1	UG/L	U	V	0.1	1	2	YES	Drainage
6486	5/15/02	GW08318RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	Drainage
6486	4/11/02	GW08317RG	MOLYBDENUM	REAL	TR1	28.3	UG/L	B	V	0.28	1	183	YES	Drainage
6486	5/15/02	GW08318RG	MOLYBDENUM	REAL	TR1	27.7	UG/L	B	V1	0.28	1	183	YES	Drainage
6486	4/11/02	GW08317RG	NICKEL	REAL	TR1	1520	UG/L		V	0.3	1	140	YES	Drainage
6486	5/15/02	GW08318RG	NICKEL	REAL	TR1	3950	UG/L		V1	0.22	1	140	YES	Drainage
6486	4/11/02	GW08317RG	POTASSIUM	REAL	TR1	440	UG/L	B	V	82.8	1		YES	Drainage
6486	5/15/02	GW08318RG	POTASSIUM	REAL	TR1	915	UG/L	B	J1	5.1	1		YES	Drainage
6486	4/11/02	GW08317RG	SELENIUM	REAL	TR1	6.7	UG/L		V	0.9	1	50	YES	Drainage
6486	5/15/02	GW08318RG	SELENIUM	REAL	TR1	7.3	UG/L		V1	0.88	1	50	YES	Drainage
6486	4/11/02	GW08317RG	SILVER	REAL	TR1	0.18	UG/L	U	V	0.18	1	183	YES	Drainage
6486	5/15/02	GW08318RG	SILVER	REAL	TR1	0.12	UG/L	U	V1	0.12	1	183	YES	Drainage
6486	4/11/02	GW08317RG	SODIUM	REAL	TR1	205000	UG/L		V	8.8	10		YES	Drainage
6486	5/15/02	GW08318RG	SODIUM	REAL	TR1	209000	UG/L		V1	5.1	10		YES	Drainage
6486	4/11/02	GW08317RG	STRONTIUM	REAL	TR1	1370	UG/L		V	0.02	1	21900	YES	Drainage
6486	5/15/02	GW08318RG	STRONTIUM	REAL	TR1	1340	UG/L		V1	0.02	1	21900	YES	Drainage
6486	4/11/02	GW08317RG	THALLIUM	REAL	TR1	1.4	UG/L	U	V	1.4	1	2	YES	Drainage
6486	5/15/02	GW08318RG	THALLIUM	REAL	TR1	0.78	UG/L	U	V1	0.78	1	2	YES	Drainage
6486	4/11/02	GW08317RG	TIN	REAL	TR1	0.82	UG/L	U	V	0.82	1	21900	YES	Drainage
6486	5/15/02	GW08318RG	TIN	REAL	TR1	0.78	UG/L	U	J1	0.78	1	21900	YES	Drainage
6486	4/11/02	GW08317RG	URANIUM, TOTAL	REAL	TR1	4.8	UG/L	B	V	3.3	1		YES	Drainage

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
6486	5/15/02	GW08318RG	URANIUM, TOTAL	REAL	TR1	2.8	UG/L	U	V1	2.8	1		YES	Drainage
6486	4/11/02	GW08317RG	VANADIUM	REAL	TR1	0.18	UG/L	U	J	0.18	1	256	YES	Drainage
6486	5/15/02	GW08318RG	VANADIUM	REAL	TR1	0.18	UG/L	U	V1	0.18	1	256	YES	Drainage
6486	4/11/02	GW08317RG	ZINC	REAL	TR1	7.5	UG/L	B	V	0.1	1	11000	YES	Drainage
6486	5/15/02	GW08318RG	ZINC	REAL	TR1	4.5	UG/L	B	UJ1	0.1	1	11000	YES	Drainage
70193	5/21/02	GW08231RG	ALUMINUM	REAL	TR1	48.6	UG/L		J1	2	1	36500	YES	RCRA
70193	5/21/02	GW08231RG	ANTIMONY	REAL	TR1	1.1	UG/L	B	UJ1	0.55	1	6	YES	RCRA
70193	5/21/02	GW08231RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V1	0.62	1	50	YES	RCRA
70193	5/21/02	GW08231RG	BARIUM	REAL	TR1	87.3	UG/L	B	V1	0.02	1	2000	YES	RCRA
70193	5/21/02	GW08231RG	BERYLLIUM	REAL	TR1	0.06	UG/L	B	UJ1	0.02	1	4	YES	RCRA
70193	5/21/02	GW08231RG	CADMIUM	REAL	TR1	0.08	UG/L	U	V1	0.08	1	5	YES	RCRA
70193	5/21/02	GW08231RG	CALCIUM	REAL	TR1	23700	UG/L		V1	9.2	1		YES	RCRA
70193	5/21/02	GW08231RG	CHROMIUM	REAL	TR1	0.49	UG/L	B	UJ1	0.12	1	100	YES	RCRA
70193	5/21/02	GW08231RG	COBALT	REAL	TR1	0.18	UG/L	U	V1	0.18	1	2190	YES	RCRA
70193	5/21/02	GW08231RG	COPPER	REAL	TR1	0.08	UG/L	U	J1	0.08	1	1300	YES	RCRA
70193	5/21/02	GW08231RG	IRON	REAL	TR1	35.8	UG/L	B	V1	3.6	1		YES	RCRA
70193	5/21/02	GW08231RG	LEAD	REAL	TR1	0.62	UG/L	B	UJ1	0.42	1	15	YES	RCRA
70193	5/21/02	GW08231RG	LITHIUM	REAL	TR1	8.9	UG/L	B	J1	0.02	1	730	YES	RCRA
70193	5/21/02	GW08231RG	MAGNESIUM	REAL	TR1	4950	UG/L	B	V1	4.8	1		YES	RCRA
70193	5/21/02	GW08231RG	MANGANESE	REAL	TR1	0.78	UG/L	B	V1	0.02	1	1720	YES	RCRA
70193	5/21/02	GW08231RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	RCRA
70193	5/21/02	GW08231RG	MOLYBDENUM	REAL	TR1	1	UG/L	B	V1	0.28	1	183	YES	RCRA
70193	5/21/02	GW08231RG	NICKEL	REAL	TR1	0.9	UG/L	B	V1	0.22	1	140	YES	RCRA
70193	5/21/02	GW08231RG	POTASSIUM	REAL	TR1	1180	UG/L	B	J1	5.1	1		YES	RCRA
70193	5/21/02	GW08231RG	SELENIUM	REAL	TR1	8.4	UG/L		J1	0.88	1	50	YES	RCRA
70193	5/21/02	GW08231RG	SILVER	REAL	TR1	0.12	UG/L	U	V1	0.12	1	183	YES	RCRA
70193	5/21/02	GW08231RG	SODIUM	REAL	TR1	12200	UG/L		V1	5.1	1		YES	RCRA
70193	5/21/02	GW08231RG	STRONTIUM	REAL	TR1	157	UG/L	B	V1	0.02	1	21900	YES	RCRA
70193	5/21/02	GW08231RG	THALLIUM	REAL	TR1	0.78	UG/L	U	J1	0.78	1	2	YES	RCRA
70193	5/21/02	GW08231RG	TIN	REAL	TR1	0.78	UG/L	U	V1	0.78	1	21900	YES	RCRA
70193	5/21/02	GW08231RG	URANIUM, TOTAL	REAL	TR1	2.8	UG/L	U	V1	2.8	1		YES	RCRA
70193	5/21/02	GW08231RG	VANADIUM	REAL	TR1	0.22	UG/L	B	V1	0.18	1	256	YES	RCRA
70193	5/21/02	GW08231RG	ZINC	REAL	TR1	11.2	UG/L	B	UJ1	0.1	1	11000	YES	RCRA
70193	5/21/02	GW08232RG	ALUMINUM	RNS	TR1	12.9	UG/L	B	UJ1	2	1	36500	YES	RCRA
70193	5/21/02	GW08232RG	ANTIMONY	RNS	TR1	0.89	UG/L	B	UJ1	0.55	1	6	YES	RCRA
70193	5/21/02	GW08232RG	ARSENIC	RNS	TR1	0.62	UG/L	U	V1	0.62	1	50	YES	RCRA
70193	5/21/02	GW08232RG	BARIUM	RNS	TR1	0.2	UG/L	B	V1	0.02	1	2000	YES	RCRA
70193	5/21/02	GW08232RG	BERYLLIUM	RNS	TR1	0.03	UG/L	B	UJ1	0.02	1	4	YES	RCRA
70193	5/21/02	GW08232RG	CADMIUM	RNS	TR1	0.08	UG/L	U	V1	0.08	1	5	YES	RCRA
70193	5/21/02	GW08232RG	CALCIUM	RNS	TR1	84.7	UG/L	B	V1	9.2	1		YES	RCRA
70193	5/21/02	GW08232RG	CHROMIUM	RNS	TR1	0.19	UG/L	B	UJ1	0.12	1	100	YES	RCRA
70193	5/21/02	GW08232RG	COBALT	RNS	TR1	0.18	UG/L	U	V1	0.18	1	2190	YES	RCRA
70193	5/21/02	GW08232RG	COPPER	RNS	TR1	0.4	UG/L	B	J1	0.08	1	1300	YES	RCRA
70193	5/21/02	GW08232RG	IRON	RNS	TR1	9.2	UG/L	B	V1	3.6	1		YES	RCRA
70193	5/21/02	GW08232RG	LEAD	RNS	TR1	0.42	UG/L	U	J1	0.42	1	15	YES	RCRA
70193	5/21/02	GW08232RG	LITHIUM	RNS	TR1	0.18	UG/L	B	J1	0.02	1	730	YES	RCRA
70193	5/21/02	GW08232RG	MAGNESIUM	RNS	TR1	23.3	UG/L	B	V1	4.8	1		YES	RCRA
70193	5/21/02	GW08232RG	MANGANESE	RNS	TR1	0.31	UG/L	B	V1	0.02	1	1720	YES	RCRA
70193	5/21/02	GW08232RG	MERCURY	RNS	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	RCRA
70193	5/21/02	GW08232RG	MOLYBDENUM	RNS	TR1	0.28	UG/L	U	V1	0.28	1	183	YES	RCRA
70193	5/21/02	GW08232RG	NICKEL	RNS	TR1	0.22	UG/L	U	V1	0.22	1	140	YES	RCRA
70193	5/21/02	GW08232RG	POTASSIUM	RNS	TR1	17.2	UG/L	B	J1	5.1	1		YES	RCRA
70193	5/21/02	GW08232RG	SELENIUM	RNS	TR1	0.88	UG/L	U	V1	0.88	1	50	YES	RCRA
70193	5/21/02	GW08232RG	SILVER	RNS	TR1	0.16	UG/L	B	UJ1	0.12	1	183	YES	RCRA
70193	5/21/02	GW08232RG	SODIUM	RNS	TR1	86	UG/L	B	V1	5.1	1		YES	RCRA
70193	5/21/02	GW08232RG	STRONTIUM	RNS	TR1	0.52	UG/L	B	V1	0.02	1	21900	YES	RCRA
70193	5/21/02	GW08232RG	THALLIUM	RNS	TR1	0.78	UG/L	U	J1	0.78	1	2	YES	RCRA

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
70193	5/21/02	GW08232RG	TIN	RNS	TR1	0.78	UG/L	U	V1	0.78	1	21900	YES	RCRA
70193	5/21/02	GW08232RG	URANIUM, TOTAL	RNS	TR1	2.8	UG/L	U	V1	2.8	1		YES	RCRA
70193	5/21/02	GW08232RG	VANADIUM	RNS	TR1	0.18	UG/L	U	V1	0.18	1	256	YES	RCRA
70193	5/21/02	GW08232RG	ZINC	RNS	TR1	1.1	UG/L	B	UJ1	0.1	1	11000	YES	RCRA
70393	5/21/02	GW08233RG	ALUMINUM	REAL	TR1	1060	UG/L		V1	2	1	36500	NO	RCRA
70393	5/21/02	GW08233RG	ANTIMONY	REAL	TR1	0.71	UG/L	B	UJ1	0.55	1	6	NO	RCRA
70393	5/21/02	GW08233RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V1	0.62	1	50	NO	RCRA
70393	5/21/02	GW08233RG	BARIUM	REAL	TR1	63.3	UG/L	B	V1	0.02	1	2000	NO	RCRA
70393	5/21/02	GW08233RG	BERYLLIUM	REAL	TR1	0.08	UG/L	B	UJ1	0.02	1	4	NO	RCRA
70393	5/21/02	GW08233RG	CADMIUM	REAL	TR1	0.08	UG/L	U	V1	0.08	1	5	NO	RCRA
70393	5/21/02	GW08233RG	CALCIUM	REAL	TR1	21300	UG/L		V1	9.2	1		NO	RCRA
70393	5/21/02	GW08233RG	CHROMIUM	REAL	TR1	0.33	UG/L	B	UJ1	0.12	1	100	NO	RCRA
70393	5/21/02	GW08233RG	COBALT	REAL	TR1	0.18	UG/L	U	V1	0.18	1	2190	NO	RCRA
70393	5/21/02	GW08233RG	COPPER	REAL	TR1	0.08	UG/L	U	J1	0.08	1	1300	NO	RCRA
70393	5/21/02	GW08233RG	IRON	REAL	TR1	37.4	UG/L	B	V1	3.6	1		NO	RCRA
70393	5/21/02	GW08233RG	LEAD	REAL	TR1	0.42	UG/L	U	J1	0.42	1	15	NO	RCRA
70393	5/21/02	GW08233RG	LITHIUM	REAL	TR1	7.1	UG/L	B	J1	0.02	1	730	NO	RCRA
70393	5/21/02	GW08233RG	MAGNESIUM	REAL	TR1	4220	UG/L	B	V1	4.8	1		NO	RCRA
70393	5/21/02	GW08233RG	MANGANESE	REAL	TR1	2.2	UG/L	B	V1	0.02	1	1720	NO	RCRA
70393	5/21/02	GW08233RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	NO	RCRA
70393	5/21/02	GW08233RG	MOLYBDENUM	REAL	TR1	0.29	UG/L	B	V1	0.28	1	183	NO	RCRA
70393	5/21/02	GW08233RG	NICKEL	REAL	TR1	1.4	UG/L	B	V1	0.22	1	140	NO	RCRA
70393	5/21/02	GW08233RG	POTASSIUM	REAL	TR1	528	UG/L	B	J1	5.1	1		NO	RCRA
70393	5/21/02	GW08233RG	SELENIUM	REAL	TR1	0.88	UG/L	U	V1	0.88	1	50	NO	RCRA
70393	5/21/02	GW08233RG	SILVER	REAL	TR1	0.12	UG/L	U	V1	0.12	1	183	NO	RCRA
70393	5/21/02	GW08233RG	SODIUM	REAL	TR1	11700	UG/L		V1	5.1	1		NO	RCRA
70393	5/21/02	GW08233RG	STRONTIUM	REAL	TR1	119	UG/L	B	V1	0.02	1	21900	NO	RCRA
70393	5/21/02	GW08233RG	THALLIUM	REAL	TR1	0.78	UG/L	U	J1	0.78	1	2	NO	RCRA
70393	5/21/02	GW08233RG	TIN	REAL	TR1	0.78	UG/L	U	V1	0.78	1	21900	NO	RCRA
70393	5/21/02	GW08233RG	URANIUM, TOTAL	REAL	TR1	2.8	UG/L	U	V1	2.8	1		NO	RCRA
70393	5/21/02	GW08233RG	VANADIUM	REAL	TR1	0.36	UG/L	B	V1	0.18	1	256	NO	RCRA
70393	5/21/02	GW08233RG	ZINC	REAL	TR1	3.3	UG/L	B	UJ1	0.1	1	11000	NO	RCRA
70393	5/21/02	GW08234RG	ALUMINUM	DUP	TR1	33.4	UG/L		UJ1	2	1	36500	NO	RCRA
70393	5/21/02	GW08234RG	ANTIMONY	DUP	TR1	0.85	UG/L	B	UJ1	0.55	1	6	NO	RCRA
70393	5/21/02	GW08234RG	ARSENIC	DUP	TR1	0.62	UG/L	U	V1	0.62	1	50	NO	RCRA
70393	5/21/02	GW08234RG	BARIUM	DUP	TR1	61.4	UG/L	B	V1	0.02	1	2000	NO	RCRA
70393	5/21/02	GW08234RG	BERYLLIUM	DUP	TR1	0.08	UG/L	B	UJ1	0.02	1	4	NO	RCRA
70393	5/21/02	GW08234RG	CADMIUM	DUP	TR1	0.08	UG/L	U	V1	0.08	1	5	NO	RCRA
70393	5/21/02	GW08234RG	CALCIUM	DUP	TR1	21000	UG/L		V1	9.2	1		NO	RCRA
70393	5/21/02	GW08234RG	CHROMIUM	DUP	TR1	0.82	UG/L	B	UJ1	0.12	1	100	NO	RCRA
70393	5/21/02	GW08234RG	COBALT	DUP	TR1	0.18	UG/L	U	V1	0.18	1	2190	NO	RCRA
70393	5/21/02	GW08234RG	COPPER	DUP	TR1	0.08	UG/L	U	J1	0.08	1	1300	NO	RCRA
70393	5/21/02	GW08234RG	IRON	DUP	TR1	17.4	UG/L	B	V1	3.6	1		NO	RCRA
70393	5/21/02	GW08234RG	LEAD	DUP	TR1	0.42	UG/L	U	J1	0.42	1	15	NO	RCRA
70393	5/21/02	GW08234RG	LITHIUM	DUP	TR1	6.9	UG/L	B	J1	0.02	1	730	NO	RCRA
70393	5/21/02	GW08234RG	MAGNESIUM	DUP	TR1	4090	UG/L	B	V1	4.8	1		NO	RCRA
70393	5/21/02	GW08234RG	MANGANESE	DUP	TR1	2.2	UG/L	B	V1	0.02	1	1720	NO	RCRA
70393	5/21/02	GW08234RG	MERCURY	DUP	TR1	0.1	UG/L	U	V1	0.1	1	2	NO	RCRA
70393	5/21/02	GW08234RG	MOLYBDENUM	DUP	TR1	0.33	UG/L	B	V1	0.28	1	183	NO	RCRA
70393	5/21/02	GW08234RG	NICKEL	DUP	TR1	1.8	UG/L	B	V1	0.22	1	140	NO	RCRA
70393	5/21/02	GW08234RG	POTASSIUM	DUP	TR1	520	UG/L	B	J1	5.1	1		NO	RCRA
70393	5/21/02	GW08234RG	SELENIUM	DUP	TR1	0.88	UG/L	U	V1	0.88	1	50	NO	RCRA
70393	5/21/02	GW08234RG	SILVER	DUP	TR1	0.12	UG/L	U	V1	0.12	1	183	NO	RCRA
70393	5/21/02	GW08234RG	SODIUM	DUP	TR1	11300	UG/L		V1	5.1	1		NO	RCRA
70393	5/21/02	GW08234RG	STRONTIUM	DUP	TR1	116	UG/L	B	V1	0.02	1	21900	NO	RCRA
70393	5/21/02	GW08234RG	THALLIUM	DUP	TR1	0.78	UG/L	U	J1	0.78	1	2	NO	RCRA
70393	5/21/02	GW08234RG	TIN	DUP	TR1	0.78	UG/L	U	V1	0.78	1	21900	NO	RCRA

171

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
70393	5/21/02	GW08234RG	URANIUM, TOTAL	DUP	TR1	2.8	UG/L	U	V1	2.8	1		NO	RCRA
70393	5/21/02	GW08234RG	VANADIUM	DUP	TR1	0.31	UG/L	B	V1	0.18	1	256	NO	RCRA
70393	5/21/02	GW08234RG	ZINC	DUP	TR1	20.6	UG/L		UJ1	0.1	1	11000	NO	RCRA
70493	5/17/02	GW08235RG	ALUMINUM	REAL	TR1	188	UG/L		V1	2	1	36500	YES	RCRA
70493	5/17/02	GW08235RG	ANTIMONY	REAL	TR1	0.8	UG/L	B	UJ1	0.55	1	6	YES	RCRA
70493	5/17/02	GW08235RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V1	0.62	1	50	YES	RCRA
70493	5/17/02	GW08235RG	BARIUM	REAL	TR1	103	UG/L		V1	0.02	1	2000	YES	RCRA
70493	5/17/02	GW08235RG	BERYLLIUM	REAL	TR1	0.06	UG/L	B	UJ1	0.02	1	4	YES	RCRA
70493	5/17/02	GW08235RG	CADMIUM	REAL	TR1	0.08	UG/L	U	V1	0.08	1	5	YES	RCRA
70493	5/17/02	GW08235RG	CALCIUM	REAL	TR1	32800	UG/L		V1	9.2	1		YES	RCRA
70493	5/17/02	GW08235RG	CHROMIUM	REAL	TR1	0.33	UG/L	B	UJ1	0.12	1	100	YES	RCRA
70493	5/17/02	GW08235RG	COBALT	REAL	TR1	0.18	UG/L	U	V1	0.18	1	2190	YES	RCRA
70493	5/17/02	GW08235RG	COPPER	REAL	TR1	1.2	UG/L	B	V1	0.08	1	1300	YES	RCRA
70493	5/17/02	GW08235RG	IRON	REAL	TR1	43	UG/L	B	V1	3.6	1		YES	RCRA
70493	5/17/02	GW08235RG	LEAD	REAL	TR1	0.42	UG/L	U	J1	0.42	1	15	YES	RCRA
70493	5/17/02	GW08235RG	LITHIUM	REAL	TR1	19	UG/L	B	J1	0.02	1	730	YES	RCRA
70493	5/17/02	GW08235RG	MAGNESIUM	REAL	TR1	7800	UG/L		V1	4.8	1		YES	RCRA
70493	5/17/02	GW08235RG	MANGANESE	REAL	TR1	0.86	UG/L	B	V1	0.02	1	1720	YES	RCRA
70493	5/17/02	GW08235RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	RCRA
70493	5/17/02	GW08235RG	MOLYBDENUM	REAL	TR1	2.5	UG/L	B	V1	0.28	1	183	YES	RCRA
70493	5/17/02	GW08235RG	NICKEL	REAL	TR1	0.57	UG/L	B	V1	0.22	1	140	YES	RCRA
70493	5/17/02	GW08235RG	POTASSIUM	REAL	TR1	1710	UG/L	B	J1	5.1	1		YES	RCRA
70493	5/17/02	GW08235RG	SELENIUM	REAL	TR1	3.5	UG/L		J1	0.88	1	50	YES	RCRA
70493	5/17/02	GW08235RG	SILVER	REAL	TR1	1.8	UG/L		V1	0.12	1	183	YES	RCRA
70493	5/17/02	GW08235RG	SODIUM	REAL	TR1	17000	UG/L		V1	5.1	1		YES	RCRA
70493	5/17/02	GW08235RG	STRONTIUM	REAL	TR1	249	UG/L		V1	0.02	1	21900	YES	RCRA
70493	5/17/02	GW08235RG	THALLIUM	REAL	TR1	0.78	UG/L	U	J1	0.78	1	2	YES	RCRA
70493	5/17/02	GW08235RG	TIN	REAL	TR1	0.78	UG/L	U	V1	0.78	1	21900	YES	RCRA
70493	5/17/02	GW08235RG	URANIUM, TOTAL	REAL	TR1	2.8	UG/L	U	V1	2.8	1		YES	RCRA
70493	5/17/02	GW08235RG	VANADIUM	REAL	TR1	0.83	UG/L	B	V1	0.18	1	256	YES	RCRA
70493	5/17/02	GW08235RG	ZINC	REAL	TR1	22.6	UG/L		UJ1	0.1	1	11000	YES	RCRA
7086	4/15/02	GW08315RG	ALUMINUM	REAL	TR1	57.9	UG/L		V	6.3	1	36500	NO	Plume Extent
7086	4/15/02	GW08315RG	ALUMINUM	REAL	TR2	72.7	UG/L			6.3	1	36500	NO	Plume Extent
7086	4/15/02	GW08315RG	ANTIMONY	REAL	TR1	0.48	UG/L	U	J	0.48	1	6	NO	Plume Extent
7086	4/15/02	GW08315RG	ANTIMONY	REAL	TR2	0.48	UG/L	U		0.48	1	6	NO	Plume Extent
7086	4/15/02	GW08315RG	ARSENIC	REAL	TR1	0.75	UG/L	U	V	0.75	1	50	NO	Plume Extent
7086	4/15/02	GW08315RG	ARSENIC	REAL	TR2	0.75	UG/L	U		0.75	1	50	NO	Plume Extent
7086	4/15/02	GW08315RG	BARIUM	REAL	TR1	64.7	UG/L	B	V	0.05	1	2000	NO	Plume Extent
7086	4/15/02	GW08315RG	BARIUM	REAL	TR2	65.2	UG/L			0.05	1	2000	NO	Plume Extent
7086	4/15/02	GW08315RG	BERYLLIUM	REAL	TR1	0.12	UG/L	U	V	0.12	1	4	NO	Plume Extent
7086	4/15/02	GW08315RG	BERYLLIUM	REAL	TR2	0.12	UG/L	U		0.12	1	4	NO	Plume Extent
7086	4/15/02	GW08315RG	CADMIUM	REAL	TR1	0.08	UG/L	U	V	0.08	1	5	NO	Plume Extent
7086	4/15/02	GW08315RG	CADMIUM	REAL	TR2	0.08	UG/L	U		0.08	1	5	NO	Plume Extent
7086	4/15/02	GW08315RG	CALCIUM	REAL	TR1	44200	UG/L		V	4.4	1		NO	Plume Extent
7086	4/15/02	GW08315RG	CALCIUM	REAL	TR2	43613	UG/L			4.4	1		NO	Plume Extent
7086	4/15/02	GW08315RG	CHROMIUM	REAL	TR1	13.2	UG/L		V	0.2	1	100	NO	Plume Extent
7086	4/15/02	GW08315RG	CHROMIUM	REAL	TR2	13	UG/L			0.2	1	100	NO	Plume Extent
7086	4/15/02	GW08315RG	COBALT	REAL	TR1	0.89	UG/L	B	V	0.15	1	2190	NO	Plume Extent
7086	4/15/02	GW08315RG	COBALT	REAL	TR2	1.03	UG/L	B		0.15	1	2190	NO	Plume Extent
7086	4/15/02	GW08315RG	COPPER	REAL	TR1	1.4	UG/L	B	UJ	0.18	1	1300	NO	Plume Extent
7086	4/15/02	GW08315RG	COPPER	REAL	TR2	1.38	UG/L	B		0.18	1	1300	NO	Plume Extent
7086	4/15/02	GW08315RG	IRON	REAL	TR1	421	UG/L		V	3.8	1		NO	Plume Extent
7086	4/15/02	GW08315RG	IRON	REAL	TR2	433.2	UG/L			3.8	1		NO	Plume Extent
7086	4/15/02	GW08315RG	LEAD	REAL	TR1	0.55	UG/L	U	V	0.55	1	15	NO	Plume Extent
7086	4/15/02	GW08315RG	LEAD	REAL	TR2	0.55	UG/L	U		0.55	1	15	NO	Plume Extent
7086	4/15/02	GW08315RG	LITHIUM	REAL	TR1	8.2	UG/L	B	V	0.05	1	730	NO	Plume Extent
7086	4/15/02	GW08315RG	LITHIUM	REAL	TR2	8.4	UG/L	B		0.05	1	730	NO	Plume Extent

172

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
7086	4/15/02	GW08315RG	MAGNESIUM	REAL	TR1	10900	UG/L		V	6.1	1		NO	Plume Extent
7086	4/15/02	GW08315RG	MAGNESIUM	REAL	TR2	10857	UG/L			6.1	1		NO	Plume Extent
7086	4/15/02	GW08315RG	MANGANESE	REAL	TR1	132	UG/L		V	0.08	1	1720	NO	Plume Extent
7086	4/15/02	GW08315RG	MANGANESE	REAL	TR2	133.1	UG/L			0.08	1	1720	NO	Plume Extent
7086	4/15/02	GW08315RG	MERCURY	REAL	TR1	0.1	UG/L	U	V	0.1	1	2	NO	Plume Extent
7086	4/15/02	GW08315RG	MERCURY	REAL	TR2	0.1	UG/L	U		0.1	1	2	NO	Plume Extent
7086	4/15/02	GW08315RG	MOLYBDENUM	REAL	TR1	1.3	UG/L	B	V	0.28	1	183	NO	Plume Extent
7086	4/15/02	GW08315RG	MOLYBDENUM	REAL	TR2	1.3	UG/L	B		0.28	1	183	NO	Plume Extent
7086	4/15/02	GW08315RG	NICKEL	REAL	TR1	8.4	UG/L	B	V	0.3	1	140	NO	Plume Extent
7086	4/15/02	GW08315RG	NICKEL	REAL	TR2	8.46	UG/L	B		0.3	1	140	NO	Plume Extent
7086	4/15/02	GW08315RG	POTASSIUM	REAL	TR1	492	UG/L	B	V	82.8	1		NO	Plume Extent
7086	4/15/02	GW08315RG	POTASSIUM	REAL	TR2	566.7	UG/L	B		82.8	1		NO	Plume Extent
7086	4/15/02	GW08315RG	SELENIUM	REAL	TR1	0.9	UG/L	U	V	0.9	1	50	NO	Plume Extent
7086	4/15/02	GW08315RG	SELENIUM	REAL	TR2	0.9	UG/L	U		0.9	1	50	NO	Plume Extent
7086	4/15/02	GW08315RG	SILVER	REAL	TR1	0.18	UG/L	U	V	0.18	1	183	NO	Plume Extent
7086	4/15/02	GW08315RG	SILVER	REAL	TR2	0.18	UG/L	U		0.18	1	183	NO	Plume Extent
7086	4/15/02	GW08315RG	SODIUM	REAL	TR1	24600	UG/L		V	8.8	1		NO	Plume Extent
7086	4/15/02	GW08315RG	SODIUM	REAL	TR2	24683	UG/L			8.8	1		NO	Plume Extent
7086	4/15/02	GW08315RG	STRONTIUM	REAL	TR1	276	UG/L		V	0.02	1	21900	NO	Plume Extent
7086	4/15/02	GW08315RG	STRONTIUM	REAL	TR2	277.6	UG/L			0.02	1	21900	NO	Plume Extent
7086	4/15/02	GW08315RG	THALLIUM	REAL	TR1	1.4	UG/L	U	V	1.4	1	2	NO	Plume Extent
7086	4/15/02	GW08315RG	THALLIUM	REAL	TR2	1.4	UG/L	U		1.4	1	2	NO	Plume Extent
7086	4/15/02	GW08315RG	TIN	REAL	TR1	0.82	UG/L	U	V	0.82	1	21900	NO	Plume Extent
7086	4/15/02	GW08315RG	TIN	REAL	TR2	0.82	UG/L	U		0.82	1	21900	NO	Plume Extent
7086	4/15/02	GW08315RG	URANIUM, TOTAL	REAL	TR1	3.3	UG/L	U	V	3.3	1		NO	Plume Extent
7086	4/15/02	GW08315RG	URANIUM, TOTAL	REAL	TR2	3.3	UG/L	U		3.3	1		NO	Plume Extent
7086	4/15/02	GW08315RG	VANADIUM	REAL	TR1	1.2	UG/L	B	UJ	0.18	1	256	NO	Plume Extent
7086	4/15/02	GW08315RG	VANADIUM	REAL	TR2	1.4	UG/L	B		0.18	1	256	NO	Plume Extent
7086	4/15/02	GW08315RG	ZINC	REAL	TR1	4.9	UG/L	B	UJ	0.1	1	11000	NO	Plume Extent
7086	4/15/02	GW08315RG	ZINC	REAL	TR2	6.3	UG/L	B		0.1	1	11000	NO	Plume Extent
7086	5/16/02	GW08316RG	ALUMINUM	REAL	TR1	685	UG/L		V1	2	1	36500	NO	Plume Extent
7086	5/16/02	GW08316RG	ANTIMONY	REAL	TR1	0.94	UG/L	B	UJ1	0.55	1	6	NO	Plume Extent
7086	5/16/02	GW08316RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V1	0.62	1	50	NO	Plume Extent
7086	5/16/02	GW08316RG	BARIUM	REAL	TR1	152	UG/L		V1	0.02	1	2000	NO	Plume Extent
7086	5/16/02	GW08316RG	BERYLLIUM	REAL	TR1	0.02	UG/L	U	V1	0.02	1	4	NO	Plume Extent
7086	5/16/02	GW08316RG	CADMIUM	REAL	TR1	0.2	UG/L	B	V1	0.08	1	5	NO	Plume Extent
7086	5/16/02	GW08316RG	CALCIUM	REAL	TR1	446000	UG/L		V1	46.2	5		NO	Plume Extent
7086	5/16/02	GW08316RG	CHROMIUM	REAL	TR1	1.2	UG/L	B	UJ1	0.12	1	100	NO	Plume Extent
7086	5/16/02	GW08316RG	COBALT	REAL	TR1	1.9	UG/L	B	V1	0.18	1	2190	NO	Plume Extent
7086	5/16/02	GW08316RG	COPPER	REAL	TR1	1.9	UG/L	B	V1	0.08	1	1300	NO	Plume Extent
7086	5/16/02	GW08316RG	IRON	REAL	TR1	405	UG/L		V1	3.6	1		NO	Plume Extent
7086	5/16/02	GW08316RG	LEAD	REAL	TR1	0.42	UG/L	U	J1	0.42	1	15	NO	Plume Extent
7086	5/16/02	GW08316RG	LITHIUM	REAL	TR1	398	UG/L		J1	0.02	1	730	NO	Plume Extent
7086	5/16/02	GW08316RG	MAGNESIUM	REAL	TR1	155000	UG/L		V1	23.8	5		NO	Plume Extent
7086	5/16/02	GW08316RG	MANGANESE	REAL	TR1	1.3	UG/L	B	V1	0.02	1	1720	NO	Plume Extent
7086	5/16/02	GW08316RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	NO	Plume Extent
7086	5/16/02	GW08316RG	MOLYBDENUM	REAL	TR1	1.4	UG/L	B	V1	0.28	1	183	NO	Plume Extent
7086	5/16/02	GW08316RG	NICKEL	REAL	TR1	4.9	UG/L	B	V1	0.22	1	140	NO	Plume Extent
7086	5/16/02	GW08316RG	POTASSIUM	REAL	TR1	8070	UG/L		J1	5.1	1		NO	Plume Extent
7086	5/16/02	GW08316RG	SELENIUM	REAL	TR1	257	UG/L		V1	0.88	1	50	NO	Plume Extent
7086	5/16/02	GW08316RG	SILVER	REAL	TR1	0.12	UG/L	U	V1	0.12	1	183	NO	Plume Extent
7086	5/16/02	GW08316RG	SODIUM	REAL	TR1	306000	UG/L		V1	25.5	5		NO	Plume Extent
7086	5/16/02	GW08316RG	STRONTIUM	REAL	TR1	4670	UG/L		V1	0.02	1	21900	NO	Plume Extent
7086	5/16/02	GW08316RG	THALLIUM	REAL	TR1	0.78	UG/L	U	J1	0.78	1	2	NO	Plume Extent
7086	5/16/02	GW08316RG	TIN	REAL	TR1	0.78	UG/L	U	V1	0.78	1	21900	NO	Plume Extent
7086	5/16/02	GW08316RG	URANIUM, TOTAL	REAL	TR1	66.2	UG/L	B	V1	2.8	1		NO	Plume Extent
7086	5/16/02	GW08316RG	VANADIUM	REAL	TR1	0.44	UG/L	B	V1	0.18	1	256	NO	Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
7086	5/16/02	GW08316RG	ZINC	REAL	TR1	7.2	UG/L	B	UJ1	0.1	1	11000	NO	Plume Extent
771 FD OUT #2	5/31/02	SW08282RG	ALUMINUM	REAL	TR1	18	UG/L		UJ1	2	1	36500	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	ALUMINUM	REAL	TR2	13.1	UG/L	B	1	2	1	36500	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	ANTIMONY	REAL	TR1	0.91	UG/L	B	V1	0.55	1	6	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	ANTIMONY	REAL	TR2	0.7	UG/L	B	1	0.55	1	6	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V1	0.62	1	50	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	ARSENIC	REAL	TR2	0.92	UG/L	B	1	0.62	1	50	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	BARIUM	REAL	TR1	177	UG/L		V1	0.02	1	2000	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	BARIUM	REAL	TR2	170.8	UG/L		1	0.02	1	2000	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	BERYLLIUM	REAL	TR1	0.02	UG/L	U	V1	0.02	1	4	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	BERYLLIUM	REAL	TR2	0.03	UG/L	U	1	0.02	1	4	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	CADMIUM	REAL	TR1	0.12	UG/L	B	V1	0.08	1	5	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	CADMIUM	REAL	TR2	0.12	UG/L	B	1	0.08	1	5	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	CALCIUM	REAL	TR1	102000	UG/L		V1	9.2	1		YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	CALCIUM	REAL	TR2	98970	UG/L		1	9.2	1		YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	CHROMIUM	REAL	TR1	0.57	UG/L	B	UJ1	0.12	1	100	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	CHROMIUM	REAL	TR2	0.57	UG/L	B	1	0.12	1	100	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	COBALT	REAL	TR1	0.32	UG/L	B	UJ1	0.18	1	2190	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	COBALT	REAL	TR2	0.22	UG/L	B	1	0.18	1	2190	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	COPPER	REAL	TR1	2	UG/L	B	V1	0.08	1	1300	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	COPPER	REAL	TR2	1.7	UG/L	B	1	0.08	1	1300	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	IRON	REAL	TR1	3.6	UG/L	U	V1	3.6	1		YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	IRON	REAL	TR2	3.6	UG/L	U	1	3.6	1		YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	LEAD	REAL	TR1	0.58	UG/L	B	UJ1	0.42	1	15	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	LEAD	REAL	TR2	0.43	UG/L	U	1	0.42	1	15	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	LITHIUM	REAL	TR1	69.9	UG/L	B	J1	0.02	1	730	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	LITHIUM	REAL	TR2	67.8	UG/L	B	1	0.02	1	730	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	MAGNESIUM	REAL	TR1	18000	UG/L		V1	4.8	1		YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	MAGNESIUM	REAL	TR2	17493	UG/L		1	4.8	1		YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	MANGANESE	REAL	TR1	0.77	UG/L	B	V1	0.02	1	1720	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	MANGANESE	REAL	TR2	0.74	UG/L	B	1	0.02	1	1720	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	MERCURY	REAL	TR2	0.1	UG/L	U	1	0.1	1	2	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	MOLYBDENUM	REAL	TR1	3.5	UG/L	B	V1	0.28	1	183	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	MOLYBDENUM	REAL	TR2	3.17	UG/L	B	1	0.28	1	183	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	NICKEL	REAL	TR1	1.2	UG/L	B	UJ1	0.22	1	140	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	NICKEL	REAL	TR2	0.75	UG/L	B	1	0.22	1	140	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	POTASSIUM	REAL	TR1	13200	UG/L		J1	5.1	1		YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	POTASSIUM	REAL	TR2	12843	UG/L		1	5.1	1		YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	SELENIUM	REAL	TR1	4.4	UG/L		V1	0.88	1	50	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	SELENIUM	REAL	TR2	4.24	UG/L		1	0.88	1	50	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	SILVER	REAL	TR1	0.2	UG/L	B	UJ1	0.12	1	183	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	SILVER	REAL	TR2	0.13	UG/L	U	1	0.12	1	183	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	SODIUM	REAL	TR1	54900	UG/L		V1	5.1	1		YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	SODIUM	REAL	TR2	54868	UG/L		1	5.1	1		YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	STRONTIUM	REAL	TR1	595	UG/L		V1	0.02	1	21900	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	STRONTIUM	REAL	TR2	576.5	UG/L		1	0.02	1	21900	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	THALLIUM	REAL	TR1	0.78	UG/L	U	J1	0.78	1	2	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	THALLIUM	REAL	TR2	0.78	UG/L	U	1	0.78	1	2	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	TIN	REAL	TR1	0.78	UG/L	U	V1	0.78	1	21900	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	TIN	REAL	TR2	0.78	UG/L	U	1	0.78	1	21900	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	URANIUM, TOTAL	REAL	TR1	2.8	UG/L	U	J1	2.8	1		YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	URANIUM, TOTAL	REAL	TR2	2.8	UG/L	U	1	2.8	1		YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	VANADIUM	REAL	TR1	1.7	UG/L	B	V1	0.18	1	256	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	VANADIUM	REAL	TR2	1.7	UG/L	B	1	0.18	1	256	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	ZINC	REAL	TR1	10.9	UG/L	B	J1	0.1	1	11000	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	ZINC	REAL	TR2	10.6	UG/L	B	1	0.1	1	11000	YES	D&D Bldg 771

174

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
83101	5/8/02	GW08302RG	ALUMINUM	REAL	TR1	37.9	UG/L		V1	2	1	36500	YES	D&D Bldg 883/881
83101	5/8/02	GW08302RG	ANTIMONY	REAL	TR1	0.63	UG/L	B	V1	0.55	1	6	YES	D&D Bldg 883/881
83101	5/8/02	GW08302RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V1	0.62	1	50	YES	D&D Bldg 883/881
83101	5/8/02	GW08302RG	BARIUM	REAL	TR1	294	UG/L		V1	0.02	1	2000	YES	D&D Bldg 883/881
83101	5/8/02	GW08302RG	BERYLLIUM	REAL	TR1	0.07	UG/L	B	J1	0.02	1	4	YES	D&D Bldg 883/881
83101	5/8/02	GW08302RG	CADMIUM	REAL	TR1	1.5	UG/L		V1	0.08	1	5	YES	D&D Bldg 883/881
83101	5/8/02	GW08302RG	CALCIUM	REAL	TR1	121000	UG/L		V1	9.2	1		YES	D&D Bldg 883/881
83101	5/8/02	GW08302RG	CHROMIUM	REAL	TR1	0.27	UG/L	B	UJ1	0.12	1	100	YES	D&D Bldg 883/881
83101	5/8/02	GW08302RG	COBALT	REAL	TR1	0.18	UG/L	U	V1	0.18	1	2190	YES	D&D Bldg 883/881
83101	5/8/02	GW08302RG	COPPER	REAL	TR1	1.8	UG/L	B	V1	0.08	1	1300	YES	D&D Bldg 883/881
83101	5/8/02	GW08302RG	IRON	REAL	TR1	8.3	UG/L	B	V1	3.6	1		YES	D&D Bldg 883/881
83101	5/8/02	GW08302RG	LEAD	REAL	TR1	0.42	UG/L	U	J1	0.42	1	15	YES	D&D Bldg 883/881
83101	5/8/02	GW08302RG	LITHIUM	REAL	TR1	44.2	UG/L	B	J1	0.02	1	730	YES	D&D Bldg 883/881
83101	5/8/02	GW08302RG	MAGNESIUM	REAL	TR1	75600	UG/L		V1	4.8	1		YES	D&D Bldg 883/881
83101	5/8/02	GW08302RG	MANGANESE	REAL	TR1	14.9	UG/L	B	V1	0.02	1	1720	YES	D&D Bldg 883/881
83101	5/8/02	GW08302RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	D&D Bldg 883/881
83101	5/8/02	GW08302RG	MOLYBDENUM	REAL	TR1	21.6	UG/L	B	V1	0.28	1	183	YES	D&D Bldg 883/881
83101	5/8/02	GW08302RG	NICKEL	REAL	TR1	1.8	UG/L	B	J1	0.22	1	140	YES	D&D Bldg 883/881
83101	5/8/02	GW08302RG	POTASSIUM	REAL	TR1	4580	UG/L	B	J1	5.1	1		YES	D&D Bldg 883/881
83101	5/8/02	GW08302RG	SELENIUM	REAL	TR1	1.6	UG/L	B	UJ1	0.88	1	50	YES	D&D Bldg 883/881
83101	5/8/02	GW08302RG	SILVER	REAL	TR1	0.12	UG/L	U	V1	0.12	1	183	YES	D&D Bldg 883/881
83101	5/8/02	GW08302RG	SODIUM	REAL	TR1	104000	UG/L		V1	5.1	10		YES	D&D Bldg 883/881
83101	5/8/02	GW08302RG	STRONTIUM	REAL	TR1	1650	UG/L		V1	0.02	1	21900	YES	D&D Bldg 883/881
83101	5/8/02	GW08302RG	THALLIUM	REAL	TR1	0.82	UG/L	B	UJ1	0.78	1	2	YES	D&D Bldg 883/881
83101	5/8/02	GW08302RG	TIN	REAL	TR1	0.78	UG/L	U	J1	0.78	1	21900	YES	D&D Bldg 883/881
83101	5/8/02	GW08302RG	URANIUM, TOTAL	REAL	TR1	10.8	UG/L	B	V1	2.8	1		YES	D&D Bldg 883/881
83101	5/8/02	GW08302RG	VANADIUM	REAL	TR1	0.18	UG/L	U	V1	0.18	1	256	YES	D&D Bldg 883/881
83101	5/8/02	GW08302RG	ZINC	REAL	TR1	14.5	UG/L	B	V1	0.1	1	11000	YES	D&D Bldg 883/881
83201	5/8/02	GW08303RG	ALUMINUM	REAL	TR1	102	UG/L		V1	2	1	36500	YES	D&D Bldg 883
83201	5/8/02	GW08303RG	ANTIMONY	REAL	TR1	0.9	UG/L	B	V1	0.55	1	6	YES	D&D Bldg 883
83201	5/8/02	GW08303RG	ARSENIC	REAL	TR1	3.6	UG/L	B	V1	0.62	1	50	YES	D&D Bldg 883
83201	5/8/02	GW08303RG	BARIUM	REAL	TR1	24	UG/L	B	V1	0.02	1	2000	YES	D&D Bldg 883
83201	5/8/02	GW08303RG	BERYLLIUM	REAL	TR1	0.13	UG/L	B	J1	0.02	1	4	YES	D&D Bldg 883
83201	5/8/02	GW08303RG	CADMIUM	REAL	TR1	0.15	UG/L	B	V1	0.08	1	5	YES	D&D Bldg 883
83201	5/8/02	GW08303RG	CALCIUM	REAL	TR1	494000	UG/L		V1	9.2	10		YES	D&D Bldg 883
83201	5/8/02	GW08303RG	CHROMIUM	REAL	TR1	0.8	UG/L	B	V1	0.12	1	100	YES	D&D Bldg 883
83201	5/8/02	GW08303RG	COBALT	REAL	TR1	0.82	UG/L	B	V1	0.18	1	2190	YES	D&D Bldg 883
83201	5/8/02	GW08303RG	COPPER	REAL	TR1	9.3	UG/L		V1	0.08	1	1300	YES	D&D Bldg 883
83201	5/8/02	GW08303RG	IRON	REAL	TR1	17.9	UG/L	B	V1	3.6	1		YES	D&D Bldg 883
83201	5/8/02	GW08303RG	LEAD	REAL	TR1	0.42	UG/L	U	J1	0.42	1	15	YES	D&D Bldg 883
83201	5/8/02	GW08303RG	LITHIUM	REAL	TR1	401	UG/L		J1	0.02	1	730	YES	D&D Bldg 883
83201	5/8/02	GW08303RG	MAGNESIUM	REAL	TR1	466000	UG/L		V1	4.8	10		YES	D&D Bldg 883
83201	5/8/02	GW08303RG	MANGANESE	REAL	TR1	12.6	UG/L	B	V1	0.02	1	1720	YES	D&D Bldg 883
83201	5/8/02	GW08303RG	MERCURY	REAL	TR1	0.98	UG/L		V1	0.1	1	2	YES	D&D Bldg 883
83201	5/8/02	GW08303RG	MOLYBDENUM	REAL	TR1	29.8	UG/L	B	V1	0.28	1	183	YES	D&D Bldg 883
83201	5/8/02	GW08303RG	NICKEL	REAL	TR1	6.9	UG/L	B	V1	0.22	1	140	YES	D&D Bldg 883
83201	5/8/02	GW08303RG	POTASSIUM	REAL	TR1	17300	UG/L		J1	5.1	1		YES	D&D Bldg 883
83201	5/8/02	GW08303RG	SELENIUM	REAL	TR1	36.4	UG/L		V1	0.88	1	50	YES	D&D Bldg 883
83201	5/8/02	GW08303RG	SILVER	REAL	TR1	0.12	UG/L	U	V1	0.12	1	183	YES	D&D Bldg 883
83201	5/8/02	GW08303RG	SODIUM	REAL	TR1	740000	UG/L		V1	5.1	10		YES	D&D Bldg 883
83201	5/8/02	GW08303RG	STRONTIUM	REAL	TR1	9820	UG/L		V1	0.02	1	21900	YES	D&D Bldg 883
83201	5/8/02	GW08303RG	THALLIUM	REAL	TR1	0.78	UG/L	U	V1	0.78	1	2	YES	D&D Bldg 883
83201	5/8/02	GW08303RG	TIN	REAL	TR1	0.78	UG/L	U	J1	0.78	1	21900	YES	D&D Bldg 883
83201	5/8/02	GW08303RG	URANIUM, TOTAL	REAL	TR1	346	UG/L		V1	2.8	1		YES	D&D Bldg 883
83201	5/8/02	GW08303RG	VANADIUM	REAL	TR1	0.18	UG/L	U	V1	0.18	1	256	YES	D&D Bldg 883
83201	5/8/02	GW08303RG	ZINC	REAL	TR1	9.2	UG/L	B	V1	0.1	1	11000	YES	D&D Bldg 883
86501	5/20/02	GW08304RG	ALUMINUM	REAL	TR1	20.6	UG/L		UJ1	5.2	1	36500	YES	D&D Bldg 865

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
86501	5/20/02	GW08304RG	ANTIMONY	REAL	TR1	0.55	UG/L	U	J1	0.55	1	6	YES	D&D Bldg 865
86501	5/20/02	GW08304RG	ARSENIC	REAL	TR1	0.62	UG/L	U	J1	0.62	1	50	YES	D&D Bldg 865
86501	5/20/02	GW08304RG	BARIUM	REAL	TR1	140	UG/L		V1	0.02	1	2000	YES	D&D Bldg 865
86501	5/20/02	GW08304RG	BERYLLIUM	REAL	TR1	0.1	UG/L	U	V1	0.1	1	4	YES	D&D Bldg 865
86501	5/20/02	GW08304RG	CADMIUM	REAL	TR1	0.36	UG/L	B	V1	0.08	1	5	YES	D&D Bldg 865
86501	5/20/02	GW08304RG	CALCIUM	REAL	TR1	173000	UG/L		V1	92.5	10		YES	D&D Bldg 865
86501	5/20/02	GW08304RG	CHROMIUM	REAL	TR1	1	UG/L	B	UJ1	0.12	1	100	YES	D&D Bldg 865
86501	5/20/02	GW08304RG	COBALT	REAL	TR1	0.29	UG/L	B	V1	0.18	1	2190	YES	D&D Bldg 865
86501	5/20/02	GW08304RG	COPPER	REAL	TR1	2	UG/L	B	UJ1	0.08	1	1300	YES	D&D Bldg 865
86501	5/20/02	GW08304RG	IRON	REAL	TR1	19.8	UG/L	B	UJ1	3.6	1		YES	D&D Bldg 865
86501	5/20/02	GW08304RG	LEAD	REAL	TR1	0.42	UG/L	U	J1	0.42	1	15	YES	D&D Bldg 865
86501	5/20/02	GW08304RG	LITHIUM	REAL	TR1	106	UG/L		J1	0.02	1	730	YES	D&D Bldg 865
86501	5/20/02	GW08304RG	MAGNESIUM	REAL	TR1	68000	UG/L		V1	4.8	1		YES	D&D Bldg 865
86501	5/20/02	GW08304RG	MANGANESE	REAL	TR1	8.3	UG/L	B	J1	0.02	1	1720	YES	D&D Bldg 865
86501	5/20/02	GW08304RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	D&D Bldg 865
86501	5/20/02	GW08304RG	MOLYBDENUM	REAL	TR1	7.1	UG/L	B	V1	0.28	1	183	YES	D&D Bldg 865
86501	5/20/02	GW08304RG	NICKEL	REAL	TR1	1.5	UG/L	B	J1	0.22	1	140	YES	D&D Bldg 865
86501	5/20/02	GW08304RG	POTASSIUM	REAL	TR1	5890	UG/L		J1	5.1	1		YES	D&D Bldg 865
86501	5/20/02	GW08304RG	SELENIUM	REAL	TR1	3.9	UG/L		V1	0.88	1	50	YES	D&D Bldg 865
86501	5/20/02	GW08304RG	SILVER	REAL	TR1	0.12	UG/L	U	J1	0.12	1	183	YES	D&D Bldg 865
86501	5/20/02	GW08304RG	SODIUM	REAL	TR1	178000	UG/L		V1	51	10		YES	D&D Bldg 865
86501	5/20/02	GW08304RG	STRONTIUM	REAL	TR1	1750	UG/L		V1	0.02	1	21900	YES	D&D Bldg 865
86501	5/20/02	GW08304RG	THALLIUM	REAL	TR1	0.78	UG/L	U	J1	0.78	1	2	YES	D&D Bldg 865
86501	5/20/02	GW08304RG	TIN	REAL	TR1	0.78	UG/L	U	V1	0.78	1	21900	YES	D&D Bldg 865
86501	5/20/02	GW08304RG	URANIUM, TOTAL	REAL	TR1	128	UG/L		V1	2.8	1		YES	D&D Bldg 865
86501	5/20/02	GW08304RG	VANADIUM	REAL	TR1	0.23	UG/L	B	V1	0.18	1	256	YES	D&D Bldg 865
86501	5/20/02	GW08304RG	ZINC	REAL	TR1	13.8	UG/L	B	V1	0.1	1	11000	YES	D&D Bldg 865
86601	5/20/02	GW08305RG	ALUMINUM	REAL	TR1	23.2	UG/L		UJ1	5.2	1	36500	YES	D&D Bldg 865
86601	5/20/02	GW08305RG	ANTIMONY	REAL	TR1	0.55	UG/L	U	J1	0.55	1	6	YES	D&D Bldg 865
86601	5/20/02	GW08305RG	ARSENIC	REAL	TR1	0.62	UG/L	U	J1	0.62	1	50	YES	D&D Bldg 865
86601	5/20/02	GW08305RG	BARIUM	REAL	TR1	65.5	UG/L	B	V1	0.02	1	2000	YES	D&D Bldg 865
86601	5/20/02	GW08305RG	BERYLLIUM	REAL	TR1	0.1	UG/L	U	V1	0.1	1	4	YES	D&D Bldg 865
86601	5/20/02	GW08305RG	CADMIUM	REAL	TR1	0.41	UG/L	B	V1	0.08	1	5	YES	D&D Bldg 865
86601	5/20/02	GW08305RG	CALCIUM	REAL	TR1	45600	UG/L		V1	9.2	1		YES	D&D Bldg 865
86601	5/20/02	GW08305RG	CHROMIUM	REAL	TR1	1	UG/L	B	UJ1	0.12	1	100	YES	D&D Bldg 865
86601	5/20/02	GW08305RG	COBALT	REAL	TR1	0.18	UG/L	U	V1	0.18	1	2190	YES	D&D Bldg 865
86601	5/20/02	GW08305RG	COPPER	REAL	TR1	1.9	UG/L	B	UJ1	0.08	1	1300	YES	D&D Bldg 865
86601	5/20/02	GW08305RG	IRON	REAL	TR1	24.9	UG/L	B	V1	3.6	1		YES	D&D Bldg 865
86601	5/20/02	GW08305RG	LEAD	REAL	TR1	0.57	UG/L	B	J1	0.42	1	15	YES	D&D Bldg 865
86601	5/20/02	GW08305RG	LITHIUM	REAL	TR1	73.2	UG/L	B	J1	0.02	1	730	YES	D&D Bldg 865
86601	5/20/02	GW08305RG	MAGNESIUM	REAL	TR1	22700	UG/L		V1	4.8	1		YES	D&D Bldg 865
86601	5/20/02	GW08305RG	MANGANESE	REAL	TR1	3.1	UG/L	B	J1	0.02	1	1720	YES	D&D Bldg 865
86601	5/20/02	GW08305RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	D&D Bldg 865
86601	5/20/02	GW08305RG	MOLYBDENUM	REAL	TR1	18.7	UG/L	B	V1	0.28	1	183	YES	D&D Bldg 865
86601	5/20/02	GW08305RG	NICKEL	REAL	TR1	1.4	UG/L	B	J1	0.22	1	140	YES	D&D Bldg 865
86601	5/20/02	GW08305RG	POTASSIUM	REAL	TR1	2850	UG/L	B	J1	5.1	1		YES	D&D Bldg 865
86601	5/20/02	GW08305RG	SELENIUM	REAL	TR1	0.88	UG/L	U	V1	0.88	1	50	YES	D&D Bldg 865
86601	5/20/02	GW08305RG	SILVER	REAL	TR1	0.12	UG/L	U	J1	0.12	1	183	YES	D&D Bldg 865
86601	5/20/02	GW08305RG	SODIUM	REAL	TR1	105000	UG/L		V1	5.1	1		YES	D&D Bldg 865
86601	5/20/02	GW08305RG	STRONTIUM	REAL	TR1	578	UG/L		V1	0.02	1	21900	YES	D&D Bldg 865
86601	5/20/02	GW08305RG	THALLIUM	REAL	TR1	0.78	UG/L	U	J1	0.78	1	2	YES	D&D Bldg 865
86601	5/20/02	GW08305RG	TIN	REAL	TR1	0.78	UG/L	U	V1	0.78	1	21900	YES	D&D Bldg 865
86601	5/20/02	GW08305RG	URANIUM, TOTAL	REAL	TR1	36.4	UG/L	B	V1	2.8	1		YES	D&D Bldg 865
86601	5/20/02	GW08305RG	VANADIUM	REAL	TR1	1.8	UG/L	B	V1	0.18	1	256	YES	D&D Bldg 865
86601	5/20/02	GW08305RG	ZINC	REAL	TR1	12.3	UG/L	B	V1	0.1	1	11000	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	ALUMINUM	REAL	TR1	22.7	UG/L		UJ1	5.2	1	36500	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	ALUMINUM	REAL	TR2	32	UG/L		1	5.2	1	36500	YES	D&D Bldg 865

176

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
86701	5/20/02	GW08306RG	ANTIMONY	REAL	TR1	0.55	UG/L	U	J1	0.55	1	6	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	ANTIMONY	REAL	TR2	0.55	UG/L	U	1	0.55	1	6	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	ARSENIC	REAL	TR1	1.2	UG/L	B	J1	0.62	1	50	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	ARSENIC	REAL	TR2	0.7	UG/L	B	1	0.62	1	50	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	BARIUM	REAL	TR1	55.3	UG/L	B	V1	0.02	1	2000	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	BARIUM	REAL	TR2	52.3	UG/L	B	1	0.02	1	2000	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	BERYLLIUM	REAL	TR1	0.1	UG/L	U	V1	0.1	1	4	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	BERYLLIUM	REAL	TR2	0.1	UG/L	U	1	0.1	1	4	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	CADMIUM	REAL	TR1	0.92	UG/L	B	V1	0.08	1	5	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	CADMIUM	REAL	TR2	0.92	UG/L	B	1	0.08	1	5	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	CALCIUM	REAL	TR1	192000	UG/L		V1	185	20		YES	D&D Bldg 865
86701	5/20/02	GW08306RG	CALCIUM	REAL	TR2	187122	UG/L		1	185	20		YES	D&D Bldg 865
86701	5/20/02	GW08306RG	CHROMIUM	REAL	TR1	2.3	UG/L		V1	0.12	1	100	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	CHROMIUM	REAL	TR2	2.1	UG/L		1	0.12	1	100	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	COBALT	REAL	TR1	0.3	UG/L	B	V1	0.18	1	2190	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	COBALT	REAL	TR2	0.18	UG/L	U	1	0.18	1	2190	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	COPPER	REAL	TR1	4	UG/L		UJ1	0.08	1	1300	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	COPPER	REAL	TR2	3.7	UG/L		1	0.08	1	1300	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	IRON	REAL	TR1	19.8	UG/L	B	UJ1	3.6	1		YES	D&D Bldg 865
86701	5/20/02	GW08306RG	IRON	REAL	TR2	18.2	UG/L	B	1	3.6	1		YES	D&D Bldg 865
86701	5/20/02	GW08306RG	LEAD	REAL	TR1	0.42	UG/L	U	J1	0.42	1	15	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	LEAD	REAL	TR2	0.65	UG/L	B	1	0.42	1	15	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	LITHIUM	REAL	TR1	201	UG/L		J1	0.02	1	730	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	LITHIUM	REAL	TR2	194	UG/L		1	0.02	1	730	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	MAGNESIUM	REAL	TR1	167000	UG/L		V1	95	20		YES	D&D Bldg 865
86701	5/20/02	GW08306RG	MAGNESIUM	REAL	TR2	158727	UG/L		1	95	20		YES	D&D Bldg 865
86701	5/20/02	GW08306RG	MANGANESE	REAL	TR1	1.7	UG/L	B	J1	0.02	1	1720	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	MANGANESE	REAL	TR2	1.5	UG/L	B	1	0.02	1	1720	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	MOLYBDENUM	REAL	TR1	49.5	UG/L		V1	0.28	1	183	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	MOLYBDENUM	REAL	TR2	47.3	UG/L		1	0.28	1	183	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	NICKEL	REAL	TR1	2.1	UG/L	B	V1	0.22	1	140	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	NICKEL	REAL	TR2	1.8	UG/L	B	1	0.22	1	140	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	POTASSIUM	REAL	TR1	6740	UG/L		J1	5.1	1		YES	D&D Bldg 865
86701	5/20/02	GW08306RG	POTASSIUM	REAL	TR2	6602	UG/L		1	5.1	1		YES	D&D Bldg 865
86701	5/20/02	GW08306RG	SELENIUM	REAL	TR1	6.3	UG/L		V1	0.88	1	50	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	SELENIUM	REAL	TR2	5.2	UG/L		1	0.88	1	50	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	SILVER	REAL	TR1	0.12	UG/L	U	J1	0.12	1	183	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	SILVER	REAL	TR2	0.13	UG/L	U	1	0.12	1	183	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	SODIUM	REAL	TR1	391000	UG/L		V1	102	20		YES	D&D Bldg 865
86701	5/20/02	GW08306RG	SODIUM	REAL	TR2	366211	UG/L		1	102	20		YES	D&D Bldg 865
86701	5/20/02	GW08306RG	STRONTIUM	REAL	TR1	3440	UG/L		V1	0.02	1	21900	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	STRONTIUM	REAL	TR2	3327	UG/L		1	0.02	1	21900	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	THALLIUM	REAL	TR1	0.78	UG/L	U	J1	0.78	1	2	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	THALLIUM	REAL	TR2	0.78	UG/L	U	1	0.78	1	2	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	TIN	REAL	TR1	0.78	UG/L	U	V1	0.78	1	21900	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	TIN	REAL	TR2	0.78	UG/L	U	1	0.78	1	21900	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	URANIUM, TOTAL	REAL	TR1	110	UG/L		V1	2.8	1		YES	D&D Bldg 865
86701	5/20/02	GW08306RG	URANIUM, TOTAL	REAL	TR2	102	UG/L		1	2.8	1		YES	D&D Bldg 865
86701	5/20/02	GW08306RG	VANADIUM	REAL	TR1	0.84	UG/L	B	V1	0.18	1	256	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	VANADIUM	REAL	TR2	0.61	UG/L	B	1	0.18	1	256	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	ZINC	REAL	TR1	40.5	UG/L		V1	0.1	1	11000	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	ZINC	REAL	TR2	37.5	UG/L		1	0.1	1	11000	YES	D&D Bldg 865
88101	4/23/02	GW08298RG	ALUMINUM	REAL	TR1	38.1	UG/L		UJ	2	1	36500	YES	D&D Bldg 881
88101	4/23/02	GW08298RG	ANTIMONY	REAL	TR1	0.87	UG/L	B	V	0.55	1	6	YES	D&D Bldg 881
88101	4/23/02	GW08298RG	ARSENIC	REAL	TR1	0.72	UG/L	B	V	0.62	1	50	YES	D&D Bldg 881
88101	4/23/02	GW08298RG	BARIUM	REAL	TR1	51.4	UG/L	B	V	0.02	1	2000	YES	D&D Bldg 881

177

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
88101	4/23/02	GW08298RG	BERYLLIUM	REAL	TR1	0.06	UG/L	B	UJ	0.02	1	4	YES	D&D Bldg 881
88101	4/23/02	GW08298RG	CADMIUM	REAL	TR1	3.3	UG/L		V	0.08	1	5	YES	D&D Bldg 881
88101	4/23/02	GW08298RG	CALCIUM	REAL	TR1	855000	UG/L		V	25.5	5		YES	D&D Bldg 881
88101	4/23/02	GW08298RG	CHROMIUM	REAL	TR1	0.12	UG/L	U	V	0.12	1	100	YES	D&D Bldg 881
88101	4/23/02	GW08298RG	COBALT	REAL	TR1	5.5	UG/L	B	V	0.18	1	2190	YES	D&D Bldg 881
88101	4/23/02	GW08298RG	COPPER	REAL	TR1	4.2	UG/L		J	0.08	1	1300	YES	D&D Bldg 881
88101	4/23/02	GW08298RG	IRON	REAL	TR1	29.5	UG/L	B	UJ	3.6	1		YES	D&D Bldg 881
88101	4/23/02	GW08298RG	LEAD	REAL	TR1	0.42	UG/L	U	V	0.42	1	15	YES	D&D Bldg 881
88101	4/23/02	GW08298RG	LITHIUM	REAL	TR1	746	UG/L		J	0.02	1	730	YES	D&D Bldg 881
88101	4/23/02	GW08298RG	MAGNESIUM	REAL	TR1	197000	UG/L		V	23.8	5		YES	D&D Bldg 881
88101	4/23/02	GW08298RG	MANGANESE	REAL	TR1	720	UG/L		V	0.02	1	1720	YES	D&D Bldg 881
88101	4/23/02	GW08298RG	MERCURY	REAL	TR1	0.1	UG/L	U	V	0.1	1	2	YES	D&D Bldg 881
88101	4/23/02	GW08298RG	MOLYBDENUM	REAL	TR1	9	UG/L	B	V	0.28	1	183	YES	D&D Bldg 881
88101	4/23/02	GW08298RG	NICKEL	REAL	TR1	19.6	UG/L	B	V	0.22	1	140	YES	D&D Bldg 881
88101	4/23/02	GW08298RG	POTASSIUM	REAL	TR1	12400	UG/L	B	V	391	5		YES	D&D Bldg 881
88101	4/23/02	GW08298RG	SELENIUM	REAL	TR1	14.4	UG/L		V	0.88	1	50	YES	D&D Bldg 881
88101	4/23/02	GW08298RG	SILVER	REAL	TR1	0.12	UG/L	U	V	0.12	1	183	YES	D&D Bldg 881
88101	4/23/02	GW08298RG	SODIUM	REAL	TR1	388000	UG/L		V	25.5	5		YES	D&D Bldg 881
88101	4/23/02	GW08298RG	STRONTIUM	REAL	TR1	6920	UG/L		V	0.02	1	21900	YES	D&D Bldg 881
88101	4/23/02	GW08298RG	THALLIUM	REAL	TR1	0.78	UG/L	U	V	0.78	1	2	YES	D&D Bldg 881
88101	4/23/02	GW08298RG	TIN	REAL	TR1	0.78	UG/L	U	V	0.78	1	21900	YES	D&D Bldg 881
88101	4/23/02	GW08298RG	URANIUM, TOTAL	REAL	TR1	192	UG/L		V	2.8	1		YES	D&D Bldg 881
88101	4/23/02	GW08298RG	VANADIUM	REAL	TR1	0.18	UG/L	U	V	0.18	1	256	YES	D&D Bldg 881
88101	4/23/02	GW08298RG	ZINC	REAL	TR1	1031	UG/L		J	0.1	1	11000	YES	D&D Bldg 881
891COLWEL	5/15/02	GW08237RG	ALUMINUM	REAL	TR1	24.8	UG/L		UJ1	2	1	36500	YES	Plume Definition
891COLWEL	5/15/02	GW08237RG	ANTIMONY	REAL	TR1	0.64	UG/L	B	V1	0.55	1	6	YES	Plume Definition
891COLWEL	5/15/02	GW08237RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V1	0.62	1	50	YES	Plume Definition
891COLWEL	5/15/02	GW08237RG	BARIUM	REAL	TR1	70	UG/L	B	V1	0.02	1	2000	YES	Plume Definition
891COLWEL	5/15/02	GW08237RG	BERYLLIUM	REAL	TR1	0.07	UG/L	B	J1	0.02	1	4	YES	Plume Definition
891COLWEL	5/15/02	GW08237RG	CADMIUM	REAL	TR1	0.08	UG/L	U	V1	0.08	1	5	YES	Plume Definition
891COLWEL	5/15/02	GW08237RG	CALCIUM	REAL	TR1	187000	UG/L		V1	9.2	10		YES	Plume Definition
891COLWEL	5/15/02	GW08237RG	CHROMIUM	REAL	TR1	0.6	UG/L	B	UJ1	0.12	1	100	YES	Plume Definition
891COLWEL	5/15/02	GW08237RG	COBALT	REAL	TR1	0.56	UG/L	B	V1	0.18	1	2190	YES	Plume Definition
891COLWEL	5/15/02	GW08237RG	COPPER	REAL	TR1	1.2	UG/L	B	V1	0.08	1	1300	YES	Plume Definition
891COLWEL	5/15/02	GW08237RG	IRON	REAL	TR1	1570	UG/L		V1	3.6	1		YES	Plume Definition
891COLWEL	5/15/02	GW08237RG	LEAD	REAL	TR1	0.42	UG/L	U	J1	0.42	1	15	YES	Plume Definition
891COLWEL	5/15/02	GW08237RG	LITHIUM	REAL	TR1	45.2	UG/L	B	J1	0.02	1	730	YES	Plume Definition
891COLWEL	5/15/02	GW08237RG	MAGNESIUM	REAL	TR1	43100	UG/L		V1	4.8	1		YES	Plume Definition
891COLWEL	5/15/02	GW08237RG	MANGANESE	REAL	TR1	15.2	UG/L		V1	0.02	1	1720	YES	Plume Definition
891COLWEL	5/15/02	GW08237RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	Plume Definition
891COLWEL	5/15/02	GW08237RG	MOLYBDENUM	REAL	TR1	3.1	UG/L	B	V1	0.28	1	183	YES	Plume Definition
891COLWEL	5/15/02	GW08237RG	NICKEL	REAL	TR1	64.3	UG/L		V1	0.22	1	140	YES	Plume Definition
891COLWEL	5/15/02	GW08237RG	POTASSIUM	REAL	TR1	1730	UG/L	B	J1	5.1	1		YES	Plume Definition
891COLWEL	5/15/02	GW08237RG	SELENIUM	REAL	TR1	641	UG/L		V1	0.88	1	50	YES	Plume Definition
891COLWEL	5/15/02	GW08237RG	SILVER	REAL	TR1	0.12	UG/L	U	V1	0.12	1	183	YES	Plume Definition
891COLWEL	5/15/02	GW08237RG	SODIUM	REAL	TR1	150000	UG/L		V1	5.1	10		YES	Plume Definition
891COLWEL	5/15/02	GW08237RG	STRONTIUM	REAL	TR1	1360	UG/L		V1	0.02	1	21900	YES	Plume Definition
891COLWEL	5/15/02	GW08237RG	THALLIUM	REAL	TR1	0.78	UG/L	U	V1	0.78	1	2	YES	Plume Definition
891COLWEL	5/15/02	GW08237RG	TIN	REAL	TR1	0.78	UG/L	U	J1	0.78	1	21900	YES	Plume Definition
891COLWEL	5/15/02	GW08237RG	URANIUM, TOTAL	REAL	TR1	20	UG/L	B	V1	2.8	1		YES	Plume Definition
891COLWEL	5/15/02	GW08237RG	VANADIUM	REAL	TR1	1.5	UG/L	B	V1	0.18	1	256	YES	Plume Definition
891COLWEL	5/15/02	GW08237RG	ZINC	REAL	TR1	4.4	UG/L	B	UJ1	0.1	1	11000	YES	Plume Definition
99301	5/6/02	GW08312RG	ALUMINUM	REAL	TR1	4	UG/L	U	J1	4	2	36500	YES	D&D Bldg 991
99301	5/6/02	GW08312RG	ANTIMONY	REAL	TR1	1.1	UG/L	U	V1	1.1	2	6	YES	D&D Bldg 991
99301	5/6/02	GW08312RG	ARSENIC	REAL	TR1	1.2	UG/L	U	V1	1.2	2	50	YES	D&D Bldg 991
99301	5/6/02	GW08312RG	BARIUM	REAL	TR1	32.9	UG/L	B	V1	0.05	2	2000	YES	D&D Bldg 991
99301	5/6/02	GW08312RG	BERYLLIUM	REAL	TR1	0.05	UG/L	U	V1	0.05	2	4	YES	D&D Bldg 991

178

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
99301	5/6/02	GW08312RG	CADMIUM	REAL	TR1	0.68	UG/L	B	V1	0.15	2	5	YES	D&D Bldg 991
99301	5/6/02	GW08312RG	CALCIUM	REAL	TR1	49900	UG/L		V1	18.5	2		YES	D&D Bldg 991
99301	5/6/02	GW08312RG	CHROMIUM	REAL	TR1	0.55	UG/L	B	UJ1	0.25	2	100	YES	D&D Bldg 991
99301	5/6/02	GW08312RG	COBALT	REAL	TR1	0.65	UG/L	B	V1	0.35	2	2190	YES	D&D Bldg 991
99301	5/6/02	GW08312RG	COPPER	REAL	TR1	13.6	UG/L		V1	0.15	2	1300	YES	D&D Bldg 991
99301	5/6/02	GW08312RG	IRON	REAL	TR1	19.2	UG/L	B	V1	7.2	2		YES	D&D Bldg 991
99301	5/6/02	GW08312RG	LEAD	REAL	TR1	0.85	UG/L	U	J1	0.85	2	15	YES	D&D Bldg 991
99301	5/6/02	GW08312RG	LITHIUM	REAL	TR1	125	UG/L	B	J1	0.05	2	730	YES	D&D Bldg 991
99301	5/6/02	GW08312RG	MAGNESIUM	REAL	TR1	16600	UG/L		V1	9.5	2		YES	D&D Bldg 991
99301	5/6/02	GW08312RG	MANGANESE	REAL	TR1	2.3	UG/L	B	V1	0.05	2	1720	YES	D&D Bldg 991
99301	5/6/02	GW08312RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	D&D Bldg 991
99301	5/6/02	GW08312RG	MOLYBDENUM	REAL	TR1	13.5	UG/L	B	V1	0.55	2	183	YES	D&D Bldg 991
99301	5/6/02	GW08312RG	NICKEL	REAL	TR1	31.8	UG/L	B	V1	0.45	2	140	YES	D&D Bldg 991
99301	5/6/02	GW08312RG	POTASSIUM	REAL	TR1	2880	UG/L	B	J1	10.2	2		YES	D&D Bldg 991
99301	5/6/02	GW08312RG	SELENIUM	REAL	TR1	39.4	UG/L		V1	1.8	2	50	YES	D&D Bldg 991
99301	5/6/02	GW08312RG	SILVER	REAL	TR1	0.25	UG/L	U	V1	0.25	2	183	YES	D&D Bldg 991
99301	5/6/02	GW08312RG	SODIUM	REAL	TR1	166000	UG/L		V1	25.5	5		YES	D&D Bldg 991
99301	5/6/02	GW08312RG	STRONTIUM	REAL	TR1	420	UG/L		V1	0.05	2	21900	YES	D&D Bldg 991
99301	5/6/02	GW08312RG	THALLIUM	REAL	TR1	1.6	UG/L	U	J1	1.6	2	2	YES	D&D Bldg 991
99301	5/6/02	GW08312RG	TIN	REAL	TR1	1.6	UG/L	U	V1	1.6	2	21900	YES	D&D Bldg 991
99301	5/6/02	GW08312RG	URANIUM, TOTAL	REAL	TR1	17.6	UG/L	B	V1	5.6	2		YES	D&D Bldg 991
99301	5/6/02	GW08312RG	VANADIUM	REAL	TR1	0.9	UG/L	B	V1	0.35	2	256	YES	D&D Bldg 991
99301	5/6/02	GW08312RG	ZINC	REAL	TR1	9.6	UG/L	B	UJ1	0.2	2	11000	YES	D&D Bldg 991
B208789	4/24/02	GW08200RG	ALUMINUM	REAL	TR1	21.2	UG/L		UJ	2	1	36500	YES	Plume Extent
B208789	4/24/02	GW08200RG	ANTIMONY	REAL	TR1	0.55	UG/L	U	V	0.55	1	6	YES	Plume Extent
B208789	4/24/02	GW08200RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V	0.62	1	50	YES	Plume Extent
B208789	4/24/02	GW08200RG	BARIUM	REAL	TR1	57	UG/L	B	V	0.02	1	2000	YES	Plume Extent
B208789	4/24/02	GW08200RG	BERYLLIUM	REAL	TR1	0.05	UG/L	B	V	0.02	1	4	YES	Plume Extent
B208789	4/24/02	GW08200RG	CADMIUM	REAL	TR1	0.54	UG/L	B	V	0.08	1	5	YES	Plume Extent
B208789	4/24/02	GW08200RG	CALCIUM	REAL	TR1	188000	UG/L		V	25.5	5		YES	Plume Extent
B208789	4/24/02	GW08200RG	CHROMIUM	REAL	TR1	0.52	UG/L	B	V	0.12	1	100	YES	Plume Extent
B208789	4/24/02	GW08200RG	COBALT	REAL	TR1	0.18	UG/L	B	V	0.18	1	2190	YES	Plume Extent
B208789	4/24/02	GW08200RG	COPPER	REAL	TR1	1.8	UG/L	B	UJ	0.08	1	1300	YES	Plume Extent
B208789	4/24/02	GW08200RG	IRON	REAL	TR1	8.1	UG/L	B	V	3.6	1		YES	Plume Extent
B208789	4/24/02	GW08200RG	LEAD	REAL	TR1	0.42	UG/L	U	UJ	0.42	1	15	YES	Plume Extent
B208789	4/24/02	GW08200RG	LITHIUM	REAL	TR1	19.6	UG/L	B	J	0.02	1	730	YES	Plume Extent
B208789	4/24/02	GW08200RG	MAGNESIUM	REAL	TR1	50000	UG/L		V	23.8	5		YES	Plume Extent
B208789	4/24/02	GW08200RG	MANGANESE	REAL	TR1	2.3	UG/L	B	V	0.02	1	1720	YES	Plume Extent
B208789	4/24/02	GW08200RG	MERCURY	REAL	TR1	0.1	UG/L	U	V	0.1	1	2	YES	Plume Extent
B208789	4/24/02	GW08200RG	MOLYBDENUM	REAL	TR1	1.2	UG/L	B	UJ	0.28	1	183	YES	Plume Extent
B208789	4/24/02	GW08200RG	NICKEL	REAL	TR1	11.2	UG/L	B	V	0.22	1	140	YES	Plume Extent
B208789	4/24/02	GW08200RG	POTASSIUM	REAL	TR1	489	UG/L	B	V	391	5		YES	Plume Extent
B208789	4/24/02	GW08200RG	SELENIUM	REAL	TR1	3.7	UG/L		V	0.88	1	50	YES	Plume Extent
B208789	4/24/02	GW08200RG	SILVER	REAL	TR1	0.12	UG/L	U	V	0.12	1	183	YES	Plume Extent
B208789	4/24/02	GW08200RG	SODIUM	REAL	TR1	179000	UG/L		V	25.5	5		YES	Plume Extent
B208789	4/24/02	GW08200RG	STRONTIUM	REAL	TR1	1380	UG/L		V	0.02	1	21900	YES	Plume Extent
B208789	4/24/02	GW08200RG	THALLIUM	REAL	TR1	1.5	UG/L	B	UJ	0.78	1	2	YES	Plume Extent
B208789	4/24/02	GW08200RG	TIN	REAL	TR1	0.78	UG/L	U	V	0.78	1	21900	YES	Plume Extent
B208789	4/24/02	GW08200RG	URANIUM, TOTAL	REAL	TR1	12.6	UG/L	B	V	2.8	1		YES	Plume Extent
B208789	4/24/02	GW08200RG	VANADIUM	REAL	TR1	0.18	UG/L	U	V	0.18	1	256	YES	Plume Extent
B208789	4/24/02	GW08200RG	ZINC	REAL	TR1	11.8	UG/L	B	J	0.1	1	11000	YES	Plume Extent
BS-865-2	5/21/02	SW08309RG	ALUMINUM	REAL	TR1	32.2	UG/L		UJ1	2	1	36500	YES	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	ANTIMONY	REAL	TR1	0.59	UG/L	B	UJ1	0.55	1	6	YES	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V1	0.62	1	50	YES	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	BARIUM	REAL	TR1	185	UG/L		V1	0.02	1	2000	YES	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	BERYLLIUM	REAL	TR1	0.08	UG/L	B	UJ1	0.02	1	4	YES	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	CADMIUM	REAL	TR1	0.08	UG/L	U	V1	0.08	1	5	YES	D&D Bldg 865

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
BS-865-2	5/21/02	SW08309RG	CALCIUM	REAL	TR1	74500	UG/L		V1	9.2	1		YES	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	CHROMIUM	REAL	TR1	0.33	UG/L	B	UJ1	0.12	1	100	YES	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	COBALT	REAL	TR1	0.18	UG/L	U	V1	0.18	1	2190	YES	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	COPPER	REAL	TR1	2.1	UG/L	B	V1	0.08	1	1300	YES	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	IRON	REAL	TR1	14.8	UG/L	B	V1	3.6	1		YES	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	LEAD	REAL	TR1	0.42	UG/L	U	J1	0.42	1	15	YES	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	LITHIUM	REAL	TR1	26.9	UG/L	B	J1	0.02	1	730	YES	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	MAGNESIUM	REAL	TR1	38800	UG/L		V1	4.8	1		YES	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	MANGANESE	REAL	TR1	0.2	UG/L	B	V1	0.02	1	1720	YES	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	MOLYBDENUM	REAL	TR1	3	UG/L	B	V1	0.28	1	183	YES	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	NICKEL	REAL	TR1	0.52	UG/L	B	V1	0.22	1	140	YES	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	POTASSIUM	REAL	TR1	3150	UG/L	B	J1	5.1	1		YES	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	SELENIUM	REAL	TR1	0.88	UG/L	U	V1	0.88	1	50	YES	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	SILVER	REAL	TR1	0.12	UG/L	U	V1	0.12	1	183	YES	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	SODIUM	REAL	TR1	79000	UG/L		V1	25.5	5		YES	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	STRONTIUM	REAL	TR1	993	UG/L		V1	0.02	1	21900	YES	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	THALLIUM	REAL	TR1	0.78	UG/L	U	J1	0.78	1	2	YES	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	TIN	REAL	TR1	0.78	UG/L	U	V1	0.78	1	21900	YES	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	URANIUM, TOTAL	REAL	TR1	5.7	UG/L	B	V1	2.8	1		YES	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	VANADIUM	REAL	TR1	3.1	UG/L	B	V1	0.18	1	256	YES	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	ZINC	REAL	TR1	29.6	UG/L		UJ1	0.1	1	11000	YES	D&D Bldg 865
FD-559-561	5/7/02	SW08265RG	ALUMINUM	REAL	TR1	24.6	UG/L		UJ	2	1	36500	YES	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	ANTIMONY	REAL	TR1	0.55	UG/L	U	V	0.55	1	6	YES	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V	0.62	1	50	YES	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	BARIUM	REAL	TR1	180	UG/L		V	0.02	1	2000	YES	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	BERYLLIUM	REAL	TR1	0.06	UG/L	B	UJ	0.02	1	4	YES	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	CADMIUM	REAL	TR1	0.08	UG/L	U	V	0.08	1	5	YES	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	CALCIUM	REAL	TR1	143000	UG/L		V	25.5	5		YES	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	CHROMIUM	REAL	TR1	0.78	UG/L	B	UJ	0.12	1	100	YES	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	COBALT	REAL	TR1	0.19	UG/L	B	V	0.18	1	2190	YES	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	COPPER	REAL	TR1	0.63	UG/L	B	UJ	0.08	1	1300	YES	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	IRON	REAL	TR1	78.6	UG/L	B	V	3.6	1		YES	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	LEAD	REAL	TR1	0.42	UG/L	U	V	0.42	1	15	YES	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	LITHIUM	REAL	TR1	12.8	UG/L	B	J	0.02	1	730	YES	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	MAGNESIUM	REAL	TR1	20800	UG/L	B	V	23.8	5		YES	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	MANGANESE	REAL	TR1	4.7	UG/L	B	V	0.02	1	1720	YES	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	MERCURY	REAL	TR1	0.23	UG/L		V	0.1	1	2	YES	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	MOLYBDENUM	REAL	TR1	0.76	UG/L	B	UJ	0.28	1	183	YES	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	NICKEL	REAL	TR1	1.8	UG/L	B	V	0.22	1	140	YES	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	POTASSIUM	REAL	TR1	1320	UG/L	B	V	391	5		YES	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	SELENIUM	REAL	TR1	0.88	UG/L	U	V	0.88	1	50	YES	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	SILVER	REAL	TR1	0.12	UG/L	U	V	0.12	1	183	YES	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	SODIUM	REAL	TR1	37000	UG/L		V	25.5	5		YES	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	STRONTIUM	REAL	TR1	655	UG/L		V	0.02	1	21900	YES	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	THALLIUM	REAL	TR1	0.96	UG/L	B	UJ	0.78	1	2	YES	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	TIN	REAL	TR1	0.78	UG/L	U	V	0.78	1	21900	YES	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	URANIUM, TOTAL	REAL	TR1	2.8	UG/L	U	V	2.8	1		YES	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	VANADIUM	REAL	TR1	0.32	UG/L	B	V	0.18	1	256	YES	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	ZINC	REAL	TR1	40.2	UG/L		J	0.1	1	11000	YES	D&D Bldg 559-561
P209289	5/31/02	GW08201RG	ALUMINUM	REAL	TR1	14.9	UG/L	B	UJ1	2	1	36500	YES	Plume Definition
P209289	5/31/02	GW08201RG	ANTIMONY	REAL	TR1	0.55	UG/L	U	V1	0.55	1	6	YES	Plume Definition
P209289	5/31/02	GW08201RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V1	0.62	1	50	YES	Plume Definition
P209289	5/31/02	GW08201RG	BARIUM	REAL	TR1	108	UG/L		V1	0.02	1	2000	YES	Plume Definition
P209289	5/31/02	GW08201RG	BERYLLIUM	REAL	TR1	0.02	UG/L	U	V1	0.02	1	4	YES	Plume Definition
P209289	5/31/02	GW08201RG	CADMIUM	REAL	TR1	0.38	UG/L	B	V1	0.08	1	5	YES	Plume Definition
P209289	5/31/02	GW08201RG	CALCIUM	REAL	TR1	91500	UG/L		V1	9.2	1		YES	Plume Definition

180

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
P209289	5/31/02	GW08201RG	CHROMIUM	REAL	TR1	0.56	UG/L	B	UJ1	0.12	1	100	YES	Plume Definition
P209289	5/31/02	GW08201RG	COBALT	REAL	TR1	0.51	UG/L	B	UJ1	0.18	1	2190	YES	Plume Definition
P209289	5/31/02	GW08201RG	COPPER	REAL	TR1	2.1	UG/L	B	V1	0.08	1	1300	YES	Plume Definition
P209289	5/31/02	GW08201RG	IRON	REAL	TR1	4.7	UG/L	B	V1	3.6	1		YES	Plume Definition
P209289	5/31/02	GW08201RG	LEAD	REAL	TR1	0.42	UG/L	U	V1	0.42	1	15	YES	Plume Definition
P209289	5/31/02	GW08201RG	LITHIUM	REAL	TR1	5.2	UG/L	B	J1	0.02	1	730	YES	Plume Definition
P209289	5/31/02	GW08201RG	MAGNESIUM	REAL	TR1	6650	UG/L		V1	4.8	1		YES	Plume Definition
P209289	5/31/02	GW08201RG	MANGANESE	REAL	TR1	24.6	UG/L		V1	0.02	1	1720	YES	Plume Definition
P209289	5/31/02	GW08201RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	Plume Definition
P209289	5/31/02	GW08201RG	MOLYBDENUM	REAL	TR1	1	UG/L	B	V1	0.28	1	183	YES	Plume Definition
P209289	5/31/02	GW08201RG	NICKEL	REAL	TR1	39.7	UG/L		V1	0.22	1	140	YES	Plume Definition
P209289	5/31/02	GW08201RG	POTASSIUM	REAL	TR1	989	UG/L	B	J1	5.1	1		YES	Plume Definition
P209289	5/31/02	GW08201RG	SELENIUM	REAL	TR1	0.88	UG/L	U	V1	0.88	1	50	YES	Plume Definition
P209289	5/31/02	GW08201RG	SILVER	REAL	TR1	0.12	UG/L	U	V1	0.12	1	183	YES	Plume Definition
P209289	5/31/02	GW08201RG	SODIUM	REAL	TR1	63500	UG/L		V1	5.1	1		YES	Plume Definition
P209289	5/31/02	GW08201RG	STRONTIUM	REAL	TR1	225	UG/L		V1	0.02	1	21900	YES	Plume Definition
P209289	5/31/02	GW08201RG	THALLIUM	REAL	TR1	0.78	UG/L	U	J1	0.78	1	2	YES	Plume Definition
P209289	5/31/02	GW08201RG	TIN	REAL	TR1	0.78	UG/L	U	V1	0.78	1	21900	YES	Plume Definition
P209289	5/31/02	GW08201RG	URANIUM, TOTAL	REAL	TR1	2.8	UG/L	U	J1	2.8	1		YES	Plume Definition
P209289	5/31/02	GW08201RG	VANADIUM	REAL	TR1	0.5	UG/L	B	UJ1	0.18	1	256	YES	Plume Definition
P209289	5/31/02	GW08201RG	ZINC	REAL	TR1	6.3	UG/L	B	J1	0.1	1	11000	YES	Plume Definition
P209489	4/30/02	GW08202RG	ALUMINUM	REAL	TR1	26.9	UG/L		UJ	2	1	36500	YES	Plume Extent
P209489	4/30/02	GW08202RG	ALUMINUM	REAL	TR2	27.9	UG/L			2	1	36500	YES	Plume Extent
P209489	4/30/02	GW08202RG	ANTIMONY	REAL	TR1	0.77	UG/L	B	V	0.55	1	6	YES	Plume Extent
P209489	4/30/02	GW08202RG	ANTIMONY	REAL	TR2	0.59	UG/L	B		0.55	1	6	YES	Plume Extent
P209489	4/30/02	GW08202RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V	0.62	1	50	YES	Plume Extent
P209489	4/30/02	GW08202RG	ARSENIC	REAL	TR2	0.62	UG/L	U		0.62	1	50	YES	Plume Extent
P209489	4/30/02	GW08202RG	BARIUM	REAL	TR1	92.2	UG/L	B	V	0.02	1	2000	YES	Plume Extent
P209489	4/30/02	GW08202RG	BARIUM	REAL	TR2	91.3	UG/L	B		0.02	1	2000	YES	Plume Extent
P209489	4/30/02	GW08202RG	BERYLLIUM	REAL	TR1	0.09	UG/L	B	UJ	0.02	1	4	YES	Plume Extent
P209489	4/30/02	GW08202RG	BERYLLIUM	REAL	TR2	0.09	UG/L	B		0.02	1	4	YES	Plume Extent
P209489	4/30/02	GW08202RG	CADMIUM	REAL	TR1	0.41	UG/L	B	J	0.08	1	5	YES	Plume Extent
P209489	4/30/02	GW08202RG	CADMIUM	REAL	TR2	0.37	UG/L	B		0.08	1	5	YES	Plume Extent
P209489	4/30/02	GW08202RG	CALCIUM	REAL	TR1	172000	UG/L		V	92.5	10		YES	Plume Extent
P209489	4/30/02	GW08202RG	CALCIUM	REAL	TR2	172936	UG/L			92.5	10		YES	Plume Extent
P209489	4/30/02	GW08202RG	CHROMIUM	REAL	TR1	0.68	UG/L	B	UJ	0.12	1	100	YES	Plume Extent
P209489	4/30/02	GW08202RG	CHROMIUM	REAL	TR2	0.71	UG/L	B		0.12	1	100	YES	Plume Extent
P209489	4/30/02	GW08202RG	COBALT	REAL	TR1	1.3	UG/L	B	UJ	0.18	1	2190	YES	Plume Extent
P209489	4/30/02	GW08202RG	COBALT	REAL	TR2	1.4	UG/L	B		0.18	1	2190	YES	Plume Extent
P209489	4/30/02	GW08202RG	COPPER	REAL	TR1	3.5	UG/L		UJ	0.08	1	1300	YES	Plume Extent
P209489	4/30/02	GW08202RG	COPPER	REAL	TR2	1.3	UG/L	B		0.08	1	1300	YES	Plume Extent
P209489	4/30/02	GW08202RG	IRON	REAL	TR1	3.6	UG/L	U	V	3.6	1		YES	Plume Extent
P209489	4/30/02	GW08202RG	IRON	REAL	TR2	3.6	UG/L	U		3.6	1		YES	Plume Extent
P209489	4/30/02	GW08202RG	LEAD	REAL	TR1	0.56	UG/L	B	UJ	0.42	1	15	YES	Plume Extent
P209489	4/30/02	GW08202RG	LEAD	REAL	TR2	0.42	UG/L	U		0.42	1	15	YES	Plume Extent
P209489	4/30/02	GW08202RG	LITHIUM	REAL	TR1	181	UG/L		J	0.02	1	730	YES	Plume Extent
P209489	4/30/02	GW08202RG	LITHIUM	REAL	TR2	181	UG/L			0.02	1	730	YES	Plume Extent
P209489	4/30/02	GW08202RG	MAGNESIUM	REAL	TR1	28900	UG/L		V	1.4	1		YES	Plume Extent
P209489	4/30/02	GW08202RG	MAGNESIUM	REAL	TR2	29224	UG/L			1.4	1		YES	Plume Extent
P209489	4/30/02	GW08202RG	MANGANESE	REAL	TR1	3.3	UG/L	B	V	0.02	1	1720	YES	Plume Extent
P209489	4/30/02	GW08202RG	MANGANESE	REAL	TR2	3.3	UG/L	B		0.02	1	1720	YES	Plume Extent
P209489	4/30/02	GW08202RG	MERCURY	REAL	TR1	0.1	UG/L	U	V	0.1	1	2	YES	Plume Extent
P209489	4/30/02	GW08202RG	MERCURY	REAL	TR2	0.1	UG/L	U		0.1	1	2	YES	Plume Extent
P209489	4/30/02	GW08202RG	MOLYBDENUM	REAL	TR1	0.7	UG/L	B	J	0.28	1	183	YES	Plume Extent
P209489	4/30/02	GW08202RG	MOLYBDENUM	REAL	TR2	0.55	UG/L	B		0.28	1	183	YES	Plume Extent
P209489	4/30/02	GW08202RG	NICKEL	REAL	TR1	8.1	UG/L	B	V	0.22	1	140	YES	Plume Extent
P209489	4/30/02	GW08202RG	NICKEL	REAL	TR2	8.3	UG/L	B		0.22	1	140	YES	Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
P209489	4/30/02	GW08202RG	POTASSIUM	REAL	TR1	47900	UG/L	B	V	782	10		YES	Plume Extent
P209489	4/30/02	GW08202RG	POTASSIUM	REAL	TR2	48525	UG/L	B		782	10		YES	Plume Extent
P209489	4/30/02	GW08202RG	SELENIUM	REAL	TR1	0.88	UG/L	U	V	0.88	1	50	YES	Plume Extent
P209489	4/30/02	GW08202RG	SELENIUM	REAL	TR2	0.88	UG/L	U		0.88	1	50	YES	Plume Extent
P209489	4/30/02	GW08202RG	SILVER	REAL	TR1	0.12	UG/L	U	J	0.12	1	183	YES	Plume Extent
P209489	4/30/02	GW08202RG	SILVER	REAL	TR2	0.12	UG/L	U		0.12	1	183	YES	Plume Extent
P209489	4/30/02	GW08202RG	SODIUM	REAL	TR1	288000	UG/L		V	51	10		YES	Plume Extent
P209489	4/30/02	GW08202RG	SODIUM	REAL	TR2	288624	UG/L			51	10		YES	Plume Extent
P209489	4/30/02	GW08202RG	STRONTIUM	REAL	TR1	808	UG/L		V	0.02	1	21900	YES	Plume Extent
P209489	4/30/02	GW08202RG	STRONTIUM	REAL	TR2	806	UG/L			0.02	1	21900	YES	Plume Extent
P209489	4/30/02	GW08202RG	THALLIUM	REAL	TR1	1.5	UG/L	B	UJ	0.78	1	2	YES	Plume Extent
P209489	4/30/02	GW08202RG	THALLIUM	REAL	TR2	0.96	UG/L	B		0.78	1	2	YES	Plume Extent
P209489	4/30/02	GW08202RG	TIN	REAL	TR1	0.78	UG/L	U	V	0.78	1	21900	YES	Plume Extent
P209489	4/30/02	GW08202RG	TIN	REAL	TR2	0.78	UG/L	U		0.78	1	21900	YES	Plume Extent
P209489	4/30/02	GW08202RG	URANIUM, TOTAL	REAL	TR1	74.5	UG/L		V	2.8	1		YES	Plume Extent
P209489	4/30/02	GW08202RG	URANIUM, TOTAL	REAL	TR2	73	UG/L	B		2.8	1		YES	Plume Extent
P209489	4/30/02	GW08202RG	VANADIUM	REAL	TR1	0.18	UG/L	U	V	0.18	1	256	YES	Plume Extent
P209489	4/30/02	GW08202RG	VANADIUM	REAL	TR2	0.18	UG/L	U		0.18	1	256	YES	Plume Extent
P209489	4/30/02	GW08202RG	ZINC	REAL	TR1	2.7	UG/L	B	UJ	0.1	1	11000	YES	Plume Extent
P209489	4/30/02	GW08202RG	ZINC	REAL	TR2	3.1	UG/L	B		0.1	1	11000	YES	Plume Extent
P209489	4/30/02	GW08203RG	ALUMINUM	DUP	TR1	29.3	UG/L		UJ	2	1	36500	YES	Plume Extent
P209489	4/30/02	GW08203RG	ANTIMONY	DUP	TR1	1.3	UG/L	B	V	0.55	1	6	YES	Plume Extent
P209489	4/30/02	GW08203RG	ARSENIC	DUP	TR1	4.8	UG/L	B	V	0.62	1	50	YES	Plume Extent
P209489	4/30/02	GW08203RG	BARIUM	DUP	TR1	92.5	UG/L	B	V	0.02	1	2000	YES	Plume Extent
P209489	4/30/02	GW08203RG	BERYLLIUM	DUP	TR1	0.15	UG/L	B	UJ	0.02	1	4	YES	Plume Extent
P209489	4/30/02	GW08203RG	CADMIUM	DUP	TR1	0.4	UG/L	B	J	0.08	1	5	YES	Plume Extent
P209489	4/30/02	GW08203RG	CALCIUM	DUP	TR1	175000	UG/L		V	92.5	10		YES	Plume Extent
P209489	4/30/02	GW08203RG	CHROMIUM	DUP	TR1	0.71	UG/L	B	UJ	0.12	1	100	YES	Plume Extent
P209489	4/30/02	GW08203RG	COBALT	DUP	TR1	1.4	UG/L	B	UJ	0.18	1	2190	YES	Plume Extent
P209489	4/30/02	GW08203RG	COPPER	DUP	TR1	2.2	UG/L	B	UJ	0.08	1	1300	YES	Plume Extent
P209489	4/30/02	GW08203RG	IRON	DUP	TR1	6.8	UG/L	B	UJ	3.6	1		YES	Plume Extent
P209489	4/30/02	GW08203RG	LEAD	DUP	TR1	0.96	UG/L	B	UJ	0.42	1	15	YES	Plume Extent
P209489	4/30/02	GW08203RG	LITHIUM	DUP	TR1	181	UG/L		J	0.02	1	730	YES	Plume Extent
P209489	4/30/02	GW08203RG	MAGNESIUM	DUP	TR1	29400	UG/L		V	1.4	1		YES	Plume Extent
P209489	4/30/02	GW08203RG	MANGANESE	DUP	TR1	3.7	UG/L	B	V	0.02	1	1720	YES	Plume Extent
P209489	4/30/02	GW08203RG	MERCURY	DUP	TR1	0.1	UG/L	U	V	0.1	1	2	YES	Plume Extent
P209489	4/30/02	GW08203RG	MOLYBDENUM	DUP	TR1	1.6	UG/L	B	J	0.28	1	183	YES	Plume Extent
P209489	4/30/02	GW08203RG	NICKEL	DUP	TR1	8.5	UG/L	B	V	0.22	1	140	YES	Plume Extent
P209489	4/30/02	GW08203RG	POTASSIUM	DUP	TR1	49300	UG/L	B	V	782	10		YES	Plume Extent
P209489	4/30/02	GW08203RG	SELENIUM	DUP	TR1	2.7	UG/L	B	V	0.88	1	50	YES	Plume Extent
P209489	4/30/02	GW08203RG	SILVER	DUP	TR1	0.12	UG/L	U	J	0.12	1	183	YES	Plume Extent
P209489	4/30/02	GW08203RG	SODIUM	DUP	TR1	289000	UG/L		V	51	10		YES	Plume Extent
P209489	4/30/02	GW08203RG	STRONTIUM	DUP	TR1	812	UG/L		V	0.02	1	21900	YES	Plume Extent
P209489	4/30/02	GW08203RG	THALLIUM	DUP	TR1	2.8	UG/L	B	UJ	0.78	1	2	YES	Plume Extent
P209489	4/30/02	GW08203RG	TIN	DUP	TR1	1.9	UG/L	B	V	0.78	1	21900	YES	Plume Extent
P209489	4/30/02	GW08203RG	URANIUM, TOTAL	DUP	TR1	75.2	UG/L	B	V	2.8	1		YES	Plume Extent
P209489	4/30/02	GW08203RG	VANADIUM	DUP	TR1	0.59	UG/L	B	UJ	0.18	1	256	YES	Plume Extent
P209489	4/30/02	GW08203RG	ZINC	DUP	TR1	3.1	UG/L	B	UJ	0.1	1	11000	YES	Plume Extent
P209489	4/30/02	GW08204RG	ALUMINUM	RNS	TR1	15.1	UG/L	B	UJ	2	1	36500	YES	Plume Extent
P209489	4/30/02	GW08204RG	ANTIMONY	RNS	TR1	0.55	UG/L	U	V	0.55	1	6	YES	Plume Extent
P209489	4/30/02	GW08204RG	ARSENIC	RNS	TR1	0.62	UG/L	U	V	0.62	1	50	YES	Plume Extent
P209489	4/30/02	GW08204RG	BARIUM	RNS	TR1	0.43	UG/L	B	UJ	0.02	1	2000	YES	Plume Extent
P209489	4/30/02	GW08204RG	BERYLLIUM	RNS	TR1	0.04	UG/L	B	UJ	0.02	1	4	YES	Plume Extent
P209489	4/30/02	GW08204RG	CADMIUM	RNS	TR1	0.08	UG/L	U	V	0.08	1	5	YES	Plume Extent
P209489	4/30/02	GW08204RG	CALCIUM	RNS	TR1	149	UG/L	B	V	9.2	1		YES	Plume Extent
P209489	4/30/02	GW08204RG	CHROMIUM	RNS	TR1	0.57	UG/L	B	UJ	0.12	1	100	YES	Plume Extent
P209489	4/30/02	GW08204RG	COBALT	RNS	TR1	0.38	UG/L	B	UJ	0.18	1	2190	YES	Plume Extent

182

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
P209489	4/30/02	GW08204RG	COPPER	RNS	TR1	1.3	UG/L	B	UJ	0.08	1	1300	YES	Plume Extent
P209489	4/30/02	GW08204RG	IRON	RNS	TR1	13.4	UG/L	B	UJ	3.6	1		YES	Plume Extent
P209489	4/30/02	GW08204RG	LEAD	RNS	TR1	0.42	UG/L	U	V	0.42	1	15	YES	Plume Extent
P209489	4/30/02	GW08204RG	LITHIUM	RNS	TR1	0.12	UG/L	B	UJ	0.02	1	730	YES	Plume Extent
P209489	4/30/02	GW08204RG	MAGNESIUM	RNS	TR1	32.4	UG/L	B	V	1.4	1		YES	Plume Extent
P209489	4/30/02	GW08204RG	MANGANESE	RNS	TR1	0.6	UG/L	B	V	0.02	1	1720	YES	Plume Extent
P209489	4/30/02	GW08204RG	MERCURY	RNS	TR1	0.1	UG/L	U	V	0.1	1	2	YES	Plume Extent
P209489	4/30/02	GW08204RG	MOLYBDENUM	RNS	TR1	0.28	UG/L	U	V	0.28	1	183	YES	Plume Extent
P209489	4/30/02	GW08204RG	NICKEL	RNS	TR1	0.78	UG/L	B	UJ	0.22	1	140	YES	Plume Extent
P209489	4/30/02	GW08204RG	POTASSIUM	RNS	TR1	78.2	UG/L	U	V	78.2	1		YES	Plume Extent
P209489	4/30/02	GW08204RG	SELENIUM	RNS	TR1	0.88	UG/L	U	V	0.88	1	50	YES	Plume Extent
P209489	4/30/02	GW08204RG	SILVER	RNS	TR1	0.12	UG/L	U	J	0.12	1	183	YES	Plume Extent
P209489	4/30/02	GW08204RG	SODIUM	RNS	TR1	148	UG/L	B	V	5.1	1		YES	Plume Extent
P209489	4/30/02	GW08204RG	STRONTIUM	RNS	TR1	0.65	UG/L	B	V	0.02	1	21900	YES	Plume Extent
P209489	4/30/02	GW08204RG	THALLIUM	RNS	TR1	1.3	UG/L	B	UJ	0.78	1	2	YES	Plume Extent
P209489	4/30/02	GW08204RG	TIN	RNS	TR1	0.78	UG/L	U	V	0.78	1	21900	YES	Plume Extent
P209489	4/30/02	GW08204RG	URANIUM, TOTAL	RNS	TR1	2.8	UG/L	U	J	2.8	1		YES	Plume Extent
P209489	4/30/02	GW08204RG	VANADIUM	RNS	TR1	0.28	UG/L	B	UJ	0.18	1	256	YES	Plume Extent
P209489	4/30/02	GW08204RG	ZINC	RNS	TR1	4.2	UG/L	B	UJ	0.1	1	11000	YES	Plume Extent
P218089	4/3/02	GW08184RG	ALUMINUM	REAL	TR1	22.1	UG/L		UJ1	5	1	36500	YES	D&D Bldg 707
P218089	4/3/02	GW08184RG	ANTIMONY	REAL	TR1	0.49	UG/L	B	V1	0.48	1	6	YES	D&D Bldg 707
P218089	4/3/02	GW08184RG	ARSENIC	REAL	TR1	0.75	UG/L	U	V1	0.75	1	50	YES	D&D Bldg 707
P218089	4/3/02	GW08184RG	BARIUM	REAL	TR1	29.6	UG/L	B	V1	0.05	1	2000	YES	D&D Bldg 707
P218089	4/3/02	GW08184RG	BERYLLIUM	REAL	TR1	0.05	UG/L	B	V1	0.02	1	4	YES	D&D Bldg 707
P218089	4/3/02	GW08184RG	CADMIUM	REAL	TR1	0.12	UG/L	B	V1	0.08	1	5	YES	D&D Bldg 707
P218089	4/3/02	GW08184RG	CALCIUM	REAL	TR1	26800	UG/L	B	V1	44.2	10		YES	D&D Bldg 707
P218089	4/3/02	GW08184RG	CHROMIUM	REAL	TR1	0.34	UG/L	B	UJ1	0.2	1	100	YES	D&D Bldg 707
P218089	4/3/02	GW08184RG	COBALT	REAL	TR1	0.2	UG/L	B	V1	0.15	1	2190	YES	D&D Bldg 707
P218089	4/3/02	GW08184RG	COPPER	REAL	TR1	1.1	UG/L	B	UJ1	0.18	1	1300	YES	D&D Bldg 707
P218089	4/3/02	GW08184RG	IRON	REAL	TR1	16.5	UG/L	B	V1	3.8	1		YES	D&D Bldg 707
P218089	4/3/02	GW08184RG	LEAD	REAL	TR1	0.55	UG/L	U	V1	0.55	1	15	YES	D&D Bldg 707
P218089	4/3/02	GW08184RG	LITHIUM	REAL	TR1	15.1	UG/L	B	J1	0.05	1	730	YES	D&D Bldg 707
P218089	4/3/02	GW08184RG	MAGNESIUM	REAL	TR1	18100	UG/L		V1	2.3	1		YES	D&D Bldg 707
P218089	4/3/02	GW08184RG	MANGANESE	REAL	TR1	12	UG/L	B	V1	0.08	1	1720	YES	D&D Bldg 707
P218089	4/3/02	GW08184RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	D&D Bldg 707
P218089	4/3/02	GW08184RG	MERCURY	REAL	TR2	0.1	UG/L	U	1	0.1	1	2	YES	D&D Bldg 707
P218089	4/3/02	GW08184RG	MOLYBDENUM	REAL	TR1	6.5	UG/L	B	V1	0.28	1	183	YES	D&D Bldg 707
P218089	4/3/02	GW08184RG	NICKEL	REAL	TR1	0.82	UG/L	B	UJ1	0.82	1	140	YES	D&D Bldg 707
P218089	4/3/02	GW08184RG	POTASSIUM	REAL	TR1	165	UG/L	B	J1	4.7	1		YES	D&D Bldg 707
P218089	4/3/02	GW08184RG	SELENIUM	REAL	TR1	3.7	UG/L		J1	0.9	1	50	YES	D&D Bldg 707
P218089	4/3/02	GW08184RG	SILVER	REAL	TR1	0.18	UG/L	U	V1	0.18	1	183	YES	D&D Bldg 707
P218089	4/3/02	GW08184RG	SODIUM	REAL	TR1	63600	UG/L		V1	88.2	10		YES	D&D Bldg 707
P218089	4/3/02	GW08184RG	STRONTIUM	REAL	TR1	439	UG/L		V1	0.02	1	21900	YES	D&D Bldg 707
P218089	4/3/02	GW08184RG	THALLIUM	REAL	TR1	1.4	UG/L	U	V1	1.4	1	2	YES	D&D Bldg 707
P218089	4/3/02	GW08184RG	TIN	REAL	TR1	0.82	UG/L	U	V1	0.82	1	21900	YES	D&D Bldg 707
P218089	4/3/02	GW08184RG	URANIUM, TOTAL	REAL	TR1	4.5	UG/L	B	V1	3.3	1		YES	D&D Bldg 707
P218089	4/3/02	GW08184RG	VANADIUM	REAL	TR1	1.7	UG/L	B	V1	0.18	1	256	YES	D&D Bldg 707
P218089	4/3/02	GW08184RG	ZINC	REAL	TR1	7.1	UG/L	B	V1	0.1	1	11000	YES	D&D Bldg 707
P219089	5/15/02	GW08281RG	ALUMINUM	REAL	TR1	35.3	UG/L		UJ1	2	1	36500	YES	D&D Bldg 771
P219089	5/15/02	GW08281RG	ANTIMONY	REAL	TR1	1.2	UG/L	B	UJ1	0.55	1	6	YES	D&D Bldg 771
P219089	5/15/02	GW08281RG	ARSENIC	REAL	TR1	0.72	UG/L	B	V1	0.62	1	50	YES	D&D Bldg 771
P219089	5/15/02	GW08281RG	BARIUM	REAL	TR1	182	UG/L		V1	0.02	1	2000	YES	D&D Bldg 771
P219089	5/15/02	GW08281RG	BERYLLIUM	REAL	TR1	0.08	UG/L	B	UJ1	0.02	1	4	YES	D&D Bldg 771
P219089	5/15/02	GW08281RG	CADMIUM	REAL	TR1	1.5	UG/L		V1	0.08	1	5	YES	D&D Bldg 771
P219089	5/15/02	GW08281RG	CALCIUM	REAL	TR1	91900	UG/L		V1	9.2	1		YES	D&D Bldg 771
P219089	5/15/02	GW08281RG	CHROMIUM	REAL	TR1	4.5	UG/L		V1	0.12	1	100	YES	D&D Bldg 771
P219089	5/15/02	GW08281RG	COBALT	REAL	TR1	0.18	UG/L	U	V1	0.18	1	2190	YES	D&D Bldg 771

183

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
P219089	5/15/02	GW08281RG	COPPER	REAL	TR1	1.7	UG/L	B	V1	0.08	1	1300	YES	D&D Bldg 771
P219089	5/15/02	GW08281RG	IRON	REAL	TR1	31.8	UG/L	B	V1	3.6	1		YES	D&D Bldg 771
P219089	5/15/02	GW08281RG	LEAD	REAL	TR1	1.4	UG/L	B	UJ1	0.42	1	15	YES	D&D Bldg 771
P219089	5/15/02	GW08281RG	LITHIUM	REAL	TR1	119	UG/L		J1	0.02	1	730	YES	D&D Bldg 771
P219089	5/15/02	GW08281RG	MAGNESIUM	REAL	TR1	25700	UG/L		V1	4.8	1		YES	D&D Bldg 771
P219089	5/15/02	GW08281RG	MANGANESE	REAL	TR1	2	UG/L	B	V1	0.02	1	1720	YES	D&D Bldg 771
P219089	5/15/02	GW08281RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	D&D Bldg 771
P219089	5/15/02	GW08281RG	MOLYBDENUM	REAL	TR1	2.3	UG/L	B	V1	0.28	1	183	YES	D&D Bldg 771
P219089	5/15/02	GW08281RG	NICKEL	REAL	TR1	2.9	UG/L	B	V1	0.22	1	140	YES	D&D Bldg 771
P219089	5/15/02	GW08281RG	POTASSIUM	REAL	TR1	2150	UG/L	B	J1	5.1	1		YES	D&D Bldg 771
P219089	5/15/02	GW08281RG	SELENIUM	REAL	TR1	0.88	UG/L	U	V1	0.88	1	50	YES	D&D Bldg 771
P219089	5/15/02	GW08281RG	SILVER	REAL	TR1	0.13	UG/L	B	UJ1	0.12	1	183	YES	D&D Bldg 771
P219089	5/15/02	GW08281RG	SODIUM	REAL	TR1	129000	UG/L		V1	25.5	5		YES	D&D Bldg 771
P219089	5/15/02	GW08281RG	STRONTIUM	REAL	TR1	730	UG/L		V1	0.02	1	21900	YES	D&D Bldg 771
P219089	5/15/02	GW08281RG	THALLIUM	REAL	TR1	0.78	UG/L	U	J1	0.78	1	2	YES	D&D Bldg 771
P219089	5/15/02	GW08281RG	TIN	REAL	TR1	0.78	UG/L	U	V1	0.78	1	21900	YES	D&D Bldg 771
P219089	5/15/02	GW08281RG	URANIUM, TOTAL	REAL	TR1	16.8	UG/L	B	V1	2.8	1		YES	D&D Bldg 771
P219089	5/15/02	GW08281RG	VANADIUM	REAL	TR1	0.81	UG/L	B	V1	0.18	1	256	YES	D&D Bldg 771
P219089	5/15/02	GW08281RG	ZINC	REAL	TR1	126	UG/L		V1	0.1	1	11000	YES	D&D Bldg 771
P416689	4/29/02	GW08208RG	ALUMINUM	REAL	TR1	18.8	UG/L		UJ1	2	1	36500	YES	Plume Extent
P416689	4/29/02	GW08208RG	ANTIMONY	REAL	TR1	0.79	UG/L	B	UJ1	0.55	1	6	YES	Plume Extent
P416689	4/29/02	GW08208RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V1	0.62	1	50	YES	Plume Extent
P416689	4/29/02	GW08208RG	BARIUM	REAL	TR1	125	UG/L		V1	0.02	1	2000	YES	Plume Extent
P416689	4/29/02	GW08208RG	BERYLLIUM	REAL	TR1	0.05	UG/L	B	UJ1	0.02	1	4	YES	Plume Extent
P416689	4/29/02	GW08208RG	CADMIUM	REAL	TR1	0.65	UG/L	B	V1	0.08	1	5	YES	Plume Extent
P416689	4/29/02	GW08208RG	CALCIUM	REAL	TR1	95800	UG/L		V1	9.2	1		YES	Plume Extent
P416689	4/29/02	GW08208RG	CHROMIUM	REAL	TR1	4	UG/L		V1	0.12	1	100	YES	Plume Extent
P416689	4/29/02	GW08208RG	COBALT	REAL	TR1	0.25	UG/L	B	V1	0.18	1	2190	YES	Plume Extent
P416689	4/29/02	GW08208RG	COPPER	REAL	TR1	0.4	UG/L	B	J1	0.08	1	1300	YES	Plume Extent
P416689	4/29/02	GW08208RG	IRON	REAL	TR1	34.4	UG/L	B	V1	3.6	1		YES	Plume Extent
P416689	4/29/02	GW08208RG	LEAD	REAL	TR1	0.42	UG/L	U	J1	0.42	1	15	YES	Plume Extent
P416689	4/29/02	GW08208RG	LITHIUM	REAL	TR1	10	UG/L	B	J1	0.02	1	730	YES	Plume Extent
P416689	4/29/02	GW08208RG	MAGNESIUM	REAL	TR1	16000	UG/L		V1	4.8	1		YES	Plume Extent
P416689	4/29/02	GW08208RG	MANGANESE	REAL	TR1	58.2	UG/L		V1	0.02	1	1720	YES	Plume Extent
P416689	4/29/02	GW08208RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	Plume Extent
P416689	4/29/02	GW08208RG	MOLYBDENUM	REAL	TR1	6	UG/L	B	V1	0.28	1	183	YES	Plume Extent
P416689	4/29/02	GW08208RG	NICKEL	REAL	TR1	125	UG/L		V1	0.22	1	140	YES	Plume Extent
P416689	4/29/02	GW08208RG	POTASSIUM	REAL	TR1	1750	UG/L	B	J1	5.1	1		YES	Plume Extent
P416689	4/29/02	GW08208RG	SELENIUM	REAL	TR1	0.88	UG/L	U	V1	0.88	1	50	YES	Plume Extent
P416689	4/29/02	GW08208RG	SILVER	REAL	TR1	0.15	UG/L	B	UJ1	0.12	1	183	YES	Plume Extent
P416689	4/29/02	GW08208RG	SODIUM	REAL	TR1	36500	UG/L		V1	25.5	5		YES	Plume Extent
P416689	4/29/02	GW08208RG	STRONTIUM	REAL	TR1	502	UG/L		V1	0.02	1	21900	YES	Plume Extent
P416689	4/29/02	GW08208RG	THALLIUM	REAL	TR1	0.78	UG/L	U	J1	0.78	1	2	YES	Plume Extent
P416689	4/29/02	GW08208RG	TIN	REAL	TR1	0.78	UG/L	U	V1	0.78	1	21900	YES	Plume Extent
P416689	4/29/02	GW08208RG	URANIUM, TOTAL	REAL	TR1	2.8	UG/L	U	V1	2.8	1		YES	Plume Extent
P416689	4/29/02	GW08208RG	VANADIUM	REAL	TR1	0.51	UG/L	B	V1	0.18	1	256	YES	Plume Extent
P416689	4/29/02	GW08208RG	ZINC	REAL	TR1	16.1	UG/L	B	UJ1	0.1	1	11000	YES	Plume Extent
P416789	6/10/02	GW08209RG	ALUMINUM	REAL	TR1	9.3	UG/L	B	J1	5.2	1	36500	YES	Plume Definition
P416789	6/10/02	GW08209RG	ALUMINUM	REAL	TR2	11.9	UG/L	B	1	5.2	1	36500	YES	Plume Definition
P416789	6/10/02	GW08209RG	ANTIMONY	REAL	TR1	0.55	UG/L	U	V1	0.55	1	6	YES	Plume Definition
P416789	6/10/02	GW08209RG	ANTIMONY	REAL	TR2	0.55	UG/L	U	1	0.55	1	6	YES	Plume Definition
P416789	6/10/02	GW08209RG	ARSENIC	REAL	TR1	0.62	UG/L	U	J1	0.62	1	50	YES	Plume Definition
P416789	6/10/02	GW08209RG	ARSENIC	REAL	TR2	0.62	UG/L	U	1	0.62	1	50	YES	Plume Definition
P416789	6/10/02	GW08209RG	BARIUM	REAL	TR1	334	UG/L		V1	0.02	1	2000	YES	Plume Definition
P416789	6/10/02	GW08209RG	BARIUM	REAL	TR2	323	UG/L		1	0.02	1	2000	YES	Plume Definition
P416789	6/10/02	GW08209RG	BERYLLIUM	REAL	TR1	0.07	UG/L	B	UJ1	0.02	1	4	YES	Plume Definition
P416789	6/10/02	GW08209RG	BERYLLIUM	REAL	TR2	0.07	UG/L	B	1	0.02	1	4	YES	Plume Definition

184

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
P416789	6/10/02	GW08209RG	CADMIUM	REAL	TR1	0.67	UG/L	B	V1	0.08	1	5	YES	Plume Definition
P416789	6/10/02	GW08209RG	CADMIUM	REAL	TR2	0.6	UG/L	B	1	0.08	1	5	YES	Plume Definition
P416789	6/10/02	GW08209RG	CALCIUM	REAL	TR1	181000	UG/L		V1	74	8		YES	Plume Definition
P416789	6/10/02	GW08209RG	CALCIUM	REAL	TR2	174360	UG/L		1	74	8		YES	Plume Definition
P416789	6/10/02	GW08209RG	CHROMIUM	REAL	TR1	0.47	UG/L	B	V1	0.12	1	100	YES	Plume Definition
P416789	6/10/02	GW08209RG	CHROMIUM	REAL	TR2	0.51	UG/L	B	1	0.12	1	100	YES	Plume Definition
P416789	6/10/02	GW08209RG	COBALT	REAL	TR1	0.18	UG/L	U	V1	0.18	1	2190	YES	Plume Definition
P416789	6/10/02	GW08209RG	COBALT	REAL	TR2	0.18	UG/L	U	1	0.18	1	2190	YES	Plume Definition
P416789	6/10/02	GW08209RG	COPPER	REAL	TR1	1.4	UG/L	B	J1	0.08	1	1300	YES	Plume Definition
P416789	6/10/02	GW08209RG	COPPER	REAL	TR2	1.2	UG/L	B	1	0.08	1	1300	YES	Plume Definition
P416789	6/10/02	GW08209RG	IRON	REAL	TR1	12.5	UG/L	B	V1	3.6	1		YES	Plume Definition
P416789	6/10/02	GW08209RG	IRON	REAL	TR2	12.9	UG/L	B	1	3.6	1		YES	Plume Definition
P416789	6/10/02	GW08209RG	LEAD	REAL	TR1	0.55	UG/L	B	V1	0.42	1	15	YES	Plume Definition
P416789	6/10/02	GW08209RG	LEAD	REAL	TR2	0.42	UG/L	U	1	0.42	1	15	YES	Plume Definition
P416789	6/10/02	GW08209RG	LITHIUM	REAL	TR1	13.6	UG/L	B	V1	0.02	1	730	YES	Plume Definition
P416789	6/10/02	GW08209RG	LITHIUM	REAL	TR2	13	UG/L	B	1	0.02	1	730	YES	Plume Definition
P416789	6/10/02	GW08209RG	MAGNESIUM	REAL	TR1	22800	UG/L		V1	1.4	1		YES	Plume Definition
P416789	6/10/02	GW08209RG	MAGNESIUM	REAL	TR2	22058	UG/L		1	1.4	1		YES	Plume Definition
P416789	6/10/02	GW08209RG	MANGANESE	REAL	TR1	0.6	UG/L	B	V1	0.02	1	1720	YES	Plume Definition
P416789	6/10/02	GW08209RG	MANGANESE	REAL	TR2	0.58	UG/L	B	1	0.02	1	1720	YES	Plume Definition
P416789	6/10/02	GW08209RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	Plume Definition
P416789	6/10/02	GW08209RG	MERCURY	REAL	TR2	0.1	UG/L	U	1	0.1	1	2	YES	Plume Definition
P416789	6/10/02	GW08209RG	MOLYBDENUM	REAL	TR1	3.7	UG/L	B	V1	0.28	1	183	YES	Plume Definition
P416789	6/10/02	GW08209RG	MOLYBDENUM	REAL	TR2	3.1	UG/L	B	1	0.28	1	183	YES	Plume Definition
P416789	6/10/02	GW08209RG	NICKEL	REAL	TR1	1.3	UG/L	B	J1	0.22	1	140	YES	Plume Definition
P416789	6/10/02	GW08209RG	NICKEL	REAL	TR2	1.9	UG/L	B	1	0.22	1	140	YES	Plume Definition
P416789	6/10/02	GW08209RG	POTASSIUM	REAL	TR1	1680	UG/L	B	V1	5.1	1		YES	Plume Definition
P416789	6/10/02	GW08209RG	POTASSIUM	REAL	TR2	1626	UG/L	B	1	5.1	1		YES	Plume Definition
P416789	6/10/02	GW08209RG	SELENIUM	REAL	TR1	0.93	UG/L	B	V1	0.88	1	50	YES	Plume Definition
P416789	6/10/02	GW08209RG	SELENIUM	REAL	TR2	0.87	UG/L	U	1	0.88	1	50	YES	Plume Definition
P416789	6/10/02	GW08209RG	SILVER	REAL	TR1	0.12	UG/L	U	V1	0.12	1	183	YES	Plume Definition
P416789	6/10/02	GW08209RG	SILVER	REAL	TR2	0.12	UG/L	U	1	0.12	1	183	YES	Plume Definition
P416789	6/10/02	GW08209RG	SODIUM	REAL	TR1	23000	UG/L		V1	5.1	1		YES	Plume Definition
P416789	6/10/02	GW08209RG	SODIUM	REAL	TR2	22170	UG/L		1	5.1	1		YES	Plume Definition
P416789	6/10/02	GW08209RG	STRONTIUM	REAL	TR1	875	UG/L	B	V1	0.02	1	21900	YES	Plume Definition
P416789	6/10/02	GW08209RG	STRONTIUM	REAL	TR2	847	UG/L		1	0.02	1	21900	YES	Plume Definition
P416789	6/10/02	GW08209RG	THALLIUM	REAL	TR1	0.78	UG/L	U	V1	0.78	1	2	YES	Plume Definition
P416789	6/10/02	GW08209RG	THALLIUM	REAL	TR2	0.78	UG/L	U	1	0.78	1	2	YES	Plume Definition
P416789	6/10/02	GW08209RG	TIN	REAL	TR1	0.78	UG/L	U	V1	0.78	1	21900	YES	Plume Definition
P416789	6/10/02	GW08209RG	TIN	REAL	TR2	0.78	UG/L	U	1	0.78	1	21900	YES	Plume Definition
P416789	6/10/02	GW08209RG	URANIUM, TOTAL	REAL	TR1	2.8	UG/L	U	V1	2.8	1		YES	Plume Definition
P416789	6/10/02	GW08209RG	URANIUM, TOTAL	REAL	TR2	2.8	UG/L	U	1	2.8	1		YES	Plume Definition
P416789	6/10/02	GW08209RG	VANADIUM	REAL	TR1	0.37	UG/L	B	V1	0.18	1	256	YES	Plume Definition
P416789	6/10/02	GW08209RG	VANADIUM	REAL	TR2	0.26	UG/L	B	1	0.18	1	256	YES	Plume Definition
P416789	6/10/02	GW08209RG	ZINC	REAL	TR1	20.7	UG/L		V1	0.1	1	11000	YES	Plume Definition
P416789	6/10/02	GW08209RG	ZINC	REAL	TR2	19.4	UG/L	B	1	0.1	1	11000	YES	Plume Definition
P416889	5/9/02	GW08210RG	ALUMINUM	REAL	TR1	23.5	UG/L		UJ1	2	1	36500	NO	Plume Definition
P416889	5/9/02	GW08210RG	ALUMINUM	REAL	TR2	31.4	UG/L		1	2	1	36500	NO	Plume Definition
P416889	5/9/02	GW08210RG	ANTIMONY	REAL	TR1	0.55	UG/L	B	V1	0.55	1	6	NO	Plume Definition
P416889	5/9/02	GW08210RG	ANTIMONY	REAL	TR2	0.55	UG/L	U	1	0.55	1	6	NO	Plume Definition
P416889	5/9/02	GW08210RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V1	0.62	1	50	NO	Plume Definition
P416889	5/9/02	GW08210RG	ARSENIC	REAL	TR2	0.63	UG/L	U	1	0.62	1	50	NO	Plume Definition
P416889	5/9/02	GW08210RG	BARIUM	REAL	TR1	188	UG/L		V1	0.02	1	2000	NO	Plume Definition
P416889	5/9/02	GW08210RG	BARIUM	REAL	TR2	191	UG/L		1	0.02	1	2000	NO	Plume Definition
P416889	5/9/02	GW08210RG	BERYLLIUM	REAL	TR1	0.03	UG/L	B	J1	0.02	1	4	NO	Plume Definition
P416889	5/9/02	GW08210RG	BERYLLIUM	REAL	TR2	0.03	UG/L	U	1	0.02	1	4	NO	Plume Definition
P416889	5/9/02	GW08210RG	CADMIUM	REAL	TR1	0.08	UG/L	U	V1	0.08	1	5	NO	Plume Definition

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
P416889	5/9/02	GW08210RG	CADMIUM	REAL	TR2	0.11	UG/L	B	1	0.08	1	5	NO	Plume Definition
P416889	5/9/02	GW08210RG	CALCIUM	REAL	TR1	98500	UG/L		V1	9.2	1		NO	Plume Definition
P416889	5/9/02	GW08210RG	CALCIUM	REAL	TR2	100753	UG/L		1	9.2	1		NO	Plume Definition
P416889	5/9/02	GW08210RG	CHROMIUM	REAL	TR1	32	UG/L		V1	0.12	1	100	NO	Plume Definition
P416889	5/9/02	GW08210RG	CHROMIUM	REAL	TR2	32.7	UG/L		1	0.12	1	100	NO	Plume Definition
P416889	5/9/02	GW08210RG	COBALT	REAL	TR1	0.18	UG/L	U	V1	0.18	1	2190	NO	Plume Definition
P416889	5/9/02	GW08210RG	COBALT	REAL	TR2	0.18	UG/L	U	1	0.18	1	2190	NO	Plume Definition
P416889	5/9/02	GW08210RG	COPPER	REAL	TR1	1.1	UG/L	B	V1	0.08	1	1300	NO	Plume Definition
P416889	5/9/02	GW08210RG	COPPER	REAL	TR2	0.86	UG/L	B	1	0.08	1	1300	NO	Plume Definition
P416889	5/9/02	GW08210RG	IRON	REAL	TR1	52	UG/L	B	V1	3.6	1		NO	Plume Definition
P416889	5/9/02	GW08210RG	IRON	REAL	TR2	55.4	UG/L	B	1	3.6	1		NO	Plume Definition
P416889	5/9/02	GW08210RG	LEAD	REAL	TR1	0.42	UG/L	U	J1	0.42	1	15	NO	Plume Definition
P416889	5/9/02	GW08210RG	LEAD	REAL	TR2	0.43	UG/L	U	1	0.42	1	15	NO	Plume Definition
P416889	5/9/02	GW08210RG	LITHIUM	REAL	TR1	10.5	UG/L	B	J1	0.02	1	730	NO	Plume Definition
P416889	5/9/02	GW08210RG	LITHIUM	REAL	TR2	10.5	UG/L	B	1	0.02	1	730	NO	Plume Definition
P416889	5/9/02	GW08210RG	MAGNESIUM	REAL	TR1	13500	UG/L		V1	4.8	1		NO	Plume Definition
P416889	5/9/02	GW08210RG	MAGNESIUM	REAL	TR2	13805	UG/L		1	4.8	1		NO	Plume Definition
P416889	5/9/02	GW08210RG	MANGANESE	REAL	TR1	0.64	UG/L	B	V1	0.02	1	1720	NO	Plume Definition
P416889	5/9/02	GW08210RG	MANGANESE	REAL	TR2	0.69	UG/L	B	1	0.02	1	1720	NO	Plume Definition
P416889	5/9/02	GW08210RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	NO	Plume Definition
P416889	5/9/02	GW08210RG	MERCURY	REAL	TR2	0.1	UG/L	U	1	0.1	1	2	NO	Plume Definition
P416889	5/9/02	GW08210RG	MOLYBDENUM	REAL	TR1	1.5	UG/L	B	V1	0.28	1	183	NO	Plume Definition
P416889	5/9/02	GW08210RG	MOLYBDENUM	REAL	TR2	1.3	UG/L	B	1	0.28	1	183	NO	Plume Definition
P416889	5/9/02	GW08210RG	NICKEL	REAL	TR1	7.1	UG/L	B	V1	0.22	1	140	NO	Plume Definition
P416889	5/9/02	GW08210RG	NICKEL	REAL	TR2	7.7	UG/L	B	1	0.22	1	140	NO	Plume Definition
P416889	5/9/02	GW08210RG	POTASSIUM	REAL	TR1	1290	UG/L	B	J1	5.1	1		NO	Plume Definition
P416889	5/9/02	GW08210RG	POTASSIUM	REAL	TR2	1312	UG/L	B	1	5.1	1		NO	Plume Definition
P416889	5/9/02	GW08210RG	SELENIUM	REAL	TR1	2.7	UG/L	B	UJ1	0.88	1	50	NO	Plume Definition
P416889	5/9/02	GW08210RG	SELENIUM	REAL	TR2	2.3	UG/L	B	1	0.88	1	50	NO	Plume Definition
P416889	5/9/02	GW08210RG	SILVER	REAL	TR1	0.12	UG/L	U	V1	0.12	1	183	NO	Plume Definition
P416889	5/9/02	GW08210RG	SILVER	REAL	TR2	0.13	UG/L	U	1	0.12	1	183	NO	Plume Definition
P416889	5/9/02	GW08210RG	SODIUM	REAL	TR1	22000	UG/L		V1	5.1	1		NO	Plume Definition
P416889	5/9/02	GW08210RG	SODIUM	REAL	TR2	22300	UG/L		1	5.1	1		NO	Plume Definition
P416889	5/9/02	GW08210RG	STRONTIUM	REAL	TR1	445	UG/L		V1	0.02	1	21900	NO	Plume Definition
P416889	5/9/02	GW08210RG	STRONTIUM	REAL	TR2	454	UG/L		1	0.02	1	21900	NO	Plume Definition
P416889	5/9/02	GW08210RG	THALLIUM	REAL	TR1	0.78	UG/L	U	V1	0.78	1	2	NO	Plume Definition
P416889	5/9/02	GW08210RG	THALLIUM	REAL	TR2	0.78	UG/L	U	1	0.78	1	2	NO	Plume Definition
P416889	5/9/02	GW08210RG	TIN	REAL	TR1	0.78	UG/L	U	J1	0.78	1	21900	NO	Plume Definition
P416889	5/9/02	GW08210RG	TIN	REAL	TR2	0.78	UG/L	U	1	0.78	1	21900	NO	Plume Definition
P416889	5/9/02	GW08210RG	URANIUM, TOTAL	REAL	TR1	2.8	UG/L	U	V1	2.8	1		NO	Plume Definition
P416889	5/9/02	GW08210RG	URANIUM, TOTAL	REAL	TR2	2.8	UG/L	U	1	2.8	1		NO	Plume Definition
P416889	5/9/02	GW08210RG	VANADIUM	REAL	TR1	0.28	UG/L	B	UJ1	0.18	1	256	NO	Plume Definition
P416889	5/9/02	GW08210RG	VANADIUM	REAL	TR2	0.18	UG/L	U	1	0.18	1	256	NO	Plume Definition
P416889	5/9/02	GW08210RG	ZINC	REAL	TR1	3.4	UG/L	B	UJ1	0.1	1	11000	NO	Plume Definition
P416889	5/9/02	GW08210RG	ZINC	REAL	TR2	4.1	UG/L	B	1	0.1	1	11000	NO	Plume Definition
SW085	6/4/02	SW08294RG	ALUMINUM	REAL	TR1	968	UG/L		V1	2	1	36500	YES	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	ANTIMONY	REAL	TR1	5.7	UG/L		V1	0.55	1	6	YES	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	ARSENIC	REAL	TR1	4.1	UG/L	B	V1	0.62	1	50	YES	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	BARIUM	REAL	TR1	22.4	UG/L	B	V1	0.02	1	2000	YES	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	BERYLLIUM	REAL	TR1	0.06	UG/L	B	UJ1	0.02	1	4	YES	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	CADMIUM	REAL	TR1	0.18	UG/L	B	V1	0.08	1	5	YES	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	CALCIUM	REAL	TR1	9560	UG/L		V1	9.2	1		YES	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	CHROMIUM	REAL	TR1	2.5	UG/L		V1	0.12	1	100	YES	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	COBALT	REAL	TR1	0.56	UG/L	B	UJ1	0.18	1	2190	YES	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	COPPER	REAL	TR1	9.5	UG/L		V1	0.08	1	1300	YES	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	IRON	REAL	TR1	619	UG/L		V1	3.6	1		YES	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	LEAD	REAL	TR1	1.2	UG/L	B	UJ1	0.42	1	15	YES	Non-IMP D&D 779

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	Filtered	IMP Well Class
SW085	6/4/02	SW08294RG	LITHIUM	REAL	TR1	10.6	UG/L	B	J1	0.02	1	730	YES	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	MAGNESIUM	REAL	TR1	1130	UG/L	B	V1	4.8	1		YES	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	MANGANESE	REAL	TR1	5.5	UG/L	B	V1	0.02	1	1720	YES	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	MOLYBDENUM	REAL	TR1	4.4	UG/L	B	V1	0.28	1	183	YES	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	NICKEL	REAL	TR1	2.4	UG/L	B	V1	0.22	1	140	YES	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	POTASSIUM	REAL	TR1	9720	UG/L		J1	5.1	1		YES	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	SELENIUM	REAL	TR1	0.92	UG/L	B	V1	0.88	1	50	YES	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	SILVER	REAL	TR1	0.26	UG/L	B	UJ1	0.12	1	183	YES	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	SODIUM	REAL	TR1	129000	UG/L		V1	51	10		YES	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	STRONTIUM	REAL	TR1	52.1	UG/L	B	V1	0.02	1	21900	YES	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	THALLIUM	REAL	TR1	0.78	UG/L	U	J1	0.78	1	2	YES	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	TIN	REAL	TR1	0.78	UG/L	U	V1	0.78	1	21900	YES	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	URANIUM, TOTAL	REAL	TR1	6.8	UG/L	B	J1	2.8	1		YES	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	VANADIUM	REAL	TR1	8.2	UG/L	B	V1	0.18	1	256	YES	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	ZINC	REAL	TR1	36.3	UG/L		J1	0.1	1	11000	YES	Non-IMP D&D 779
SW13494	5/13/02	SW08299RG	ALUMINUM	REAL	TR1	24.4	UG/L		UJ1	2	1	36500	YES	Perf Monitoring
SW13494	5/13/02	SW08299RG	ANTIMONY	REAL	TR1	0.6	UG/L	B	V1	0.55	1	6	YES	Perf Monitoring
SW13494	5/13/02	SW08299RG	ARSENIC	REAL	TR1	0.62	UG/L	U	V1	0.62	1	50	YES	Perf Monitoring
SW13494	5/13/02	SW08299RG	BARIUM	REAL	TR1	235	UG/L		V1	0.02	1	2000	YES	Perf Monitoring
SW13494	5/13/02	SW08299RG	BERYLLIUM	REAL	TR1	0.06	UG/L	B	J1	0.02	1	4	YES	Perf Monitoring
SW13494	5/13/02	SW08299RG	CADMIUM	REAL	TR1	0.1	UG/L	B	V1	0.08	1	5	YES	Perf Monitoring
SW13494	5/13/02	SW08299RG	CALCIUM	REAL	TR1	135000	UG/L		V1	9.2	10		YES	Perf Monitoring
SW13494	5/13/02	SW08299RG	CHROMIUM	REAL	TR1	0.56	UG/L	B	UJ1	0.12	1	100	YES	Perf Monitoring
SW13494	5/13/02	SW08299RG	COBALT	REAL	TR1	0.18	UG/L	U	V1	0.18	1	2190	YES	Perf Monitoring
SW13494	5/13/02	SW08299RG	COPPER	REAL	TR1	0.88	UG/L	B	J1	0.08	1	1300	YES	Perf Monitoring
SW13494	5/13/02	SW08299RG	IRON	REAL	TR1	7.9	UG/L	B	V1	3.6	1		YES	Perf Monitoring
SW13494	5/13/02	SW08299RG	LEAD	REAL	TR1	0.42	UG/L	U	J1	0.42	1	15	YES	Perf Monitoring
SW13494	5/13/02	SW08299RG	LITHIUM	REAL	TR1	23.1	UG/L	B	J1	0.02	1	730	YES	Perf Monitoring
SW13494	5/13/02	SW08299RG	MAGNESIUM	REAL	TR1	30700	UG/L		V1	4.8	1		YES	Perf Monitoring
SW13494	5/13/02	SW08299RG	MANGANESE	REAL	TR1	1.3	UG/L	B	V1	0.02	1	1720	YES	Perf Monitoring
SW13494	5/13/02	SW08299RG	MERCURY	REAL	TR1	0.1	UG/L	U	V1	0.1	1	2	YES	Perf Monitoring
SW13494	5/13/02	SW08299RG	MOLYBDENUM	REAL	TR1	2	UG/L	B	UJ1	0.28	1	183	YES	Perf Monitoring
SW13494	5/13/02	SW08299RG	NICKEL	REAL	TR1	0.41	UG/L	B	J1	0.22	1	140	YES	Perf Monitoring
SW13494	5/13/02	SW08299RG	POTASSIUM	REAL	TR1	4620	UG/L	B	J1	5.1	1		YES	Perf Monitoring
SW13494	5/13/02	SW08299RG	SELENIUM	REAL	TR1	2.6	UG/L	B	UJ1	0.88	1	50	YES	Perf Monitoring
SW13494	5/13/02	SW08299RG	SILVER	REAL	TR1	0.12	UG/L	U	V1	0.12	1	183	YES	Perf Monitoring
SW13494	5/13/02	SW08299RG	SODIUM	REAL	TR1	71200	UG/L		V1	5.1	10		YES	Perf Monitoring
SW13494	5/13/02	SW08299RG	STRONTIUM	REAL	TR1	933	UG/L		V1	0.02	1	21900	YES	Perf Monitoring
SW13494	5/13/02	SW08299RG	THALLIUM	REAL	TR1	0.78	UG/L	U	V1	0.78	1	2	YES	Perf Monitoring
SW13494	5/13/02	SW08299RG	TIN	REAL	TR1	0.78	UG/L	U	J1	0.78	1	21900	YES	Perf Monitoring
SW13494	5/13/02	SW08299RG	URANIUM, TOTAL	REAL	TR1	3.3	UG/L	B	V1	2.8	1		YES	Perf Monitoring
SW13494	5/13/02	SW08299RG	VANADIUM	REAL	TR1	0.83	UG/L	B	UJ1	0.18	1	256	YES	Perf Monitoring
SW13494	5/13/02	SW08299RG	ZINC	REAL	TR1	59.1	UG/L		V1	0.1	1	11000	YES	Perf Monitoring

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	2 Sigma Error	Units	Lab Qual	Valid-ation	Detect Limit	Tier II	Filter?	IMP Well Class
00100	4/18/02	GW08290RG	AMERICIUM-241	REAL	TR1	0.321	0.0763	PCI/L		V1	0.0334	0.145	NO	D&D Bldg 779
00100	4/18/02	GW08290RG	PLUTONIUM-239/240	REAL	TR1	2.21	0.301	PCI/L		V1	0.0373	0.151	NO	D&D Bldg 779
00100	4/18/02	GW08290RG	URANIUM-233,-234	REAL	TR1	1.42	0.636	PCI/L		V1	0.392	1.06	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	URANIUM-235	REAL	TR1	0.19	0.217	PCI/L	J	V1	0.19	1.01	YES	D&D Bldg 779
00100	4/18/02	GW08290RG	URANIUM-238	REAL	TR1	0.459	0.361	PCI/L	J	V1	0.438	0.768	YES	D&D Bldg 779
00200	4/11/02	GW08267RG	AMERICIUM-241	REAL	TR1	0.00961	0.00948	PCI/L	J	V	0.0072	0.145	NO	D&D Bldg 707
00200	4/11/02	GW08267RG	NEPTUNIUM-237	REAL	TR1	0.0185	0.165	PCI/L	U	V	0.521		NO	D&D Bldg 707
00200	4/11/02	GW08267RG	PLUTONIUM-239/240	REAL	TR1	0.00458	0.0127	PCI/L	U	V	0.0253	0.151	NO	D&D Bldg 707
00200	4/11/02	GW08267RG	URANIUM-233,-234	REAL	TR1	0.0966	0.182	PCI/L	U	V1	0.395	1.06	YES	D&D Bldg 707
00200	4/11/02	GW08267RG	URANIUM-235	REAL	TR1	-0.117	0.214	PCI/L	U	V1	0.772	1.01	YES	D&D Bldg 707
00200	4/11/02	GW08267RG	URANIUM-238	REAL	TR1	-0.0712	0.207	PCI/L	U	V1	0.713	0.768	YES	D&D Bldg 707
00300	4/11/02	GW08268RG	AMERICIUM-241	REAL	TR1	0.0184	0.0146	PCI/L	U	V1	0.0196	0.145	NO	D&D Bldg 707
00300	4/11/02	GW08268RG	NEPTUNIUM-237	REAL	TR1	-0.00975	0.0508	PCI/L	U	V1	0.193		NO	D&D Bldg 707
00300	4/11/02	GW08268RG	PLUTONIUM-239/240	REAL	TR1	0.00684	0.00951	PCI/L	U	V1	0.0103	0.151	NO	D&D Bldg 707
00300	4/11/02	GW08268RG	URANIUM-233,-234	REAL	TR1	23.9	4.22	PCI/L		V1	0.291	1.06	YES	D&D Bldg 707
00300	4/11/02	GW08268RG	URANIUM-235	REAL	TR1	2.34	0.669	PCI/L		V1	0.179	1.01	YES	D&D Bldg 707
00300	4/11/02	GW08268RG	URANIUM-238	REAL	TR1	15.8	2.91	PCI/L		V1	0.211	0.768	YES	D&D Bldg 707
00400	4/16/02	GW08283RG	AMERICIUM-241	REAL	TR1	0.0129	0.012	PCI/L	U	V	0.0164	0.145	NO	D&D Bldg 776/777
00400	4/16/02	GW08283RG	PLUTONIUM-239/240	REAL	TR1	0.00915	0.0108	PCI/L	U	V	0.0175	0.151	NO	D&D Bldg 776/777
00400	4/16/02	GW08283RG	TRITIUM	REAL	TR1	127	180	PCI/L	U	V1	303	666	NO	D&D Bldg 776/777
00400	4/16/02	GW08283RG	URANIUM-233,-234	REAL	TR1	1.74	0.41	PCI/L		V1	0.202	1.06	YES	D&D Bldg 776/777
00400	4/16/02	GW08283RG	URANIUM-235	REAL	TR1	0.0702	0.0804	PCI/L	U	V1	0.137	1.01	YES	D&D Bldg 776/777
00400	4/16/02	GW08283RG	URANIUM-238	REAL	TR1	1.44	0.356	PCI/L		V1	0.12	0.768	YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	AMERICIUM-241	REAL	TR1	0.00582	0.0114	PCI/L	U	V1	0.0215	0.145	NO	D&D Bldg 776/777
00500	4/30/02	GW08285RG	AMERICIUM-241	DUP	TR1	0	0.00607	PCI/L	U	V1	0.0168	0.145	NO	D&D Bldg 776/777
00500	4/30/02	GW08286RG	AMERICIUM-241	RNS	TR1	0.0105	0.0093	PCI/L	J	V1	0.0063	0.145	NO	D&D Bldg 776/777
00500	4/30/02	GW08284RG	PLUTONIUM-239/240	REAL	TR1	0.0235	0.0155	PCI/L	J	V1	0.0078	0.151	NO	D&D Bldg 776/777
00500	4/30/02	GW08285RG	PLUTONIUM-239/240	DUP	TR1	0.0076	0.0106	PCI/L	U	V1	0.0182	0.151	NO	D&D Bldg 776/777
00500	4/30/02	GW08286RG	PLUTONIUM-239/240	RNS	TR1	0.00547	0.0107	PCI/L	U	V1	0.0209	0.151	NO	D&D Bldg 776/777
00500	4/30/02	GW08284RG	TRITIUM	REAL	TR1	24.7	166	PCI/L	U	V1	296	666	NO	D&D Bldg 776/777
00500	4/30/02	GW08285RG	TRITIUM	DUP	TR1	111	193	PCI/L	U	V1	331	666	NO	D&D Bldg 776/777
00500	4/30/02	GW08286RG	TRITIUM	RNS	TR1	-78.6	165	PCI/L	U	V1	314	666	NO	D&D Bldg 776/777
00500	4/30/02	GW08284RG	URANIUM-233,-234	REAL	TR1	1.01	0.45	PCI/L		V1	0.33	1.06	YES	D&D Bldg 776/777
00500	4/30/02	GW08285RG	URANIUM-233,-234	DUP	TR1	1.63	0.564	PCI/L		V1	0.25	1.06	YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	URANIUM-233,-234	RNS	TR1	0.0621	0.143	PCI/L	U	V1	0.342	1.06	YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	URANIUM-235	REAL	TR1	0.0351	0.13	PCI/L	U	V1	0.355	1.01	YES	D&D Bldg 776/777
00500	4/30/02	GW08285RG	URANIUM-235	DUP	TR1	0.303	0.23	PCI/L	J	V1	0.251	1.01	YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	URANIUM-235	RNS	TR1	0.0623	0.144	PCI/L	U	V1	0.343	1.01	YES	D&D Bldg 776/777
00500	4/30/02	GW08284RG	URANIUM-238	REAL	TR1	1.19	0.5	PCI/L		V1	0.395	0.768	YES	D&D Bldg 776/777
00500	4/30/02	GW08285RG	URANIUM-238	DUP	TR1	1.03	0.432	PCI/L		V1	0.25	0.768	YES	D&D Bldg 776/777
00500	4/30/02	GW08286RG	URANIUM-238	RNS	TR1	0	0.0781	PCI/L	U	V1	0.12	0.768	YES	D&D Bldg 776/777
00600	4/16/02	GW08287RG	AMERICIUM-241	REAL	TR1	0.0265	0.0173	PCI/L	J	V1	0.0184	0.145	NO	D&D Bldg 776/777
00600	4/16/02	GW08287RG	PLUTONIUM-239/240	REAL	TR1	0	0.0123	PCI/L	U	V1	0.0283	0.151	NO	D&D Bldg 776/777
00600	4/16/02	GW08287RG	TRITIUM	REAL	TR1	-138	111	PCI/L	U	V1	205	666	NO	D&D Bldg 776/777
00600	4/16/02	GW08287RG	URANIUM-233,-234	REAL	TR1	0.476	0.375	PCI/L	J	V1	0.372	1.06	YES	D&D Bldg 776/777
00600	4/16/02	GW08287RG	URANIUM-235	REAL	TR1	-0.0847	0.0755	PCI/L	U	V1	0.571	1.01	YES	D&D Bldg 776/777
00600	4/16/02	GW08287RG	URANIUM-238	REAL	TR1	0.107	0.201	PCI/L	U	V1	0.438	0.768	YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	AMERICIUM-241	REAL	TR1	0.00196	0.00665	PCI/L	U	V	0.015	0.145	NO	D&D Bldg 776/777
00700	5/8/02	GW08288RG	PLUTONIUM-239/240	REAL	TR1	0.00541	0.0106	PCI/L	U	V	0.0207	0.151	NO	D&D Bldg 776/777
00700	5/8/02	GW08288RG	TRITIUM	REAL	TR1	332	165	PCI/L	J	V	244	666	NO	D&D Bldg 776/777
00700	5/8/02	GW08288RG	URANIUM-233,-234	REAL	TR1	0.0988	0.195	PCI/L	U	V	0.442	1.06	YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	URANIUM-235	REAL	TR1	0.0571	0.177	PCI/L	U	V	0.443	1.01	YES	D&D Bldg 776/777
00700	5/8/02	GW08288RG	URANIUM-238	REAL	TR1	-0.0402	0.0399	PCI/L	U	V	0.316	0.768	YES	D&D Bldg 776/777
00897	5/8/02	GW08186RG	AMERICIUM-241	REAL	TR1	0.00877	0.00865	PCI/L	J	V	0.0066	0.145	NO	Perf Monitoring
00897	5/8/02	GW08187RG	AMERICIUM-241	DUP	TR1	0.00847	0.0118	PCI/L	U	V	0.0203	0.145	NO	Perf Monitoring
00897	5/8/02	GW08188RG	AMERICIUM-241	RNS	TR1	0.00685	0.0149	PCI/L	U	V	0.0281	0.145	NO	Perf Monitoring
00897	5/8/02	GW08186RG	PLUTONIUM-239/240	REAL	TR1	0	0.00785	PCI/L	U	V	0.0192	0.151	NO	Perf Monitoring

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	2 Sigma Error	Units	Lab Qual	Valid-ation	Detect Limit	Tier II	Filter?	IMP Well Class
00897	5/8/02	GW08187RG	PLUTONIUM-239/240	DUP	TR1	0.00385	0.00756	PCI/L	U	V	0.0147	0.151	NO	Perf Monitoring
00897	5/8/02	GW08188RG	PLUTONIUM-239/240	RNS	TR1	-0.00417	0.01	PCI/L	U	V	0.0256	0.151	NO	Perf Monitoring
00897	5/8/02	GW08186RG	URANIUM-233,-234	REAL	TR1	3.97	0.888	PCI/L		V	0.222	1.06	YES	Perf Monitoring
00897	5/8/02	GW08187RG	URANIUM-233,-234	DUP	TR1	3.7	0.89	PCI/L		V	0.29	1.06	YES	Perf Monitoring
00897	5/8/02	GW08188RG	URANIUM-233,-234	RNS	TR1	0.00575	0.221	PCI/L	U	V	0.679	1.06	YES	Perf Monitoring
00897	5/8/02	GW08186RG	URANIUM-235	REAL	TR1	0.0966	0.119	PCI/L	U	V	0.205	1.01	YES	Perf Monitoring
00897	5/8/02	GW08187RG	URANIUM-235	DUP	TR1	0.127	0.135	PCI/L	U	V	0.179	1.01	YES	Perf Monitoring
00897	5/8/02	GW08188RG	URANIUM-235	RNS	TR1	-0.104	0.085	PCI/L	U	V	0.619	1.01	YES	Perf Monitoring
00897	5/8/02	GW08186RG	URANIUM-238	REAL	TR1	2.86	0.707	PCI/L		V	0.204	0.768	YES	Perf Monitoring
00897	5/8/02	GW08187RG	URANIUM-238	DUP	TR1	2.09	0.607	PCI/L		V	0.101	0.768	YES	Perf Monitoring
00897	5/8/02	GW08188RG	URANIUM-238	RNS	TR1	-0.0144	0.16	PCI/L	U	V	0.582	0.768	YES	Perf Monitoring
02291	5/14/02	GW08189RG	AMERICIUM-241	REAL	TR1	0.0074	0.0115	PCI/L	U	V	0.0204	0.145	NO	Perf Monitoring
02291	5/14/02	GW08189RG	PLUTONIUM-239/240	REAL	TR1	0.0065	0.0128	PCI/L	U	V	0.0239	0.151	NO	Perf Monitoring
02291	5/14/02	GW08189RG	URANIUM-233,-234	REAL	TR1	16.6	2.91	PCI/L		V	0.269	1.06	YES	Perf Monitoring
02291	5/14/02	GW08189RG	URANIUM-235	REAL	TR1	0.456	0.262	PCI/L	J	V	0.189	1.01	YES	Perf Monitoring
02291	5/14/02	GW08189RG	URANIUM-238	REAL	TR1	8.82	1.72	PCI/L		V	0.188	0.768	YES	Perf Monitoring
02397	5/30/02	GW08292RG	URANIUM-233,-234	REAL	TR1	1.07	0.379	PCI/L		V	0.212	1.06	YES	D&D Bldg 779
02397	5/30/02	GW08292RG	URANIUM-235	REAL	TR1	0.0361	0.0816	PCI/L	U	V	0.196	1.01	YES	D&D Bldg 779
02397	5/30/02	GW08292RG	URANIUM-238	REAL	TR1	0.471	0.238	PCI/L	J	V	0.148	0.768	YES	D&D Bldg 779
02500	4/18/02	GW08291RG	AMERICIUM-241	REAL	TR1	0.00402	0.0111	PCI/L	U	V1	0.0222	0.145	NO	D&D Bldg 779
02500	4/18/02	GW08291RG	PLUTONIUM-239/240	REAL	TR1	0.0086	0.0146	PCI/L	U	V1	0.0265	0.151	NO	D&D Bldg 779
02500	4/18/02	GW08291RG	URANIUM-233,-234	REAL	TR1	7.18	1.86	PCI/L		V1	0.666	1.06	YES	D&D Bldg 779
02500	4/18/02	GW08291RG	URANIUM-235	REAL	TR1	0.323	0.404	PCI/L	U	V1	0.781	1.01	YES	D&D Bldg 779
02500	4/18/02	GW08291RG	URANIUM-238	REAL	TR1	3.08	1.08	PCI/L		V1	0.597	0.768	YES	D&D Bldg 779
0487	4/24/02	GW08320RG	URANIUM-233,-234	REAL	TR1	12.1	2.45	PCI/L		V	0.719	1.06	YES	Plume Definition
0487	4/24/02	GW08320RG	URANIUM-235	REAL	TR1	0.247	0.263	PCI/L	U	V	0.459	1.01	YES	Plume Definition
0487	4/24/02	GW08320RG	URANIUM-238	REAL	TR1	7.9	1.74	PCI/L		V	0.366	0.768	YES	Plume Definition
11891	5/16/02	GW08194RG	AMERICIUM-241	REAL	TR1	0.372	0.069	PCI/L		V	0.0205	0.145	NO	Perf Monitoring
11891	5/16/02	GW08194RG	PLUTONIUM-239/240	REAL	TR1	0.051	0.0254	PCI/L		V	0.0297	0.151	NO	Perf Monitoring
11891	5/16/02	GW08194RG	URANIUM-233,-234	REAL	TR1	2.7	0.725	PCI/L		V	0.277	1.06	YES	Perf Monitoring
11891	5/16/02	GW08194RG	URANIUM-235	REAL	TR1	0.138	0.136	PCI/L	J	V	0.103	1.01	YES	Perf Monitoring
11891	5/16/02	GW08194RG	URANIUM-238	REAL	TR1	1.68	0.538	PCI/L		V	0.259	0.768	YES	Perf Monitoring
12191	4/17/02	GW08195RG	AMERICIUM-241	REAL	TR1	0.0229	0.0144	PCI/L	J	V1	0.0069	0.145	NO	Perf Monitoring
12191	4/17/02	GW08196RG	AMERICIUM-241	DUP	TR1	0.0133	0.0164	PCI/L	U	V1	0.0274	0.145	NO	Perf Monitoring
12191	4/17/02	GW08197RG	AMERICIUM-241	RNS	TR1	0.00895	0.0124	PCI/L	U	V1	0.0214	0.145	NO	Perf Monitoring
12191	4/17/02	GW08195RG	PLUTONIUM-239/240	REAL	TR1	0.0191	0.0161	PCI/L	U	V1	0.0208	0.151	NO	Perf Monitoring
12191	4/17/02	GW08196RG	PLUTONIUM-239/240	DUP	TR1	0.0168	0.017	PCI/L	U	V1	0.0265	0.151	NO	Perf Monitoring
12191	4/17/02	GW08197RG	PLUTONIUM-239/240	RNS	TR1	-0.00406	0.00976	PCI/L	U	V1	0.025	0.151	NO	Perf Monitoring
12191	4/17/02	GW08195RG	URANIUM-233,-234	REAL	TR1	1.01	0.497	PCI/L		V1	0.47	1.06	YES	Perf Monitoring
12191	4/17/02	GW08196RG	URANIUM-233,-234	DUP	TR1	2.54	0.901	PCI/L		V1	0.613	1.06	YES	Perf Monitoring
12191	4/17/02	GW08197RG	URANIUM-233,-234	RNS	TR1	0.00596	0.229	PCI/L	U	V1	0.703	1.06	YES	Perf Monitoring
12191	4/17/02	GW08195RG	URANIUM-235	REAL	TR1	-0.0125	0.105	PCI/L	U	V1	0.276	1.01	YES	Perf Monitoring
12191	4/17/02	GW08196RG	URANIUM-235	DUP	TR1	-0.105	0.0795	PCI/L	U	V1	0.564	1.01	YES	Perf Monitoring
12191	4/17/02	GW08197RG	URANIUM-235	RNS	TR1	0.132	0.211	PCI/L	U	V1	0.394	1.01	YES	Perf Monitoring
12191	4/17/02	GW08195RG	URANIUM-238	REAL	TR1	0.952	0.47	PCI/L	J	V1	0.362	0.768	YES	Perf Monitoring
12191	4/17/02	GW08196RG	URANIUM-238	DUP	TR1	1.18	0.564	PCI/L		V1	0.187	0.768	YES	Perf Monitoring
12191	4/17/02	GW08197RG	URANIUM-238	RNS	TR1	-0.0328	0.169	PCI/L	U	V1	0.639	0.768	YES	Perf Monitoring
1386	4/19/02	GW08225RG	AMERICIUM-241	REAL	TR1	0.0257	0.0148	PCI/L	J	V1	0.0064	0.145	NO	Plume Extent
1386	4/19/02	GW08225RG	PLUTONIUM-239/240	REAL	TR1	0.0201	0.0173	PCI/L	U	V1	0.0222	0.151	NO	Plume Extent
1386	4/19/02	GW08225RG	STRONTIUM-89,90	REAL	TR1	0.196	0.171	PCI/L	U	V1	0.275	0.852	YES	Plume Extent
1386	4/19/02	GW08225RG	TRITIUM	REAL	TR1	0	179	PCI/L	U	V1	325	666	NO	Plume Extent
1386	4/19/02	GW08225RG	URANIUM-233,-234	REAL	TR1	10.4	2.05	PCI/L		V1	0.18	1.06	YES	Plume Extent
1386	4/19/02	GW08225RG	URANIUM-233,-234	REAL	TR1	10.6	2.46	PCI/L		V1	0.586	1.06	NO	Plume Extent
1386	4/19/02	GW08225RG	URANIUM-235	REAL	TR1	0.607	0.301	PCI/L	J	V1	0.18	1.01	YES	Plume Extent
1386	4/19/02	GW08225RG	URANIUM-235	REAL	TR1	0.62	0.392	PCI/L	J	V1	0.304	1.01	NO	Plume Extent
1386	4/19/02	GW08225RG	URANIUM-238	REAL	TR1	9.68	1.92	PCI/L		V1	0.237	0.768	YES	Plume Extent
1386	4/19/02	GW08225RG	URANIUM-238	REAL	TR1	9.11	2.17	PCI/L		V1	0.358	0.768	NO	Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	2 Sigma Error	Units	Lab Qual	Valid-ation	Detect Limit	Tier II	Filter?	IMP Well Class
1786	4/16/02	GW08226RG	AMERICIUM-241	REAL	TR1	0.0138	0.0156	PCI/L	U	V1	0.0253	0.145	NO	Plume Extent
1786	4/16/02	GW08226RG	PLUTONIUM-239/240	REAL	TR1	2E-09	0.0118	PCI/L	U	V1	0.0261	0.151	NO	Plume Extent
1786	4/16/02	GW08226RG	STRONTIUM-89,90	REAL	TR1	0.113	0.354	PCI/L	U	V	0.602	0.852	NO	Plume Extent
1786	4/16/02	GW08226RG	TRITIUM	REAL	TR1	224	131	PCI/L	J	V1	207	666	NO	Plume Extent
1786	4/16/02	GW08226RG	URANIUM-233,-234	REAL	TR1	37.4	7.22	PCI/L		V1	0.649	1.06	NO	Plume Extent
1786	4/16/02	GW08226RG	URANIUM-233,-234	REAL	TR1	33.5	6.52	PCI/L		V1	0.446	1.06	YES	Plume Extent
1786	4/16/02	GW08226RG	URANIUM-235	REAL	TR1	1.06	0.638	PCI/L		V1	0.598	1.01	NO	Plume Extent
1786	4/16/02	GW08226RG	URANIUM-235	REAL	TR1	0.808	0.546	PCI/L	J	V1	0.528	1.01	YES	Plume Extent
1786	4/16/02	GW08226RG	URANIUM-238	REAL	TR1	26.8	5.41	PCI/L		V1	0.453	0.768	NO	Plume Extent
1786	4/16/02	GW08226RG	URANIUM-238	REAL	TR1	26	5.25	PCI/L		V1	0.446	0.768	YES	Plume Extent
18199	4/29/02	GW08252RG	AMERICIUM-241	REAL	TR1	0.0178	0.0139	PCI/L	J	V1	0.017	0.145	NO	Plume Degradation
18199	4/29/02	GW08252RG	NEPTUNIUM-237	REAL	TR1	-0.0422	0.0531	PCI/L	U	V1	0.195		NO	Plume Degradation
18199	4/29/02	GW08252RG	PLUTONIUM-239/240	REAL	TR1	0.0053	0.0127	PCI/L	U	V1	0.0254	0.151	NO	Plume Degradation
18199	4/29/02	GW08252RG	TRITIUM	REAL	TR1	-54.7	175	PCI/L	U	V1	328	666	NO	Plume Degradation
18199	4/29/02	GW08252RG	URANIUM-233,-234	REAL	TR1	0.475	0.268	PCI/L	J	V1	0.28	1.06	NO	Plume Degradation
18199	4/29/02	GW08252RG	URANIUM-235	REAL	TR1	0.327	0.208	PCI/L	J	V1	0.0981	1.01	NO	Plume Degradation
18199	4/29/02	GW08252RG	URANIUM-238	REAL	TR1	0.261	0.185	PCI/L	J	V1	0.0978	0.768	NO	Plume Degradation
1986	5/20/02	GW08190RG	AMERICIUM-241	REAL	TR1	0.0052	0.0102	PCI/L	U	V	0.0156	0.145	NO	Plume Extent
1986	5/20/02	GW08190RG	PLUTONIUM-239/240	REAL	TR1	0	0.0106	PCI/L	U	V	0.026	0.151	NO	Plume Extent
1986	5/20/02	GW08190RG	URANIUM-233,-234	REAL	TR1	3.73	0.863	PCI/L		V	0.261	1.06	NO	Plume Extent
1986	5/20/02	GW08190RG	URANIUM-235	REAL	TR1	0.276	0.196	PCI/L	J	V	0.231	1.01	NO	Plume Extent
1986	5/20/02	GW08190RG	URANIUM-238	REAL	TR1	3.19	0.771	PCI/L		V	0.19	0.768	NO	Plume Extent
2186	6/17/02	GW08191RG	AMERICIUM-241	REAL	TR1	0.00859	0.0133	PCI/L	U	V	0.0237	0.145	NO	Plume Extent
2186	6/17/02	GW08191RG	PLUTONIUM-239/240	REAL	TR1	0.00424	0.0132	PCI/L	U	V	0.0261	0.151	NO	Plume Extent
2186	6/17/02	GW08191RG	URANIUM-233,-234	REAL	TR1	3.39	0.855	PCI/L		V	0.318	1.06	YES	Plume Extent
2186	6/17/02	GW08191RG	URANIUM-235	REAL	TR1	0.106	0.121	PCI/L	J	V	0.106	1.01	YES	Plume Extent
2186	6/17/02	GW08191RG	URANIUM-238	REAL	TR1	1.1	0.425	PCI/L		V	0.245	0.768	YES	Plume Extent
22796	5/21/02	GW08198RG	AMERICIUM-241	REAL	TR1	0.00726	0.0126	PCI/L	U	V	0.0232	0.145	NO	Plume Extent
22796	5/21/02	GW08198RG	PLUTONIUM-239/240	REAL	TR1	0.00492	0.00965	PCI/L	U	V	0.0188	0.151	NO	Plume Extent
22796	5/21/02	GW08198RG	TRITIUM	REAL	TR1	83.6	192	PCI/L	U	V1	334	666	NO	Plume Extent
22796	5/21/02	GW08198RG	URANIUM-233,-234	REAL	TR1	2.07	0.62	PCI/L		V	0.34	1.06	NO	Plume Extent
22796	5/21/02	GW08198RG	URANIUM-235	REAL	TR1	0.122	0.139	PCI/L	U	V	0.216	1.01	NO	Plume Extent
22796	5/21/02	GW08198RG	URANIUM-238	REAL	TR1	1.57	0.517	PCI/L		V	0.24	0.768	NO	Plume Extent
23296	4/29/02	GW08222RG	AMERICIUM-241	REAL	TR1	0.0117	0.0133	PCI/L	U	V1	0.0215	0.145	NO	Plume Extent
23296	4/29/02	GW08222RG	PLUTONIUM-239/240	REAL	TR1	0.0124	0.0109	PCI/L	J	V1	0.0074	0.151	NO	Plume Extent
23296	4/29/02	GW08222RG	URANIUM-233,-234	REAL	TR1	18.1	3.41	PCI/L		V1	0.375	1.06	NO	Plume Extent
23296	4/29/02	GW08222RG	URANIUM-235	REAL	TR1	0.886	0.451	PCI/L	J	V1	0.403	1.01	NO	Plume Extent
23296	4/29/02	GW08222RG	URANIUM-238	REAL	TR1	13.8	2.73	PCI/L		V1	0.448	0.768	NO	Plume Extent
3586	4/25/02	GW08216RG	AMERICIUM-241	REAL	TR1	2E-10	0.00697	PCI/L	U	V1	0.017	0.145	NO	Plume Extent
3586	4/25/02	GW08216RG	PLUTONIUM-239/240	REAL	TR1	0.0108	0.0106	PCI/L	J	V1	0.0081	0.151	NO	Plume Extent
3586	4/25/02	GW08216RG	URANIUM-233,-234	REAL	TR1	0.364	0.232	PCI/L	J	V1	0.249	1.06	YES	Plume Extent
3586	4/25/02	GW08216RG	URANIUM-235	REAL	TR1	0.134	0.15	PCI/L	U	V1	0.25	1.01	YES	Plume Extent
3586	4/25/02	GW08216RG	URANIUM-238	REAL	TR1	0.182	0.162	PCI/L	U	V1	0.205	0.768	YES	Plume Extent
3687	5/22/02	GW08193RG	AMERICIUM-241	REAL	TR1	0.011	0.0156	PCI/L	U	V	0.027	0.145	NO	Perf Monitoring
3687	5/22/02	GW08193RG	PLUTONIUM-239/240	REAL	TR1	0.00585	0.0101	PCI/L	U	V	0.0187	0.151	NO	Perf Monitoring
3687	5/22/02	GW08193RG	URANIUM-233,-234	REAL	TR1	1.95	0.622	PCI/L		V	0.36	1.06	NO	Perf Monitoring
3687	5/22/02	GW08193RG	URANIUM-235	REAL	TR1	0.193	0.19	PCI/L	U	V	0.289	1.01	NO	Perf Monitoring
3687	5/22/02	GW08193RG	URANIUM-238	REAL	TR1	1.05	0.436	PCI/L		V	0.328	0.768	NO	Perf Monitoring
37791	4/16/02	GW08103RG	AMERICIUM-241	REAL	TR1	0.0147	0.0161	PCI/L	U	V1	0.0259	0.145	NO	D&D Bldg 881
37791	4/16/02	GW08103RG	PLUTONIUM-239/240	REAL	TR1	0.0138	0.0149	PCI/L	U	V1	0.0224	0.151	NO	D&D Bldg 881
37791	4/16/02	GW08103RG	URANIUM-233,-234	REAL	TR1	12.4	2.49	PCI/L		V1	0.324	1.06	YES	D&D Bldg 881
37791	4/16/02	GW08103RG	URANIUM-235	REAL	TR1	1.05	0.446	PCI/L		V1	0.278	1.01	YES	D&D Bldg 881
37791	4/16/02	GW08103RG	URANIUM-238	REAL	TR1	10.4	2.14	PCI/L		V1	0.302	0.768	YES	D&D Bldg 881
4087	4/22/02	GW08227RG	TRITIUM	REAL	TR1	0	171	PCI/L	U	V1	310	666	NO	RCRA
4087	4/22/02	GW08227RG	URANIUM-233,-234	REAL	TR1	10.6	2.14	PCI/L		V1	0.281	1.06	YES	RCRA
4087	4/22/02	GW08227RG	URANIUM-235	REAL	TR1	0.5	0.32	PCI/L	J	V1	0.342	1.01	YES	RCRA
4087	4/22/02	GW08227RG	URANIUM-238	REAL	TR1	7.53	1.64	PCI/L		V1	0.238	0.768	YES	RCRA

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	2 Sigma Error	Units	Lab Qual	Valid-ation	Detect Limit	Tier II	Filter?	IMP Well Class
40999	5/30/02	GW08307RG	URANIUM-233,-234	REAL	TR1	8.46	1.67	PCI/L		V1	0.34	1.06	YES	D&D Bldg 886/865
40999	5/30/02	GW08307RG	URANIUM-235	REAL	TR1	0.328	0.245	PCI/L	U	V1	0.341	1.01	YES	D&D Bldg 886/865
40999	5/30/02	GW08307RG	URANIUM-238	REAL	TR1	7.7	1.55	PCI/L	B	V1	0.291	0.768	YES	D&D Bldg 886/865
41099	5/30/02	GW08319RG	AMERICIUM-241	REAL	TR1	0.00907	0.00895	PCI/L	J	V1	0.0068	0.145	NO	D&D Bldg 886
41099	5/30/02	GW08319RG	PLUTONIUM-239/240	REAL	TR1	-0.00244	0.00827	PCI/L	U	V1	0.0233	0.151	NO	D&D Bldg 886
55901	4/23/02	GW08258RG	AMERICIUM-241	REAL	TR1	0.0185	0.013	PCI/L	J	V	0.007	0.145	NO	D&D Bldg 559
55901	4/23/02	GW08258RG	PLUTONIUM-239/240	REAL	TR1	0.00933	0.00972	PCI/L	U	V	0.0143	0.151	NO	D&D Bldg 559
55901	4/23/02	GW08258RG	URANIUM-233,-234	REAL	TR1	7.42	1.59	PCI/L		V	0.429	1.06	YES	D&D Bldg 559
55901	4/23/02	GW08258RG	URANIUM-235	REAL	TR1	0.411	0.27	PCI/L	J	V	0.223	1.01	YES	D&D Bldg 559
55901	4/23/02	GW08258RG	URANIUM-238	REAL	TR1	5.65	1.29	PCI/L		V	0.262	0.768	YES	D&D Bldg 559
56001	4/23/02	GW08259RG	AMERICIUM-241	REAL	TR1	0	0.011	PCI/L	U	V1	0.0254	0.145	NO	D&D Bldg 559
56001	4/23/02	GW08259RG	PLUTONIUM-239/240	REAL	TR1	0.0153	0.0142	PCI/L	U	V1	0.0195	0.151	NO	D&D Bldg 559
56001	4/23/02	GW08259RG	URANIUM-233,-234	REAL	TR1	2.69	0.708	PCI/L		V1	0.286	1.06	YES	D&D Bldg 559
56001	4/23/02	GW08259RG	URANIUM-235	REAL	TR1	0.0935	0.14	PCI/L	U	V1	0.287	1.01	YES	D&D Bldg 559
56001	4/23/02	GW08259RG	URANIUM-238	REAL	TR1	2.35	0.644	PCI/L		V1	0.26	0.768	YES	D&D Bldg 559
56101	4/23/02	GW08260RG	URANIUM-233,-234	REAL	TR1	17.1	3	PCI/L		V	0.271	1.06	YES	D&D Bldg 559
56101	4/23/02	GW08260RG	URANIUM-235	REAL	TR1	0.602	0.305	PCI/L	J	V	0.19	1.01	YES	D&D Bldg 559
56101	4/23/02	GW08260RG	URANIUM-238	REAL	TR1	11	2.06	PCI/L		V	0.189	0.768	YES	D&D Bldg 559
56201	5/7/02	GW08261RG	AMERICIUM-241	REAL	TR1	0.00741	0.00842	PCI/L	J	V	0.0074	0.145	NO	D&D Bldg 559
56201	5/7/02	GW08262RG	AMERICIUM-241	DUP	TR1	0.017	0.0127	PCI/L	U	V	0.0073	0.145	NO	D&D Bldg 559
56201	5/7/02	GW08263RG	AMERICIUM-241	RNS	TR1	0.016	0.0129	PCI/L	J	V	0.008	0.145	NO	D&D Bldg 559
56201	5/7/02	GW08261RG	PLUTONIUM-239/240	REAL	TR1	0.0103	0.0102	PCI/L	J	V	0.0077	0.151	NO	D&D Bldg 559
56201	5/7/02	GW08262RG	PLUTONIUM-239/240	DUP	TR1	0.00764	0.0112	PCI/L	U	V	0.0195	0.151	NO	D&D Bldg 559
56201	5/7/02	GW08263RG	PLUTONIUM-239/240	RNS	TR1	0.00431	0.0147	PCI/L	U	V	0.0289	0.151	NO	D&D Bldg 559
56201	5/7/02	GW08261RG	TRITIUM	REAL	TR1	218	201	PCI/L	U	V1	326	666	NO	D&D Bldg 559
56201	5/7/02	GW08262RG	TRITIUM	DUP	TR1	82.6	190	PCI/L	U	V1	330	666	NO	D&D Bldg 559
56201	5/7/02	GW08263RG	TRITIUM	RNS	TR1	-27.3	178	PCI/L	U	V1	328	666	NO	D&D Bldg 559
56201	5/7/02	GW08261RG	URANIUM-233,-234	REAL	TR1	0.716	0.34	PCI/L	J	V	0.228	1.06	YES	D&D Bldg 559
56201	5/7/02	GW08262RG	URANIUM-233,-234	DUP	TR1	0.924	0.404	PCI/L	J	V	0.323	1.06	YES	D&D Bldg 559
56201	5/7/02	GW08263RG	URANIUM-233,-234	RNS	TR1	0.0606	0.105	PCI/L	U	V	0.224	1.06	YES	D&D Bldg 559
56201	5/7/02	GW08261RG	URANIUM-235	REAL	TR1	-0.00883	0.0174	PCI/L	U	V	0.194	1.01	YES	D&D Bldg 559
56201	5/7/02	GW08262RG	URANIUM-235	DUP	TR1	0.068	0.135	PCI/L	U	V	0.306	1.01	YES	D&D Bldg 559
56201	5/7/02	GW08263RG	URANIUM-235	RNS	TR1	-0.0214	0.0245	PCI/L	U	V	0.207	1.01	YES	D&D Bldg 559
56201	5/7/02	GW08261RG	URANIUM-238	REAL	TR1	0.459	0.269	PCI/L	J	V	0.228	0.768	YES	D&D Bldg 559
56201	5/7/02	GW08262RG	URANIUM-238	DUP	TR1	0.587	0.33	PCI/L	J	V	0.384	0.768	YES	D&D Bldg 559
56201	5/7/02	GW08263RG	URANIUM-238	RNS	TR1	0.141	0.133	PCI/L	U	V	0.157	0.768	YES	D&D Bldg 559
56301	5/7/02	GW08264RG	AMERICIUM-241	REAL	TR1	0.0175	0.0131	PCI/L	J	V	0.0075	0.145	NO	D&D Bldg 559
56301	5/7/02	GW08264RG	PLUTONIUM-239/240	REAL	TR1	-0.00614	0.012	PCI/L	U	V	0.0294	0.151	NO	D&D Bldg 559
56301	5/7/02	GW08264RG	TRITIUM	REAL	TR1	83.9	193	PCI/L	U	V1	335	666	NO	D&D Bldg 559
56301	5/7/02	GW08264RG	URANIUM-233,-234	REAL	TR1	2.54	0.658	PCI/L		V	0.24	1.06	YES	D&D Bldg 559
56301	5/7/02	GW08264RG	URANIUM-235	REAL	TR1	0.0523	0.0838	PCI/L	U	V	0.157	1.01	YES	D&D Bldg 559
56301	5/7/02	GW08264RG	URANIUM-238	REAL	TR1	1.67	0.502	PCI/L		V	0.206	0.768	YES	D&D Bldg 559
5887	5/20/02	GW08228RG	TRITIUM	REAL	TR1	0	181	PCI/L	U	V1	328	666	NO	RCRA
5887	5/20/02	GW08228RG	URANIUM-233,-234	REAL	TR1	0.04	0.113	PCI/L	U	V	0.291	1.06	NO	RCRA
5887	5/20/02	GW08228RG	URANIUM-235	REAL	TR1	0.0586	0.11	PCI/L	U	V	0.24	1.01	NO	RCRA
5887	5/20/02	GW08228RG	URANIUM-238	REAL	TR1	0.02	0.0797	PCI/L	U	V	0.239	0.768	NO	RCRA
60299	4/17/02	GW08289RG	TRITIUM	REAL	TR1	109	143	PCI/L	U	V	241	666	NO	D&D Bldg 776/777
60299	4/17/02	GW08289RG	URANIUM-233,-234	REAL	TR1	0.235	0.217	PCI/L	U	V	0.328	1.06	YES	D&D Bldg 776/777
60299	4/17/02	GW08289RG	URANIUM-235	REAL	TR1	0.0617	0.116	PCI/L	U	V	0.253	1.01	YES	D&D Bldg 776/777
60299	4/17/02	GW08289RG	URANIUM-238	REAL	TR1	0.223	0.199	PCI/L	U	V	0.252	0.768	YES	D&D Bldg 776/777
60499	4/16/02	GW08269RG	AMERICIUM-241	REAL	TR1	0.013	0.0105	PCI/L	J	V	0.0065	0.145	NO	D&D Bldg 707
60499	4/16/02	GW08269RG	NEPTUNIUM-237	REAL	TR1	-0.0542	0.0473	PCI/L	U	V	0.365		NO	D&D Bldg 707
60499	4/16/02	GW08269RG	PLUTONIUM-239/240	REAL	TR1	0.00392	0.0077	PCI/L	U	V	0.015	0.151	NO	D&D Bldg 707
60499	4/16/02	GW08269RG	URANIUM-233,-234	REAL	TR1	2.62	0.741	PCI/L		V	0.266	1.06	YES	D&D Bldg 707
60499	4/16/02	GW08269RG	URANIUM-235	REAL	TR1	0.183	0.172	PCI/L	U	V	0.203	1.01	YES	D&D Bldg 707
60499	4/16/02	GW08269RG	URANIUM-238	REAL	TR1	1.83	0.591	PCI/L		V	0.202	0.768	YES	D&D Bldg 707
60599	4/16/02	GW08270RG	AMERICIUM-241	REAL	TR1	0	0.0105	PCI/L	U	V	0.0233	0.145	NO	D&D Bldg 707

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	2 Sigma Error	Units	Lab Qual	Valid-ation	Detect Limit	Tier II	Filter?	IMP Well Class
60599	4/16/02	GW08270RG	NEPTUNIUM-237	REAL	TR1	0.205	0.142	PCI/L	U	V	0.269		NO	D&D Bldg 707
60599	4/16/02	GW08270RG	PLUTONIUM-239/240	REAL	TR1	0.0177	0.0132	PCI/L	J	V	0.0076	0.151	NO	D&D Bldg 707
60599	4/16/02	GW08270RG	URANIUM-233,-234	REAL	TR1	29.5	5.01	PCI/L		V	0.351	1.06	YES	D&D Bldg 707
60599	4/16/02	GW08270RG	URANIUM-235	REAL	TR1	2.07	0.656	PCI/L		V	0.255	1.01	YES	D&D Bldg 707
60599	4/16/02	GW08270RG	URANIUM-238	REAL	TR1	20.8	3.67	PCI/L		V	0.284	0.768	YES	D&D Bldg 707
60699	4/16/02	GW08271RG	AMERICIUM-241	REAL	TR1	0.12	0.0441	PCI/L		V1	0.0328	0.145	NO	D&D Bldg 707
60699	4/16/02	GW08271RG	NEPTUNIUM-237	REAL	TR1	0.0124	0.098	PCI/L	U	V1	0.35		NO	D&D Bldg 707
60699	4/16/02	GW08271RG	PLUTONIUM-239/240	REAL	TR1	0.0159	0.0136	PCI/L	U	V1	0.0191	0.151	NO	D&D Bldg 707
61099	5/15/02	GW08300RG	URANIUM-233,-234	REAL	TR1	0.783	0.382	PCI/L	J	V	0.343	1.06	YES	D&D Bldg 883
61099	5/15/02	GW08300RG	URANIUM-235	REAL	TR1	0.0112	0.0852	PCI/L	U	V	0.279	1.01	YES	D&D Bldg 883
61099	5/15/02	GW08300RG	URANIUM-238	REAL	TR1	0.491	0.294	PCI/L	J	V	0.278	0.768	YES	D&D Bldg 883
61199	5/14/02	GW08301RG	URANIUM-233,-234	REAL	TR1	1.74	0.553	PCI/L		V	0.295	1.06	YES	D&D Bldg 883
61199	5/14/02	GW08301RG	URANIUM-235	REAL	TR1	0.131	0.157	PCI/L	U	V	0.279	1.01	YES	D&D Bldg 883
61199	5/14/02	GW08301RG	URANIUM-238	REAL	TR1	1.12	0.436	PCI/L		V	0.351	0.768	YES	D&D Bldg 883
70099	4/19/02	GW08223RG	URANIUM-233,-234	REAL	TR1	110	23.3	PCI/L		V1	0.669	1.06	NO	Perf Monitoring
70099	4/19/02	GW08223RG	URANIUM-235	REAL	TR1	4.08	1.44	PCI/L		V1	0.266	1.01	NO	Perf Monitoring
70099	4/19/02	GW08223RG	URANIUM-238	REAL	TR1	81.1	17.4	PCI/L		V1	0.551	0.768	NO	Perf Monitoring
70193	5/21/02	GW08231RG	TRITIUM	REAL	TR1	191	198	PCI/L	U	V1	326	666	NO	RCRA
70193	5/21/02	GW08232RG	TRITIUM	RNS	TR1	166	199	PCI/L	U	V1	331	666	NO	RCRA
70193	5/21/02	GW08231RG	URANIUM-233,-234	REAL	TR1	0.052	0.0979	PCI/L	U	V	0.213	1.06	YES	RCRA
70193	5/21/02	GW08232RG	URANIUM-233,-234	RNS	TR1	0.11	0.147	PCI/L	U	V	0.274	1.06	YES	RCRA
70193	5/21/02	GW08231RG	URANIUM-235	REAL	TR1	-0.033	0.0747	PCI/L	U	V	0.259	1.01	YES	RCRA
70193	5/21/02	GW08232RG	URANIUM-235	RNS	TR1	0.0364	0.0716	PCI/L	U	V	0.109	1.01	YES	RCRA
70193	5/21/02	GW08231RG	URANIUM-238	REAL	TR1	0.00959	0.0727	PCI/L	U	V	0.238	0.768	YES	RCRA
70193	5/21/02	GW08232RG	URANIUM-238	RNS	TR1	0.0189	0.0752	PCI/L	U	V	0.226	0.768	YES	RCRA
70299	4/19/02	GW08224RG	URANIUM-233,-234	REAL	TR1	5.79	1.24	PCI/L		V1	0.195	1.06	NO	Perf Monitoring
70299	4/19/02	GW08224RG	URANIUM-235	REAL	TR1	0.189	0.154	PCI/L	J	V1	0.0945	1.01	NO	Perf Monitoring
70299	4/19/02	GW08224RG	URANIUM-238	REAL	TR1	3.07	0.78	PCI/L		V1	0.166	0.768	NO	Perf Monitoring
70393	5/21/02	GW08233RG	TRITIUM	REAL	TR1	27.7	186	PCI/L	U	V1	332	666	NO	RCRA
70393	5/21/02	GW08234RG	TRITIUM	DUP	TR1	207	215	PCI/L	U	V1	354	666	NO	RCRA
70393	5/21/02	GW08233RG	URANIUM-233,-234	REAL	TR1	0.0867	0.139	PCI/L	U	V	0.291	1.06	NO	RCRA
70393	5/21/02	GW08234RG	URANIUM-233,-234	DUP	TR1	-0.0135	0.0698	PCI/L	U	V	0.263	1.06	NO	RCRA
70393	5/21/02	GW08233RG	URANIUM-235	REAL	TR1	0.0258	0.0686	PCI/L	U	V	0.179	1.01	NO	RCRA
70393	5/21/02	GW08234RG	URANIUM-235	DUP	TR1	-0.00369	0.117	PCI/L	U	V	0.345	1.01	NO	RCRA
70393	5/21/02	GW08233RG	URANIUM-238	REAL	TR1	0.0339	0.0666	PCI/L	U	V	0.102	0.768	NO	RCRA
70393	5/21/02	GW08234RG	URANIUM-238	DUP	TR1	0.0393	0.0888	PCI/L	U	V	0.213	0.768	NO	RCRA
70493	5/17/02	GW08235RG	TRITIUM	REAL	TR1	0	177	PCI/L	U	V1	322	666	NO	RCRA
70493	5/17/02	GW08235RG	URANIUM-233,-234	REAL	TR1	1.12	0.434	PCI/L		V	0.303	1.06	YES	RCRA
70493	5/17/02	GW08235RG	URANIUM-235	REAL	TR1	0.145	0.178	PCI/L	U	V	0.335	1.01	YES	RCRA
70493	5/17/02	GW08235RG	URANIUM-238	REAL	TR1	0.833	0.37	PCI/L	J	V	0.303	0.768	YES	RCRA
771 FD OUT #2	5/31/02	SW08282RG	AMERICIUM-241	REAL	TR1	0	0.0105	PCI/L	U	V1	0.0242	0.145	NO	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	NEPTUNIUM-237	REAL	TR1	-0.0579	0.112	PCI/L	U	V1	0.456		NO	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	PLUTONIUM-239/240	REAL	TR1	0.00199	0.00873	PCI/L	U	V1	0.0191	0.151	NO	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	TRITIUM	REAL	TR1	112	196	PCI/L	U	V1	336	666	NO	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	URANIUM-233,-234	REAL	TR1	1.91	0.545	PCI/L		V1	0.281	1.06	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	URANIUM-235	REAL	TR1	0.273	0.183	PCI/L	J	V1	0.179	1.01	YES	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	URANIUM-238	REAL	TR1	1.52	0.469	PCI/L		V1	0.199	0.768	YES	D&D Bldg 771
83101	5/8/02	GW08302RG	AMERICIUM-241	REAL	TR1	0.0217	0.0144	PCI/L	J	V	0.0072	0.145	NO	D&D Bldg 883/881
83101	5/8/02	GW08302RG	PLUTONIUM-239/240	REAL	TR1	0.0126	0.0131	PCI/L	U	V	0.0193	0.151	NO	D&D Bldg 883/881
83101	5/8/02	GW08302RG	URANIUM-233,-234	REAL	TR1	7.56	1.59	PCI/L		V	0.285	1.06	YES	D&D Bldg 883/881
83101	5/8/02	GW08302RG	URANIUM-235	REAL	TR1	0.125	0.167	PCI/L	U	V	0.311	1.01	YES	D&D Bldg 883/881
83101	5/8/02	GW08302RG	URANIUM-238	REAL	TR1	7.47	1.58	PCI/L		V	0.31	0.768	YES	D&D Bldg 883/881
83201	5/8/02	GW08303RG	URANIUM-233,-234	REAL	TR1	160	29.7	PCI/L		V	2.94	1.06	YES	D&D Bldg 883
83201	5/8/02	GW08303RG	URANIUM-235	REAL	TR1	6	2.88	PCI/L		V	2.26	1.01	YES	D&D Bldg 883
83201	5/8/02	GW08303RG	URANIUM-238	REAL	TR1	133	25.2	PCI/L		V	2.56	0.768	YES	D&D Bldg 883
86501	5/20/02	GW08304RG	URANIUM-233,-234	REAL	TR1	67	12.7	PCI/L		V1	0.573	1.06	YES	D&D Bldg 865
86501	5/20/02	GW08304RG	URANIUM-235	REAL	TR1	3.36	1.2	PCI/L		V1	0.515	1.01	YES	D&D Bldg 865

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	2 Sigma Error	Units	Lab Qual	Valid-ation	Detect Limit	Tier II	Filter?	IMP Well Class
86501	5/20/02	GW08304RG	URANIUM-238	REAL	TR1	51.7	9.99	PCI/L		V1	0.436	0.768	YES	D&D Bldg 865
86601	5/20/02	GW08305RG	URANIUM-233,-234	REAL	TR1	18	3.23	PCI/L		V1	0.311	1.06	YES	D&D Bldg 865
86601	5/20/02	GW08305RG	URANIUM-235	REAL	TR1	0.517	0.304	PCI/L	J	V1	0.257	1.01	YES	D&D Bldg 865
86601	5/20/02	GW08305RG	URANIUM-238	REAL	TR1	12.6	2.39	PCI/L		V1	0.256	0.768	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	URANIUM-233,-234	REAL	TR1	51.5	9.27	PCI/L		V1	0.442	1.06	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	URANIUM-235	REAL	TR1	2.99	1	PCI/L		V1	0.517	1.01	YES	D&D Bldg 865
86701	5/20/02	GW08306RG	URANIUM-238	REAL	TR1	41.5	7.59	PCI/L		V1	0.191	0.768	YES	D&D Bldg 865
88101	4/23/02	GW08298RG	AMERICIUM-241	REAL	TR1	0.00254	0.00862	PCI/L	U	V1	0.0194	0.145	NO	D&D Bldg 881
88101	4/23/02	GW08298RG	PLUTONIUM-239/240	REAL	TR1	0.021	0.0155	PCI/L	J	V1	0.0201	0.151	NO	D&D Bldg 881
88101	4/23/02	GW08298RG	URANIUM-233,-234	REAL	TR1	115	23.9	PCI/L		V1	0.581	1.06	YES	D&D Bldg 881
88101	4/23/02	GW08298RG	URANIUM-235	REAL	TR1	4.76	1.57	PCI/L		V1	0.443	1.01	YES	D&D Bldg 881
88101	4/23/02	GW08298RG	URANIUM-238	REAL	TR1	79.5	16.7	PCI/L		V1	0.717	0.768	YES	D&D Bldg 881
891COLWEL	5/15/02	GW08237RG	URANIUM-233,-234	REAL	TR1	11.4	2.19	PCI/L		V	0.21	1.06	YES	Plume Definition
891COLWEL	5/15/02	GW08237RG	URANIUM-235	REAL	TR1	0.509	0.293	PCI/L	J	V	0.211	1.01	YES	Plume Definition
891COLWEL	5/15/02	GW08237RG	URANIUM-238	REAL	TR1	8.83	1.78	PCI/L		V	0.21	0.768	YES	Plume Definition
99301	5/6/02	GW08312RG	AMERICIUM-241	REAL	TR1	0.0062	0.0122	PCI/L	U	V	0.0229	0.145	NO	D&D Bldg 991
99301	5/6/02	GW08312RG	NEPTUNIUM-237	REAL	TR1	0.55	0.262	PCI/L	J	V	0.445		NO	D&D Bldg 991
99301	5/6/02	GW08312RG	PLUTONIUM-239/240	REAL	TR1	0.0193	0.0151	PCI/L	J	V	0.0185	0.151	NO	D&D Bldg 991
99301	5/6/02	GW08312RG	URANIUM-233,-234	REAL	TR1	12.6	2.36	PCI/L		V	0.31	1.06	YES	D&D Bldg 991
99301	5/6/02	GW08312RG	URANIUM-235	REAL	TR1	0.212	0.189	PCI/L	U	V	0.239	1.01	YES	D&D Bldg 991
99301	5/6/02	GW08312RG	URANIUM-238	REAL	TR1	9.78	1.91	PCI/L		V	0.266	0.768	YES	D&D Bldg 991
99401	5/6/02	GW08313RG	URANIUM-233,-234	REAL	TR1	317	50.8	PCI/L		V	1.23	1.06	YES	D&D Bldg 991
99401	5/6/02	GW08313RG	URANIUM-235	REAL	TR1	19.8	4.92	PCI/L		V	1.05	1.01	YES	D&D Bldg 991
99401	5/6/02	GW08313RG	URANIUM-238	REAL	TR1	233	37.9	PCI/L		V	1.6	0.768	YES	D&D Bldg 991
B208789	4/24/02	GW08200RG	AMERICIUM-241	REAL	TR1	0.00221	0.00751	PCI/L	U	V1	0.0169	0.145	NO	Plume Extent
B208789	4/24/02	GW08200RG	PLUTONIUM-239/240	REAL	TR1	-0.00205	0.0106	PCI/L	U	V1	0.0252	0.151	NO	Plume Extent
B208789	4/24/02	GW08200RG	STRONTIUM-89,90	REAL	TR1	0.256	0.119	PCI/L	J	V	0.161	0.852	YES	Plume Extent
B208789	4/24/02	GW08200RG	TRITIUM	REAL	TR1	-163	163	PCI/L	U	V1	325	666	NO	Plume Extent
B208789	4/24/02	GW08200RG	URANIUM-233,-234	REAL	TR1	7.09	1.41	PCI/L		V1	0.178	1.06	YES	Plume Extent
B208789	4/24/02	GW08200RG	URANIUM-235	REAL	TR1	0.365	0.21	PCI/L	J	V1	0.151	1.01	YES	Plume Extent
B208789	4/24/02	GW08200RG	URANIUM-238	REAL	TR1	5.84	1.21	PCI/L		V1	0.178	0.768	YES	Plume Extent
BS-865-2	5/21/02	SW08309RG	URANIUM-233,-234	REAL	TR1	3.54	0.868	PCI/L		V	0.335	1.06	YES	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	URANIUM-235	REAL	TR1	0.113	0.157	PCI/L	U	V	0.308	1.01	YES	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	URANIUM-238	REAL	TR1	2.67	0.716	PCI/L		V	0.212	0.768	YES	D&D Bldg 865
FD-559-561	5/7/02	SW08265RG	AMERICIUM-241	REAL	TR1	0.00424	0.0059	PCI/L	U	V	0.0064	0.145	NO	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	PLUTONIUM-239/240	REAL	TR1	0.00776	0.0152	PCI/L	U	V	0.0286	0.151	NO	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	URANIUM-233,-234	REAL	TR1	1.1	0.482	PCI/L		V	0.346	1.06	YES	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	URANIUM-235	REAL	TR1	0.0844	0.192	PCI/L	U	V	0.451	1.01	YES	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	URANIUM-238	REAL	TR1	0.755	0.389	PCI/L	J	V	0.285	0.768	YES	D&D Bldg 559-561
P209289	5/31/02	GW08201RG	AMERICIUM-241	REAL	TR1	0.00624	0.0123	PCI/L	U	V1	0.023	0.145	NO	Plume Definition
P209289	5/31/02	GW08201RG	PLUTONIUM-239/240	REAL	TR1	0.00486	0.00675	PCI/L	U	V1	0.0073	0.151	NO	Plume Definition
P209289	5/31/02	GW08201RG	STRONTIUM-89,90	REAL	TR1	0.0936	0.176	PCI/L	U	V1	0.298	0.852	YES	Plume Definition
P209289	5/31/02	GW08201RG	TRITIUM	REAL	TR1	27.7	186	PCI/L	U	V1	332	666	NO	Plume Definition
P209289	5/31/02	GW08201RG	URANIUM-233,-234	REAL	TR1	0.533	0.309	PCI/L	J	V1	0.384	1.06	YES	Plume Definition
P209289	5/31/02	GW08201RG	URANIUM-235	REAL	TR1	0.0551	0.127	PCI/L	U	V1	0.303	1.01	YES	Plume Definition
P209289	5/31/02	GW08201RG	URANIUM-238	REAL	TR1	0.451	0.27	PCI/L	J	V1	0.285	0.768	YES	Plume Definition
P209489	4/30/02	GW08202RG	AMERICIUM-241	REAL	TR1	0.0168	0.0157	PCI/L	U	V1	0.023	0.145	NO	Plume Extent
P209489	4/30/02	GW08203RG	AMERICIUM-241	DUP	TR1	0.0288	0.0208	PCI/L	U	V1	0.0296	0.145	NO	Plume Extent
P209489	4/30/02	GW08204RG	AMERICIUM-241	RNS	TR1	0.00211	0.0149	PCI/L	U	V1	0.0304	0.145	NO	Plume Extent
P209489	4/30/02	GW08202RG	PLUTONIUM-239/240	REAL	TR1	0.0143	0.0149	PCI/L	U	V1	0.0219	0.151	NO	Plume Extent
P209489	4/30/02	GW08203RG	PLUTONIUM-239/240	DUP	TR1	0.0142	0.0115	PCI/L	J	V1	0.0071	0.151	NO	Plume Extent
P209489	4/30/02	GW08204RG	PLUTONIUM-239/240	RNS	TR1	-0.00457	0.011	PCI/L	U	V1	0.0281	0.151	NO	Plume Extent
P209489	4/30/02	GW08202RG	STRONTIUM-89,90	REAL	TR1	-0.0327	0.0958	PCI/L	U	V	0.167	0.852	YES	Plume Extent
P209489	4/30/02	GW08203RG	STRONTIUM-89,90	DUP	TR1	0.0278	0.06	PCI/L	U	V	0.102	0.852	YES	Plume Extent
P209489	4/30/02	GW08204RG	STRONTIUM-89,90	RNS	TR1	0.0805	0.0741	PCI/L	U	V	0.117	0.852	YES	Plume Extent
P209489	4/30/02	GW08202RG	TRITIUM	REAL	TR1	548	234	PCI/L		V1	328	666	NO	Plume Extent
P209489	4/30/02	GW08203RG	TRITIUM	DUP	TR1	525	224	PCI/L		V1	315	666	NO	Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	2 Sigma Error	Units	Lab Qual	Valid-ation	Detect Limit	Tier II	Filter?	IMP Well Class
P209489	4/30/02	GW08204RG	TRITIUM	RNS	TR1	-100	155	PCI/L	U	V1	300	666	NO	Plume Extent
P209489	4/30/02	GW08202RG	URANIUM-233,-234	REAL	TR1	33.3	6.24	PCI/L		V1	0.699	1.06	YES	Plume Extent
P209489	4/30/02	GW08203RG	URANIUM-233,-234	DUP	TR1	30.1	5.2	PCI/L		V1	0.383	1.06	YES	Plume Extent
P209489	4/30/02	GW08204RG	URANIUM-233,-234	RNS	TR1	0.0361	0.102	PCI/L	U	V1	0.262	1.06	YES	Plume Extent
P209489	4/30/02	GW08202RG	URANIUM-235	REAL	TR1	0.953	0.534	PCI/L	J	V1	0.521	1.01	YES	Plume Extent
P209489	4/30/02	GW08203RG	URANIUM-235	DUP	TR1	1.16	0.483	PCI/L		V1	0.134	1.01	YES	Plume Extent
P209489	4/30/02	GW08204RG	URANIUM-235	RNS	TR1	0.0362	0.102	PCI/L	U	V1	0.263	1.01	YES	Plume Extent
P209489	4/30/02	GW08202RG	URANIUM-238	REAL	TR1	28.7	5.46	PCI/L		V1	0.446	0.768	YES	Plume Extent
P209489	4/30/02	GW08203RG	URANIUM-238	DUP	TR1	23.8	4.21	PCI/L		V1	0.134	0.768	YES	Plume Extent
P209489	4/30/02	GW08204RG	URANIUM-238	RNS	TR1	0.0527	0.0992	PCI/L	U	V1	0.216	0.768	YES	Plume Extent
P218089	4/3/02	GW08184RG	AMERICIUM-241	REAL	TR1	0.0102	0.00946	PCI/L	U	R1	0.013	0.145	NO	D&D Bldg 707
P218089	4/3/02	GW08184RG	NEPTUNIUM-237	REAL	TR1	-0.0687	0.0755	PCI/L	U	V1	0.338		NO	D&D Bldg 707
P218089	4/3/02	GW08184RG	PLUTONIUM-239/240	REAL	TR1	-0.00564	0.0111	PCI/L	U	V1	0.0271	0.151	NO	D&D Bldg 707
P218089	4/3/02	GW08184RG	URANIUM-233,-234	REAL	TR1	1.06	0.436	PCI/L		V1	0.239	1.06	YES	D&D Bldg 707
P218089	4/3/02	GW08184RG	URANIUM-235	REAL	TR1	0.184	0.173	PCI/L	U	V1	0.204	1.01	YES	D&D Bldg 707
P218089	4/3/02	GW08184RG	URANIUM-238	REAL	TR1	1.23	0.48	PCI/L		V1	0.291	0.768	YES	D&D Bldg 707
P219089	5/15/02	GW08281RG	AMERICIUM-241	REAL	TR1	0.0287	0.0153	PCI/L	J	V	0.0061	0.145	NO	D&D Bldg 771
P219089	5/15/02	GW08281RG	NEPTUNIUM-237	REAL	TR1	0.0842	0.113	PCI/L	U	V	0.379		NO	D&D Bldg 771
P219089	5/15/02	GW08281RG	PLUTONIUM-239/240	REAL	TR1	0.029	0.0179	PCI/L	J	V	0.0185	0.151	NO	D&D Bldg 771
P219089	5/15/02	GW08281RG	TRITIUM	REAL	TR1	215	198	PCI/L	U	V1	322	666	NO	D&D Bldg 771
P219089	5/15/02	GW08281RG	URANIUM-233,-234	REAL	TR1	9.45	1.91	PCI/L		V	0.377	1.06	YES	D&D Bldg 771
P219089	5/15/02	GW08281RG	URANIUM-235	REAL	TR1	0.283	0.222	PCI/L	J	V	0.221	1.01	YES	D&D Bldg 771
P219089	5/15/02	GW08281RG	URANIUM-238	REAL	TR1	8.02	1.68	PCI/L		V	0.315	0.768	YES	D&D Bldg 771
P219489	4/23/02	GW08207RG	URANIUM-233,-234	REAL	TR1	5.2	1.07	PCI/L		V1	0.178	1.06	YES	Plume Extent
P219489	4/23/02	GW08207RG	URANIUM-235	REAL	TR1	0.23	0.163	PCI/L	J	V1	0.0862	1.01	YES	Plume Extent
P219489	4/23/02	GW08207RG	URANIUM-238	REAL	TR1	3.63	0.828	PCI/L		V1	0.232	0.768	YES	Plume Extent
P317989	6/5/02	GW08308RG	URANIUM-233,-234	REAL	TR1	68.1	13	PCI/L		V	0.709	1.06	YES	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	URANIUM-235	REAL	TR1	5.45	1.64	PCI/L		V	0.437	1.01	YES	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	URANIUM-238	REAL	TR1	55.1	10.7	PCI/L		V	0.436	0.768	YES	D&D Bldg 886/865
P416689	4/29/02	GW08208RG	AMERICIUM-241	REAL	TR1	0.0257	0.0162	PCI/L	J	V1	0.0077	0.145	NO	Plume Extent
P416689	4/29/02	GW08208RG	PLUTONIUM-239/240	REAL	TR1	0.00992	0.00874	PCI/L	J	V1	0.006	0.151	NO	Plume Extent
P416689	4/29/02	GW08208RG	URANIUM-233,-234	REAL	TR1	2.86	0.78	PCI/L		V	0.236	1.06	YES	Plume Extent
P416689	4/29/02	GW08208RG	URANIUM-235	REAL	TR1	0.125	0.153	PCI/L	U	V	0.264	1.01	YES	Plume Extent
P416689	4/29/02	GW08208RG	URANIUM-238	REAL	TR1	1.21	0.459	PCI/L		V	0.114	0.768	YES	Plume Extent
P416789	6/10/02	GW08209RG	URANIUM-233,-234	REAL	TR1	3.27	0.873	PCI/L		V1	0.252	1.06	YES	Plume Definition
P416789	6/10/02	GW08209RG	URANIUM-235	REAL	TR1	0.225	0.2	PCI/L	U	V1	0.253	1.01	YES	Plume Definition
P416789	6/10/02	GW08209RG	URANIUM-238	REAL	TR1	0.964	0.417	PCI/L	J	V1	0.214	0.768	YES	Plume Definition
P416889	5/9/02	GW08210RG	AMERICIUM-241	REAL	TR1	0.01	0.00883	PCI/L	J	V	0.006	0.145	NO	Plume Definition
P416889	5/9/02	GW08210RG	PLUTONIUM-239/240	REAL	TR1	0.0264	0.0156	PCI/L	J	V	0.0155	0.151	NO	Plume Definition
P416889	5/9/02	GW08210RG	URANIUM-233,-234	REAL	TR1	1.37	0.496	PCI/L		V	0.262	1.06	NO	Plume Definition
P416889	5/9/02	GW08210RG	URANIUM-235	REAL	TR1	0.0756	0.105	PCI/L	U	V	0.113	1.01	NO	Plume Definition
P416889	5/9/02	GW08210RG	URANIUM-238	REAL	TR1	0.49	0.276	PCI/L	J	V	0.113	0.768	NO	Plume Definition
SW085	6/4/02	SW08294RG	AMERICIUM-241	REAL	TR1	0.143	0.041	PCI/L		V1	0.0263	0.145	NO	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	PLUTONIUM-239/240	REAL	TR1	0.161	0.0411	PCI/L		V1	0.0321	0.151	NO	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	URANIUM-233,-234	REAL	TR1	6.28	1.27	PCI/L		V1	0.295	1.06	YES	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	URANIUM-235	REAL	TR1	0.565	0.282	PCI/L	J	V1	0.237	1.01	YES	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	URANIUM-238	REAL	TR1	3	0.748	PCI/L		V1	0.236	0.768	YES	Non-IMP D&D 779
SW13494	5/13/02	SW08299RG	AMERICIUM-241	REAL	TR1	0.00984	0.0116	PCI/L	U	V	0.0188	0.145	NO	Perf Monitoring
SW13494	5/13/02	SW08299RG	PLUTONIUM-239/240	REAL	TR1	-0.00175	0.0103	PCI/L	U	V	0.0234	0.151	NO	Perf Monitoring
SW13494	5/13/02	SW08299RG	URANIUM-233,-234	REAL	TR1	4.87	1.15	PCI/L		V	0.214	1.06	YES	Perf Monitoring
SW13494	5/13/02	SW08299RG	URANIUM-235	REAL	TR1	0.285	0.216	PCI/L	J	V	0.122	1.01	YES	Perf Monitoring
SW13494	5/13/02	SW08299RG	URANIUM-238	REAL	TR1	1.67	0.57	PCI/L		V	0.122	0.768	YES	Perf Monitoring

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
Dissolved Gases													
18199	4/29/02	GW08252RG	ETHANE	REAL	TR1	2	UG/L			2	1		Plume Degradation
18199	4/29/02	GW08252RG	ETHENE	REAL	TR1	2	UG/L			2	1		Plume Degradation
18199	4/29/02	GW08252RG	METHANE	REAL	TR1	37	UG/L				1		Plume Degradation
18499	4/30/02	GW08248RG	ETHANE	DUP	TR1	2	UG/L			2	1		Plume Degradation
18499	4/30/02	GW08248RG	ETHANE	DUP	DL1	6	UG/L			2	3		Plume Degradation
18499	4/30/02	GW08247RG	ETHANE	REAL	TR1	2	UG/L			2	1		Plume Degradation
18499	4/30/02	GW08247RG	ETHANE	REAL	DL1	6	UG/L			2	3		Plume Degradation
18499	4/30/02	GW08248RG	ETHENE	DUP	TR1	2	UG/L			2	1		Plume Degradation
18499	4/30/02	GW08248RG	ETHENE	DUP	DL1	5	UG/L			2	3		Plume Degradation
18499	4/30/02	GW08247RG	ETHENE	REAL	TR1	2	UG/L			2	1		Plume Degradation
18499	4/30/02	GW08247RG	ETHENE	REAL	DL1	5	UG/L			2	3		Plume Degradation
18499	4/30/02	GW08248RG	METHANE	DUP	TR1	130	UG/L				1		Plume Degradation
18499	4/30/02	GW08248RG	METHANE	DUP	DL1	130	UG/L				3		Plume Degradation
18499	4/30/02	GW08247RG	METHANE	REAL	TR1	110	UG/L				1		Plume Degradation
18499	4/30/02	GW08247RG	METHANE	REAL	DL1	110	UG/L				3		Plume Degradation
18799	6/18/02	GW08249RG	ETHANE	REAL	TR1	3	UG/L			2	1		Plume Degradation
18799	6/18/02	GW08249RG	ETHENE	REAL	TR1	7	UG/L			2	1		Plume Degradation
18799	6/18/02	GW08249RG	METHANE	REAL	TR1	2	UG/L			1	1		Plume Degradation
21098	5/2/02	GW08250RG	ETHANE	REAL	TR1	2	UG/L			2	1		Plume Extent
21098	5/2/02	GW08250RG	ETHENE	REAL	TR1	2	UG/L			2	1		Plume Extent
21098	5/2/02	GW08250RG	METHANE	REAL	TR1	10	UG/L				1		Plume Extent
30900	4/1/02	GW08182RG	ETHANE	REAL	TR1	2	UG/L			2	1		Plume Degradation
30900	4/1/02	GW08182RG	ETHANE	REAL	DL1	4	UG/L			2	2		Plume Degradation
30900	4/1/02	GW08182RG	ETHENE	REAL	TR1	2	UG/L			2	1		Plume Degradation
30900	4/1/02	GW08182RG	ETHENE	REAL	DL1	4	UG/L			2	2		Plume Degradation
30900	4/1/02	GW08182RG	METHANE	REAL	TR1	120	UG/L			1	1		Plume Degradation
30900	4/1/02	GW08182RG	METHANE	REAL	DL1	110	UG/L			1	2		Plume Degradation
30900	5/2/02	GW08242RG	ETHANE	REAL	TR1	2	UG/L			2	1		Plume Degradation
30900	5/2/02	GW08242RG	ETHANE	REAL	DL1	3	UG/L			3	1.5		Plume Degradation
30900	5/2/02	GW08242RG	ETHENE	REAL	TR1	2	UG/L			2	1		Plume Degradation
30900	5/2/02	GW08242RG	ETHENE	REAL	DL1	3	UG/L			3	1.5		Plume Degradation
30900	5/2/02	GW08242RG	METHANE	REAL	TR1	140	UG/L				1		Plume Degradation
30900	5/2/02	GW08242RG	METHANE	REAL	DL1	140	UG/L				1.5		Plume Degradation
Semi-Volatile Organic Compounds (SVOCs)													
18199	4/29/02	GW08252RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	10	UG/L	U	V1	1.8	1	70	Plume Degradation
18199	4/29/02	GW08252RG	1,2-DICHLOROBENZENE	REAL	TR1	10	UG/L	U	V1	1.9	1	600	Plume Degradation
18199	4/29/02	GW08252RG	1,3-DICHLOROBENZENE	REAL	TR1	10	UG/L	U	V1	2.5	1	600	Plume Degradation
18199	4/29/02	GW08252RG	1,4-DICHLOROBENZENE	REAL	TR1	10	UG/L	U	V1	2.2	1	75	Plume Degradation
18199	4/29/02	GW08252RG	2,4,5-TRICHLOROPHENOL	REAL	TR1	10	UG/L	U	V1	1.1	1	50	Plume Degradation
18199	4/29/02	GW08252RG	2,4,6-TRICHLOROPHENOL	REAL	TR1	10	UG/L	U	V1	1.1	1	7.74	Plume Degradation
18199	4/29/02	GW08252RG	2,4-DICHLOROPHENOL	REAL	TR1	10	UG/L	U	V1	1.7	1	110	Plume Degradation
18199	4/29/02	GW08252RG	2,4-DIMETHYLPHENOL	REAL	TR1	10	UG/L	U	V1	2.1	1	730	Plume Degradation
18199	4/29/02	GW08252RG	2,4-DINITROPHENOL	REAL	TR1	50	UG/L	U	V1	16	1	73	Plume Degradation
18199	4/29/02	GW08252RG	2,4-DINITROTOLUENE	REAL	TR1	10	UG/L	U	V1	2.4	1	0.125	Plume Degradation
18199	4/29/02	GW08252RG	2,6-DINITROTOLUENE	REAL	TR1	10	UG/L	U	V1	2.3	1	0.125	Plume Degradation
18199	4/29/02	GW08252RG	2-CHLORONAPHTHALENE	REAL	TR1	10	UG/L	U	V1	1.4	1	2920	Plume Degradation
18199	4/29/02	GW08252RG	2-CHLOROPHENOL	REAL	TR1	10	UG/L	U	V1	1.5	1	183	Plume Degradation
18199	4/29/02	GW08252RG	2-METHYLNAPHTHALENE	REAL	TR1	10	UG/L	U	V1	1.9	1	1460	Plume Degradation
18199	4/29/02	GW08252RG	2-METHYLPHENOL	REAL	TR1	10	UG/L	U	V1	1.6	1	1830	Plume Degradation
18199	4/29/02	GW08252RG	2-NITROANILINE	REAL	TR1	50	UG/L	U	V1	1.6	1	2.19	Plume Degradation
18199	4/29/02	GW08252RG	2-NITROPHENOL	REAL	TR1	10	UG/L	U	V1	1.7	1		Plume Degradation
18199	4/29/02	GW08252RG	3,3'-DICHLOROBENZIDINE	REAL	TR1	20	UG/L	U	V1	16	1	0.189	Plume Degradation
18199	4/29/02	GW08252RG	3-NITROANILINE	REAL	TR1	50	UG/L	U	V1	6.7	1		Plume Degradation
18199	4/29/02	GW08252RG	4,6-DINITRO-2-METHYLPHENOL	REAL	TR1	50	UG/L	U	V1	15	1	3.65	Plume Degradation
18199	4/29/02	GW08252RG	4-CHLORO-3-METHYLPHENOL	REAL	TR1	10	UG/L	U	V1	1.3	1		Plume Degradation
18199	4/29/02	GW08252RG	4-CHLOROANILINE	REAL	TR1	10	UG/L	U	V1	7.3	1	146	Plume Degradation

105

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
18199	4/29/02	GW08252RG	4-CHLOROPHENYL PHENYL ETHER	REAL	TR1	10	UG/L	U	V1	1.5	1		Plume Degradation
18199	4/29/02	GW08252RG	4-METHYLPHENOL	REAL	TR1	10	UG/L	U	V1	1.4	1	183	Plume Degradation
18199	4/29/02	GW08252RG	4-NITROANILINE	REAL	TR1	50	UG/L	U	V1	4.4	1		Plume Degradation
18199	4/29/02	GW08252RG	4-NITROPHENOL	REAL	TR1	50	UG/L	U	V1	7.1	1	292	Plume Degradation
18199	4/29/02	GW08252RG	ACENAPHTHENE	REAL	TR1	10	UG/L	U	V1	1	1	2190	Plume Degradation
18199	4/29/02	GW08252RG	ACENAPHTHYLENE	REAL	TR1	10	UG/L	U	V1	1	1		Plume Degradation
18199	4/29/02	GW08252RG	ANTHRACENE	REAL	TR1	10	UG/L	U	V1	1.2	1	11000	Plume Degradation
18199	4/29/02	GW08252RG	BENZO(a)ANTHRACENE	REAL	TR1	10	UG/L	U	V1	1.3	1	0.117	Plume Degradation
18199	4/29/02	GW08252RG	BENZO(a)PYRENE	REAL	TR1	10	UG/L	U	V1	1.9	1	0.2	Plume Degradation
18199	4/29/02	GW08252RG	BENZO(b)FLUORANTHENE	REAL	TR1	10	UG/L	U	V1	2.2	1	0.117	Plume Degradation
18199	4/29/02	GW08252RG	BENZO(ghi)PERYLENE	REAL	TR1	10	UG/L	U	V1	1.1	1		Plume Degradation
18199	4/29/02	GW08252RG	BENZO(k)FLUORANTHENE	REAL	TR1	10	UG/L	U	V1	2.2	1	1.17	Plume Degradation
18199	4/29/02	GW08252RG	BENZOIC ACID	REAL	TR1	50	UG/L	U	V1	19	1	146000	Plume Degradation
18199	4/29/02	GW08252RG	BENZYL ALCOHOL	REAL	TR1	10	UG/L	U	V1	3	1	11000	Plume Degradation
18199	4/29/02	GW08252RG	BIS(2-CHLOROETHOXY)METHANE	REAL	TR1	10	UG/L	U	V1	1.4	1		Plume Degradation
18199	4/29/02	GW08252RG	BIS(2-CHLOROETHYL)ETHER	REAL	TR1	10	UG/L	U	V1	1.8	1	0.0774	Plume Degradation
18199	4/29/02	GW08252RG	bis(2-Chloroisopropyl) ether	REAL	TR1	10	UG/L	U	V1	1.3	1		Plume Degradation
18199	4/29/02	GW08252RG	BIS(2-ETHYLHEXYL)PHTHALATE	REAL	TR1	10	UG/L	U	V1	1.9	1	6	Plume Degradation
18199	4/29/02	GW08252RG	BUTYL BENZYL PHTHALATE	REAL	TR1	10	UG/L	U	V1	1.9	1	7300	Plume Degradation
18199	4/29/02	GW08252RG	CHRYSENE	REAL	TR1	10	UG/L	U	V1	1.5	1	11.7	Plume Degradation
18199	4/29/02	GW08252RG	DIBENZO(a,h)ANTHRACENE	REAL	TR1	10	UG/L	U	V1	1.6	1	0.0117	Plume Degradation
18199	4/29/02	GW08252RG	DIBENZOFURAN	REAL	TR1	10	UG/L	U	V1	1.3	1	146	Plume Degradation
18199	4/29/02	GW08252RG	DIETHYL PHTHALATE	REAL	TR1	10	UG/L	U	V1	2	1	29200	Plume Degradation
18199	4/29/02	GW08252RG	DIMETHYL PHTHALATE	REAL	TR1	10	UG/L	U	V1	1.8	1	365000	Plume Degradation
18199	4/29/02	GW08252RG	DI-n-BUTYL PHTHALATE	REAL	TR1	10	UG/L	U	V1	2.1	1		Plume Degradation
18199	4/29/02	GW08252RG	DI-n-OCTYL PHTHALATE	REAL	TR1	10	UG/L	U	V1	2	1	730	Plume Degradation
18199	4/29/02	GW08252RG	FLUORANTHENE	REAL	TR1	10	UG/L	U	V1	2	1	1460	Plume Degradation
18199	4/29/02	GW08252RG	FLUORENE	REAL	TR1	10	UG/L	U	V1	1.4	1	1460	Plume Degradation
18199	4/29/02	GW08252RG	HEXACHLOROBENZENE	REAL	TR1	10	UG/L	U	V1	1.5	1	1	Plume Degradation
18199	4/29/02	GW08252RG	HEXACHLOROBUTADIENE	REAL	TR1	10	UG/L	U	V1	3.3	1	1.09	Plume Degradation
18199	4/29/02	GW08252RG	HEXACHLOROCYCLOPENTADIENE	REAL	TR1	10	UG/L	U	UJ1	9.1	1	50	Plume Degradation
18199	4/29/02	GW08252RG	HEXACHLOROETHANE	REAL	TR1	15	UG/L		V1	3	1	6.08	Plume Degradation
18199	4/29/02	GW08252RG	INDENO(1,2,3-cd)PYRENE	REAL	TR1	10	UG/L	U	V1	1.3	1	0.117	Plume Degradation
18199	4/29/02	GW08252RG	ISOPHORONE	REAL	TR1	10	UG/L	U	V1	1.6	1	89.6	Plume Degradation
18199	4/29/02	GW08252RG	NAPHTHALENE	REAL	TR1	10	UG/L	U	V1	1.4	1	1460	Plume Degradation
18199	4/29/02	GW08252RG	NITROBENZENE	REAL	TR1	10	UG/L	U	V1	1.7	1	18.3	Plume Degradation
18199	4/29/02	GW08252RG	N-NITROSO-DI-n-PROPYLAMINE	REAL	TR1	10	UG/L	U	V1	1.8	1	0.0122	Plume Degradation
18199	4/29/02	GW08252RG	N-NITROSODIPHENYLAMINE	REAL	TR1	10	UG/L	U	V1	5.3	1	17.4	Plume Degradation
18199	4/29/02	GW08252RG	p-BROMODIPHENYL ETHER	REAL	TR1	10	UG/L	U	V1	1.3	1		Plume Degradation
18199	4/29/02	GW08252RG	PENTACHLOROPHENOL	REAL	TR1	50	UG/L	U	V1	7.7	1	1	Plume Degradation
18199	4/29/02	GW08252RG	PHENANTHRENE	REAL	TR1	10	UG/L	U	V1	1.2	1		Plume Degradation
18199	4/29/02	GW08252RG	PHENOL	REAL	TR1	10	UG/L	U	V1	1.4	1	21900	Plume Degradation
18199	4/29/02	GW08252RG	PYRENE	REAL	TR1	10	UG/L	U	V1	1.7	1	1100	Plume Degradation
18199	4/29/02	GW08252RG	UNKNOWN	REAL	TR1	15	UG/L	J	V1		1		Plume Degradation
18499	4/30/02	GW08247RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	10	UG/L	U	V1	1.8	1	70	Plume Degradation
18499	4/30/02	GW08247RG	1,2-DICHLOROBENZENE	REAL	TR1	10	UG/L	U	V1	1.9	1	600	Plume Degradation
18499	4/30/02	GW08247RG	1,3-DICHLOROBENZENE	REAL	TR1	10	UG/L	U	V1	2.5	1	600	Plume Degradation
18499	4/30/02	GW08247RG	1,4-DICHLOROBENZENE	REAL	TR1	10	UG/L	U	V1	2.2	1	75	Plume Degradation
18499	4/30/02	GW08247RG	2,4,5-TRICHLOROPHENOL	REAL	TR1	10	UG/L	U	V1	1.1	1	50	Plume Degradation
18499	4/30/02	GW08247RG	2,4,6-TRICHLOROPHENOL	REAL	TR1	10	UG/L	U	V1	1.1	1	7.74	Plume Degradation
18499	4/30/02	GW08247RG	2,4-DICHLOROPHENOL	REAL	TR1	10	UG/L	U	V1	1.7	1	110	Plume Degradation
18499	4/30/02	GW08247RG	2,4-DIMETHYLPHENOL	REAL	TR1	10	UG/L	U	V1	2.1	1	730	Plume Degradation
18499	4/30/02	GW08247RG	2,4-DINITROPHENOL	REAL	TR1	50	UG/L	U	V1	16	1	73	Plume Degradation
18499	4/30/02	GW08247RG	2,4-DINITROTOLUENE	REAL	TR1	10	UG/L	U	V1	2.4	1	0.125	Plume Degradation
18499	4/30/02	GW08247RG	2,6-DINITROTOLUENE	REAL	TR1	10	UG/L	U	V1	2.3	1	0.125	Plume Degradation
18499	4/30/02	GW08247RG	2-CHLORONAPHTHALENE	REAL	TR1	10	UG/L	U	V1	1.4	1	2920	Plume Degradation
18499	4/30/02	GW08247RG	2-CHLOROPHENOL	REAL	TR1	10	UG/L	U	V1	1.5	1	183	Plume Degradation

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
18499	4/30/02	GW08247RG	2-METHYLNAPHTHALENE	REAL	TR1	10	UG/L	U	V1	1.9	1	1460	Plume Degradation
18499	4/30/02	GW08247RG	2-METHYLPHENOL	REAL	TR1	10	UG/L	U	V1	1.6	1	1830	Plume Degradation
18499	4/30/02	GW08247RG	2-NITROANILINE	REAL	TR1	50	UG/L	U	V1	1.6	1	2.19	Plume Degradation
18499	4/30/02	GW08247RG	2-NITROPHENOL	REAL	TR1	10	UG/L	U	V1	1.7	1		Plume Degradation
18499	4/30/02	GW08247RG	3,3'-DICHLOROBENZIDINE	REAL	TR1	20	UG/L	U	V1	16	1	0.189	Plume Degradation
18499	4/30/02	GW08247RG	3-NITROANILINE	REAL	TR1	50	UG/L	U	V1	6.7	1		Plume Degradation
18499	4/30/02	GW08247RG	4,6-DINITRO-2-METHYLPHENOL	REAL	TR1	50	UG/L	U	V1	15	1	3.65	Plume Degradation
18499	4/30/02	GW08247RG	4-CHLORO-3-METHYLPHENOL	REAL	TR1	10	UG/L	U	V1	1.3	1		Plume Degradation
18499	4/30/02	GW08247RG	4-CHLOROANILINE	REAL	TR1	10	UG/L	U	V1	7.3	1	146	Plume Degradation
18499	4/30/02	GW08247RG	4-CHLOROPHENYL PHENYL ETHER	REAL	TR1	10	UG/L	U	V1	1.5	1		Plume Degradation
18499	4/30/02	GW08247RG	4-METHYLPHENOL	REAL	TR1	10	UG/L	U	V1	1.4	1	183	Plume Degradation
18499	4/30/02	GW08247RG	4-NITROANILINE	REAL	TR1	50	UG/L	U	V1	4.4	1		Plume Degradation
18499	4/30/02	GW08247RG	4-NITROPHENOL	REAL	TR1	50	UG/L	U	V1	7.1	1	292	Plume Degradation
18499	4/30/02	GW08247RG	ACENAPHTHENE	REAL	TR1	10	UG/L	U	V1	1	1	2190	Plume Degradation
18499	4/30/02	GW08247RG	ACENAPHTHYLENE	REAL	TR1	10	UG/L	U	V1	1	1		Plume Degradation
18499	4/30/02	GW08247RG	ANTHRACENE	REAL	TR1	10	UG/L	U	V1	1.2	1	11000	Plume Degradation
18499	4/30/02	GW08247RG	BENZO(a)ANTHRACENE	REAL	TR1	10	UG/L	U	V1	1.3	1	0.117	Plume Degradation
18499	4/30/02	GW08247RG	BENZO(a)PYRENE	REAL	TR1	10	UG/L	U	V1	1.9	1	0.2	Plume Degradation
18499	4/30/02	GW08247RG	BENZO(b)FLUORANTHENE	REAL	TR1	10	UG/L	U	V1	2.2	1	0.117	Plume Degradation
18499	4/30/02	GW08247RG	BENZO(ghi)PERYLENE	REAL	TR1	10	UG/L	U	V1	1.1	1		Plume Degradation
18499	4/30/02	GW08247RG	BENZO(k)FLUORANTHENE	REAL	TR1	10	UG/L	U	V1	2.2	1	1.17	Plume Degradation
18499	4/30/02	GW08247RG	BENZOIC ACID	REAL	TR1	50	UG/L	U	V1	19	1	146000	Plume Degradation
18499	4/30/02	GW08247RG	BENZYL ALCOHOL	REAL	TR1	10	UG/L	U	V1	3	1	11000	Plume Degradation
18499	4/30/02	GW08247RG	BIS(2-CHLOROETHOXY)METHANE	REAL	TR1	10	UG/L	U	V1	1.4	1		Plume Degradation
18499	4/30/02	GW08247RG	BIS(2-CHLOROETHYL)ETHER	REAL	TR1	10	UG/L	U	V1	1.8	1	0.0774	Plume Degradation
18499	4/30/02	GW08247RG	bis(2-Chloroisopropyl) ether	REAL	TR1	10	UG/L	U	V1	1.3	1		Plume Degradation
18499	4/30/02	GW08247RG	BIS(2-ETHYLHEXYL)PHTHALATE	REAL	TR1	10	UG/L	U	V1	1.9	1	6	Plume Degradation
18499	4/30/02	GW08247RG	BUTYL BENZYL PHTHALATE	REAL	TR1	10	UG/L	U	V1	1.9	1	7300	Plume Degradation
18499	4/30/02	GW08247RG	CHRYSENE	REAL	TR1	10	UG/L	U	V1	1.5	1	11.7	Plume Degradation
18499	4/30/02	GW08247RG	DIBENZO(a,h)ANTHRACENE	REAL	TR1	10	UG/L	U	V1	1.6	1	0.0117	Plume Degradation
18499	4/30/02	GW08247RG	DIBENZOFURAN	REAL	TR1	10	UG/L	U	V1	1.3	1	146	Plume Degradation
18499	4/30/02	GW08247RG	DIETHYL PHTHALATE	REAL	TR1	10	UG/L	U	V1	2	1	29200	Plume Degradation
18499	4/30/02	GW08247RG	DIMETHYL PHTHALATE	REAL	TR1	10	UG/L	U	V1	1.8	1	365000	Plume Degradation
18499	4/30/02	GW08247RG	DI-n-BUTYL PHTHALATE	REAL	TR1	10	UG/L	U	V1	2.1	1		Plume Degradation
18499	4/30/02	GW08247RG	DI-n-OCTYL PHTHALATE	REAL	TR1	10	UG/L	U	V1	2	1	730	Plume Degradation
18499	4/30/02	GW08247RG	FLUORANTHENE	REAL	TR1	10	UG/L	U	V1	2	1	1460	Plume Degradation
18499	4/30/02	GW08247RG	FLUORENE	REAL	TR1	10	UG/L	U	V1	1.4	1	1460	Plume Degradation
18499	4/30/02	GW08247RG	HEXACHLOROBENZENE	REAL	TR1	10	UG/L	U	V1	1.5	1	1	Plume Degradation
18499	4/30/02	GW08247RG	HEXACHLOROBUTADIENE	REAL	TR1	10	UG/L	U	V1	3.3	1	1.09	Plume Degradation
18499	4/30/02	GW08247RG	HEXACHLOROCYCLOPENTADIENE	REAL	TR1	10	UG/L	U	UJ1	9.1	1	50	Plume Degradation
18499	4/30/02	GW08247RG	HEXACHLOROETHANE	REAL	TR1	63	UG/L		V1	3	1	6.08	Plume Degradation
18499	4/30/02	GW08247RG	INDENO(1,2,3-cd)PYRENE	REAL	TR1	10	UG/L	U	V1	1.3	1	0.117	Plume Degradation
18499	4/30/02	GW08247RG	ISOPHORONE	REAL	TR1	10	UG/L	U	V1	1.6	1	89.6	Plume Degradation
18499	4/30/02	GW08247RG	NAPHTHALENE	REAL	TR1	10	UG/L	U	V1	1.4	1	1460	Plume Degradation
18499	4/30/02	GW08247RG	NITROBENZENE	REAL	TR1	10	UG/L	U	V1	1.7	1	18.3	Plume Degradation
18499	4/30/02	GW08247RG	N-NITROSO-DI-n-PROPYLAMINE	REAL	TR1	10	UG/L	U	V1	1.8	1	0.0122	Plume Degradation
18499	4/30/02	GW08247RG	N-NITROSODIPHENYLAMINE	REAL	TR1	10	UG/L	U	V1	5.3	1	17.4	Plume Degradation
18499	4/30/02	GW08247RG	p-BROMODIPHENYL ETHER	REAL	TR1	10	UG/L	U	V1	1.3	1		Plume Degradation
18499	4/30/02	GW08247RG	PENTACHLOROPHENOL	REAL	TR1	50	UG/L	U	V1	7.7	1	1	Plume Degradation
18499	4/30/02	GW08247RG	PHENANTHRENE	REAL	TR1	10	UG/L	U	V1	1.2	1		Plume Degradation
18499	4/30/02	GW08247RG	PHENOL	REAL	TR1	10	UG/L	U	V1	1.4	1	21900	Plume Degradation
18499	4/30/02	GW08247RG	PYRENE	REAL	TR1	10	UG/L	U	V1	1.7	1	1100	Plume Degradation
18499	4/30/02	GW08247RG	UNKNOWN	REAL	TR1	19	UG/L	J	V1		1		Plume Degradation
18499	4/30/02	GW08248RG	1,2,4-TRICHLOROBENZENE	DUP	TR1	10	UG/L	U	V1	1.8	1	70	Plume Degradation
18499	4/30/02	GW08248RG	1,2-DICHLOROBENZENE	DUP	TR1	10	UG/L	U	V1	1.9	1	600	Plume Degradation
18499	4/30/02	GW08248RG	1,3-DICHLOROBENZENE	DUP	TR1	10	UG/L	U	V1	2.5	1	600	Plume Degradation
18499	4/30/02	GW08248RG	1,4-DICHLOROBENZENE	DUP	TR1	10	UG/L	U	V1	2.2	1	75	Plume Degradation

197

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
18499	4/30/02	GW08248RG	1,4-DIOXANE	DUP	TR1	5.5	UG/L	J	V1		1		Plume Degradation
18499	4/30/02	GW08248RG	2,4,5-TRICHLOROPHENOL	DUP	TR1	10	UG/L	U	V1	1.1	1	50	Plume Degradation
18499	4/30/02	GW08248RG	2,4,6-TRICHLOROPHENOL	DUP	TR1	10	UG/L	U	V1	1.1	1	7.74	Plume Degradation
18499	4/30/02	GW08248RG	2,4-DICHLOROPHENOL	DUP	TR1	10	UG/L	U	V1	1.7	1	110	Plume Degradation
18499	4/30/02	GW08248RG	2,4-DIMETHYLPHENOL	DUP	TR1	10	UG/L	U	V1	2.1	1	730	Plume Degradation
18499	4/30/02	GW08248RG	2,4-DINITROPHENOL	DUP	TR1	50	UG/L	U	V1	16	1	73	Plume Degradation
18499	4/30/02	GW08248RG	2,4-DINITROTOLUENE	DUP	TR1	10	UG/L	U	V1	2.4	1	0.125	Plume Degradation
18499	4/30/02	GW08248RG	2,6-DINITROTOLUENE	DUP	TR1	10	UG/L	U	V1	2.3	1	0.125	Plume Degradation
18499	4/30/02	GW08248RG	2-CHLORONAPHTHALENE	DUP	TR1	10	UG/L	U	V1	1.4	1	2920	Plume Degradation
18499	4/30/02	GW08248RG	2-CHLOROPHENOL	DUP	TR1	10	UG/L	U	V1	1.5	1	183	Plume Degradation
18499	4/30/02	GW08248RG	2-METHYLNAPHTHALENE	DUP	TR1	10	UG/L	U	V1	1.9	1	1460	Plume Degradation
18499	4/30/02	GW08248RG	2-METHYLPHENOL	DUP	TR1	10	UG/L	U	V1	1.6	1	1830	Plume Degradation
18499	4/30/02	GW08248RG	2-NITROANILINE	DUP	TR1	50	UG/L	U	V1	1.6	1	2.19	Plume Degradation
18499	4/30/02	GW08248RG	2-NITROPHENOL	DUP	TR1	10	UG/L	U	V1	1.7	1		Plume Degradation
18499	4/30/02	GW08248RG	3,3'-DICHLOROBENZIDINE	DUP	TR1	20	UG/L	U	V1	16	1	0.189	Plume Degradation
18499	4/30/02	GW08248RG	3-NITROANILINE	DUP	TR1	50	UG/L	U	V1	6.7	1		Plume Degradation
18499	4/30/02	GW08248RG	4,6-DINITRO-2-METHYLPHENOL	DUP	TR1	50	UG/L	U	V1	15	1	3.65	Plume Degradation
18499	4/30/02	GW08248RG	4-CHLORO-3-METHYLPHENOL	DUP	TR1	10	UG/L	U	V1	1.3	1		Plume Degradation
18499	4/30/02	GW08248RG	4-CHLOROANILINE	DUP	TR1	10	UG/L	U	V1	7.3	1	146	Plume Degradation
18499	4/30/02	GW08248RG	4-CHLOROPHENYL PHENYL ETHER	DUP	TR1	10	UG/L	U	V1	1.5	1		Plume Degradation
18499	4/30/02	GW08248RG	4-METHYLPHENOL	DUP	TR1	10	UG/L	U	V1	1.4	1	183	Plume Degradation
18499	4/30/02	GW08248RG	4-NITROANILINE	DUP	TR1	50	UG/L	U	V1	4.4	1		Plume Degradation
18499	4/30/02	GW08248RG	4-NITROPHENOL	DUP	TR1	50	UG/L	U	V1	7.1	1	292	Plume Degradation
18499	4/30/02	GW08248RG	ACENAPHTHENE	DUP	TR1	10	UG/L	U	V1	1	1	2190	Plume Degradation
18499	4/30/02	GW08248RG	ACENAPHTHYLENE	DUP	TR1	10	UG/L	U	V1	1	1		Plume Degradation
18499	4/30/02	GW08248RG	ANTHRACENE	DUP	TR1	10	UG/L	U	V1	1.2	1	11000	Plume Degradation
18499	4/30/02	GW08248RG	BENZO(a)ANTHRACENE	DUP	TR1	10	UG/L	U	V1	1.3	1	0.117	Plume Degradation
18499	4/30/02	GW08248RG	BENZO(a)PYRENE	DUP	TR1	10	UG/L	U	V1	1.9	1	0.2	Plume Degradation
18499	4/30/02	GW08248RG	BENZO(b)FLUORANTHENE	DUP	TR1	10	UG/L	U	V1	2.2	1	0.117	Plume Degradation
18499	4/30/02	GW08248RG	BENZO(ghi)PERYLENE	DUP	TR1	10	UG/L	U	V1	1.1	1		Plume Degradation
18499	4/30/02	GW08248RG	BENZO(k)FLUORANTHENE	DUP	TR1	10	UG/L	U	V1	2.2	1	1.17	Plume Degradation
18499	4/30/02	GW08248RG	BENZOIC ACID	DUP	TR1	50	UG/L	U	V1	19	1	146000	Plume Degradation
18499	4/30/02	GW08248RG	BENZYL ALCOHOL	DUP	TR1	10	UG/L	U	V1	3	1	11000	Plume Degradation
18499	4/30/02	GW08248RG	BIS(2-CHLOROETHOXY)METHANE	DUP	TR1	10	UG/L	U	V1	1.4	1		Plume Degradation
18499	4/30/02	GW08248RG	BIS(2-CHLOROETHYL)ETHER	DUP	TR1	10	UG/L	U	V1	1.8	1	0.0774	Plume Degradation
18499	4/30/02	GW08248RG	bis(2-Chloroisopropyl) ether	DUP	TR1	10	UG/L	U	V1	1.3	1		Plume Degradation
18499	4/30/02	GW08248RG	BIS(2-ETHYLHEXYL)PHTHALATE	DUP	TR1	10	UG/L	U	V1	1.9	1	6	Plume Degradation
18499	4/30/02	GW08248RG	BUTYL BENZYL PHTHALATE	DUP	TR1	10	UG/L	U	V1	1.9	1	7300	Plume Degradation
18499	4/30/02	GW08248RG	CHRYSENE	DUP	TR1	10	UG/L	U	V1	1.5	1	11.7	Plume Degradation
18499	4/30/02	GW08248RG	DIBENZO(a,h)ANTHRACENE	DUP	TR1	10	UG/L	U	V1	1.6	1	0.0117	Plume Degradation
18499	4/30/02	GW08248RG	DIBENZOFURAN	DUP	TR1	10	UG/L	U	V1	1.3	1	146	Plume Degradation
18499	4/30/02	GW08248RG	DIETHYL PHTHALATE	DUP	TR1	10	UG/L	U	V1	2	1	29200	Plume Degradation
18499	4/30/02	GW08248RG	DIMETHYL PHTHALATE	DUP	TR1	10	UG/L	U	V1	1.8	1	365000	Plume Degradation
18499	4/30/02	GW08248RG	DI-n-BUTYL PHTHALATE	DUP	TR1	10	UG/L	U	V1	2.1	1		Plume Degradation
18499	4/30/02	GW08248RG	DI-n-OCTYL PHTHALATE	DUP	TR1	10	UG/L	U	V1	2	1	730	Plume Degradation
18499	4/30/02	GW08248RG	FLUORANTHENE	DUP	TR1	10	UG/L	U	V1	2	1	1460	Plume Degradation
18499	4/30/02	GW08248RG	FLUORENE	DUP	TR1	10	UG/L	U	V1	1.4	1	1460	Plume Degradation
18499	4/30/02	GW08248RG	HEXACHLOROBENZENE	DUP	TR1	10	UG/L	U	V1	1.5	1	1	Plume Degradation
18499	4/30/02	GW08248RG	HEXACHLOROBUTADIENE	DUP	TR1	10	UG/L	U	V1	3.3	1	1.09	Plume Degradation
18499	4/30/02	GW08248RG	HEXACHLOROCYCLOPENTADIENE	DUP	TR1	10	UG/L	U	UJ1	9.1	1	50	Plume Degradation
18499	4/30/02	GW08248RG	HEXACHLOROETHANE	DUP	TR1	74	UG/L		V1	3	1	6.08	Plume Degradation
18499	4/30/02	GW08248RG	INDENO(1,2,3-cd)PYRENE	DUP	TR1	10	UG/L	U	V1	1.3	1	0.117	Plume Degradation
18499	4/30/02	GW08248RG	ISOPHORONE	DUP	TR1	10	UG/L	U	V1	1.6	1	89.6	Plume Degradation
18499	4/30/02	GW08248RG	NAPHTHALENE	DUP	TR1	10	UG/L	U	V1	1.4	1	1460	Plume Degradation
18499	4/30/02	GW08248RG	NITROBENZENE	DUP	TR1	10	UG/L	U	V1	1.7	1	18.3	Plume Degradation
18499	4/30/02	GW08248RG	N-NITROSO-DI-n-PROPYLAMINE	DUP	TR1	10	UG/L	U	V1	1.8	1	0.0122	Plume Degradation
18499	4/30/02	GW08248RG	N-NITROSODIPHENYLAMINE	DUP	TR1	10	UG/L	U	V1	5.3	1	17.4	Plume Degradation

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
18499	4/30/02	GW08248RG	p-BROMODIPHENYL ETHER	DUP	TR1	10	UG/L	U	V1	1.3	1		Plume Degradation
18499	4/30/02	GW08248RG	PENTACHLOROPHENOL	DUP	TR1	50	UG/L	U	V1	7.7	1	1	Plume Degradation
18499	4/30/02	GW08248RG	PHENANTHRENE	DUP	TR1	10	UG/L	U	V1	1.2	1		Plume Degradation
18499	4/30/02	GW08248RG	PHENOL	DUP	TR1	10	UG/L	U	V1	1.4	1	21900	Plume Degradation
18499	4/30/02	GW08248RG	PYRENE	DUP	TR1	10	UG/L	U	V1	1.7	1	1100	Plume Degradation
18499	4/30/02	GW08248RG	UNKNOWN	DUP	TR1	34	UG/L	J	V1		1		Plume Degradation
21098	5/1/02	GW08250RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	10	UG/L	U	V1	1.8	1	70	Plume Extent
21098	5/1/02	GW08250RG	1,2-DICHLOROBENZENE	REAL	TR1	10	UG/L	U	V1	1.9	1	600	Plume Extent
21098	5/1/02	GW08250RG	1,3-DICHLOROBENZENE	REAL	TR1	10	UG/L	U	V1	2.5	1	600	Plume Extent
21098	5/1/02	GW08250RG	1,4-DICHLOROBENZENE	REAL	TR1	10	UG/L	U	V1	2.2	1	75	Plume Extent
21098	5/1/02	GW08250RG	2,4,5-TRICHLOROPHENOL	REAL	TR1	10	UG/L	U	V1	1.1	1	50	Plume Extent
21098	5/1/02	GW08250RG	2,4,6-TRICHLOROPHENOL	REAL	TR1	10	UG/L	U	V1	1.1	1	7.74	Plume Extent
21098	5/1/02	GW08250RG	2,4-DICHLOROPHENOL	REAL	TR1	10	UG/L	U	V1	1.7	1	110	Plume Extent
21098	5/1/02	GW08250RG	2,4-DIMETHYLPHENOL	REAL	TR1	10	UG/L	U	V1	2.1	1	730	Plume Extent
21098	5/1/02	GW08250RG	2,4-DINITROPHENOL	REAL	TR1	50	UG/L	U	V1	16	1	73	Plume Extent
21098	5/1/02	GW08250RG	2,4-DINITROTOLUENE	REAL	TR1	10	UG/L	U	V1	2.4	1	0.125	Plume Extent
21098	5/1/02	GW08250RG	2,6-DINITROTOLUENE	REAL	TR1	10	UG/L	U	V1	2.3	1	0.125	Plume Extent
21098	5/1/02	GW08250RG	2-CHLORONAPHTHALENE	REAL	TR1	10	UG/L	U	V1	1.4	1	2920	Plume Extent
21098	5/1/02	GW08250RG	2-CHLOROPHENOL	REAL	TR1	10	UG/L	U	V1	1.5	1	183	Plume Extent
21098	5/1/02	GW08250RG	2-METHYLNAPHTHALENE	REAL	TR1	10	UG/L	U	V1	1.9	1	1460	Plume Extent
21098	5/1/02	GW08250RG	2-METHYLPHENOL	REAL	TR1	10	UG/L	U	V1	1.6	1	1830	Plume Extent
21098	5/1/02	GW08250RG	2-NITROANILINE	REAL	TR1	50	UG/L	U	V1	1.6	1	2.19	Plume Extent
21098	5/1/02	GW08250RG	2-NITROPHENOL	REAL	TR1	10	UG/L	U	V1	1.7	1		Plume Extent
21098	5/1/02	GW08250RG	3,3'-DICHLOROBENZIDINE	REAL	TR1	20	UG/L	U	V1	16	1	0.189	Plume Extent
21098	5/1/02	GW08250RG	3-NITROANILINE	REAL	TR1	50	UG/L	U	V1	6.7	1		Plume Extent
21098	5/1/02	GW08250RG	4,6-DINITRO-2-METHYLPHENOL	REAL	TR1	50	UG/L	U	V1	15	1	3.65	Plume Extent
21098	5/1/02	GW08250RG	4-CHLORO-3-METHYLPHENOL	REAL	TR1	10	UG/L	U	V1	1.3	1		Plume Extent
21098	5/1/02	GW08250RG	4-CHLOROANILINE	REAL	TR1	10	UG/L	U	V1	7.3	1	146	Plume Extent
21098	5/1/02	GW08250RG	4-CHLOROPHENYL PHENYL ETHER	REAL	TR1	10	UG/L	U	V1	1.5	1		Plume Extent
21098	5/1/02	GW08250RG	4-METHYLPHENOL	REAL	TR1	10	UG/L	U	V1	1.4	1	183	Plume Extent
21098	5/1/02	GW08250RG	4-NITROANILINE	REAL	TR1	50	UG/L	U	V1	4.4	1		Plume Extent
21098	5/1/02	GW08250RG	4-NITROPHENOL	REAL	TR1	50	UG/L	U	V1	7.1	1	292	Plume Extent
21098	5/1/02	GW08250RG	ACENAPHTHENE	REAL	TR1	10	UG/L	U	V1	1	1	2190	Plume Extent
21098	5/1/02	GW08250RG	ACENAPHTHYLENE	REAL	TR1	10	UG/L	U	V1	1	1		Plume Extent
21098	5/1/02	GW08250RG	ANTHRACENE	REAL	TR1	10	UG/L	U	V1	1.2	1	11000	Plume Extent
21098	5/1/02	GW08250RG	BENZO(a)ANTHRACENE	REAL	TR1	10	UG/L	U	V1	1.3	1	0.117	Plume Extent
21098	5/1/02	GW08250RG	BENZO(a)PYRENE	REAL	TR1	10	UG/L	U	V1	1.9	1	0.2	Plume Extent
21098	5/1/02	GW08250RG	BENZO(b)FLUORANTHENE	REAL	TR1	10	UG/L	U	V1	2.2	1	0.117	Plume Extent
21098	5/1/02	GW08250RG	BENZO(ghi)PERYLENE	REAL	TR1	10	UG/L	U	V1	1.1	1		Plume Extent
21098	5/1/02	GW08250RG	BENZO(k)FLUORANTHENE	REAL	TR1	10	UG/L	U	V1	2.2	1	1.17	Plume Extent
21098	5/1/02	GW08250RG	BENZOIC ACID	REAL	TR1	50	UG/L	U	V1	19	1	146000	Plume Extent
21098	5/1/02	GW08250RG	BENZYL ALCOHOL	REAL	TR1	10	UG/L	U	V1	3	1	11000	Plume Extent
21098	5/1/02	GW08250RG	BIS(2-CHLOROETHOXY)METHANE	REAL	TR1	10	UG/L	U	V1	1.4	1		Plume Extent
21098	5/1/02	GW08250RG	BIS(2-CHLOROETHYL)ETHER	REAL	TR1	10	UG/L	U	V1	1.8	1	0.0774	Plume Extent
21098	5/1/02	GW08250RG	bis(2-Chloroisopropyl) ether	REAL	TR1	10	UG/L	U	V1	1.3	1		Plume Extent
21098	5/1/02	GW08250RG	BIS(2-ETHYLHEXYL)PHTHALATE	REAL	TR1	10	UG/L	U	V1	1.9	1	6	Plume Extent
21098	5/1/02	GW08250RG	BUTYL BENZYL PHTHALATE	REAL	TR1	10	UG/L	U	V1	1.9	1	7300	Plume Extent
21098	5/1/02	GW08250RG	CHRYSENE	REAL	TR1	10	UG/L	U	V1	1.5	1	11.7	Plume Extent
21098	5/1/02	GW08250RG	DIBENZO(a,h)ANTHRACENE	REAL	TR1	10	UG/L	U	V1	1.6	1	0.0117	Plume Extent
21098	5/1/02	GW08250RG	DIBENZOFURAN	REAL	TR1	10	UG/L	U	V1	1.3	1	146	Plume Extent
21098	5/1/02	GW08250RG	DIETHYL PHTHALATE	REAL	TR1	10	UG/L	U	V1	2	1	29200	Plume Extent
21098	5/1/02	GW08250RG	DIMETHYL PHTHALATE	REAL	TR1	10	UG/L	U	V1	1.8	1	365000	Plume Extent
21098	5/1/02	GW08250RG	DI-n-BUTYL PHTHALATE	REAL	TR1	10	UG/L	U	V1	2.1	1		Plume Extent
21098	5/1/02	GW08250RG	DI-n-OCTYL PHTHALATE	REAL	TR1	10	UG/L	U	V1	2	1	730	Plume Extent
21098	5/1/02	GW08250RG	FLUORANTHENE	REAL	TR1	10	UG/L	U	V1	2	1	1460	Plume Extent
21098	5/1/02	GW08250RG	FLUORENE	REAL	TR1	10	UG/L	U	V1	1.4	1	1460	Plume Extent
21098	5/1/02	GW08250RG	HEXACHLOROBENZENE	REAL	TR1	10	UG/L	U	V1	1.5	1	1	Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
21098	5/1/02	GW08250RG	HEXACHLOROBUTADIENE	REAL	TR1	10	UG/L	U	V1	3.3	1	1.09	Plume Extent
21098	5/1/02	GW08250RG	HEXACHLOROCYCLOPENTADIENE	REAL	TR1	10	UG/L	U	UJ1	9.1	1	50	Plume Extent
21098	5/1/02	GW08250RG	HEXACHLOROETHANE	REAL	TR1	10	UG/L	U	V1	3	1	6.08	Plume Extent
21098	5/1/02	GW08250RG	INDENO(1,2,3-cd)PYRENE	REAL	TR1	10	UG/L	U	V1	1.3	1	0.117	Plume Extent
21098	5/1/02	GW08250RG	ISOPHORONE	REAL	TR1	10	UG/L	U	V1	1.6	1	89.6	Plume Extent
21098	5/1/02	GW08250RG	NAPHTHALENE	REAL	TR1	10	UG/L	U	V1	1.4	1	1460	Plume Extent
21098	5/1/02	GW08250RG	NITROBENZENE	REAL	TR1	10	UG/L	U	V1	1.7	1	18.3	Plume Extent
21098	5/1/02	GW08250RG	N-NITROSO-DI-n-PROPYLAMINE	REAL	TR1	10	UG/L	U	V1	1.8	1	0.0122	Plume Extent
21098	5/1/02	GW08250RG	N-NITROSODIPHENYLAMINE	REAL	TR1	10	UG/L	U	V1	5.3	1	17.4	Plume Extent
21098	5/1/02	GW08250RG	p-BROMODIPHENYL ETHER	REAL	TR1	10	UG/L	U	V1	1.3	1		Plume Extent
21098	5/1/02	GW08250RG	PENTACHLOROPHENOL	REAL	TR1	50	UG/L	U	V1	7.7	1	1	Plume Extent
21098	5/1/02	GW08250RG	PHENANTHRENE	REAL	TR1	10	UG/L	U	V1	1.2	1		Plume Extent
21098	5/1/02	GW08250RG	PHENOL	REAL	TR1	10	UG/L	U	V1	1.4	1	21900	Plume Extent
21098	5/1/02	GW08250RG	PYRENE	REAL	TR1	10	UG/L	U	V1	1.7	1	1100	Plume Extent
21098	5/1/02	GW08250RG	UNKNOWN	REAL	TR1	32	UG/L	J	V1		1		Plume Extent
21098	5/1/02	GW08251RG	1,2,4-TRICHLOROBENZENE	RNS	TR1	10	UG/L	U	V1	1.8	1	70	Plume Extent
21098	5/1/02	GW08251RG	1,2-DICHLOROBENZENE	RNS	TR1	10	UG/L	U	V1	1.9	1	600	Plume Extent
21098	5/1/02	GW08251RG	1,3-DICHLOROBENZENE	RNS	TR1	10	UG/L	U	V1	2.5	1	600	Plume Extent
21098	5/1/02	GW08251RG	1,4-DICHLOROBENZENE	RNS	TR1	10	UG/L	U	V1	2.2	1	75	Plume Extent
21098	5/1/02	GW08251RG	1-PROPENE, 1,1,2-TRICHLORO- (TIC)	RNS	TR1	41	UG/L	J	V1		1		Plume Extent
21098	5/1/02	GW08251RG	2,4,5-TRICHLOROPHENOL	RNS	TR1	10	UG/L	U	V1	1.1	1	50	Plume Extent
21098	5/1/02	GW08251RG	2,4,6-TRICHLOROPHENOL	RNS	TR1	10	UG/L	U	V1	1.1	1	7.74	Plume Extent
21098	5/1/02	GW08251RG	2,4-DICHLOROPHENOL	RNS	TR1	10	UG/L	U	V1	1.7	1	110	Plume Extent
21098	5/1/02	GW08251RG	2,4-DIMETHYLPHENOL	RNS	TR1	10	UG/L	U	V1	2.1	1	730	Plume Extent
21098	5/1/02	GW08251RG	2,4-DINITROPHENOL	RNS	TR1	50	UG/L	U	V1	16	1	73	Plume Extent
21098	5/1/02	GW08251RG	2,4-DINITROTOLUENE	RNS	TR1	10	UG/L	U	V1	2.4	1	0.125	Plume Extent
21098	5/1/02	GW08251RG	2,6-DINITROTOLUENE	RNS	TR1	10	UG/L	U	V1	2.3	1	0.125	Plume Extent
21098	5/1/02	GW08251RG	2-CHLORONAPHTHALENE	RNS	TR1	10	UG/L	U	V1	1.4	1	2920	Plume Extent
21098	5/1/02	GW08251RG	2-CHLOROPHENOL	RNS	TR1	10	UG/L	U	V1	1.5	1	183	Plume Extent
21098	5/1/02	GW08251RG	2-METHYLNAPHTHALENE	RNS	TR1	10	UG/L	U	V1	1.9	1	1460	Plume Extent
21098	5/1/02	GW08251RG	2-METHYLPHENOL	RNS	TR1	10	UG/L	U	V1	1.6	1	1830	Plume Extent
21098	5/1/02	GW08251RG	2-NITROANILINE	RNS	TR1	50	UG/L	U	V1	1.6	1	2.19	Plume Extent
21098	5/1/02	GW08251RG	2-NITROPHENOL	RNS	TR1	10	UG/L	U	V1	1.7	1		Plume Extent
21098	5/1/02	GW08251RG	3,3'-DICHLOROBENZIDINE	RNS	TR1	20	UG/L	U	V1	16	1	0.189	Plume Extent
21098	5/1/02	GW08251RG	3-NITROANILINE	RNS	TR1	50	UG/L	U	V1	6.7	1		Plume Extent
21098	5/1/02	GW08251RG	4,6-DINITRO-2-METHYLPHENOL	RNS	TR1	50	UG/L	U	V1	15	1	3.65	Plume Extent
21098	5/1/02	GW08251RG	4-CHLORO-3-METHYLPHENOL	RNS	TR1	10	UG/L	U	V1	1.3	1		Plume Extent
21098	5/1/02	GW08251RG	4-CHLOROANILINE	RNS	TR1	10	UG/L	U	V1	7.3	1	146	Plume Extent
21098	5/1/02	GW08251RG	4-CHLOROPHENYL PHENYL ETHER	RNS	TR1	10	UG/L	U	V1	1.5	1		Plume Extent
21098	5/1/02	GW08251RG	4-METHYLPHENOL	RNS	TR1	10	UG/L	U	V1	1.4	1	183	Plume Extent
21098	5/1/02	GW08251RG	4-NITROANILINE	RNS	TR1	50	UG/L	U	V1	4.4	1		Plume Extent
21098	5/1/02	GW08251RG	4-NITROPHENOL	RNS	TR1	50	UG/L	U	V1	7.1	1	292	Plume Extent
21098	5/1/02	GW08251RG	ACENAPHTHENE	RNS	TR1	10	UG/L	U	V1	1	1	2190	Plume Extent
21098	5/1/02	GW08251RG	ACENAPHTHYLENE	RNS	TR1	10	UG/L	U	V1	1	1		Plume Extent
21098	5/1/02	GW08251RG	ANTHRACENE	RNS	TR1	10	UG/L	U	V1	1.2	1	11000	Plume Extent
21098	5/1/02	GW08251RG	BENZO(a)ANTHRACENE	RNS	TR1	10	UG/L	U	V1	1.3	1	0.117	Plume Extent
21098	5/1/02	GW08251RG	BENZO(a)PYRENE	RNS	TR1	10	UG/L	U	V1	1.9	1	0.2	Plume Extent
21098	5/1/02	GW08251RG	BENZO(b)FLUORANTHENE	RNS	TR1	10	UG/L	U	V1	2.2	1	0.117	Plume Extent
21098	5/1/02	GW08251RG	BENZO(ghi)PERYLENE	RNS	TR1	10	UG/L	U	V1	1.1	1		Plume Extent
21098	5/1/02	GW08251RG	BENZO(k)FLUORANTHENE	RNS	TR1	10	UG/L	U	V1	2.2	1	1.17	Plume Extent
21098	5/1/02	GW08251RG	BENZOIC ACID	RNS	TR1	50	UG/L	U	V1	19	1	146000	Plume Extent
21098	5/1/02	GW08251RG	BENZYL ALCOHOL	RNS	TR1	10	UG/L	U	V1	3	1	11000	Plume Extent
21098	5/1/02	GW08251RG	BIS(2-CHLOROETHOXY)METHANE	RNS	TR1	10	UG/L	U	V1	1.4	1		Plume Extent
21098	5/1/02	GW08251RG	BIS(2-CHLOROETHYL)ETHER	RNS	TR1	10	UG/L	U	V1	1.8	1	0.0774	Plume Extent
21098	5/1/02	GW08251RG	bis(2-Chloroisopropyl) ether	RNS	TR1	10	UG/L	U	V1	1.3	1		Plume Extent
21098	5/1/02	GW08251RG	BIS(2-ETHYLHEXYL)PHTHALATE	RNS	TR1	10	UG/L	U	V1	1.9	1	6	Plume Extent
21098	5/1/02	GW08251RG	BUTYL BENZYL PHTHALATE	RNS	TR1	10	UG/L	U	V1	1.9	1	7300	Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
21098	5/1/02	GW08251RG	CHRYSENE	RNS	TR1	10	UG/L	U	V1	1.5	1	11.7	Plume Extent
21098	5/1/02	GW08251RG	DIBENZO(a,h)ANTHRACENE	RNS	TR1	10	UG/L	U	V1	1.6	1	0.0117	Plume Extent
21098	5/1/02	GW08251RG	DIBENZOFURAN	RNS	TR1	10	UG/L	U	V1	1.3	1	146	Plume Extent
21098	5/1/02	GW08251RG	DIETHYL PHTHALATE	RNS	TR1	10	UG/L	U	V1	2	1	29200	Plume Extent
21098	5/1/02	GW08251RG	DIMETHYL PHTHALATE	RNS	TR1	10	UG/L	U	V1	1.8	1	365000	Plume Extent
21098	5/1/02	GW08251RG	DI-n-BUTYL PHTHALATE	RNS	TR1	10	UG/L	U	V1	2.1	1		Plume Extent
21098	5/1/02	GW08251RG	DI-n-OCTYL PHTHALATE	RNS	TR1	10	UG/L	U	V1	2	1	730	Plume Extent
21098	5/1/02	GW08251RG	FLUORANTHENE	RNS	TR1	10	UG/L	U	V1	2	1	1460	Plume Extent
21098	5/1/02	GW08251RG	FLUORENE	RNS	TR1	10	UG/L	U	V1	1.4	1	1460	Plume Extent
21098	5/1/02	GW08251RG	HEXACHLOROBENZENE	RNS	TR1	10	UG/L	U	V1	1.5	1	1	Plume Extent
21098	5/1/02	GW08251RG	HEXACHLOROBUTADIENE	RNS	TR1	10	UG/L	U	V1	3.3	1	1.09	Plume Extent
21098	5/1/02	GW08251RG	HEXACHLOROCYCLOPENTADIENE	RNS	TR1	10	UG/L	U	UJ1	9.1	1	50	Plume Extent
21098	5/1/02	GW08251RG	HEXACHLOROETHANE	RNS	TR1	10	UG/L	U	V1	3	1	6.08	Plume Extent
21098	5/1/02	GW08251RG	INDENO(1,2,3-cd)PYRENE	RNS	TR1	10	UG/L	U	V1	1.3	1	0.117	Plume Extent
21098	5/1/02	GW08251RG	ISOPHORONE	RNS	TR1	10	UG/L	U	V1	1.6	1	89.6	Plume Extent
21098	5/1/02	GW08251RG	NAPHTHALENE	RNS	TR1	10	UG/L	U	V1	1.4	1	1460	Plume Extent
21098	5/1/02	GW08251RG	NITROBENZENE	RNS	TR1	10	UG/L	U	V1	1.7	1	18.3	Plume Extent
21098	5/1/02	GW08251RG	N-NITROSO-DI-n-PROPYLAMINE	RNS	TR1	10	UG/L	U	V1	1.8	1	0.0122	Plume Extent
21098	5/1/02	GW08251RG	N-NITROSODIPHENYLAMINE	RNS	TR1	10	UG/L	U	V1	5.3	1	17.4	Plume Extent
21098	5/1/02	GW08251RG	p-BROMODIPHENYL ETHER	RNS	TR1	10	UG/L	U	V1	1.3	1		Plume Extent
21098	5/1/02	GW08251RG	PENTACHLOROPHENOL	RNS	TR1	50	UG/L	U	V1	7.7	1	1	Plume Extent
21098	5/1/02	GW08251RG	PHENANTHRENE	RNS	TR1	10	UG/L	U	V1	1.2	1		Plume Extent
21098	5/1/02	GW08251RG	PHENOL	RNS	TR1	10	UG/L	U	V1	1.4	1	21900	Plume Extent
21098	5/1/02	GW08251RG	PYRENE	RNS	TR1	10	UG/L	U	V1	1.7	1	1100	Plume Extent
21098	5/1/02	GW08251RG	UNKNOWN	RNS	TR1	9.7	UG/L	J	V1		1		Plume Extent
Volatile Organic Compounds (VOCs)													
00100	4/18/02	GW08290RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 779
00100	4/18/02	GW08290RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	D&D Bldg 779
00100	4/18/02	GW08290RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	D&D Bldg 779
00100	4/18/02	GW08290RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	D&D Bldg 779
00100	4/18/02	GW08290RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	18	UG/L		V1	0.2	1		D&D Bldg 779
00100	4/18/02	GW08290RG	1,1-DICHLOROETHANE	REAL	TR1	1.23	UG/L		V1	0.22	1	3650	D&D Bldg 779
00100	4/18/02	GW08290RG	1,1-DICHLOROETHENE	REAL	TR1	1.24	UG/L		V1	0.19	1	7	D&D Bldg 779
00100	4/18/02	GW08290RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 779
00100	4/18/02	GW08290RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.78	1		D&D Bldg 779
00100	4/18/02	GW08290RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 779
00100	4/18/02	GW08290RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.3	1	70	D&D Bldg 779
00100	4/18/02	GW08290RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 779
00100	4/18/02	GW08290RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.17	1	600	D&D Bldg 779
00100	4/18/02	GW08290RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	D&D Bldg 779
00100	4/18/02	GW08290RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	D&D Bldg 779
00100	4/18/02	GW08290RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.096	1	600	D&D Bldg 779
00100	4/18/02	GW08290RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 779
00100	4/18/02	GW08290RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.12	1	75	D&D Bldg 779
00100	4/18/02	GW08290RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		D&D Bldg 779
00100	4/18/02	GW08290RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	D&D Bldg 779
00100	4/18/02	GW08290RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		D&D Bldg 779
00100	4/18/02	GW08290RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 779
00100	4/18/02	GW08290RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	D&D Bldg 779
00100	4/18/02	GW08290RG	ACETONE	REAL	TR1	10	UG/L	U	V1	3.4	1	3650	D&D Bldg 779
00100	4/18/02	GW08290RG	BENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1	5	D&D Bldg 779
00100	4/18/02	GW08290RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V1	0.25	1		D&D Bldg 779
00100	4/18/02	GW08290RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V1	0.19	1		D&D Bldg 779
00100	4/18/02	GW08290RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V1	0.16	1		D&D Bldg 779
00100	4/18/02	GW08290RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		D&D Bldg 779
00100	4/18/02	GW08290RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 779
00100	4/18/02	GW08290RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	D&D Bldg 779

101

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
00100	4/18/02	GW08290RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	D&D Bldg 779
00100	4/18/02	GW08290RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	D&D Bldg 779
00100	4/18/02	GW08290RG	CARBON TETRACHLORIDE	REAL	TR1	4.41	UG/L		V1	0.38	1	5	D&D Bldg 779
00100	4/18/02	GW08290RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.23	1	100	D&D Bldg 779
00100	4/18/02	GW08290RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	D&D Bldg 779
00100	4/18/02	GW08290RG	CHLOROFORM	REAL	TR1	4.37	UG/L		V1	0.21	1	100	D&D Bldg 779
00100	4/18/02	GW08290RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	6.55	D&D Bldg 779
00100	4/18/02	GW08290RG	cis-1,2-DICHLOROETHENE	REAL	TR1	5.46	UG/L		V1	0.15	1	70	D&D Bldg 779
00100	4/18/02	GW08290RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	D&D Bldg 779
00100	4/18/02	GW08290RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	D&D Bldg 779
00100	4/18/02	GW08290RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		D&D Bldg 779
00100	4/18/02	GW08290RG	DICHLORODIFLUOROMETHANE	REAL	TR1	201	UG/L		UJ1	0.26	1		D&D Bldg 779
00100	4/18/02	GW08290RG	ETHANE, 1,2-DICHLORO-1,1,2-T	REAL	TR1	5	UG/L		V1	0	1		D&D Bldg 779
00100	4/18/02	GW08290RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.2	1	700	D&D Bldg 779
00100	4/18/02	GW08290RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	D&D Bldg 779
00100	4/18/02	GW08290RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.2	1		D&D Bldg 779
00100	4/18/02	GW08290RG	METHYL tert-BUTYL ETHER	REAL	TR1	1.76	UG/L	J	V1	0.64	1		D&D Bldg 779
00100	4/18/02	GW08290RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	D&D Bldg 779
00100	4/18/02	GW08290RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V1	0.25	1	1460	D&D Bldg 779
00100	4/18/02	GW08290RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 779
00100	4/18/02	GW08290RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.19	1		D&D Bldg 779
00100	4/18/02	GW08290RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 779
00100	4/18/02	GW08290RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 779
00100	4/18/02	GW08290RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	D&D Bldg 779
00100	4/18/02	GW08290RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.31	1		D&D Bldg 779
00100	4/18/02	GW08290RG	STYRENE	REAL	TR1	1	UG/L	U	V1	0.22	1	100	D&D Bldg 779
00100	4/18/02	GW08290RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.25	1		D&D Bldg 779
00100	4/18/02	GW08290RG	TETRACHLOROETHENE	REAL	TR1	2.45	UG/L		V1	0.56	1	5	D&D Bldg 779
00100	4/18/02	GW08290RG	TOLUENE	REAL	TR1	1	UG/L	U	V1	0.15	1	1000	D&D Bldg 779
00100	4/18/02	GW08290RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	V1	0.19	1	10000	D&D Bldg 779
00100	4/18/02	GW08290RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	D&D Bldg 779
00100	4/18/02	GW08290RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	D&D Bldg 779
00100	4/18/02	GW08290RG	TRICHLOROETHENE	REAL	TR1	41.7	UG/L		V1	0.23	1	5	D&D Bldg 779
00100	4/18/02	GW08290RG	TRICHLOROFLUOROMETHANE	REAL	TR1	0.51	UG/L	J	V1	0.21	1		D&D Bldg 779
00100	4/18/02	GW08290RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	D&D Bldg 779
00200	4/11/02	GW08267RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 707
00200	4/11/02	GW08267RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	D&D Bldg 707
00200	4/11/02	GW08267RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	D&D Bldg 707
00200	4/11/02	GW08267RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	D&D Bldg 707
00200	4/11/02	GW08267RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		D&D Bldg 707
00200	4/11/02	GW08267RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	D&D Bldg 707
00200	4/11/02	GW08267RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	D&D Bldg 707
00200	4/11/02	GW08267RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 707
00200	4/11/02	GW08267RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		D&D Bldg 707
00200	4/11/02	GW08267RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 707
00200	4/11/02	GW08267RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	D&D Bldg 707
00200	4/11/02	GW08267RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 707
00200	4/11/02	GW08267RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	D&D Bldg 707
00200	4/11/02	GW08267RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	D&D Bldg 707
00200	4/11/02	GW08267RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	D&D Bldg 707
00200	4/11/02	GW08267RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	D&D Bldg 707
00200	4/11/02	GW08267RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 707
00200	4/11/02	GW08267RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	D&D Bldg 707
00200	4/11/02	GW08267RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		D&D Bldg 707
00200	4/11/02	GW08267RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	D&D Bldg 707
00200	4/11/02	GW08267RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		D&D Bldg 707
00200	4/11/02	GW08267RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 707

202

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
00200	4/11/02	GW08267RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	D&D Bldg 707
00200	4/11/02	GW08267RG	ACETONE	REAL	TR1	10	UG/L	U	V1	3.4	1	3650	D&D Bldg 707
00200	4/11/02	GW08267RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	D&D Bldg 707
00200	4/11/02	GW08267RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 707
00200	4/11/02	GW08267RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 707
00200	4/11/02	GW08267RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		D&D Bldg 707
00200	4/11/02	GW08267RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		D&D Bldg 707
00200	4/11/02	GW08267RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 707
00200	4/11/02	GW08267RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	D&D Bldg 707
00200	4/11/02	GW08267RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.99	1	51.1	D&D Bldg 707
00200	4/11/02	GW08267RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	D&D Bldg 707
00200	4/11/02	GW08267RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	D&D Bldg 707
00200	4/11/02	GW08267RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	D&D Bldg 707
00200	4/11/02	GW08267RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	D&D Bldg 707
00200	4/11/02	GW08267RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 707
00200	4/11/02	GW08267RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	6.55	D&D Bldg 707
00200	4/11/02	GW08267RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	D&D Bldg 707
00200	4/11/02	GW08267RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	D&D Bldg 707
00200	4/11/02	GW08267RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	D&D Bldg 707
00200	4/11/02	GW08267RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		D&D Bldg 707
00200	4/11/02	GW08267RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		D&D Bldg 707
00200	4/11/02	GW08267RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	D&D Bldg 707
00200	4/11/02	GW08267RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	D&D Bldg 707
00200	4/11/02	GW08267RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		D&D Bldg 707
00200	4/11/02	GW08267RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	D&D Bldg 707
00200	4/11/02	GW08267RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	D&D Bldg 707
00200	4/11/02	GW08267RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 707
00200	4/11/02	GW08267RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 707
00200	4/11/02	GW08267RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		D&D Bldg 707
00200	4/11/02	GW08267RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		D&D Bldg 707
00200	4/11/02	GW08267RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	D&D Bldg 707
00200	4/11/02	GW08267RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		D&D Bldg 707
00200	4/11/02	GW08267RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	D&D Bldg 707
00200	4/11/02	GW08267RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 707
00200	4/11/02	GW08267RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	D&D Bldg 707
00200	4/11/02	GW08267RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	D&D Bldg 707
00200	4/11/02	GW08267RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	D&D Bldg 707
00200	4/11/02	GW08267RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	D&D Bldg 707
00200	4/11/02	GW08267RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	D&D Bldg 707
00200	4/11/02	GW08267RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.23	1	5	D&D Bldg 707
00200	4/11/02	GW08267RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 707
00200	4/11/02	GW08267RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	2	D&D Bldg 707
00300	4/11/02	GW08268RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 707
00300	4/11/02	GW08268RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	D&D Bldg 707
00300	4/11/02	GW08268RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	D&D Bldg 707
00300	4/11/02	GW08268RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	D&D Bldg 707
00300	4/11/02	GW08268RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		D&D Bldg 707
00300	4/11/02	GW08268RG	1,1-DICHLOROETHANE	REAL	TR1	0.3	UG/L	J	V1	0.22	1	3650	D&D Bldg 707
00300	4/11/02	GW08268RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	D&D Bldg 707
00300	4/11/02	GW08268RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 707
00300	4/11/02	GW08268RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		D&D Bldg 707
00300	4/11/02	GW08268RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 707
00300	4/11/02	GW08268RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	D&D Bldg 707
00300	4/11/02	GW08268RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 707
00300	4/11/02	GW08268RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	D&D Bldg 707
00300	4/11/02	GW08268RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	D&D Bldg 707
00300	4/11/02	GW08268RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	D&D Bldg 707

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
00300	4/11/02	GW08268RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	D&D Bldg 707
00300	4/11/02	GW08268RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 707
00300	4/11/02	GW08268RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	D&D Bldg 707
00300	4/11/02	GW08268RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		D&D Bldg 707
00300	4/11/02	GW08268RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	D&D Bldg 707
00300	4/11/02	GW08268RG	2-HEXANONE	REAL	TR1	10	UG/L	U	UJ1	1.4	1		D&D Bldg 707
00300	4/11/02	GW08268RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 707
00300	4/11/02	GW08268RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	D&D Bldg 707
00300	4/11/02	GW08268RG	ACETONE	REAL	TR1	10	UG/L	U	UJ1	3.4	1	3650	D&D Bldg 707
00300	4/11/02	GW08268RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	D&D Bldg 707
00300	4/11/02	GW08268RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 707
00300	4/11/02	GW08268RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 707
00300	4/11/02	GW08268RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		D&D Bldg 707
00300	4/11/02	GW08268RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		D&D Bldg 707
00300	4/11/02	GW08268RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 707
00300	4/11/02	GW08268RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	D&D Bldg 707
00300	4/11/02	GW08268RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	D&D Bldg 707
00300	4/11/02	GW08268RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	D&D Bldg 707
00300	4/11/02	GW08268RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	D&D Bldg 707
00300	4/11/02	GW08268RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	D&D Bldg 707
00300	4/11/02	GW08268RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	D&D Bldg 707
00300	4/11/02	GW08268RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 707
00300	4/11/02	GW08268RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	D&D Bldg 707
00300	4/11/02	GW08268RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1.23	UG/L		V1	0.15	1	70	D&D Bldg 707
00300	4/11/02	GW08268RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	D&D Bldg 707
00300	4/11/02	GW08268RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	D&D Bldg 707
00300	4/11/02	GW08268RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		D&D Bldg 707
00300	4/11/02	GW08268RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		D&D Bldg 707
00300	4/11/02	GW08268RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	D&D Bldg 707
00300	4/11/02	GW08268RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	D&D Bldg 707
00300	4/11/02	GW08268RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		D&D Bldg 707
00300	4/11/02	GW08268RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	D&D Bldg 707
00300	4/11/02	GW08268RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	D&D Bldg 707
00300	4/11/02	GW08268RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 707
00300	4/11/02	GW08268RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 707
00300	4/11/02	GW08268RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		D&D Bldg 707
00300	4/11/02	GW08268RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		D&D Bldg 707
00300	4/11/02	GW08268RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	D&D Bldg 707
00300	4/11/02	GW08268RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		D&D Bldg 707
00300	4/11/02	GW08268RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	D&D Bldg 707
00300	4/11/02	GW08268RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 707
00300	4/11/02	GW08268RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	D&D Bldg 707
00300	4/11/02	GW08268RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	D&D Bldg 707
00300	4/11/02	GW08268RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	D&D Bldg 707
00300	4/11/02	GW08268RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	D&D Bldg 707
00300	4/11/02	GW08268RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	D&D Bldg 707
00300	4/11/02	GW08268RG	TRICHLOROETHENE	REAL	TR1	4.84	UG/L		V1	0.23	1	5	D&D Bldg 707
00300	4/11/02	GW08268RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 707
00300	4/11/02	GW08268RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	D&D Bldg 707
00400	4/16/02	GW08283RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 776/777
00400	4/16/02	GW08283RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	D&D Bldg 776/777
00400	4/16/02	GW08283RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	D&D Bldg 776/777
00400	4/16/02	GW08283RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	D&D Bldg 776/777
00400	4/16/02	GW08283RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		D&D Bldg 776/777
00400	4/16/02	GW08283RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	D&D Bldg 776/777
00400	4/16/02	GW08283RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	D&D Bldg 776/777
00400	4/16/02	GW08283RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 776/777

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
00400	4/16/02	GW08283RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		D&D Bldg 776/777
00400	4/16/02	GW08283RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 776/777
00400	4/16/02	GW08283RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	D&D Bldg 776/777
00400	4/16/02	GW08283RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 776/777
00400	4/16/02	GW08283RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	D&D Bldg 776/777
00400	4/16/02	GW08283RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	D&D Bldg 776/777
00400	4/16/02	GW08283RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	D&D Bldg 776/777
00400	4/16/02	GW08283RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	D&D Bldg 776/777
00400	4/16/02	GW08283RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 776/777
00400	4/16/02	GW08283RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	D&D Bldg 776/777
00400	4/16/02	GW08283RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		D&D Bldg 776/777
00400	4/16/02	GW08283RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	D&D Bldg 776/777
00400	4/16/02	GW08283RG	2-HEXANONE	REAL	TR1	10	UG/L	U	UJ1	1.4	1		D&D Bldg 776/777
00400	4/16/02	GW08283RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 776/777
00400	4/16/02	GW08283RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	D&D Bldg 776/777
00400	4/16/02	GW08283RG	ACETONE	REAL	TR1	10	UG/L	U	UJ1	3.4	1	3650	D&D Bldg 776/777
00400	4/16/02	GW08283RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	D&D Bldg 776/777
00400	4/16/02	GW08283RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 776/777
00400	4/16/02	GW08283RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 776/777
00400	4/16/02	GW08283RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		D&D Bldg 776/777
00400	4/16/02	GW08283RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		D&D Bldg 776/777
00400	4/16/02	GW08283RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 776/777
00400	4/16/02	GW08283RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	D&D Bldg 776/777
00400	4/16/02	GW08283RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	D&D Bldg 776/777
00400	4/16/02	GW08283RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	D&D Bldg 776/777
00400	4/16/02	GW08283RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	D&D Bldg 776/777
00400	4/16/02	GW08283RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	D&D Bldg 776/777
00400	4/16/02	GW08283RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	D&D Bldg 776/777
00400	4/16/02	GW08283RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 776/777
00400	4/16/02	GW08283RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	D&D Bldg 776/777
00400	4/16/02	GW08283RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	D&D Bldg 776/777
00400	4/16/02	GW08283RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	D&D Bldg 776/777
00400	4/16/02	GW08283RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	D&D Bldg 776/777
00400	4/16/02	GW08283RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		D&D Bldg 776/777
00400	4/16/02	GW08283RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		D&D Bldg 776/777
00400	4/16/02	GW08283RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	D&D Bldg 776/777
00400	4/16/02	GW08283RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	D&D Bldg 776/777
00400	4/16/02	GW08283RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		D&D Bldg 776/777
00400	4/16/02	GW08283RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	D&D Bldg 776/777
00400	4/16/02	GW08283RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	D&D Bldg 776/777
00400	4/16/02	GW08283RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 776/777
00400	4/16/02	GW08283RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 776/777
00400	4/16/02	GW08283RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		D&D Bldg 776/777
00400	4/16/02	GW08283RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		D&D Bldg 776/777
00400	4/16/02	GW08283RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	D&D Bldg 776/777
00400	4/16/02	GW08283RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		D&D Bldg 776/777
00400	4/16/02	GW08283RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	D&D Bldg 776/777
00400	4/16/02	GW08283RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 776/777
00400	4/16/02	GW08283RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	D&D Bldg 776/777
00400	4/16/02	GW08283RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	D&D Bldg 776/777
00400	4/16/02	GW08283RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	D&D Bldg 776/777
00400	4/16/02	GW08283RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	D&D Bldg 776/777
00400	4/16/02	GW08283RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	D&D Bldg 776/777
00400	4/16/02	GW08283RG	TRICHLOROETHENE	REAL	TR1	2.23	UG/L		V1	0.23	1	5	D&D Bldg 776/777
00400	4/16/02	GW08283RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 776/777
00400	4/16/02	GW08283RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	D&D Bldg 776/777
00500	4/30/02	GW08284RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1		D&D Bldg 776/777

205

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
00500	4/30/02	GW08284RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.32	1	200	D&D Bldg 776/777
00500	4/30/02	GW08284RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.5	1	0.426	D&D Bldg 776/777
00500	4/30/02	GW08284RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.41	1	5	D&D Bldg 776/777
00500	4/30/02	GW08284RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.56	1		D&D Bldg 776/777
00500	4/30/02	GW08284RG	1,1-DICHLOROETHANE	REAL	TR1	0.98	UG/L	J	V1	0.29	1	3650	D&D Bldg 776/777
00500	4/30/02	GW08284RG	1,1-DICHLOROETHENE	REAL	TR1	0.53	UG/L	J	V1	0.31	1	7	D&D Bldg 776/777
00500	4/30/02	GW08284RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.29	1		D&D Bldg 776/777
00500	4/30/02	GW08284RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.62	1		D&D Bldg 776/777
00500	4/30/02	GW08284RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.76	1		D&D Bldg 776/777
00500	4/30/02	GW08284RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.63	1	70	D&D Bldg 776/777
00500	4/30/02	GW08284RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		D&D Bldg 776/777
00500	4/30/02	GW08284RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	600	D&D Bldg 776/777
00500	4/30/02	GW08284RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.43	1	5	D&D Bldg 776/777
00500	4/30/02	GW08284RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	D&D Bldg 776/777
00500	4/30/02	GW08284RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	600	D&D Bldg 776/777
00500	4/30/02	GW08284RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.37	1		D&D Bldg 776/777
00500	4/30/02	GW08284RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1	75	D&D Bldg 776/777
00500	4/30/02	GW08284RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.37	1		D&D Bldg 776/777
00500	4/30/02	GW08284RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V1	2.4	1	21900	D&D Bldg 776/777
00500	4/30/02	GW08284RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	1.8	1		D&D Bldg 776/777
00500	4/30/02	GW08284RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.32	1		D&D Bldg 776/777
00500	4/30/02	GW08284RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	1.8	1	2920	D&D Bldg 776/777
00500	4/30/02	GW08284RG	ACETONE	REAL	TR1	10	UG/L	U	V1	2.9	1	3650	D&D Bldg 776/777
00500	4/30/02	GW08284RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.27	1	5	D&D Bldg 776/777
00500	4/30/02	GW08284RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.3	1		D&D Bldg 776/777
00500	4/30/02	GW08284RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.31	1		D&D Bldg 776/777
00500	4/30/02	GW08284RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.32	1		D&D Bldg 776/777
00500	4/30/02	GW08284RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1		D&D Bldg 776/777
00500	4/30/02	GW08284RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.35	1	100	D&D Bldg 776/777
00500	4/30/02	GW08284RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.46	1	100	D&D Bldg 776/777
00500	4/30/02	GW08284RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	51.1	D&D Bldg 776/777
00500	4/30/02	GW08284RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.67	1	3650	D&D Bldg 776/777
00500	4/30/02	GW08284RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	5	D&D Bldg 776/777
00500	4/30/02	GW08284RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	100	D&D Bldg 776/777
00500	4/30/02	GW08284RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	29.4	D&D Bldg 776/777
00500	4/30/02	GW08284RG	CHLOROFORM	REAL	TR1	0.35	UG/L	J	V1	0.29	1	100	D&D Bldg 776/777
00500	4/30/02	GW08284RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	D&D Bldg 776/777
00500	4/30/02	GW08284RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1.2	UG/L		V1	0.33	1	70	D&D Bldg 776/777
00500	4/30/02	GW08284RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.473	D&D Bldg 776/777
00500	4/30/02	GW08284RG	CYCLOTETRASILOXANE, OCTAMETHYL	REAL	TR1	1.6	UG/L	J	V1		1		D&D Bldg 776/777
00500	4/30/02	GW08284RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.37	1	1.01	D&D Bldg 776/777
00500	4/30/02	GW08284RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.4	1		D&D Bldg 776/777
00500	4/30/02	GW08284RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1		D&D Bldg 776/777
00500	4/30/02	GW08284RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.51	1	700	D&D Bldg 776/777
00500	4/30/02	GW08284RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.37	1	1.09	D&D Bldg 776/777
00500	4/30/02	GW08284RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1		D&D Bldg 776/777
00500	4/30/02	GW08284RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.86	1	5	D&D Bldg 776/777
00500	4/30/02	GW08284RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1	1460	D&D Bldg 776/777
00500	4/30/02	GW08284RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.41	1		D&D Bldg 776/777
00500	4/30/02	GW08284RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.33	1		D&D Bldg 776/777
00500	4/30/02	GW08284RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		D&D Bldg 776/777
00500	4/30/02	GW08284RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		D&D Bldg 776/777
00500	4/30/02	GW08284RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.49	1	0.2	D&D Bldg 776/777
00500	4/30/02	GW08284RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.34	1		D&D Bldg 776/777
00500	4/30/02	GW08284RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.28	1	100	D&D Bldg 776/777
00500	4/30/02	GW08284RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1		D&D Bldg 776/777
00500	4/30/02	GW08284RG	TETRACHLOROETHENE	REAL	TR1	1.7	UG/L		V1	0.27	1	5	D&D Bldg 776/777

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
00500	4/30/02	GW08284RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	1000	D&D Bldg 776/777
00500	4/30/02	GW08284RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.73	1	10000	D&D Bldg 776/777
00500	4/30/02	GW08284RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.25	1	70	D&D Bldg 776/777
00500	4/30/02	GW08284RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.36	1	0.473	D&D Bldg 776/777
00500	4/30/02	GW08284RG	TRICHLOROETHENE	REAL	TR1	1.8	UG/L		V1	0.24	1	5	D&D Bldg 776/777
00500	4/30/02	GW08284RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.43	1		D&D Bldg 776/777
00500	4/30/02	GW08284RG	UNKNOWN	REAL	TR1	3.2	UG/L	J	V1		1		D&D Bldg 776/777
00500	4/30/02	GW08284RG	VINYL CHLORIDE	REAL	TR1	0.42	UG/L	J	V1	0.26	1	2	D&D Bldg 776/777
00500	4/30/02	GW08285RG	1,1,1,2-TETRACHLOROETHANE	DUP	TR1	1	UG/L	U	V1	0.28	1		D&D Bldg 776/777
00500	4/30/02	GW08285RG	1,1,1-TRICHLOROETHANE	DUP	TR1	1	UG/L	U	V1	0.32	1	200	D&D Bldg 776/777
00500	4/30/02	GW08285RG	1,1,2,2-TETRACHLOROETHANE	DUP	TR1	1	UG/L	U	V1	0.5	1	0.426	D&D Bldg 776/777
00500	4/30/02	GW08285RG	1,1,2-TRICHLOROETHANE	DUP	TR1	1	UG/L	U	V1	0.41	1	5	D&D Bldg 776/777
00500	4/30/02	GW08285RG	1,1,2-TRICHLOROTRIFLUOROETHANE	DUP	TR1	1	UG/L	U	V1	0.56	1		D&D Bldg 776/777
00500	4/30/02	GW08285RG	1,1-DICHLOROETHANE	DUP	TR1	1	UG/L		V1	0.29	1	3650	D&D Bldg 776/777
00500	4/30/02	GW08285RG	1,1-DICHLOROETHENE	DUP	TR1	0.56	UG/L	J	V1	0.31	1	7	D&D Bldg 776/777
00500	4/30/02	GW08285RG	1,1-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V1	0.29	1		D&D Bldg 776/777
00500	4/30/02	GW08285RG	1,2,3-TRICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.62	1		D&D Bldg 776/777
00500	4/30/02	GW08285RG	1,2,3-TRICHLOROPROPANE	DUP	TR1	1	UG/L	U	V1	0.76	1		D&D Bldg 776/777
00500	4/30/02	GW08285RG	1,2,4-TRICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.63	1	70	D&D Bldg 776/777
00500	4/30/02	GW08285RG	1,2-DIBROMOETHANE	DUP	TR1	1	UG/L	U	V1	0.46	1		D&D Bldg 776/777
00500	4/30/02	GW08285RG	1,2-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.3	1	600	D&D Bldg 776/777
00500	4/30/02	GW08285RG	1,2-DICHLOROETHANE	DUP	TR1	1	UG/L	U	V1	0.43	1	5	D&D Bldg 776/777
00500	4/30/02	GW08285RG	1,2-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V1	0.38	1	5	D&D Bldg 776/777
00500	4/30/02	GW08285RG	1,3-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.3	1	600	D&D Bldg 776/777
00500	4/30/02	GW08285RG	1,3-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V1	0.37	1		D&D Bldg 776/777
00500	4/30/02	GW08285RG	1,4-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.31	1	75	D&D Bldg 776/777
00500	4/30/02	GW08285RG	2,2-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V1	0.37	1		D&D Bldg 776/777
00500	4/30/02	GW08285RG	2-BUTANONE	DUP	TR1	5	UG/L	U	V1	2.4	1	21900	D&D Bldg 776/777
00500	4/30/02	GW08285RG	2-HEXANONE	DUP	TR1	5	UG/L	U	V1	1.8	1		D&D Bldg 776/777
00500	4/30/02	GW08285RG	4-ISOPROPYLTOLUENE	DUP	TR1	1	UG/L	U	UJ1	0.32	1		D&D Bldg 776/777
00500	4/30/02	GW08285RG	4-METHYL-2-PENTANONE	DUP	TR1	5	UG/L	U	V1	1.8	1	2920	D&D Bldg 776/777
00500	4/30/02	GW08285RG	ACETONE	DUP	TR1	10	UG/L	U	V1	2.9	1	3650	D&D Bldg 776/777
00500	4/30/02	GW08285RG	BENZENE	DUP	TR1	1	UG/L	U	UJ1	0.27	1	5	D&D Bldg 776/777
00500	4/30/02	GW08285RG	BENZENE, 1,2,4-TRIMETHYL	DUP	TR1	1	UG/L	U	UJ1	0.3	1		D&D Bldg 776/777
00500	4/30/02	GW08285RG	BENZENE, 1,3,5-TRIMETHYL-	DUP	TR1	1	UG/L	U	UJ1	0.31	1		D&D Bldg 776/777
00500	4/30/02	GW08285RG	BROMOBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.32	1		D&D Bldg 776/777
00500	4/30/02	GW08285RG	BROMOCHLOROMETHANE	DUP	TR1	1	UG/L	U	V1	0.39	1		D&D Bldg 776/777
00500	4/30/02	GW08285RG	BROMODICHLOROMETHANE	DUP	TR1	1	UG/L	U	V1	0.35	1	100	D&D Bldg 776/777
00500	4/30/02	GW08285RG	BROMOFORM	DUP	TR1	1	UG/L	U	V1	0.46	1	100	D&D Bldg 776/777
00500	4/30/02	GW08285RG	BROMOMETHANE	DUP	TR1	1	UG/L	U	V1	0.28	1	51.1	D&D Bldg 776/777
00500	4/30/02	GW08285RG	CARBON DISULFIDE	DUP	TR1	1	UG/L	U	V1	0.67	1	3650	D&D Bldg 776/777
00500	4/30/02	GW08285RG	CARBON TETRACHLORIDE	DUP	TR1	1	UG/L	U	V1	0.35	1	5	D&D Bldg 776/777
00500	4/30/02	GW08285RG	CHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.24	1	100	D&D Bldg 776/777
00500	4/30/02	GW08285RG	CHLOROETHANE	DUP	TR1	1	UG/L	U	V1	0.26	1	29.4	D&D Bldg 776/777
00500	4/30/02	GW08285RG	CHLOROFORM	DUP	TR1	0.47	UG/L	J	V1	0.29	1	100	D&D Bldg 776/777
00500	4/30/02	GW08285RG	CHLOROMETHANE	DUP	TR1	1	UG/L	U	V1	0.26	1	6.55	D&D Bldg 776/777
00500	4/30/02	GW08285RG	cis-1,2-DICHLOROETHENE	DUP	TR1	1.3	UG/L		V1	0.33	1	70	D&D Bldg 776/777
00500	4/30/02	GW08285RG	cis-1,3-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V1	0.31	1	0.473	D&D Bldg 776/777
00500	4/30/02	GW08285RG	CYCLOTETRASILOXANE, OCTAMETHYL	DUP	TR1	2.5	UG/L	J	V1		1		D&D Bldg 776/777
00500	4/30/02	GW08285RG	DIBROMOCHLOROMETHANE	DUP	TR1	1	UG/L	U	V1	0.37	1	1.01	D&D Bldg 776/777
00500	4/30/02	GW08285RG	DIBROMOMETHANE	DUP	TR1	1	UG/L	U	V1	0.4	1		D&D Bldg 776/777
00500	4/30/02	GW08285RG	DICHLORODIFLUOROMETHANE	DUP	TR1	1	UG/L	U	V1	0.44	1		D&D Bldg 776/777
00500	4/30/02	GW08285RG	ETHYLBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.51	1	700	D&D Bldg 776/777
00500	4/30/02	GW08285RG	HEXACHLOROBUTADIENE	DUP	TR1	1	UG/L	U	V1	0.37	1	1.09	D&D Bldg 776/777
00500	4/30/02	GW08285RG	ISOPROPYLBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.3	1		D&D Bldg 776/777
00500	4/30/02	GW08285RG	METHYLENE CHLORIDE	DUP	TR1	1	UG/L	U	V1	0.86	1	5	D&D Bldg 776/777
00500	4/30/02	GW08285RG	NAPHTHALENE	DUP	TR1	1	UG/L	U	UJ1	0.78	1	1460	D&D Bldg 776/777

207

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
00500	4/30/02	GW08285RG	n-BUTYLBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.41	1		D&D Bldg 776/777
00500	4/30/02	GW08285RG	n-PROPYLBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.33	1		D&D Bldg 776/777
00500	4/30/02	GW08285RG	o-CHLOROTOLUENE	DUP	TR1	1	UG/L	U	UJ1	0.23	1		D&D Bldg 776/777
00500	4/30/02	GW08285RG	p-CHLOROTOLUENE	DUP	TR1	1	UG/L	U	UJ1	0.26	1		D&D Bldg 776/777
00500	4/30/02	GW08285RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	DUP	TR1	1	UG/L	U	V1	0.49	1	0.2	D&D Bldg 776/777
00500	4/30/02	GW08285RG	sec-BUTYLBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.34	1		D&D Bldg 776/777
00500	4/30/02	GW08285RG	STYRENE	DUP	TR1	1	UG/L	U	UJ1	0.28	1	100	D&D Bldg 776/777
00500	4/30/02	GW08285RG	tert-BUTYLBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.29	1		D&D Bldg 776/777
00500	4/30/02	GW08285RG	TETRACHLOROETHENE	DUP	TR1	1.9	UG/L		V1	0.27	1	5	D&D Bldg 776/777
00500	4/30/02	GW08285RG	TOLUENE	DUP	TR1	1	UG/L	U	UJ1	0.26	1	1000	D&D Bldg 776/777
00500	4/30/02	GW08285RG	TOTAL XYLENES	DUP	TR1	1	UG/L	U	UJ1	0.73	1	10000	D&D Bldg 776/777
00500	4/30/02	GW08285RG	trans-1,2-DICHLOROETHENE	DUP	TR1	0.5	UG/L	U	V1	0.25	1	70	D&D Bldg 776/777
00500	4/30/02	GW08285RG	trans-1,3-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V1	0.36	1	0.473	D&D Bldg 776/777
00500	4/30/02	GW08285RG	TRICHLOROETHENE	DUP	TR1	1.9	UG/L		V1	0.24	1	5	D&D Bldg 776/777
00500	4/30/02	GW08285RG	TRICHLOROFLUOROMETHANE	DUP	TR1	1	UG/L	U	V1	0.43	1		D&D Bldg 776/777
00500	4/30/02	GW08285RG	UNKNOWN	DUP	TR1	5.8	UG/L	J	V1		1		D&D Bldg 776/777
00500	4/30/02	GW08285RG	VINYL CHLORIDE	DUP	TR1	0.4	UG/L	J	V1	0.26	1	2	D&D Bldg 776/777
00500	4/30/02	GW08286RG	1,1,1,2-TETRACHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.28	1		D&D Bldg 776/777
00500	4/30/02	GW08286RG	1,1,1-TRICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.32	1	200	D&D Bldg 776/777
00500	4/30/02	GW08286RG	1,1,2,2-TETRACHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.5	1	0.426	D&D Bldg 776/777
00500	4/30/02	GW08286RG	1,1,2-TRICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.41	1	5	D&D Bldg 776/777
00500	4/30/02	GW08286RG	1,1,2-TRICHLOROTRIFLUOROETHANE	RNS	TR1	1	UG/L	U	V1	0.56	1		D&D Bldg 776/777
00500	4/30/02	GW08286RG	1,1-DICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.29	1	3650	D&D Bldg 776/777
00500	4/30/02	GW08286RG	1,1-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	0.31	1	7	D&D Bldg 776/777
00500	4/30/02	GW08286RG	1,1-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V1	0.29	1		D&D Bldg 776/777
00500	4/30/02	GW08286RG	1,2,3-TRICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.62	1		D&D Bldg 776/777
00500	4/30/02	GW08286RG	1,2,3-TRICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	0.76	1		D&D Bldg 776/777
00500	4/30/02	GW08286RG	1,2,4-TRICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.63	1	70	D&D Bldg 776/777
00500	4/30/02	GW08286RG	1,2-DIBROMOETHANE	RNS	TR1	1	UG/L	U	V1	0.46	1		D&D Bldg 776/777
00500	4/30/02	GW08286RG	1,2-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.3	1	600	D&D Bldg 776/777
00500	4/30/02	GW08286RG	1,2-DICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.43	1	5	D&D Bldg 776/777
00500	4/30/02	GW08286RG	1,2-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	0.38	1	5	D&D Bldg 776/777
00500	4/30/02	GW08286RG	1,3-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.3	1	600	D&D Bldg 776/777
00500	4/30/02	GW08286RG	1,3-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	0.37	1		D&D Bldg 776/777
00500	4/30/02	GW08286RG	1,4-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.31	1	75	D&D Bldg 776/777
00500	4/30/02	GW08286RG	2,2-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	0.37	1		D&D Bldg 776/777
00500	4/30/02	GW08286RG	2-BUTANONE	RNS	TR1	5	UG/L	U	V1	2.4	1	21900	D&D Bldg 776/777
00500	4/30/02	GW08286RG	2-HEXANONE	RNS	TR1	5	UG/L	U	V1	1.8	1		D&D Bldg 776/777
00500	4/30/02	GW08286RG	4-ISOPROPYLTOLUENE	RNS	TR1	1	UG/L	U	UJ1	0.32	1		D&D Bldg 776/777
00500	4/30/02	GW08286RG	4-METHYL-2-PENTANONE	RNS	TR1	5	UG/L	U	V1	1.8	1	2920	D&D Bldg 776/777
00500	4/30/02	GW08286RG	ACETONE	RNS	TR1	2.9	UG/L	J	V1	2.9	1	3650	D&D Bldg 776/777
00500	4/30/02	GW08286RG	BENZENE	RNS	TR1	1	UG/L	U	UJ1	0.27	1	5	D&D Bldg 776/777
00500	4/30/02	GW08286RG	BENZENE, 1,2,4-TRIMETHYL	RNS	TR1	1	UG/L	U	UJ1	0.3	1		D&D Bldg 776/777
00500	4/30/02	GW08286RG	BENZENE, 1,3,5-TRIMETHYL-	RNS	TR1	1	UG/L	U	UJ1	0.31	1		D&D Bldg 776/777
00500	4/30/02	GW08286RG	BROMOBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.32	1		D&D Bldg 776/777
00500	4/30/02	GW08286RG	BROMOCHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.39	1		D&D Bldg 776/777
00500	4/30/02	GW08286RG	BROMODICHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.35	1	100	D&D Bldg 776/777
00500	4/30/02	GW08286RG	BROMOFORM	RNS	TR1	1	UG/L	U	V1	0.46	1	100	D&D Bldg 776/777
00500	4/30/02	GW08286RG	BROMOMETHANE	RNS	TR1	1	UG/L	U	V1	0.28	1	51.1	D&D Bldg 776/777
00500	4/30/02	GW08286RG	CARBON DISULFIDE	RNS	TR1	1	UG/L	U	V1	0.67	1	3650	D&D Bldg 776/777
00500	4/30/02	GW08286RG	CARBON TETRACHLORIDE	RNS	TR1	1	UG/L	U	V1	0.35	1	5	D&D Bldg 776/777
00500	4/30/02	GW08286RG	CHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.24	1	100	D&D Bldg 776/777
00500	4/30/02	GW08286RG	CHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.26	1	29.4	D&D Bldg 776/777
00500	4/30/02	GW08286RG	CHLOROFORM	RNS	TR1	1	UG/L	U	V1	0.29	1	100	D&D Bldg 776/777
00500	4/30/02	GW08286RG	CHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.26	1	6.55	D&D Bldg 776/777
00500	4/30/02	GW08286RG	cis-1,2-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	0.33	1	70	D&D Bldg 776/777
00500	4/30/02	GW08286RG	cis-1,3-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V1	0.31	1	0.473	D&D Bldg 776/777

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
00500	4/30/02	GW08286RG	DIBROMOCHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.37	1	1.01	D&D Bldg 776/777
00500	4/30/02	GW08286RG	DIBROMOMETHANE	RNS	TR1	1	UG/L	U	V1	0.4	1		D&D Bldg 776/777
00500	4/30/02	GW08286RG	DICHLORODIFLUOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.44	1		D&D Bldg 776/777
00500	4/30/02	GW08286RG	ETHYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.51	1	700	D&D Bldg 776/777
00500	4/30/02	GW08286RG	HEXACHLOROBUTADIENE	RNS	TR1	1	UG/L	U	V1	0.37	1	1.09	D&D Bldg 776/777
00500	4/30/02	GW08286RG	ISOPROPYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.3	1		D&D Bldg 776/777
00500	4/30/02	GW08286RG	METHYLENE CHLORIDE	RNS	TR1	1	UG/L	U	V1	0.86	1	5	D&D Bldg 776/777
00500	4/30/02	GW08286RG	NAPHTHALENE	RNS	TR1	1	UG/L	U	UJ1	0.78	1	1460	D&D Bldg 776/777
00500	4/30/02	GW08286RG	n-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.41	1		D&D Bldg 776/777
00500	4/30/02	GW08286RG	n-PROPYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.33	1		D&D Bldg 776/777
00500	4/30/02	GW08286RG	o-CHLOROTOLUENE	RNS	TR1	1	UG/L	U	UJ1	0.23	1		D&D Bldg 776/777
00500	4/30/02	GW08286RG	p-CHLOROTOLUENE	RNS	TR1	1	UG/L	U	UJ1	0.26	1		D&D Bldg 776/777
00500	4/30/02	GW08286RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	RNS	TR1	1	UG/L	U	V1	0.49	1	0.2	D&D Bldg 776/777
00500	4/30/02	GW08286RG	sec-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.34	1		D&D Bldg 776/777
00500	4/30/02	GW08286RG	STYRENE	RNS	TR1	1	UG/L	U	UJ1	0.28	1	100	D&D Bldg 776/777
00500	4/30/02	GW08286RG	tert-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.29	1		D&D Bldg 776/777
00500	4/30/02	GW08286RG	TETRACHLOROETHENE	RNS	TR1	1	UG/L	U	V1	0.27	1	5	D&D Bldg 776/777
00500	4/30/02	GW08286RG	TOLUENE	RNS	TR1	1	UG/L	U	UJ1	0.26	1	1000	D&D Bldg 776/777
00500	4/30/02	GW08286RG	TOTAL XYLENES	RNS	TR1	1	UG/L	U	UJ1	0.73	1	10000	D&D Bldg 776/777
00500	4/30/02	GW08286RG	trans-1,2-DICHLOROETHENE	RNS	TR1	0.5	UG/L	U	V1	0.25	1	70	D&D Bldg 776/777
00500	4/30/02	GW08286RG	trans-1,3-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V1	0.36	1	0.473	D&D Bldg 776/777
00500	4/30/02	GW08286RG	TRICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	0.24	1	5	D&D Bldg 776/777
00500	4/30/02	GW08286RG	TRICHLOROFLUOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.43	1		D&D Bldg 776/777
00500	4/30/02	GW08286RG	UNKNOWN	RNS	TR1	2.4	UG/L	J	V1		1		D&D Bldg 776/777
00500	4/30/02	GW08286RG	VINYL CHLORIDE	RNS	TR1	1	UG/L	U	V1	0.26	1	2	D&D Bldg 776/777
00600	4/16/02	GW08287RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 776/777
00600	4/16/02	GW08287RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	D&D Bldg 776/777
00600	4/16/02	GW08287RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	D&D Bldg 776/777
00600	4/16/02	GW08287RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	D&D Bldg 776/777
00600	4/16/02	GW08287RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		D&D Bldg 776/777
00600	4/16/02	GW08287RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	D&D Bldg 776/777
00600	4/16/02	GW08287RG	1,1-DICHLOROETHENE	REAL	TR1	1.55	UG/L		V1	0.19	1	7	D&D Bldg 776/777
00600	4/16/02	GW08287RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 776/777
00600	4/16/02	GW08287RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		D&D Bldg 776/777
00600	4/16/02	GW08287RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 776/777
00600	4/16/02	GW08287RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	D&D Bldg 776/777
00600	4/16/02	GW08287RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 776/777
00600	4/16/02	GW08287RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	D&D Bldg 776/777
00600	4/16/02	GW08287RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	D&D Bldg 776/777
00600	4/16/02	GW08287RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	D&D Bldg 776/777
00600	4/16/02	GW08287RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	D&D Bldg 776/777
00600	4/16/02	GW08287RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 776/777
00600	4/16/02	GW08287RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	D&D Bldg 776/777
00600	4/16/02	GW08287RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		D&D Bldg 776/777
00600	4/16/02	GW08287RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	D&D Bldg 776/777
00600	4/16/02	GW08287RG	2-HEXANONE	REAL	TR1	10	UG/L	U	UJ1	1.4	1		D&D Bldg 776/777
00600	4/16/02	GW08287RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 776/777
00600	4/16/02	GW08287RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	D&D Bldg 776/777
00600	4/16/02	GW08287RG	ACETONE	REAL	TR1	10	UG/L	U	UJ1	3.4	1	3650	D&D Bldg 776/777
00600	4/16/02	GW08287RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	D&D Bldg 776/777
00600	4/16/02	GW08287RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 776/777
00600	4/16/02	GW08287RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 776/777
00600	4/16/02	GW08287RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		D&D Bldg 776/777
00600	4/16/02	GW08287RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		D&D Bldg 776/777
00600	4/16/02	GW08287RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 776/777
00600	4/16/02	GW08287RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	D&D Bldg 776/777
00600	4/16/02	GW08287RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	D&D Bldg 776/777

209

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
00600	4/16/02	GW08287RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	D&D Bldg 776/777
00600	4/16/02	GW08287RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	D&D Bldg 776/777
00600	4/16/02	GW08287RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	D&D Bldg 776/777
00600	4/16/02	GW08287RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	D&D Bldg 776/777
00600	4/16/02	GW08287RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 776/777
00600	4/16/02	GW08287RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	D&D Bldg 776/777
00600	4/16/02	GW08287RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	D&D Bldg 776/777
00600	4/16/02	GW08287RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	D&D Bldg 776/777
00600	4/16/02	GW08287RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	D&D Bldg 776/777
00600	4/16/02	GW08287RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		D&D Bldg 776/777
00600	4/16/02	GW08287RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		D&D Bldg 776/777
00600	4/16/02	GW08287RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	D&D Bldg 776/777
00600	4/16/02	GW08287RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	D&D Bldg 776/777
00600	4/16/02	GW08287RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		D&D Bldg 776/777
00600	4/16/02	GW08287RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	D&D Bldg 776/777
00600	4/16/02	GW08287RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	D&D Bldg 776/777
00600	4/16/02	GW08287RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 776/777
00600	4/16/02	GW08287RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 776/777
00600	4/16/02	GW08287RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		D&D Bldg 776/777
00600	4/16/02	GW08287RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		D&D Bldg 776/777
00600	4/16/02	GW08287RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	D&D Bldg 776/777
00600	4/16/02	GW08287RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		D&D Bldg 776/777
00600	4/16/02	GW08287RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	D&D Bldg 776/777
00600	4/16/02	GW08287RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 776/777
00600	4/16/02	GW08287RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	D&D Bldg 776/777
00600	4/16/02	GW08287RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	D&D Bldg 776/777
00600	4/16/02	GW08287RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	D&D Bldg 776/777
00600	4/16/02	GW08287RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	D&D Bldg 776/777
00600	4/16/02	GW08287RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	D&D Bldg 776/777
00600	4/16/02	GW08287RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.23	1	5	D&D Bldg 776/777
00600	4/16/02	GW08287RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 776/777
00600	4/16/02	GW08287RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	D&D Bldg 776/777
00700	5/8/02	GW08288RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 776/777
00700	5/8/02	GW08288RG	1,1,1-TRICHLOROETHANE	REAL	TR1	8.07	UG/L		V	0.5	1	200	D&D Bldg 776/777
00700	5/8/02	GW08288RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	0.426	D&D Bldg 776/777
00700	5/8/02	GW08288RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	5	D&D Bldg 776/777
00700	5/8/02	GW08288RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	13	UG/L	J	V	2	1		D&D Bldg 776/777
00700	5/8/02	GW08288RG	1,1-DICHLOROETHANE	REAL	TR1	15.7	UG/L			0.5	1	3650	D&D Bldg 776/777
00700	5/8/02	GW08288RG	1,1-DICHLOROETHENE	REAL	DL1	352	UG/L		V	50	100	7	D&D Bldg 776/777
00700	5/8/02	GW08288RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 776/777
00700	5/8/02	GW08288RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 776/777
00700	5/8/02	GW08288RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 776/777
00700	5/8/02	GW08288RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	70	D&D Bldg 776/777
00700	5/8/02	GW08288RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 776/777
00700	5/8/02	GW08288RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	600	D&D Bldg 776/777
00700	5/8/02	GW08288RG	1,2-DICHLOROETHANE	REAL	TR1	9.62	UG/L		V	0.5	1	5	D&D Bldg 776/777
00700	5/8/02	GW08288RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.5	1	5	D&D Bldg 776/777
00700	5/8/02	GW08288RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	600	D&D Bldg 776/777
00700	5/8/02	GW08288RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 776/777
00700	5/8/02	GW08288RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	75	D&D Bldg 776/777
00700	5/8/02	GW08288RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 776/777
00700	5/8/02	GW08288RG	2-BUTANONE	REAL	TR1	12.5	UG/L	U	UJ	2	1	21900	D&D Bldg 776/777
00700	5/8/02	GW08288RG	2-HEXANONE	REAL	TR1	2.5	UG/L	U	UJ	1	1		D&D Bldg 776/777
00700	5/8/02	GW08288RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 776/777
00700	5/8/02	GW08288RG	4-METHYL-2-PENTANONE	REAL	TR1	2.5	UG/L	U	V	1	1	2920	D&D Bldg 776/777
00700	5/8/02	GW08288RG	ACETONE	REAL	TR1	12.5	UG/L	U	UJ	2	1	3650	D&D Bldg 776/777
00700	5/8/02	GW08288RG	BENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	5	D&D Bldg 776/777

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
00700	5/8/02	GW08288RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 776/777
00700	5/8/02	GW08288RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 776/777
00700	5/8/02	GW08288RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 776/777
00700	5/8/02	GW08288RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 776/777
00700	5/8/02	GW08288RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	100	D&D Bldg 776/777
00700	5/8/02	GW08288RG	BROMOFORM	REAL	TR1	1	UG/L	U	UJ	0.5	1	100	D&D Bldg 776/777
00700	5/8/02	GW08288RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	51.1	D&D Bldg 776/777
00700	5/8/02	GW08288RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V	0.5	1	3650	D&D Bldg 776/777
00700	5/8/02	GW08288RG	CARBON TETRACHLORIDE	REAL	DL1	2830	UG/L		V	50	100	5	D&D Bldg 776/777
00700	5/8/02	GW08288RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	100	D&D Bldg 776/777
00700	5/8/02	GW08288RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	29.4	D&D Bldg 776/777
00700	5/8/02	GW08288RG	CHLOROFORM	REAL	TR1	278	UG/L		V	0.5	1	100	D&D Bldg 776/777
00700	5/8/02	GW08288RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	6.55	D&D Bldg 776/777
00700	5/8/02	GW08288RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1.86	UG/L		V	0.5	1	70	D&D Bldg 776/777
00700	5/8/02	GW08288RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.5	1	0.473	D&D Bldg 776/777
00700	5/8/02	GW08288RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	1.01	D&D Bldg 776/777
00700	5/8/02	GW08288RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 776/777
00700	5/8/02	GW08288RG	DICHLORODIFLUOROMETHANE	REAL	TR1	13.4	UG/L		V	0.5	1		D&D Bldg 776/777
00700	5/8/02	GW08288RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	700	D&D Bldg 776/777
00700	5/8/02	GW08288RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	0.3	1	1.09	D&D Bldg 776/777
00700	5/8/02	GW08288RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 776/777
00700	5/8/02	GW08288RG	METHYLENE CHLORIDE	REAL	TR1	0.9	UG/L	J	V	0.5	1	5	D&D Bldg 776/777
00700	5/8/02	GW08288RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	1460	D&D Bldg 776/777
00700	5/8/02	GW08288RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 776/777
00700	5/8/02	GW08288RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 776/777
00700	5/8/02	GW08288RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 776/777
00700	5/8/02	GW08288RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 776/777
00700	5/8/02	GW08288RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V	1	1	0.2	D&D Bldg 776/777
00700	5/8/02	GW08288RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 776/777
00700	5/8/02	GW08288RG	STYRENE	REAL	TR1	1	UG/L	U	V	0.5	1	100	D&D Bldg 776/777
00700	5/8/02	GW08288RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 776/777
00700	5/8/02	GW08288RG	TETRACHLOROETHENE	REAL	TR1	10.2	UG/L		V	0.5	1	5	D&D Bldg 776/777
00700	5/8/02	GW08288RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	1000	D&D Bldg 776/777
00700	5/8/02	GW08288RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	UJ	0.5	1	10000	D&D Bldg 776/777
00700	5/8/02	GW08288RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	0.5	1	70	D&D Bldg 776/777
00700	5/8/02	GW08288RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.5	1	0.473	D&D Bldg 776/777
00700	5/8/02	GW08288RG	TRICHLOROETHENE	REAL	TR1	2.6	UG/L		V	0.5	1	5	D&D Bldg 776/777
00700	5/8/02	GW08288RG	TRICHLOROFLUOROMETHANE	REAL	TR1	6.16	UG/L		V	0.5	1		D&D Bldg 776/777
00700	5/8/02	GW08288RG	VINYL CHLORIDE	REAL	TR1	0.99	UG/L	J	V	0.5	1	2	D&D Bldg 776/777
00897	5/8/02	GW08186RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	3.8	UG/L		V	1	1		Perf Monitoring
00897	5/8/02	GW08186RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08186RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	200	Perf Monitoring
00897	5/8/02	GW08186RG	1,1,1-TRICHLOROETHANE	REAL	TR2	500	UG/L	U		500	500	200	Perf Monitoring
00897	5/8/02	GW08186RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	0.426	Perf Monitoring
00897	5/8/02	GW08186RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR2	500	UG/L	U		500	500	0.426	Perf Monitoring
00897	5/8/02	GW08186RG	1,1,2-TRICHLOROETHANE	REAL	TR1	0.6	UG/L	J	V	1	1	5	Perf Monitoring
00897	5/8/02	GW08186RG	1,1,2-TRICHLOROETHANE	REAL	TR2	500	UG/L	U		500	500	5	Perf Monitoring
00897	5/8/02	GW08186RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	5	UG/L	U	V	5	1		Perf Monitoring
00897	5/8/02	GW08186RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR2	2500	UG/L	U		2500	500		Perf Monitoring
00897	5/8/02	GW08186RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	3650	Perf Monitoring
00897	5/8/02	GW08186RG	1,1-DICHLOROETHANE	REAL	TR2	500	UG/L	U		500	500	3650	Perf Monitoring
00897	5/8/02	GW08186RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	7	Perf Monitoring
00897	5/8/02	GW08186RG	1,1-DICHLOROETHENE	REAL	TR2	500	UG/L	U		500	500	7	Perf Monitoring
00897	5/8/02	GW08186RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08186RG	1,1-DICHLOROPROPENE	REAL	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08186RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08186RG	1,2,3-TRICHLOROBENZENE	REAL	TR2	500	UG/L	U		500	500		Perf Monitoring

311

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
00897	5/8/02	GW08186RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08186RG	1,2,3-TRICHLOROPROPANE	REAL	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08186RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	70	Perf Monitoring
00897	5/8/02	GW08186RG	1,2,4-TRICHLOROBENZENE	REAL	TR2	500	UG/L	U		500	500	70	Perf Monitoring
00897	5/8/02	GW08186RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08186RG	1,2-DIBROMOETHANE	REAL	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08186RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	600	Perf Monitoring
00897	5/8/02	GW08186RG	1,2-DICHLOROBENZENE	REAL	TR2	500	UG/L	U		500	500	600	Perf Monitoring
00897	5/8/02	GW08186RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5	Perf Monitoring
00897	5/8/02	GW08186RG	1,2-DICHLOROETHANE	REAL	TR2	500	UG/L	U		500	500	5	Perf Monitoring
00897	5/8/02	GW08186RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1	5	Perf Monitoring
00897	5/8/02	GW08186RG	1,2-DICHLOROPROPANE	REAL	TR2	500	UG/L	U		500	500	5	Perf Monitoring
00897	5/8/02	GW08186RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	600	Perf Monitoring
00897	5/8/02	GW08186RG	1,3-DICHLOROBENZENE	REAL	TR2	500	UG/L	U		500	500	600	Perf Monitoring
00897	5/8/02	GW08186RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08186RG	1,3-DICHLOROPROPANE	REAL	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08186RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	75	Perf Monitoring
00897	5/8/02	GW08186RG	1,4-DICHLOROBENZENE	REAL	TR2	500	UG/L	U		500	500	75	Perf Monitoring
00897	5/8/02	GW08186RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08186RG	2,2-DICHLOROPROPANE	REAL	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08186RG	2-BUTANONE	REAL	TR1	3	UG/L	J	V	10	1	21900	Perf Monitoring
00897	5/8/02	GW08186RG	2-BUTANONE	REAL	TR2	5000	UG/L	U		5000	500	21900	Perf Monitoring
00897	5/8/02	GW08186RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V	10	1		Perf Monitoring
00897	5/8/02	GW08186RG	2-HEXANONE	REAL	TR2	5000	UG/L	U		5000	500		Perf Monitoring
00897	5/8/02	GW08186RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08186RG	4-ISOPROPYLTOLUENE	REAL	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08186RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V	10	1	2920	Perf Monitoring
00897	5/8/02	GW08186RG	4-METHYL-2-PENTANONE	REAL	TR2	5000	UG/L	U		5000	500	2920	Perf Monitoring
00897	5/8/02	GW08186RG	ACETONE	REAL	TR1	10	UG/L	U	V	10	1	3650	Perf Monitoring
00897	5/8/02	GW08186RG	ACETONE	REAL	TR2	5000	UG/L	U		5000	500	3650	Perf Monitoring
00897	5/8/02	GW08186RG	BENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	5	Perf Monitoring
00897	5/8/02	GW08186RG	BENZENE	REAL	TR2	500	UG/L	U		500	500	5	Perf Monitoring
00897	5/8/02	GW08186RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08186RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08186RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08186RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08186RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08186RG	BROMOBENZENE	REAL	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08186RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08186RG	BROMOCHLOROMETHANE	REAL	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08186RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	100	Perf Monitoring
00897	5/8/02	GW08186RG	BROMODICHLOROMETHANE	REAL	TR2	500	UG/L	U		500	500	100	Perf Monitoring
00897	5/8/02	GW08186RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	1	1	100	Perf Monitoring
00897	5/8/02	GW08186RG	BROMOFORM	REAL	TR2	500	UG/L	U		500	500	100	Perf Monitoring
00897	5/8/02	GW08186RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1	51.1	Perf Monitoring
00897	5/8/02	GW08186RG	BROMOMETHANE	REAL	TR2	500	UG/L	U		500	500	51.1	Perf Monitoring
00897	5/8/02	GW08186RG	CARBON DISULFIDE	REAL	TR1	5	UG/L	U	V	5	1	3650	Perf Monitoring
00897	5/8/02	GW08186RG	CARBON DISULFIDE	REAL	TR2	2500	UG/L	U		2500	500	3650	Perf Monitoring
00897	5/8/02	GW08186RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5	Perf Monitoring
00897	5/8/02	GW08186RG	CARBON TETRACHLORIDE	REAL	TR2	500	UG/L	U		500	500	5	Perf Monitoring
00897	5/8/02	GW08186RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	100	Perf Monitoring
00897	5/8/02	GW08186RG	CHLOROBENZENE	REAL	TR2	500	UG/L	U		500	500	100	Perf Monitoring
00897	5/8/02	GW08186RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	29.4	Perf Monitoring
00897	5/8/02	GW08186RG	CHLOROETHANE	REAL	TR2	500	UG/L	U		500	500	29.4	Perf Monitoring
00897	5/8/02	GW08186RG	CHLOROFORM	REAL	TR1	2.8	UG/L		V	1	1	100	Perf Monitoring
00897	5/8/02	GW08186RG	CHLOROFORM	REAL	TR2	500	UG/L	U		500	500	100	Perf Monitoring
00897	5/8/02	GW08186RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	6.55	Perf Monitoring

212

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
00897	5/8/02	GW08186RG	CHLOROMETHANE	REAL	TR2	500	UG/L	U		500	500	6.55	Perf Monitoring
00897	5/8/02	GW08186RG	cis-1,2-DICHLOROETHENE	REAL	TR1	63.4	UG/L		V	1	1	70	Perf Monitoring
00897	5/8/02	GW08186RG	cis-1,2-DICHLOROETHENE	REAL	TR2	500	UG/L	U		500	500	70	Perf Monitoring
00897	5/8/02	GW08186RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473	Perf Monitoring
00897	5/8/02	GW08186RG	cis-1,3-DICHLOROPROPENE	REAL	TR2	500	UG/L	U		500	500	0.473	Perf Monitoring
00897	5/8/02	GW08186RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	1.01	Perf Monitoring
00897	5/8/02	GW08186RG	DIBROMOCHLOROMETHANE	REAL	TR2	500	UG/L	U		500	500	1.01	Perf Monitoring
00897	5/8/02	GW08186RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08186RG	DIBROMOMETHANE	REAL	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08186RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08186RG	DICHLORODIFLUOROMETHANE	REAL	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08186RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	700	Perf Monitoring
00897	5/8/02	GW08186RG	ETHYLBENZENE	REAL	TR2	500	UG/L	U		500	500	700	Perf Monitoring
00897	5/8/02	GW08186RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	1	1	1.09	Perf Monitoring
00897	5/8/02	GW08186RG	HEXACHLOROBUTADIENE	REAL	TR2	500	UG/L	U		500	500	1.09	Perf Monitoring
00897	5/8/02	GW08186RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08186RG	ISOPROPYLBENZENE	REAL	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08186RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5	Perf Monitoring
00897	5/8/02	GW08186RG	METHYLENE CHLORIDE	REAL	TR2	1120	UG/L	BD		500	500	5	Perf Monitoring
00897	5/8/02	GW08186RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V	1	1	1460	Perf Monitoring
00897	5/8/02	GW08186RG	NAPHTHALENE	REAL	TR2	500	UG/L	U		500	500	1460	Perf Monitoring
00897	5/8/02	GW08186RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08186RG	n-BUTYLBENZENE	REAL	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08186RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08186RG	n-PROPYLBENZENE	REAL	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08186RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08186RG	o-CHLOROTOLUENE	REAL	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08186RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08186RG	p-CHLOROTOLUENE	REAL	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08186RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V	1	1	0.2	Perf Monitoring
00897	5/8/02	GW08186RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR2	500	UG/L	U		500	500	0.2	Perf Monitoring
00897	5/8/02	GW08186RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08186RG	sec-BUTYLBENZENE	REAL	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08186RG	STYRENE	REAL	TR1	1	UG/L	U	V	1	1	100	Perf Monitoring
00897	5/8/02	GW08186RG	STYRENE	REAL	TR2	500	UG/L	U		500	500	100	Perf Monitoring
00897	5/8/02	GW08186RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08186RG	tert-BUTYLBENZENE	REAL	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08186RG	TETRACHLOROETHENE	REAL	TR1	3820	UG/L	E		1	1	5	Perf Monitoring
00897	5/8/02	GW08186RG	TETRACHLOROETHENE	REAL	TR2	20100	UG/L	BD	V	500	500	5	Perf Monitoring
00897	5/8/02	GW08186RG	TOLUENE	REAL	TR1	0.52	UG/L	J	J	1	1	1000	Perf Monitoring
00897	5/8/02	GW08186RG	TOLUENE	REAL	TR2	500	UG/L	U		500	500	1000	Perf Monitoring
00897	5/8/02	GW08186RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	V	3	1	10000	Perf Monitoring
00897	5/8/02	GW08186RG	TOTAL XYLENES	REAL	TR2	1500	UG/L	U		1500	500	10000	Perf Monitoring
00897	5/8/02	GW08186RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70	Perf Monitoring
00897	5/8/02	GW08186RG	trans-1,2-DICHLOROETHENE	REAL	TR2	500	UG/L	U		500	500	70	Perf Monitoring
00897	5/8/02	GW08186RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473	Perf Monitoring
00897	5/8/02	GW08186RG	trans-1,3-DICHLOROPROPENE	REAL	TR2	500	UG/L	U		500	500	0.473	Perf Monitoring
00897	5/8/02	GW08186RG	TRICHLOROETHENE	REAL	TR1	640	UG/L	E	V	1	1	5	Perf Monitoring
00897	5/8/02	GW08186RG	TRICHLOROETHENE	REAL	TR2	1530	UG/L	D	V	500	500	5	Perf Monitoring
00897	5/8/02	GW08186RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08186RG	TRICHLOROFLUOROMETHANE	REAL	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08186RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	2	Perf Monitoring
00897	5/8/02	GW08186RG	VINYL CHLORIDE	REAL	TR2	500	UG/L	U		500	500	2	Perf Monitoring
00897	5/8/02	GW08187RG	1,1,1,2-TETRACHLOROETHANE	DUP	TR1	3.7	UG/L		V	1	1		Perf Monitoring
00897	5/8/02	GW08187RG	1,1,1,2-TETRACHLOROETHANE	DUP	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08187RG	1,1,1-TRICHLOROETHANE	DUP	TR1	1	UG/L	U	V	1	1	200	Perf Monitoring
00897	5/8/02	GW08187RG	1,1,1-TRICHLOROETHANE	DUP	TR2	500	UG/L	U		500	500	200	Perf Monitoring

213

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
00897	5/8/02	GW08187RG	1,1,2,2-TETRACHLOROETHANE	DUP	TR1	1	UG/L	U	V	1	1	0.426	Perf Monitoring
00897	5/8/02	GW08187RG	1,1,2,2-TETRACHLOROETHANE	DUP	TR2	500	UG/L	U		500	500	0.426	Perf Monitoring
00897	5/8/02	GW08187RG	1,1,2-TRICHLOROETHANE	DUP	TR1	0.55	UG/L	J	V	1	1	5	Perf Monitoring
00897	5/8/02	GW08187RG	1,1,2-TRICHLOROETHANE	DUP	TR2	500	UG/L	U		500	500	5	Perf Monitoring
00897	5/8/02	GW08187RG	1,1,2-TRICHLOROTRIFLUOROETHANE	DUP	TR1	5	UG/L	U	V	5	1		Perf Monitoring
00897	5/8/02	GW08187RG	1,1,2-TRICHLOROTRIFLUOROETHANE	DUP	TR2	2500	UG/L	U		2500	500		Perf Monitoring
00897	5/8/02	GW08187RG	1,1-DICHLOROETHANE	DUP	TR1	1	UG/L	U	V	1	1	3650	Perf Monitoring
00897	5/8/02	GW08187RG	1,1-DICHLOROETHANE	DUP	TR2	500	UG/L	U		500	500	3650	Perf Monitoring
00897	5/8/02	GW08187RG	1,1-DICHLOROETHENE	DUP	TR1	1	UG/L	U	V	1	1	7	Perf Monitoring
00897	5/8/02	GW08187RG	1,1-DICHLOROETHENE	DUP	TR2	500	UG/L	U		500	500	7	Perf Monitoring
00897	5/8/02	GW08187RG	1,1-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08187RG	1,1-DICHLOROPROPENE	DUP	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08187RG	1,2,3-TRICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08187RG	1,2,3-TRICHLOROBENZENE	DUP	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08187RG	1,2,3-TRICHLOROPROPANE	DUP	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08187RG	1,2,3-TRICHLOROPROPANE	DUP	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08187RG	1,2,4-TRICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ	1	1	70	Perf Monitoring
00897	5/8/02	GW08187RG	1,2,4-TRICHLOROBENZENE	DUP	TR2	500	UG/L	U		500	500	70	Perf Monitoring
00897	5/8/02	GW08187RG	1,2-DIBROMOETHANE	DUP	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08187RG	1,2-DIBROMOETHANE	DUP	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08187RG	1,2-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ	1	1	600	Perf Monitoring
00897	5/8/02	GW08187RG	1,2-DICHLOROBENZENE	DUP	TR2	500	UG/L	U		500	500	600	Perf Monitoring
00897	5/8/02	GW08187RG	1,2-DICHLOROETHANE	DUP	TR1	1	UG/L	U	V	1	1	5	Perf Monitoring
00897	5/8/02	GW08187RG	1,2-DICHLOROETHANE	DUP	TR2	500	UG/L	U		500	500	5	Perf Monitoring
00897	5/8/02	GW08187RG	1,2-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V	1	1	5	Perf Monitoring
00897	5/8/02	GW08187RG	1,2-DICHLOROPROPANE	DUP	TR2	500	UG/L	U		500	500	5	Perf Monitoring
00897	5/8/02	GW08187RG	1,3-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ	1	1	600	Perf Monitoring
00897	5/8/02	GW08187RG	1,3-DICHLOROBENZENE	DUP	TR2	500	UG/L	U		500	500	600	Perf Monitoring
00897	5/8/02	GW08187RG	1,3-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08187RG	1,3-DICHLOROPROPANE	DUP	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08187RG	1,4-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ	1	1	75	Perf Monitoring
00897	5/8/02	GW08187RG	1,4-DICHLOROBENZENE	DUP	TR2	500	UG/L	U		500	500	75	Perf Monitoring
00897	5/8/02	GW08187RG	2,2-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08187RG	2,2-DICHLOROPROPANE	DUP	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08187RG	2-BUTANONE	DUP	TR1	10	UG/L	U	V	10	1	21900	Perf Monitoring
00897	5/8/02	GW08187RG	2-BUTANONE	DUP	TR2	5000	UG/L	U		5000	500	21900	Perf Monitoring
00897	5/8/02	GW08187RG	2-HEXANONE	DUP	TR1	10	UG/L	U	V	10	1		Perf Monitoring
00897	5/8/02	GW08187RG	2-HEXANONE	DUP	TR2	5000	UG/L	U		5000	500		Perf Monitoring
00897	5/8/02	GW08187RG	4-ISOPROPYLTOLUENE	DUP	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08187RG	4-ISOPROPYLTOLUENE	DUP	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08187RG	4-METHYL-2-PENTANONE	DUP	TR1	10	UG/L	U	V	10	1	2920	Perf Monitoring
00897	5/8/02	GW08187RG	4-METHYL-2-PENTANONE	DUP	TR2	5000	UG/L	U		5000	500	2920	Perf Monitoring
00897	5/8/02	GW08187RG	ACETONE	DUP	TR1	10	UG/L	U	V	10	1	3650	Perf Monitoring
00897	5/8/02	GW08187RG	ACETONE	DUP	TR2	5000	UG/L	U		5000	500	3650	Perf Monitoring
00897	5/8/02	GW08187RG	BENZENE	DUP	TR1	1	UG/L	U	UJ	1	1	5	Perf Monitoring
00897	5/8/02	GW08187RG	BENZENE	DUP	TR2	500	UG/L	U		500	500	5	Perf Monitoring
00897	5/8/02	GW08187RG	BENZENE, 1,2,4-TRIMETHYL	DUP	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08187RG	BENZENE, 1,2,4-TRIMETHYL	DUP	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08187RG	BENZENE, 1,3,5-TRIMETHYL-	DUP	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08187RG	BENZENE, 1,3,5-TRIMETHYL-	DUP	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08187RG	BROMOBENZENE	DUP	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08187RG	BROMOBENZENE	DUP	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08187RG	BROMOCHLOROMETHANE	DUP	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08187RG	BROMOCHLOROMETHANE	DUP	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08187RG	BROMODICHLOROMETHANE	DUP	TR1	1	UG/L	U	V	1	1	100	Perf Monitoring
00897	5/8/02	GW08187RG	BROMODICHLOROMETHANE	DUP	TR2	500	UG/L	U		500	500	100	Perf Monitoring
00897	5/8/02	GW08187RG	BROMOFORM	DUP	TR1	1	UG/L	U	V	1	1	100	Perf Monitoring

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
00897	5/8/02	GW08187RG	BROMOFORM	DUP	TR2	500	UG/L	U		500	500	100	Perf Monitoring
00897	5/8/02	GW08187RG	BROMOMETHANE	DUP	TR1	1	UG/L	U	V	1	1	51.1	Perf Monitoring
00897	5/8/02	GW08187RG	BROMOMETHANE	DUP	TR2	500	UG/L	U		500	500	51.1	Perf Monitoring
00897	5/8/02	GW08187RG	CARBON DISULFIDE	DUP	TR1	5	UG/L	U	V	5	1	3650	Perf Monitoring
00897	5/8/02	GW08187RG	CARBON DISULFIDE	DUP	TR2	2500	UG/L	U		2500	500	3650	Perf Monitoring
00897	5/8/02	GW08187RG	CARBON TETRACHLORIDE	DUP	TR1	1	UG/L	U	V	1	1	5	Perf Monitoring
00897	5/8/02	GW08187RG	CARBON TETRACHLORIDE	DUP	TR2	500	UG/L	U		500	500	5	Perf Monitoring
00897	5/8/02	GW08187RG	CHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ	1	1	100	Perf Monitoring
00897	5/8/02	GW08187RG	CHLOROBENZENE	DUP	TR2	500	UG/L	U		500	500	100	Perf Monitoring
00897	5/8/02	GW08187RG	CHLOROETHANE	DUP	TR1	1	UG/L	U	V	1	1	29.4	Perf Monitoring
00897	5/8/02	GW08187RG	CHLOROETHANE	DUP	TR2	500	UG/L	U		500	500	29.4	Perf Monitoring
00897	5/8/02	GW08187RG	CHLOROFORM	DUP	TR1	2.9	UG/L		V	1	1	100	Perf Monitoring
00897	5/8/02	GW08187RG	CHLOROFORM	DUP	TR2	500	UG/L	U		500	500	100	Perf Monitoring
00897	5/8/02	GW08187RG	CHLOROMETHANE	DUP	TR1	1	UG/L	U	V	1	1	6.55	Perf Monitoring
00897	5/8/02	GW08187RG	CHLOROMETHANE	DUP	TR2	500	UG/L	U		500	500	6.55	Perf Monitoring
00897	5/8/02	GW08187RG	cis-1,2-DICHLOROETHENE	DUP	TR1	63.3	UG/L		V	1	1	70	Perf Monitoring
00897	5/8/02	GW08187RG	cis-1,2-DICHLOROETHENE	DUP	TR2	500	UG/L	U		500	500	70	Perf Monitoring
00897	5/8/02	GW08187RG	cis-1,3-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V	1	1	0.473	Perf Monitoring
00897	5/8/02	GW08187RG	cis-1,3-DICHLOROPROPENE	DUP	TR2	500	UG/L	U		500	500	0.473	Perf Monitoring
00897	5/8/02	GW08187RG	DIBROMOCHLOROMETHANE	DUP	TR1	1	UG/L	U	UJ	1	1	1.01	Perf Monitoring
00897	5/8/02	GW08187RG	DIBROMOCHLOROMETHANE	DUP	TR2	500	UG/L	U		500	500	1.01	Perf Monitoring
00897	5/8/02	GW08187RG	DIBROMOMETHANE	DUP	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08187RG	DIBROMOMETHANE	DUP	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08187RG	DICHLORODIFLUOROMETHANE	DUP	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08187RG	DICHLORODIFLUOROMETHANE	DUP	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08187RG	ETHYLBENZENE	DUP	TR1	1	UG/L	U	UJ	1	1	700	Perf Monitoring
00897	5/8/02	GW08187RG	ETHYLBENZENE	DUP	TR2	500	UG/L	U		500	500	700	Perf Monitoring
00897	5/8/02	GW08187RG	HEXACHLOROBUTADIENE	DUP	TR1	1	UG/L	U	V	1	1	1.09	Perf Monitoring
00897	5/8/02	GW08187RG	HEXACHLOROBUTADIENE	DUP	TR2	500	UG/L	U		500	500	1.09	Perf Monitoring
00897	5/8/02	GW08187RG	ISOPROPYLBENZENE	DUP	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08187RG	ISOPROPYLBENZENE	DUP	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08187RG	METHYLENE CHLORIDE	DUP	TR1	1	UG/L	U	V	1	1	5	Perf Monitoring
00897	5/8/02	GW08187RG	METHYLENE CHLORIDE	DUP	TR2	500	UG/L	U		500	500	5	Perf Monitoring
00897	5/8/02	GW08187RG	NAPHTHALENE	DUP	TR1	1	UG/L	U	V	1	1	1460	Perf Monitoring
00897	5/8/02	GW08187RG	NAPHTHALENE	DUP	TR2	500	UG/L	U		500	500	1460	Perf Monitoring
00897	5/8/02	GW08187RG	n-BUTYLBENZENE	DUP	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08187RG	n-BUTYLBENZENE	DUP	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08187RG	n-PROPYLBENZENE	DUP	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08187RG	n-PROPYLBENZENE	DUP	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08187RG	o-CHLOROTOLUENE	DUP	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08187RG	o-CHLOROTOLUENE	DUP	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08187RG	p-CHLOROTOLUENE	DUP	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08187RG	p-CHLOROTOLUENE	DUP	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08187RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	DUP	TR1	1	UG/L	U	V	1	1	0.2	Perf Monitoring
00897	5/8/02	GW08187RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	DUP	TR2	500	UG/L	U		500	500	0.2	Perf Monitoring
00897	5/8/02	GW08187RG	sec-BUTYLBENZENE	DUP	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08187RG	sec-BUTYLBENZENE	DUP	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08187RG	STYRENE	DUP	TR1	1	UG/L	U	V	1	1	100	Perf Monitoring
00897	5/8/02	GW08187RG	STYRENE	DUP	TR2	500	UG/L	U		500	500	100	Perf Monitoring
00897	5/8/02	GW08187RG	tert-BUTYLBENZENE	DUP	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08187RG	tert-BUTYLBENZENE	DUP	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08187RG	TETRACHLOROETHENE	DUP	TR1	3910	UG/L	E		1	1	5	Perf Monitoring
00897	5/8/02	GW08187RG	TETRACHLOROETHENE	DUP	TR2	17900	UG/L	BD	V	500	500	5	Perf Monitoring
00897	5/8/02	GW08187RG	TOLUENE	DUP	TR1	0.52	UG/L	J	J	1	1	1000	Perf Monitoring
00897	5/8/02	GW08187RG	TOLUENE	DUP	TR2	500	UG/L	U		500	500	1000	Perf Monitoring
00897	5/8/02	GW08187RG	TOTAL XYLENES	DUP	TR1	3	UG/L	U	V	3	1	10000	Perf Monitoring
00897	5/8/02	GW08187RG	TOTAL XYLENES	DUP	TR2	1500	UG/L	U		1500	500	10000	Perf Monitoring

215

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
00897	5/8/02	GW08187RG	trans-1,2-DICHLOROETHENE	DUP	TR1	1	UG/L	U	V	1	1	70	Perf Monitoring
00897	5/8/02	GW08187RG	trans-1,2-DICHLOROETHENE	DUP	TR2	500	UG/L	U		500	500	70	Perf Monitoring
00897	5/8/02	GW08187RG	trans-1,3-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V	1	1	0.473	Perf Monitoring
00897	5/8/02	GW08187RG	trans-1,3-DICHLOROPROPENE	DUP	TR2	500	UG/L	U		500	500	0.473	Perf Monitoring
00897	5/8/02	GW08187RG	TRICHLOROETHENE	DUP	TR1	646	UG/L	E		1	1	5	Perf Monitoring
00897	5/8/02	GW08187RG	TRICHLOROETHENE	DUP	TR2	1400	UG/L	D	V	500	500	5	Perf Monitoring
00897	5/8/02	GW08187RG	TRICHLOROFLUOROMETHANE	DUP	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08187RG	TRICHLOROFLUOROMETHANE	DUP	TR2	500	UG/L	U		500	500		Perf Monitoring
00897	5/8/02	GW08187RG	VINYL CHLORIDE	DUP	TR1	1	UG/L	U	V	1	1	2	Perf Monitoring
00897	5/8/02	GW08187RG	VINYL CHLORIDE	DUP	TR2	500	UG/L	U		500	500	2	Perf Monitoring
00897	5/8/02	GW08188RG	1,1,1,2-TETRACHLOROETHANE	RNS	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08188RG	1,1,1-TRICHLOROETHANE	RNS	TR1	1	UG/L	U	V	1	1	200	Perf Monitoring
00897	5/8/02	GW08188RG	1,1,2,2-TETRACHLOROETHANE	RNS	TR1	1	UG/L	U	V	1	1	0.426	Perf Monitoring
00897	5/8/02	GW08188RG	1,1,2-TRICHLOROETHANE	RNS	TR1	1	UG/L	U	V	1	1	5	Perf Monitoring
00897	5/8/02	GW08188RG	1,1,2-TRICHLOROTRIFLUOROETHANE	RNS	TR1	5	UG/L	U	V	5	1		Perf Monitoring
00897	5/8/02	GW08188RG	1,1-DICHLOROETHANE	RNS	TR1	1	UG/L	U	V	1	1	3650	Perf Monitoring
00897	5/8/02	GW08188RG	1,1-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V	1	1	7	Perf Monitoring
00897	5/8/02	GW08188RG	1,1-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08188RG	1,2,3-TRICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08188RG	1,2,3-TRICHLOROPROPANE	RNS	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08188RG	1,2,4-TRICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ	1	1	70	Perf Monitoring
00897	5/8/02	GW08188RG	1,2-DIBROMOETHANE	RNS	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08188RG	1,2-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ	1	1	600	Perf Monitoring
00897	5/8/02	GW08188RG	1,2-DICHLOROETHANE	RNS	TR1	1	UG/L	U	V	1	1	5	Perf Monitoring
00897	5/8/02	GW08188RG	1,2-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V	1	1	5	Perf Monitoring
00897	5/8/02	GW08188RG	1,3-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ	1	1	600	Perf Monitoring
00897	5/8/02	GW08188RG	1,3-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08188RG	1,4-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ	1	1	75	Perf Monitoring
00897	5/8/02	GW08188RG	2,2-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08188RG	2-BUTANONE	RNS	TR1	10	UG/L	U	V	10	1	21900	Perf Monitoring
00897	5/8/02	GW08188RG	2-HEXANONE	RNS	TR1	10	UG/L	U	V	10	1		Perf Monitoring
00897	5/8/02	GW08188RG	4-ISOPROPYLTOLUENE	RNS	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08188RG	4-METHYL-2-PENTANONE	RNS	TR1	10	UG/L	U	V	10	1	2920	Perf Monitoring
00897	5/8/02	GW08188RG	ACETONE	RNS	TR1	10.1	UG/L	B	UJ	10	1	3650	Perf Monitoring
00897	5/8/02	GW08188RG	BENZENE	RNS	TR1	1	UG/L	U	UJ	1	1	5	Perf Monitoring
00897	5/8/02	GW08188RG	BENZENE, 1,2,4-TRIMETHYL	RNS	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08188RG	BENZENE, 1,3,5-TRIMETHYL-	RNS	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08188RG	BROMOBENZENE	RNS	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08188RG	BROMOCHLOROMETHANE	RNS	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08188RG	BROMODICHLOROMETHANE	RNS	TR1	1	UG/L	U	V	1	1	100	Perf Monitoring
00897	5/8/02	GW08188RG	BROMOFORM	RNS	TR1	1	UG/L	U	V	1	1	100	Perf Monitoring
00897	5/8/02	GW08188RG	BROMOMETHANE	RNS	TR1	1	UG/L	U	V	1	1	51.1	Perf Monitoring
00897	5/8/02	GW08188RG	CARBON DISULFIDE	RNS	TR1	5	UG/L	U	V	5	1	3650	Perf Monitoring
00897	5/8/02	GW08188RG	CARBON TETRACHLORIDE	RNS	TR1	1	UG/L	U	V	1	1	5	Perf Monitoring
00897	5/8/02	GW08188RG	CHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ	1	1	100	Perf Monitoring
00897	5/8/02	GW08188RG	CHLOROETHANE	RNS	TR1	1	UG/L	U	V	1	1	29.4	Perf Monitoring
00897	5/8/02	GW08188RG	CHLOROFORM	RNS	TR1	0.38	UG/L	J	V	1	1	100	Perf Monitoring
00897	5/8/02	GW08188RG	CHLOROMETHANE	RNS	TR1	1	UG/L	U	V	1	1	6.55	Perf Monitoring
00897	5/8/02	GW08188RG	cis-1,2-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V	1	1	70	Perf Monitoring
00897	5/8/02	GW08188RG	cis-1,3-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V	1	1	0.473	Perf Monitoring
00897	5/8/02	GW08188RG	DIBROMOCHLOROMETHANE	RNS	TR1	1	UG/L	U	V	1	1	1.01	Perf Monitoring
00897	5/8/02	GW08188RG	DIBROMOMETHANE	RNS	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08188RG	DICHLORODIFLUOROMETHANE	RNS	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08188RG	ETHYLBENZENE	RNS	TR1	1	UG/L	U	UJ	1	1	700	Perf Monitoring
00897	5/8/02	GW08188RG	HEXACHLOROBUTADIENE	RNS	TR1	1	UG/L	U	V	1	1	1.09	Perf Monitoring
00897	5/8/02	GW08188RG	ISOPROPYLBENZENE	RNS	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08188RG	METHYLENE CHLORIDE	RNS	TR1	3.1	UG/L	B	U	1	1	5	Perf Monitoring

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
00897	5/8/02	GW08188RG	NAPHTHALENE	RNS	TR1	1	UG/L	U	V	1	1	1460	Perf Monitoring
00897	5/8/02	GW08188RG	n-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08188RG	n-PROPYLBENZENE	RNS	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08188RG	o-CHLOROTOLUENE	RNS	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08188RG	p-CHLOROTOLUENE	RNS	TR1	1	UG/L	U	V	1	1		Perf Monitoring
00897	5/8/02	GW08188RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	RNS	TR1	1	UG/L	U	V	1	1	0.2	Perf Monitoring
00897	5/8/02	GW08188RG	sec-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08188RG	STYRENE	RNS	TR1	1	UG/L	U	V	1	1	100	Perf Monitoring
00897	5/8/02	GW08188RG	tert-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08188RG	TETRACHLOROETHENE	RNS	TR1	3.3	UG/L	B	V	1	1	5	Perf Monitoring
00897	5/8/02	GW08188RG	TOLUENE	RNS	TR1	1	UG/L	U	V	1	1	1000	Perf Monitoring
00897	5/8/02	GW08188RG	TOTAL XYLENES	RNS	TR1	3	UG/L	U	V	3	1	10000	Perf Monitoring
00897	5/8/02	GW08188RG	trans-1,2-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V	1	1	70	Perf Monitoring
00897	5/8/02	GW08188RG	trans-1,3-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V	1	1	0.473	Perf Monitoring
00897	5/8/02	GW08188RG	TRICHLOROETHENE	RNS	TR1	1	UG/L	U	V	1	1	5	Perf Monitoring
00897	5/8/02	GW08188RG	TRICHLOROFLUOROMETHANE	RNS	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
00897	5/8/02	GW08188RG	VINYL CHLORIDE	RNS	TR1	1	UG/L	U	V	1	1	2	Perf Monitoring
02291	5/14/02	GW08189RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1		Perf Monitoring
02291	5/14/02	GW08189RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR2	20	UG/L	U		20	20		Perf Monitoring
02291	5/14/02	GW08189RG	1,1,1-TRICHLOROETHANE	REAL	TR1	2.9	UG/L		V	1	1	200	Perf Monitoring
02291	5/14/02	GW08189RG	1,1,1-TRICHLOROETHANE	REAL	TR2	20	UG/L	U		20	20	200	Perf Monitoring
02291	5/14/02	GW08189RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	0.426	Perf Monitoring
02291	5/14/02	GW08189RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR2	20	UG/L	U		20	20	0.426	Perf Monitoring
02291	5/14/02	GW08189RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5	Perf Monitoring
02291	5/14/02	GW08189RG	1,1,2-TRICHLOROETHANE	REAL	TR2	20	UG/L	U		20	20	5	Perf Monitoring
02291	5/14/02	GW08189RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	5	UG/L	U	V	5	1		Perf Monitoring
02291	5/14/02	GW08189RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR2	100	UG/L	U		100	20		Perf Monitoring
02291	5/14/02	GW08189RG	1,1-DICHLOROETHANE	REAL	TR1	1.5	UG/L		V	1	1	3650	Perf Monitoring
02291	5/14/02	GW08189RG	1,1-DICHLOROETHANE	REAL	TR2	20	UG/L	U		20	20	3650	Perf Monitoring
02291	5/14/02	GW08189RG	1,1-DICHLOROETHENE	REAL	TR1	6.8	UG/L		V	1	1	7	Perf Monitoring
02291	5/14/02	GW08189RG	1,1-DICHLOROETHENE	REAL	TR2	20	UG/L	U		20	20	7	Perf Monitoring
02291	5/14/02	GW08189RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1		Perf Monitoring
02291	5/14/02	GW08189RG	1,1-DICHLOROPROPENE	REAL	TR2	20	UG/L	U		20	20		Perf Monitoring
02291	5/14/02	GW08189RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
02291	5/14/02	GW08189RG	1,2,3-TRICHLOROBENZENE	REAL	TR2	20	UG/L	U		20	20		Perf Monitoring
02291	5/14/02	GW08189RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		Perf Monitoring
02291	5/14/02	GW08189RG	1,2,3-TRICHLOROPROPANE	REAL	TR2	20	UG/L	U		20	20		Perf Monitoring
02291	5/14/02	GW08189RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	70	Perf Monitoring
02291	5/14/02	GW08189RG	1,2,4-TRICHLOROBENZENE	REAL	TR2	20	UG/L	U		20	20	70	Perf Monitoring
02291	5/14/02	GW08189RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	1	1		Perf Monitoring
02291	5/14/02	GW08189RG	1,2-DIBROMOETHANE	REAL	TR2	20	UG/L	U		20	20		Perf Monitoring
02291	5/14/02	GW08189RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	600	Perf Monitoring
02291	5/14/02	GW08189RG	1,2-DICHLOROBENZENE	REAL	TR2	20	UG/L	U		20	20	600	Perf Monitoring
02291	5/14/02	GW08189RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5	Perf Monitoring
02291	5/14/02	GW08189RG	1,2-DICHLOROETHANE	REAL	TR2	20	UG/L	U		20	20	5	Perf Monitoring
02291	5/14/02	GW08189RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1	5	Perf Monitoring
02291	5/14/02	GW08189RG	1,2-DICHLOROPROPANE	REAL	TR2	20	UG/L	U		20	20	5	Perf Monitoring
02291	5/14/02	GW08189RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	600	Perf Monitoring
02291	5/14/02	GW08189RG	1,3-DICHLOROBENZENE	REAL	TR2	20	UG/L	U		20	20	600	Perf Monitoring
02291	5/14/02	GW08189RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		Perf Monitoring
02291	5/14/02	GW08189RG	1,3-DICHLOROPROPANE	REAL	TR2	20	UG/L	U		20	20		Perf Monitoring
02291	5/14/02	GW08189RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	75	Perf Monitoring
02291	5/14/02	GW08189RG	1,4-DICHLOROBENZENE	REAL	TR2	20	UG/L	U		20	20	75	Perf Monitoring
02291	5/14/02	GW08189RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		Perf Monitoring
02291	5/14/02	GW08189RG	2,2-DICHLOROPROPANE	REAL	TR2	20	UG/L	U		20	20		Perf Monitoring
02291	5/14/02	GW08189RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V	10	1	21900	Perf Monitoring
02291	5/14/02	GW08189RG	2-BUTANONE	REAL	TR2	200	UG/L	U		200	20	21900	Perf Monitoring

217

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
02291	5/14/02	GW08189RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V	10	1		Perf Monitoring
02291	5/14/02	GW08189RG	2-HEXANONE	REAL	TR2	200	UG/L	U		200	20		Perf Monitoring
02291	5/14/02	GW08189RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
02291	5/14/02	GW08189RG	4-ISOPROPYLTOLUENE	REAL	TR2	20	UG/L	U		20	20		Perf Monitoring
02291	5/14/02	GW08189RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V	10	1	2920	Perf Monitoring
02291	5/14/02	GW08189RG	4-METHYL-2-PENTANONE	REAL	TR2	200	UG/L	U		200	20	2920	Perf Monitoring
02291	5/14/02	GW08189RG	ACETONE	REAL	TR1	10	UG/L	U	V	10	1	3650	Perf Monitoring
02291	5/14/02	GW08189RG	ACETONE	REAL	TR2	200	UG/L	U		200	20	3650	Perf Monitoring
02291	5/14/02	GW08189RG	BENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	5	Perf Monitoring
02291	5/14/02	GW08189RG	BENZENE	REAL	TR2	20	UG/L	U		20	20	5	Perf Monitoring
02291	5/14/02	GW08189RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
02291	5/14/02	GW08189RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR2	20	UG/L	U		20	20		Perf Monitoring
02291	5/14/02	GW08189RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
02291	5/14/02	GW08189RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR2	20	UG/L	U		20	20		Perf Monitoring
02291	5/14/02	GW08189RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
02291	5/14/02	GW08189RG	BROMOBENZENE	REAL	TR2	20	UG/L	U		20	20		Perf Monitoring
02291	5/14/02	GW08189RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1		Perf Monitoring
02291	5/14/02	GW08189RG	BROMOCHLOROMETHANE	REAL	TR2	20	UG/L	U		20	20		Perf Monitoring
02291	5/14/02	GW08189RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	100	Perf Monitoring
02291	5/14/02	GW08189RG	BROMODICHLOROMETHANE	REAL	TR2	20	UG/L	U		20	20	100	Perf Monitoring
02291	5/14/02	GW08189RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	1	1	100	Perf Monitoring
02291	5/14/02	GW08189RG	BROMOFORM	REAL	TR2	20	UG/L	U		20	20	100	Perf Monitoring
02291	5/14/02	GW08189RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1	51.1	Perf Monitoring
02291	5/14/02	GW08189RG	BROMOMETHANE	REAL	TR2	20	UG/L	U		20	20	51.1	Perf Monitoring
02291	5/14/02	GW08189RG	CARBON DISULFIDE	REAL	TR1	5	UG/L	U	V	5	1	3650	Perf Monitoring
02291	5/14/02	GW08189RG	CARBON DISULFIDE	REAL	TR2	100	UG/L	U		100	20	3650	Perf Monitoring
02291	5/14/02	GW08189RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5	Perf Monitoring
02291	5/14/02	GW08189RG	CARBON TETRACHLORIDE	REAL	TR2	20	UG/L	U		20	20	5	Perf Monitoring
02291	5/14/02	GW08189RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	100	Perf Monitoring
02291	5/14/02	GW08189RG	CHLOROBENZENE	REAL	TR2	20	UG/L	U		20	20	100	Perf Monitoring
02291	5/14/02	GW08189RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	29.4	Perf Monitoring
02291	5/14/02	GW08189RG	CHLOROETHANE	REAL	TR2	20	UG/L	U		20	20	29.4	Perf Monitoring
02291	5/14/02	GW08189RG	CHLOROFORM	REAL	TR1	2.2	UG/L		V	1	1	100	Perf Monitoring
02291	5/14/02	GW08189RG	CHLOROFORM	REAL	TR2	20	UG/L	U		20	20	100	Perf Monitoring
02291	5/14/02	GW08189RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	6.55	Perf Monitoring
02291	5/14/02	GW08189RG	CHLOROMETHANE	REAL	TR2	20	UG/L	U		20	20	6.55	Perf Monitoring
02291	5/14/02	GW08189RG	cis-1,2-DICHLOROETHENE	REAL	TR1	9.2	UG/L		V	1	1	70	Perf Monitoring
02291	5/14/02	GW08189RG	cis-1,2-DICHLOROETHENE	REAL	TR2	9.1	UG/L	JD		20	20	70	Perf Monitoring
02291	5/14/02	GW08189RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473	Perf Monitoring
02291	5/14/02	GW08189RG	cis-1,3-DICHLOROPROPENE	REAL	TR2	20	UG/L	U		20	20	0.473	Perf Monitoring
02291	5/14/02	GW08189RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	1.01	Perf Monitoring
02291	5/14/02	GW08189RG	DIBROMOCHLOROMETHANE	REAL	TR2	20	UG/L	U		20	20	1.01	Perf Monitoring
02291	5/14/02	GW08189RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1		Perf Monitoring
02291	5/14/02	GW08189RG	DIBROMOMETHANE	REAL	TR2	20	UG/L	U		20	20		Perf Monitoring
02291	5/14/02	GW08189RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
02291	5/14/02	GW08189RG	DICHLORODIFLUOROMETHANE	REAL	TR2	20	UG/L	U		20	20		Perf Monitoring
02291	5/14/02	GW08189RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	700	Perf Monitoring
02291	5/14/02	GW08189RG	ETHYLBENZENE	REAL	TR2	20	UG/L	U		20	20	700	Perf Monitoring
02291	5/14/02	GW08189RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	1	1	1.09	Perf Monitoring
02291	5/14/02	GW08189RG	HEXACHLOROBUTADIENE	REAL	TR2	20	UG/L	U		20	20	1.09	Perf Monitoring
02291	5/14/02	GW08189RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
02291	5/14/02	GW08189RG	ISOPROPYLBENZENE	REAL	TR2	20	UG/L	U		20	20		Perf Monitoring
02291	5/14/02	GW08189RG	METHYLENE CHLORIDE	REAL	TR1	2.3	UG/L		U	1	1	5	Perf Monitoring
02291	5/14/02	GW08189RG	METHYLENE CHLORIDE	REAL	TR2	39.6	UG/L	BD		20	20	5	Perf Monitoring
02291	5/14/02	GW08189RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ	1	1	1460	Perf Monitoring
02291	5/14/02	GW08189RG	NAPHTHALENE	REAL	TR2	20	UG/L	U		20	20	1460	Perf Monitoring
02291	5/14/02	GW08189RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
02291	5/14/02	GW08189RG	n-BUTYLBENZENE	REAL	TR2	20	UG/L	U		20	20		Perf Monitoring
02291	5/14/02	GW08189RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
02291	5/14/02	GW08189RG	n-PROPYLBENZENE	REAL	TR2	20	UG/L	U		20	20		Perf Monitoring
02291	5/14/02	GW08189RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
02291	5/14/02	GW08189RG	o-CHLOROTOLUENE	REAL	TR2	20	UG/L	U		20	20		Perf Monitoring
02291	5/14/02	GW08189RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
02291	5/14/02	GW08189RG	p-CHLOROTOLUENE	REAL	TR2	20	UG/L	U		20	20		Perf Monitoring
02291	5/14/02	GW08189RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V	1	1	0.2	Perf Monitoring
02291	5/14/02	GW08189RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR2	20	UG/L	U		20	20	0.2	Perf Monitoring
02291	5/14/02	GW08189RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
02291	5/14/02	GW08189RG	sec-BUTYLBENZENE	REAL	TR2	20	UG/L	U		20	20		Perf Monitoring
02291	5/14/02	GW08189RG	STYRENE	REAL	TR1	1	UG/L	U	UJ	1	1	100	Perf Monitoring
02291	5/14/02	GW08189RG	STYRENE	REAL	TR2	20	UG/L	U		20	20	100	Perf Monitoring
02291	5/14/02	GW08189RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
02291	5/14/02	GW08189RG	tert-BUTYLBENZENE	REAL	TR2	20	UG/L	U		20	20		Perf Monitoring
02291	5/14/02	GW08189RG	TETRACHLOROETHENE	REAL	TR1	669	UG/L	E		1	1	5	Perf Monitoring
02291	5/14/02	GW08189RG	TETRACHLOROETHENE	REAL	TR2	1800	UG/L	D	V	20	20	5	Perf Monitoring
02291	5/14/02	GW08189RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ	1	1	1000	Perf Monitoring
02291	5/14/02	GW08189RG	TOLUENE	REAL	TR2	20	UG/L	U		20	20	1000	Perf Monitoring
02291	5/14/02	GW08189RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	UJ	3	1	10000	Perf Monitoring
02291	5/14/02	GW08189RG	TOTAL XYLENES	REAL	TR2	60	UG/L	U		60	20	10000	Perf Monitoring
02291	5/14/02	GW08189RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70	Perf Monitoring
02291	5/14/02	GW08189RG	trans-1,2-DICHLOROETHENE	REAL	TR2	20	UG/L	U		20	20	70	Perf Monitoring
02291	5/14/02	GW08189RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473	Perf Monitoring
02291	5/14/02	GW08189RG	trans-1,3-DICHLOROPROPENE	REAL	TR2	20	UG/L	U		20	20	0.473	Perf Monitoring
02291	5/14/02	GW08189RG	TRICHLOROETHENE	REAL	TR1	208	UG/L	E		1	1	5	Perf Monitoring
02291	5/14/02	GW08189RG	TRICHLOROETHENE	REAL	TR2	239	UG/L	D	V	20	20	5	Perf Monitoring
02291	5/14/02	GW08189RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
02291	5/14/02	GW08189RG	TRICHLOROFLUOROMETHANE	REAL	TR2	20	UG/L	U		20	20		Perf Monitoring
02291	5/14/02	GW08189RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	2	Perf Monitoring
02291	5/14/02	GW08189RG	VINYL CHLORIDE	REAL	TR2	20	UG/L	U		20	20	2	Perf Monitoring
02397	5/30/02	GW08292RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 779
02397	5/30/02	GW08292RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	D&D Bldg 779
02397	5/30/02	GW08292RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	D&D Bldg 779
02397	5/30/02	GW08292RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	D&D Bldg 779
02397	5/30/02	GW08292RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		D&D Bldg 779
02397	5/30/02	GW08292RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	D&D Bldg 779
02397	5/30/02	GW08292RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	D&D Bldg 779
02397	5/30/02	GW08292RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 779
02397	5/30/02	GW08292RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		D&D Bldg 779
02397	5/30/02	GW08292RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 779
02397	5/30/02	GW08292RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	D&D Bldg 779
02397	5/30/02	GW08292RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 779
02397	5/30/02	GW08292RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	D&D Bldg 779
02397	5/30/02	GW08292RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	D&D Bldg 779
02397	5/30/02	GW08292RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	D&D Bldg 779
02397	5/30/02	GW08292RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	D&D Bldg 779
02397	5/30/02	GW08292RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 779
02397	5/30/02	GW08292RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	D&D Bldg 779
02397	5/30/02	GW08292RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		D&D Bldg 779
02397	5/30/02	GW08292RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	D&D Bldg 779
02397	5/30/02	GW08292RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		D&D Bldg 779
02397	5/30/02	GW08292RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 779
02397	5/30/02	GW08292RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	D&D Bldg 779
02397	5/30/02	GW08292RG	ACETONE	REAL	TR1	10	UG/L	U	V1	3.4	1	3650	D&D Bldg 779
02397	5/30/02	GW08292RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	D&D Bldg 779
02397	5/30/02	GW08292RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 779

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
02397	5/30/02	GW08292RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 779
02397	5/30/02	GW08292RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		D&D Bldg 779
02397	5/30/02	GW08292RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		D&D Bldg 779
02397	5/30/02	GW08292RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 779
02397	5/30/02	GW08292RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	D&D Bldg 779
02397	5/30/02	GW08292RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	D&D Bldg 779
02397	5/30/02	GW08292RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	D&D Bldg 779
02397	5/30/02	GW08292RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	D&D Bldg 779
02397	5/30/02	GW08292RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	D&D Bldg 779
02397	5/30/02	GW08292RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	D&D Bldg 779
02397	5/30/02	GW08292RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 779
02397	5/30/02	GW08292RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	D&D Bldg 779
02397	5/30/02	GW08292RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	D&D Bldg 779
02397	5/30/02	GW08292RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	D&D Bldg 779
02397	5/30/02	GW08292RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	D&D Bldg 779
02397	5/30/02	GW08292RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		D&D Bldg 779
02397	5/30/02	GW08292RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		D&D Bldg 779
02397	5/30/02	GW08292RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	D&D Bldg 779
02397	5/30/02	GW08292RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	D&D Bldg 779
02397	5/30/02	GW08292RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		D&D Bldg 779
02397	5/30/02	GW08292RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	D&D Bldg 779
02397	5/30/02	GW08292RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	D&D Bldg 779
02397	5/30/02	GW08292RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 779
02397	5/30/02	GW08292RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 779
02397	5/30/02	GW08292RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		D&D Bldg 779
02397	5/30/02	GW08292RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		D&D Bldg 779
02397	5/30/02	GW08292RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	D&D Bldg 779
02397	5/30/02	GW08292RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		D&D Bldg 779
02397	5/30/02	GW08292RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	D&D Bldg 779
02397	5/30/02	GW08292RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 779
02397	5/30/02	GW08292RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	D&D Bldg 779
02397	5/30/02	GW08292RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	D&D Bldg 779
02397	5/30/02	GW08292RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	D&D Bldg 779
02397	5/30/02	GW08292RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	D&D Bldg 779
02397	5/30/02	GW08292RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	D&D Bldg 779
02397	5/30/02	GW08292RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.23	1	5	D&D Bldg 779
02397	5/30/02	GW08292RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 779
02397	5/30/02	GW08292RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	D&D Bldg 779
02500	4/18/02	GW08291RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 779
02500	4/18/02	GW08291RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	D&D Bldg 779
02500	4/18/02	GW08291RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	D&D Bldg 779
02500	4/18/02	GW08291RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	D&D Bldg 779
02500	4/18/02	GW08291RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	63.2	UG/L		V1	0.2	1		D&D Bldg 779
02500	4/18/02	GW08291RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	D&D Bldg 779
02500	4/18/02	GW08291RG	1,1-DICHLOROETHENE	REAL	TR1	0.79	UG/L	J	V1	0.19	1	7	D&D Bldg 779
02500	4/18/02	GW08291RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 779
02500	4/18/02	GW08291RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.78	1		D&D Bldg 779
02500	4/18/02	GW08291RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 779
02500	4/18/02	GW08291RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.3	1	70	D&D Bldg 779
02500	4/18/02	GW08291RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 779
02500	4/18/02	GW08291RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.17	1	600	D&D Bldg 779
02500	4/18/02	GW08291RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	D&D Bldg 779
02500	4/18/02	GW08291RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	D&D Bldg 779
02500	4/18/02	GW08291RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.096	1	600	D&D Bldg 779
02500	4/18/02	GW08291RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 779
02500	4/18/02	GW08291RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.12	1	75	D&D Bldg 779
02500	4/18/02	GW08291RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		D&D Bldg 779

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
02500	4/18/02	GW08291RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	D&D Bldg 779
02500	4/18/02	GW08291RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		D&D Bldg 779
02500	4/18/02	GW08291RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 779
02500	4/18/02	GW08291RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	D&D Bldg 779
02500	4/18/02	GW08291RG	ACETONE	REAL	TR1	10	UG/L	U	V1	3.4	1	3650	D&D Bldg 779
02500	4/18/02	GW08291RG	BENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1	5	D&D Bldg 779
02500	4/18/02	GW08291RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V1	0.25	1		D&D Bldg 779
02500	4/18/02	GW08291RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V1	0.19	1		D&D Bldg 779
02500	4/18/02	GW08291RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V1	0.16	1		D&D Bldg 779
02500	4/18/02	GW08291RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		D&D Bldg 779
02500	4/18/02	GW08291RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 779
02500	4/18/02	GW08291RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	D&D Bldg 779
02500	4/18/02	GW08291RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	D&D Bldg 779
02500	4/18/02	GW08291RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	D&D Bldg 779
02500	4/18/02	GW08291RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	D&D Bldg 779
02500	4/18/02	GW08291RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.23	1	100	D&D Bldg 779
02500	4/18/02	GW08291RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	D&D Bldg 779
02500	4/18/02	GW08291RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 779
02500	4/18/02	GW08291RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	6.55	D&D Bldg 779
02500	4/18/02	GW08291RG	cis-1,2-DICHLOROETHENE	REAL	TR1	0.67	UG/L	J	V1	0.15	1	70	D&D Bldg 779
02500	4/18/02	GW08291RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	D&D Bldg 779
02500	4/18/02	GW08291RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	D&D Bldg 779
02500	4/18/02	GW08291RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		D&D Bldg 779
02500	4/18/02	GW08291RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		D&D Bldg 779
02500	4/18/02	GW08291RG	ETHANE, 1,2-DICHLORO-1,1,2-T	REAL	TR1	8	UG/L		V1	0	1		D&D Bldg 779
02500	4/18/02	GW08291RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.2	1	700	D&D Bldg 779
02500	4/18/02	GW08291RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	D&D Bldg 779
02500	4/18/02	GW08291RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.2	1		D&D Bldg 779
02500	4/18/02	GW08291RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	D&D Bldg 779
02500	4/18/02	GW08291RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V1	0.25	1	1460	D&D Bldg 779
02500	4/18/02	GW08291RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 779
02500	4/18/02	GW08291RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.19	1		D&D Bldg 779
02500	4/18/02	GW08291RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 779
02500	4/18/02	GW08291RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 779
02500	4/18/02	GW08291RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	D&D Bldg 779
02500	4/18/02	GW08291RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.31	1		D&D Bldg 779
02500	4/18/02	GW08291RG	STYRENE	REAL	TR1	1	UG/L	U	V1	0.22	1	100	D&D Bldg 779
02500	4/18/02	GW08291RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.25	1		D&D Bldg 779
02500	4/18/02	GW08291RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	D&D Bldg 779
02500	4/18/02	GW08291RG	TOLUENE	REAL	TR1	1	UG/L	U	V1	0.15	1	1000	D&D Bldg 779
02500	4/18/02	GW08291RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	V1	0.19	1	10000	D&D Bldg 779
02500	4/18/02	GW08291RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	D&D Bldg 779
02500	4/18/02	GW08291RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	D&D Bldg 779
02500	4/18/02	GW08291RG	TRICHLOROETHENE	REAL	TR1	15.3	UG/L		V1	0.23	1	5	D&D Bldg 779
02500	4/18/02	GW08291RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 779
02500	4/18/02	GW08291RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	D&D Bldg 779
0487	4/24/02	GW08320RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Plume Definition
0487	4/24/02	GW08320RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	Plume Definition
0487	4/24/02	GW08320RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	Plume Definition
0487	4/24/02	GW08320RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	Plume Definition
0487	4/24/02	GW08320RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		Plume Definition
0487	4/24/02	GW08320RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	Plume Definition
0487	4/24/02	GW08320RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	Plume Definition
0487	4/24/02	GW08320RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		Plume Definition
0487	4/24/02	GW08320RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		Plume Definition
0487	4/24/02	GW08320RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		Plume Definition
0487	4/24/02	GW08320RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	Plume Definition

221

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
0487	4/24/02	GW08320RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Plume Definition
0487	4/24/02	GW08320RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	Plume Definition
0487	4/24/02	GW08320RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	Plume Definition
0487	4/24/02	GW08320RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	Plume Definition
0487	4/24/02	GW08320RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	Plume Definition
0487	4/24/02	GW08320RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		Plume Definition
0487	4/24/02	GW08320RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	Plume Definition
0487	4/24/02	GW08320RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		Plume Definition
0487	4/24/02	GW08320RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	Plume Definition
0487	4/24/02	GW08320RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		Plume Definition
0487	4/24/02	GW08320RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		Plume Definition
0487	4/24/02	GW08320RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	Plume Definition
0487	4/24/02	GW08320RG	ACETONE	REAL	TR1	10	UG/L	U	UJ1	3.4	1	3650	Plume Definition
0487	4/24/02	GW08320RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	Plume Definition
0487	4/24/02	GW08320RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		Plume Definition
0487	4/24/02	GW08320RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		Plume Definition
0487	4/24/02	GW08320RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		Plume Definition
0487	4/24/02	GW08320RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		Plume Definition
0487	4/24/02	GW08320RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	Plume Definition
0487	4/24/02	GW08320RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	Plume Definition
0487	4/24/02	GW08320RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.99	1	51.1	Plume Definition
0487	4/24/02	GW08320RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	UJ1	0.35	1	3650	Plume Definition
0487	4/24/02	GW08320RG	CARBON TETRACHLORIDE	REAL	TR1	1.08	UG/L		V1	0.38	1	5	Plume Definition
0487	4/24/02	GW08320RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	Plume Definition
0487	4/24/02	GW08320RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	UJ1	0.94	1	29.4	Plume Definition
0487	4/24/02	GW08320RG	CHLOROFORM	REAL	TR1	0.72	UG/L	J	V1	0.21	1	100	Plume Definition
0487	4/24/02	GW08320RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	Plume Definition
0487	4/24/02	GW08320RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	Plume Definition
0487	4/24/02	GW08320RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	Plume Definition
0487	4/24/02	GW08320RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	Plume Definition
0487	4/24/02	GW08320RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		Plume Definition
0487	4/24/02	GW08320RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		Plume Definition
0487	4/24/02	GW08320RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	Plume Definition
0487	4/24/02	GW08320RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	Plume Definition
0487	4/24/02	GW08320RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		Plume Definition
0487	4/24/02	GW08320RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	Plume Definition
0487	4/24/02	GW08320RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	Plume Definition
0487	4/24/02	GW08320RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		Plume Definition
0487	4/24/02	GW08320RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		Plume Definition
0487	4/24/02	GW08320RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		Plume Definition
0487	4/24/02	GW08320RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		Plume Definition
0487	4/24/02	GW08320RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	Plume Definition
0487	4/24/02	GW08320RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		Plume Definition
0487	4/24/02	GW08320RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	Plume Definition
0487	4/24/02	GW08320RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		Plume Definition
0487	4/24/02	GW08320RG	TETRACHLOROETHENE	REAL	TR1	1.56	UG/L		V1	0.56	1	5	Plume Definition
0487	4/24/02	GW08320RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	Plume Definition
0487	4/24/02	GW08320RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	Plume Definition
0487	4/24/02	GW08320RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	Plume Definition
0487	4/24/02	GW08320RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	Plume Definition
0487	4/24/02	GW08320RG	TRICHLOROETHENE	REAL	TR1	122	UG/L		V1	0.23	1	5	Plume Definition
0487	4/24/02	GW08320RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Plume Definition
0487	4/24/02	GW08320RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	Plume Definition
11891	5/16/02	GW08194RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Perf Monitoring
11891	5/16/02	GW08194RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1.16	UG/L		V1	0.23	1	200	Perf Monitoring
11891	5/16/02	GW08194RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	Perf Monitoring
11891	5/16/02	GW08194RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	Perf Monitoring

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
11891	5/16/02	GW08194RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		Perf Monitoring
11891	5/16/02	GW08194RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	Perf Monitoring
11891	5/16/02	GW08194RG	1,1-DICHLOROETHENE	REAL	TR1	1.32	UG/L		V1	0.19	1	7	Perf Monitoring
11891	5/16/02	GW08194RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		Perf Monitoring
11891	5/16/02	GW08194RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		Perf Monitoring
11891	5/16/02	GW08194RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		Perf Monitoring
11891	5/16/02	GW08194RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	Perf Monitoring
11891	5/16/02	GW08194RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Perf Monitoring
11891	5/16/02	GW08194RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	Perf Monitoring
11891	5/16/02	GW08194RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	Perf Monitoring
11891	5/16/02	GW08194RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	Perf Monitoring
11891	5/16/02	GW08194RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	Perf Monitoring
11891	5/16/02	GW08194RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		Perf Monitoring
11891	5/16/02	GW08194RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	Perf Monitoring
11891	5/16/02	GW08194RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		Perf Monitoring
11891	5/16/02	GW08194RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	Perf Monitoring
11891	5/16/02	GW08194RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		Perf Monitoring
11891	5/16/02	GW08194RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		Perf Monitoring
11891	5/16/02	GW08194RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	Perf Monitoring
11891	5/16/02	GW08194RG	ACETONE	REAL	TR1	10	UG/L	U	UJ1	3.4	1	3650	Perf Monitoring
11891	5/16/02	GW08194RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	Perf Monitoring
11891	5/16/02	GW08194RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		Perf Monitoring
11891	5/16/02	GW08194RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		Perf Monitoring
11891	5/16/02	GW08194RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		Perf Monitoring
11891	5/16/02	GW08194RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		Perf Monitoring
11891	5/16/02	GW08194RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	Perf Monitoring
11891	5/16/02	GW08194RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	Perf Monitoring
11891	5/16/02	GW08194RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.99	1	51.1	Perf Monitoring
11891	5/16/02	GW08194RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	Perf Monitoring
11891	5/16/02	GW08194RG	CARBON TETRACHLORIDE	REAL	DL1	452	UG/L	D	V1	1.3	3.33	5	Perf Monitoring
11891	5/16/02	GW08194RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	Perf Monitoring
11891	5/16/02	GW08194RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	Perf Monitoring
11891	5/16/02	GW08194RG	CHLOROFORM	REAL	TR1	11.5	UG/L		V1	0.21	1	100	Perf Monitoring
11891	5/16/02	GW08194RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	Perf Monitoring
11891	5/16/02	GW08194RG	cis-1,2-DICHLOROETHENE	REAL	TR1	24.8	UG/L		V1	0.15	1	70	Perf Monitoring
11891	5/16/02	GW08194RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	Perf Monitoring
11891	5/16/02	GW08194RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	Perf Monitoring
11891	5/16/02	GW08194RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		Perf Monitoring
11891	5/16/02	GW08194RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		Perf Monitoring
11891	5/16/02	GW08194RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	Perf Monitoring
11891	5/16/02	GW08194RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	Perf Monitoring
11891	5/16/02	GW08194RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		Perf Monitoring
11891	5/16/02	GW08194RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	Perf Monitoring
11891	5/16/02	GW08194RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	Perf Monitoring
11891	5/16/02	GW08194RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		Perf Monitoring
11891	5/16/02	GW08194RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		Perf Monitoring
11891	5/16/02	GW08194RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		Perf Monitoring
11891	5/16/02	GW08194RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		Perf Monitoring
11891	5/16/02	GW08194RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	Perf Monitoring
11891	5/16/02	GW08194RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		Perf Monitoring
11891	5/16/02	GW08194RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	Perf Monitoring
11891	5/16/02	GW08194RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		Perf Monitoring
11891	5/16/02	GW08194RG	TETRACHLOROETHENE	REAL	DL1	229	UG/L	D	V1	0.93	1.66	5	Perf Monitoring
11891	5/16/02	GW08194RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	Perf Monitoring
11891	5/16/02	GW08194RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	Perf Monitoring
11891	5/16/02	GW08194RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	Perf Monitoring
11891	5/16/02	GW08194RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	Perf Monitoring

223

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
11891	5/16/02	GW08194RG	TRICHLOROETHENE	REAL	TR1	43.4	UG/L		V1	0.23	1	5	Perf Monitoring
11891	5/16/02	GW08194RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Perf Monitoring
11891	5/16/02	GW08194RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	Perf Monitoring
12191	4/17/02	GW08195RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Perf Monitoring
12191	4/17/02	GW08195RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	Perf Monitoring
12191	4/17/02	GW08195RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	Perf Monitoring
12191	4/17/02	GW08195RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	Perf Monitoring
12191	4/17/02	GW08195RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		Perf Monitoring
12191	4/17/02	GW08195RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	Perf Monitoring
12191	4/17/02	GW08195RG	1,1-DICHLOROETHENE	REAL	TR1	1.42	UG/L		V1	0.19	1	7	Perf Monitoring
12191	4/17/02	GW08195RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		Perf Monitoring
12191	4/17/02	GW08195RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		Perf Monitoring
12191	4/17/02	GW08195RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		Perf Monitoring
12191	4/17/02	GW08195RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	Perf Monitoring
12191	4/17/02	GW08195RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Perf Monitoring
12191	4/17/02	GW08195RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	Perf Monitoring
12191	4/17/02	GW08195RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	Perf Monitoring
12191	4/17/02	GW08195RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	Perf Monitoring
12191	4/17/02	GW08195RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	Perf Monitoring
12191	4/17/02	GW08195RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		Perf Monitoring
12191	4/17/02	GW08195RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	Perf Monitoring
12191	4/17/02	GW08195RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		Perf Monitoring
12191	4/17/02	GW08195RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	Perf Monitoring
12191	4/17/02	GW08195RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		Perf Monitoring
12191	4/17/02	GW08195RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		Perf Monitoring
12191	4/17/02	GW08195RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	Perf Monitoring
12191	4/17/02	GW08195RG	ACETONE	REAL	TR1	10	UG/L	U	V1	3.4	1	3650	Perf Monitoring
12191	4/17/02	GW08195RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	Perf Monitoring
12191	4/17/02	GW08195RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		Perf Monitoring
12191	4/17/02	GW08195RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		Perf Monitoring
12191	4/17/02	GW08195RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		Perf Monitoring
12191	4/17/02	GW08195RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		Perf Monitoring
12191	4/17/02	GW08195RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	Perf Monitoring
12191	4/17/02	GW08195RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	Perf Monitoring
12191	4/17/02	GW08195RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	Perf Monitoring
12191	4/17/02	GW08195RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	Perf Monitoring
12191	4/17/02	GW08195RG	CARBON TETRACHLORIDE	REAL	TR1	148	UG/L		V1	0.38	1	5	Perf Monitoring
12191	4/17/02	GW08195RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	Perf Monitoring
12191	4/17/02	GW08195RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	Perf Monitoring
12191	4/17/02	GW08195RG	CHLOROFORM	REAL	TR1	3.89	UG/L		V1	0.21	1	100	Perf Monitoring
12191	4/17/02	GW08195RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	Perf Monitoring
12191	4/17/02	GW08195RG	cis-1,2-DICHLOROETHENE	REAL	TR1	12.9	UG/L		V1	0.15	1	70	Perf Monitoring
12191	4/17/02	GW08195RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	Perf Monitoring
12191	4/17/02	GW08195RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	Perf Monitoring
12191	4/17/02	GW08195RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		Perf Monitoring
12191	4/17/02	GW08195RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		Perf Monitoring
12191	4/17/02	GW08195RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	Perf Monitoring
12191	4/17/02	GW08195RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	Perf Monitoring
12191	4/17/02	GW08195RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		Perf Monitoring
12191	4/17/02	GW08195RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	Perf Monitoring
12191	4/17/02	GW08195RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	Perf Monitoring
12191	4/17/02	GW08195RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		Perf Monitoring
12191	4/17/02	GW08195RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		Perf Monitoring
12191	4/17/02	GW08195RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		Perf Monitoring
12191	4/17/02	GW08195RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		Perf Monitoring
12191	4/17/02	GW08195RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	Perf Monitoring
12191	4/17/02	GW08195RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		Perf Monitoring

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
12191	4/17/02	GW08195RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	Perf Monitoring
12191	4/17/02	GW08195RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		Perf Monitoring
12191	4/17/02	GW08195RG	TETRACHLOROETHENE	REAL	DL1	268	UG/L	D	V1	1.1	2	5	Perf Monitoring
12191	4/17/02	GW08195RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	Perf Monitoring
12191	4/17/02	GW08195RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	Perf Monitoring
12191	4/17/02	GW08195RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	Perf Monitoring
12191	4/17/02	GW08195RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	Perf Monitoring
12191	4/17/02	GW08195RG	TRICHLOROETHENE	REAL	TR1	30.5	UG/L		V1	0.23	1	5	Perf Monitoring
12191	4/17/02	GW08195RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Perf Monitoring
12191	4/17/02	GW08195RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	Perf Monitoring
12191	4/17/02	GW08196RG	1,1,1,2-TETRACHLOROETHANE	DUP	TR1	1	UG/L	U	V1	0.21	1		Perf Monitoring
12191	4/17/02	GW08196RG	1,1,1-TRICHLOROETHANE	DUP	TR1	0.55	UG/L	J	V1	0.23	1	200	Perf Monitoring
12191	4/17/02	GW08196RG	1,1,2,2-TETRACHLOROETHANE	DUP	TR1	1	UG/L	U	V1	0.24	1	0.426	Perf Monitoring
12191	4/17/02	GW08196RG	1,1,2-TRICHLOROETHANE	DUP	TR1	1	UG/L	U	V1	0.28	1	5	Perf Monitoring
12191	4/17/02	GW08196RG	1,1,2-TRICHLOROTRIFLUOROETHANE	DUP	TR1	1	UG/L	U	V1	0.2	1		Perf Monitoring
12191	4/17/02	GW08196RG	1,1-DICHLOROETHANE	DUP	TR1	1	UG/L	U	V1	0.22	1	3650	Perf Monitoring
12191	4/17/02	GW08196RG	1,1-DICHLOROETHENE	DUP	TR1	2.37	UG/L		V1	0.19	1	7	Perf Monitoring
12191	4/17/02	GW08196RG	1,1-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V1	0.23	1		Perf Monitoring
12191	4/17/02	GW08196RG	1,2,3-TRICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.78	1		Perf Monitoring
12191	4/17/02	GW08196RG	1,2,3-TRICHLOROPROPANE	DUP	TR1	1	UG/L	U	V1	0.23	1		Perf Monitoring
12191	4/17/02	GW08196RG	1,2,4-TRICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.3	1	70	Perf Monitoring
12191	4/17/02	GW08196RG	1,2-DIBROMOETHANE	DUP	TR1	1	UG/L	U	V1	0.21	1		Perf Monitoring
12191	4/17/02	GW08196RG	1,2-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.17	1	600	Perf Monitoring
12191	4/17/02	GW08196RG	1,2-DICHLOROETHANE	DUP	TR1	1	UG/L	U	V1	0.22	1	5	Perf Monitoring
12191	4/17/02	GW08196RG	1,2-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V1	0.17	1	5	Perf Monitoring
12191	4/17/02	GW08196RG	1,3-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.096	1	600	Perf Monitoring
12191	4/17/02	GW08196RG	1,3-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V1	0.15	1		Perf Monitoring
12191	4/17/02	GW08196RG	1,4-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.12	1	75	Perf Monitoring
12191	4/17/02	GW08196RG	2,2-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V1	0.65	1		Perf Monitoring
12191	4/17/02	GW08196RG	2-BUTANONE	DUP	TR1	10	UG/L	U	V1	4.4	1	21900	Perf Monitoring
12191	4/17/02	GW08196RG	2-HEXANONE	DUP	TR1	10	UG/L	U	V1	1.4	1		Perf Monitoring
12191	4/17/02	GW08196RG	4-ISOPROPYLTOLUENE	DUP	TR1	1	UG/L	U	UJ1	0.15	1		Perf Monitoring
12191	4/17/02	GW08196RG	4-METHYL-2-PENTANONE	DUP	TR1	10	UG/L	U	V1	1.7	1	2920	Perf Monitoring
12191	4/17/02	GW08196RG	ACETONE	DUP	TR1	10	UG/L	U	V1	3.4	1	3650	Perf Monitoring
12191	4/17/02	GW08196RG	BENZENE	DUP	TR1	1	UG/L	U	UJ1	0.26	1	5	Perf Monitoring
12191	4/17/02	GW08196RG	BENZENE, 1,2,4-TRIMETHYL	DUP	TR1	1	UG/L	U	UJ1	0.25	1		Perf Monitoring
12191	4/17/02	GW08196RG	BENZENE, 1,3,5-TRIMETHYL-	DUP	TR1	1	UG/L	U	UJ1	0.19	1		Perf Monitoring
12191	4/17/02	GW08196RG	BROMOBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.16	1		Perf Monitoring
12191	4/17/02	GW08196RG	BROMOCHLOROMETHANE	DUP	TR1	1	UG/L	U	V1	0.46	1		Perf Monitoring
12191	4/17/02	GW08196RG	BROMODICHLOROMETHANE	DUP	TR1	1	UG/L	U	V1	0.21	1	100	Perf Monitoring
12191	4/17/02	GW08196RG	BROMOFORM	DUP	TR1	1	UG/L	U	V1	0.4	1	100	Perf Monitoring
12191	4/17/02	GW08196RG	BROMOMETHANE	DUP	TR1	1	UG/L	U	UJ1	0.99	1	51.1	Perf Monitoring
12191	4/17/02	GW08196RG	CARBON DISULFIDE	DUP	TR1	1	UG/L	U	UJ1	0.35	1	3650	Perf Monitoring
12191	4/17/02	GW08196RG	CARBON TETRACHLORIDE	DUP	TR1	190	UG/L		V1	0.38	1	5	Perf Monitoring
12191	4/17/02	GW08196RG	CHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.23	1	100	Perf Monitoring
12191	4/17/02	GW08196RG	CHLOROETHANE	DUP	TR1	1	UG/L	U	UJ1	0.94	1	29.4	Perf Monitoring
12191	4/17/02	GW08196RG	CHLOROFORM	DUP	TR1	5.42	UG/L		V1	0.21	1	100	Perf Monitoring
12191	4/17/02	GW08196RG	CHLOROMETHANE	DUP	TR1	1	UG/L	U	UJ1	0.26	1	6.55	Perf Monitoring
12191	4/17/02	GW08196RG	cis-1,2-DICHLOROETHENE	DUP	TR1	15.8	UG/L		V1	0.15	1	70	Perf Monitoring
12191	4/17/02	GW08196RG	cis-1,3-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V1	0.17	1	0.473	Perf Monitoring
12191	4/17/02	GW08196RG	DIBROMOCHLOROMETHANE	DUP	TR1	1	UG/L	U	V1	0.54	1	1.01	Perf Monitoring
12191	4/17/02	GW08196RG	DIBROMOMETHANE	DUP	TR1	1	UG/L	U	V1	0.55	1		Perf Monitoring
12191	4/17/02	GW08196RG	DICHLORODIFLUOROMETHANE	DUP	TR1	1	UG/L	U	UJ1	0.26	1		Perf Monitoring
12191	4/17/02	GW08196RG	ETHYLBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.2	1	700	Perf Monitoring
12191	4/17/02	GW08196RG	HEXACHLOROBUTADIENE	DUP	TR1	1	UG/L	U	V1	0.65	1	1.09	Perf Monitoring
12191	4/17/02	GW08196RG	ISOPROPYLBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.2	1		Perf Monitoring
12191	4/17/02	GW08196RG	METHYLENE CHLORIDE	DUP	TR1	1	UG/L	U	V1	0.82	1	5	Perf Monitoring

225

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
12191	4/17/02	GW08196RG	NAPHTHALENE	DUP	TR1	1	UG/L	U	UJ1	0.25	1	1460	Perf Monitoring
12191	4/17/02	GW08196RG	n-BUTYLBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.15	1		Perf Monitoring
12191	4/17/02	GW08196RG	n-PROPYLBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.19	1		Perf Monitoring
12191	4/17/02	GW08196RG	o-CHLOROTOLUENE	DUP	TR1	1	UG/L	U	UJ1	0.23	1		Perf Monitoring
12191	4/17/02	GW08196RG	p-CHLOROTOLUENE	DUP	TR1	1	UG/L	U	UJ1	0.21	1		Perf Monitoring
12191	4/17/02	GW08196RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	DUP	TR1	1	UG/L	U	V1	0.56	1	0.2	Perf Monitoring
12191	4/17/02	GW08196RG	sec-BUTYLBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.31	1		Perf Monitoring
12191	4/17/02	GW08196RG	STYRENE	DUP	TR1	1	UG/L	U	UJ1	0.22	1	100	Perf Monitoring
12191	4/17/02	GW08196RG	tert-BUTYLBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.25	1		Perf Monitoring
12191	4/17/02	GW08196RG	TETRACHLOROETHENE	DUP	DL1	282	UG/L	D	V1	1.4	2.5	5	Perf Monitoring
12191	4/17/02	GW08196RG	TOLUENE	DUP	TR1	1	UG/L	U	UJ1	0.15	1	1000	Perf Monitoring
12191	4/17/02	GW08196RG	TOTAL XYLENES	DUP	TR1	1	UG/L	U	UJ1	0.19	1	10000	Perf Monitoring
12191	4/17/02	GW08196RG	trans-1,2-DICHLOROETHENE	DUP	TR1	1	UG/L	U	V1	0.092	1	70	Perf Monitoring
12191	4/17/02	GW08196RG	trans-1,3-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V1	0.22	1	0.473	Perf Monitoring
12191	4/17/02	GW08196RG	TRICHLOROETHENE	DUP	TR1	37.7	UG/L		V1	0.23	1	5	Perf Monitoring
12191	4/17/02	GW08196RG	TRICHLOROFLUOROMETHANE	DUP	TR1	1	UG/L	U	V1	0.21	1		Perf Monitoring
12191	4/17/02	GW08196RG	VINYL CHLORIDE	DUP	TR1	1	UG/L	U	UJ1	0.25	1	2	Perf Monitoring
12191	4/17/02	GW08197RG	1,1,1,2-TETRACHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.21	1		Perf Monitoring
12191	4/17/02	GW08197RG	1,1,1-TRICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.23	1	200	Perf Monitoring
12191	4/17/02	GW08197RG	1,1,2,2-TETRACHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.24	1	0.426	Perf Monitoring
12191	4/17/02	GW08197RG	1,1,2-TRICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.28	1	5	Perf Monitoring
12191	4/17/02	GW08197RG	1,1,2-TRICHLOROTRIFLUOROETHANE	RNS	TR1	1	UG/L	U	V1	0.2	1		Perf Monitoring
12191	4/17/02	GW08197RG	1,1-DICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.22	1	3650	Perf Monitoring
12191	4/17/02	GW08197RG	1,1-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	0.19	1	7	Perf Monitoring
12191	4/17/02	GW08197RG	1,1-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V1	0.23	1		Perf Monitoring
12191	4/17/02	GW08197RG	1,2,3-TRICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.78	1		Perf Monitoring
12191	4/17/02	GW08197RG	1,2,3-TRICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	0.23	1		Perf Monitoring
12191	4/17/02	GW08197RG	1,2,4-TRICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.3	1	70	Perf Monitoring
12191	4/17/02	GW08197RG	1,2-DIBROMOETHANE	RNS	TR1	1	UG/L	U	V1	0.21	1		Perf Monitoring
12191	4/17/02	GW08197RG	1,2-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.17	1	600	Perf Monitoring
12191	4/17/02	GW08197RG	1,2-DICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.22	1	5	Perf Monitoring
12191	4/17/02	GW08197RG	1,2-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	0.17	1	5	Perf Monitoring
12191	4/17/02	GW08197RG	1,3-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.096	1	600	Perf Monitoring
12191	4/17/02	GW08197RG	1,3-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	0.15	1		Perf Monitoring
12191	4/17/02	GW08197RG	1,4-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.12	1	75	Perf Monitoring
12191	4/17/02	GW08197RG	2,2-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	0.65	1		Perf Monitoring
12191	4/17/02	GW08197RG	2-BUTANONE	RNS	TR1	10	UG/L	U	V1	4.4	1	21900	Perf Monitoring
12191	4/17/02	GW08197RG	2-HEXANONE	RNS	TR1	10	UG/L	U	V1	1.4	1		Perf Monitoring
12191	4/17/02	GW08197RG	4-ISOPROPYLTOLUENE	RNS	TR1	1	UG/L	U	UJ1	0.15	1		Perf Monitoring
12191	4/17/02	GW08197RG	4-METHYL-2-PENTANONE	RNS	TR1	10	UG/L	U	V1	1.7	1	2920	Perf Monitoring
12191	4/17/02	GW08197RG	ACETONE	RNS	TR1	14.3	UG/L		V1	3.4	1	3650	Perf Monitoring
12191	4/17/02	GW08197RG	BENZENE	RNS	TR1	1	UG/L	U	UJ1	0.26	1	5	Perf Monitoring
12191	4/17/02	GW08197RG	BENZENE, 1,2,4-TRIMETHYL	RNS	TR1	1	UG/L	U	UJ1	0.25	1		Perf Monitoring
12191	4/17/02	GW08197RG	BENZENE, 1,3,5-TRIMETHYL-	RNS	TR1	1	UG/L	U	UJ1	0.19	1		Perf Monitoring
12191	4/17/02	GW08197RG	BROMOBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.16	1		Perf Monitoring
12191	4/17/02	GW08197RG	BROMOCHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.46	1		Perf Monitoring
12191	4/17/02	GW08197RG	BROMODICHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.21	1	100	Perf Monitoring
12191	4/17/02	GW08197RG	BROMOFORM	RNS	TR1	1	UG/L	U	V1	0.4	1	100	Perf Monitoring
12191	4/17/02	GW08197RG	BROMOMETHANE	RNS	TR1	1	UG/L	U	V1	0.99	1	51.1	Perf Monitoring
12191	4/17/02	GW08197RG	CARBON DISULFIDE	RNS	TR1	1	UG/L	U	V1	0.35	1	3650	Perf Monitoring
12191	4/17/02	GW08197RG	CARBON TETRACHLORIDE	RNS	TR1	1	UG/L	U	V1	0.38	1	5	Perf Monitoring
12191	4/17/02	GW08197RG	CHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.23	1	100	Perf Monitoring
12191	4/17/02	GW08197RG	CHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.94	1	29.4	Perf Monitoring
12191	4/17/02	GW08197RG	CHLOROFORM	RNS	TR1	0.31	UG/L	J	V1	0.21	1	100	Perf Monitoring
12191	4/17/02	GW08197RG	CHLOROMETHANE	RNS	TR1	1	UG/L	U	UJ1	0.26	1	6.55	Perf Monitoring
12191	4/17/02	GW08197RG	cis-1,2-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	0.15	1	70	Perf Monitoring
12191	4/17/02	GW08197RG	cis-1,3-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V1	0.17	1	0.473	Perf Monitoring

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
12191	4/17/02	GW08197RG	DIBROMOCHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.54	1	1.01	Perf Monitoring
12191	4/17/02	GW08197RG	DIBROMOMETHANE	RNS	TR1	1	UG/L	U	V1	0.55	1		Perf Monitoring
12191	4/17/02	GW08197RG	DICHLORODIFLUOROMETHANE	RNS	TR1	1	UG/L	U	UJ1	0.26	1		Perf Monitoring
12191	4/17/02	GW08197RG	ETHYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.2	1	700	Perf Monitoring
12191	4/17/02	GW08197RG	HEXACHLOROBUTADIENE	RNS	TR1	1	UG/L	U	V1	0.65	1	1.09	Perf Monitoring
12191	4/17/02	GW08197RG	ISOPROPYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.2	1		Perf Monitoring
12191	4/17/02	GW08197RG	METHYLENE CHLORIDE	RNS	TR1	1.03	UG/L		V1	0.82	1	5	Perf Monitoring
12191	4/17/02	GW08197RG	NAPHTHALENE	RNS	TR1	1	UG/L	U	UJ1	0.25	1	1460	Perf Monitoring
12191	4/17/02	GW08197RG	n-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.15	1		Perf Monitoring
12191	4/17/02	GW08197RG	n-PROPYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.19	1		Perf Monitoring
12191	4/17/02	GW08197RG	o-CHLOROTOLUENE	RNS	TR1	1	UG/L	U	UJ1	0.23	1		Perf Monitoring
12191	4/17/02	GW08197RG	p-CHLOROTOLUENE	RNS	TR1	1	UG/L	U	UJ1	0.21	1		Perf Monitoring
12191	4/17/02	GW08197RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	RNS	TR1	1	UG/L	U	V1	0.56	1	0.2	Perf Monitoring
12191	4/17/02	GW08197RG	sec-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.31	1		Perf Monitoring
12191	4/17/02	GW08197RG	STYRENE	RNS	TR1	1	UG/L	U	UJ1	0.22	1	100	Perf Monitoring
12191	4/17/02	GW08197RG	tert-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.25	1		Perf Monitoring
12191	4/17/02	GW08197RG	TETRACHLOROETHENE	RNS	TR1	0.8	UG/L	J	V1	0.56	1	5	Perf Monitoring
12191	4/17/02	GW08197RG	TOLUENE	RNS	TR1	1	UG/L	U	UJ1	0.15	1	1000	Perf Monitoring
12191	4/17/02	GW08197RG	TOTAL XYLENES	RNS	TR1	1	UG/L	U	UJ1	0.19	1	10000	Perf Monitoring
12191	4/17/02	GW08197RG	trans-1,2-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	0.092	1	70	Perf Monitoring
12191	4/17/02	GW08197RG	trans-1,3-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V1	0.22	1	0.473	Perf Monitoring
12191	4/17/02	GW08197RG	TRICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	0.23	1	5	Perf Monitoring
12191	4/17/02	GW08197RG	TRICHLOROFLUOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.21	1		Perf Monitoring
12191	4/17/02	GW08197RG	VINYL CHLORIDE	RNS	TR1	1	UG/L	U	V1	0.25	1	2	Perf Monitoring
1386	4/19/02	GW08225RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Plume Extent
1386	4/19/02	GW08225RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	Plume Extent
1386	4/19/02	GW08225RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	Plume Extent
1386	4/19/02	GW08225RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	Plume Extent
1386	4/19/02	GW08225RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		Plume Extent
1386	4/19/02	GW08225RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	Plume Extent
1386	4/19/02	GW08225RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	Plume Extent
1386	4/19/02	GW08225RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		Plume Extent
1386	4/19/02	GW08225RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		Plume Extent
1386	4/19/02	GW08225RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		Plume Extent
1386	4/19/02	GW08225RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	Plume Extent
1386	4/19/02	GW08225RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Plume Extent
1386	4/19/02	GW08225RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	Plume Extent
1386	4/19/02	GW08225RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	Plume Extent
1386	4/19/02	GW08225RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	Plume Extent
1386	4/19/02	GW08225RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	Plume Extent
1386	4/19/02	GW08225RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		Plume Extent
1386	4/19/02	GW08225RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	Plume Extent
1386	4/19/02	GW08225RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		Plume Extent
1386	4/19/02	GW08225RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	Plume Extent
1386	4/19/02	GW08225RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		Plume Extent
1386	4/19/02	GW08225RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		Plume Extent
1386	4/19/02	GW08225RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	Plume Extent
1386	4/19/02	GW08225RG	ACETONE	REAL	TR1	10	UG/L	U	UJ1	3.4	1	3650	Plume Extent
1386	4/19/02	GW08225RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	Plume Extent
1386	4/19/02	GW08225RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		Plume Extent
1386	4/19/02	GW08225RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		Plume Extent
1386	4/19/02	GW08225RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		Plume Extent
1386	4/19/02	GW08225RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		Plume Extent
1386	4/19/02	GW08225RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	Plume Extent
1386	4/19/02	GW08225RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	Plume Extent
1386	4/19/02	GW08225RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.99	1	51.1	Plume Extent
1386	4/19/02	GW08225RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	UJ1	0.35	1	3650	Plume Extent

227

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
1386	4/19/02	GW08225RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	UJ1	0.38	1	5	Plume Extent
1386	4/19/02	GW08225RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	Plume Extent
1386	4/19/02	GW08225RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	UJ1	0.94	1	29.4	Plume Extent
1386	4/19/02	GW08225RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.21	1	100	Plume Extent
1386	4/19/02	GW08225RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	6.55	Plume Extent
1386	4/19/02	GW08225RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	Plume Extent
1386	4/19/02	GW08225RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	Plume Extent
1386	4/19/02	GW08225RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	Plume Extent
1386	4/19/02	GW08225RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		Plume Extent
1386	4/19/02	GW08225RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		Plume Extent
1386	4/19/02	GW08225RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	Plume Extent
1386	4/19/02	GW08225RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	Plume Extent
1386	4/19/02	GW08225RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		Plume Extent
1386	4/19/02	GW08225RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	Plume Extent
1386	4/19/02	GW08225RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	Plume Extent
1386	4/19/02	GW08225RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		Plume Extent
1386	4/19/02	GW08225RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		Plume Extent
1386	4/19/02	GW08225RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		Plume Extent
1386	4/19/02	GW08225RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		Plume Extent
1386	4/19/02	GW08225RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	Plume Extent
1386	4/19/02	GW08225RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		Plume Extent
1386	4/19/02	GW08225RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	Plume Extent
1386	4/19/02	GW08225RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		Plume Extent
1386	4/19/02	GW08225RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	Plume Extent
1386	4/19/02	GW08225RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	Plume Extent
1386	4/19/02	GW08225RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	Plume Extent
1386	4/19/02	GW08225RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	Plume Extent
1386	4/19/02	GW08225RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	Plume Extent
1386	4/19/02	GW08225RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.23	1	5	Plume Extent
1386	4/19/02	GW08225RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		Plume Extent
1386	4/19/02	GW08225RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	2	Plume Extent
1786	4/16/02	GW08226RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Plume Extent
1786	4/16/02	GW08226RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	Plume Extent
1786	4/16/02	GW08226RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	Plume Extent
1786	4/16/02	GW08226RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	Plume Extent
1786	4/16/02	GW08226RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		Plume Extent
1786	4/16/02	GW08226RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	Plume Extent
1786	4/16/02	GW08226RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	Plume Extent
1786	4/16/02	GW08226RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		Plume Extent
1786	4/16/02	GW08226RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.78	1		Plume Extent
1786	4/16/02	GW08226RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		Plume Extent
1786	4/16/02	GW08226RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.3	1	70	Plume Extent
1786	4/16/02	GW08226RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Plume Extent
1786	4/16/02	GW08226RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.17	1	600	Plume Extent
1786	4/16/02	GW08226RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	Plume Extent
1786	4/16/02	GW08226RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	Plume Extent
1786	4/16/02	GW08226RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.096	1	600	Plume Extent
1786	4/16/02	GW08226RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		Plume Extent
1786	4/16/02	GW08226RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.12	1	75	Plume Extent
1786	4/16/02	GW08226RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		Plume Extent
1786	4/16/02	GW08226RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	Plume Extent
1786	4/16/02	GW08226RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		Plume Extent
1786	4/16/02	GW08226RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V1	0.15	1		Plume Extent
1786	4/16/02	GW08226RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	Plume Extent
1786	4/16/02	GW08226RG	ACETONE	REAL	TR1	8.6	UG/L	J	V1	3.4	1	3650	Plume Extent
1786	4/16/02	GW08226RG	BENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1	5	Plume Extent
1786	4/16/02	GW08226RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V1	0.25	1		Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
1786	4/16/02	GW08226RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V1	0.19	1		Plume Extent
1786	4/16/02	GW08226RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V1	0.16	1		Plume Extent
1786	4/16/02	GW08226RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		Plume Extent
1786	4/16/02	GW08226RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	Plume Extent
1786	4/16/02	GW08226RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	Plume Extent
1786	4/16/02	GW08226RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	Plume Extent
1786	4/16/02	GW08226RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	Plume Extent
1786	4/16/02	GW08226RG	CARBON TETRACHLORIDE	REAL	TR1	0.81	UG/L	J	V1	0.38	1	5	Plume Extent
1786	4/16/02	GW08226RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.23	1	100	Plume Extent
1786	4/16/02	GW08226RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	Plume Extent
1786	4/16/02	GW08226RG	CHLOROFORM	REAL	TR1	1.92	UG/L		V1	0.21	1	100	Plume Extent
1786	4/16/02	GW08226RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	6.55	Plume Extent
1786	4/16/02	GW08226RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	Plume Extent
1786	4/16/02	GW08226RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	Plume Extent
1786	4/16/02	GW08226RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	Plume Extent
1786	4/16/02	GW08226RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		Plume Extent
1786	4/16/02	GW08226RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		Plume Extent
1786	4/16/02	GW08226RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.2	1	700	Plume Extent
1786	4/16/02	GW08226RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	Plume Extent
1786	4/16/02	GW08226RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.2	1		Plume Extent
1786	4/16/02	GW08226RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	Plume Extent
1786	4/16/02	GW08226RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V1	0.25	1	1460	Plume Extent
1786	4/16/02	GW08226RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.15	1		Plume Extent
1786	4/16/02	GW08226RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.19	1		Plume Extent
1786	4/16/02	GW08226RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.23	1		Plume Extent
1786	4/16/02	GW08226RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.21	1		Plume Extent
1786	4/16/02	GW08226RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	Plume Extent
1786	4/16/02	GW08226RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.31	1		Plume Extent
1786	4/16/02	GW08226RG	STYRENE	REAL	TR1	1	UG/L	U	V1	0.22	1	100	Plume Extent
1786	4/16/02	GW08226RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.25	1		Plume Extent
1786	4/16/02	GW08226RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	Plume Extent
1786	4/16/02	GW08226RG	TOLUENE	REAL	TR1	1	UG/L	U	V1	0.15	1	1000	Plume Extent
1786	4/16/02	GW08226RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	V1	0.19	1	10000	Plume Extent
1786	4/16/02	GW08226RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	Plume Extent
1786	4/16/02	GW08226RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	Plume Extent
1786	4/16/02	GW08226RG	TRICHLOROETHENE	REAL	TR1	2.54	UG/L		V1	0.23	1	5	Plume Extent
1786	4/16/02	GW08226RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Plume Extent
1786	4/16/02	GW08226RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	Plume Extent
18199	4/29/02	GW08252RG	1,1,1,2-TETRACHLOROETHANE	REAL	DL1	40	UG/L	U	V1	11	40		Plume Degradation
18199	4/29/02	GW08252RG	1,1,1-TRICHLOROETHANE	REAL	DL1	40	UG/L	U	V1	13	40	200	Plume Degradation
18199	4/29/02	GW08252RG	1,1,2,2-TETRACHLOROETHANE	REAL	DL1	40	UG/L	U	V1	20	40	0.426	Plume Degradation
18199	4/29/02	GW08252RG	1,1,2-TRICHLOROETHANE	REAL	DL1	40	UG/L	U	V1	16	40	5	Plume Degradation
18199	4/29/02	GW08252RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	DL1	40	UG/L	U	V1	22	40		Plume Degradation
18199	4/29/02	GW08252RG	1,1-DICHLOROETHANE	REAL	DL1	40	UG/L	U	V1	12	40	3650	Plume Degradation
18199	4/29/02	GW08252RG	1,1-DICHLOROETHENE	REAL	DL1	40	UG/L	U	V1	12	40	7	Plume Degradation
18199	4/29/02	GW08252RG	1,1-DICHLOROPROPENE	REAL	DL1	40	UG/L	U	V1	12	40		Plume Degradation
18199	4/29/02	GW08252RG	1,2,3-TRICHLOROBENZENE	REAL	DL1	40	UG/L	U	UJ1	25	40		Plume Degradation
18199	4/29/02	GW08252RG	1,2,3-TRICHLOROPROPANE	REAL	DL1	40	UG/L	U	V1	30	40		Plume Degradation
18199	4/29/02	GW08252RG	1,2,4-TRICHLOROBENZENE	REAL	DL1	40	UG/L	U	UJ1	25	40	70	Plume Degradation
18199	4/29/02	GW08252RG	1,2-DIBROMOETHANE	REAL	DL1	40	UG/L	U	V1	18	40		Plume Degradation
18199	4/29/02	GW08252RG	1,2-DICHLOROBENZENE	REAL	DL1	40	UG/L	U	UJ1	12	40	600	Plume Degradation
18199	4/29/02	GW08252RG	1,2-DICHLOROETHANE	REAL	DL1	40	UG/L	U	V1	17	40	5	Plume Degradation
18199	4/29/02	GW08252RG	1,2-DICHLOROPROPANE	REAL	DL1	40	UG/L	U	V1	15	40	5	Plume Degradation
18199	4/29/02	GW08252RG	1,3-DICHLOROBENZENE	REAL	DL1	40	UG/L	U	UJ1	12	40	600	Plume Degradation
18199	4/29/02	GW08252RG	1,3-DICHLOROPROPANE	REAL	DL1	40	UG/L	U	V1	15	40		Plume Degradation
18199	4/29/02	GW08252RG	1,4-DICHLOROBENZENE	REAL	DL1	40	UG/L	U	UJ1	12	40	75	Plume Degradation
18199	4/29/02	GW08252RG	2,2-DICHLOROPROPANE	REAL	DL1	40	UG/L	U	V1	15	40		Plume Degradation

229

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
18199	4/29/02	GW08252RG	2-BUTANONE	REAL	DL1	200	UG/L	U	V1	96	40	21900	Plume Degradation
18199	4/29/02	GW08252RG	2-HEXANONE	REAL	DL1	200	UG/L	U	V1	72	40		Plume Degradation
18199	4/29/02	GW08252RG	4-ISOPROPYLTOLUENE	REAL	DL1	40	UG/L	U	UJ1	13	40		Plume Degradation
18199	4/29/02	GW08252RG	4-METHYL-2-PENTANONE	REAL	DL1	200	UG/L	U	V1	72	40	2920	Plume Degradation
18199	4/29/02	GW08252RG	ACETONE	REAL	DL1	400	UG/L	U	V1	120	40	3650	Plume Degradation
18199	4/29/02	GW08252RG	BENZENE	REAL	DL1	40	UG/L	U	UJ1	11	40	5	Plume Degradation
18199	4/29/02	GW08252RG	BENZENE, 1,2,4-TRIMETHYL	REAL	DL1	40	UG/L	U	UJ1	12	40		Plume Degradation
18199	4/29/02	GW08252RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	DL1	40	UG/L	U	UJ1	12	40		Plume Degradation
18199	4/29/02	GW08252RG	BROMOBENZENE	REAL	DL1	40	UG/L	U	UJ1	13	40		Plume Degradation
18199	4/29/02	GW08252RG	BROMOCHLOROMETHANE	REAL	DL1	40	UG/L	U	V1	16	40		Plume Degradation
18199	4/29/02	GW08252RG	BROMODICHLOROMETHANE	REAL	DL1	40	UG/L	U	V1	14	40	100	Plume Degradation
18199	4/29/02	GW08252RG	BROMOFORM	REAL	DL1	40	UG/L	U	V1	18	40	100	Plume Degradation
18199	4/29/02	GW08252RG	BROMOMETHANE	REAL	DL1	40	UG/L	U	V1	11	40	51.1	Plume Degradation
18199	4/29/02	GW08252RG	CARBON DISULFIDE	REAL	DL1	40	UG/L	U	V1	27	40	3650	Plume Degradation
18199	4/29/02	GW08252RG	CARBON TETRACHLORIDE	REAL	RX1	27000	UG/L		V1	230	667	5	Plume Degradation
18199	4/29/02	GW08252RG	CHLOROBENZENE	REAL	DL1	40	UG/L	U	UJ1	9.6	40	100	Plume Degradation
18199	4/29/02	GW08252RG	CHLOROETHANE	REAL	DL1	40	UG/L	U	V1	10	40	29.4	Plume Degradation
18199	4/29/02	GW08252RG	CHLOROFORM	REAL	RX1	4300	UG/L		V1	190	667	100	Plume Degradation
18199	4/29/02	GW08252RG	CHLOROMETHANE	REAL	DL1	40	UG/L	U	V1	10	40	6.55	Plume Degradation
18199	4/29/02	GW08252RG	cis-1,2-DICHLOROETHENE	REAL	DL1	40	UG/L	U	V1	13	40	70	Plume Degradation
18199	4/29/02	GW08252RG	cis-1,3-DICHLOROPROPENE	REAL	DL1	40	UG/L	U	V1	12	40	0.473	Plume Degradation
18199	4/29/02	GW08252RG	DIBROMOCHLOROMETHANE	REAL	DL1	40	UG/L	U	V1	15	40	1.01	Plume Degradation
18199	4/29/02	GW08252RG	DIBROMOMETHANE	REAL	DL1	40	UG/L	U	V1	16	40		Plume Degradation
18199	4/29/02	GW08252RG	DICHLORODIFLUOROMETHANE	REAL	DL1	40	UG/L	U	V1	18	40		Plume Degradation
18199	4/29/02	GW08252RG	ETHYLBENZENE	REAL	DL1	40	UG/L	U	UJ1	20	40	700	Plume Degradation
18199	4/29/02	GW08252RG	HEXACHLOROBUTADIENE	REAL	DL1	40	UG/L	U	V1	15	40	1.09	Plume Degradation
18199	4/29/02	GW08252RG	ISOPROPYLBENZENE	REAL	DL1	40	UG/L	U	UJ1	12	40		Plume Degradation
18199	4/29/02	GW08252RG	METHYLENE CHLORIDE	REAL	DL1	40	UG/L	U	V1	34	40	5	Plume Degradation
18199	4/29/02	GW08252RG	NAPHTHALENE	REAL	DL1	40	UG/L	U	UJ1	31	40	1460	Plume Degradation
18199	4/29/02	GW08252RG	n-BUTYLBENZENE	REAL	DL1	40	UG/L	U	UJ1	16	40		Plume Degradation
18199	4/29/02	GW08252RG	n-PROPYLBENZENE	REAL	DL1	40	UG/L	U	UJ1	13	40		Plume Degradation
18199	4/29/02	GW08252RG	o-CHLOROTOLUENE	REAL	DL1	40	UG/L	U	UJ1	9.2	40		Plume Degradation
18199	4/29/02	GW08252RG	p-CHLOROTOLUENE	REAL	DL1	40	UG/L	U	UJ1	10	40		Plume Degradation
18199	4/29/02	GW08252RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	DL1	40	UG/L	U	V1	20	40	0.2	Plume Degradation
18199	4/29/02	GW08252RG	sec-BUTYLBENZENE	REAL	DL1	40	UG/L	U	UJ1	14	40		Plume Degradation
18199	4/29/02	GW08252RG	STYRENE	REAL	DL1	40	UG/L	U	UJ1	11	40	100	Plume Degradation
18199	4/29/02	GW08252RG	tert-BUTYLBENZENE	REAL	DL1	40	UG/L	U	UJ1	12	40		Plume Degradation
18199	4/29/02	GW08252RG	TETRACHLOROETHENE	REAL	DL1	62	UG/L		V1	11	40	5	Plume Degradation
18199	4/29/02	GW08252RG	TOLUENE	REAL	DL1	40	UG/L	U	UJ1	10	40	1000	Plume Degradation
18199	4/29/02	GW08252RG	TOTAL XYLENES	REAL	DL1	40	UG/L	U	UJ1	29	40	10000	Plume Degradation
18199	4/29/02	GW08252RG	trans-1,2-DICHLOROETHENE	REAL	DL1	20	UG/L	U	V1	10	40	70	Plume Degradation
18199	4/29/02	GW08252RG	trans-1,3-DICHLOROPROPENE	REAL	DL1	40	UG/L	U	V1	14	40	0.473	Plume Degradation
18199	4/29/02	GW08252RG	TRICHLOROETHENE	REAL	DL1	40	UG/L	U	V1	9.6	40	5	Plume Degradation
18199	4/29/02	GW08252RG	TRICHLOROFLUOROMETHANE	REAL	DL1	40	UG/L	U	V1	17	40		Plume Degradation
18199	4/29/02	GW08252RG	UNKNOWN	REAL	DL1	270	UG/L	J	V1		40		Plume Degradation
18199	4/29/02	GW08252RG	VINYL CHLORIDE	REAL	DL1	40	UG/L	U	V1	10	40	2	Plume Degradation
18499	4/30/02	GW08247RG	1,1,1,2-TETRACHLOROETHANE	REAL	DL1	40	UG/L	U	V1	11	40		Plume Degradation
18499	4/30/02	GW08247RG	1,1,1-TRICHLOROETHANE	REAL	DL1	40	UG/L	U	V1	13	40	200	Plume Degradation
18499	4/30/02	GW08247RG	1,1,2,2-TETRACHLOROETHANE	REAL	DL1	40	UG/L	U	V1	20	40	0.426	Plume Degradation
18499	4/30/02	GW08247RG	1,1,2-TRICHLOROETHANE	REAL	DL1	40	UG/L	U	V1	16	40	5	Plume Degradation
18499	4/30/02	GW08247RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	DL1	40	UG/L	U	V1	22	40		Plume Degradation
18499	4/30/02	GW08247RG	1,1-DICHLOROETHANE	REAL	DL1	40	UG/L	U	V1	12	40	3650	Plume Degradation
18499	4/30/02	GW08247RG	1,1-DICHLOROETHENE	REAL	DL1	40	UG/L	U	V1	12	40	7	Plume Degradation
18499	4/30/02	GW08247RG	1,1-DICHLOROPROPENE	REAL	DL1	40	UG/L	U	V1	12	40		Plume Degradation
18499	4/30/02	GW08247RG	1,2,3-TRICHLOROBENZENE	REAL	DL1	40	UG/L	U	UJ1	25	40		Plume Degradation
18499	4/30/02	GW08247RG	1,2,3-TRICHLOROPROPANE	REAL	DL1	40	UG/L	U	V1	30	40		Plume Degradation
18499	4/30/02	GW08247RG	1,2,4-TRICHLOROBENZENE	REAL	DL1	40	UG/L	U	UJ1	25	40	70	Plume Degradation

730

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
18499	4/30/02	GW08247RG	1,2-DIBROMOETHANE	REAL	DL1	40	UG/L	U	V1	18	40		Plume Degradation
18499	4/30/02	GW08247RG	1,2-DICHLOROBENZENE	REAL	DL1	40	UG/L	U	UJ1	12	40	600	Plume Degradation
18499	4/30/02	GW08247RG	1,2-DICHLOROETHANE	REAL	DL1	40	UG/L	U	V1	17	40	5	Plume Degradation
18499	4/30/02	GW08247RG	1,2-DICHLOROPROPANE	REAL	DL1	40	UG/L	U	V1	15	40	5	Plume Degradation
18499	4/30/02	GW08247RG	1,3-DICHLOROBENZENE	REAL	DL1	40	UG/L	U	UJ1	12	40	600	Plume Degradation
18499	4/30/02	GW08247RG	1,3-DICHLOROPROPANE	REAL	DL1	40	UG/L	U	V1	15	40		Plume Degradation
18499	4/30/02	GW08247RG	1,4-DICHLOROBENZENE	REAL	DL1	40	UG/L	U	UJ1	12	40	75	Plume Degradation
18499	4/30/02	GW08247RG	2,2-DICHLOROPROPANE	REAL	DL1	40	UG/L	U	V1	15	40		Plume Degradation
18499	4/30/02	GW08247RG	2-BUTANONE	REAL	DL1	200	UG/L	U	V1	96	40	21900	Plume Degradation
18499	4/30/02	GW08247RG	2-HEXANONE	REAL	DL1	200	UG/L	U	V1	72	40		Plume Degradation
18499	4/30/02	GW08247RG	4-ISOPROPYLTOLUENE	REAL	DL1	40	UG/L	U	UJ1	13	40		Plume Degradation
18499	4/30/02	GW08247RG	4-METHYL-2-PENTANONE	REAL	DL1	200	UG/L	U	V1	72	40	2920	Plume Degradation
18499	4/30/02	GW08247RG	ACETONE	REAL	DL1	400	UG/L	U	V1	120	40	3650	Plume Degradation
18499	4/30/02	GW08247RG	BENZENE	REAL	DL1	40	UG/L	U	UJ1	11	40	5	Plume Degradation
18499	4/30/02	GW08247RG	BENZENE, 1,2,4-TRIMETHYL	REAL	DL1	40	UG/L	U	UJ1	12	40		Plume Degradation
18499	4/30/02	GW08247RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	DL1	40	UG/L	U	UJ1	12	40		Plume Degradation
18499	4/30/02	GW08247RG	BROMOBENZENE	REAL	DL1	40	UG/L	U	UJ1	13	40		Plume Degradation
18499	4/30/02	GW08247RG	BROMOCHLOROMETHANE	REAL	DL1	40	UG/L	U	V1	16	40		Plume Degradation
18499	4/30/02	GW08247RG	BROMODICHLOROMETHANE	REAL	DL1	40	UG/L	U	V1	14	40	100	Plume Degradation
18499	4/30/02	GW08247RG	BROMOFORM	REAL	DL1	40	UG/L	U	V1	18	40	100	Plume Degradation
18499	4/30/02	GW08247RG	BROMOMETHANE	REAL	DL1	40	UG/L	U	V1	11	40	51.1	Plume Degradation
18499	4/30/02	GW08247RG	CARBON DISULFIDE	REAL	DL1	40	UG/L	U	V1	27	40	3650	Plume Degradation
18499	4/30/02	GW08247RG	CARBON TETRACHLORIDE	REAL	RX1	22000	UG/L		V1	230	667	5	Plume Degradation
18499	4/30/02	GW08247RG	CHLOROBENZENE	REAL	DL1	40	UG/L	U	UJ1	9.6	40	100	Plume Degradation
18499	4/30/02	GW08247RG	CHLOROETHANE	REAL	DL1	40	UG/L	U	V1	10	40	29.4	Plume Degradation
18499	4/30/02	GW08247RG	CHLOROFORM	REAL	RX1	5100	UG/L		V1	190	667	100	Plume Degradation
18499	4/30/02	GW08247RG	CHLOROMETHANE	REAL	DL1	40	UG/L	U	V1	10	40	6.55	Plume Degradation
18499	4/30/02	GW08247RG	cis-1,2-DICHLOROETHENE	REAL	DL1	40	UG/L	U	V1	13	40	70	Plume Degradation
18499	4/30/02	GW08247RG	cis-1,3-DICHLOROPROPENE	REAL	DL1	40	UG/L	U	V1	12	40	0.473	Plume Degradation
18499	4/30/02	GW08247RG	DIBROMOCHLOROMETHANE	REAL	DL1	40	UG/L	U	V1	15	40	1.01	Plume Degradation
18499	4/30/02	GW08247RG	DIBROMOMETHANE	REAL	DL1	40	UG/L	U	V1	16	40		Plume Degradation
18499	4/30/02	GW08247RG	DICHLORODIFLUOROMETHANE	REAL	DL1	40	UG/L	U	V1	18	40		Plume Degradation
18499	4/30/02	GW08247RG	ETHYLBENZENE	REAL	DL1	40	UG/L	U	UJ1	20	40	700	Plume Degradation
18499	4/30/02	GW08247RG	HEXACHLOROBUTADIENE	REAL	DL1	40	UG/L	U	V1	15	40	1.09	Plume Degradation
18499	4/30/02	GW08247RG	HEXACHLOROETHANE	REAL	DL1	210	UG/L	J	V1		40	6.08	Plume Degradation
18499	4/30/02	GW08247RG	ISOPROPYLBENZENE	REAL	DL1	40	UG/L	U	UJ1	12	40		Plume Degradation
18499	4/30/02	GW08247RG	METHYLENE CHLORIDE	REAL	DL1	39	UG/L	J	V1	34	40	5	Plume Degradation
18499	4/30/02	GW08247RG	NAPHTHALENE	REAL	DL1	40	UG/L	U	UJ1	31	40	1460	Plume Degradation
18499	4/30/02	GW08247RG	n-BUTYLBENZENE	REAL	DL1	40	UG/L	U	UJ1	16	40		Plume Degradation
18499	4/30/02	GW08247RG	n-PROPYLBENZENE	REAL	DL1	40	UG/L	U	UJ1	13	40		Plume Degradation
18499	4/30/02	GW08247RG	o-CHLOROTOLUENE	REAL	DL1	40	UG/L	U	UJ1	9.2	40		Plume Degradation
18499	4/30/02	GW08247RG	p-CHLOROTOLUENE	REAL	DL1	40	UG/L	U	UJ1	10	40		Plume Degradation
18499	4/30/02	GW08247RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	DL1	40	UG/L	U	V1	20	40	0.2	Plume Degradation
18499	4/30/02	GW08247RG	sec-BUTYLBENZENE	REAL	DL1	40	UG/L	U	UJ1	14	40		Plume Degradation
18499	4/30/02	GW08247RG	STYRENE	REAL	DL1	40	UG/L	U	UJ1	11	40	100	Plume Degradation
18499	4/30/02	GW08247RG	tert-BUTYLBENZENE	REAL	DL1	40	UG/L	U	UJ1	12	40		Plume Degradation
18499	4/30/02	GW08247RG	TETRACHLOROETHENE	REAL	DL1	87	UG/L		V1	11	40	5	Plume Degradation
18499	4/30/02	GW08247RG	TOLUENE	REAL	DL1	40	UG/L	U	UJ1	10	40	1000	Plume Degradation
18499	4/30/02	GW08247RG	TOTAL XYLENES	REAL	DL1	40	UG/L	U	UJ1	29	40	10000	Plume Degradation
18499	4/30/02	GW08247RG	trans-1,2-DICHLOROETHENE	REAL	DL1	20	UG/L	U	V1	10	40	70	Plume Degradation
18499	4/30/02	GW08247RG	trans-1,3-DICHLOROPROPENE	REAL	DL1	40	UG/L	U	V1	14	40	0.473	Plume Degradation
18499	4/30/02	GW08247RG	TRICHLOROETHENE	REAL	DL1	40	UG/L	U	V1	9.6	40	5	Plume Degradation
18499	4/30/02	GW08247RG	TRICHLOROFLUOROMETHANE	REAL	DL1	40	UG/L	U	V1	17	40		Plume Degradation
18499	4/30/02	GW08247RG	UNKNOWN	REAL	DL1	65	UG/L	J	V1		40		Plume Degradation
18499	4/30/02	GW08247RG	VINYL CHLORIDE	REAL	DL1	40	UG/L	U	V1	10	40	2	Plume Degradation
18499	4/30/02	GW08248RG	1,1,1,2-TETRACHLOROETHANE	DUP	DL1	40	UG/L	U	V1	11	40		Plume Degradation
18499	4/30/02	GW08248RG	1,1,1-TRICHLOROETHANE	DUP	DL1	40	UG/L	U	V1	13	40	200	Plume Degradation

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
18499	4/30/02	GW08248RG	1,1,2,2-TETRACHLOROETHANE	DUP	DL1	40	UG/L	U	V1	20	40	0.426	Plume Degradation
18499	4/30/02	GW08248RG	1,1,2-TRICHLOROETHANE	DUP	DL1	40	UG/L	U	V1	16	40	5	Plume Degradation
18499	4/30/02	GW08248RG	1,1,2-TRICHLOROTRIFLUOROETHANE	DUP	DL1	40	UG/L	U	V1	22	40		Plume Degradation
18499	4/30/02	GW08248RG	1,1-DICHLOROETHANE	DUP	DL1	40	UG/L	U	V1	12	40	3650	Plume Degradation
18499	4/30/02	GW08248RG	1,1-DICHLOROETHENE	DUP	DL1	40	UG/L	U	V1	12	40	7	Plume Degradation
18499	4/30/02	GW08248RG	1,1-DICHLOROPROPENE	DUP	DL1	40	UG/L	U	V1	12	40		Plume Degradation
18499	4/30/02	GW08248RG	1,2,3-TRICHLOROBENZENE	DUP	DL1	40	UG/L	U	UJ1	25	40		Plume Degradation
18499	4/30/02	GW08248RG	1,2,3-TRICHLOROPROPANE	DUP	DL1	40	UG/L	U	V1	30	40		Plume Degradation
18499	4/30/02	GW08248RG	1,2,4-TRICHLOROBENZENE	DUP	DL1	40	UG/L	U	UJ1	25	40	70	Plume Degradation
18499	4/30/02	GW08248RG	1,2-DIBROMOETHANE	DUP	DL1	40	UG/L	U	V1	18	40		Plume Degradation
18499	4/30/02	GW08248RG	1,2-DICHLOROBENZENE	DUP	DL1	40	UG/L	U	UJ1	12	40	600	Plume Degradation
18499	4/30/02	GW08248RG	1,2-DICHLOROETHANE	DUP	DL1	40	UG/L	U	V1	17	40	5	Plume Degradation
18499	4/30/02	GW08248RG	1,2-DICHLOROPROPANE	DUP	DL1	40	UG/L	U	V1	15	40	5	Plume Degradation
18499	4/30/02	GW08248RG	1,3-DICHLOROBENZENE	DUP	DL1	40	UG/L	U	UJ1	12	40	600	Plume Degradation
18499	4/30/02	GW08248RG	1,3-DICHLOROPROPANE	DUP	DL1	40	UG/L	U	V1	15	40		Plume Degradation
18499	4/30/02	GW08248RG	1,4-DICHLOROBENZENE	DUP	DL1	40	UG/L	U	UJ1	12	40	75	Plume Degradation
18499	4/30/02	GW08248RG	2,2-DICHLOROPROPANE	DUP	DL1	40	UG/L	U	V1	15	40		Plume Degradation
18499	4/30/02	GW08248RG	2-BUTANONE	DUP	DL1	200	UG/L	U	V1	96	40	21900	Plume Degradation
18499	4/30/02	GW08248RG	2-HEXANONE	DUP	DL1	200	UG/L	U	V1	72	40		Plume Degradation
18499	4/30/02	GW08248RG	4-ISOPROPYLTOLUENE	DUP	DL1	40	UG/L	U	UJ1	13	40		Plume Degradation
18499	4/30/02	GW08248RG	4-METHYL-2-PENTANONE	DUP	DL1	200	UG/L	U	V1	72	40	2920	Plume Degradation
18499	4/30/02	GW08248RG	ACETONE	DUP	DL1	400	UG/L	U	V1	120	40	3650	Plume Degradation
18499	4/30/02	GW08248RG	BENZENE	DUP	DL1	40	UG/L	U	UJ1	11	40	5	Plume Degradation
18499	4/30/02	GW08248RG	BENZENE, 1,2,4-TRIMETHYL	DUP	DL1	40	UG/L	U	UJ1	12	40		Plume Degradation
18499	4/30/02	GW08248RG	BENZENE, 1,3,5-TRIMETHYL-	DUP	DL1	40	UG/L	U	UJ1	12	40		Plume Degradation
18499	4/30/02	GW08248RG	BROMOBENZENE	DUP	DL1	40	UG/L	U	UJ1	13	40		Plume Degradation
18499	4/30/02	GW08248RG	BROMOCHLOROMETHANE	DUP	DL1	40	UG/L	U	V1	16	40		Plume Degradation
18499	4/30/02	GW08248RG	BROMODICHLOROMETHANE	DUP	DL1	40	UG/L	U	V1	14	40	100	Plume Degradation
18499	4/30/02	GW08248RG	BROMOFORM	DUP	DL1	40	UG/L	U	V1	18	40	100	Plume Degradation
18499	4/30/02	GW08248RG	BROMOMETHANE	DUP	DL1	40	UG/L	U	V1	11	40	51.1	Plume Degradation
18499	4/30/02	GW08248RG	CARBON DISULFIDE	DUP	DL1	40	UG/L	U	V1	27	40	3650	Plume Degradation
18499	4/30/02	GW08248RG	CARBON TETRACHLORIDE	DUP	RX1	22000	UG/L		V1	230	667	5	Plume Degradation
18499	4/30/02	GW08248RG	CHLOROBENZENE	DUP	DL1	40	UG/L	U	UJ1	9.6	40	100	Plume Degradation
18499	4/30/02	GW08248RG	CHLOROETHANE	DUP	DL1	40	UG/L	U	V1	10	40	29.4	Plume Degradation
18499	4/30/02	GW08248RG	CHLOROFORM	DUP	RX1	4900	UG/L		V1	190	667	100	Plume Degradation
18499	4/30/02	GW08248RG	CHLOROMETHANE	DUP	DL1	40	UG/L	U	V1	10	40	6.55	Plume Degradation
18499	4/30/02	GW08248RG	cis-1,2-DICHLOROETHENE	DUP	DL1	40	UG/L	U	V1	13	40	70	Plume Degradation
18499	4/30/02	GW08248RG	cis-1,3-DICHLOROPROPENE	DUP	DL1	40	UG/L	U	V1	12	40	0.473	Plume Degradation
18499	4/30/02	GW08248RG	DIBROMOCHLOROMETHANE	DUP	DL1	40	UG/L	U	V1	15	40	1.01	Plume Degradation
18499	4/30/02	GW08248RG	DIBROMOMETHANE	DUP	DL1	40	UG/L	U	V1	16	40		Plume Degradation
18499	4/30/02	GW08248RG	DICHLORODIFLUOROMETHANE	DUP	DL1	40	UG/L	U	V1	18	40		Plume Degradation
18499	4/30/02	GW08248RG	ETHYLBENZENE	DUP	DL1	40	UG/L	U	UJ1	20	40	700	Plume Degradation
18499	4/30/02	GW08248RG	HEXACHLOROBUTADIENE	DUP	DL1	40	UG/L	U	V1	15	40	1.09	Plume Degradation
18499	4/30/02	GW08248RG	HEXACHLOROETHANE	DUP	DL1	180	UG/L	J	V1		40	6.08	Plume Degradation
18499	4/30/02	GW08248RG	ISOPROPYLBENZENE	DUP	DL1	40	UG/L	U	UJ1	12	40		Plume Degradation
18499	4/30/02	GW08248RG	METHYLENE CHLORIDE	DUP	DL1	38	UG/L	J	V1	34	40	5	Plume Degradation
18499	4/30/02	GW08248RG	NAPHTHALENE	DUP	DL1	40	UG/L	U	UJ1	31	40	1460	Plume Degradation
18499	4/30/02	GW08248RG	n-BUTYLBENZENE	DUP	DL1	40	UG/L	U	UJ1	16	40		Plume Degradation
18499	4/30/02	GW08248RG	n-PROPYLBENZENE	DUP	DL1	40	UG/L	U	UJ1	13	40		Plume Degradation
18499	4/30/02	GW08248RG	o-CHLOROTOLUENE	DUP	DL1	40	UG/L	U	UJ1	9.2	40		Plume Degradation
18499	4/30/02	GW08248RG	p-CHLOROTOLUENE	DUP	DL1	40	UG/L	U	UJ1	10	40		Plume Degradation
18499	4/30/02	GW08248RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	DUP	DL1	40	UG/L	U	V1	20	40	0.2	Plume Degradation
18499	4/30/02	GW08248RG	sec-BUTYLBENZENE	DUP	DL1	40	UG/L	U	UJ1	14	40		Plume Degradation
18499	4/30/02	GW08248RG	STYRENE	DUP	DL1	40	UG/L	U	UJ1	11	40	100	Plume Degradation
18499	4/30/02	GW08248RG	tert-BUTYLBENZENE	DUP	DL1	40	UG/L	U	UJ1	12	40		Plume Degradation
18499	4/30/02	GW08248RG	TETRACHLOROETHENE	DUP	DL1	82	UG/L		V1	11	40	5	Plume Degradation
18499	4/30/02	GW08248RG	TOLUENE	DUP	DL1	40	UG/L	U	UJ1	10	40	1000	Plume Degradation

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
18499	4/30/02	GW08248RG	TOTAL XYLENES	DUP	DL1	40	UG/L	U	UJ1	29	40	10000	Plume Degradation
18499	4/30/02	GW08248RG	trans-1,2-DICHLOROETHENE	DUP	DL1	20	UG/L	U	V1	10	40	70	Plume Degradation
18499	4/30/02	GW08248RG	trans-1,3-DICHLOROPROPENE	DUP	DL1	40	UG/L	U	V1	14	40	0.473	Plume Degradation
18499	4/30/02	GW08248RG	TRICHLOROETHENE	DUP	DL1	40	UG/L	U	V1	9.6	40	5	Plume Degradation
18499	4/30/02	GW08248RG	TRICHLOROFLUOROMETHANE	DUP	DL1	40	UG/L	U	V1	17	40		Plume Degradation
18499	4/30/02	GW08248RG	UNKNOWN	DUP	DL1	160	UG/L	J	V1		40		Plume Degradation
18499	4/30/02	GW08248RG	VINYL CHLORIDE	DUP	DL1	40	UG/L	U	V1	10	40	2	Plume Degradation
18799	6/18/02	GW08249RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1		Plume Degradation
18799	6/18/02	GW08249RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.32	1	200	Plume Degradation
18799	6/18/02	GW08249RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.5	1	0.426	Plume Degradation
18799	6/18/02	GW08249RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.41	1	5	Plume Degradation
18799	6/18/02	GW08249RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.56	1		Plume Degradation
18799	6/18/02	GW08249RG	1,1-DICHLOROETHANE	REAL	TR1	0.89	UG/L	J	V1	0.29	1	3650	Plume Degradation
18799	6/18/02	GW08249RG	1,1-DICHLOROETHENE	REAL	TR1	11	UG/L		V1	0.31	1	7	Plume Degradation
18799	6/18/02	GW08249RG	1,1-DICHLOROETHENE	REAL	RX1	20	UG/L	U	1	6.2	20	7	Plume Degradation
18799	6/18/02	GW08249RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.29	1		Plume Degradation
18799	6/18/02	GW08249RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.62	1		Plume Degradation
18799	6/18/02	GW08249RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.76	1		Plume Degradation
18799	6/18/02	GW08249RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.63	1	70	Plume Degradation
18799	6/18/02	GW08249RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		Plume Degradation
18799	6/18/02	GW08249RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	600	Plume Degradation
18799	6/18/02	GW08249RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.43	1	5	Plume Degradation
18799	6/18/02	GW08249RG	1,2-DICHLOROETHANE	REAL	RX1	20	UG/L	U	1	8.6	20	5	Plume Degradation
18799	6/18/02	GW08249RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	Plume Degradation
18799	6/18/02	GW08249RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	600	Plume Degradation
18799	6/18/02	GW08249RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.37	1		Plume Degradation
18799	6/18/02	GW08249RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1	75	Plume Degradation
18799	6/18/02	GW08249RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.37	1		Plume Degradation
18799	6/18/02	GW08249RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V1	2.4	1	21900	Plume Degradation
18799	6/18/02	GW08249RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	1.8	1		Plume Degradation
18799	6/18/02	GW08249RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.32	1		Plume Degradation
18799	6/18/02	GW08249RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	1.8	1	2920	Plume Degradation
18799	6/18/02	GW08249RG	ACETONE	REAL	TR1	10	UG/L	U	V1	2.9	1	3650	Plume Degradation
18799	6/18/02	GW08249RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.27	1	5	Plume Degradation
18799	6/18/02	GW08249RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.3	1		Plume Degradation
18799	6/18/02	GW08249RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.31	1		Plume Degradation
18799	6/18/02	GW08249RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.32	1		Plume Degradation
18799	6/18/02	GW08249RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1		Plume Degradation
18799	6/18/02	GW08249RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.35	1	100	Plume Degradation
18799	6/18/02	GW08249RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.46	1	100	Plume Degradation
18799	6/18/02	GW08249RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.28	1	51.1	Plume Degradation
18799	6/18/02	GW08249RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.67	1	3650	Plume Degradation
18799	6/18/02	GW08249RG	CARBON TETRACHLORIDE	REAL	RX1	630	UG/L		V1	7	20	5	Plume Degradation
18799	6/18/02	GW08249RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	100	Plume Degradation
18799	6/18/02	GW08249RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	29.4	Plume Degradation
18799	6/18/02	GW08249RG	CHLOROFORM	REAL	RX1	630	UG/L		V1	5.8	20	100	Plume Degradation
18799	6/18/02	GW08249RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	Plume Degradation
18799	6/18/02	GW08249RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.33	1	70	Plume Degradation
18799	6/18/02	GW08249RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.473	Plume Degradation
18799	6/18/02	GW08249RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.37	1	1.01	Plume Degradation
18799	6/18/02	GW08249RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.4	1		Plume Degradation
18799	6/18/02	GW08249RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1		Plume Degradation
18799	6/18/02	GW08249RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.51	1	700	Plume Degradation
18799	6/18/02	GW08249RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	UJ1	0.37	1	1.09	Plume Degradation
18799	6/18/02	GW08249RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1		Plume Degradation
18799	6/18/02	GW08249RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.86	1	5	Plume Degradation
18799	6/18/02	GW08249RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1	1460	Plume Degradation

233

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
18799	6/18/02	GW08249RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.41	1		Plume Degradation
18799	6/18/02	GW08249RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.33	1		Plume Degradation
18799	6/18/02	GW08249RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		Plume Degradation
18799	6/18/02	GW08249RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		Plume Degradation
18799	6/18/02	GW08249RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.49	1	0.2	Plume Degradation
18799	6/18/02	GW08249RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.34	1		Plume Degradation
18799	6/18/02	GW08249RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.28	1	100	Plume Degradation
18799	6/18/02	GW08249RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1		Plume Degradation
18799	6/18/02	GW08249RG	TETRACHLOROETHENE	REAL	TR1	15	UG/L		V1	0.27	1	5	Plume Degradation
18799	6/18/02	GW08249RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	1000	Plume Degradation
18799	6/18/02	GW08249RG	TOLUENE	REAL	RX1	20	UG/L	U	1	5.2	20	1000	Plume Degradation
18799	6/18/02	GW08249RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.73	1	10000	Plume Degradation
18799	6/18/02	GW08249RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.25	1	70	Plume Degradation
18799	6/18/02	GW08249RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.36	1	0.473	Plume Degradation
18799	6/18/02	GW08249RG	TRICHLOROETHENE	REAL	TR1	0.87	UG/L	J	V1	0.24	1	5	Plume Degradation
18799	6/18/02	GW08249RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.43	1		Plume Degradation
18799	6/18/02	GW08249RG	UNKNOWN	REAL	TR1	10	UG/L	J	V1		1		Plume Degradation
18799	6/18/02	GW08249RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.26	1	2	Plume Degradation
1986	5/20/02	GW08190RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Plume Extent
1986	5/20/02	GW08190RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	Plume Extent
1986	5/20/02	GW08190RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	Plume Extent
1986	5/20/02	GW08190RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	Plume Extent
1986	5/20/02	GW08190RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		Plume Extent
1986	5/20/02	GW08190RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	Plume Extent
1986	5/20/02	GW08190RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	Plume Extent
1986	5/20/02	GW08190RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		Plume Extent
1986	5/20/02	GW08190RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		Plume Extent
1986	5/20/02	GW08190RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		Plume Extent
1986	5/20/02	GW08190RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	Plume Extent
1986	5/20/02	GW08190RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Plume Extent
1986	5/20/02	GW08190RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	Plume Extent
1986	5/20/02	GW08190RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	Plume Extent
1986	5/20/02	GW08190RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	Plume Extent
1986	5/20/02	GW08190RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	Plume Extent
1986	5/20/02	GW08190RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		Plume Extent
1986	5/20/02	GW08190RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	Plume Extent
1986	5/20/02	GW08190RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		Plume Extent
1986	5/20/02	GW08190RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	Plume Extent
1986	5/20/02	GW08190RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		Plume Extent
1986	5/20/02	GW08190RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		Plume Extent
1986	5/20/02	GW08190RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	Plume Extent
1986	5/20/02	GW08190RG	ACETONE	REAL	TR1	10	UG/L	U	V1	3.4	1	3650	Plume Extent
1986	5/20/02	GW08190RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	Plume Extent
1986	5/20/02	GW08190RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		Plume Extent
1986	5/20/02	GW08190RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		Plume Extent
1986	5/20/02	GW08190RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		Plume Extent
1986	5/20/02	GW08190RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		Plume Extent
1986	5/20/02	GW08190RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	Plume Extent
1986	5/20/02	GW08190RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	Plume Extent
1986	5/20/02	GW08190RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	Plume Extent
1986	5/20/02	GW08190RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	Plume Extent
1986	5/20/02	GW08190RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	Plume Extent
1986	5/20/02	GW08190RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	Plume Extent
1986	5/20/02	GW08190RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	Plume Extent
1986	5/20/02	GW08190RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.21	1	100	Plume Extent
1986	5/20/02	GW08190RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	Plume Extent
1986	5/20/02	GW08190RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
1986	5/20/02	GW08190RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	Plume Extent
1986	5/20/02	GW08190RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	Plume Extent
1986	5/20/02	GW08190RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		Plume Extent
1986	5/20/02	GW08190RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		Plume Extent
1986	5/20/02	GW08190RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	Plume Extent
1986	5/20/02	GW08190RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	Plume Extent
1986	5/20/02	GW08190RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		Plume Extent
1986	5/20/02	GW08190RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	Plume Extent
1986	5/20/02	GW08190RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	Plume Extent
1986	5/20/02	GW08190RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		Plume Extent
1986	5/20/02	GW08190RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		Plume Extent
1986	5/20/02	GW08190RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		Plume Extent
1986	5/20/02	GW08190RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		Plume Extent
1986	5/20/02	GW08190RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	Plume Extent
1986	5/20/02	GW08190RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		Plume Extent
1986	5/20/02	GW08190RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	Plume Extent
1986	5/20/02	GW08190RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		Plume Extent
1986	5/20/02	GW08190RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	Plume Extent
1986	5/20/02	GW08190RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	Plume Extent
1986	5/20/02	GW08190RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	Plume Extent
1986	5/20/02	GW08190RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	Plume Extent
1986	5/20/02	GW08190RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	Plume Extent
1986	5/20/02	GW08190RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.23	1	5	Plume Extent
1986	5/20/02	GW08190RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Plume Extent
1986	5/20/02	GW08190RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	Plume Extent
21098	5/1/02	GW08250RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1		Plume Extent
21098	5/1/02	GW08250RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.32	1	200	Plume Extent
21098	5/1/02	GW08250RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.5	1	0.426	Plume Extent
21098	5/1/02	GW08250RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.41	1	5	Plume Extent
21098	5/1/02	GW08250RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.56	1		Plume Extent
21098	5/1/02	GW08250RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.29	1	3650	Plume Extent
21098	5/1/02	GW08250RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.31	1	7	Plume Extent
21098	5/1/02	GW08250RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.29	1		Plume Extent
21098	5/1/02	GW08250RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.62	1		Plume Extent
21098	5/1/02	GW08250RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.76	1		Plume Extent
21098	5/1/02	GW08250RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.63	1	70	Plume Extent
21098	5/1/02	GW08250RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		Plume Extent
21098	5/1/02	GW08250RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.3	1	600	Plume Extent
21098	5/1/02	GW08250RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.43	1	5	Plume Extent
21098	5/1/02	GW08250RG	1,2-DICHLOROPROPANE	REAL	TR1	0.43	UG/L	J	V1	0.38	1	5	Plume Extent
21098	5/1/02	GW08250RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.3	1	600	Plume Extent
21098	5/1/02	GW08250RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.37	1		Plume Extent
21098	5/1/02	GW08250RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.31	1	75	Plume Extent
21098	5/1/02	GW08250RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.37	1		Plume Extent
21098	5/1/02	GW08250RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V1	2.4	1	21900	Plume Extent
21098	5/1/02	GW08250RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	1.8	1		Plume Extent
21098	5/1/02	GW08250RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V1	0.32	1		Plume Extent
21098	5/1/02	GW08250RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	1.8	1	2920	Plume Extent
21098	5/1/02	GW08250RG	ACETONE	REAL	TR1	10	UG/L	U	V1	2.9	1	3650	Plume Extent
21098	5/1/02	GW08250RG	BENZENE	REAL	TR1	1	UG/L	U	V1	0.27	1	5	Plume Extent
21098	5/1/02	GW08250RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V1	0.3	1		Plume Extent
21098	5/1/02	GW08250RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V1	0.31	1		Plume Extent
21098	5/1/02	GW08250RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V1	0.32	1		Plume Extent
21098	5/1/02	GW08250RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1		Plume Extent
21098	5/1/02	GW08250RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.35	1	100	Plume Extent
21098	5/1/02	GW08250RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.46	1	100	Plume Extent
21098	5/1/02	GW08250RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	51.1	Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
21098	5/1/02	GW08250RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.67	1	3650	Plume Extent
21098	5/1/02	GW08250RG	CARBON TETRACHLORIDE	REAL	RX1	660	UG/L		V1	7	20	5	Plume Extent
21098	5/1/02	GW08250RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1	100	Plume Extent
21098	5/1/02	GW08250RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	29.4	Plume Extent
21098	5/1/02	GW08250RG	CHLOROFORM	REAL	RX1	170	UG/L		V1	5.8	20	100	Plume Extent
21098	5/1/02	GW08250RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	Plume Extent
21098	5/1/02	GW08250RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.33	1	70	Plume Extent
21098	5/1/02	GW08250RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.473	Plume Extent
21098	5/1/02	GW08250RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.37	1	1.01	Plume Extent
21098	5/1/02	GW08250RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.4	1		Plume Extent
21098	5/1/02	GW08250RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1		Plume Extent
21098	5/1/02	GW08250RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.51	1	700	Plume Extent
21098	5/1/02	GW08250RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.37	1	1.09	Plume Extent
21098	5/1/02	GW08250RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.3	1		Plume Extent
21098	5/1/02	GW08250RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.86	1	5	Plume Extent
21098	5/1/02	GW08250RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V1	0.78	1	1460	Plume Extent
21098	5/1/02	GW08250RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.41	1		Plume Extent
21098	5/1/02	GW08250RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.33	1		Plume Extent
21098	5/1/02	GW08250RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.23	1		Plume Extent
21098	5/1/02	GW08250RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.26	1		Plume Extent
21098	5/1/02	GW08250RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.49	1	0.2	Plume Extent
21098	5/1/02	GW08250RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.34	1		Plume Extent
21098	5/1/02	GW08250RG	STYRENE	REAL	TR1	1	UG/L	U	V1	0.28	1	100	Plume Extent
21098	5/1/02	GW08250RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.29	1		Plume Extent
21098	5/1/02	GW08250RG	TETRACHLOROETHENE	REAL	TR1	2	UG/L		V1	0.27	1	5	Plume Extent
21098	5/1/02	GW08250RG	TOLUENE	REAL	TR1	1	UG/L	U	V1	0.26	1	1000	Plume Extent
21098	5/1/02	GW08250RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	V1	0.73	1	10000	Plume Extent
21098	5/1/02	GW08250RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.25	1	70	Plume Extent
21098	5/1/02	GW08250RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.36	1	0.473	Plume Extent
21098	5/1/02	GW08250RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.24	1	5	Plume Extent
21098	5/1/02	GW08250RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.43	1		Plume Extent
21098	5/1/02	GW08250RG	UNKNOWN	REAL	TR1	1.3	UG/L	J	V1		1		Plume Extent
21098	5/1/02	GW08250RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.26	1	2	Plume Extent
21098	5/1/02	GW08251RG	1,1,1,2-TETRACHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.28	1		Plume Extent
21098	5/1/02	GW08251RG	1,1,1-TRICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.32	1	200	Plume Extent
21098	5/1/02	GW08251RG	1,1,2,2-TETRACHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.5	1	0.426	Plume Extent
21098	5/1/02	GW08251RG	1,1,2-TRICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.41	1	5	Plume Extent
21098	5/1/02	GW08251RG	1,1,2-TRICHLOROTRIFLUOROETHANE	RNS	TR1	1	UG/L	U	V1	0.56	1		Plume Extent
21098	5/1/02	GW08251RG	1,1-DICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.29	1	3650	Plume Extent
21098	5/1/02	GW08251RG	1,1-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	0.31	1	7	Plume Extent
21098	5/1/02	GW08251RG	1,1-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V1	0.29	1		Plume Extent
21098	5/1/02	GW08251RG	1,2,3-TRICHLOROBENZENE	RNS	TR1	1	UG/L	U	V1	0.62	1		Plume Extent
21098	5/1/02	GW08251RG	1,2,3-TRICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	0.76	1		Plume Extent
21098	5/1/02	GW08251RG	1,2,4-TRICHLOROBENZENE	RNS	TR1	1	UG/L	U	V1	0.63	1	70	Plume Extent
21098	5/1/02	GW08251RG	1,2-DIBROMOETHANE	RNS	TR1	1	UG/L	U	V1	0.46	1		Plume Extent
21098	5/1/02	GW08251RG	1,2-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	V1	0.3	1	600	Plume Extent
21098	5/1/02	GW08251RG	1,2-DICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.43	1	5	Plume Extent
21098	5/1/02	GW08251RG	1,2-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	0.38	1	5	Plume Extent
21098	5/1/02	GW08251RG	1,3-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	V1	0.3	1	600	Plume Extent
21098	5/1/02	GW08251RG	1,3-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	0.37	1		Plume Extent
21098	5/1/02	GW08251RG	1,4-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	V1	0.31	1	75	Plume Extent
21098	5/1/02	GW08251RG	2,2-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	0.37	1		Plume Extent
21098	5/1/02	GW08251RG	2-BUTANONE	RNS	TR1	5	UG/L	U	V1	2.4	1	21900	Plume Extent
21098	5/1/02	GW08251RG	2-HEXANONE	RNS	TR1	5	UG/L	U	V1	1.8	1		Plume Extent
21098	5/1/02	GW08251RG	4-ISOPROPYLTOLUENE	RNS	TR1	1	UG/L	U	V1	0.32	1		Plume Extent
21098	5/1/02	GW08251RG	4-METHYL-2-PENTANONE	RNS	TR1	5	UG/L	U	V1	1.8	1	2920	Plume Extent
21098	5/1/02	GW08251RG	ACETONE	RNS	TR1	3.2	UG/L	J	V1	2.9	1	3650	Plume Extent

236

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
21098	5/1/02	GW08251RG	BENZENE	RNS	TR1	1	UG/L	U	V1	0.27	1	5	Plume Extent
21098	5/1/02	GW08251RG	BENZENE, 1,2,4-TRIMETHYL	RNS	TR1	1	UG/L	U	V1	0.3	1		Plume Extent
21098	5/1/02	GW08251RG	BENZENE, 1,3,5-TRIMETHYL-	RNS	TR1	1	UG/L	U	V1	0.31	1		Plume Extent
21098	5/1/02	GW08251RG	BROMOBENZENE	RNS	TR1	1	UG/L	U	V1	0.32	1		Plume Extent
21098	5/1/02	GW08251RG	BROMOCHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.39	1		Plume Extent
21098	5/1/02	GW08251RG	BROMODICHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.35	1	100	Plume Extent
21098	5/1/02	GW08251RG	BROMOFORM	RNS	TR1	1	UG/L	U	V1	0.46	1	100	Plume Extent
21098	5/1/02	GW08251RG	BROMOMETHANE	RNS	TR1	1	UG/L	U	V1	0.28	1	51.1	Plume Extent
21098	5/1/02	GW08251RG	CARBON DISULFIDE	RNS	TR1	1	UG/L	U	V1	0.67	1	3650	Plume Extent
21098	5/1/02	GW08251RG	CARBON TETRACHLORIDE	RNS	TR1	0.68	UG/L	J	V1	0.35	1	5	Plume Extent
21098	5/1/02	GW08251RG	CHLOROBENZENE	RNS	TR1	1	UG/L	U	V1	0.24	1	100	Plume Extent
21098	5/1/02	GW08251RG	CHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.26	1	29.4	Plume Extent
21098	5/1/02	GW08251RG	CHLOROFORM	RNS	TR1	0.32	UG/L	J	V1	0.29	1	100	Plume Extent
21098	5/1/02	GW08251RG	CHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.26	1	6.55	Plume Extent
21098	5/1/02	GW08251RG	cis-1,2-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	0.33	1	70	Plume Extent
21098	5/1/02	GW08251RG	cis-1,3-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V1	0.31	1	0.473	Plume Extent
21098	5/1/02	GW08251RG	DIBROMOCHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.37	1	1.01	Plume Extent
21098	5/1/02	GW08251RG	DIBROMOMETHANE	RNS	TR1	1	UG/L	U	V1	0.4	1		Plume Extent
21098	5/1/02	GW08251RG	DICHLORODIFLUOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.44	1		Plume Extent
21098	5/1/02	GW08251RG	ETHYLBENZENE	RNS	TR1	1	UG/L	U	V1	0.51	1	700	Plume Extent
21098	5/1/02	GW08251RG	HEXACHLOROBUTADIENE	RNS	TR1	1	UG/L	U	V1	0.37	1	1.09	Plume Extent
21098	5/1/02	GW08251RG	ISOPROPYLBENZENE	RNS	TR1	1	UG/L	U	V1	0.3	1		Plume Extent
21098	5/1/02	GW08251RG	METHYLENE CHLORIDE	RNS	TR1	1	UG/L	U	V1	0.86	1	5	Plume Extent
21098	5/1/02	GW08251RG	NAPHTHALENE	RNS	TR1	1	UG/L	U	V1	0.78	1	1460	Plume Extent
21098	5/1/02	GW08251RG	n-BUTYLBENZENE	RNS	TR1	1	UG/L	U	V1	0.41	1		Plume Extent
21098	5/1/02	GW08251RG	n-PROPYLBENZENE	RNS	TR1	1	UG/L	U	V1	0.33	1		Plume Extent
21098	5/1/02	GW08251RG	o-CHLOROTOLUENE	RNS	TR1	1	UG/L	U	V1	0.23	1		Plume Extent
21098	5/1/02	GW08251RG	p-CHLOROTOLUENE	RNS	TR1	1	UG/L	U	V1	0.26	1		Plume Extent
21098	5/1/02	GW08251RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	RNS	TR1	1	UG/L	U	V1	0.49	1	0.2	Plume Extent
21098	5/1/02	GW08251RG	sec-BUTYLBENZENE	RNS	TR1	1	UG/L	U	V1	0.34	1		Plume Extent
21098	5/1/02	GW08251RG	STYRENE	RNS	TR1	1	UG/L	U	V1	0.28	1	100	Plume Extent
21098	5/1/02	GW08251RG	tert-BUTYLBENZENE	RNS	TR1	1	UG/L	U	V1	0.29	1		Plume Extent
21098	5/1/02	GW08251RG	TETRACHLOROETHENE	RNS	TR1	1	UG/L	U	V1	0.27	1	5	Plume Extent
21098	5/1/02	GW08251RG	TOLUENE	RNS	TR1	1	UG/L	U	V1	0.26	1	1000	Plume Extent
21098	5/1/02	GW08251RG	TOTAL XYLENES	RNS	TR1	1	UG/L	U	V1	0.73	1	10000	Plume Extent
21098	5/1/02	GW08251RG	trans-1,2-DICHLOROETHENE	RNS	TR1	0.5	UG/L	U	V1	0.25	1	70	Plume Extent
21098	5/1/02	GW08251RG	trans-1,3-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V1	0.36	1	0.473	Plume Extent
21098	5/1/02	GW08251RG	TRICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	0.24	1	5	Plume Extent
21098	5/1/02	GW08251RG	TRICHLOROFLUOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.43	1		Plume Extent
21098	5/1/02	GW08251RG	UNKNOWN	RNS	TR1	3.8	UG/L	J	V1		1		Plume Extent
21098	5/1/02	GW08251RG	VINYL CHLORIDE	RNS	TR1	1	UG/L	U	V1	0.26	1	2	Plume Extent
2186	6/17/02	GW08191RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1		Plume Extent
2186	6/17/02	GW08191RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.32	1	200	Plume Extent
2186	6/17/02	GW08191RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.5	1	0.426	Plume Extent
2186	6/17/02	GW08191RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.41	1	5	Plume Extent
2186	6/17/02	GW08191RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.56	1		Plume Extent
2186	6/17/02	GW08191RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.29	1	3650	Plume Extent
2186	6/17/02	GW08191RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.31	1	7	Plume Extent
2186	6/17/02	GW08191RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.29	1		Plume Extent
2186	6/17/02	GW08191RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.62	1		Plume Extent
2186	6/17/02	GW08191RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.76	1		Plume Extent
2186	6/17/02	GW08191RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.63	1	70	Plume Extent
2186	6/17/02	GW08191RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		Plume Extent
2186	6/17/02	GW08191RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	600	Plume Extent
2186	6/17/02	GW08191RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.43	1	5	Plume Extent
2186	6/17/02	GW08191RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	Plume Extent
2186	6/17/02	GW08191RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	600	Plume Extent

237

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
2186	6/17/02	GW08191RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.37	1		Plume Extent
2186	6/17/02	GW08191RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1	75	Plume Extent
2186	6/17/02	GW08191RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.37	1		Plume Extent
2186	6/17/02	GW08191RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V1	2.4	1	21900	Plume Extent
2186	6/17/02	GW08191RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	1.8	1		Plume Extent
2186	6/17/02	GW08191RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.32	1		Plume Extent
2186	6/17/02	GW08191RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	1.8	1	2920	Plume Extent
2186	6/17/02	GW08191RG	ACETONE	REAL	TR1	10	UG/L	U	V1	2.9	1	3650	Plume Extent
2186	6/17/02	GW08191RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.27	1	5	Plume Extent
2186	6/17/02	GW08191RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.3	1		Plume Extent
2186	6/17/02	GW08191RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.31	1		Plume Extent
2186	6/17/02	GW08191RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.32	1		Plume Extent
2186	6/17/02	GW08191RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1		Plume Extent
2186	6/17/02	GW08191RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.35	1	100	Plume Extent
2186	6/17/02	GW08191RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.46	1	100	Plume Extent
2186	6/17/02	GW08191RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.28	1	51.1	Plume Extent
2186	6/17/02	GW08191RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.67	1	3650	Plume Extent
2186	6/17/02	GW08191RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	5	Plume Extent
2186	6/17/02	GW08191RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	100	Plume Extent
2186	6/17/02	GW08191RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	29.4	Plume Extent
2186	6/17/02	GW08191RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.29	1	100	Plume Extent
2186	6/17/02	GW08191RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	Plume Extent
2186	6/17/02	GW08191RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.33	1	70	Plume Extent
2186	6/17/02	GW08191RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.473	Plume Extent
2186	6/17/02	GW08191RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.37	1	1.01	Plume Extent
2186	6/17/02	GW08191RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.4	1		Plume Extent
2186	6/17/02	GW08191RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1		Plume Extent
2186	6/17/02	GW08191RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.51	1	700	Plume Extent
2186	6/17/02	GW08191RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	UJ1	0.37	1	1.09	Plume Extent
2186	6/17/02	GW08191RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1		Plume Extent
2186	6/17/02	GW08191RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.86	1	5	Plume Extent
2186	6/17/02	GW08191RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1	1460	Plume Extent
2186	6/17/02	GW08191RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.41	1		Plume Extent
2186	6/17/02	GW08191RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.33	1		Plume Extent
2186	6/17/02	GW08191RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		Plume Extent
2186	6/17/02	GW08191RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		Plume Extent
2186	6/17/02	GW08191RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.49	1	0.2	Plume Extent
2186	6/17/02	GW08191RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.34	1		Plume Extent
2186	6/17/02	GW08191RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.28	1	100	Plume Extent
2186	6/17/02	GW08191RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1		Plume Extent
2186	6/17/02	GW08191RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.27	1	5	Plume Extent
2186	6/17/02	GW08191RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	1000	Plume Extent
2186	6/17/02	GW08191RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.73	1	10000	Plume Extent
2186	6/17/02	GW08191RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.25	1	70	Plume Extent
2186	6/17/02	GW08191RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.36	1	0.473	Plume Extent
2186	6/17/02	GW08191RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.24	1	5	Plume Extent
2186	6/17/02	GW08191RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.43	1		Plume Extent
2186	6/17/02	GW08191RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.26	1	2	Plume Extent
22796	5/21/02	GW08198RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Plume Extent
22796	5/21/02	GW08198RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	Plume Extent
22796	5/21/02	GW08198RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	Plume Extent
22796	5/21/02	GW08198RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	Plume Extent
22796	5/21/02	GW08198RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	7.85	UG/L		V1	0.2	1		Plume Extent
22796	5/21/02	GW08198RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	Plume Extent
22796	5/21/02	GW08198RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	Plume Extent
22796	5/21/02	GW08198RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		Plume Extent
22796	5/21/02	GW08198RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
22796	5/21/02	GW08198RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		Plume Extent
22796	5/21/02	GW08198RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	Plume Extent
22796	5/21/02	GW08198RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Plume Extent
22796	5/21/02	GW08198RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	Plume Extent
22796	5/21/02	GW08198RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	Plume Extent
22796	5/21/02	GW08198RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	Plume Extent
22796	5/21/02	GW08198RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	Plume Extent
22796	5/21/02	GW08198RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		Plume Extent
22796	5/21/02	GW08198RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	Plume Extent
22796	5/21/02	GW08198RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		Plume Extent
22796	5/21/02	GW08198RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	Plume Extent
22796	5/21/02	GW08198RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		Plume Extent
22796	5/21/02	GW08198RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		Plume Extent
22796	5/21/02	GW08198RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	Plume Extent
22796	5/21/02	GW08198RG	ACETONE	REAL	TR1	10	UG/L	U	UJ1	3.4	1	3650	Plume Extent
22796	5/21/02	GW08198RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	Plume Extent
22796	5/21/02	GW08198RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		Plume Extent
22796	5/21/02	GW08198RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		Plume Extent
22796	5/21/02	GW08198RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		Plume Extent
22796	5/21/02	GW08198RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		Plume Extent
22796	5/21/02	GW08198RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	Plume Extent
22796	5/21/02	GW08198RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	Plume Extent
22796	5/21/02	GW08198RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.99	1	51.1	Plume Extent
22796	5/21/02	GW08198RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	Plume Extent
22796	5/21/02	GW08198RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	Plume Extent
22796	5/21/02	GW08198RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	Plume Extent
22796	5/21/02	GW08198RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	Plume Extent
22796	5/21/02	GW08198RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.21	1	100	Plume Extent
22796	5/21/02	GW08198RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	Plume Extent
22796	5/21/02	GW08198RG	cis-1,2-DICHLOROETHENE	REAL	TR1	5.12	UG/L		V1	0.15	1	70	Plume Extent
22796	5/21/02	GW08198RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	Plume Extent
22796	5/21/02	GW08198RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	Plume Extent
22796	5/21/02	GW08198RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		Plume Extent
22796	5/21/02	GW08198RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		Plume Extent
22796	5/21/02	GW08198RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	Plume Extent
22796	5/21/02	GW08198RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	Plume Extent
22796	5/21/02	GW08198RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		Plume Extent
22796	5/21/02	GW08198RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	Plume Extent
22796	5/21/02	GW08198RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	Plume Extent
22796	5/21/02	GW08198RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		Plume Extent
22796	5/21/02	GW08198RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		Plume Extent
22796	5/21/02	GW08198RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		Plume Extent
22796	5/21/02	GW08198RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		Plume Extent
22796	5/21/02	GW08198RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	Plume Extent
22796	5/21/02	GW08198RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		Plume Extent
22796	5/21/02	GW08198RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	Plume Extent
22796	5/21/02	GW08198RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		Plume Extent
22796	5/21/02	GW08198RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	Plume Extent
22796	5/21/02	GW08198RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	Plume Extent
22796	5/21/02	GW08198RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	Plume Extent
22796	5/21/02	GW08198RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	Plume Extent
22796	5/21/02	GW08198RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	Plume Extent
22796	5/21/02	GW08198RG	TRICHLOROETHENE	REAL	TR1	12	UG/L		V1	0.23	1	5	Plume Extent
22796	5/21/02	GW08198RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Plume Extent
22796	5/21/02	GW08198RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	Plume Extent
23296	4/29/02	GW08222RG	1,1,1,2-TETRACHLOROETHANE	REAL	RX1	2	UG/L	U	V1	0.56	2		Plume Extent
23296	4/29/02	GW08222RG	1,1,1-TRICHLOROETHANE	REAL	RX1	0.82	UG/L	J	V1	0.64	2	200	Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
23296	4/29/02	GW08222RG	1,1,2,2-TETRACHLOROETHANE	REAL	RX1	2	UG/L	U	V1	1	2	0.426	Plume Extent
23296	4/29/02	GW08222RG	1,1,2-TRICHLOROETHANE	REAL	RX1	2	UG/L	U	V1	0.82	2	5	Plume Extent
23296	4/29/02	GW08222RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	RX1	2	UG/L	U	V1	1.1	2		Plume Extent
23296	4/29/02	GW08222RG	1,1-DICHLOROETHANE	REAL	RX1	2	UG/L	U	V1	0.58	2	3650	Plume Extent
23296	4/29/02	GW08222RG	1,1-DICHLOROETHENE	REAL	RX1	2	UG/L	U	V1	0.62	2	7	Plume Extent
23296	4/29/02	GW08222RG	1,1-DICHLOROPROPENE	REAL	RX1	2	UG/L	U	V1	0.58	2		Plume Extent
23296	4/29/02	GW08222RG	1,2,3-TRICHLOROBENZENE	REAL	RX1	2	UG/L	U	UJ1	1.2	2		Plume Extent
23296	4/29/02	GW08222RG	1,2,3-TRICHLOROPROPANE	REAL	RX1	2	UG/L	U	V1	1.5	2		Plume Extent
23296	4/29/02	GW08222RG	1,2,4-TRICHLOROBENZENE	REAL	RX1	2	UG/L	U	UJ1	1.3	2	70	Plume Extent
23296	4/29/02	GW08222RG	1,2-DIBROMOETHANE	REAL	RX1	2	UG/L	U	V1	0.92	2		Plume Extent
23296	4/29/02	GW08222RG	1,2-DICHLOROBENZENE	REAL	RX1	2	UG/L	U	UJ1	0.6	2	600	Plume Extent
23296	4/29/02	GW08222RG	1,2-DICHLOROETHANE	REAL	RX1	2	UG/L	U	V1	0.86	2	5	Plume Extent
23296	4/29/02	GW08222RG	1,2-DICHLOROPROPANE	REAL	RX1	2	UG/L	U	V1	0.76	2	5	Plume Extent
23296	4/29/02	GW08222RG	1,3-DICHLOROBENZENE	REAL	RX1	2	UG/L	U	UJ1	0.6	2	600	Plume Extent
23296	4/29/02	GW08222RG	1,3-DICHLOROPROPANE	REAL	RX1	2	UG/L	U	V1	0.74	2		Plume Extent
23296	4/29/02	GW08222RG	1,4-DICHLOROBENZENE	REAL	RX1	2	UG/L	U	UJ1	0.62	2	75	Plume Extent
23296	4/29/02	GW08222RG	2,2-DICHLOROPROPANE	REAL	RX1	2	UG/L	U	V1	0.74	2		Plume Extent
23296	4/29/02	GW08222RG	2-BUTANONE	REAL	RX1	10	UG/L	U	V1	4.8	2	21900	Plume Extent
23296	4/29/02	GW08222RG	2-HEXANONE	REAL	RX1	10	UG/L	U	V1	3.6	2		Plume Extent
23296	4/29/02	GW08222RG	4-ISOPROPYLTOLUENE	REAL	RX1	2	UG/L	U	UJ1	0.64	2		Plume Extent
23296	4/29/02	GW08222RG	4-METHYL-2-PENTANONE	REAL	RX1	10	UG/L	U	V1	3.6	2	2920	Plume Extent
23296	4/29/02	GW08222RG	ACETONE	REAL	RX1	20	UG/L	U	V1	5.8	2	3650	Plume Extent
23296	4/29/02	GW08222RG	BENZENE	REAL	RX1	2	UG/L	U	UJ1	0.54	2	5	Plume Extent
23296	4/29/02	GW08222RG	BENZENE, 1,2,4-TRIMETHYL	REAL	RX1	2	UG/L	U	UJ1	0.6	2		Plume Extent
23296	4/29/02	GW08222RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	RX1	2	UG/L	U	UJ1	0.62	2		Plume Extent
23296	4/29/02	GW08222RG	BROMOBENZENE	REAL	RX1	2	UG/L	U	UJ1	0.64	2		Plume Extent
23296	4/29/02	GW08222RG	BROMOCHLOROMETHANE	REAL	RX1	2	UG/L	U	V1	0.78	2		Plume Extent
23296	4/29/02	GW08222RG	BROMODICHLOROMETHANE	REAL	RX1	2	UG/L	U	V1	0.7	2	100	Plume Extent
23296	4/29/02	GW08222RG	BROMOFORM	REAL	RX1	2	UG/L	U	V1	0.92	2	100	Plume Extent
23296	4/29/02	GW08222RG	BROMOMETHANE	REAL	RX1	2	UG/L	U	V1	0.56	2	51.1	Plume Extent
23296	4/29/02	GW08222RG	CARBON DISULFIDE	REAL	RX1	2	UG/L	U	V1	1.3	2	3650	Plume Extent
23296	4/29/02	GW08222RG	CARBON TETRACHLORIDE	REAL	RX1	9.8	UG/L		V1	0.7	2	5	Plume Extent
23296	4/29/02	GW08222RG	CHLOROBENZENE	REAL	RX1	2	UG/L	U	UJ1	0.48	2	100	Plume Extent
23296	4/29/02	GW08222RG	CHLOROETHANE	REAL	RX1	2	UG/L	U	V1	0.52	2	29.4	Plume Extent
23296	4/29/02	GW08222RG	CHLOROFORM	REAL	RX1	24	UG/L		V1	0.58	2	100	Plume Extent
23296	4/29/02	GW08222RG	CHLOROMETHANE	REAL	RX1	2	UG/L	U	V1	0.52	2	6.55	Plume Extent
23296	4/29/02	GW08222RG	cis-1,2-DICHLOROETHENE	REAL	RX1	100	UG/L		V1	0.66	2	70	Plume Extent
23296	4/29/02	GW08222RG	cis-1,3-DICHLOROPROPENE	REAL	RX1	2	UG/L	U	V1	0.62	2	0.473	Plume Extent
23296	4/29/02	GW08222RG	CYCLOTETRASILOXANE, OCTAMETHYL	REAL	RX1	5.6	UG/L	J	V1		2		Plume Extent
23296	4/29/02	GW08222RG	DIBROMOCHLOROMETHANE	REAL	RX1	2	UG/L	U	V1	0.74	2	1.01	Plume Extent
23296	4/29/02	GW08222RG	DIBROMOMETHANE	REAL	RX1	2	UG/L	U	V1	0.8	2		Plume Extent
23296	4/29/02	GW08222RG	DICHLORODIFLUOROMETHANE	REAL	RX1	2	UG/L	U	V1	0.88	2		Plume Extent
23296	4/29/02	GW08222RG	ETHYLBENZENE	REAL	RX1	2	UG/L	U	UJ1	1	2	700	Plume Extent
23296	4/29/02	GW08222RG	HEXACHLOROBUTADIENE	REAL	RX1	2	UG/L	U	V1	0.74	2	1.09	Plume Extent
23296	4/29/02	GW08222RG	ISOPROPYLBENZENE	REAL	RX1	2	UG/L	U	UJ1	0.6	2		Plume Extent
23296	4/29/02	GW08222RG	METHYLENE CHLORIDE	REAL	RX1	2	UG/L	U	V1	1.7	2	5	Plume Extent
23296	4/29/02	GW08222RG	NAPHTHALENE	REAL	RX1	2	UG/L	U	UJ1	1.6	2	1460	Plume Extent
23296	4/29/02	GW08222RG	n-BUTYLBENZENE	REAL	RX1	2	UG/L	U	UJ1	0.82	2		Plume Extent
23296	4/29/02	GW08222RG	n-PROPYLBENZENE	REAL	RX1	2	UG/L	U	UJ1	0.66	2		Plume Extent
23296	4/29/02	GW08222RG	o-CHLOROTOLUENE	REAL	RX1	2	UG/L	U	UJ1	0.46	2		Plume Extent
23296	4/29/02	GW08222RG	p-CHLOROTOLUENE	REAL	RX1	2	UG/L	U	UJ1	0.52	2		Plume Extent
23296	4/29/02	GW08222RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	RX1	2	UG/L	U	V1	0.98	2	0.2	Plume Extent
23296	4/29/02	GW08222RG	sec-BUTYLBENZENE	REAL	RX1	2	UG/L	U	UJ1	0.68	2		Plume Extent
23296	4/29/02	GW08222RG	STYRENE	REAL	RX1	2	UG/L	U	UJ1	0.56	2	100	Plume Extent
23296	4/29/02	GW08222RG	tert-BUTYLBENZENE	REAL	RX1	2	UG/L	U	UJ1	0.58	2		Plume Extent
23296	4/29/02	GW08222RG	TETRACHLOROETHENE	REAL	RX1	17	UG/L		V1	0.54	2	5	Plume Extent
23296	4/29/02	GW08222RG	TOLUENE	REAL	RX1	2	UG/L	U	UJ1	0.52	2	1000	Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
23296	4/29/02	GW08222RG	TOTAL XYLENES	REAL	RX1	2	UG/L	U	UJ1	1.5	2	10000	Plume Extent
23296	4/29/02	GW08222RG	trans-1,2-DICHLOROETHENE	REAL	RX1	1	UG/L	U	V1	0.5	2	70	Plume Extent
23296	4/29/02	GW08222RG	trans-1,3-DICHLOROPROPENE	REAL	RX1	2	UG/L	U	V1	0.72	2	0.473	Plume Extent
23296	4/29/02	GW08222RG	TRICHLOROETHENE	REAL	DL1	700	UG/L		V1	4.8	20	5	Plume Extent
23296	4/29/02	GW08222RG	TRICHLOROFLUOROMETHANE	REAL	RX1	2	UG/L	U	V1	0.86	2		Plume Extent
23296	4/29/02	GW08222RG	UNKNOWN	REAL	RX1	18	UG/L	J	V1		2		Plume Extent
23296	4/29/02	GW08222RG	VINYL CHLORIDE	REAL	RX1	2	UG/L	U	V1	0.52	2	2	Plume Extent
30900	4/1/02	GW08182RG	1,1,1,2-TETRACHLOROETHANE	REAL	RX1	1	UG/L	U	V1	0.28	1		Plume Degradation
30900	4/1/02	GW08182RG	1,1,1-TRICHLOROETHANE	REAL	RX1	1	UG/L	U	V1	0.32	1	200	Plume Degradation
30900	4/1/02	GW08182RG	1,1,2,2-TETRACHLOROETHANE	REAL	RX1	1	UG/L	U	V1	0.5	1	0.426	Plume Degradation
30900	4/1/02	GW08182RG	1,1,2-TRICHLOROETHANE	REAL	RX1	1	UG/L	U	V1	0.41	1	5	Plume Degradation
30900	4/1/02	GW08182RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	RX1	1.2	UG/L		V1	0.56	1		Plume Degradation
30900	4/1/02	GW08182RG	1,1-DICHLOROETHANE	REAL	RX1	0.42	UG/L	J	V1	0.29	1	3650	Plume Degradation
30900	4/1/02	GW08182RG	1,1-DICHLOROETHENE	REAL	RX1	1	UG/L	U	V1	0.31	1	7	Plume Degradation
30900	4/1/02	GW08182RG	1,1-DICHLOROPROPENE	REAL	RX1	1	UG/L	U	V1	0.29	1		Plume Degradation
30900	4/1/02	GW08182RG	1,2,3-TRICHLOROBENZENE	REAL	RX1	1	UG/L	U	UJ1	0.62	1		Plume Degradation
30900	4/1/02	GW08182RG	1,2,3-TRICHLOROPROPANE	REAL	RX1	1	UG/L	U	V1	0.76	1		Plume Degradation
30900	4/1/02	GW08182RG	1,2,4-TRICHLOROBENZENE	REAL	RX1	1	UG/L	U	UJ1	0.63	1	70	Plume Degradation
30900	4/1/02	GW08182RG	1,2-DIBROMOETHANE	REAL	RX1	1	UG/L	U	V1	0.46	1		Plume Degradation
30900	4/1/02	GW08182RG	1,2-DICHLOROBENZENE	REAL	RX1	1	UG/L	U	UJ1	0.3	1	600	Plume Degradation
30900	4/1/02	GW08182RG	1,2-DICHLOROETHANE	REAL	RX1	1	UG/L	U	V1	0.43	1	5	Plume Degradation
30900	4/1/02	GW08182RG	1,2-DICHLOROPROPANE	REAL	RX1	1	UG/L	U	V1	0.38	1	5	Plume Degradation
30900	4/1/02	GW08182RG	1,3-DICHLOROBENZENE	REAL	RX1	1	UG/L	U	UJ1	0.3	1	600	Plume Degradation
30900	4/1/02	GW08182RG	1,3-DICHLOROPROPANE	REAL	RX1	1	UG/L	U	V1	0.37	1		Plume Degradation
30900	4/1/02	GW08182RG	1,4-DICHLOROBENZENE	REAL	RX1	1	UG/L	U	UJ1	0.31	1	75	Plume Degradation
30900	4/1/02	GW08182RG	2,2-DICHLOROPROPANE	REAL	RX1	1	UG/L	U	V1	0.37	1		Plume Degradation
30900	4/1/02	GW08182RG	2-BUTANONE	REAL	DL1	1800	UG/L		V1	48	20	21900	Plume Degradation
30900	4/1/02	GW08182RG	2-HEXANONE	REAL	RX1	5	UG/L	U	V1	1.8	1		Plume Degradation
30900	4/1/02	GW08182RG	4-ISOPROPYLTOLUENE	REAL	RX1	1	UG/L	U	UJ1	0.32	1		Plume Degradation
30900	4/1/02	GW08182RG	4-METHYL-2-PENTANONE	REAL	RX1	5	UG/L	U	V1	1.8	1	2920	Plume Degradation
30900	4/1/02	GW08182RG	ACETONE	REAL	RX1	180	UG/L		V1	2.9	1	3650	Plume Degradation
30900	4/1/02	GW08182RG	BENZENE	REAL	RX1	1	UG/L	U	UJ1	0.27	1	5	Plume Degradation
30900	4/1/02	GW08182RG	BENZENE, 1,2,4-TRIMETHYL	REAL	RX1	1	UG/L	U	UJ1	0.3	1		Plume Degradation
30900	4/1/02	GW08182RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	RX1	1	UG/L	U	UJ1	0.31	1		Plume Degradation
30900	4/1/02	GW08182RG	BROMOBENZENE	REAL	RX1	1	UG/L	U	UJ1	0.32	1		Plume Degradation
30900	4/1/02	GW08182RG	BROMOCHLOROMETHANE	REAL	RX1	1	UG/L	U	V1	0.39	1		Plume Degradation
30900	4/1/02	GW08182RG	BROMODICHLOROMETHANE	REAL	RX1	1	UG/L	U	V1	0.35	1	100	Plume Degradation
30900	4/1/02	GW08182RG	BROMOFORM	REAL	RX1	1	UG/L	U	V1	0.46	1	100	Plume Degradation
30900	4/1/02	GW08182RG	BROMOMETHANE	REAL	RX1	1	UG/L	U	UJ1	0.28	1	51.1	Plume Degradation
30900	4/1/02	GW08182RG	CARBON DISULFIDE	REAL	RX1	1	UG/L	U	V1	0.67	1	3650	Plume Degradation
30900	4/1/02	GW08182RG	CARBON TETRACHLORIDE	REAL	RX1	1	UG/L	U	V1	0.35	1	5	Plume Degradation
30900	4/1/02	GW08182RG	CHLOROBENZENE	REAL	RX1	1	UG/L	U	UJ1	0.24	1	100	Plume Degradation
30900	4/1/02	GW08182RG	CHLOROETHANE	REAL	RX1	1	UG/L	U	V1	0.26	1	29.4	Plume Degradation
30900	4/1/02	GW08182RG	CHLOROFORM	REAL	RX1	1	UG/L	U	V1	0.29	1	100	Plume Degradation
30900	4/1/02	GW08182RG	CHLOROMETHANE	REAL	RX1	1	UG/L	U	V1	0.26	1	6.55	Plume Degradation
30900	4/1/02	GW08182RG	cis-1,2-DICHLOROETHENE	REAL	DL1	160	UG/L		V1	6.6	20	70	Plume Degradation
30900	4/1/02	GW08182RG	cis-1,3-DICHLOROPROPENE	REAL	RX1	1	UG/L	U	V1	0.31	1	0.473	Plume Degradation
30900	4/1/02	GW08182RG	DIBROMOCHLOROMETHANE	REAL	RX1	1	UG/L	U	V1	0.37	1	1.01	Plume Degradation
30900	4/1/02	GW08182RG	DIBROMOMETHANE	REAL	RX1	1	UG/L	U	V1	0.4	1		Plume Degradation
30900	4/1/02	GW08182RG	DICHLORODIFLUOROMETHANE	REAL	RX1	1	UG/L	U	V1	0.44	1		Plume Degradation
30900	4/1/02	GW08182RG	ETHANE, 1,2-DICHLORO-1,1,2-T	REAL	RX1	1.5	UG/L	J	V1		1		Plume Degradation
30900	4/1/02	GW08182RG	ETHYLBENZENE	REAL	RX1	1	UG/L	U	UJ1	0.51	1	700	Plume Degradation
30900	4/1/02	GW08182RG	HEXACHLOROBUTADIENE	REAL	RX1	1	UG/L	U	V1	0.37	1	1.09	Plume Degradation
30900	4/1/02	GW08182RG	ISOPROPYLBENZENE	REAL	RX1	1	UG/L	U	UJ1	0.3	1		Plume Degradation
30900	4/1/02	GW08182RG	METHYLENE CHLORIDE	REAL	RX1	1	UG/L	U	V1	0.86	1	5	Plume Degradation
30900	4/1/02	GW08182RG	NAPHTHALENE	REAL	RX1	1	UG/L	U	UJ1	0.78	1	1460	Plume Degradation
30900	4/1/02	GW08182RG	n-BUTYLBENZENE	REAL	RX1	1	UG/L	U	UJ1	0.41	1		Plume Degradation

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
30900	4/1/02	GW08182RG	n-PROPYLBENZENE	REAL	RX1	1	UG/L	U	UJ1	0.33	1		Plume Degradation
30900	4/1/02	GW08182RG	o-CHLOROTOLUENE	REAL	RX1	1	UG/L	U	UJ1	0.23	1		Plume Degradation
30900	4/1/02	GW08182RG	p-CHLOROTOLUENE	REAL	RX1	1	UG/L	U	UJ1	0.26	1		Plume Degradation
30900	4/1/02	GW08182RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	RX1	1	UG/L	U	V1	0.49	1	0.2	Plume Degradation
30900	4/1/02	GW08182RG	R-(-)-sec-Butanol	REAL	RX1	15	UG/L	J	V1		1		Plume Degradation
30900	4/1/02	GW08182RG	sec-BUTYLBENZENE	REAL	RX1	1	UG/L	U	UJ1	0.34	1		Plume Degradation
30900	4/1/02	GW08182RG	STYRENE	REAL	RX1	1	UG/L	U	UJ1	0.28	1	100	Plume Degradation
30900	4/1/02	GW08182RG	tert-BUTYLBENZENE	REAL	RX1	1	UG/L	U	UJ1	0.29	1		Plume Degradation
30900	4/1/02	GW08182RG	TETRACHLOROETHENE	REAL	RX1	15	UG/L		V1	0.27	1	5	Plume Degradation
30900	4/1/02	GW08182RG	TOLUENE	REAL	RX1	1	UG/L	U	UJ1	0.26	1	1000	Plume Degradation
30900	4/1/02	GW08182RG	TOTAL XYLENES	REAL	RX1	1	UG/L	U	UJ1	0.73	1	10000	Plume Degradation
30900	4/1/02	GW08182RG	trans-1,2-DICHLOROETHENE	REAL	RX1	0.5	UG/L	U	V1	0.25	1	70	Plume Degradation
30900	4/1/02	GW08182RG	trans-1,3-DICHLOROPROPENE	REAL	RX1	1	UG/L	U	V1	0.36	1	0.473	Plume Degradation
30900	4/1/02	GW08182RG	TRICHLOROETHENE	REAL	RX1	2.7	UG/L		V1	0.24	1	5	Plume Degradation
30900	4/1/02	GW08182RG	TRICHLOROFLUOROMETHANE	REAL	RX1	1	UG/L	U	V1	0.43	1		Plume Degradation
30900	4/1/02	GW08182RG	VINYL CHLORIDE	REAL	RX1	1	UG/L	U	V1	0.26	1	2	Plume Degradation
30900	5/2/02	GW08242RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1		Plume Degradation
30900	5/2/02	GW08242RG	1,1,1-TRICHLOROETHANE	REAL	TR1	0.44	UG/L	J	V1	0.32	1	200	Plume Degradation
30900	5/2/02	GW08242RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.5	1	0.426	Plume Degradation
30900	5/2/02	GW08242RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.41	1	5	Plume Degradation
30900	5/2/02	GW08242RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1.2	UG/L		V1	0.56	1		Plume Degradation
30900	5/2/02	GW08242RG	1,1-DICHLOROETHANE	REAL	TR1	0.43	UG/L	J	V1	0.29	1	3650	Plume Degradation
30900	5/2/02	GW08242RG	1,1-DICHLOROETHENE	REAL	TR1	0.45	UG/L	J	V1	0.31	1	7	Plume Degradation
30900	5/2/02	GW08242RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.29	1		Plume Degradation
30900	5/2/02	GW08242RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.62	1		Plume Degradation
30900	5/2/02	GW08242RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.76	1		Plume Degradation
30900	5/2/02	GW08242RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.63	1	70	Plume Degradation
30900	5/2/02	GW08242RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		Plume Degradation
30900	5/2/02	GW08242RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	600	Plume Degradation
30900	5/2/02	GW08242RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.43	1	5	Plume Degradation
30900	5/2/02	GW08242RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	Plume Degradation
30900	5/2/02	GW08242RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	600	Plume Degradation
30900	5/2/02	GW08242RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.37	1		Plume Degradation
30900	5/2/02	GW08242RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1	75	Plume Degradation
30900	5/2/02	GW08242RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.37	1		Plume Degradation
30900	5/2/02	GW08242RG	2-BUTANONE	REAL	RX1	1500	UG/L		V1	48	20	21900	Plume Degradation
30900	5/2/02	GW08242RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	1.8	1		Plume Degradation
30900	5/2/02	GW08242RG	2-PENTANONE	REAL	TR1	6.4	UG/L		V1		1		Plume Degradation
30900	5/2/02	GW08242RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.32	1		Plume Degradation
30900	5/2/02	GW08242RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	1.8	1	2920	Plume Degradation
30900	5/2/02	GW08242RG	ACETONE	REAL	TR1	160	UG/L		J1	2.9	1	3650	Plume Degradation
30900	5/2/02	GW08242RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.27	1	5	Plume Degradation
30900	5/2/02	GW08242RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.3	1		Plume Degradation
30900	5/2/02	GW08242RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.31	1		Plume Degradation
30900	5/2/02	GW08242RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.32	1		Plume Degradation
30900	5/2/02	GW08242RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1		Plume Degradation
30900	5/2/02	GW08242RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.35	1	100	Plume Degradation
30900	5/2/02	GW08242RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.46	1	100	Plume Degradation
30900	5/2/02	GW08242RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	51.1	Plume Degradation
30900	5/2/02	GW08242RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.67	1	3650	Plume Degradation
30900	5/2/02	GW08242RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	5	Plume Degradation
30900	5/2/02	GW08242RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	100	Plume Degradation
30900	5/2/02	GW08242RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	29.4	Plume Degradation
30900	5/2/02	GW08242RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.29	1	100	Plume Degradation
30900	5/2/02	GW08242RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	Plume Degradation
30900	5/2/02	GW08242RG	cis-1,2-DICHLOROETHENE	REAL	RX1	200	UG/L		V1	6.6	20	70	Plume Degradation
30900	5/2/02	GW08242RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.473	Plume Degradation

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
30900	5/2/02	GW08242RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.37	1	1.01	Plume Degradation
30900	5/2/02	GW08242RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.4	1		Plume Degradation
30900	5/2/02	GW08242RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1		Plume Degradation
30900	5/2/02	GW08242RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.51	1	700	Plume Degradation
30900	5/2/02	GW08242RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.37	1	1.09	Plume Degradation
30900	5/2/02	GW08242RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1		Plume Degradation
30900	5/2/02	GW08242RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.86	1	5	Plume Degradation
30900	5/2/02	GW08242RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1	1460	Plume Degradation
30900	5/2/02	GW08242RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.41	1		Plume Degradation
30900	5/2/02	GW08242RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.33	1		Plume Degradation
30900	5/2/02	GW08242RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		Plume Degradation
30900	5/2/02	GW08242RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		Plume Degradation
30900	5/2/02	GW08242RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.49	1	0.2	Plume Degradation
30900	5/2/02	GW08242RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.34	1		Plume Degradation
30900	5/2/02	GW08242RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.28	1	100	Plume Degradation
30900	5/2/02	GW08242RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1		Plume Degradation
30900	5/2/02	GW08242RG	TETRACHLOROETHENE	REAL	TR1	7.5	UG/L		V1	0.27	1	5	Plume Degradation
30900	5/2/02	GW08242RG	TOLUENE	REAL	TR1	0.36	UG/L	J	J1	0.26	1	1000	Plume Degradation
30900	5/2/02	GW08242RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.73	1	10000	Plume Degradation
30900	5/2/02	GW08242RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.25	1	70	Plume Degradation
30900	5/2/02	GW08242RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.36	1	0.473	Plume Degradation
30900	5/2/02	GW08242RG	TRICHLOROETHENE	REAL	TR1	1.6	UG/L		V1	0.24	1	5	Plume Degradation
30900	5/2/02	GW08242RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.43	1		Plume Degradation
30900	5/2/02	GW08242RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.26	1	2	Plume Degradation
3586	4/25/02	GW08216RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1		Plume Extent
3586	4/25/02	GW08216RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.32	1	200	Plume Extent
3586	4/25/02	GW08216RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.5	1	0.426	Plume Extent
3586	4/25/02	GW08216RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.41	1	5	Plume Extent
3586	4/25/02	GW08216RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.56	1		Plume Extent
3586	4/25/02	GW08216RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.29	1	3650	Plume Extent
3586	4/25/02	GW08216RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.31	1	7	Plume Extent
3586	4/25/02	GW08216RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.29	1		Plume Extent
3586	4/25/02	GW08216RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.62	1		Plume Extent
3586	4/25/02	GW08216RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.76	1		Plume Extent
3586	4/25/02	GW08216RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.63	1	70	Plume Extent
3586	4/25/02	GW08216RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		Plume Extent
3586	4/25/02	GW08216RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	600	Plume Extent
3586	4/25/02	GW08216RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.43	1	5	Plume Extent
3586	4/25/02	GW08216RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	Plume Extent
3586	4/25/02	GW08216RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	600	Plume Extent
3586	4/25/02	GW08216RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.37	1		Plume Extent
3586	4/25/02	GW08216RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1	75	Plume Extent
3586	4/25/02	GW08216RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.37	1		Plume Extent
3586	4/25/02	GW08216RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V1	2.4	1	21900	Plume Extent
3586	4/25/02	GW08216RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	1.8	1		Plume Extent
3586	4/25/02	GW08216RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.32	1		Plume Extent
3586	4/25/02	GW08216RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	1.8	1	2920	Plume Extent
3586	4/25/02	GW08216RG	ACETONE	REAL	TR1	10	UG/L	U	V1	2.9	1	3650	Plume Extent
3586	4/25/02	GW08216RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.27	1	5	Plume Extent
3586	4/25/02	GW08216RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.3	1		Plume Extent
3586	4/25/02	GW08216RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.31	1		Plume Extent
3586	4/25/02	GW08216RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.32	1		Plume Extent
3586	4/25/02	GW08216RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1		Plume Extent
3586	4/25/02	GW08216RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.35	1	100	Plume Extent
3586	4/25/02	GW08216RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.46	1	100	Plume Extent
3586	4/25/02	GW08216RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	51.1	Plume Extent
3586	4/25/02	GW08216RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.67	1	3650	Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
3586	4/25/02	GW08216RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	5	Plume Extent
3586	4/25/02	GW08216RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	100	Plume Extent
3586	4/25/02	GW08216RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	29.4	Plume Extent
3586	4/25/02	GW08216RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.29	1	100	Plume Extent
3586	4/25/02	GW08216RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	Plume Extent
3586	4/25/02	GW08216RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.33	1	70	Plume Extent
3586	4/25/02	GW08216RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.473	Plume Extent
3586	4/25/02	GW08216RG	CYCLOTETRASILOXANE, OCTAMETHYL	REAL	TR1	2.4	UG/L	J	V1		1		Plume Extent
3586	4/25/02	GW08216RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.37	1	1.01	Plume Extent
3586	4/25/02	GW08216RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.4	1		Plume Extent
3586	4/25/02	GW08216RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1		Plume Extent
3586	4/25/02	GW08216RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.51	1	700	Plume Extent
3586	4/25/02	GW08216RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.37	1	1.09	Plume Extent
3586	4/25/02	GW08216RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1		Plume Extent
3586	4/25/02	GW08216RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.86	1	5	Plume Extent
3586	4/25/02	GW08216RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1	1460	Plume Extent
3586	4/25/02	GW08216RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.41	1		Plume Extent
3586	4/25/02	GW08216RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.33	1		Plume Extent
3586	4/25/02	GW08216RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		Plume Extent
3586	4/25/02	GW08216RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		Plume Extent
3586	4/25/02	GW08216RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.49	1	0.2	Plume Extent
3586	4/25/02	GW08216RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.34	1		Plume Extent
3586	4/25/02	GW08216RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.28	1	100	Plume Extent
3586	4/25/02	GW08216RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1		Plume Extent
3586	4/25/02	GW08216RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.27	1	5	Plume Extent
3586	4/25/02	GW08216RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	1000	Plume Extent
3586	4/25/02	GW08216RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.73	1	10000	Plume Extent
3586	4/25/02	GW08216RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.25	1	70	Plume Extent
3586	4/25/02	GW08216RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.36	1	0.473	Plume Extent
3586	4/25/02	GW08216RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.24	1	5	Plume Extent
3586	4/25/02	GW08216RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.43	1		Plume Extent
3586	4/25/02	GW08216RG	UNKNOWN	REAL	TR1	14	UG/L	J	V1		1		Plume Extent
3586	4/25/02	GW08216RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.26	1	2	Plume Extent
3687	5/22/02	GW08193RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Perf Monitoring
3687	5/22/02	GW08193RG	1,1,1-TRICHLOROETHANE	REAL	TR1	34	UG/L		V1	0.23	1	200	Perf Monitoring
3687	5/22/02	GW08193RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	Perf Monitoring
3687	5/22/02	GW08193RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	Perf Monitoring
3687	5/22/02	GW08193RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	13.4	UG/L		V1	0.2	1		Perf Monitoring
3687	5/22/02	GW08193RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	Perf Monitoring
3687	5/22/02	GW08193RG	1,1-DICHLOROETHENE	REAL	TR1	28	UG/L		V1	0.19	1	7	Perf Monitoring
3687	5/22/02	GW08193RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		Perf Monitoring
3687	5/22/02	GW08193RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.78	1		Perf Monitoring
3687	5/22/02	GW08193RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		Perf Monitoring
3687	5/22/02	GW08193RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.3	1	70	Perf Monitoring
3687	5/22/02	GW08193RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Perf Monitoring
3687	5/22/02	GW08193RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.17	1	600	Perf Monitoring
3687	5/22/02	GW08193RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	Perf Monitoring
3687	5/22/02	GW08193RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	Perf Monitoring
3687	5/22/02	GW08193RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.096	1	600	Perf Monitoring
3687	5/22/02	GW08193RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		Perf Monitoring
3687	5/22/02	GW08193RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.12	1	75	Perf Monitoring
3687	5/22/02	GW08193RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		Perf Monitoring
3687	5/22/02	GW08193RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	Perf Monitoring
3687	5/22/02	GW08193RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		Perf Monitoring
3687	5/22/02	GW08193RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V1	0.15	1		Perf Monitoring
3687	5/22/02	GW08193RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	Perf Monitoring
3687	5/22/02	GW08193RG	ACETONE	REAL	TR1	10	UG/L	U	V1	3.4	1	3650	Perf Monitoring

244

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
3687	5/22/02	GW08193RG	BENZENE	REAL	TR1	1.21	UG/L		V1	0.26	1	5	Perf Monitoring
3687	5/22/02	GW08193RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V1	0.25	1		Perf Monitoring
3687	5/22/02	GW08193RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V1	0.19	1		Perf Monitoring
3687	5/22/02	GW08193RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V1	0.16	1		Perf Monitoring
3687	5/22/02	GW08193RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		Perf Monitoring
3687	5/22/02	GW08193RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	Perf Monitoring
3687	5/22/02	GW08193RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	Perf Monitoring
3687	5/22/02	GW08193RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	Perf Monitoring
3687	5/22/02	GW08193RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	Perf Monitoring
3687	5/22/02	GW08193RG	CARBON TETRACHLORIDE	REAL	DL1	501	UG/L	D	V1	1.3	3.33	5	Perf Monitoring
3687	5/22/02	GW08193RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.23	1	100	Perf Monitoring
3687	5/22/02	GW08193RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	Perf Monitoring
3687	5/22/02	GW08193RG	CHLOROFORM	REAL	DL1	233	UG/L	D	V1	0.35	1.66	100	Perf Monitoring
3687	5/22/02	GW08193RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	Perf Monitoring
3687	5/22/02	GW08193RG	cis-1,2-DICHLOROETHENE	REAL	TR1	36.4	UG/L		V1	0.15	1	70	Perf Monitoring
3687	5/22/02	GW08193RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	Perf Monitoring
3687	5/22/02	GW08193RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	Perf Monitoring
3687	5/22/02	GW08193RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		Perf Monitoring
3687	5/22/02	GW08193RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		Perf Monitoring
3687	5/22/02	GW08193RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.2	1	700	Perf Monitoring
3687	5/22/02	GW08193RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	Perf Monitoring
3687	5/22/02	GW08193RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.2	1		Perf Monitoring
3687	5/22/02	GW08193RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	Perf Monitoring
3687	5/22/02	GW08193RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V1	0.25	1	1460	Perf Monitoring
3687	5/22/02	GW08193RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.15	1		Perf Monitoring
3687	5/22/02	GW08193RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.19	1		Perf Monitoring
3687	5/22/02	GW08193RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.23	1		Perf Monitoring
3687	5/22/02	GW08193RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.21	1		Perf Monitoring
3687	5/22/02	GW08193RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	Perf Monitoring
3687	5/22/02	GW08193RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.31	1		Perf Monitoring
3687	5/22/02	GW08193RG	STYRENE	REAL	TR1	1	UG/L	U	V1	0.22	1	100	Perf Monitoring
3687	5/22/02	GW08193RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.25	1		Perf Monitoring
3687	5/22/02	GW08193RG	TETRACHLOROETHENE	REAL	DL1	435	UG/L	D	V1	1.9	3.33	5	Perf Monitoring
3687	5/22/02	GW08193RG	TOLUENE	REAL	TR1	0.78	UG/L	J	V1	0.15	1	1000	Perf Monitoring
3687	5/22/02	GW08193RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	V1	0.19	1	10000	Perf Monitoring
3687	5/22/02	GW08193RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	Perf Monitoring
3687	5/22/02	GW08193RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	Perf Monitoring
3687	5/22/02	GW08193RG	TRICHLOROETHENE	REAL	DL1	16500	UG/L	D	V1	23	100	5	Perf Monitoring
3687	5/22/02	GW08193RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Perf Monitoring
3687	5/22/02	GW08193RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	Perf Monitoring
37791	4/16/02	GW08103RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 881
37791	4/16/02	GW08103RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	D&D Bldg 881
37791	4/16/02	GW08103RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	D&D Bldg 881
37791	4/16/02	GW08103RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	D&D Bldg 881
37791	4/16/02	GW08103RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		D&D Bldg 881
37791	4/16/02	GW08103RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	D&D Bldg 881
37791	4/16/02	GW08103RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	D&D Bldg 881
37791	4/16/02	GW08103RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 881
37791	4/16/02	GW08103RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.78	1		D&D Bldg 881
37791	4/16/02	GW08103RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 881
37791	4/16/02	GW08103RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.3	1	70	D&D Bldg 881
37791	4/16/02	GW08103RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 881
37791	4/16/02	GW08103RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.17	1	600	D&D Bldg 881
37791	4/16/02	GW08103RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	D&D Bldg 881
37791	4/16/02	GW08103RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	D&D Bldg 881
37791	4/16/02	GW08103RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.096	1	600	D&D Bldg 881
37791	4/16/02	GW08103RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 881

345

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
37791	4/16/02	GW08103RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.12	1	75	D&D Bldg 881
37791	4/16/02	GW08103RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		D&D Bldg 881
37791	4/16/02	GW08103RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	D&D Bldg 881
37791	4/16/02	GW08103RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		D&D Bldg 881
37791	4/16/02	GW08103RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 881
37791	4/16/02	GW08103RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	D&D Bldg 881
37791	4/16/02	GW08103RG	ACETONE	REAL	TR1	10	UG/L	U	V1	3.4	1	3650	D&D Bldg 881
37791	4/16/02	GW08103RG	BENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1	5	D&D Bldg 881
37791	4/16/02	GW08103RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V1	0.25	1		D&D Bldg 881
37791	4/16/02	GW08103RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V1	0.19	1		D&D Bldg 881
37791	4/16/02	GW08103RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V1	0.16	1		D&D Bldg 881
37791	4/16/02	GW08103RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		D&D Bldg 881
37791	4/16/02	GW08103RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 881
37791	4/16/02	GW08103RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	D&D Bldg 881
37791	4/16/02	GW08103RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	D&D Bldg 881
37791	4/16/02	GW08103RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	D&D Bldg 881
37791	4/16/02	GW08103RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	D&D Bldg 881
37791	4/16/02	GW08103RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.23	1	100	D&D Bldg 881
37791	4/16/02	GW08103RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	D&D Bldg 881
37791	4/16/02	GW08103RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 881
37791	4/16/02	GW08103RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	6.55	D&D Bldg 881
37791	4/16/02	GW08103RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	D&D Bldg 881
37791	4/16/02	GW08103RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	D&D Bldg 881
37791	4/16/02	GW08103RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	D&D Bldg 881
37791	4/16/02	GW08103RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		D&D Bldg 881
37791	4/16/02	GW08103RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		D&D Bldg 881
37791	4/16/02	GW08103RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.2	1	700	D&D Bldg 881
37791	4/16/02	GW08103RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	D&D Bldg 881
37791	4/16/02	GW08103RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.2	1		D&D Bldg 881
37791	4/16/02	GW08103RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	D&D Bldg 881
37791	4/16/02	GW08103RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V1	0.25	1	1460	D&D Bldg 881
37791	4/16/02	GW08103RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 881
37791	4/16/02	GW08103RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.19	1		D&D Bldg 881
37791	4/16/02	GW08103RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 881
37791	4/16/02	GW08103RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 881
37791	4/16/02	GW08103RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	D&D Bldg 881
37791	4/16/02	GW08103RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.31	1		D&D Bldg 881
37791	4/16/02	GW08103RG	STYRENE	REAL	TR1	1	UG/L	U	V1	0.22	1	100	D&D Bldg 881
37791	4/16/02	GW08103RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.25	1		D&D Bldg 881
37791	4/16/02	GW08103RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	D&D Bldg 881
37791	4/16/02	GW08103RG	TOLUENE	REAL	TR1	1	UG/L	U	V1	0.15	1	1000	D&D Bldg 881
37791	4/16/02	GW08103RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	V1	0.19	1	10000	D&D Bldg 881
37791	4/16/02	GW08103RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	D&D Bldg 881
37791	4/16/02	GW08103RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	D&D Bldg 881
37791	4/16/02	GW08103RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.23	1	5	D&D Bldg 881
37791	4/16/02	GW08103RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 881
37791	4/16/02	GW08103RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	D&D Bldg 881
4087	4/22/02	GW08227RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		RCRA
4087	4/22/02	GW08227RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	RCRA
4087	4/22/02	GW08227RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	RCRA
4087	4/22/02	GW08227RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	RCRA
4087	4/22/02	GW08227RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		RCRA
4087	4/22/02	GW08227RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	RCRA
4087	4/22/02	GW08227RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	RCRA
4087	4/22/02	GW08227RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		RCRA
4087	4/22/02	GW08227RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		RCRA
4087	4/22/02	GW08227RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		RCRA

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
4087	4/22/02	GW08227RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	RCRA
4087	4/22/02	GW08227RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		RCRA
4087	4/22/02	GW08227RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	RCRA
4087	4/22/02	GW08227RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	RCRA
4087	4/22/02	GW08227RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	RCRA
4087	4/22/02	GW08227RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	RCRA
4087	4/22/02	GW08227RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		RCRA
4087	4/22/02	GW08227RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	RCRA
4087	4/22/02	GW08227RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		RCRA
4087	4/22/02	GW08227RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	RCRA
4087	4/22/02	GW08227RG	2-HEXANONE	REAL	TR1	10	UG/L	U	UJ1	1.4	1		RCRA
4087	4/22/02	GW08227RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		RCRA
4087	4/22/02	GW08227RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	RCRA
4087	4/22/02	GW08227RG	ACETONE	REAL	TR1	10	UG/L	U	V1	3.4	1	3650	RCRA
4087	4/22/02	GW08227RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	RCRA
4087	4/22/02	GW08227RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		RCRA
4087	4/22/02	GW08227RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		RCRA
4087	4/22/02	GW08227RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		RCRA
4087	4/22/02	GW08227RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		RCRA
4087	4/22/02	GW08227RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	RCRA
4087	4/22/02	GW08227RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	RCRA
4087	4/22/02	GW08227RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	RCRA
4087	4/22/02	GW08227RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	UJ1	0.35	1	3650	RCRA
4087	4/22/02	GW08227RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	UJ1	0.38	1	5	RCRA
4087	4/22/02	GW08227RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	RCRA
4087	4/22/02	GW08227RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	RCRA
4087	4/22/02	GW08227RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.21	1	100	RCRA
4087	4/22/02	GW08227RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	6.55	RCRA
4087	4/22/02	GW08227RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	RCRA
4087	4/22/02	GW08227RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	RCRA
4087	4/22/02	GW08227RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	RCRA
4087	4/22/02	GW08227RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		RCRA
4087	4/22/02	GW08227RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		RCRA
4087	4/22/02	GW08227RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	RCRA
4087	4/22/02	GW08227RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	RCRA
4087	4/22/02	GW08227RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		RCRA
4087	4/22/02	GW08227RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	RCRA
4087	4/22/02	GW08227RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	RCRA
4087	4/22/02	GW08227RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		RCRA
4087	4/22/02	GW08227RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		RCRA
4087	4/22/02	GW08227RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		RCRA
4087	4/22/02	GW08227RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		RCRA
4087	4/22/02	GW08227RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	RCRA
4087	4/22/02	GW08227RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		RCRA
4087	4/22/02	GW08227RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	RCRA
4087	4/22/02	GW08227RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		RCRA
4087	4/22/02	GW08227RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	RCRA
4087	4/22/02	GW08227RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	RCRA
4087	4/22/02	GW08227RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	RCRA
4087	4/22/02	GW08227RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	RCRA
4087	4/22/02	GW08227RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	RCRA
4087	4/22/02	GW08227RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.23	1	5	RCRA
4087	4/22/02	GW08227RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		RCRA
4087	4/22/02	GW08227RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	RCRA
40999	5/30/02	GW08307RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 886/865
40999	5/30/02	GW08307RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	D&D Bldg 886/865
40999	5/30/02	GW08307RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	D&D Bldg 886/865

247

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
40999	5/30/02	GW08307RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	D&D Bldg 886/865
40999	5/30/02	GW08307RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		D&D Bldg 886/865
40999	5/30/02	GW08307RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	D&D Bldg 886/865
40999	5/30/02	GW08307RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	D&D Bldg 886/865
40999	5/30/02	GW08307RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 886/865
40999	5/30/02	GW08307RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.78	1		D&D Bldg 886/865
40999	5/30/02	GW08307RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 886/865
40999	5/30/02	GW08307RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.3	1	70	D&D Bldg 886/865
40999	5/30/02	GW08307RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 886/865
40999	5/30/02	GW08307RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.17	1	600	D&D Bldg 886/865
40999	5/30/02	GW08307RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	D&D Bldg 886/865
40999	5/30/02	GW08307RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	D&D Bldg 886/865
40999	5/30/02	GW08307RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.096	1	600	D&D Bldg 886/865
40999	5/30/02	GW08307RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 886/865
40999	5/30/02	GW08307RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.12	1	75	D&D Bldg 886/865
40999	5/30/02	GW08307RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		D&D Bldg 886/865
40999	5/30/02	GW08307RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	D&D Bldg 886/865
40999	5/30/02	GW08307RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		D&D Bldg 886/865
40999	5/30/02	GW08307RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 886/865
40999	5/30/02	GW08307RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	D&D Bldg 886/865
40999	5/30/02	GW08307RG	ACETONE	REAL	TR1	10	UG/L	U	UJ1	3.4	1	3650	D&D Bldg 886/865
40999	5/30/02	GW08307RG	BENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1	5	D&D Bldg 886/865
40999	5/30/02	GW08307RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V1	0.25	1		D&D Bldg 886/865
40999	5/30/02	GW08307RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V1	0.19	1		D&D Bldg 886/865
40999	5/30/02	GW08307RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V1	0.16	1		D&D Bldg 886/865
40999	5/30/02	GW08307RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		D&D Bldg 886/865
40999	5/30/02	GW08307RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 886/865
40999	5/30/02	GW08307RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	D&D Bldg 886/865
40999	5/30/02	GW08307RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.99	1	51.1	D&D Bldg 886/865
40999	5/30/02	GW08307RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	D&D Bldg 886/865
40999	5/30/02	GW08307RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	D&D Bldg 886/865
40999	5/30/02	GW08307RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.23	1	100	D&D Bldg 886/865
40999	5/30/02	GW08307RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	D&D Bldg 886/865
40999	5/30/02	GW08307RG	CHLOROFORM	REAL	TR1	0.85	UG/L	J	V1	0.21	1	100	D&D Bldg 886/865
40999	5/30/02	GW08307RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	D&D Bldg 886/865
40999	5/30/02	GW08307RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	D&D Bldg 886/865
40999	5/30/02	GW08307RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	D&D Bldg 886/865
40999	5/30/02	GW08307RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	D&D Bldg 886/865
40999	5/30/02	GW08307RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		D&D Bldg 886/865
40999	5/30/02	GW08307RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		D&D Bldg 886/865
40999	5/30/02	GW08307RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.2	1	700	D&D Bldg 886/865
40999	5/30/02	GW08307RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	D&D Bldg 886/865
40999	5/30/02	GW08307RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.2	1		D&D Bldg 886/865
40999	5/30/02	GW08307RG	METHYL tert-BUTYL ETHER	REAL	TR1	1.43	UG/L	JB	V1	0.64	1		D&D Bldg 886/865
40999	5/30/02	GW08307RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	D&D Bldg 886/865
40999	5/30/02	GW08307RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V1	0.25	1	1460	D&D Bldg 886/865
40999	5/30/02	GW08307RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 886/865
40999	5/30/02	GW08307RG	n-HEXANE	REAL	TR1	3	UG/L	JNB	V1	0	1		D&D Bldg 886/865
40999	5/30/02	GW08307RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.19	1		D&D Bldg 886/865
40999	5/30/02	GW08307RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 886/865
40999	5/30/02	GW08307RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 886/865
40999	5/30/02	GW08307RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	D&D Bldg 886/865
40999	5/30/02	GW08307RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.31	1		D&D Bldg 886/865
40999	5/30/02	GW08307RG	STYRENE	REAL	TR1	1	UG/L	U	V1	0.22	1	100	D&D Bldg 886/865
40999	5/30/02	GW08307RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.25	1		D&D Bldg 886/865
40999	5/30/02	GW08307RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	D&D Bldg 886/865
40999	5/30/02	GW08307RG	TOLUENE	REAL	TR1	1	UG/L	U	V1	0.15	1	1000	D&D Bldg 886/865

248

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
40999	5/30/02	GW08307RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	V1	0.19	1	10000	D&D Bldg 886/865
40999	5/30/02	GW08307RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	D&D Bldg 886/865
40999	5/30/02	GW08307RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	D&D Bldg 886/865
40999	5/30/02	GW08307RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.23	1	5	D&D Bldg 886/865
40999	5/30/02	GW08307RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 886/865
40999	5/30/02	GW08307RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	D&D Bldg 886/865
41499	5/9/02	GW08278RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
41499	5/9/02	GW08278RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR2	2	UG/L	U		2	2		D&D Bldg 771
41499	5/9/02	GW08278RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	200	D&D Bldg 771
41499	5/9/02	GW08278RG	1,1,1-TRICHLOROETHANE	REAL	TR2	2	UG/L	U		2	2	200	D&D Bldg 771
41499	5/9/02	GW08278RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	0.426	D&D Bldg 771
41499	5/9/02	GW08278RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR2	2	UG/L	U		2	2	0.426	D&D Bldg 771
41499	5/9/02	GW08278RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 771
41499	5/9/02	GW08278RG	1,1,2-TRICHLOROETHANE	REAL	TR2	2	UG/L	U		2	2	5	D&D Bldg 771
41499	5/9/02	GW08278RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	5	UG/L	U	V	5	1		D&D Bldg 771
41499	5/9/02	GW08278RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR2	10	UG/L	U		10	2		D&D Bldg 771
41499	5/9/02	GW08278RG	1,1-DICHLOROETHANE	REAL	TR1	1.8	UG/L		V	1	1	3650	D&D Bldg 771
41499	5/9/02	GW08278RG	1,1-DICHLOROETHANE	REAL	TR2	1.6	UG/L	JD		2	2	3650	D&D Bldg 771
41499	5/9/02	GW08278RG	1,1-DICHLOROETHENE	REAL	TR1	4.7	UG/L		V	1	1	7	D&D Bldg 771
41499	5/9/02	GW08278RG	1,1-DICHLOROETHENE	REAL	TR2	3.6	UG/L	D		2	2	7	D&D Bldg 771
41499	5/9/02	GW08278RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
41499	5/9/02	GW08278RG	1,1-DICHLOROPROPENE	REAL	TR2	2	UG/L	U		2	2		D&D Bldg 771
41499	5/9/02	GW08278RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 771
41499	5/9/02	GW08278RG	1,2,3-TRICHLOROBENZENE	REAL	TR2	2	UG/L	U		2	2		D&D Bldg 771
41499	5/9/02	GW08278RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
41499	5/9/02	GW08278RG	1,2,3-TRICHLOROPROPANE	REAL	TR2	2	UG/L	U		2	2		D&D Bldg 771
41499	5/9/02	GW08278RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	70	D&D Bldg 771
41499	5/9/02	GW08278RG	1,2,4-TRICHLOROBENZENE	REAL	TR2	2	UG/L	U		2	2	70	D&D Bldg 771
41499	5/9/02	GW08278RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
41499	5/9/02	GW08278RG	1,2-DIBROMOETHANE	REAL	TR2	2	UG/L	U		2	2		D&D Bldg 771
41499	5/9/02	GW08278RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	600	D&D Bldg 771
41499	5/9/02	GW08278RG	1,2-DICHLOROBENZENE	REAL	TR2	2	UG/L	U		2	2	600	D&D Bldg 771
41499	5/9/02	GW08278RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 771
41499	5/9/02	GW08278RG	1,2-DICHLOROETHANE	REAL	TR2	2	UG/L	U		2	2	5	D&D Bldg 771
41499	5/9/02	GW08278RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 771
41499	5/9/02	GW08278RG	1,2-DICHLOROPROPANE	REAL	TR2	2	UG/L	U		2	2	5	D&D Bldg 771
41499	5/9/02	GW08278RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	600	D&D Bldg 771
41499	5/9/02	GW08278RG	1,3-DICHLOROBENZENE	REAL	TR2	2	UG/L	U		2	2	600	D&D Bldg 771
41499	5/9/02	GW08278RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
41499	5/9/02	GW08278RG	1,3-DICHLOROPROPANE	REAL	TR2	2	UG/L	U		2	2		D&D Bldg 771
41499	5/9/02	GW08278RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	75	D&D Bldg 771
41499	5/9/02	GW08278RG	1,4-DICHLOROBENZENE	REAL	TR2	2	UG/L	U		2	2	75	D&D Bldg 771
41499	5/9/02	GW08278RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
41499	5/9/02	GW08278RG	2,2-DICHLOROPROPANE	REAL	TR2	2	UG/L	U		2	2		D&D Bldg 771
41499	5/9/02	GW08278RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V	10	1	21900	D&D Bldg 771
41499	5/9/02	GW08278RG	2-BUTANONE	REAL	TR2	20	UG/L	U		20	2	21900	D&D Bldg 771
41499	5/9/02	GW08278RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V	10	1		D&D Bldg 771
41499	5/9/02	GW08278RG	2-HEXANONE	REAL	TR2	20	UG/L	U		20	2		D&D Bldg 771
41499	5/9/02	GW08278RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
41499	5/9/02	GW08278RG	4-ISOPROPYLTOLUENE	REAL	TR2	2	UG/L	U		2	2		D&D Bldg 771
41499	5/9/02	GW08278RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V	10	1	2920	D&D Bldg 771
41499	5/9/02	GW08278RG	4-METHYL-2-PENTANONE	REAL	TR2	20	UG/L	U		20	2	2920	D&D Bldg 771
41499	5/9/02	GW08278RG	ACETONE	REAL	TR1	10	UG/L	U	UJ	10	1	3650	D&D Bldg 771
41499	5/9/02	GW08278RG	ACETONE	REAL	TR2	20	UG/L	U		20	2	3650	D&D Bldg 771
41499	5/9/02	GW08278RG	BENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	5	D&D Bldg 771
41499	5/9/02	GW08278RG	BENZENE	REAL	TR2	2	UG/L	U		2	2	5	D&D Bldg 771
41499	5/9/02	GW08278RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 771

249

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
41499	5/9/02	GW08278RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR2	2	UG/L	U		2	2		D&D Bldg 771
41499	5/9/02	GW08278RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 771
41499	5/9/02	GW08278RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR2	2	UG/L	U		2	2		D&D Bldg 771
41499	5/9/02	GW08278RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 771
41499	5/9/02	GW08278RG	BROMOBENZENE	REAL	TR2	2	UG/L	U		2	2		D&D Bldg 771
41499	5/9/02	GW08278RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
41499	5/9/02	GW08278RG	BROMOCHLOROMETHANE	REAL	TR2	2	UG/L	U		2	2		D&D Bldg 771
41499	5/9/02	GW08278RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	100	D&D Bldg 771
41499	5/9/02	GW08278RG	BROMODICHLOROMETHANE	REAL	TR2	2	UG/L	U		2	2	100	D&D Bldg 771
41499	5/9/02	GW08278RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	1	1	100	D&D Bldg 771
41499	5/9/02	GW08278RG	BROMOFORM	REAL	TR2	2	UG/L	U		2	2	100	D&D Bldg 771
41499	5/9/02	GW08278RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1	51.1	D&D Bldg 771
41499	5/9/02	GW08278RG	BROMOMETHANE	REAL	TR2	2	UG/L	U		2	2	51.1	D&D Bldg 771
41499	5/9/02	GW08278RG	CARBON DISULFIDE	REAL	TR1	5	UG/L	U	V	5	1	3650	D&D Bldg 771
41499	5/9/02	GW08278RG	CARBON DISULFIDE	REAL	TR2	10	UG/L	U		10	2	3650	D&D Bldg 771
41499	5/9/02	GW08278RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 771
41499	5/9/02	GW08278RG	CARBON TETRACHLORIDE	REAL	TR2	2	UG/L	U		2	2	5	D&D Bldg 771
41499	5/9/02	GW08278RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	100	D&D Bldg 771
41499	5/9/02	GW08278RG	CHLOROBENZENE	REAL	TR2	2	UG/L	U		2	2	100	D&D Bldg 771
41499	5/9/02	GW08278RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	29.4	D&D Bldg 771
41499	5/9/02	GW08278RG	CHLOROETHANE	REAL	TR2	2	UG/L	U		2	2	29.4	D&D Bldg 771
41499	5/9/02	GW08278RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V	1	1	100	D&D Bldg 771
41499	5/9/02	GW08278RG	CHLOROFORM	REAL	TR2	2	UG/L	U		2	2	100	D&D Bldg 771
41499	5/9/02	GW08278RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	6.55	D&D Bldg 771
41499	5/9/02	GW08278RG	CHLOROMETHANE	REAL	TR2	2	UG/L	U		2	2	6.55	D&D Bldg 771
41499	5/9/02	GW08278RG	cis-1,2-DICHLOROETHENE	REAL	TR1	17.2	UG/L		V	1	1	70	D&D Bldg 771
41499	5/9/02	GW08278RG	cis-1,2-DICHLOROETHENE	REAL	TR2	16.7	UG/L	D		2	2	70	D&D Bldg 771
41499	5/9/02	GW08278RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473	D&D Bldg 771
41499	5/9/02	GW08278RG	cis-1,3-DICHLOROPROPENE	REAL	TR2	2	UG/L	U		2	2	0.473	D&D Bldg 771
41499	5/9/02	GW08278RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	1.01	D&D Bldg 771
41499	5/9/02	GW08278RG	DIBROMOCHLOROMETHANE	REAL	TR2	2	UG/L	U		2	2	1.01	D&D Bldg 771
41499	5/9/02	GW08278RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
41499	5/9/02	GW08278RG	DIBROMOMETHANE	REAL	TR2	2	UG/L	U		2	2		D&D Bldg 771
41499	5/9/02	GW08278RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
41499	5/9/02	GW08278RG	DICHLORODIFLUOROMETHANE	REAL	TR2	2	UG/L	U		2	2		D&D Bldg 771
41499	5/9/02	GW08278RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	700	D&D Bldg 771
41499	5/9/02	GW08278RG	ETHYLBENZENE	REAL	TR2	2	UG/L	U		2	2	700	D&D Bldg 771
41499	5/9/02	GW08278RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	1	1	1.09	D&D Bldg 771
41499	5/9/02	GW08278RG	HEXACHLOROBUTADIENE	REAL	TR2	2	UG/L	U		2	2	1.09	D&D Bldg 771
41499	5/9/02	GW08278RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 771
41499	5/9/02	GW08278RG	ISOPROPYLBENZENE	REAL	TR2	2	UG/L	U		2	2		D&D Bldg 771
41499	5/9/02	GW08278RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 771
41499	5/9/02	GW08278RG	METHYLENE CHLORIDE	REAL	TR2	7.2	UG/L	BD		2	2	5	D&D Bldg 771
41499	5/9/02	GW08278RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V	1	1	1460	D&D Bldg 771
41499	5/9/02	GW08278RG	NAPHTHALENE	REAL	TR2	2	UG/L	U		2	2	1460	D&D Bldg 771
41499	5/9/02	GW08278RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 771
41499	5/9/02	GW08278RG	n-BUTYLBENZENE	REAL	TR2	2	UG/L	U		2	2		D&D Bldg 771
41499	5/9/02	GW08278RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 771
41499	5/9/02	GW08278RG	n-PROPYLBENZENE	REAL	TR2	2	UG/L	U		2	2		D&D Bldg 771
41499	5/9/02	GW08278RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
41499	5/9/02	GW08278RG	o-CHLOROTOLUENE	REAL	TR2	2	UG/L	U		2	2		D&D Bldg 771
41499	5/9/02	GW08278RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
41499	5/9/02	GW08278RG	p-CHLOROTOLUENE	REAL	TR2	2	UG/L	U		2	2		D&D Bldg 771
41499	5/9/02	GW08278RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V	1	1	0.2	D&D Bldg 771
41499	5/9/02	GW08278RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR2	2	UG/L	U		2	2	0.2	D&D Bldg 771
41499	5/9/02	GW08278RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 771
41499	5/9/02	GW08278RG	sec-BUTYLBENZENE	REAL	TR2	2	UG/L	U		2	2		D&D Bldg 771

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
41499	5/9/02	GW08278RG	STYRENE	REAL	TR1	1	UG/L	U	V	1	1	100	D&D Bldg 771
41499	5/9/02	GW08278RG	STYRENE	REAL	TR2	2	UG/L	U		2	2	100	D&D Bldg 771
41499	5/9/02	GW08278RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 771
41499	5/9/02	GW08278RG	tert-BUTYLBENZENE	REAL	TR2	2	UG/L	U		2	2		D&D Bldg 771
41499	5/9/02	GW08278RG	TETRACHLOROETHENE	REAL	TR1	0.47	UG/L	JB		1	1	5	D&D Bldg 771
41499	5/9/02	GW08278RG	TETRACHLOROETHENE	REAL	TR2	2	UG/L	U	JB	2	2	5	D&D Bldg 771
41499	5/9/02	GW08278RG	TOLUENE	REAL	TR1	1	UG/L	U	V	1	1	1000	D&D Bldg 771
41499	5/9/02	GW08278RG	TOLUENE	REAL	TR2	2	UG/L	U		2	2	1000	D&D Bldg 771
41499	5/9/02	GW08278RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	V	3	1	10000	D&D Bldg 771
41499	5/9/02	GW08278RG	TOTAL XYLENES	REAL	TR2	6	UG/L	U		6	2	10000	D&D Bldg 771
41499	5/9/02	GW08278RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70	D&D Bldg 771
41499	5/9/02	GW08278RG	trans-1,2-DICHLOROETHENE	REAL	TR2	2	UG/L	U		2	2	70	D&D Bldg 771
41499	5/9/02	GW08278RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473	D&D Bldg 771
41499	5/9/02	GW08278RG	trans-1,3-DICHLOROPROPENE	REAL	TR2	2	UG/L	U		2	2	0.473	D&D Bldg 771
41499	5/9/02	GW08278RG	TRICHLOROETHENE	REAL	TR1	103	UG/L	E		1	1	5	D&D Bldg 771
41499	5/9/02	GW08278RG	TRICHLOROETHENE	REAL	TR2	96.4	UG/L	D	V	2	2	5	D&D Bldg 771
41499	5/9/02	GW08278RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 771
41499	5/9/02	GW08278RG	TRICHLOROFLUOROMETHANE	REAL	TR2	2	UG/L	U		2	2		D&D Bldg 771
41499	5/9/02	GW08278RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	2	D&D Bldg 771
41499	5/9/02	GW08278RG	VINYL CHLORIDE	REAL	TR2	2	UG/L	U		2	2	2	D&D Bldg 771
55901	4/23/02	GW08258RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 559
55901	4/23/02	GW08258RG	1,1,1-TRICHLOROETHANE	REAL	TR1	0.44	UG/L	J	V1	0.23	1	200	D&D Bldg 559
55901	4/23/02	GW08258RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	D&D Bldg 559
55901	4/23/02	GW08258RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	D&D Bldg 559
55901	4/23/02	GW08258RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	25.6	UG/L		V1	0.2	1		D&D Bldg 559
55901	4/23/02	GW08258RG	1,1-DICHLOROETHANE	REAL	TR1	1.15	UG/L		V1	0.22	1	3650	D&D Bldg 559
55901	4/23/02	GW08258RG	1,1-DICHLOROETHENE	REAL	TR1	18.6	UG/L		V1	0.19	1	7	D&D Bldg 559
55901	4/23/02	GW08258RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 559
55901	4/23/02	GW08258RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		D&D Bldg 559
55901	4/23/02	GW08258RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 559
55901	4/23/02	GW08258RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	D&D Bldg 559
55901	4/23/02	GW08258RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 559
55901	4/23/02	GW08258RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	D&D Bldg 559
55901	4/23/02	GW08258RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	D&D Bldg 559
55901	4/23/02	GW08258RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	D&D Bldg 559
55901	4/23/02	GW08258RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	D&D Bldg 559
55901	4/23/02	GW08258RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 559
55901	4/23/02	GW08258RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	D&D Bldg 559
55901	4/23/02	GW08258RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	UJ1	0.65	1		D&D Bldg 559
55901	4/23/02	GW08258RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	D&D Bldg 559
55901	4/23/02	GW08258RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		D&D Bldg 559
55901	4/23/02	GW08258RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 559
55901	4/23/02	GW08258RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	D&D Bldg 559
55901	4/23/02	GW08258RG	ACETONE	REAL	TR1	10	UG/L	U	V1	3.4	1	3650	D&D Bldg 559
55901	4/23/02	GW08258RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	D&D Bldg 559
55901	4/23/02	GW08258RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 559
55901	4/23/02	GW08258RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 559
55901	4/23/02	GW08258RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		D&D Bldg 559
55901	4/23/02	GW08258RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		D&D Bldg 559
55901	4/23/02	GW08258RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 559
55901	4/23/02	GW08258RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	D&D Bldg 559
55901	4/23/02	GW08258RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	D&D Bldg 559
55901	4/23/02	GW08258RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	D&D Bldg 559
55901	4/23/02	GW08258RG	CARBON TETRACHLORIDE	REAL	TR1	70.4	UG/L		J1	0.38	1	5	D&D Bldg 559
55901	4/23/02	GW08258RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	D&D Bldg 559
55901	4/23/02	GW08258RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	D&D Bldg 559
55901	4/23/02	GW08258RG	CHLOROFORM	REAL	TR1	7.17	UG/L		V1	0.21	1	100	D&D Bldg 559

261

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
55901	4/23/02	GW08258RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	D&D Bldg 559
55901	4/23/02	GW08258RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1.02	UG/L		V1	0.15	1	70	D&D Bldg 559
55901	4/23/02	GW08258RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	D&D Bldg 559
55901	4/23/02	GW08258RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	D&D Bldg 559
55901	4/23/02	GW08258RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		D&D Bldg 559
55901	4/23/02	GW08258RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		D&D Bldg 559
55901	4/23/02	GW08258RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	D&D Bldg 559
55901	4/23/02	GW08258RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	D&D Bldg 559
55901	4/23/02	GW08258RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		D&D Bldg 559
55901	4/23/02	GW08258RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	D&D Bldg 559
55901	4/23/02	GW08258RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	D&D Bldg 559
55901	4/23/02	GW08258RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 559
55901	4/23/02	GW08258RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 559
55901	4/23/02	GW08258RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		D&D Bldg 559
55901	4/23/02	GW08258RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		D&D Bldg 559
55901	4/23/02	GW08258RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	D&D Bldg 559
55901	4/23/02	GW08258RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		D&D Bldg 559
55901	4/23/02	GW08258RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	D&D Bldg 559
55901	4/23/02	GW08258RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 559
55901	4/23/02	GW08258RG	TETRACHLOROETHENE	REAL	TR1	4.27	UG/L		V1	0.56	1	5	D&D Bldg 559
55901	4/23/02	GW08258RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	D&D Bldg 559
55901	4/23/02	GW08258RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	D&D Bldg 559
55901	4/23/02	GW08258RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	D&D Bldg 559
55901	4/23/02	GW08258RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	D&D Bldg 559
55901	4/23/02	GW08258RG	TRICHLOROETHENE	REAL	TR1	13	UG/L		V1	0.23	1	5	D&D Bldg 559
55901	4/23/02	GW08258RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 559
55901	4/23/02	GW08258RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	D&D Bldg 559
56001	4/23/02	GW08259RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 559
56001	4/23/02	GW08259RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	D&D Bldg 559
56001	4/23/02	GW08259RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	D&D Bldg 559
56001	4/23/02	GW08259RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	D&D Bldg 559
56001	4/23/02	GW08259RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		D&D Bldg 559
56001	4/23/02	GW08259RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	D&D Bldg 559
56001	4/23/02	GW08259RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	D&D Bldg 559
56001	4/23/02	GW08259RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 559
56001	4/23/02	GW08259RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		D&D Bldg 559
56001	4/23/02	GW08259RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 559
56001	4/23/02	GW08259RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	D&D Bldg 559
56001	4/23/02	GW08259RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 559
56001	4/23/02	GW08259RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	D&D Bldg 559
56001	4/23/02	GW08259RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	D&D Bldg 559
56001	4/23/02	GW08259RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	D&D Bldg 559
56001	4/23/02	GW08259RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	D&D Bldg 559
56001	4/23/02	GW08259RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 559
56001	4/23/02	GW08259RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	D&D Bldg 559
56001	4/23/02	GW08259RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	UJ1	0.65	1		D&D Bldg 559
56001	4/23/02	GW08259RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	D&D Bldg 559
56001	4/23/02	GW08259RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		D&D Bldg 559
56001	4/23/02	GW08259RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 559
56001	4/23/02	GW08259RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	D&D Bldg 559
56001	4/23/02	GW08259RG	ACETONE	REAL	TR1	10	UG/L	U	V1	3.4	1	3650	D&D Bldg 559
56001	4/23/02	GW08259RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	D&D Bldg 559
56001	4/23/02	GW08259RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 559
56001	4/23/02	GW08259RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 559
56001	4/23/02	GW08259RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		D&D Bldg 559
56001	4/23/02	GW08259RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		D&D Bldg 559
56001	4/23/02	GW08259RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 559

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
56001	4/23/02	GW08259RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	D&D Bldg 559
56001	4/23/02	GW08259RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	D&D Bldg 559
56001	4/23/02	GW08259RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	D&D Bldg 559
56001	4/23/02	GW08259RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	UJ1	0.38	1	5	D&D Bldg 559
56001	4/23/02	GW08259RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	D&D Bldg 559
56001	4/23/02	GW08259RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	D&D Bldg 559
56001	4/23/02	GW08259RG	CHLOROFORM	REAL	TR1	0.62	UG/L	J	V1	0.21	1	100	D&D Bldg 559
56001	4/23/02	GW08259RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	D&D Bldg 559
56001	4/23/02	GW08259RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	D&D Bldg 559
56001	4/23/02	GW08259RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	D&D Bldg 559
56001	4/23/02	GW08259RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	D&D Bldg 559
56001	4/23/02	GW08259RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		D&D Bldg 559
56001	4/23/02	GW08259RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		D&D Bldg 559
56001	4/23/02	GW08259RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	D&D Bldg 559
56001	4/23/02	GW08259RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	D&D Bldg 559
56001	4/23/02	GW08259RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		D&D Bldg 559
56001	4/23/02	GW08259RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	D&D Bldg 559
56001	4/23/02	GW08259RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	D&D Bldg 559
56001	4/23/02	GW08259RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 559
56001	4/23/02	GW08259RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 559
56001	4/23/02	GW08259RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		D&D Bldg 559
56001	4/23/02	GW08259RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		D&D Bldg 559
56001	4/23/02	GW08259RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	D&D Bldg 559
56001	4/23/02	GW08259RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		D&D Bldg 559
56001	4/23/02	GW08259RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	D&D Bldg 559
56001	4/23/02	GW08259RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 559
56001	4/23/02	GW08259RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	D&D Bldg 559
56001	4/23/02	GW08259RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	D&D Bldg 559
56001	4/23/02	GW08259RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	D&D Bldg 559
56001	4/23/02	GW08259RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	D&D Bldg 559
56001	4/23/02	GW08259RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	D&D Bldg 559
56001	4/23/02	GW08259RG	TRICHLOROETHENE	REAL	TR1	2.27	UG/L		V1	0.23	1	5	D&D Bldg 559
56001	4/23/02	GW08259RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 559
56001	4/23/02	GW08259RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	D&D Bldg 559
56101	4/23/02	GW08260RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 559
56101	4/23/02	GW08260RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	D&D Bldg 559
56101	4/23/02	GW08260RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	D&D Bldg 559
56101	4/23/02	GW08260RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	D&D Bldg 559
56101	4/23/02	GW08260RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		D&D Bldg 559
56101	4/23/02	GW08260RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	D&D Bldg 559
56101	4/23/02	GW08260RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	D&D Bldg 559
56101	4/23/02	GW08260RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 559
56101	4/23/02	GW08260RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		D&D Bldg 559
56101	4/23/02	GW08260RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 559
56101	4/23/02	GW08260RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	D&D Bldg 559
56101	4/23/02	GW08260RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 559
56101	4/23/02	GW08260RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	D&D Bldg 559
56101	4/23/02	GW08260RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	D&D Bldg 559
56101	4/23/02	GW08260RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	D&D Bldg 559
56101	4/23/02	GW08260RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	D&D Bldg 559
56101	4/23/02	GW08260RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 559
56101	4/23/02	GW08260RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	D&D Bldg 559
56101	4/23/02	GW08260RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	UJ1	0.65	1		D&D Bldg 559
56101	4/23/02	GW08260RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	D&D Bldg 559
56101	4/23/02	GW08260RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		D&D Bldg 559
56101	4/23/02	GW08260RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 559
56101	4/23/02	GW08260RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	D&D Bldg 559

253

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
56101	4/23/02	GW08260RG	ACETONE	REAL	TR1	10	UG/L	U	V1	3.4	1	3650	D&D Bldg 559
56101	4/23/02	GW08260RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	D&D Bldg 559
56101	4/23/02	GW08260RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 559
56101	4/23/02	GW08260RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 559
56101	4/23/02	GW08260RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		D&D Bldg 559
56101	4/23/02	GW08260RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		D&D Bldg 559
56101	4/23/02	GW08260RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 559
56101	4/23/02	GW08260RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	D&D Bldg 559
56101	4/23/02	GW08260RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	D&D Bldg 559
56101	4/23/02	GW08260RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	D&D Bldg 559
56101	4/23/02	GW08260RG	CARBON TETRACHLORIDE	REAL	TR1	2.72	UG/L		J1	0.38	1	5	D&D Bldg 559
56101	4/23/02	GW08260RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	D&D Bldg 559
56101	4/23/02	GW08260RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	D&D Bldg 559
56101	4/23/02	GW08260RG	CHLOROFORM	REAL	TR1	0.75	UG/L	J	V1	0.21	1	100	D&D Bldg 559
56101	4/23/02	GW08260RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	D&D Bldg 559
56101	4/23/02	GW08260RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	D&D Bldg 559
56101	4/23/02	GW08260RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	D&D Bldg 559
56101	4/23/02	GW08260RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	D&D Bldg 559
56101	4/23/02	GW08260RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		D&D Bldg 559
56101	4/23/02	GW08260RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		D&D Bldg 559
56101	4/23/02	GW08260RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	D&D Bldg 559
56101	4/23/02	GW08260RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	D&D Bldg 559
56101	4/23/02	GW08260RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		D&D Bldg 559
56101	4/23/02	GW08260RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	D&D Bldg 559
56101	4/23/02	GW08260RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	D&D Bldg 559
56101	4/23/02	GW08260RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 559
56101	4/23/02	GW08260RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 559
56101	4/23/02	GW08260RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		D&D Bldg 559
56101	4/23/02	GW08260RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		D&D Bldg 559
56101	4/23/02	GW08260RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	D&D Bldg 559
56101	4/23/02	GW08260RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		D&D Bldg 559
56101	4/23/02	GW08260RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	D&D Bldg 559
56101	4/23/02	GW08260RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 559
56101	4/23/02	GW08260RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	D&D Bldg 559
56101	4/23/02	GW08260RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	D&D Bldg 559
56101	4/23/02	GW08260RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	D&D Bldg 559
56101	4/23/02	GW08260RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	D&D Bldg 559
56101	4/23/02	GW08260RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	D&D Bldg 559
56101	4/23/02	GW08260RG	TRICHLOROETHENE	REAL	TR1	1.21	UG/L		V1	0.23	1	5	D&D Bldg 559
56101	4/23/02	GW08260RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 559
56101	4/23/02	GW08260RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	D&D Bldg 559
56201	5/7/02	GW08261RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	200	D&D Bldg 559
56201	5/7/02	GW08261RG	1,1,1-TRICHLOROETHANE	REAL	TR2	1	UG/L	U		0.5	1	200	D&D Bldg 559
56201	5/7/02	GW08261RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	0.426	D&D Bldg 559
56201	5/7/02	GW08261RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR2	1	UG/L	U		0.5	1	0.426	D&D Bldg 559
56201	5/7/02	GW08261RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08261RG	1,1,2-TRICHLOROETHANE	REAL	TR2	1	UG/L	U		0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08261RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	2.4	UG/L	J	V	2	1		D&D Bldg 559
56201	5/7/02	GW08261RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR2	2.9	UG/L	J		2	1		D&D Bldg 559
56201	5/7/02	GW08261RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	3650	D&D Bldg 559
56201	5/7/02	GW08261RG	1,1-DICHLOROETHANE	REAL	TR2	1	UG/L	U		0.5	1	3650	D&D Bldg 559
56201	5/7/02	GW08261RG	1,1-DICHLOROETHENE	REAL	TR1	3.01	UG/L		V	0.5	1	7	D&D Bldg 559
56201	5/7/02	GW08261RG	1,1-DICHLOROETHENE	REAL	TR2	3.85	UG/L			0.5	1	7	D&D Bldg 559
56201	5/7/02	GW08261RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	1,1-DICHLOROPROPENE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
56201	5/7/02	GW08261RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	1,2,3-TRICHLOROBENZENE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 559
56201	5/7/02	GW08261RG	1,2,3-TRICHLOROPROPANE	REAL	TR2	1	UG/L	U		1	1		D&D Bldg 559
56201	5/7/02	GW08261RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	70	D&D Bldg 559
56201	5/7/02	GW08261RG	1,2,4-TRICHLOROBENZENE	REAL	TR2	1	UG/L	U		0.5	1	70	D&D Bldg 559
56201	5/7/02	GW08261RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	1,2-DIBROMOETHANE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	600	D&D Bldg 559
56201	5/7/02	GW08261RG	1,2-DICHLOROBENZENE	REAL	TR2	1	UG/L	U		0.5	1	600	D&D Bldg 559
56201	5/7/02	GW08261RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08261RG	1,2-DICHLOROETHANE	REAL	TR2	1	UG/L	U		0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08261RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08261RG	1,2-DICHLOROPROPANE	REAL	TR2	1	UG/L	U		0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08261RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	600	D&D Bldg 559
56201	5/7/02	GW08261RG	1,3-DICHLOROBENZENE	REAL	TR2	1	UG/L	U		0.5	1	600	D&D Bldg 559
56201	5/7/02	GW08261RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	1,3-DICHLOROPROPANE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	75	D&D Bldg 559
56201	5/7/02	GW08261RG	1,4-DICHLOROBENZENE	REAL	TR2	1	UG/L	U		0.5	1	75	D&D Bldg 559
56201	5/7/02	GW08261RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	2,2-DICHLOROPROPANE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	2-BUTANONE	REAL	TR1	12.5	UG/L	U	UJ	2	1	21900	D&D Bldg 559
56201	5/7/02	GW08261RG	2-BUTANONE	REAL	TR2	12.5	UG/L	U		2	1	21900	D&D Bldg 559
56201	5/7/02	GW08261RG	2-HEXANONE	REAL	TR1	2.5	UG/L	U	UJ	1	1		D&D Bldg 559
56201	5/7/02	GW08261RG	2-HEXANONE	REAL	TR2	2.5	UG/L	U		1	1		D&D Bldg 559
56201	5/7/02	GW08261RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	4-ISOPROPYLTOLUENE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	4-METHYL-2-PENTANONE	REAL	TR1	2.5	UG/L	U	V	1	1	2920	D&D Bldg 559
56201	5/7/02	GW08261RG	4-METHYL-2-PENTANONE	REAL	TR2	2.5	UG/L	U		1	1	2920	D&D Bldg 559
56201	5/7/02	GW08261RG	ACETONE	REAL	TR1	12.5	UG/L	U	UJ	2	1	3650	D&D Bldg 559
56201	5/7/02	GW08261RG	ACETONE	REAL	TR2	12.5	UG/L	U		2	1	3650	D&D Bldg 559
56201	5/7/02	GW08261RG	BENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08261RG	BENZENE	REAL	TR2	1	UG/L	U		0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08261RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	BROMOBENZENE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	BROMOCHLOROMETHANE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	100	D&D Bldg 559
56201	5/7/02	GW08261RG	BROMODICHLOROMETHANE	REAL	TR2	1	UG/L	U		0.5	1	100	D&D Bldg 559
56201	5/7/02	GW08261RG	BROMOFORM	REAL	TR1	1	UG/L	U	UJ	0.5	1	100	D&D Bldg 559
56201	5/7/02	GW08261RG	BROMOFORM	REAL	TR2	1	UG/L	U		0.5	1	100	D&D Bldg 559
56201	5/7/02	GW08261RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	51.1	D&D Bldg 559
56201	5/7/02	GW08261RG	BROMOMETHANE	REAL	TR2	1	UG/L	U		0.5	1	51.1	D&D Bldg 559
56201	5/7/02	GW08261RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V	0.5	1	3650	D&D Bldg 559
56201	5/7/02	GW08261RG	CARBON DISULFIDE	REAL	TR2	1	UG/L	U		0.5	1	3650	D&D Bldg 559
56201	5/7/02	GW08261RG	CARBON TETRACHLORIDE	REAL	TR1	27.2	UG/L	B	V	0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08261RG	CARBON TETRACHLORIDE	REAL	TR2	30	UG/L			0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08261RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	100	D&D Bldg 559
56201	5/7/02	GW08261RG	CHLOROBENZENE	REAL	TR2	1	UG/L	U		0.5	1	100	D&D Bldg 559
56201	5/7/02	GW08261RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	29.4	D&D Bldg 559
56201	5/7/02	GW08261RG	CHLOROETHANE	REAL	TR2	1	UG/L	U		0.5	1	29.4	D&D Bldg 559
56201	5/7/02	GW08261RG	CHLOROFORM	REAL	TR1	2.56	UG/L		V	0.5	1	100	D&D Bldg 559

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
56201	5/7/02	GW08261RG	CHLOROFORM	REAL	TR2	3.09	UG/L			0.5	1	100	D&D Bldg 559
56201	5/7/02	GW08261RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	6.55	D&D Bldg 559
56201	5/7/02	GW08261RG	CHLOROMETHANE	REAL	TR2	1	UG/L	U		0.5	1	6.55	D&D Bldg 559
56201	5/7/02	GW08261RG	cis-1,2-DICHLOROETHENE	REAL	TR1	0.77	UG/L	J	V	0.5	1	70	D&D Bldg 559
56201	5/7/02	GW08261RG	cis-1,2-DICHLOROETHENE	REAL	TR2	1.02	UG/L			0.5	1	70	D&D Bldg 559
56201	5/7/02	GW08261RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.5	1	0.473	D&D Bldg 559
56201	5/7/02	GW08261RG	cis-1,3-DICHLOROPROPENE	REAL	TR2	1	UG/L	U		0.5	1	0.473	D&D Bldg 559
56201	5/7/02	GW08261RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	1.01	D&D Bldg 559
56201	5/7/02	GW08261RG	DIBROMOCHLOROMETHANE	REAL	TR2	1	UG/L	U		0.5	1	1.01	D&D Bldg 559
56201	5/7/02	GW08261RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	DIBROMOMETHANE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	DICHLORODIFLUOROMETHANE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	700	D&D Bldg 559
56201	5/7/02	GW08261RG	ETHYLBENZENE	REAL	TR2	1	UG/L	U		0.5	1	700	D&D Bldg 559
56201	5/7/02	GW08261RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	0.3	1	1.09	D&D Bldg 559
56201	5/7/02	GW08261RG	HEXACHLOROBUTADIENE	REAL	TR2	1	UG/L	U		0.3	1	1.09	D&D Bldg 559
56201	5/7/02	GW08261RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	ISOPROPYLBENZENE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V	0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08261RG	METHYLENE CHLORIDE	REAL	TR2	1	UG/L	U		0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08261RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	1460	D&D Bldg 559
56201	5/7/02	GW08261RG	NAPHTHALENE	REAL	TR2	1	UG/L	U		0.5	1	1460	D&D Bldg 559
56201	5/7/02	GW08261RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	n-BUTYLBENZENE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	n-PROPYLBENZENE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	o-CHLOROTOLUENE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	p-CHLOROTOLUENE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V	1	1	0.2	D&D Bldg 559
56201	5/7/02	GW08261RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR2	1	UG/L	U		1	1	0.2	D&D Bldg 559
56201	5/7/02	GW08261RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	sec-BUTYLBENZENE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	STYRENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	100	D&D Bldg 559
56201	5/7/02	GW08261RG	STYRENE	REAL	TR2	1	UG/L	U		0.5	1	100	D&D Bldg 559
56201	5/7/02	GW08261RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	tert-BUTYLBENZENE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	TETRACHLOROETHENE	REAL	TR1	1.2	UG/L		V	0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08261RG	TETRACHLOROETHENE	REAL	TR2	1.49	UG/L			0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08261RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	1000	D&D Bldg 559
56201	5/7/02	GW08261RG	TOLUENE	REAL	TR2	1	UG/L	U		0.5	1	1000	D&D Bldg 559
56201	5/7/02	GW08261RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	UJ	0.5	1	10000	D&D Bldg 559
56201	5/7/02	GW08261RG	TOTAL XYLENES	REAL	TR2	3	UG/L	U		0.5	1	10000	D&D Bldg 559
56201	5/7/02	GW08261RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	0.5	1	70	D&D Bldg 559
56201	5/7/02	GW08261RG	trans-1,2-DICHLOROETHENE	REAL	TR2	1	UG/L	U		0.5	1	70	D&D Bldg 559
56201	5/7/02	GW08261RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.5	1	0.473	D&D Bldg 559
56201	5/7/02	GW08261RG	trans-1,3-DICHLOROPROPENE	REAL	TR2	1	UG/L	U		0.5	1	0.473	D&D Bldg 559
56201	5/7/02	GW08261RG	TRICHLOROETHENE	REAL	TR1	13.7	UG/L		V	0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08261RG	TRICHLOROETHENE	REAL	TR2	18.4	UG/L			0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08261RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	TRICHLOROFLUOROMETHANE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	0.5	1	2	D&D Bldg 559
56201	5/7/02	GW08261RG	VINYL CHLORIDE	REAL	TR2	1	UG/L	U		0.5	1	2	D&D Bldg 559
56201	5/7/02	GW08262RG	1,1,1,2-TETRACHLOROETHANE	DUP	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	1,1,1,2-TETRACHLOROETHANE	DUP	TR2	1	UG/L	U		0.5	1		D&D Bldg 559

256

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
56201	5/7/02	GW08262RG	1,1,1-TRICHLOROETHANE	DUP	TR1	1	UG/L	U	V	0.5	1	200	D&D Bldg 559
56201	5/7/02	GW08262RG	1,1,1-TRICHLOROETHANE	DUP	TR2	1	UG/L	U		0.5	1	200	D&D Bldg 559
56201	5/7/02	GW08262RG	1,1,2,2-TETRACHLOROETHANE	DUP	TR1	1	UG/L	U	V	0.5	1	0.426	D&D Bldg 559
56201	5/7/02	GW08262RG	1,1,2,2-TETRACHLOROETHANE	DUP	TR2	1	UG/L	U		0.5	1	0.426	D&D Bldg 559
56201	5/7/02	GW08262RG	1,1,2-TRICHLOROETHANE	DUP	TR1	1	UG/L	U	V	0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08262RG	1,1,2-TRICHLOROETHANE	DUP	TR2	1	UG/L	U		0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08262RG	1,1,2-TRICHLOROTRIFLUOROETHANE	DUP	TR1	3	UG/L	J	V	2	1		D&D Bldg 559
56201	5/7/02	GW08262RG	1,1,2-TRICHLOROTRIFLUOROETHANE	DUP	TR2	4.6	UG/L	J		2	1		D&D Bldg 559
56201	5/7/02	GW08262RG	1,1-DICHLOROETHANE	DUP	TR1	1	UG/L	U	V	0.5	1	3650	D&D Bldg 559
56201	5/7/02	GW08262RG	1,1-DICHLOROETHANE	DUP	TR2	1	UG/L	U		0.5	1	3650	D&D Bldg 559
56201	5/7/02	GW08262RG	1,1-DICHLOROETHENE	DUP	TR1	3.86	UG/L		V	0.5	1	7	D&D Bldg 559
56201	5/7/02	GW08262RG	1,1-DICHLOROETHENE	DUP	TR2	4.13	UG/L			0.5	1	7	D&D Bldg 559
56201	5/7/02	GW08262RG	1,1-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	1,1-DICHLOROPROPENE	DUP	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	1,2,3-TRICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	1,2,3-TRICHLOROBENZENE	DUP	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	1,2,3-TRICHLOROPROPANE	DUP	TR1	1	UG/L	U	V	1	1		D&D Bldg 559
56201	5/7/02	GW08262RG	1,2,3-TRICHLOROPROPANE	DUP	TR2	1	UG/L	U		1	1		D&D Bldg 559
56201	5/7/02	GW08262RG	1,2,4-TRICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ	0.5	1	70	D&D Bldg 559
56201	5/7/02	GW08262RG	1,2,4-TRICHLOROBENZENE	DUP	TR2	1	UG/L	U		0.5	1	70	D&D Bldg 559
56201	5/7/02	GW08262RG	1,2-DIBROMOETHANE	DUP	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	1,2-DIBROMOETHANE	DUP	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	1,2-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ	0.5	1	600	D&D Bldg 559
56201	5/7/02	GW08262RG	1,2-DICHLOROBENZENE	DUP	TR2	1	UG/L	U		0.5	1	600	D&D Bldg 559
56201	5/7/02	GW08262RG	1,2-DICHLOROETHANE	DUP	TR1	1	UG/L	U	V	0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08262RG	1,2-DICHLOROETHANE	DUP	TR2	1	UG/L	U		0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08262RG	1,2-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V	0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08262RG	1,2-DICHLOROPROPANE	DUP	TR2	1	UG/L	U		0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08262RG	1,3-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ	0.5	1	600	D&D Bldg 559
56201	5/7/02	GW08262RG	1,3-DICHLOROBENZENE	DUP	TR2	1	UG/L	U		0.5	1	600	D&D Bldg 559
56201	5/7/02	GW08262RG	1,3-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	1,3-DICHLOROPROPANE	DUP	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	1,4-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ	0.5	1	75	D&D Bldg 559
56201	5/7/02	GW08262RG	1,4-DICHLOROBENZENE	DUP	TR2	1	UG/L	U		0.5	1	75	D&D Bldg 559
56201	5/7/02	GW08262RG	2,2-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	2,2-DICHLOROPROPANE	DUP	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	2-BUTANONE	DUP	TR1	12.5	UG/L	U	UJ	2	1	21900	D&D Bldg 559
56201	5/7/02	GW08262RG	2-BUTANONE	DUP	TR2	12.5	UG/L	U		2	1	21900	D&D Bldg 559
56201	5/7/02	GW08262RG	2-HEXANONE	DUP	TR1	2.5	UG/L	U	UJ	1	1		D&D Bldg 559
56201	5/7/02	GW08262RG	2-HEXANONE	DUP	TR2	2.5	UG/L	U		1	1		D&D Bldg 559
56201	5/7/02	GW08262RG	4-ISOPROPYLTOLUENE	DUP	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	4-ISOPROPYLTOLUENE	DUP	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	4-METHYL-2-PENTANONE	DUP	TR1	2.5	UG/L	U	V	1	1	2920	D&D Bldg 559
56201	5/7/02	GW08262RG	4-METHYL-2-PENTANONE	DUP	TR2	2.5	UG/L	U		1	1	2920	D&D Bldg 559
56201	5/7/02	GW08262RG	ACETONE	DUP	TR1	12.5	UG/L	U	UJ	2	1	3650	D&D Bldg 559
56201	5/7/02	GW08262RG	ACETONE	DUP	TR2	12.5	UG/L	U		2	1	3650	D&D Bldg 559
56201	5/7/02	GW08262RG	BENZENE	DUP	TR1	1	UG/L	U	UJ	0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08262RG	BENZENE	DUP	TR2	1	UG/L	U		0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08262RG	BENZENE, 1,2,4-TRIMETHYL	DUP	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	BENZENE, 1,2,4-TRIMETHYL	DUP	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	BENZENE, 1,3,5-TRIMETHYL-	DUP	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	BENZENE, 1,3,5-TRIMETHYL-	DUP	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	BROMOBENZENE	DUP	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	BROMOBENZENE	DUP	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	BROMOCHLOROMETHANE	DUP	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	BROMOCHLOROMETHANE	DUP	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	BROMODICHLOROMETHANE	DUP	TR1	1	UG/L	U	V	0.5	1	100	D&D Bldg 559

257

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
56201	5/7/02	GW08262RG	BROMODICHLOROMETHANE	DUP	TR2	1	UG/L	U		0.5	1	100	D&D Bldg 559
56201	5/7/02	GW08262RG	BROMOFORM	DUP	TR1	1	UG/L	U	UJ	0.5	1	100	D&D Bldg 559
56201	5/7/02	GW08262RG	BROMOFORM	DUP	TR2	1	UG/L	U		0.5	1	100	D&D Bldg 559
56201	5/7/02	GW08262RG	BROMOMETHANE	DUP	TR1	1	UG/L	U	V	0.5	1	51.1	D&D Bldg 559
56201	5/7/02	GW08262RG	BROMOMETHANE	DUP	TR2	1	UG/L	U		0.5	1	51.1	D&D Bldg 559
56201	5/7/02	GW08262RG	CARBON DISULFIDE	DUP	TR1	1	UG/L	U	V	0.5	1	3650	D&D Bldg 559
56201	5/7/02	GW08262RG	CARBON DISULFIDE	DUP	TR2	1	UG/L	U		0.5	1	3650	D&D Bldg 559
56201	5/7/02	GW08262RG	CARBON TETRACHLORIDE	DUP	TR1	34	UG/L	B	V	0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08262RG	CARBON TETRACHLORIDE	DUP	TR2	32.1	UG/L			0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08262RG	CHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ	0.5	1	100	D&D Bldg 559
56201	5/7/02	GW08262RG	CHLOROBENZENE	DUP	TR2	1	UG/L	U		0.5	1	100	D&D Bldg 559
56201	5/7/02	GW08262RG	CHLOROETHANE	DUP	TR1	1	UG/L	U	V	0.5	1	29.4	D&D Bldg 559
56201	5/7/02	GW08262RG	CHLOROETHANE	DUP	TR2	1	UG/L	U		0.5	1	29.4	D&D Bldg 559
56201	5/7/02	GW08262RG	CHLOROFORM	DUP	TR1	3.32	UG/L		V	0.5	1	100	D&D Bldg 559
56201	5/7/02	GW08262RG	CHLOROFORM	DUP	TR2	3.11	UG/L			0.5	1	100	D&D Bldg 559
56201	5/7/02	GW08262RG	CHLOROMETHANE	DUP	TR1	1	UG/L	U	V	0.5	1	6.55	D&D Bldg 559
56201	5/7/02	GW08262RG	CHLOROMETHANE	DUP	TR2	1	UG/L	U		0.5	1	6.55	D&D Bldg 559
56201	5/7/02	GW08262RG	cis-1,2-DICHLOROETHENE	DUP	TR1	0.86	UG/L	J	V	0.5	1	70	D&D Bldg 559
56201	5/7/02	GW08262RG	cis-1,2-DICHLOROETHENE	DUP	TR2	1.05	UG/L			0.5	1	70	D&D Bldg 559
56201	5/7/02	GW08262RG	cis-1,3-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V	0.5	1	0.473	D&D Bldg 559
56201	5/7/02	GW08262RG	cis-1,3-DICHLOROPROPENE	DUP	TR2	1	UG/L	U		0.5	1	0.473	D&D Bldg 559
56201	5/7/02	GW08262RG	DIBROMOCHLOROMETHANE	DUP	TR1	1	UG/L	U	V	0.5	1	1.01	D&D Bldg 559
56201	5/7/02	GW08262RG	DIBROMOCHLOROMETHANE	DUP	TR2	1	UG/L	U		0.5	1	1.01	D&D Bldg 559
56201	5/7/02	GW08262RG	DIBROMOMETHANE	DUP	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	DIBROMOMETHANE	DUP	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	DICHLORODIFLUOROMETHANE	DUP	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	DICHLORODIFLUOROMETHANE	DUP	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	ETHYLBENZENE	DUP	TR1	1	UG/L	U	UJ	0.5	1	700	D&D Bldg 559
56201	5/7/02	GW08262RG	ETHYLBENZENE	DUP	TR2	1	UG/L	U		0.5	1	700	D&D Bldg 559
56201	5/7/02	GW08262RG	HEXACHLOROBUTADIENE	DUP	TR1	1	UG/L	U	V	0.3	1	1.09	D&D Bldg 559
56201	5/7/02	GW08262RG	HEXACHLOROBUTADIENE	DUP	TR2	1	UG/L	U		0.3	1	1.09	D&D Bldg 559
56201	5/7/02	GW08262RG	ISOPROPYLBENZENE	DUP	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	ISOPROPYLBENZENE	DUP	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	METHYLENE CHLORIDE	DUP	TR1	1	UG/L	U	V	0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08262RG	METHYLENE CHLORIDE	DUP	TR2	1	UG/L	U		0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08262RG	NAPHTHALENE	DUP	TR1	1	UG/L	U	UJ	0.5	1	1460	D&D Bldg 559
56201	5/7/02	GW08262RG	NAPHTHALENE	DUP	TR2	1	UG/L	U		0.5	1	1460	D&D Bldg 559
56201	5/7/02	GW08262RG	n-BUTYLBENZENE	DUP	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	n-BUTYLBENZENE	DUP	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	n-PROPYLBENZENE	DUP	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	n-PROPYLBENZENE	DUP	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	o-CHLOROTOLUENE	DUP	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	o-CHLOROTOLUENE	DUP	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	p-CHLOROTOLUENE	DUP	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	p-CHLOROTOLUENE	DUP	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	DUP	TR1	1	UG/L	U	V	1	1	0.2	D&D Bldg 559
56201	5/7/02	GW08262RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	DUP	TR2	1	UG/L	U		1	1	0.2	D&D Bldg 559
56201	5/7/02	GW08262RG	sec-BUTYLBENZENE	DUP	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	sec-BUTYLBENZENE	DUP	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	STYRENE	DUP	TR1	1	UG/L	U	UJ	0.5	1	100	D&D Bldg 559
56201	5/7/02	GW08262RG	STYRENE	DUP	TR2	1	UG/L	U		0.5	1	100	D&D Bldg 559
56201	5/7/02	GW08262RG	tert-BUTYLBENZENE	DUP	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	tert-BUTYLBENZENE	DUP	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	TETRACHLOROETHENE	DUP	TR1	1.45	UG/L		V	0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08262RG	TETRACHLOROETHENE	DUP	TR2	1.41	UG/L			0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08262RG	TOLUENE	DUP	TR1	1	UG/L	U	UJ	0.5	1	1000	D&D Bldg 559
56201	5/7/02	GW08262RG	TOLUENE	DUP	TR2	1	UG/L	U		0.5	1	1000	D&D Bldg 559

258

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
56201	5/7/02	GW08262RG	TOTAL XYLENES	DUP	TR1	3	UG/L	U	UJ	0.5	1	10000	D&D Bldg 559
56201	5/7/02	GW08262RG	TOTAL XYLENES	DUP	TR2	3	UG/L	U		0.5	1	10000	D&D Bldg 559
56201	5/7/02	GW08262RG	trans-1,2-DICHLOROETHENE	DUP	TR1	1	UG/L	U	V	0.5	1	70	D&D Bldg 559
56201	5/7/02	GW08262RG	trans-1,2-DICHLOROETHENE	DUP	TR2	1	UG/L	U		0.5	1	70	D&D Bldg 559
56201	5/7/02	GW08262RG	trans-1,3-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V	0.5	1	0.473	D&D Bldg 559
56201	5/7/02	GW08262RG	trans-1,3-DICHLOROPROPENE	DUP	TR2	1	UG/L	U		0.5	1	0.473	D&D Bldg 559
56201	5/7/02	GW08262RG	TRICHLOROETHENE	DUP	TR1	17.2	UG/L		V	0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08262RG	TRICHLOROETHENE	DUP	TR2	18.1	UG/L			0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08262RG	TRICHLOROFLUOROMETHANE	DUP	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	TRICHLOROFLUOROMETHANE	DUP	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08262RG	VINYL CHLORIDE	DUP	TR1	1	UG/L	U	V	0.5	1	2	D&D Bldg 559
56201	5/7/02	GW08262RG	VINYL CHLORIDE	DUP	TR2	1	UG/L	U		0.5	1	2	D&D Bldg 559
56201	5/7/02	GW08263RG	1,1,1,2-TETRACHLOROETHANE	RNS	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	1,1,1,2-TETRACHLOROETHANE	RNS	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	1,1,1-TRICHLOROETHANE	RNS	TR1	1	UG/L	U	V	0.5	1	200	D&D Bldg 559
56201	5/7/02	GW08263RG	1,1,1-TRICHLOROETHANE	RNS	TR2	1	UG/L	U		0.5	1	200	D&D Bldg 559
56201	5/7/02	GW08263RG	1,1,2,2-TETRACHLOROETHANE	RNS	TR1	1	UG/L	U	V	0.5	1	0.426	D&D Bldg 559
56201	5/7/02	GW08263RG	1,1,2,2-TETRACHLOROETHANE	RNS	TR2	1	UG/L	U		0.5	1	0.426	D&D Bldg 559
56201	5/7/02	GW08263RG	1,1,2-TRICHLOROETHANE	RNS	TR1	1	UG/L	U	V	0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08263RG	1,1,2-TRICHLOROETHANE	RNS	TR2	1	UG/L	U		0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08263RG	1,1,2-TRICHLOROTRIFLUOROETHANE	RNS	TR1	20	UG/L	U	V	2	1		D&D Bldg 559
56201	5/7/02	GW08263RG	1,1,2-TRICHLOROTRIFLUOROETHANE	RNS	TR2	20	UG/L	U		2	1		D&D Bldg 559
56201	5/7/02	GW08263RG	1,1-DICHLOROETHANE	RNS	TR1	1	UG/L	U	V	0.5	1	3650	D&D Bldg 559
56201	5/7/02	GW08263RG	1,1-DICHLOROETHANE	RNS	TR2	1	UG/L	U		0.5	1	3650	D&D Bldg 559
56201	5/7/02	GW08263RG	1,1-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V	0.5	1	7	D&D Bldg 559
56201	5/7/02	GW08263RG	1,1-DICHLOROETHENE	RNS	TR2	1	UG/L	U		0.5	1	7	D&D Bldg 559
56201	5/7/02	GW08263RG	1,1-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	1,1-DICHLOROPROPENE	RNS	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	1,2,3-TRICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	1,2,3-TRICHLOROBENZENE	RNS	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	1,2,3-TRICHLOROPROPANE	RNS	TR1	1	UG/L	U	V	1	1		D&D Bldg 559
56201	5/7/02	GW08263RG	1,2,3-TRICHLOROPROPANE	RNS	TR2	1	UG/L	U		1	1		D&D Bldg 559
56201	5/7/02	GW08263RG	1,2,4-TRICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ	0.5	1	70	D&D Bldg 559
56201	5/7/02	GW08263RG	1,2,4-TRICHLOROBENZENE	RNS	TR2	1	UG/L	U		0.5	1	70	D&D Bldg 559
56201	5/7/02	GW08263RG	1,2-DIBROMOETHANE	RNS	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	1,2-DIBROMOETHANE	RNS	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	1,2-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ	0.5	1	600	D&D Bldg 559
56201	5/7/02	GW08263RG	1,2-DICHLOROBENZENE	RNS	TR2	1	UG/L	U		0.5	1	600	D&D Bldg 559
56201	5/7/02	GW08263RG	1,2-DICHLOROETHANE	RNS	TR1	1	UG/L	U	V	0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08263RG	1,2-DICHLOROETHANE	RNS	TR2	1	UG/L	U		0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08263RG	1,2-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V	0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08263RG	1,2-DICHLOROPROPANE	RNS	TR2	1	UG/L	U		0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08263RG	1,3-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ	0.5	1	600	D&D Bldg 559
56201	5/7/02	GW08263RG	1,3-DICHLOROBENZENE	RNS	TR2	1	UG/L	U		0.5	1	600	D&D Bldg 559
56201	5/7/02	GW08263RG	1,3-DICHLOROPROPANE	RNS	TR1	1.32	UG/L		V	0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	1,3-DICHLOROPROPANE	RNS	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	1,4-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ	0.5	1	75	D&D Bldg 559
56201	5/7/02	GW08263RG	1,4-DICHLOROBENZENE	RNS	TR2	1	UG/L	U		0.5	1	75	D&D Bldg 559
56201	5/7/02	GW08263RG	2,2-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	2,2-DICHLOROPROPANE	RNS	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	2-BUTANONE	RNS	TR1	12.5	UG/L	U	UJ	2	1	21900	D&D Bldg 559
56201	5/7/02	GW08263RG	2-BUTANONE	RNS	TR2	12.5	UG/L	U		2	1	21900	D&D Bldg 559
56201	5/7/02	GW08263RG	2-HEXANONE	RNS	TR1	2.5	UG/L	U	UJ	1	1		D&D Bldg 559
56201	5/7/02	GW08263RG	2-HEXANONE	RNS	TR2	2.5	UG/L	U		1	1		D&D Bldg 559
56201	5/7/02	GW08263RG	4-ISOPROPYLTOLUENE	RNS	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	4-ISOPROPYLTOLUENE	RNS	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	4-METHYL-2-PENTANONE	RNS	TR1	2.5	UG/L	U	V	1	1	2920	D&D Bldg 559

259

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
56201	5/7/02	GW08263RG	4-METHYL-2-PENTANONE	RNS	TR2	2.5	UG/L	U		1	1	2920	D&D Bldg 559
56201	5/7/02	GW08263RG	ACETONE	RNS	TR1	12.5	UG/L	U	UJ	2	1	3650	D&D Bldg 559
56201	5/7/02	GW08263RG	ACETONE	RNS	TR2	12.5	UG/L	U		2	1	3650	D&D Bldg 559
56201	5/7/02	GW08263RG	BENZENE	RNS	TR1	1	UG/L	U	UJ	0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08263RG	BENZENE	RNS	TR2	1	UG/L	U		0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08263RG	BENZENE, 1,2,4-TRIMETHYL	RNS	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	BENZENE, 1,2,4-TRIMETHYL	RNS	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	BENZENE, 1,3,5-TRIMETHYL-	RNS	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	BENZENE, 1,3,5-TRIMETHYL-	RNS	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	BROMOBENZENE	RNS	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	BROMOBENZENE	RNS	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	BROMOCHLOROMETHANE	RNS	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	BROMOCHLOROMETHANE	RNS	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	BROMODICHLOROMETHANE	RNS	TR1	1	UG/L	U	V	0.5	1	100	D&D Bldg 559
56201	5/7/02	GW08263RG	BROMODICHLOROMETHANE	RNS	TR2	1	UG/L	U		0.5	1	100	D&D Bldg 559
56201	5/7/02	GW08263RG	BROMOFORM	RNS	TR1	1	UG/L	U	UJ	0.5	1	100	D&D Bldg 559
56201	5/7/02	GW08263RG	BROMOFORM	RNS	TR2	1	UG/L	U		0.5	1	100	D&D Bldg 559
56201	5/7/02	GW08263RG	BROMOMETHANE	RNS	TR1	1	UG/L	U	V	0.5	1	51.1	D&D Bldg 559
56201	5/7/02	GW08263RG	BROMOMETHANE	RNS	TR2	1	UG/L	U		0.5	1	51.1	D&D Bldg 559
56201	5/7/02	GW08263RG	CARBON DISULFIDE	RNS	TR1	1	UG/L	U	V	0.5	1	3650	D&D Bldg 559
56201	5/7/02	GW08263RG	CARBON DISULFIDE	RNS	TR2	1	UG/L	U		0.5	1	3650	D&D Bldg 559
56201	5/7/02	GW08263RG	CARBON TETRACHLORIDE	RNS	TR1	1.05	UG/L	B	U	0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08263RG	CARBON TETRACHLORIDE	RNS	TR2	1	UG/L	U		0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08263RG	CHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ	0.5	1	100	D&D Bldg 559
56201	5/7/02	GW08263RG	CHLOROBENZENE	RNS	TR2	1	UG/L	U		0.5	1	100	D&D Bldg 559
56201	5/7/02	GW08263RG	CHLOROETHANE	RNS	TR1	1	UG/L	U	V	0.5	1	29.4	D&D Bldg 559
56201	5/7/02	GW08263RG	CHLOROETHANE	RNS	TR2	1	UG/L	U		0.5	1	29.4	D&D Bldg 559
56201	5/7/02	GW08263RG	CHLOROFORM	RNS	TR1	1	UG/L	U	V	0.5	1	100	D&D Bldg 559
56201	5/7/02	GW08263RG	CHLOROFORM	RNS	TR2	1	UG/L	U		0.5	1	100	D&D Bldg 559
56201	5/7/02	GW08263RG	CHLOROMETHANE	RNS	TR1	1	UG/L	U	V	0.5	1	6.55	D&D Bldg 559
56201	5/7/02	GW08263RG	CHLOROMETHANE	RNS	TR2	1	UG/L	U		0.5	1	6.55	D&D Bldg 559
56201	5/7/02	GW08263RG	cis-1,2-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V	0.5	1	70	D&D Bldg 559
56201	5/7/02	GW08263RG	cis-1,2-DICHLOROETHENE	RNS	TR2	1	UG/L	U		0.5	1	70	D&D Bldg 559
56201	5/7/02	GW08263RG	cis-1,3-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V	0.5	1	0.473	D&D Bldg 559
56201	5/7/02	GW08263RG	cis-1,3-DICHLOROPROPENE	RNS	TR2	1	UG/L	U		0.5	1	0.473	D&D Bldg 559
56201	5/7/02	GW08263RG	DIBROMOCHLOROMETHANE	RNS	TR1	1	UG/L	U	V	0.5	1	1.01	D&D Bldg 559
56201	5/7/02	GW08263RG	DIBROMOCHLOROMETHANE	RNS	TR2	1	UG/L	U		0.5	1	1.01	D&D Bldg 559
56201	5/7/02	GW08263RG	DIBROMOMETHANE	RNS	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	DIBROMOMETHANE	RNS	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	DICHLORODIFLUOROMETHANE	RNS	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	DICHLORODIFLUOROMETHANE	RNS	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	ETHYLBENZENE	RNS	TR1	1	UG/L	U	UJ	0.5	1	700	D&D Bldg 559
56201	5/7/02	GW08263RG	ETHYLBENZENE	RNS	TR2	1	UG/L	U		0.5	1	700	D&D Bldg 559
56201	5/7/02	GW08263RG	HEXACHLOROBUTADIENE	RNS	TR1	1	UG/L	U	V	0.3	1	1.09	D&D Bldg 559
56201	5/7/02	GW08263RG	HEXACHLOROBUTADIENE	RNS	TR2	1	UG/L	U		0.3	1	1.09	D&D Bldg 559
56201	5/7/02	GW08263RG	ISOPROPYLBENZENE	RNS	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	ISOPROPYLBENZENE	RNS	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	METHYLENE CHLORIDE	RNS	TR1	1	UG/L	U	V	0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08263RG	METHYLENE CHLORIDE	RNS	TR2	1	UG/L	U		0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08263RG	NAPHTHALENE	RNS	TR1	1	UG/L	U	UJ	0.5	1	1460	D&D Bldg 559
56201	5/7/02	GW08263RG	NAPHTHALENE	RNS	TR2	1	UG/L	U		0.5	1	1460	D&D Bldg 559
56201	5/7/02	GW08263RG	n-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	n-BUTYLBENZENE	RNS	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	n-PROPYLBENZENE	RNS	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	n-PROPYLBENZENE	RNS	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	o-CHLOROTOLUENE	RNS	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	o-CHLOROTOLUENE	RNS	TR2	1	UG/L	U		0.5	1		D&D Bldg 559

360

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
56201	5/7/02	GW08263RG	p-CHLOROTOLUENE	RNS	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	p-CHLOROTOLUENE	RNS	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	RNS	TR1	1	UG/L	U	V	1	1	0.2	D&D Bldg 559
56201	5/7/02	GW08263RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	RNS	TR2	1	UG/L	U		1	1	0.2	D&D Bldg 559
56201	5/7/02	GW08263RG	sec-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	sec-BUTYLBENZENE	RNS	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	STYRENE	RNS	TR1	1	UG/L	U	UJ	0.5	1	100	D&D Bldg 559
56201	5/7/02	GW08263RG	STYRENE	RNS	TR2	1	UG/L	U		0.5	1	100	D&D Bldg 559
56201	5/7/02	GW08263RG	tert-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	tert-BUTYLBENZENE	RNS	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	TETRACHLOROETHENE	RNS	TR1	1	UG/L	U	V	0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08263RG	TETRACHLOROETHENE	RNS	TR2	1	UG/L	U		0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08263RG	TOLUENE	RNS	TR1	1	UG/L	U	UJ	0.5	1	1000	D&D Bldg 559
56201	5/7/02	GW08263RG	TOLUENE	RNS	TR2	1	UG/L	U		0.5	1	1000	D&D Bldg 559
56201	5/7/02	GW08263RG	TOTAL XYLENES	RNS	TR1	3	UG/L	U	UJ	0.5	1	10000	D&D Bldg 559
56201	5/7/02	GW08263RG	TOTAL XYLENES	RNS	TR2	3	UG/L	U		0.5	1	10000	D&D Bldg 559
56201	5/7/02	GW08263RG	trans-1,2-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V	0.5	1	70	D&D Bldg 559
56201	5/7/02	GW08263RG	trans-1,2-DICHLOROETHENE	RNS	TR2	1	UG/L	U		0.5	1	70	D&D Bldg 559
56201	5/7/02	GW08263RG	trans-1,3-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V	0.5	1	0.473	D&D Bldg 559
56201	5/7/02	GW08263RG	trans-1,3-DICHLOROPROPENE	RNS	TR2	1	UG/L	U		0.5	1	0.473	D&D Bldg 559
56201	5/7/02	GW08263RG	TRICHLOROETHENE	RNS	TR1	1	UG/L	U	V	0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08263RG	TRICHLOROETHENE	RNS	TR2	1	UG/L	U		0.5	1	5	D&D Bldg 559
56201	5/7/02	GW08263RG	TRICHLOROFLUOROMETHANE	RNS	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	TRICHLOROFLUOROMETHANE	RNS	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56201	5/7/02	GW08263RG	VINYL CHLORIDE	RNS	TR1	1	UG/L	U	V	0.5	1	2	D&D Bldg 559
56201	5/7/02	GW08263RG	VINYL CHLORIDE	RNS	TR2	1	UG/L	U		0.5	1	2	D&D Bldg 559
56301	5/7/02	GW08264RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1.24	UG/L		V	0.5	1	200	D&D Bldg 559
56301	5/7/02	GW08264RG	1,1,1-TRICHLOROETHANE	REAL	TR2	1.37	UG/L			0.5	1	200	D&D Bldg 559
56301	5/7/02	GW08264RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	0.426	D&D Bldg 559
56301	5/7/02	GW08264RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR2	1	UG/L	U		0.5	1	0.426	D&D Bldg 559
56301	5/7/02	GW08264RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	5	D&D Bldg 559
56301	5/7/02	GW08264RG	1,1,2-TRICHLOROETHANE	REAL	TR2	1	UG/L	U		0.5	1	5	D&D Bldg 559
56301	5/7/02	GW08264RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	18	UG/L	J	V	2	1		D&D Bldg 559
56301	5/7/02	GW08264RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR2	18	UG/L	J		2	1		D&D Bldg 559
56301	5/7/02	GW08264RG	1,1-DICHLOROETHANE	REAL	TR1	3.99	UG/L		V	0.5	1	3650	D&D Bldg 559
56301	5/7/02	GW08264RG	1,1-DICHLOROETHANE	REAL	TR2	4.16	UG/L			0.5	1	3650	D&D Bldg 559
56301	5/7/02	GW08264RG	1,1-DICHLOROETHENE	REAL	TR1	15	UG/L		V	0.5	1	7	D&D Bldg 559
56301	5/7/02	GW08264RG	1,1-DICHLOROETHENE	REAL	TR2	13.3	UG/L			0.5	1	7	D&D Bldg 559
56301	5/7/02	GW08264RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	1,1-DICHLOROPROPENE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1.26	UG/L		UJ	0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	1,2,3-TRICHLOROBENZENE	REAL	TR2	1.35	UG/L			0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 559
56301	5/7/02	GW08264RG	1,2,3-TRICHLOROPROPANE	REAL	TR2	1	UG/L	U		1	1		D&D Bldg 559
56301	5/7/02	GW08264RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	70	D&D Bldg 559
56301	5/7/02	GW08264RG	1,2,4-TRICHLOROBENZENE	REAL	TR2	1	UG/L	U		0.5	1	70	D&D Bldg 559
56301	5/7/02	GW08264RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	1,2-DIBROMOETHANE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	600	D&D Bldg 559
56301	5/7/02	GW08264RG	1,2-DICHLOROBENZENE	REAL	TR2	0.52	UG/L	J		0.5	1	600	D&D Bldg 559
56301	5/7/02	GW08264RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	5	D&D Bldg 559
56301	5/7/02	GW08264RG	1,2-DICHLOROETHANE	REAL	TR2	1	UG/L	U		0.5	1	5	D&D Bldg 559
56301	5/7/02	GW08264RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.5	1	5	D&D Bldg 559
56301	5/7/02	GW08264RG	1,2-DICHLOROPROPANE	REAL	TR2	1	UG/L	U		0.5	1	5	D&D Bldg 559
56301	5/7/02	GW08264RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	600	D&D Bldg 559

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
56301	5/7/02	GW08264RG	1,3-DICHLOROBENZENE	REAL	TR2	1	UG/L	U		0.5	1	600	D&D Bldg 559
56301	5/7/02	GW08264RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	1,3-DICHLOROPROPANE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	75	D&D Bldg 559
56301	5/7/02	GW08264RG	1,4-DICHLOROBENZENE	REAL	TR2	1	UG/L	U		0.5	1	75	D&D Bldg 559
56301	5/7/02	GW08264RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	2,2-DICHLOROPROPANE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	2-BUTANONE	REAL	TR1	12.5	UG/L	U	UJ	2	1	21900	D&D Bldg 559
56301	5/7/02	GW08264RG	2-BUTANONE	REAL	TR2	12.5	UG/L	U		2	1	21900	D&D Bldg 559
56301	5/7/02	GW08264RG	2-HEXANONE	REAL	TR1	2.5	UG/L	U	UJ	1	1		D&D Bldg 559
56301	5/7/02	GW08264RG	2-HEXANONE	REAL	TR2	2.5	UG/L	U		1	1		D&D Bldg 559
56301	5/7/02	GW08264RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	4-ISOPROPYLTOLUENE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	4-METHYL-2-PENTANONE	REAL	TR1	2.5	UG/L	U	V	1	1	2920	D&D Bldg 559
56301	5/7/02	GW08264RG	4-METHYL-2-PENTANONE	REAL	TR2	2.5	UG/L	U		1	1	2920	D&D Bldg 559
56301	5/7/02	GW08264RG	ACETONE	REAL	TR1	12.5	UG/L	U	UJ	2	1	3650	D&D Bldg 559
56301	5/7/02	GW08264RG	ACETONE	REAL	TR2	12.5	UG/L	U		2	1	3650	D&D Bldg 559
56301	5/7/02	GW08264RG	BENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	5	D&D Bldg 559
56301	5/7/02	GW08264RG	BENZENE	REAL	TR2	1	UG/L	U		0.5	1	5	D&D Bldg 559
56301	5/7/02	GW08264RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	BROMOBENZENE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	BROMOCHLOROMETHANE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	100	D&D Bldg 559
56301	5/7/02	GW08264RG	BROMODICHLOROMETHANE	REAL	TR2	1	UG/L	U		0.5	1	100	D&D Bldg 559
56301	5/7/02	GW08264RG	BROMOFORM	REAL	TR1	1	UG/L	U	UJ	0.5	1	100	D&D Bldg 559
56301	5/7/02	GW08264RG	BROMOFORM	REAL	TR2	1	UG/L	U		0.5	1	100	D&D Bldg 559
56301	5/7/02	GW08264RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	51.1	D&D Bldg 559
56301	5/7/02	GW08264RG	BROMOMETHANE	REAL	TR2	1	UG/L	U		0.5	1	51.1	D&D Bldg 559
56301	5/7/02	GW08264RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V	0.5	1	3650	D&D Bldg 559
56301	5/7/02	GW08264RG	CARBON DISULFIDE	REAL	TR2	1	UG/L	U		0.5	1	3650	D&D Bldg 559
56301	5/7/02	GW08264RG	CARBON TETRACHLORIDE	REAL	TR1	81.8	UG/L	B	V	0.5	1	5	D&D Bldg 559
56301	5/7/02	GW08264RG	CARBON TETRACHLORIDE	REAL	TR2	64.6	UG/L			0.5	1	5	D&D Bldg 559
56301	5/7/02	GW08264RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	100	D&D Bldg 559
56301	5/7/02	GW08264RG	CHLOROBENZENE	REAL	TR2	1	UG/L	U		0.5	1	100	D&D Bldg 559
56301	5/7/02	GW08264RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	29.4	D&D Bldg 559
56301	5/7/02	GW08264RG	CHLOROETHANE	REAL	TR2	1	UG/L	U		0.5	1	29.4	D&D Bldg 559
56301	5/7/02	GW08264RG	CHLOROFORM	REAL	TR1	8.26	UG/L		V	0.5	1	100	D&D Bldg 559
56301	5/7/02	GW08264RG	CHLOROFORM	REAL	TR2	7.76	UG/L			0.5	1	100	D&D Bldg 559
56301	5/7/02	GW08264RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	6.55	D&D Bldg 559
56301	5/7/02	GW08264RG	CHLOROMETHANE	REAL	TR2	1	UG/L	U		0.5	1	6.55	D&D Bldg 559
56301	5/7/02	GW08264RG	cis-1,2-DICHLOROETHENE	REAL	TR1	2.16	UG/L		V	0.5	1	70	D&D Bldg 559
56301	5/7/02	GW08264RG	cis-1,2-DICHLOROETHENE	REAL	TR2	2.13	UG/L			0.5	1	70	D&D Bldg 559
56301	5/7/02	GW08264RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.5	1	0.473	D&D Bldg 559
56301	5/7/02	GW08264RG	cis-1,3-DICHLOROPROPENE	REAL	TR2	1	UG/L	U		0.5	1	0.473	D&D Bldg 559
56301	5/7/02	GW08264RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	1.01	D&D Bldg 559
56301	5/7/02	GW08264RG	DIBROMOCHLOROMETHANE	REAL	TR2	1	UG/L	U		0.5	1	1.01	D&D Bldg 559
56301	5/7/02	GW08264RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	DIBROMOMETHANE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	DICHLORODIFLUOROMETHANE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	700	D&D Bldg 559
56301	5/7/02	GW08264RG	ETHYLBENZENE	REAL	TR2	1	UG/L	U		0.5	1	700	D&D Bldg 559

262

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
56301	5/7/02	GW08264RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	0.3	1	1.09	D&D Bldg 559
56301	5/7/02	GW08264RG	HEXACHLOROBUTADIENE	REAL	TR2	1	UG/L	U		0.3	1	1.09	D&D Bldg 559
56301	5/7/02	GW08264RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	ISOPROPYLBENZENE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V	0.5	1	5	D&D Bldg 559
56301	5/7/02	GW08264RG	METHYLENE CHLORIDE	REAL	TR2	1	UG/L	U		0.5	1	5	D&D Bldg 559
56301	5/7/02	GW08264RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	1460	D&D Bldg 559
56301	5/7/02	GW08264RG	NAPHTHALENE	REAL	TR2	1	UG/L	U		0.5	1	1460	D&D Bldg 559
56301	5/7/02	GW08264RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	n-BUTYLBENZENE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	n-PROPYLBENZENE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	o-CHLOROTOLUENE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	p-CHLOROTOLUENE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V	1	1	0.2	D&D Bldg 559
56301	5/7/02	GW08264RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR2	1	UG/L	U		1	1	0.2	D&D Bldg 559
56301	5/7/02	GW08264RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	sec-BUTYLBENZENE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	STYRENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	100	D&D Bldg 559
56301	5/7/02	GW08264RG	STYRENE	REAL	TR2	1	UG/L	U		0.5	1	100	D&D Bldg 559
56301	5/7/02	GW08264RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	tert-BUTYLBENZENE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	TETRACHLOROETHENE	REAL	TR1	7.42	UG/L		V	0.5	1	5	D&D Bldg 559
56301	5/7/02	GW08264RG	TETRACHLOROETHENE	REAL	TR2	7.29	UG/L			0.5	1	5	D&D Bldg 559
56301	5/7/02	GW08264RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	1000	D&D Bldg 559
56301	5/7/02	GW08264RG	TOLUENE	REAL	TR2	1	UG/L	U		0.5	1	1000	D&D Bldg 559
56301	5/7/02	GW08264RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	UJ	0.5	1	10000	D&D Bldg 559
56301	5/7/02	GW08264RG	TOTAL XYLENES	REAL	TR2	3	UG/L	U		0.5	1	10000	D&D Bldg 559
56301	5/7/02	GW08264RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	0.5	1	70	D&D Bldg 559
56301	5/7/02	GW08264RG	trans-1,2-DICHLOROETHENE	REAL	TR2	1	UG/L	U		0.5	1	70	D&D Bldg 559
56301	5/7/02	GW08264RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.5	1	0.473	D&D Bldg 559
56301	5/7/02	GW08264RG	trans-1,3-DICHLOROPROPENE	REAL	TR2	1	UG/L	U		0.5	1	0.473	D&D Bldg 559
56301	5/7/02	GW08264RG	TRICHLOROETHENE	REAL	TR1	15.1	UG/L		V	0.5	1	5	D&D Bldg 559
56301	5/7/02	GW08264RG	TRICHLOROETHENE	REAL	TR2	15.1	UG/L			0.5	1	5	D&D Bldg 559
56301	5/7/02	GW08264RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	TRICHLOROFLUOROMETHANE	REAL	TR2	1	UG/L	U		0.5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	0.5	1	2	D&D Bldg 559
56301	5/7/02	GW08264RG	VINYL CHLORIDE	REAL	TR2	1	UG/L	U		0.5	1	2	D&D Bldg 559
5887	5/20/02	GW08228RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		RCRA
5887	5/20/02	GW08228RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	RCRA
5887	5/20/02	GW08228RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	RCRA
5887	5/20/02	GW08228RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	RCRA
5887	5/20/02	GW08228RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		RCRA
5887	5/20/02	GW08228RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	RCRA
5887	5/20/02	GW08228RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	RCRA
5887	5/20/02	GW08228RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		RCRA
5887	5/20/02	GW08228RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		RCRA
5887	5/20/02	GW08228RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		RCRA
5887	5/20/02	GW08228RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	RCRA
5887	5/20/02	GW08228RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		RCRA
5887	5/20/02	GW08228RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	RCRA
5887	5/20/02	GW08228RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	RCRA
5887	5/20/02	GW08228RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	RCRA
5887	5/20/02	GW08228RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	RCRA
5887	5/20/02	GW08228RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		RCRA

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
5887	5/20/02	GW08228RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	RCRA
5887	5/20/02	GW08228RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		RCRA
5887	5/20/02	GW08228RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	RCRA
5887	5/20/02	GW08228RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		RCRA
5887	5/20/02	GW08228RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		RCRA
5887	5/20/02	GW08228RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	RCRA
5887	5/20/02	GW08228RG	ACETONE	REAL	TR1	10	UG/L	U	V1	3.4	1	3650	RCRA
5887	5/20/02	GW08228RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	RCRA
5887	5/20/02	GW08228RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		RCRA
5887	5/20/02	GW08228RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		RCRA
5887	5/20/02	GW08228RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		RCRA
5887	5/20/02	GW08228RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		RCRA
5887	5/20/02	GW08228RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	RCRA
5887	5/20/02	GW08228RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	RCRA
5887	5/20/02	GW08228RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	RCRA
5887	5/20/02	GW08228RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	RCRA
5887	5/20/02	GW08228RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	RCRA
5887	5/20/02	GW08228RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	RCRA
5887	5/20/02	GW08228RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	RCRA
5887	5/20/02	GW08228RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.21	1	100	RCRA
5887	5/20/02	GW08228RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	RCRA
5887	5/20/02	GW08228RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	RCRA
5887	5/20/02	GW08228RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	RCRA
5887	5/20/02	GW08228RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	RCRA
5887	5/20/02	GW08228RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		RCRA
5887	5/20/02	GW08228RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		RCRA
5887	5/20/02	GW08228RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	RCRA
5887	5/20/02	GW08228RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	RCRA
5887	5/20/02	GW08228RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		RCRA
5887	5/20/02	GW08228RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	RCRA
5887	5/20/02	GW08228RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	RCRA
5887	5/20/02	GW08228RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		RCRA
5887	5/20/02	GW08228RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		RCRA
5887	5/20/02	GW08228RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		RCRA
5887	5/20/02	GW08228RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		RCRA
5887	5/20/02	GW08228RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	RCRA
5887	5/20/02	GW08228RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		RCRA
5887	5/20/02	GW08228RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	RCRA
5887	5/20/02	GW08228RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		RCRA
5887	5/20/02	GW08228RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	RCRA
5887	5/20/02	GW08228RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	RCRA
5887	5/20/02	GW08228RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	RCRA
5887	5/20/02	GW08228RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	RCRA
5887	5/20/02	GW08228RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	RCRA
5887	5/20/02	GW08228RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.23	1	5	RCRA
5887	5/20/02	GW08228RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		RCRA
5887	5/20/02	GW08228RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	RCRA
60299	4/17/02	GW08289RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 776/777
60299	4/17/02	GW08289RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	D&D Bldg 776/777
60299	4/17/02	GW08289RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	D&D Bldg 776/777
60299	4/17/02	GW08289RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	D&D Bldg 776/777
60299	4/17/02	GW08289RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		D&D Bldg 776/777
60299	4/17/02	GW08289RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	D&D Bldg 776/777
60299	4/17/02	GW08289RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	D&D Bldg 776/777
60299	4/17/02	GW08289RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 776/777
60299	4/17/02	GW08289RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		D&D Bldg 776/777
60299	4/17/02	GW08289RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 776/777

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
60299	4/17/02	GW08289RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	D&D Bldg 776/777
60299	4/17/02	GW08289RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 776/777
60299	4/17/02	GW08289RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	D&D Bldg 776/777
60299	4/17/02	GW08289RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	D&D Bldg 776/777
60299	4/17/02	GW08289RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	D&D Bldg 776/777
60299	4/17/02	GW08289RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	D&D Bldg 776/777
60299	4/17/02	GW08289RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 776/777
60299	4/17/02	GW08289RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	D&D Bldg 776/777
60299	4/17/02	GW08289RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		D&D Bldg 776/777
60299	4/17/02	GW08289RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	D&D Bldg 776/777
60299	4/17/02	GW08289RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		D&D Bldg 776/777
60299	4/17/02	GW08289RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 776/777
60299	4/17/02	GW08289RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	D&D Bldg 776/777
60299	4/17/02	GW08289RG	ACETONE	REAL	TR1	10	UG/L	U	V1	3.4	1	3650	D&D Bldg 776/777
60299	4/17/02	GW08289RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	D&D Bldg 776/777
60299	4/17/02	GW08289RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 776/777
60299	4/17/02	GW08289RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 776/777
60299	4/17/02	GW08289RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		D&D Bldg 776/777
60299	4/17/02	GW08289RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		D&D Bldg 776/777
60299	4/17/02	GW08289RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 776/777
60299	4/17/02	GW08289RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	D&D Bldg 776/777
60299	4/17/02	GW08289RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	D&D Bldg 776/777
60299	4/17/02	GW08289RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	D&D Bldg 776/777
60299	4/17/02	GW08289RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	D&D Bldg 776/777
60299	4/17/02	GW08289RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	D&D Bldg 776/777
60299	4/17/02	GW08289RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	D&D Bldg 776/777
60299	4/17/02	GW08289RG	CHLOROFORM	REAL	TR1	0.32	UG/L	J	V1	0.21	1	100	D&D Bldg 776/777
60299	4/17/02	GW08289RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	6.55	D&D Bldg 776/777
60299	4/17/02	GW08289RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	D&D Bldg 776/777
60299	4/17/02	GW08289RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	D&D Bldg 776/777
60299	4/17/02	GW08289RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	D&D Bldg 776/777
60299	4/17/02	GW08289RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		D&D Bldg 776/777
60299	4/17/02	GW08289RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		D&D Bldg 776/777
60299	4/17/02	GW08289RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	D&D Bldg 776/777
60299	4/17/02	GW08289RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	D&D Bldg 776/777
60299	4/17/02	GW08289RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		D&D Bldg 776/777
60299	4/17/02	GW08289RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	D&D Bldg 776/777
60299	4/17/02	GW08289RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	D&D Bldg 776/777
60299	4/17/02	GW08289RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 776/777
60299	4/17/02	GW08289RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 776/777
60299	4/17/02	GW08289RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		D&D Bldg 776/777
60299	4/17/02	GW08289RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		D&D Bldg 776/777
60299	4/17/02	GW08289RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	D&D Bldg 776/777
60299	4/17/02	GW08289RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		D&D Bldg 776/777
60299	4/17/02	GW08289RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	D&D Bldg 776/777
60299	4/17/02	GW08289RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 776/777
60299	4/17/02	GW08289RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	D&D Bldg 776/777
60299	4/17/02	GW08289RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	D&D Bldg 776/777
60299	4/17/02	GW08289RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	D&D Bldg 776/777
60299	4/17/02	GW08289RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	D&D Bldg 776/777
60299	4/17/02	GW08289RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	D&D Bldg 776/777
60299	4/17/02	GW08289RG	TRICHLOROETHENE	REAL	TR1	20.8	UG/L		V1	0.23	1	5	D&D Bldg 776/777
60299	4/17/02	GW08289RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 776/777
60299	4/17/02	GW08289RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	D&D Bldg 776/777
60499	4/16/02	GW08269RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 707
60499	4/16/02	GW08269RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	D&D Bldg 707
60499	4/16/02	GW08269RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	D&D Bldg 707

265

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
60499	4/16/02	GW08269RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	D&D Bldg 707
60499	4/16/02	GW08269RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		D&D Bldg 707
60499	4/16/02	GW08269RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	D&D Bldg 707
60499	4/16/02	GW08269RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	D&D Bldg 707
60499	4/16/02	GW08269RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 707
60499	4/16/02	GW08269RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		D&D Bldg 707
60499	4/16/02	GW08269RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 707
60499	4/16/02	GW08269RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	D&D Bldg 707
60499	4/16/02	GW08269RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 707
60499	4/16/02	GW08269RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	D&D Bldg 707
60499	4/16/02	GW08269RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	D&D Bldg 707
60499	4/16/02	GW08269RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	D&D Bldg 707
60499	4/16/02	GW08269RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	D&D Bldg 707
60499	4/16/02	GW08269RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 707
60499	4/16/02	GW08269RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	D&D Bldg 707
60499	4/16/02	GW08269RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		D&D Bldg 707
60499	4/16/02	GW08269RG	2-BUTANONE	REAL	TR1	5.4	UG/L	J	V1	4.4	1	21900	D&D Bldg 707
60499	4/16/02	GW08269RG	2-HEXANONE	REAL	TR1	10	UG/L	U	UJ1	1.4	1		D&D Bldg 707
60499	4/16/02	GW08269RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 707
60499	4/16/02	GW08269RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	D&D Bldg 707
60499	4/16/02	GW08269RG	ACETONE	REAL	TR1	10	UG/L	U	UJ1	3.4	1	3650	D&D Bldg 707
60499	4/16/02	GW08269RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	D&D Bldg 707
60499	4/16/02	GW08269RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 707
60499	4/16/02	GW08269RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 707
60499	4/16/02	GW08269RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		D&D Bldg 707
60499	4/16/02	GW08269RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		D&D Bldg 707
60499	4/16/02	GW08269RG	BROMODICHLOROMETHANE	REAL	TR1	0.92	UG/L	J	V1	0.21	1	100	D&D Bldg 707
60499	4/16/02	GW08269RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	D&D Bldg 707
60499	4/16/02	GW08269RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	D&D Bldg 707
60499	4/16/02	GW08269RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	D&D Bldg 707
60499	4/16/02	GW08269RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	D&D Bldg 707
60499	4/16/02	GW08269RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	D&D Bldg 707
60499	4/16/02	GW08269RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	D&D Bldg 707
60499	4/16/02	GW08269RG	CHLOROFORM	REAL	TR1	16.3	UG/L		V1	0.21	1	100	D&D Bldg 707
60499	4/16/02	GW08269RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	D&D Bldg 707
60499	4/16/02	GW08269RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	D&D Bldg 707
60499	4/16/02	GW08269RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	D&D Bldg 707
60499	4/16/02	GW08269RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	D&D Bldg 707
60499	4/16/02	GW08269RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		D&D Bldg 707
60499	4/16/02	GW08269RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		D&D Bldg 707
60499	4/16/02	GW08269RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	D&D Bldg 707
60499	4/16/02	GW08269RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	D&D Bldg 707
60499	4/16/02	GW08269RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		D&D Bldg 707
60499	4/16/02	GW08269RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	D&D Bldg 707
60499	4/16/02	GW08269RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	D&D Bldg 707
60499	4/16/02	GW08269RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 707
60499	4/16/02	GW08269RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 707
60499	4/16/02	GW08269RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		D&D Bldg 707
60499	4/16/02	GW08269RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		D&D Bldg 707
60499	4/16/02	GW08269RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	D&D Bldg 707
60499	4/16/02	GW08269RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		D&D Bldg 707
60499	4/16/02	GW08269RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	D&D Bldg 707
60499	4/16/02	GW08269RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 707
60499	4/16/02	GW08269RG	TETRACHLOROETHENE	REAL	TR1	1.2	UG/L		V1	0.56	1	5	D&D Bldg 707
60499	4/16/02	GW08269RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	D&D Bldg 707
60499	4/16/02	GW08269RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	D&D Bldg 707
60499	4/16/02	GW08269RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	D&D Bldg 707

266

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
60499	4/16/02	GW08269RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	D&D Bldg 707
60499	4/16/02	GW08269RG	TRICHLOROETHENE	REAL	TR1	3.94	UG/L		V1	0.23	1	5	D&D Bldg 707
60499	4/16/02	GW08269RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 707
60499	4/16/02	GW08269RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	D&D Bldg 707
60599	4/16/02	GW08270RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 707
60599	4/16/02	GW08270RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	D&D Bldg 707
60599	4/16/02	GW08270RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	D&D Bldg 707
60599	4/16/02	GW08270RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	D&D Bldg 707
60599	4/16/02	GW08270RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		D&D Bldg 707
60599	4/16/02	GW08270RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	D&D Bldg 707
60599	4/16/02	GW08270RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	D&D Bldg 707
60599	4/16/02	GW08270RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 707
60599	4/16/02	GW08270RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.78	1		D&D Bldg 707
60599	4/16/02	GW08270RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 707
60599	4/16/02	GW08270RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.3	1	70	D&D Bldg 707
60599	4/16/02	GW08270RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 707
60599	4/16/02	GW08270RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.17	1	600	D&D Bldg 707
60599	4/16/02	GW08270RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	D&D Bldg 707
60599	4/16/02	GW08270RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	D&D Bldg 707
60599	4/16/02	GW08270RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.096	1	600	D&D Bldg 707
60599	4/16/02	GW08270RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 707
60599	4/16/02	GW08270RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.12	1	75	D&D Bldg 707
60599	4/16/02	GW08270RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		D&D Bldg 707
60599	4/16/02	GW08270RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	D&D Bldg 707
60599	4/16/02	GW08270RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		D&D Bldg 707
60599	4/16/02	GW08270RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 707
60599	4/16/02	GW08270RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	D&D Bldg 707
60599	4/16/02	GW08270RG	ACETONE	REAL	TR1	10	UG/L	U	V1	3.4	1	3650	D&D Bldg 707
60599	4/16/02	GW08270RG	BENZENE	REAL	TR1	0.55	UG/L	J	V1	0.26	1	5	D&D Bldg 707
60599	4/16/02	GW08270RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V1	0.25	1		D&D Bldg 707
60599	4/16/02	GW08270RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V1	0.19	1		D&D Bldg 707
60599	4/16/02	GW08270RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V1	0.16	1		D&D Bldg 707
60599	4/16/02	GW08270RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		D&D Bldg 707
60599	4/16/02	GW08270RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 707
60599	4/16/02	GW08270RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	D&D Bldg 707
60599	4/16/02	GW08270RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	D&D Bldg 707
60599	4/16/02	GW08270RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	D&D Bldg 707
60599	4/16/02	GW08270RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	D&D Bldg 707
60599	4/16/02	GW08270RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.23	1	100	D&D Bldg 707
60599	4/16/02	GW08270RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	D&D Bldg 707
60599	4/16/02	GW08270RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 707
60599	4/16/02	GW08270RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	6.55	D&D Bldg 707
60599	4/16/02	GW08270RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	D&D Bldg 707
60599	4/16/02	GW08270RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	D&D Bldg 707
60599	4/16/02	GW08270RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	D&D Bldg 707
60599	4/16/02	GW08270RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		D&D Bldg 707
60599	4/16/02	GW08270RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		D&D Bldg 707
60599	4/16/02	GW08270RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.2	1	700	D&D Bldg 707
60599	4/16/02	GW08270RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	D&D Bldg 707
60599	4/16/02	GW08270RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.2	1		D&D Bldg 707
60599	4/16/02	GW08270RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	D&D Bldg 707
60599	4/16/02	GW08270RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V1	0.25	1	1460	D&D Bldg 707
60599	4/16/02	GW08270RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 707
60599	4/16/02	GW08270RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.19	1		D&D Bldg 707
60599	4/16/02	GW08270RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 707
60599	4/16/02	GW08270RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 707
60599	4/16/02	GW08270RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	D&D Bldg 707

267

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
60599	4/16/02	GW08270RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.31	1		D&D Bldg 707
60599	4/16/02	GW08270RG	STYRENE	REAL	TR1	1	UG/L	U	V1	0.22	1	100	D&D Bldg 707
60599	4/16/02	GW08270RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.25	1		D&D Bldg 707
60599	4/16/02	GW08270RG	TETRACHLOROETHENE	REAL	TR1	118	UG/L		V1	0.56	1	5	D&D Bldg 707
60599	4/16/02	GW08270RG	TOLUENE	REAL	TR1	1	UG/L	U	V1	0.15	1	1000	D&D Bldg 707
60599	4/16/02	GW08270RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	V1	0.19	1	10000	D&D Bldg 707
60599	4/16/02	GW08270RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	D&D Bldg 707
60599	4/16/02	GW08270RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	D&D Bldg 707
60599	4/16/02	GW08270RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.23	1	5	D&D Bldg 707
60599	4/16/02	GW08270RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 707
60599	4/16/02	GW08270RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	D&D Bldg 707
60699	4/16/02	GW08271RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 707
60699	4/16/02	GW08271RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	D&D Bldg 707
60699	4/16/02	GW08271RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	D&D Bldg 707
60699	4/16/02	GW08271RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	D&D Bldg 707
60699	4/16/02	GW08271RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		D&D Bldg 707
60699	4/16/02	GW08271RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	D&D Bldg 707
60699	4/16/02	GW08271RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	D&D Bldg 707
60699	4/16/02	GW08271RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 707
60699	4/16/02	GW08271RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		D&D Bldg 707
60699	4/16/02	GW08271RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 707
60699	4/16/02	GW08271RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	D&D Bldg 707
60699	4/16/02	GW08271RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 707
60699	4/16/02	GW08271RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	D&D Bldg 707
60699	4/16/02	GW08271RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	D&D Bldg 707
60699	4/16/02	GW08271RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	D&D Bldg 707
60699	4/16/02	GW08271RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	D&D Bldg 707
60699	4/16/02	GW08271RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 707
60699	4/16/02	GW08271RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	D&D Bldg 707
60699	4/16/02	GW08271RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		D&D Bldg 707
60699	4/16/02	GW08271RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	D&D Bldg 707
60699	4/16/02	GW08271RG	2-HEXANONE	REAL	TR1	10	UG/L	U	UJ1	1.4	1		D&D Bldg 707
60699	4/16/02	GW08271RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 707
60699	4/16/02	GW08271RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	D&D Bldg 707
60699	4/16/02	GW08271RG	ACETONE	REAL	TR1	10	UG/L	U	UJ1	3.4	1	3650	D&D Bldg 707
60699	4/16/02	GW08271RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	D&D Bldg 707
60699	4/16/02	GW08271RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 707
60699	4/16/02	GW08271RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 707
60699	4/16/02	GW08271RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		D&D Bldg 707
60699	4/16/02	GW08271RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		D&D Bldg 707
60699	4/16/02	GW08271RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 707
60699	4/16/02	GW08271RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	D&D Bldg 707
60699	4/16/02	GW08271RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	D&D Bldg 707
60699	4/16/02	GW08271RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	D&D Bldg 707
60699	4/16/02	GW08271RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	D&D Bldg 707
60699	4/16/02	GW08271RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	D&D Bldg 707
60699	4/16/02	GW08271RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	D&D Bldg 707
60699	4/16/02	GW08271RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 707
60699	4/16/02	GW08271RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	D&D Bldg 707
60699	4/16/02	GW08271RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	D&D Bldg 707
60699	4/16/02	GW08271RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	D&D Bldg 707
60699	4/16/02	GW08271RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	D&D Bldg 707
60699	4/16/02	GW08271RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		D&D Bldg 707
60699	4/16/02	GW08271RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		D&D Bldg 707
60699	4/16/02	GW08271RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	D&D Bldg 707
60699	4/16/02	GW08271RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	D&D Bldg 707
60699	4/16/02	GW08271RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		D&D Bldg 707

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
60699	4/16/02	GW08271RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	D&D Bldg 707
60699	4/16/02	GW08271RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	D&D Bldg 707
60699	4/16/02	GW08271RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 707
60699	4/16/02	GW08271RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 707
60699	4/16/02	GW08271RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		D&D Bldg 707
60699	4/16/02	GW08271RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		D&D Bldg 707
60699	4/16/02	GW08271RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	D&D Bldg 707
60699	4/16/02	GW08271RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		D&D Bldg 707
60699	4/16/02	GW08271RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	D&D Bldg 707
60699	4/16/02	GW08271RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 707
60699	4/16/02	GW08271RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	D&D Bldg 707
60699	4/16/02	GW08271RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	D&D Bldg 707
60699	4/16/02	GW08271RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	D&D Bldg 707
60699	4/16/02	GW08271RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	D&D Bldg 707
60699	4/16/02	GW08271RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	D&D Bldg 707
60699	4/16/02	GW08271RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.23	1	5	D&D Bldg 707
60699	4/16/02	GW08271RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 707
60699	4/16/02	GW08271RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	D&D Bldg 707
61099	5/15/02	GW08300RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61099	5/15/02	GW08300RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	200	D&D Bldg 883
61099	5/15/02	GW08300RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	0.426	D&D Bldg 883
61099	5/15/02	GW08300RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 883
61099	5/15/02	GW08300RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	5	UG/L	U	V	5	1		D&D Bldg 883
61099	5/15/02	GW08300RG	1,1-DICHLOROETHANE	REAL	TR1	0.46	UG/L	J	V	1	1	3650	D&D Bldg 883
61099	5/15/02	GW08300RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L		V	1	1	7	D&D Bldg 883
61099	5/15/02	GW08300RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61099	5/15/02	GW08300RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61099	5/15/02	GW08300RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61099	5/15/02	GW08300RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	70	D&D Bldg 883
61099	5/15/02	GW08300RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61099	5/15/02	GW08300RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	600	D&D Bldg 883
61099	5/15/02	GW08300RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 883
61099	5/15/02	GW08300RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 883
61099	5/15/02	GW08300RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	600	D&D Bldg 883
61099	5/15/02	GW08300RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61099	5/15/02	GW08300RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	75	D&D Bldg 883
61099	5/15/02	GW08300RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61099	5/15/02	GW08300RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V	10	1	21900	D&D Bldg 883
61099	5/15/02	GW08300RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V	10	1		D&D Bldg 883
61099	5/15/02	GW08300RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61099	5/15/02	GW08300RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V	10	1	2920	D&D Bldg 883
61099	5/15/02	GW08300RG	ACETONE	REAL	TR1	10	UG/L	U	V	10	1	3650	D&D Bldg 883
61099	5/15/02	GW08300RG	BENZENE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 883
61099	5/15/02	GW08300RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61099	5/15/02	GW08300RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61099	5/15/02	GW08300RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61099	5/15/02	GW08300RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61099	5/15/02	GW08300RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	100	D&D Bldg 883
61099	5/15/02	GW08300RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	1	1	100	D&D Bldg 883
61099	5/15/02	GW08300RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1	51.1	D&D Bldg 883
61099	5/15/02	GW08300RG	CARBON DISULFIDE	REAL	TR1	5	UG/L	U	V	5	1	3650	D&D Bldg 883
61099	5/15/02	GW08300RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 883
61099	5/15/02	GW08300RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	100	D&D Bldg 883
61099	5/15/02	GW08300RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	29.4	D&D Bldg 883
61099	5/15/02	GW08300RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V	1	1	100	D&D Bldg 883
61099	5/15/02	GW08300RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	6.55	D&D Bldg 883
61099	5/15/02	GW08300RG	cis-1,2-DICHLOROETHENE	REAL	TR1	3.8	UG/L		V	1	1	70	D&D Bldg 883

269

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
61099	5/15/02	GW08300RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473	D&D Bldg 883
61099	5/15/02	GW08300RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	1.01	D&D Bldg 883
61099	5/15/02	GW08300RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61099	5/15/02	GW08300RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61099	5/15/02	GW08300RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1	700	D&D Bldg 883
61099	5/15/02	GW08300RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	1	1	1.09	D&D Bldg 883
61099	5/15/02	GW08300RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61099	5/15/02	GW08300RG	METHYLENE CHLORIDE	REAL	TR1	3.2	UG/L	B	U	1	1	5	D&D Bldg 883
61099	5/15/02	GW08300RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V	1	1	1460	D&D Bldg 883
61099	5/15/02	GW08300RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61099	5/15/02	GW08300RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61099	5/15/02	GW08300RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61099	5/15/02	GW08300RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61099	5/15/02	GW08300RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V	1	1	0.2	D&D Bldg 883
61099	5/15/02	GW08300RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61099	5/15/02	GW08300RG	STYRENE	REAL	TR1	1	UG/L	U	V	1	1	100	D&D Bldg 883
61099	5/15/02	GW08300RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61099	5/15/02	GW08300RG	TETRACHLOROETHENE	REAL	TR1	19.7	UG/L		V	1	1	5	D&D Bldg 883
61099	5/15/02	GW08300RG	TOLUENE	REAL	TR1	1	UG/L	U	V	1	1	1000	D&D Bldg 883
61099	5/15/02	GW08300RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	V	3	1	10000	D&D Bldg 883
61099	5/15/02	GW08300RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70	D&D Bldg 883
61099	5/15/02	GW08300RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473	D&D Bldg 883
61099	5/15/02	GW08300RG	TRICHLOROETHENE	REAL	TR1	1.3	UG/L		V	1	1	5	D&D Bldg 883
61099	5/15/02	GW08300RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883
61099	5/15/02	GW08300RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	2	D&D Bldg 883
61199	5/14/02	GW08301RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61199	5/14/02	GW08301RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR2	5	UG/L	U		5	5		D&D Bldg 883
61199	5/14/02	GW08301RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	200	D&D Bldg 883
61199	5/14/02	GW08301RG	1,1,1-TRICHLOROETHANE	REAL	TR2	5	UG/L	U		5	5	200	D&D Bldg 883
61199	5/14/02	GW08301RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	0.426	D&D Bldg 883
61199	5/14/02	GW08301RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR2	5	UG/L	U		5	5	0.426	D&D Bldg 883
61199	5/14/02	GW08301RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 883
61199	5/14/02	GW08301RG	1,1,2-TRICHLOROETHANE	REAL	TR2	5	UG/L	U		5	5	5	D&D Bldg 883
61199	5/14/02	GW08301RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	5	UG/L	U	V	5	1		D&D Bldg 883
61199	5/14/02	GW08301RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR2	25	UG/L	U		25	5		D&D Bldg 883
61199	5/14/02	GW08301RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	3650	D&D Bldg 883
61199	5/14/02	GW08301RG	1,1-DICHLOROETHANE	REAL	TR2	5	UG/L	U		5	5	3650	D&D Bldg 883
61199	5/14/02	GW08301RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	7	D&D Bldg 883
61199	5/14/02	GW08301RG	1,1-DICHLOROETHENE	REAL	TR2	5	UG/L	U		5	5	7	D&D Bldg 883
61199	5/14/02	GW08301RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61199	5/14/02	GW08301RG	1,1-DICHLOROPROPENE	REAL	TR2	5	UG/L	U		5	5		D&D Bldg 883
61199	5/14/02	GW08301RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883
61199	5/14/02	GW08301RG	1,2,3-TRICHLOROBENZENE	REAL	TR2	5	UG/L	U		5	5		D&D Bldg 883
61199	5/14/02	GW08301RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61199	5/14/02	GW08301RG	1,2,3-TRICHLOROPROPANE	REAL	TR2	5	UG/L	U		5	5		D&D Bldg 883
61199	5/14/02	GW08301RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	70	D&D Bldg 883
61199	5/14/02	GW08301RG	1,2,4-TRICHLOROBENZENE	REAL	TR2	5	UG/L	U		5	5	70	D&D Bldg 883
61199	5/14/02	GW08301RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61199	5/14/02	GW08301RG	1,2-DIBROMOETHANE	REAL	TR2	5	UG/L	U		5	5		D&D Bldg 883
61199	5/14/02	GW08301RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	600	D&D Bldg 883
61199	5/14/02	GW08301RG	1,2-DICHLOROBENZENE	REAL	TR2	5	UG/L	U		5	5	600	D&D Bldg 883
61199	5/14/02	GW08301RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 883
61199	5/14/02	GW08301RG	1,2-DICHLOROETHANE	REAL	TR2	5	UG/L	U		5	5	5	D&D Bldg 883
61199	5/14/02	GW08301RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 883
61199	5/14/02	GW08301RG	1,2-DICHLOROPROPANE	REAL	TR2	5	UG/L	U		5	5	5	D&D Bldg 883
61199	5/14/02	GW08301RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	600	D&D Bldg 883
61199	5/14/02	GW08301RG	1,3-DICHLOROBENZENE	REAL	TR2	5	UG/L	U		5	5	600	D&D Bldg 883

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
61199	5/14/02	GW08301RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61199	5/14/02	GW08301RG	1,3-DICHLOROPROPANE	REAL	TR2	5	UG/L	U		5	5		D&D Bldg 883
61199	5/14/02	GW08301RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	75	D&D Bldg 883
61199	5/14/02	GW08301RG	1,4-DICHLOROBENZENE	REAL	TR2	5	UG/L	U		5	5	75	D&D Bldg 883
61199	5/14/02	GW08301RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61199	5/14/02	GW08301RG	2,2-DICHLOROPROPANE	REAL	TR2	5	UG/L	U		5	5		D&D Bldg 883
61199	5/14/02	GW08301RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V	10	1	21900	D&D Bldg 883
61199	5/14/02	GW08301RG	2-BUTANONE	REAL	TR2	50	UG/L	U		50	5	21900	D&D Bldg 883
61199	5/14/02	GW08301RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V	10	1		D&D Bldg 883
61199	5/14/02	GW08301RG	2-HEXANONE	REAL	TR2	50	UG/L	U		50	5		D&D Bldg 883
61199	5/14/02	GW08301RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61199	5/14/02	GW08301RG	4-ISOPROPYLTOLUENE	REAL	TR2	5	UG/L	U		5	5		D&D Bldg 883
61199	5/14/02	GW08301RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V	10	1	2920	D&D Bldg 883
61199	5/14/02	GW08301RG	4-METHYL-2-PENTANONE	REAL	TR2	50	UG/L	U		50	5	2920	D&D Bldg 883
61199	5/14/02	GW08301RG	ACETONE	REAL	TR1	20.3	UG/L	B	U	10	1	3650	D&D Bldg 883
61199	5/14/02	GW08301RG	ACETONE	REAL	TR2	50	UG/L	U		50	5	3650	D&D Bldg 883
61199	5/14/02	GW08301RG	BENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	5	D&D Bldg 883
61199	5/14/02	GW08301RG	BENZENE	REAL	TR2	5	UG/L	U		5	5	5	D&D Bldg 883
61199	5/14/02	GW08301RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883
61199	5/14/02	GW08301RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR2	5	UG/L	U		5	5		D&D Bldg 883
61199	5/14/02	GW08301RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883
61199	5/14/02	GW08301RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR2	5	UG/L	U		5	5		D&D Bldg 883
61199	5/14/02	GW08301RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883
61199	5/14/02	GW08301RG	BROMOBENZENE	REAL	TR2	5	UG/L	U		5	5		D&D Bldg 883
61199	5/14/02	GW08301RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61199	5/14/02	GW08301RG	BROMOCHLOROMETHANE	REAL	TR2	5	UG/L	U		5	5		D&D Bldg 883
61199	5/14/02	GW08301RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	100	D&D Bldg 883
61199	5/14/02	GW08301RG	BROMODICHLOROMETHANE	REAL	TR2	5	UG/L	U		5	5	100	D&D Bldg 883
61199	5/14/02	GW08301RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	1	1	100	D&D Bldg 883
61199	5/14/02	GW08301RG	BROMOFORM	REAL	TR2	5	UG/L	U		5	5	100	D&D Bldg 883
61199	5/14/02	GW08301RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1	51.1	D&D Bldg 883
61199	5/14/02	GW08301RG	BROMOMETHANE	REAL	TR2	5	UG/L	U		5	5	51.1	D&D Bldg 883
61199	5/14/02	GW08301RG	CARBON DISULFIDE	REAL	TR1	5	UG/L	U	V	5	1	3650	D&D Bldg 883
61199	5/14/02	GW08301RG	CARBON DISULFIDE	REAL	TR2	25	UG/L	U		25	5	3650	D&D Bldg 883
61199	5/14/02	GW08301RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 883
61199	5/14/02	GW08301RG	CARBON TETRACHLORIDE	REAL	TR2	5	UG/L	U		5	5	5	D&D Bldg 883
61199	5/14/02	GW08301RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	100	D&D Bldg 883
61199	5/14/02	GW08301RG	CHLOROBENZENE	REAL	TR2	5	UG/L	U		5	5	100	D&D Bldg 883
61199	5/14/02	GW08301RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	29.4	D&D Bldg 883
61199	5/14/02	GW08301RG	CHLOROETHANE	REAL	TR2	5	UG/L	U		5	5	29.4	D&D Bldg 883
61199	5/14/02	GW08301RG	CHLOROFORM	REAL	TR1	0.77	UG/L	J	V	1	1	100	D&D Bldg 883
61199	5/14/02	GW08301RG	CHLOROFORM	REAL	TR2	5	UG/L	U		5	5	100	D&D Bldg 883
61199	5/14/02	GW08301RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	6.55	D&D Bldg 883
61199	5/14/02	GW08301RG	CHLOROMETHANE	REAL	TR2	5	UG/L	U		5	5	6.55	D&D Bldg 883
61199	5/14/02	GW08301RG	cis-1,2-DICHLOROETHENE	REAL	TR1	24.7	UG/L		V	1	1	70	D&D Bldg 883
61199	5/14/02	GW08301RG	cis-1,2-DICHLOROETHENE	REAL	TR2	27.5	UG/L	D		5	5	70	D&D Bldg 883
61199	5/14/02	GW08301RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473	D&D Bldg 883
61199	5/14/02	GW08301RG	cis-1,3-DICHLOROPROPENE	REAL	TR2	5	UG/L	U		5	5	0.473	D&D Bldg 883
61199	5/14/02	GW08301RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	1.01	D&D Bldg 883
61199	5/14/02	GW08301RG	DIBROMOCHLOROMETHANE	REAL	TR2	5	UG/L	U		5	5	1.01	D&D Bldg 883
61199	5/14/02	GW08301RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61199	5/14/02	GW08301RG	DIBROMOMETHANE	REAL	TR2	5	UG/L	U		5	5		D&D Bldg 883
61199	5/14/02	GW08301RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61199	5/14/02	GW08301RG	DICHLORODIFLUOROMETHANE	REAL	TR2	5	UG/L	U		5	5		D&D Bldg 883
61199	5/14/02	GW08301RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	700	D&D Bldg 883
61199	5/14/02	GW08301RG	ETHYLBENZENE	REAL	TR2	5	UG/L	U		5	5	700	D&D Bldg 883
61199	5/14/02	GW08301RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	1	1	1.09	D&D Bldg 883

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
61199	5/14/02	GW08301RG	HEXACHLOROBUTADIENE	REAL	TR2	5	UG/L	U		5	5	1.09	D&D Bldg 883
61199	5/14/02	GW08301RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883
61199	5/14/02	GW08301RG	ISOPROPYLBENZENE	REAL	TR2	5	UG/L	U		5	5		D&D Bldg 883
61199	5/14/02	GW08301RG	METHYLENE CHLORIDE	REAL	TR1	3	UG/L	B	U	1	1	5	D&D Bldg 883
61199	5/14/02	GW08301RG	METHYLENE CHLORIDE	REAL	TR2	19.8	UG/L	BD		5	5	5	D&D Bldg 883
61199	5/14/02	GW08301RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V	1	1	1460	D&D Bldg 883
61199	5/14/02	GW08301RG	NAPHTHALENE	REAL	TR2	5	UG/L	U		5	5	1460	D&D Bldg 883
61199	5/14/02	GW08301RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883
61199	5/14/02	GW08301RG	n-BUTYLBENZENE	REAL	TR2	5	UG/L	U		5	5		D&D Bldg 883
61199	5/14/02	GW08301RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883
61199	5/14/02	GW08301RG	n-PROPYLBENZENE	REAL	TR2	5	UG/L	U		5	5		D&D Bldg 883
61199	5/14/02	GW08301RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61199	5/14/02	GW08301RG	o-CHLOROTOLUENE	REAL	TR2	5	UG/L	U		5	5		D&D Bldg 883
61199	5/14/02	GW08301RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
61199	5/14/02	GW08301RG	p-CHLOROTOLUENE	REAL	TR2	5	UG/L	U		5	5		D&D Bldg 883
61199	5/14/02	GW08301RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V	1	1	0.2	D&D Bldg 883
61199	5/14/02	GW08301RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR2	5	UG/L	U		5	5	0.2	D&D Bldg 883
61199	5/14/02	GW08301RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883
61199	5/14/02	GW08301RG	sec-BUTYLBENZENE	REAL	TR2	5	UG/L	U		5	5		D&D Bldg 883
61199	5/14/02	GW08301RG	STYRENE	REAL	TR1	1	UG/L	U	V	1	1	100	D&D Bldg 883
61199	5/14/02	GW08301RG	STYRENE	REAL	TR2	5	UG/L	U		5	5	100	D&D Bldg 883
61199	5/14/02	GW08301RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883
61199	5/14/02	GW08301RG	tert-BUTYLBENZENE	REAL	TR2	5	UG/L	U		5	5		D&D Bldg 883
61199	5/14/02	GW08301RG	TETRACHLOROETHENE	REAL	TR1	203	UG/L	E		1	1	5	D&D Bldg 883
61199	5/14/02	GW08301RG	TETRACHLOROETHENE	REAL	TR2	293	UG/L	D	V	5	5	5	D&D Bldg 883
61199	5/14/02	GW08301RG	TOLUENE	REAL	TR1	1	UG/L	U	V	1	1	1000	D&D Bldg 883
61199	5/14/02	GW08301RG	TOLUENE	REAL	TR2	5	UG/L	U		5	5	1000	D&D Bldg 883
61199	5/14/02	GW08301RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	V	3	1	10000	D&D Bldg 883
61199	5/14/02	GW08301RG	TOTAL XYLENES	REAL	TR2	15	UG/L	U		15	5	10000	D&D Bldg 883
61199	5/14/02	GW08301RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70	D&D Bldg 883
61199	5/14/02	GW08301RG	trans-1,2-DICHLOROETHENE	REAL	TR2	5	UG/L	U		5	5	70	D&D Bldg 883
61199	5/14/02	GW08301RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473	D&D Bldg 883
61199	5/14/02	GW08301RG	trans-1,3-DICHLOROPROPENE	REAL	TR2	5	UG/L	U		5	5	0.473	D&D Bldg 883
61199	5/14/02	GW08301RG	TRICHLOROETHENE	REAL	TR1	20.8	UG/L			1	1	5	D&D Bldg 883
61199	5/14/02	GW08301RG	TRICHLOROETHENE	REAL	TR2	24.5	UG/L	D	V	5	5	5	D&D Bldg 883
61199	5/14/02	GW08301RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883
61199	5/14/02	GW08301RG	TRICHLOROFLUOROMETHANE	REAL	TR2	5	UG/L	U		5	5		D&D Bldg 883
61199	5/14/02	GW08301RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	2	D&D Bldg 883
61199	5/14/02	GW08301RG	VINYL CHLORIDE	REAL	TR2	5	UG/L	U		5	5	2	D&D Bldg 883
70193	5/21/02	GW08231RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		RCRA
70193	5/21/02	GW08231RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	RCRA
70193	5/21/02	GW08231RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	RCRA
70193	5/21/02	GW08231RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	RCRA
70193	5/21/02	GW08231RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		RCRA
70193	5/21/02	GW08231RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	RCRA
70193	5/21/02	GW08231RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	RCRA
70193	5/21/02	GW08231RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		RCRA
70193	5/21/02	GW08231RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		RCRA
70193	5/21/02	GW08231RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		RCRA
70193	5/21/02	GW08231RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	RCRA
70193	5/21/02	GW08231RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		RCRA
70193	5/21/02	GW08231RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	RCRA
70193	5/21/02	GW08231RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	RCRA
70193	5/21/02	GW08231RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	RCRA
70193	5/21/02	GW08231RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	RCRA
70193	5/21/02	GW08231RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		RCRA
70193	5/21/02	GW08231RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	RCRA

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
70193	5/21/02	GW08231RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		RCRA
70193	5/21/02	GW08231RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	RCRA
70193	5/21/02	GW08231RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		RCRA
70193	5/21/02	GW08231RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		RCRA
70193	5/21/02	GW08231RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	RCRA
70193	5/21/02	GW08231RG	ACETONE	REAL	TR1	10	UG/L	U	V1	3.4	1	3650	RCRA
70193	5/21/02	GW08231RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	RCRA
70193	5/21/02	GW08231RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		RCRA
70193	5/21/02	GW08231RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		RCRA
70193	5/21/02	GW08231RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		RCRA
70193	5/21/02	GW08231RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		RCRA
70193	5/21/02	GW08231RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	RCRA
70193	5/21/02	GW08231RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	RCRA
70193	5/21/02	GW08231RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	RCRA
70193	5/21/02	GW08231RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	RCRA
70193	5/21/02	GW08231RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	RCRA
70193	5/21/02	GW08231RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	RCRA
70193	5/21/02	GW08231RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	RCRA
70193	5/21/02	GW08231RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.21	1	100	RCRA
70193	5/21/02	GW08231RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	RCRA
70193	5/21/02	GW08231RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	RCRA
70193	5/21/02	GW08231RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	RCRA
70193	5/21/02	GW08231RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	RCRA
70193	5/21/02	GW08231RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		RCRA
70193	5/21/02	GW08231RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		RCRA
70193	5/21/02	GW08231RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	RCRA
70193	5/21/02	GW08231RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	RCRA
70193	5/21/02	GW08231RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		RCRA
70193	5/21/02	GW08231RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	RCRA
70193	5/21/02	GW08231RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	RCRA
70193	5/21/02	GW08231RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		RCRA
70193	5/21/02	GW08231RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		RCRA
70193	5/21/02	GW08231RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		RCRA
70193	5/21/02	GW08231RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		RCRA
70193	5/21/02	GW08231RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	RCRA
70193	5/21/02	GW08231RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		RCRA
70193	5/21/02	GW08231RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	RCRA
70193	5/21/02	GW08231RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		RCRA
70193	5/21/02	GW08231RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	RCRA
70193	5/21/02	GW08231RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	RCRA
70193	5/21/02	GW08231RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	RCRA
70193	5/21/02	GW08231RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	RCRA
70193	5/21/02	GW08231RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	RCRA
70193	5/21/02	GW08231RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.23	1	5	RCRA
70193	5/21/02	GW08231RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		RCRA
70193	5/21/02	GW08231RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	RCRA
70193	5/21/02	GW08232RG	1,1,1,2-TETRACHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.21	1		RCRA
70193	5/21/02	GW08232RG	1,1,1-TRICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.23	1	200	RCRA
70193	5/21/02	GW08232RG	1,1,2,2-TETRACHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.24	1	0.426	RCRA
70193	5/21/02	GW08232RG	1,1,2-TRICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.28	1	5	RCRA
70193	5/21/02	GW08232RG	1,1,2-TRICHLOROTRIFLUOROETHANE	RNS	TR1	1	UG/L	U	V1	0.2	1		RCRA
70193	5/21/02	GW08232RG	1,1-DICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.22	1	3650	RCRA
70193	5/21/02	GW08232RG	1,1-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	0.19	1	7	RCRA
70193	5/21/02	GW08232RG	1,1-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V1	0.23	1		RCRA
70193	5/21/02	GW08232RG	1,2,3-TRICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.78	1		RCRA
70193	5/21/02	GW08232RG	1,2,3-TRICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	0.23	1		RCRA
70193	5/21/02	GW08232RG	1,2,4-TRICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.3	1	70	RCRA

273

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
70193	5/21/02	GW08232RG	1,2-DIBROMOETHANE	RNS	TR1	1	UG/L	U	V1	0.21	1		RCRA
70193	5/21/02	GW08232RG	1,2-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.17	1	600	RCRA
70193	5/21/02	GW08232RG	1,2-DICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.22	1	5	RCRA
70193	5/21/02	GW08232RG	1,2-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	0.17	1	5	RCRA
70193	5/21/02	GW08232RG	1,3-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.096	1	600	RCRA
70193	5/21/02	GW08232RG	1,3-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	0.15	1		RCRA
70193	5/21/02	GW08232RG	1,4-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.12	1	75	RCRA
70193	5/21/02	GW08232RG	2,2-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	0.65	1		RCRA
70193	5/21/02	GW08232RG	2-BUTANONE	RNS	TR1	10	UG/L	U	V1	4.4	1	21900	RCRA
70193	5/21/02	GW08232RG	2-HEXANONE	RNS	TR1	10	UG/L	U	V1	1.4	1		RCRA
70193	5/21/02	GW08232RG	4-ISOPROPYLTOLUENE	RNS	TR1	1	UG/L	U	UJ1	0.15	1		RCRA
70193	5/21/02	GW08232RG	4-METHYL-2-PENTANONE	RNS	TR1	10	UG/L	U	V1	1.7	1	2920	RCRA
70193	5/21/02	GW08232RG	ACETONE	RNS	TR1	10	UG/L	U	V1	3.4	1	3650	RCRA
70193	5/21/02	GW08232RG	BENZENE	RNS	TR1	1	UG/L	U	UJ1	0.26	1	5	RCRA
70193	5/21/02	GW08232RG	BENZENE, 1,2,4-TRIMETHYL	RNS	TR1	1	UG/L	U	UJ1	0.25	1		RCRA
70193	5/21/02	GW08232RG	BENZENE, 1,3,5-TRIMETHYL-	RNS	TR1	1	UG/L	U	UJ1	0.19	1		RCRA
70193	5/21/02	GW08232RG	BROMOBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.16	1		RCRA
70193	5/21/02	GW08232RG	BROMOCHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.46	1		RCRA
70193	5/21/02	GW08232RG	BROMODICHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.21	1	100	RCRA
70193	5/21/02	GW08232RG	BROMOFORM	RNS	TR1	1	UG/L	U	V1	0.4	1	100	RCRA
70193	5/21/02	GW08232RG	BROMOMETHANE	RNS	TR1	1	UG/L	U	V1	0.99	1	51.1	RCRA
70193	5/21/02	GW08232RG	CARBON DISULFIDE	RNS	TR1	1	UG/L	U	V1	0.35	1	3650	RCRA
70193	5/21/02	GW08232RG	CARBON TETRACHLORIDE	RNS	TR1	1	UG/L	U	V1	0.38	1	5	RCRA
70193	5/21/02	GW08232RG	CHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.23	1	100	RCRA
70193	5/21/02	GW08232RG	CHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.94	1	29.4	RCRA
70193	5/21/02	GW08232RG	CHLOROFORM	RNS	TR1	1	UG/L	U	V1	0.21	1	100	RCRA
70193	5/21/02	GW08232RG	CHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.26	1	6.55	RCRA
70193	5/21/02	GW08232RG	cis-1,2-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	0.15	1	70	RCRA
70193	5/21/02	GW08232RG	cis-1,3-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V1	0.17	1	0.473	RCRA
70193	5/21/02	GW08232RG	DIBROMOCHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.54	1	1.01	RCRA
70193	5/21/02	GW08232RG	DIBROMOMETHANE	RNS	TR1	1	UG/L	U	V1	0.55	1		RCRA
70193	5/21/02	GW08232RG	DICHLORODIFLUOROMETHANE	RNS	TR1	1	UG/L	U	UJ1	0.26	1		RCRA
70193	5/21/02	GW08232RG	ETHYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.2	1	700	RCRA
70193	5/21/02	GW08232RG	HEXACHLOROBUTADIENE	RNS	TR1	1	UG/L	U	V1	0.65	1	1.09	RCRA
70193	5/21/02	GW08232RG	ISOPROPYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.2	1		RCRA
70193	5/21/02	GW08232RG	METHYLENE CHLORIDE	RNS	TR1	1	UG/L	U	V1	0.82	1	5	RCRA
70193	5/21/02	GW08232RG	NAPHTHALENE	RNS	TR1	1	UG/L	U	UJ1	0.25	1	1460	RCRA
70193	5/21/02	GW08232RG	n-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.15	1		RCRA
70193	5/21/02	GW08232RG	n-PROPYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.19	1		RCRA
70193	5/21/02	GW08232RG	o-CHLOROTOLUENE	RNS	TR1	1	UG/L	U	UJ1	0.23	1		RCRA
70193	5/21/02	GW08232RG	p-CHLOROTOLUENE	RNS	TR1	1	UG/L	U	UJ1	0.21	1		RCRA
70193	5/21/02	GW08232RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	RNS	TR1	1	UG/L	U	V1	0.56	1	0.2	RCRA
70193	5/21/02	GW08232RG	sec-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.31	1		RCRA
70193	5/21/02	GW08232RG	STYRENE	RNS	TR1	1	UG/L	U	UJ1	0.22	1	100	RCRA
70193	5/21/02	GW08232RG	tert-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.25	1		RCRA
70193	5/21/02	GW08232RG	TETRACHLOROETHENE	RNS	TR1	1	UG/L	U	V1	0.56	1	5	RCRA
70193	5/21/02	GW08232RG	TOLUENE	RNS	TR1	1	UG/L	U	UJ1	0.15	1	1000	RCRA
70193	5/21/02	GW08232RG	TOTAL XYLENES	RNS	TR1	1	UG/L	U	UJ1	0.19	1	10000	RCRA
70193	5/21/02	GW08232RG	trans-1,2-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	0.092	1	70	RCRA
70193	5/21/02	GW08232RG	trans-1,3-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V1	0.22	1	0.473	RCRA
70193	5/21/02	GW08232RG	TRICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	0.23	1	5	RCRA
70193	5/21/02	GW08232RG	TRICHLOROFLUOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.21	1		RCRA
70193	5/21/02	GW08232RG	VINYL CHLORIDE	RNS	TR1	1	UG/L	U	V1	0.25	1	2	RCRA
70393	5/21/02	GW08233RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		RCRA
70393	5/21/02	GW08233RG	1,1,1-TRICHLOROETHANE	REAL	TR1	13.5	UG/L		V1	0.23	1	200	RCRA
70393	5/21/02	GW08233RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	RCRA
70393	5/21/02	GW08233RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	RCRA

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
70393	5/21/02	GW08233RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		RCRA
70393	5/21/02	GW08233RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	RCRA
70393	5/21/02	GW08233RG	1,1-DICHLOROETHENE	REAL	TR1	11.9	UG/L		V1	0.19	1	7	RCRA
70393	5/21/02	GW08233RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		RCRA
70393	5/21/02	GW08233RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		RCRA
70393	5/21/02	GW08233RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		RCRA
70393	5/21/02	GW08233RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	RCRA
70393	5/21/02	GW08233RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		RCRA
70393	5/21/02	GW08233RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	RCRA
70393	5/21/02	GW08233RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	RCRA
70393	5/21/02	GW08233RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	RCRA
70393	5/21/02	GW08233RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	RCRA
70393	5/21/02	GW08233RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		RCRA
70393	5/21/02	GW08233RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	RCRA
70393	5/21/02	GW08233RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		RCRA
70393	5/21/02	GW08233RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	RCRA
70393	5/21/02	GW08233RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		RCRA
70393	5/21/02	GW08233RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		RCRA
70393	5/21/02	GW08233RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	RCRA
70393	5/21/02	GW08233RG	ACETONE	REAL	TR1	10	UG/L	U	V1	3.4	1	3650	RCRA
70393	5/21/02	GW08233RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	RCRA
70393	5/21/02	GW08233RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		RCRA
70393	5/21/02	GW08233RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		RCRA
70393	5/21/02	GW08233RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		RCRA
70393	5/21/02	GW08233RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		RCRA
70393	5/21/02	GW08233RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	RCRA
70393	5/21/02	GW08233RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	RCRA
70393	5/21/02	GW08233RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	RCRA
70393	5/21/02	GW08233RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	RCRA
70393	5/21/02	GW08233RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	RCRA
70393	5/21/02	GW08233RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	RCRA
70393	5/21/02	GW08233RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	RCRA
70393	5/21/02	GW08233RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.21	1	100	RCRA
70393	5/21/02	GW08233RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	RCRA
70393	5/21/02	GW08233RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	RCRA
70393	5/21/02	GW08233RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	RCRA
70393	5/21/02	GW08233RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	RCRA
70393	5/21/02	GW08233RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		RCRA
70393	5/21/02	GW08233RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		RCRA
70393	5/21/02	GW08233RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	RCRA
70393	5/21/02	GW08233RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	RCRA
70393	5/21/02	GW08233RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		RCRA
70393	5/21/02	GW08233RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	RCRA
70393	5/21/02	GW08233RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	RCRA
70393	5/21/02	GW08233RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		RCRA
70393	5/21/02	GW08233RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		RCRA
70393	5/21/02	GW08233RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		RCRA
70393	5/21/02	GW08233RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		RCRA
70393	5/21/02	GW08233RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	RCRA
70393	5/21/02	GW08233RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		RCRA
70393	5/21/02	GW08233RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	RCRA
70393	5/21/02	GW08233RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		RCRA
70393	5/21/02	GW08233RG	TETRACHLOROETHENE	REAL	TR1	6.18	UG/L		V1	0.56	1	5	RCRA
70393	5/21/02	GW08233RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	RCRA
70393	5/21/02	GW08233RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	RCRA
70393	5/21/02	GW08233RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	RCRA
70393	5/21/02	GW08233RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	RCRA

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
70393	5/21/02	GW08233RG	TRICHLOROETHENE	REAL	TR1	21.7	UG/L		V1	0.23	1	5	RCRA
70393	5/21/02	GW08233RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		RCRA
70393	5/21/02	GW08233RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	RCRA
70393	5/21/02	GW08234RG	1,1,1,2-TETRACHLOROETHANE	DUP	TR1	1	UG/L	U	V1	0.21	1		RCRA
70393	5/21/02	GW08234RG	1,1,1-TRICHLOROETHANE	DUP	TR1	13.6	UG/L		V1	0.23	1	200	RCRA
70393	5/21/02	GW08234RG	1,1,2,2-TETRACHLOROETHANE	DUP	TR1	1	UG/L	U	V1	0.24	1	0.426	RCRA
70393	5/21/02	GW08234RG	1,1,2-TRICHLOROETHANE	DUP	TR1	1	UG/L	U	V1	0.28	1	5	RCRA
70393	5/21/02	GW08234RG	1,1,2-TRICHLOROTRIFLUOROETHANE	DUP	TR1	1	UG/L	U	V1	0.2	1		RCRA
70393	5/21/02	GW08234RG	1,1-DICHLOROETHANE	DUP	TR1	1	UG/L	U	V1	0.22	1	3650	RCRA
70393	5/21/02	GW08234RG	1,1-DICHLOROETHENE	DUP	TR1	12	UG/L		V1	0.19	1	7	RCRA
70393	5/21/02	GW08234RG	1,1-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V1	0.23	1		RCRA
70393	5/21/02	GW08234RG	1,2,3-TRICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.78	1		RCRA
70393	5/21/02	GW08234RG	1,2,3-TRICHLOROPROPANE	DUP	TR1	1	UG/L	U	V1	0.23	1		RCRA
70393	5/21/02	GW08234RG	1,2,4-TRICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.3	1	70	RCRA
70393	5/21/02	GW08234RG	1,2-DIBROMOETHANE	DUP	TR1	1	UG/L	U	V1	0.21	1		RCRA
70393	5/21/02	GW08234RG	1,2-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.17	1	600	RCRA
70393	5/21/02	GW08234RG	1,2-DICHLOROETHANE	DUP	TR1	1	UG/L	U	V1	0.22	1	5	RCRA
70393	5/21/02	GW08234RG	1,2-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V1	0.17	1	5	RCRA
70393	5/21/02	GW08234RG	1,3-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.096	1	600	RCRA
70393	5/21/02	GW08234RG	1,3-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V1	0.15	1		RCRA
70393	5/21/02	GW08234RG	1,4-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.12	1	75	RCRA
70393	5/21/02	GW08234RG	2,2-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V1	0.65	1		RCRA
70393	5/21/02	GW08234RG	2-BUTANONE	DUP	TR1	10	UG/L	U	V1	4.4	1	21900	RCRA
70393	5/21/02	GW08234RG	2-HEXANONE	DUP	TR1	10	UG/L	U	V1	1.4	1		RCRA
70393	5/21/02	GW08234RG	4-ISOPROPYLTOLUENE	DUP	TR1	1	UG/L	U	UJ1	0.15	1		RCRA
70393	5/21/02	GW08234RG	4-METHYL-2-PENTANONE	DUP	TR1	10	UG/L	U	V1	1.7	1	2920	RCRA
70393	5/21/02	GW08234RG	ACETONE	DUP	TR1	10	UG/L	U	V1	3.4	1	3650	RCRA
70393	5/21/02	GW08234RG	BENZENE	DUP	TR1	1	UG/L	U	UJ1	0.26	1	5	RCRA
70393	5/21/02	GW08234RG	BENZENE, 1,2,4-TRIMETHYL	DUP	TR1	1	UG/L	U	UJ1	0.25	1		RCRA
70393	5/21/02	GW08234RG	BENZENE, 1,3,5-TRIMETHYL-	DUP	TR1	1	UG/L	U	UJ1	0.19	1		RCRA
70393	5/21/02	GW08234RG	BROMOBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.16	1		RCRA
70393	5/21/02	GW08234RG	BROMOCHLOROMETHANE	DUP	TR1	1	UG/L	U	V1	0.46	1		RCRA
70393	5/21/02	GW08234RG	BROMODICHLOROMETHANE	DUP	TR1	1	UG/L	U	V1	0.21	1	100	RCRA
70393	5/21/02	GW08234RG	BROMOFORM	DUP	TR1	1	UG/L	U	V1	0.4	1	100	RCRA
70393	5/21/02	GW08234RG	BROMOMETHANE	DUP	TR1	1	UG/L	U	V1	0.99	1	51.1	RCRA
70393	5/21/02	GW08234RG	CARBON DISULFIDE	DUP	TR1	1	UG/L	U	V1	0.35	1	3650	RCRA
70393	5/21/02	GW08234RG	CARBON TETRACHLORIDE	DUP	TR1	1	UG/L	U	V1	0.38	1	5	RCRA
70393	5/21/02	GW08234RG	CHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.23	1	100	RCRA
70393	5/21/02	GW08234RG	CHLOROETHANE	DUP	TR1	1	UG/L	U	V1	0.94	1	29.4	RCRA
70393	5/21/02	GW08234RG	CHLOROFORM	DUP	TR1	1	UG/L	U	V1	0.21	1	100	RCRA
70393	5/21/02	GW08234RG	CHLOROMETHANE	DUP	TR1	1	UG/L	U	V1	0.26	1	6.55	RCRA
70393	5/21/02	GW08234RG	cis-1,2-DICHLOROETHENE	DUP	TR1	1	UG/L	U	V1	0.15	1	70	RCRA
70393	5/21/02	GW08234RG	cis-1,3-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V1	0.17	1	0.473	RCRA
70393	5/21/02	GW08234RG	DIBROMOCHLOROMETHANE	DUP	TR1	1	UG/L	U	V1	0.54	1	1.01	RCRA
70393	5/21/02	GW08234RG	DIBROMOMETHANE	DUP	TR1	1	UG/L	U	V1	0.55	1		RCRA
70393	5/21/02	GW08234RG	DICHLORODIFLUOROMETHANE	DUP	TR1	1	UG/L	U	UJ1	0.26	1		RCRA
70393	5/21/02	GW08234RG	ETHYLBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.2	1	700	RCRA
70393	5/21/02	GW08234RG	HEXACHLOROBUTADIENE	DUP	TR1	1	UG/L	U	V1	0.65	1	1.09	RCRA
70393	5/21/02	GW08234RG	ISOPROPYLBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.2	1		RCRA
70393	5/21/02	GW08234RG	METHYLENE CHLORIDE	DUP	TR1	1	UG/L	U	V1	0.82	1	5	RCRA
70393	5/21/02	GW08234RG	NAPHTHALENE	DUP	TR1	1	UG/L	U	UJ1	0.25	1	1460	RCRA
70393	5/21/02	GW08234RG	n-BUTYLBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.15	1		RCRA
70393	5/21/02	GW08234RG	n-PROPYLBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.19	1		RCRA
70393	5/21/02	GW08234RG	o-CHLOROTOLUENE	DUP	TR1	1	UG/L	U	UJ1	0.23	1		RCRA
70393	5/21/02	GW08234RG	p-CHLOROTOLUENE	DUP	TR1	1	UG/L	U	UJ1	0.21	1		RCRA
70393	5/21/02	GW08234RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	DUP	TR1	1	UG/L	U	V1	0.56	1	0.2	RCRA
70393	5/21/02	GW08234RG	sec-BUTYLBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.31	1		RCRA

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
70393	5/21/02	GW08234RG	STYRENE	DUP	TR1	1	UG/L	U	UJ1	0.22	1	100	RCRA
70393	5/21/02	GW08234RG	tert-BUTYLBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.25	1		RCRA
70393	5/21/02	GW08234RG	TETRACHLOROETHENE	DUP	TR1	6.38	UG/L		V1	0.56	1	5	RCRA
70393	5/21/02	GW08234RG	TOLUENE	DUP	TR1	1	UG/L	U	UJ1	0.15	1	1000	RCRA
70393	5/21/02	GW08234RG	TOTAL XYLENES	DUP	TR1	1	UG/L	U	UJ1	0.19	1	10000	RCRA
70393	5/21/02	GW08234RG	trans-1,2-DICHLOROETHENE	DUP	TR1	1	UG/L	U	V1	0.092	1	70	RCRA
70393	5/21/02	GW08234RG	trans-1,3-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V1	0.22	1	0.473	RCRA
70393	5/21/02	GW08234RG	TRICHLOROETHENE	DUP	TR1	19.8	UG/L		V1	0.23	1	5	RCRA
70393	5/21/02	GW08234RG	TRICHLOROFLUOROMETHANE	DUP	TR1	1	UG/L	U	V1	0.21	1		RCRA
70393	5/21/02	GW08234RG	VINYL CHLORIDE	DUP	TR1	1	UG/L	U	V1	0.25	1	2	RCRA
70493	5/17/02	GW08235RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		RCRA
70493	5/17/02	GW08235RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	RCRA
70493	5/17/02	GW08235RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	RCRA
70493	5/17/02	GW08235RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	RCRA
70493	5/17/02	GW08235RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		RCRA
70493	5/17/02	GW08235RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	RCRA
70493	5/17/02	GW08235RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	RCRA
70493	5/17/02	GW08235RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		RCRA
70493	5/17/02	GW08235RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		RCRA
70493	5/17/02	GW08235RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		RCRA
70493	5/17/02	GW08235RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	RCRA
70493	5/17/02	GW08235RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		RCRA
70493	5/17/02	GW08235RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	RCRA
70493	5/17/02	GW08235RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	RCRA
70493	5/17/02	GW08235RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	RCRA
70493	5/17/02	GW08235RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	RCRA
70493	5/17/02	GW08235RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		RCRA
70493	5/17/02	GW08235RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	RCRA
70493	5/17/02	GW08235RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		RCRA
70493	5/17/02	GW08235RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	RCRA
70493	5/17/02	GW08235RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		RCRA
70493	5/17/02	GW08235RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		RCRA
70493	5/17/02	GW08235RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	RCRA
70493	5/17/02	GW08235RG	ACETONE	REAL	TR1	10	UG/L	U	UJ1	3.4	1	3650	RCRA
70493	5/17/02	GW08235RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	RCRA
70493	5/17/02	GW08235RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		RCRA
70493	5/17/02	GW08235RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		RCRA
70493	5/17/02	GW08235RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		RCRA
70493	5/17/02	GW08235RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		RCRA
70493	5/17/02	GW08235RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	RCRA
70493	5/17/02	GW08235RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	RCRA
70493	5/17/02	GW08235RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.99	1	51.1	RCRA
70493	5/17/02	GW08235RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	RCRA
70493	5/17/02	GW08235RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	RCRA
70493	5/17/02	GW08235RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	RCRA
70493	5/17/02	GW08235RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	RCRA
70493	5/17/02	GW08235RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.21	1	100	RCRA
70493	5/17/02	GW08235RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	RCRA
70493	5/17/02	GW08235RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	RCRA
70493	5/17/02	GW08235RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	RCRA
70493	5/17/02	GW08235RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	RCRA
70493	5/17/02	GW08235RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		RCRA
70493	5/17/02	GW08235RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		RCRA
70493	5/17/02	GW08235RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	RCRA
70493	5/17/02	GW08235RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	RCRA
70493	5/17/02	GW08235RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		RCRA
70493	5/17/02	GW08235RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	RCRA

277

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
70493	5/17/02	GW08235RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	RCRA
70493	5/17/02	GW08235RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		RCRA
70493	5/17/02	GW08235RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		RCRA
70493	5/17/02	GW08235RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		RCRA
70493	5/17/02	GW08235RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		RCRA
70493	5/17/02	GW08235RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	RCRA
70493	5/17/02	GW08235RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		RCRA
70493	5/17/02	GW08235RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	RCRA
70493	5/17/02	GW08235RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		RCRA
70493	5/17/02	GW08235RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	RCRA
70493	5/17/02	GW08235RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	RCRA
70493	5/17/02	GW08235RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	RCRA
70493	5/17/02	GW08235RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	RCRA
70493	5/17/02	GW08235RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	RCRA
70493	5/17/02	GW08235RG	TRICHLOROETHENE	REAL	TR1	1.07	UG/L		V1	0.23	1	5	RCRA
70493	5/17/02	GW08235RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		RCRA
70493	5/17/02	GW08235RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	RCRA
771 FD OUT #2	5/31/02	SW08282RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1.38	UG/L		V1	0.23	1	200	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	19.8	UG/L		V1	0.2	1		D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	1,1-DICHLOROETHENE	REAL	TR1	2.53	UG/L		V1	0.19	1	7	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	ACETONE	REAL	TR1	10	UG/L	U	V1	3.4	1	3650	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	CARBON TETRACHLORIDE	REAL	TR1	126	UG/L		V1	0.38	1	5	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	CHLOROFORM	REAL	TR1	101	UG/L		V1	0.21	1	100	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	D&D Bldg 771

218

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
771 FD OUT #2	5/31/02	SW08282RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	TETRACHLOROETHENE	REAL	TR1	4.5	UG/L		V1	0.56	1	5	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.23	1	5	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	D&D Bldg 771
83101	5/8/02	GW08302RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883/881
83101	5/8/02	GW08302RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	200	D&D Bldg 883/881
83101	5/8/02	GW08302RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	0.426	D&D Bldg 883/881
83101	5/8/02	GW08302RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 883/881
83101	5/8/02	GW08302RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	5	UG/L	U	V	5	1		D&D Bldg 883/881
83101	5/8/02	GW08302RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	3650	D&D Bldg 883/881
83101	5/8/02	GW08302RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	7	D&D Bldg 883/881
83101	5/8/02	GW08302RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883/881
83101	5/8/02	GW08302RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883/881
83101	5/8/02	GW08302RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883/881
83101	5/8/02	GW08302RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	70	D&D Bldg 883/881
83101	5/8/02	GW08302RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883/881
83101	5/8/02	GW08302RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	600	D&D Bldg 883/881
83101	5/8/02	GW08302RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 883/881
83101	5/8/02	GW08302RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 883/881
83101	5/8/02	GW08302RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	600	D&D Bldg 883/881
83101	5/8/02	GW08302RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883/881
83101	5/8/02	GW08302RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	75	D&D Bldg 883/881
83101	5/8/02	GW08302RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883/881
83101	5/8/02	GW08302RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V	10	1	21900	D&D Bldg 883/881
83101	5/8/02	GW08302RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V	10	1		D&D Bldg 883/881
83101	5/8/02	GW08302RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883/881
83101	5/8/02	GW08302RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V	10	1	2920	D&D Bldg 883/881
83101	5/8/02	GW08302RG	ACETONE	REAL	TR1	6.9	UG/L	JB	JB	10	1	3650	D&D Bldg 883/881
83101	5/8/02	GW08302RG	BENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	5	D&D Bldg 883/881
83101	5/8/02	GW08302RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883/881
83101	5/8/02	GW08302RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883/881
83101	5/8/02	GW08302RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883/881
83101	5/8/02	GW08302RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883/881
83101	5/8/02	GW08302RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	100	D&D Bldg 883/881
83101	5/8/02	GW08302RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	1	1	100	D&D Bldg 883/881
83101	5/8/02	GW08302RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1	51.1	D&D Bldg 883/881
83101	5/8/02	GW08302RG	CARBON DISULFIDE	REAL	TR1	5	UG/L	U	V	5	1	3650	D&D Bldg 883/881

279

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
83101	5/8/02	GW08302RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 883/881
83101	5/8/02	GW08302RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	100	D&D Bldg 883/881
83101	5/8/02	GW08302RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	29.4	D&D Bldg 883/881
83101	5/8/02	GW08302RG	CHLOROFORM	REAL	TR1	9	UG/L		V	1	1	100	D&D Bldg 883/881
83101	5/8/02	GW08302RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	6.55	D&D Bldg 883/881
83101	5/8/02	GW08302RG	cis-1,2-DICHLOROETHENE	REAL	TR1	40.8	UG/L		V	1	1	70	D&D Bldg 883/881
83101	5/8/02	GW08302RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473	D&D Bldg 883/881
83101	5/8/02	GW08302RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	1.01	D&D Bldg 883/881
83101	5/8/02	GW08302RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883/881
83101	5/8/02	GW08302RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883/881
83101	5/8/02	GW08302RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	700	D&D Bldg 883/881
83101	5/8/02	GW08302RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	1	1	1.09	D&D Bldg 883/881
83101	5/8/02	GW08302RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883/881
83101	5/8/02	GW08302RG	METHYLENE CHLORIDE	REAL	TR1	3.2	UG/L	B	U	1	1	5	D&D Bldg 883/881
83101	5/8/02	GW08302RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V	1	1	1460	D&D Bldg 883/881
83101	5/8/02	GW08302RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883/881
83101	5/8/02	GW08302RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883/881
83101	5/8/02	GW08302RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883/881
83101	5/8/02	GW08302RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883/881
83101	5/8/02	GW08302RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V	1	1	0.2	D&D Bldg 883/881
83101	5/8/02	GW08302RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883/881
83101	5/8/02	GW08302RG	STYRENE	REAL	TR1	1	UG/L	U	V	1	1	100	D&D Bldg 883/881
83101	5/8/02	GW08302RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883/881
83101	5/8/02	GW08302RG	TETRACHLOROETHENE	REAL	TR1	49.4	UG/L	B	V	1	1	5	D&D Bldg 883/881
83101	5/8/02	GW08302RG	TOLUENE	REAL	TR1	1	UG/L	U	V	1	1	1000	D&D Bldg 883/881
83101	5/8/02	GW08302RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	V	3	1	10000	D&D Bldg 883/881
83101	5/8/02	GW08302RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70	D&D Bldg 883/881
83101	5/8/02	GW08302RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473	D&D Bldg 883/881
83101	5/8/02	GW08302RG	TRICHLOROETHENE	REAL	TR1	13.3	UG/L		V	1	1	5	D&D Bldg 883/881
83101	5/8/02	GW08302RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883/881
83101	5/8/02	GW08302RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	2	D&D Bldg 883/881
83201	5/8/02	GW08303RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
83201	5/8/02	GW08303RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	200	D&D Bldg 883
83201	5/8/02	GW08303RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	0.426	D&D Bldg 883
83201	5/8/02	GW08303RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 883
83201	5/8/02	GW08303RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	5	UG/L	U	V	5	1		D&D Bldg 883
83201	5/8/02	GW08303RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	3650	D&D Bldg 883
83201	5/8/02	GW08303RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	7	D&D Bldg 883
83201	5/8/02	GW08303RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
83201	5/8/02	GW08303RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883
83201	5/8/02	GW08303RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
83201	5/8/02	GW08303RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	70	D&D Bldg 883
83201	5/8/02	GW08303RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
83201	5/8/02	GW08303RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	600	D&D Bldg 883
83201	5/8/02	GW08303RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 883
83201	5/8/02	GW08303RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 883
83201	5/8/02	GW08303RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	600	D&D Bldg 883
83201	5/8/02	GW08303RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
83201	5/8/02	GW08303RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	75	D&D Bldg 883
83201	5/8/02	GW08303RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
83201	5/8/02	GW08303RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V	10	1	21900	D&D Bldg 883
83201	5/8/02	GW08303RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V	10	1		D&D Bldg 883
83201	5/8/02	GW08303RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
83201	5/8/02	GW08303RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V	10	1	2920	D&D Bldg 883
83201	5/8/02	GW08303RG	ACETONE	REAL	TR1	10	UG/L	U	UJ	10	1	3650	D&D Bldg 883
83201	5/8/02	GW08303RG	BENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	5	D&D Bldg 883
83201	5/8/02	GW08303RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
83201	5/8/02	GW08303RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883
83201	5/8/02	GW08303RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883
83201	5/8/02	GW08303RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
83201	5/8/02	GW08303RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	100	D&D Bldg 883
83201	5/8/02	GW08303RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	1	1	100	D&D Bldg 883
83201	5/8/02	GW08303RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1	51.1	D&D Bldg 883
83201	5/8/02	GW08303RG	CARBON DISULFIDE	REAL	TR1	5	UG/L	U	V	5	1	3650	D&D Bldg 883
83201	5/8/02	GW08303RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 883
83201	5/8/02	GW08303RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	100	D&D Bldg 883
83201	5/8/02	GW08303RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	29.4	D&D Bldg 883
83201	5/8/02	GW08303RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V	1	1	100	D&D Bldg 883
83201	5/8/02	GW08303RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	6.55	D&D Bldg 883
83201	5/8/02	GW08303RG	cis-1,2-DICHLOROETHENE	REAL	TR1	11.5	UG/L		V	1	1	70	D&D Bldg 883
83201	5/8/02	GW08303RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473	D&D Bldg 883
83201	5/8/02	GW08303RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	1.01	D&D Bldg 883
83201	5/8/02	GW08303RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
83201	5/8/02	GW08303RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
83201	5/8/02	GW08303RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	700	D&D Bldg 883
83201	5/8/02	GW08303RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	1	1	1.09	D&D Bldg 883
83201	5/8/02	GW08303RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883
83201	5/8/02	GW08303RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 883
83201	5/8/02	GW08303RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V	1	1	1460	D&D Bldg 883
83201	5/8/02	GW08303RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883
83201	5/8/02	GW08303RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883
83201	5/8/02	GW08303RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
83201	5/8/02	GW08303RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 883
83201	5/8/02	GW08303RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V	1	1	0.2	D&D Bldg 883
83201	5/8/02	GW08303RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883
83201	5/8/02	GW08303RG	STYRENE	REAL	TR1	1	UG/L	U	V	1	1	100	D&D Bldg 883
83201	5/8/02	GW08303RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883
83201	5/8/02	GW08303RG	TETRACHLOROETHENE	REAL	TR1	0.89	UG/L	JB	JB	1	1	5	D&D Bldg 883
83201	5/8/02	GW08303RG	TOLUENE	REAL	TR1	1	UG/L	U	V	1	1	1000	D&D Bldg 883
83201	5/8/02	GW08303RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	V	3	1	10000	D&D Bldg 883
83201	5/8/02	GW08303RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.4	UG/L	J	V	1	1	70	D&D Bldg 883
83201	5/8/02	GW08303RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473	D&D Bldg 883
83201	5/8/02	GW08303RG	TRICHLOROETHENE	REAL	TR1	0.81	UG/L	J	V	1	1	5	D&D Bldg 883
83201	5/8/02	GW08303RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 883
83201	5/8/02	GW08303RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	2	D&D Bldg 883
86501	5/20/02	GW08304RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 865
86501	5/20/02	GW08304RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	D&D Bldg 865
86501	5/20/02	GW08304RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	D&D Bldg 865
86501	5/20/02	GW08304RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	D&D Bldg 865
86501	5/20/02	GW08304RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		D&D Bldg 865
86501	5/20/02	GW08304RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	D&D Bldg 865
86501	5/20/02	GW08304RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	D&D Bldg 865
86501	5/20/02	GW08304RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 865
86501	5/20/02	GW08304RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		D&D Bldg 865
86501	5/20/02	GW08304RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 865
86501	5/20/02	GW08304RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	D&D Bldg 865
86501	5/20/02	GW08304RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 865
86501	5/20/02	GW08304RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	D&D Bldg 865
86501	5/20/02	GW08304RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	D&D Bldg 865
86501	5/20/02	GW08304RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	D&D Bldg 865
86501	5/20/02	GW08304RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	D&D Bldg 865
86501	5/20/02	GW08304RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 865
86501	5/20/02	GW08304RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	D&D Bldg 865
86501	5/20/02	GW08304RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		D&D Bldg 865

28

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
86501	5/20/02	GW08304RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	D&D Bldg 865
86501	5/20/02	GW08304RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		D&D Bldg 865
86501	5/20/02	GW08304RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 865
86501	5/20/02	GW08304RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	D&D Bldg 865
86501	5/20/02	GW08304RG	ACETONE	REAL	TR1	10	UG/L	U	V1	3.4	1	3650	D&D Bldg 865
86501	5/20/02	GW08304RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	D&D Bldg 865
86501	5/20/02	GW08304RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 865
86501	5/20/02	GW08304RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 865
86501	5/20/02	GW08304RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		D&D Bldg 865
86501	5/20/02	GW08304RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		D&D Bldg 865
86501	5/20/02	GW08304RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 865
86501	5/20/02	GW08304RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	D&D Bldg 865
86501	5/20/02	GW08304RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	D&D Bldg 865
86501	5/20/02	GW08304RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	D&D Bldg 865
86501	5/20/02	GW08304RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	D&D Bldg 865
86501	5/20/02	GW08304RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	D&D Bldg 865
86501	5/20/02	GW08304RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	D&D Bldg 865
86501	5/20/02	GW08304RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 865
86501	5/20/02	GW08304RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	D&D Bldg 865
86501	5/20/02	GW08304RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	D&D Bldg 865
86501	5/20/02	GW08304RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	D&D Bldg 865
86501	5/20/02	GW08304RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	D&D Bldg 865
86501	5/20/02	GW08304RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		D&D Bldg 865
86501	5/20/02	GW08304RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		D&D Bldg 865
86501	5/20/02	GW08304RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	D&D Bldg 865
86501	5/20/02	GW08304RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	D&D Bldg 865
86501	5/20/02	GW08304RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		D&D Bldg 865
86501	5/20/02	GW08304RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	D&D Bldg 865
86501	5/20/02	GW08304RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	D&D Bldg 865
86501	5/20/02	GW08304RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 865
86501	5/20/02	GW08304RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 865
86501	5/20/02	GW08304RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		D&D Bldg 865
86501	5/20/02	GW08304RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		D&D Bldg 865
86501	5/20/02	GW08304RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	D&D Bldg 865
86501	5/20/02	GW08304RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		D&D Bldg 865
86501	5/20/02	GW08304RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	D&D Bldg 865
86501	5/20/02	GW08304RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 865
86501	5/20/02	GW08304RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	D&D Bldg 865
86501	5/20/02	GW08304RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	D&D Bldg 865
86501	5/20/02	GW08304RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	D&D Bldg 865
86501	5/20/02	GW08304RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	D&D Bldg 865
86501	5/20/02	GW08304RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	D&D Bldg 865
86501	5/20/02	GW08304RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.23	1	5	D&D Bldg 865
86501	5/20/02	GW08304RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 865
86501	5/20/02	GW08304RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	D&D Bldg 865
86601	5/20/02	GW08305RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 865
86601	5/20/02	GW08305RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	D&D Bldg 865
86601	5/20/02	GW08305RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	D&D Bldg 865
86601	5/20/02	GW08305RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	D&D Bldg 865
86601	5/20/02	GW08305RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		D&D Bldg 865
86601	5/20/02	GW08305RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	D&D Bldg 865
86601	5/20/02	GW08305RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	D&D Bldg 865
86601	5/20/02	GW08305RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 865
86601	5/20/02	GW08305RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		D&D Bldg 865
86601	5/20/02	GW08305RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 865
86601	5/20/02	GW08305RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	D&D Bldg 865
86601	5/20/02	GW08305RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 865

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
86601	5/20/02	GW08305RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	D&D Bldg 865
86601	5/20/02	GW08305RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	D&D Bldg 865
86601	5/20/02	GW08305RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	D&D Bldg 865
86601	5/20/02	GW08305RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	D&D Bldg 865
86601	5/20/02	GW08305RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 865
86601	5/20/02	GW08305RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	D&D Bldg 865
86601	5/20/02	GW08305RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		D&D Bldg 865
86601	5/20/02	GW08305RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	D&D Bldg 865
86601	5/20/02	GW08305RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		D&D Bldg 865
86601	5/20/02	GW08305RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 865
86601	5/20/02	GW08305RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	D&D Bldg 865
86601	5/20/02	GW08305RG	ACETONE	REAL	TR1	10	UG/L	U	V1	3.4	1	3650	D&D Bldg 865
86601	5/20/02	GW08305RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	D&D Bldg 865
86601	5/20/02	GW08305RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 865
86601	5/20/02	GW08305RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 865
86601	5/20/02	GW08305RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		D&D Bldg 865
86601	5/20/02	GW08305RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		D&D Bldg 865
86601	5/20/02	GW08305RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 865
86601	5/20/02	GW08305RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	D&D Bldg 865
86601	5/20/02	GW08305RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	D&D Bldg 865
86601	5/20/02	GW08305RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	D&D Bldg 865
86601	5/20/02	GW08305RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	D&D Bldg 865
86601	5/20/02	GW08305RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	D&D Bldg 865
86601	5/20/02	GW08305RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	D&D Bldg 865
86601	5/20/02	GW08305RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 865
86601	5/20/02	GW08305RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	D&D Bldg 865
86601	5/20/02	GW08305RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	D&D Bldg 865
86601	5/20/02	GW08305RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	D&D Bldg 865
86601	5/20/02	GW08305RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	D&D Bldg 865
86601	5/20/02	GW08305RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		D&D Bldg 865
86601	5/20/02	GW08305RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		D&D Bldg 865
86601	5/20/02	GW08305RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	D&D Bldg 865
86601	5/20/02	GW08305RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	D&D Bldg 865
86601	5/20/02	GW08305RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		D&D Bldg 865
86601	5/20/02	GW08305RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	D&D Bldg 865
86601	5/20/02	GW08305RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	D&D Bldg 865
86601	5/20/02	GW08305RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 865
86601	5/20/02	GW08305RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 865
86601	5/20/02	GW08305RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		D&D Bldg 865
86601	5/20/02	GW08305RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		D&D Bldg 865
86601	5/20/02	GW08305RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	D&D Bldg 865
86601	5/20/02	GW08305RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		D&D Bldg 865
86601	5/20/02	GW08305RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	D&D Bldg 865
86601	5/20/02	GW08305RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 865
86601	5/20/02	GW08305RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	D&D Bldg 865
86601	5/20/02	GW08305RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	D&D Bldg 865
86601	5/20/02	GW08305RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	D&D Bldg 865
86601	5/20/02	GW08305RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	D&D Bldg 865
86601	5/20/02	GW08305RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	D&D Bldg 865
86601	5/20/02	GW08305RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.23	1	5	D&D Bldg 865
86601	5/20/02	GW08305RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 865
86601	5/20/02	GW08305RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	D&D Bldg 865
86701	5/20/02	GW08306RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 865
86701	5/20/02	GW08306RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	D&D Bldg 865
86701	5/20/02	GW08306RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	D&D Bldg 865
86701	5/20/02	GW08306RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	D&D Bldg 865
86701	5/20/02	GW08306RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		D&D Bldg 865

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
86701	5/20/02	GW08306RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	D&D Bldg 865
86701	5/20/02	GW08306RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	D&D Bldg 865
86701	5/20/02	GW08306RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 865
86701	5/20/02	GW08306RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		D&D Bldg 865
86701	5/20/02	GW08306RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 865
86701	5/20/02	GW08306RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	D&D Bldg 865
86701	5/20/02	GW08306RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 865
86701	5/20/02	GW08306RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	D&D Bldg 865
86701	5/20/02	GW08306RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	D&D Bldg 865
86701	5/20/02	GW08306RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	D&D Bldg 865
86701	5/20/02	GW08306RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	D&D Bldg 865
86701	5/20/02	GW08306RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 865
86701	5/20/02	GW08306RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	D&D Bldg 865
86701	5/20/02	GW08306RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		D&D Bldg 865
86701	5/20/02	GW08306RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	D&D Bldg 865
86701	5/20/02	GW08306RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		D&D Bldg 865
86701	5/20/02	GW08306RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 865
86701	5/20/02	GW08306RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	D&D Bldg 865
86701	5/20/02	GW08306RG	ACETONE	REAL	TR1	10	UG/L	U	V1	3.4	1	3650	D&D Bldg 865
86701	5/20/02	GW08306RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	D&D Bldg 865
86701	5/20/02	GW08306RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 865
86701	5/20/02	GW08306RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 865
86701	5/20/02	GW08306RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		D&D Bldg 865
86701	5/20/02	GW08306RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		D&D Bldg 865
86701	5/20/02	GW08306RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 865
86701	5/20/02	GW08306RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	D&D Bldg 865
86701	5/20/02	GW08306RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	D&D Bldg 865
86701	5/20/02	GW08306RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	D&D Bldg 865
86701	5/20/02	GW08306RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	D&D Bldg 865
86701	5/20/02	GW08306RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	D&D Bldg 865
86701	5/20/02	GW08306RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	D&D Bldg 865
86701	5/20/02	GW08306RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 865
86701	5/20/02	GW08306RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	D&D Bldg 865
86701	5/20/02	GW08306RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	D&D Bldg 865
86701	5/20/02	GW08306RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	D&D Bldg 865
86701	5/20/02	GW08306RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	D&D Bldg 865
86701	5/20/02	GW08306RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		D&D Bldg 865
86701	5/20/02	GW08306RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		D&D Bldg 865
86701	5/20/02	GW08306RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	D&D Bldg 865
86701	5/20/02	GW08306RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	D&D Bldg 865
86701	5/20/02	GW08306RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		D&D Bldg 865
86701	5/20/02	GW08306RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	D&D Bldg 865
86701	5/20/02	GW08306RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	D&D Bldg 865
86701	5/20/02	GW08306RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 865
86701	5/20/02	GW08306RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 865
86701	5/20/02	GW08306RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		D&D Bldg 865
86701	5/20/02	GW08306RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		D&D Bldg 865
86701	5/20/02	GW08306RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	D&D Bldg 865
86701	5/20/02	GW08306RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		D&D Bldg 865
86701	5/20/02	GW08306RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	D&D Bldg 865
86701	5/20/02	GW08306RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 865
86701	5/20/02	GW08306RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	D&D Bldg 865
86701	5/20/02	GW08306RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	D&D Bldg 865
86701	5/20/02	GW08306RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	D&D Bldg 865
86701	5/20/02	GW08306RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	D&D Bldg 865
86701	5/20/02	GW08306RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	D&D Bldg 865
86701	5/20/02	GW08306RG	TRICHLOROETHENE	REAL	TR1	38.7	UG/L		V1	0.23	1	5	D&D Bldg 865

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
86701	5/20/02	GW08306RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 865
86701	5/20/02	GW08306RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	D&D Bldg 865
88101	4/23/02	GW08298RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 881
88101	4/23/02	GW08298RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	D&D Bldg 881
88101	4/23/02	GW08298RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	D&D Bldg 881
88101	4/23/02	GW08298RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	D&D Bldg 881
88101	4/23/02	GW08298RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		D&D Bldg 881
88101	4/23/02	GW08298RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	D&D Bldg 881
88101	4/23/02	GW08298RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	D&D Bldg 881
88101	4/23/02	GW08298RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 881
88101	4/23/02	GW08298RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		D&D Bldg 881
88101	4/23/02	GW08298RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 881
88101	4/23/02	GW08298RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	D&D Bldg 881
88101	4/23/02	GW08298RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 881
88101	4/23/02	GW08298RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	D&D Bldg 881
88101	4/23/02	GW08298RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	D&D Bldg 881
88101	4/23/02	GW08298RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	D&D Bldg 881
88101	4/23/02	GW08298RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	D&D Bldg 881
88101	4/23/02	GW08298RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 881
88101	4/23/02	GW08298RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	D&D Bldg 881
88101	4/23/02	GW08298RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	UJ1	0.65	1		D&D Bldg 881
88101	4/23/02	GW08298RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	D&D Bldg 881
88101	4/23/02	GW08298RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		D&D Bldg 881
88101	4/23/02	GW08298RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 881
88101	4/23/02	GW08298RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	D&D Bldg 881
88101	4/23/02	GW08298RG	ACETONE	REAL	TR1	10	UG/L	U	V1	3.4	1	3650	D&D Bldg 881
88101	4/23/02	GW08298RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	D&D Bldg 881
88101	4/23/02	GW08298RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 881
88101	4/23/02	GW08298RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 881
88101	4/23/02	GW08298RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		D&D Bldg 881
88101	4/23/02	GW08298RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		D&D Bldg 881
88101	4/23/02	GW08298RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 881
88101	4/23/02	GW08298RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	D&D Bldg 881
88101	4/23/02	GW08298RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	D&D Bldg 881
88101	4/23/02	GW08298RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	D&D Bldg 881
88101	4/23/02	GW08298RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	UJ1	0.38	1	5	D&D Bldg 881
88101	4/23/02	GW08298RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	D&D Bldg 881
88101	4/23/02	GW08298RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	D&D Bldg 881
88101	4/23/02	GW08298RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 881
88101	4/23/02	GW08298RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	D&D Bldg 881
88101	4/23/02	GW08298RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	D&D Bldg 881
88101	4/23/02	GW08298RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	D&D Bldg 881
88101	4/23/02	GW08298RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	D&D Bldg 881
88101	4/23/02	GW08298RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		D&D Bldg 881
88101	4/23/02	GW08298RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		D&D Bldg 881
88101	4/23/02	GW08298RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	D&D Bldg 881
88101	4/23/02	GW08298RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	D&D Bldg 881
88101	4/23/02	GW08298RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		D&D Bldg 881
88101	4/23/02	GW08298RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	D&D Bldg 881
88101	4/23/02	GW08298RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	D&D Bldg 881
88101	4/23/02	GW08298RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 881
88101	4/23/02	GW08298RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 881
88101	4/23/02	GW08298RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		D&D Bldg 881
88101	4/23/02	GW08298RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		D&D Bldg 881
88101	4/23/02	GW08298RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	D&D Bldg 881
88101	4/23/02	GW08298RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		D&D Bldg 881
88101	4/23/02	GW08298RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	D&D Bldg 881

285

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
88101	4/23/02	GW08298RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 881
88101	4/23/02	GW08298RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	D&D Bldg 881
88101	4/23/02	GW08298RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	D&D Bldg 881
88101	4/23/02	GW08298RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	D&D Bldg 881
88101	4/23/02	GW08298RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	D&D Bldg 881
88101	4/23/02	GW08298RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	D&D Bldg 881
88101	4/23/02	GW08298RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.23	1	5	D&D Bldg 881
88101	4/23/02	GW08298RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 881
88101	4/23/02	GW08298RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	D&D Bldg 881
891COLWE	5/15/02	GW08237RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
891COLWE	5/15/02	GW08237RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR2	5	UG/L	U		5	5		Plume Definition
891COLWE	5/15/02	GW08237RG	1,1,1-TRICHLOROETHANE	REAL	TR1	2.4	UG/L		V	1	1	200	Plume Definition
891COLWE	5/15/02	GW08237RG	1,1,1-TRICHLOROETHANE	REAL	TR2	5	UG/L	U		5	5	200	Plume Definition
891COLWE	5/15/02	GW08237RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	0.426	Plume Definition
891COLWE	5/15/02	GW08237RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR2	5	UG/L	U		5	5	0.426	Plume Definition
891COLWE	5/15/02	GW08237RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5	Plume Definition
891COLWE	5/15/02	GW08237RG	1,1,2-TRICHLOROETHANE	REAL	TR2	5	UG/L	U		5	5	5	Plume Definition
891COLWE	5/15/02	GW08237RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	4.1	UG/L	J	V	5	1		Plume Definition
891COLWE	5/15/02	GW08237RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR2	25	UG/L	U		25	5		Plume Definition
891COLWE	5/15/02	GW08237RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	3650	Plume Definition
891COLWE	5/15/02	GW08237RG	1,1-DICHLOROETHANE	REAL	TR2	5	UG/L	U		5	5	3650	Plume Definition
891COLWE	5/15/02	GW08237RG	1,1-DICHLOROETHENE	REAL	TR1	16.1	UG/L		V	1	1	7	Plume Definition
891COLWE	5/15/02	GW08237RG	1,1-DICHLOROETHENE	REAL	TR2	16	UG/L	D		5	5	7	Plume Definition
891COLWE	5/15/02	GW08237RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
891COLWE	5/15/02	GW08237RG	1,1-DICHLOROPROPENE	REAL	TR2	5	UG/L	U		5	5		Plume Definition
891COLWE	5/15/02	GW08237RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
891COLWE	5/15/02	GW08237RG	1,2,3-TRICHLOROBENZENE	REAL	TR2	5	UG/L	U		5	5		Plume Definition
891COLWE	5/15/02	GW08237RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
891COLWE	5/15/02	GW08237RG	1,2,3-TRICHLOROPROPANE	REAL	TR2	5	UG/L	U		5	5		Plume Definition
891COLWE	5/15/02	GW08237RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	70	Plume Definition
891COLWE	5/15/02	GW08237RG	1,2,4-TRICHLOROBENZENE	REAL	TR2	5	UG/L	U		5	5	70	Plume Definition
891COLWE	5/15/02	GW08237RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
891COLWE	5/15/02	GW08237RG	1,2-DIBROMOETHANE	REAL	TR2	5	UG/L	U		5	5		Plume Definition
891COLWE	5/15/02	GW08237RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	600	Plume Definition
891COLWE	5/15/02	GW08237RG	1,2-DICHLOROBENZENE	REAL	TR2	5	UG/L	U		5	5	600	Plume Definition
891COLWE	5/15/02	GW08237RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5	Plume Definition
891COLWE	5/15/02	GW08237RG	1,2-DICHLOROETHANE	REAL	TR2	5	UG/L	U		5	5	5	Plume Definition
891COLWE	5/15/02	GW08237RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1	5	Plume Definition
891COLWE	5/15/02	GW08237RG	1,2-DICHLOROPROPANE	REAL	TR2	5	UG/L	U		5	5	5	Plume Definition
891COLWE	5/15/02	GW08237RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	600	Plume Definition
891COLWE	5/15/02	GW08237RG	1,3-DICHLOROBENZENE	REAL	TR2	5	UG/L	U		5	5	600	Plume Definition
891COLWE	5/15/02	GW08237RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
891COLWE	5/15/02	GW08237RG	1,3-DICHLOROPROPANE	REAL	TR2	5	UG/L	U		5	5		Plume Definition
891COLWE	5/15/02	GW08237RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	75	Plume Definition
891COLWE	5/15/02	GW08237RG	1,4-DICHLOROBENZENE	REAL	TR2	5	UG/L	U		5	5	75	Plume Definition
891COLWE	5/15/02	GW08237RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
891COLWE	5/15/02	GW08237RG	2,2-DICHLOROPROPANE	REAL	TR2	5	UG/L	U		5	5		Plume Definition
891COLWE	5/15/02	GW08237RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V	10	1	21900	Plume Definition
891COLWE	5/15/02	GW08237RG	2-BUTANONE	REAL	TR2	50	UG/L	U		50	5	21900	Plume Definition
891COLWE	5/15/02	GW08237RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V	10	1		Plume Definition
891COLWE	5/15/02	GW08237RG	2-HEXANONE	REAL	TR2	50	UG/L	U		50	5		Plume Definition
891COLWE	5/15/02	GW08237RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
891COLWE	5/15/02	GW08237RG	4-ISOPROPYLTOLUENE	REAL	TR2	5	UG/L	U		5	5		Plume Definition
891COLWE	5/15/02	GW08237RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V	10	1	2920	Plume Definition
891COLWE	5/15/02	GW08237RG	4-METHYL-2-PENTANONE	REAL	TR2	50	UG/L	U		50	5	2920	Plume Definition
891COLWE	5/15/02	GW08237RG	ACETONE	REAL	TR1	10	UG/L	U	V	10	1	3650	Plume Definition
891COLWE	5/15/02	GW08237RG	ACETONE	REAL	TR2	50	UG/L	U		50	5	3650	Plume Definition

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
891COLWE	5/15/02	GW08237RG	BENZENE	REAL	TR1	1	UG/L	U	V	1	1	5	Plume Definition
891COLWE	5/15/02	GW08237RG	BENZENE	REAL	TR2	5	UG/L	U		5	5	5	Plume Definition
891COLWE	5/15/02	GW08237RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
891COLWE	5/15/02	GW08237RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR2	5	UG/L	U		5	5		Plume Definition
891COLWE	5/15/02	GW08237RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
891COLWE	5/15/02	GW08237RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR2	5	UG/L	U		5	5		Plume Definition
891COLWE	5/15/02	GW08237RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
891COLWE	5/15/02	GW08237RG	BROMOBENZENE	REAL	TR2	5	UG/L	U		5	5		Plume Definition
891COLWE	5/15/02	GW08237RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
891COLWE	5/15/02	GW08237RG	BROMOCHLOROMETHANE	REAL	TR2	5	UG/L	U		5	5		Plume Definition
891COLWE	5/15/02	GW08237RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	100	Plume Definition
891COLWE	5/15/02	GW08237RG	BROMODICHLOROMETHANE	REAL	TR2	5	UG/L	U		5	5	100	Plume Definition
891COLWE	5/15/02	GW08237RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	1	1	100	Plume Definition
891COLWE	5/15/02	GW08237RG	BROMOFORM	REAL	TR2	5	UG/L	U		5	5	100	Plume Definition
891COLWE	5/15/02	GW08237RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1	51.1	Plume Definition
891COLWE	5/15/02	GW08237RG	BROMOMETHANE	REAL	TR2	5	UG/L	U		5	5	51.1	Plume Definition
891COLWE	5/15/02	GW08237RG	CARBON DISULFIDE	REAL	TR1	5	UG/L	U	V	5	1	3650	Plume Definition
891COLWE	5/15/02	GW08237RG	CARBON DISULFIDE	REAL	TR2	25	UG/L	U		25	5	3650	Plume Definition
891COLWE	5/15/02	GW08237RG	CARBON TETRACHLORIDE	REAL	TR1	14.4	UG/L		V	1	1	5	Plume Definition
891COLWE	5/15/02	GW08237RG	CARBON TETRACHLORIDE	REAL	TR2	14.4	UG/L	D		5	5	5	Plume Definition
891COLWE	5/15/02	GW08237RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	100	Plume Definition
891COLWE	5/15/02	GW08237RG	CHLOROBENZENE	REAL	TR2	5	UG/L	U		5	5	100	Plume Definition
891COLWE	5/15/02	GW08237RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	29.4	Plume Definition
891COLWE	5/15/02	GW08237RG	CHLOROETHANE	REAL	TR2	5	UG/L	U		5	5	29.4	Plume Definition
891COLWE	5/15/02	GW08237RG	CHLOROFORM	REAL	TR1	0.94	UG/L	J	V	1	1	100	Plume Definition
891COLWE	5/15/02	GW08237RG	CHLOROFORM	REAL	TR2	5	UG/L	U		5	5	100	Plume Definition
891COLWE	5/15/02	GW08237RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	6.55	Plume Definition
891COLWE	5/15/02	GW08237RG	CHLOROMETHANE	REAL	TR2	5	UG/L	U		5	5	6.55	Plume Definition
891COLWE	5/15/02	GW08237RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70	Plume Definition
891COLWE	5/15/02	GW08237RG	cis-1,2-DICHLOROETHENE	REAL	TR2	5	UG/L	U		5	5	70	Plume Definition
891COLWE	5/15/02	GW08237RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473	Plume Definition
891COLWE	5/15/02	GW08237RG	cis-1,3-DICHLOROPROPENE	REAL	TR2	5	UG/L	U		5	5	0.473	Plume Definition
891COLWE	5/15/02	GW08237RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	1.01	Plume Definition
891COLWE	5/15/02	GW08237RG	DIBROMOCHLOROMETHANE	REAL	TR2	5	UG/L	U		5	5	1.01	Plume Definition
891COLWE	5/15/02	GW08237RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
891COLWE	5/15/02	GW08237RG	DIBROMOMETHANE	REAL	TR2	5	UG/L	U		5	5		Plume Definition
891COLWE	5/15/02	GW08237RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
891COLWE	5/15/02	GW08237RG	DICHLORODIFLUOROMETHANE	REAL	TR2	5	UG/L	U		5	5		Plume Definition
891COLWE	5/15/02	GW08237RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1	700	Plume Definition
891COLWE	5/15/02	GW08237RG	ETHYLBENZENE	REAL	TR2	5	UG/L	U		5	5	700	Plume Definition
891COLWE	5/15/02	GW08237RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	1	1	1.09	Plume Definition
891COLWE	5/15/02	GW08237RG	HEXACHLOROBUTADIENE	REAL	TR2	5	UG/L	U		5	5	1.09	Plume Definition
891COLWE	5/15/02	GW08237RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
891COLWE	5/15/02	GW08237RG	ISOPROPYLBENZENE	REAL	TR2	5	UG/L	U		5	5		Plume Definition
891COLWE	5/15/02	GW08237RG	METHYLENE CHLORIDE	REAL	TR1	2.5	UG/L	B	U	1	1	5	Plume Definition
891COLWE	5/15/02	GW08237RG	METHYLENE CHLORIDE	REAL	TR2	13.4	UG/L	BD		5	5	5	Plume Definition
891COLWE	5/15/02	GW08237RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V	1	1	1460	Plume Definition
891COLWE	5/15/02	GW08237RG	NAPHTHALENE	REAL	TR2	5	UG/L	U		5	5	1460	Plume Definition
891COLWE	5/15/02	GW08237RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
891COLWE	5/15/02	GW08237RG	n-BUTYLBENZENE	REAL	TR2	5	UG/L	U		5	5		Plume Definition
891COLWE	5/15/02	GW08237RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
891COLWE	5/15/02	GW08237RG	n-PROPYLBENZENE	REAL	TR2	5	UG/L	U		5	5		Plume Definition
891COLWE	5/15/02	GW08237RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
891COLWE	5/15/02	GW08237RG	o-CHLOROTOLUENE	REAL	TR2	5	UG/L	U		5	5		Plume Definition
891COLWE	5/15/02	GW08237RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
891COLWE	5/15/02	GW08237RG	p-CHLOROTOLUENE	REAL	TR2	5	UG/L	U		5	5		Plume Definition
891COLWE	5/15/02	GW08237RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V	1	1	0.2	Plume Definition

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
891COLWE	5/15/02	GW08237RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR2	5	UG/L	U		5	5	0.2	Plume Definition
891COLWE	5/15/02	GW08237RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
891COLWE	5/15/02	GW08237RG	sec-BUTYLBENZENE	REAL	TR2	5	UG/L	U		5	5		Plume Definition
891COLWE	5/15/02	GW08237RG	STYRENE	REAL	TR1	1	UG/L	U	V	1	1	100	Plume Definition
891COLWE	5/15/02	GW08237RG	STYRENE	REAL	TR2	5	UG/L	U		5	5	100	Plume Definition
891COLWE	5/15/02	GW08237RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
891COLWE	5/15/02	GW08237RG	tert-BUTYLBENZENE	REAL	TR2	5	UG/L	U		5	5		Plume Definition
891COLWE	5/15/02	GW08237RG	TETRACHLOROETHENE	REAL	TR1	36.5	UG/L			1	1	5	Plume Definition
891COLWE	5/15/02	GW08237RG	TETRACHLOROETHENE	REAL	TR2	39.6	UG/L	D	V	5	5	5	Plume Definition
891COLWE	5/15/02	GW08237RG	TOLUENE	REAL	TR1	1	UG/L	U	V	1	1	1000	Plume Definition
891COLWE	5/15/02	GW08237RG	TOLUENE	REAL	TR2	5	UG/L	U		5	5	1000	Plume Definition
891COLWE	5/15/02	GW08237RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	V	3	1	10000	Plume Definition
891COLWE	5/15/02	GW08237RG	TOTAL XYLENES	REAL	TR2	15	UG/L	U		15	5	10000	Plume Definition
891COLWE	5/15/02	GW08237RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70	Plume Definition
891COLWE	5/15/02	GW08237RG	trans-1,2-DICHLOROETHENE	REAL	TR2	5	UG/L	U		5	5	70	Plume Definition
891COLWE	5/15/02	GW08237RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473	Plume Definition
891COLWE	5/15/02	GW08237RG	trans-1,3-DICHLOROPROPENE	REAL	TR2	5	UG/L	U		5	5	0.473	Plume Definition
891COLWE	5/15/02	GW08237RG	TRICHLOROETHENE	REAL	TR1	297	UG/L	E		1	1	5	Plume Definition
891COLWE	5/15/02	GW08237RG	TRICHLOROETHENE	REAL	TR2	371	UG/L	D	V	5	5	5	Plume Definition
891COLWE	5/15/02	GW08237RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ	1	1		Plume Definition
891COLWE	5/15/02	GW08237RG	TRICHLOROFLUOROMETHANE	REAL	TR2	5	UG/L	U		5	5		Plume Definition
891COLWE	5/15/02	GW08237RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	2	Plume Definition
891COLWE	5/15/02	GW08237RG	VINYL CHLORIDE	REAL	TR2	5	UG/L	U		5	5	2	Plume Definition
95099	4/24/02	GW08219RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Perf Monitoring
95099	4/24/02	GW08219RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	Perf Monitoring
95099	4/24/02	GW08219RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	Perf Monitoring
95099	4/24/02	GW08219RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	Perf Monitoring
95099	4/24/02	GW08219RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		Perf Monitoring
95099	4/24/02	GW08219RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	Perf Monitoring
95099	4/24/02	GW08219RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	Perf Monitoring
95099	4/24/02	GW08219RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		Perf Monitoring
95099	4/24/02	GW08219RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		Perf Monitoring
95099	4/24/02	GW08219RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		Perf Monitoring
95099	4/24/02	GW08219RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	Perf Monitoring
95099	4/24/02	GW08219RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Perf Monitoring
95099	4/24/02	GW08219RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	Perf Monitoring
95099	4/24/02	GW08219RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	Perf Monitoring
95099	4/24/02	GW08219RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	Perf Monitoring
95099	4/24/02	GW08219RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	Perf Monitoring
95099	4/24/02	GW08219RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		Perf Monitoring
95099	4/24/02	GW08219RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	Perf Monitoring
95099	4/24/02	GW08219RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		Perf Monitoring
95099	4/24/02	GW08219RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	Perf Monitoring
95099	4/24/02	GW08219RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		Perf Monitoring
95099	4/24/02	GW08219RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		Perf Monitoring
95099	4/24/02	GW08219RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	Perf Monitoring
95099	4/24/02	GW08219RG	ACETONE	REAL	TR1	10	UG/L	U	V1	3.4	1	3650	Perf Monitoring
95099	4/24/02	GW08219RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	Perf Monitoring
95099	4/24/02	GW08219RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		Perf Monitoring
95099	4/24/02	GW08219RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		Perf Monitoring
95099	4/24/02	GW08219RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		Perf Monitoring
95099	4/24/02	GW08219RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		Perf Monitoring
95099	4/24/02	GW08219RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	Perf Monitoring
95099	4/24/02	GW08219RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	Perf Monitoring
95099	4/24/02	GW08219RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	Perf Monitoring
95099	4/24/02	GW08219RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	UJ1	0.35	1	3650	Perf Monitoring
95099	4/24/02	GW08219RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	Perf Monitoring

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
95099	4/24/02	GW08219RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	Perf Monitoring
95099	4/24/02	GW08219RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	Perf Monitoring
95099	4/24/02	GW08219RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.21	1	100	Perf Monitoring
95099	4/24/02	GW08219RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	Perf Monitoring
95099	4/24/02	GW08219RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	Perf Monitoring
95099	4/24/02	GW08219RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	Perf Monitoring
95099	4/24/02	GW08219RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	Perf Monitoring
95099	4/24/02	GW08219RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		Perf Monitoring
95099	4/24/02	GW08219RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		Perf Monitoring
95099	4/24/02	GW08219RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	Perf Monitoring
95099	4/24/02	GW08219RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	Perf Monitoring
95099	4/24/02	GW08219RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		Perf Monitoring
95099	4/24/02	GW08219RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	Perf Monitoring
95099	4/24/02	GW08219RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	Perf Monitoring
95099	4/24/02	GW08219RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		Perf Monitoring
95099	4/24/02	GW08219RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		Perf Monitoring
95099	4/24/02	GW08219RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		Perf Monitoring
95099	4/24/02	GW08219RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		Perf Monitoring
95099	4/24/02	GW08219RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	Perf Monitoring
95099	4/24/02	GW08219RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		Perf Monitoring
95099	4/24/02	GW08219RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	Perf Monitoring
95099	4/24/02	GW08219RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		Perf Monitoring
95099	4/24/02	GW08219RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	Perf Monitoring
95099	4/24/02	GW08219RG	TOLUENE	REAL	TR1	0.67	UG/L	J	J1	0.15	1	1000	Perf Monitoring
95099	4/24/02	GW08219RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	Perf Monitoring
95099	4/24/02	GW08219RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	Perf Monitoring
95099	4/24/02	GW08219RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	Perf Monitoring
95099	4/24/02	GW08219RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.23	1	5	Perf Monitoring
95099	4/24/02	GW08219RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Perf Monitoring
95099	4/24/02	GW08219RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	Perf Monitoring
95199	4/24/02	GW08220RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Perf Monitoring
95199	4/24/02	GW08220RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	Perf Monitoring
95199	4/24/02	GW08220RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	Perf Monitoring
95199	4/24/02	GW08220RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	Perf Monitoring
95199	4/24/02	GW08220RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		Perf Monitoring
95199	4/24/02	GW08220RG	1,1-DICHLOROETHANE	REAL	TR1	1.39	UG/L		V1	0.22	1	3650	Perf Monitoring
95199	4/24/02	GW08220RG	1,1-DICHLOROETHENE	REAL	TR1	1.49	UG/L		V1	0.19	1	7	Perf Monitoring
95199	4/24/02	GW08220RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		Perf Monitoring
95199	4/24/02	GW08220RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		Perf Monitoring
95199	4/24/02	GW08220RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		Perf Monitoring
95199	4/24/02	GW08220RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	Perf Monitoring
95199	4/24/02	GW08220RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Perf Monitoring
95199	4/24/02	GW08220RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	Perf Monitoring
95199	4/24/02	GW08220RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	Perf Monitoring
95199	4/24/02	GW08220RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	Perf Monitoring
95199	4/24/02	GW08220RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	Perf Monitoring
95199	4/24/02	GW08220RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		Perf Monitoring
95199	4/24/02	GW08220RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	Perf Monitoring
95199	4/24/02	GW08220RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	UJ1	0.65	1		Perf Monitoring
95199	4/24/02	GW08220RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	Perf Monitoring
95199	4/24/02	GW08220RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		Perf Monitoring
95199	4/24/02	GW08220RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		Perf Monitoring
95199	4/24/02	GW08220RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	Perf Monitoring
95199	4/24/02	GW08220RG	ACETONE	REAL	TR1	10	UG/L	U	V1	3.4	1	3650	Perf Monitoring
95199	4/24/02	GW08220RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	Perf Monitoring
95199	4/24/02	GW08220RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		Perf Monitoring
95199	4/24/02	GW08220RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		Perf Monitoring

281

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
95199	4/24/02	GW08220RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		Perf Monitoring
95199	4/24/02	GW08220RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		Perf Monitoring
95199	4/24/02	GW08220RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	Perf Monitoring
95199	4/24/02	GW08220RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	Perf Monitoring
95199	4/24/02	GW08220RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	Perf Monitoring
95199	4/24/02	GW08220RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	Perf Monitoring
95199	4/24/02	GW08220RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	UJ1	0.38	1	5	Perf Monitoring
95199	4/24/02	GW08220RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	Perf Monitoring
95199	4/24/02	GW08220RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	Perf Monitoring
95199	4/24/02	GW08220RG	CHLOROFORM	REAL	TR1	0.22	UG/L	J	V1	0.21	1	100	Perf Monitoring
95199	4/24/02	GW08220RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	Perf Monitoring
95199	4/24/02	GW08220RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1.69	UG/L		V1	0.15	1	70	Perf Monitoring
95199	4/24/02	GW08220RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	Perf Monitoring
95199	4/24/02	GW08220RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	Perf Monitoring
95199	4/24/02	GW08220RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		Perf Monitoring
95199	4/24/02	GW08220RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		Perf Monitoring
95199	4/24/02	GW08220RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	Perf Monitoring
95199	4/24/02	GW08220RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	Perf Monitoring
95199	4/24/02	GW08220RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		Perf Monitoring
95199	4/24/02	GW08220RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	Perf Monitoring
95199	4/24/02	GW08220RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	Perf Monitoring
95199	4/24/02	GW08220RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		Perf Monitoring
95199	4/24/02	GW08220RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		Perf Monitoring
95199	4/24/02	GW08220RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		Perf Monitoring
95199	4/24/02	GW08220RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		Perf Monitoring
95199	4/24/02	GW08220RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	Perf Monitoring
95199	4/24/02	GW08220RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		Perf Monitoring
95199	4/24/02	GW08220RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	Perf Monitoring
95199	4/24/02	GW08220RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		Perf Monitoring
95199	4/24/02	GW08220RG	TETRACHLOROETHENE	REAL	TR1	2.02	UG/L		V1	0.56	1	5	Perf Monitoring
95199	4/24/02	GW08220RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	Perf Monitoring
95199	4/24/02	GW08220RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	Perf Monitoring
95199	4/24/02	GW08220RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	Perf Monitoring
95199	4/24/02	GW08220RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	Perf Monitoring
95199	4/24/02	GW08220RG	TRICHLOROETHENE	REAL	TR1	54.8	UG/L		V1	0.23	1	5	Perf Monitoring
95199	4/24/02	GW08220RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Perf Monitoring
95199	4/24/02	GW08220RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	Perf Monitoring
99201	5/6/02	GW08311RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	0.15	UG/L	U	V	0.15	1		D&D Bldg 991
99201	5/6/02	GW08311RG	1,1,1-TRICHLOROETHANE	REAL	TR1	0.21	UG/L	U	V	0.21	1	200	D&D Bldg 991
99201	5/6/02	GW08311RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	0.13	UG/L	U	V	0.13	1	0.426	D&D Bldg 991
99201	5/6/02	GW08311RG	1,1,2-TRICHLOROETHANE	REAL	TR1	0.12	UG/L	U	V	0.12	1	5	D&D Bldg 991
99201	5/6/02	GW08311RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	0.17	UG/L	U	V	0.17	1		D&D Bldg 991
99201	5/6/02	GW08311RG	1,1-DICHLOROETHANE	REAL	TR1	0.099	UG/L	U	V	0.099	1	3650	D&D Bldg 991
99201	5/6/02	GW08311RG	1,1-DICHLOROETHENE	REAL	TR1	0.12	UG/L	U	V	0.12	1	7	D&D Bldg 991
99201	5/6/02	GW08311RG	1,1-DICHLOROPROPENE	REAL	TR1	0.12	UG/L	U	V	0.12	1		D&D Bldg 991
99201	5/6/02	GW08311RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	0.11	UG/L	U	V	0.11	1		D&D Bldg 991
99201	5/6/02	GW08311RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	0.332	UG/L	U	V	0.332	1		D&D Bldg 991
99201	5/6/02	GW08311RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	0.11	UG/L	U	V	0.11	1	70	D&D Bldg 991
99201	5/6/02	GW08311RG	1,2-DIBROMOETHANE	REAL	TR1	0.13	UG/L	U	V	0.13	1		D&D Bldg 991
99201	5/6/02	GW08311RG	1,2-DICHLOROBENZENE	REAL	TR1	0.11	UG/L	U	V	0.11	1	600	D&D Bldg 991
99201	5/6/02	GW08311RG	1,2-DICHLOROETHANE	REAL	TR1	0.154	UG/L	U	V	0.154	1	5	D&D Bldg 991
99201	5/6/02	GW08311RG	1,2-DICHLOROPROPANE	REAL	TR1	0.08	UG/L	U	V	0.08	1	5	D&D Bldg 991
99201	5/6/02	GW08311RG	1,3-DICHLOROBENZENE	REAL	TR1	0.11	UG/L	U	V	0.11	1	600	D&D Bldg 991
99201	5/6/02	GW08311RG	1,3-DICHLOROPROPANE	REAL	TR1	0.12	UG/L	U	V	0.12	1		D&D Bldg 991
99201	5/6/02	GW08311RG	1,4-DICHLOROBENZENE	REAL	TR1	0.14	UG/L	U	V	0.14	1	75	D&D Bldg 991
99201	5/6/02	GW08311RG	2,2-DICHLOROPROPANE	REAL	TR1	0.401	UG/L	U	V	0.401	1		D&D Bldg 991
99201	5/6/02	GW08311RG	2-BUTANONE	REAL	TR1	4.62	UG/L	U	V	4.62	1	21900	D&D Bldg 991

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
99201	5/6/02	GW08311RG	2-HEXANONE	REAL	TR1	3.5	UG/L	U	V	3.5	1		D&D Bldg 991
99201	5/6/02	GW08311RG	4-ISOPROPYLTOLUENE	REAL	TR1	0.071	UG/L	U	V	0.071	1		D&D Bldg 991
99201	5/6/02	GW08311RG	4-METHYL-2-PENTANONE	REAL	TR1	2.57	UG/L	U	V	2.57	1	2920	D&D Bldg 991
99201	5/6/02	GW08311RG	ACETONE	REAL	TR1	9.6	UG/L	U	V	9.6	1	3650	D&D Bldg 991
99201	5/6/02	GW08311RG	BENZENE	REAL	TR1	0.088	UG/L	U	V	0.088	1	5	D&D Bldg 991
99201	5/6/02	GW08311RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	0.076	UG/L	U	V	0.076	1		D&D Bldg 991
99201	5/6/02	GW08311RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	0.12	UG/L	U	V	0.12	1		D&D Bldg 991
99201	5/6/02	GW08311RG	BROMOBENZENE	REAL	TR1	0.07	UG/L	U	V	0.07	1		D&D Bldg 991
99201	5/6/02	GW08311RG	BROMOCHLOROMETHANE	REAL	TR1	0.18	UG/L	U	V	0.18	1		D&D Bldg 991
99201	5/6/02	GW08311RG	BROMODICHLOROMETHANE	REAL	TR1	0.14	UG/L	U	V	0.14	1	100	D&D Bldg 991
99201	5/6/02	GW08311RG	BROMOFORM	REAL	TR1	0.17	UG/L	U	V	0.17	1	100	D&D Bldg 991
99201	5/6/02	GW08311RG	BROMOMETHANE	REAL	TR1	0.5	UG/L	U	UJ	0.5	1	51.1	D&D Bldg 991
99201	5/6/02	GW08311RG	CARBON DISULFIDE	REAL	TR1	0.775	UG/L	U	V	0.775	1	3650	D&D Bldg 991
99201	5/6/02	GW08311RG	CARBON TETRACHLORIDE	REAL	TR1	0.099	UG/L	U	V	0.099	1	5	D&D Bldg 991
99201	5/6/02	GW08311RG	CHLOROBENZENE	REAL	TR1	0.11	UG/L	U	V	0.11	1	100	D&D Bldg 991
99201	5/6/02	GW08311RG	CHLOROETHANE	REAL	TR1	0.16	UG/L	U	V	0.16	1	29.4	D&D Bldg 991
99201	5/6/02	GW08311RG	CHLOROFORM	REAL	TR1	0.097	UG/L	U	V	0.097	1	100	D&D Bldg 991
99201	5/6/02	GW08311RG	CHLOROMETHANE	REAL	TR1	0.361	UG/L	U	V	0.361	1	6.55	D&D Bldg 991
99201	5/6/02	GW08311RG	cis-1,2-DICHLOROETHENE	REAL	TR1	0.11	UG/L	U	V	0.11	1	70	D&D Bldg 991
99201	5/6/02	GW08311RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	0.155	UG/L	U	V	0.155	1	0.473	D&D Bldg 991
99201	5/6/02	GW08311RG	DIBROMOCHLOROMETHANE	REAL	TR1	0.115	UG/L	U	V	0.115	1	1.01	D&D Bldg 991
99201	5/6/02	GW08311RG	DIBROMOMETHANE	REAL	TR1	0.18	UG/L	U	V	0.18	1		D&D Bldg 991
99201	5/6/02	GW08311RG	DICHLORODIFLUOROMETHANE	REAL	TR1	0.19	UG/L	U	V	0.19	1		D&D Bldg 991
99201	5/6/02	GW08311RG	ETHYLBENZENE	REAL	TR1	0.11	UG/L	U	V	0.11	1	700	D&D Bldg 991
99201	5/6/02	GW08311RG	HEXACHLOROBUTADIENE	REAL	TR1	0.14	UG/L	U	V	0.14	1	1.09	D&D Bldg 991
99201	5/6/02	GW08311RG	ISOPROPYLBENZENE	REAL	TR1	0.11	UG/L	U	V	0.11	1		D&D Bldg 991
99201	5/6/02	GW08311RG	METHYLENE CHLORIDE	REAL	TR1	0.75	UG/L	U	UJ	0.75	1	5	D&D Bldg 991
99201	5/6/02	GW08311RG	NAPHTHALENE	REAL	TR1	0.202	UG/L	U	V	0.202	1	1460	D&D Bldg 991
99201	5/6/02	GW08311RG	n-BUTYLBENZENE	REAL	TR1	0.11	UG/L	U	V	0.11	1		D&D Bldg 991
99201	5/6/02	GW08311RG	n-PROPYLBENZENE	REAL	TR1	0.092	UG/L	U	V	0.092	1		D&D Bldg 991
99201	5/6/02	GW08311RG	o-CHLOROTOLUENE	REAL	TR1	0.17	UG/L	U	V	0.17	1		D&D Bldg 991
99201	5/6/02	GW08311RG	p-CHLOROTOLUENE	REAL	TR1	0.16	UG/L	U	V	0.16	1		D&D Bldg 991
99201	5/6/02	GW08311RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	0.38	UG/L	U	V	0.38	1	0.2	D&D Bldg 991
99201	5/6/02	GW08311RG	sec-BUTYLBENZENE	REAL	TR1	0.13	UG/L	U	V	0.13	1		D&D Bldg 991
99201	5/6/02	GW08311RG	STYRENE	REAL	TR1	0.25	UG/L	U	V	0.25	1	100	D&D Bldg 991
99201	5/6/02	GW08311RG	tert-BUTYLBENZENE	REAL	TR1	0.13	UG/L	U	V	0.13	1		D&D Bldg 991
99201	5/6/02	GW08311RG	TETRACHLOROETHENE	REAL	TR1	0.088	UG/L	U	V	0.088	1	5	D&D Bldg 991
99201	5/6/02	GW08311RG	TOLUENE	REAL	TR1	0.11	UG/L	U	V	0.11	1	1000	D&D Bldg 991
99201	5/6/02	GW08311RG	TOTAL XYLENES	REAL	TR1	0.29	UG/L	U	V	0.29	1	10000	D&D Bldg 991
99201	5/6/02	GW08311RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.14	UG/L	U	V	0.14	1	70	D&D Bldg 991
99201	5/6/02	GW08311RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	0.087	UG/L	U	V	0.087	1	0.473	D&D Bldg 991
99201	5/6/02	GW08311RG	TRICHLOROETHENE	REAL	TR1	0.15	UG/L	U	V	0.15	1	5	D&D Bldg 991
99201	5/6/02	GW08311RG	TRICHLOROFLUOROMETHANE	REAL	TR1	0.16	UG/L	U	V	0.16	1		D&D Bldg 991
99201	5/6/02	GW08311RG	VINYL CHLORIDE	REAL	TR1	0.27	UG/L	U	V	0.27	1	2	D&D Bldg 991
99301	5/6/02	GW08312RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	0.15	UG/L	U	V	0.15	1		D&D Bldg 991
99301	5/6/02	GW08312RG	1,1,1-TRICHLOROETHANE	REAL	TR1	0.21	UG/L	U	V	0.21	1	200	D&D Bldg 991
99301	5/6/02	GW08312RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	0.13	UG/L	U	V	0.13	1	0.426	D&D Bldg 991
99301	5/6/02	GW08312RG	1,1,2-TRICHLOROETHANE	REAL	TR1	0.12	UG/L	U	V	0.12	1	5	D&D Bldg 991
99301	5/6/02	GW08312RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	2.5	UG/L		V	0.17	1		D&D Bldg 991
99301	5/6/02	GW08312RG	1,1-DICHLOROETHANE	REAL	TR1	0.099	UG/L	U	V	0.099	1	3650	D&D Bldg 991
99301	5/6/02	GW08312RG	1,1-DICHLOROETHENE	REAL	TR1	0.12	UG/L	U	V	0.12	1	7	D&D Bldg 991
99301	5/6/02	GW08312RG	1,1-DICHLOROPROPENE	REAL	TR1	0.12	UG/L	U	V	0.12	1		D&D Bldg 991
99301	5/6/02	GW08312RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	0.11	UG/L	U	V	0.11	1		D&D Bldg 991
99301	5/6/02	GW08312RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	0.332	UG/L	U	V	0.332	1		D&D Bldg 991
99301	5/6/02	GW08312RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	0.11	UG/L	U	V	0.11	1	70	D&D Bldg 991
99301	5/6/02	GW08312RG	1,2-DIBROMOETHANE	REAL	TR1	0.13	UG/L	U	V	0.13	1		D&D Bldg 991
99301	5/6/02	GW08312RG	1,2-DICHLOROBENZENE	REAL	TR1	0.11	UG/L	U	V	0.11	1	600	D&D Bldg 991

291

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
99301	5/6/02	GW08312RG	1,2-DICHLOROETHANE	REAL	TR1	0.154	UG/L	U	V	0.154	1	5	D&D Bldg 991
99301	5/6/02	GW08312RG	1,2-DICHLOROPROPANE	REAL	TR1	0.08	UG/L	U	V	0.08	1	5	D&D Bldg 991
99301	5/6/02	GW08312RG	1,3-DICHLOROBENZENE	REAL	TR1	0.11	UG/L	U	V	0.11	1	600	D&D Bldg 991
99301	5/6/02	GW08312RG	1,3-DICHLOROPROPANE	REAL	TR1	0.12	UG/L	U	V	0.12	1		D&D Bldg 991
99301	5/6/02	GW08312RG	1,4-DICHLOROBENZENE	REAL	TR1	0.14	UG/L	U	V	0.14	1	75	D&D Bldg 991
99301	5/6/02	GW08312RG	2,2-DICHLOROPROPANE	REAL	TR1	0.401	UG/L	U	V	0.401	1		D&D Bldg 991
99301	5/6/02	GW08312RG	2-BUTANONE	REAL	TR1	4.62	UG/L	U	V	4.62	1	21900	D&D Bldg 991
99301	5/6/02	GW08312RG	2-HEXANONE	REAL	TR1	3.5	UG/L	U	V	3.5	1		D&D Bldg 991
99301	5/6/02	GW08312RG	4-ISOPROPYLTOLUENE	REAL	TR1	0.071	UG/L	U	V	0.071	1		D&D Bldg 991
99301	5/6/02	GW08312RG	4-METHYL-2-PENTANONE	REAL	TR1	2.57	UG/L	U	V	2.57	1	2920	D&D Bldg 991
99301	5/6/02	GW08312RG	ACETONE	REAL	TR1	9.6	UG/L	U	V	9.6	1	3650	D&D Bldg 991
99301	5/6/02	GW08312RG	BENZENE	REAL	TR1	0.088	UG/L	U	V	0.088	1	5	D&D Bldg 991
99301	5/6/02	GW08312RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	0.076	UG/L	U	V	0.076	1		D&D Bldg 991
99301	5/6/02	GW08312RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	0.12	UG/L	U	V	0.12	1		D&D Bldg 991
99301	5/6/02	GW08312RG	BROMOBENZENE	REAL	TR1	0.07	UG/L	U	V	0.07	1		D&D Bldg 991
99301	5/6/02	GW08312RG	BROMOCHLOROMETHANE	REAL	TR1	0.18	UG/L	U	V	0.18	1		D&D Bldg 991
99301	5/6/02	GW08312RG	BROMODICHLOROMETHANE	REAL	TR1	0.14	UG/L	U	V	0.14	1	100	D&D Bldg 991
99301	5/6/02	GW08312RG	BROMOFORM	REAL	TR1	0.17	UG/L	U	V	0.17	1	100	D&D Bldg 991
99301	5/6/02	GW08312RG	BROMOMETHANE	REAL	TR1	0.5	UG/L	U	UJ	0.5	1	51.1	D&D Bldg 991
99301	5/6/02	GW08312RG	CARBON DISULFIDE	REAL	TR1	0.775	UG/L	U	V	0.775	1	3650	D&D Bldg 991
99301	5/6/02	GW08312RG	CARBON TETRACHLORIDE	REAL	TR1	0.099	UG/L	U	V	0.099	1	5	D&D Bldg 991
99301	5/6/02	GW08312RG	CHLOROBENZENE	REAL	TR1	0.11	UG/L	U	V	0.11	1	100	D&D Bldg 991
99301	5/6/02	GW08312RG	CHLOROETHANE	REAL	TR1	0.16	UG/L	U	V	0.16	1	29.4	D&D Bldg 991
99301	5/6/02	GW08312RG	CHLOROFORM	REAL	TR1	0.097	UG/L	U	V	0.097	1	100	D&D Bldg 991
99301	5/6/02	GW08312RG	CHLOROMETHANE	REAL	TR1	0.361	UG/L	U	V	0.361	1	6.55	D&D Bldg 991
99301	5/6/02	GW08312RG	cis-1,2-DICHLOROETHENE	REAL	TR1	2	UG/L		V	0.11	1	70	D&D Bldg 991
99301	5/6/02	GW08312RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	0.155	UG/L	U	V	0.155	1	0.473	D&D Bldg 991
99301	5/6/02	GW08312RG	DIBROMOCHLOROMETHANE	REAL	TR1	0.115	UG/L	U	V	0.115	1	1.01	D&D Bldg 991
99301	5/6/02	GW08312RG	DIBROMOMETHANE	REAL	TR1	0.18	UG/L	U	V	0.18	1		D&D Bldg 991
99301	5/6/02	GW08312RG	DICHLORODIFLUOROMETHANE	REAL	TR1	0.19	UG/L	U	V	0.19	1		D&D Bldg 991
99301	5/6/02	GW08312RG	ETHYLBENZENE	REAL	TR1	0.11	UG/L	U	V	0.11	1	700	D&D Bldg 991
99301	5/6/02	GW08312RG	HEXACHLOROBUTADIENE	REAL	TR1	0.14	UG/L	U	V	0.14	1	1.09	D&D Bldg 991
99301	5/6/02	GW08312RG	ISOPROPYLBENZENE	REAL	TR1	0.11	UG/L	U	V	0.11	1		D&D Bldg 991
99301	5/6/02	GW08312RG	METHYLENE CHLORIDE	REAL	TR1	0.75	UG/L	U	UJ	0.75	1	5	D&D Bldg 991
99301	5/6/02	GW08312RG	NAPHTHALENE	REAL	TR1	0.202	UG/L	U	V	0.202	1	1460	D&D Bldg 991
99301	5/6/02	GW08312RG	n-BUTYLBENZENE	REAL	TR1	0.11	UG/L	U	V	0.11	1		D&D Bldg 991
99301	5/6/02	GW08312RG	n-PROPYLBENZENE	REAL	TR1	0.092	UG/L	U	V	0.092	1		D&D Bldg 991
99301	5/6/02	GW08312RG	o-CHLOROTOLUENE	REAL	TR1	0.17	UG/L	U	V	0.17	1		D&D Bldg 991
99301	5/6/02	GW08312RG	p-CHLOROTOLUENE	REAL	TR1	0.16	UG/L	U	V	0.16	1		D&D Bldg 991
99301	5/6/02	GW08312RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	0.38	UG/L	U	V	0.38	1	0.2	D&D Bldg 991
99301	5/6/02	GW08312RG	sec-BUTYLBENZENE	REAL	TR1	0.13	UG/L	U	V	0.13	1		D&D Bldg 991
99301	5/6/02	GW08312RG	STYRENE	REAL	TR1	0.25	UG/L	U	V	0.25	1	100	D&D Bldg 991
99301	5/6/02	GW08312RG	tert-BUTYLBENZENE	REAL	TR1	0.13	UG/L	U	V	0.13	1		D&D Bldg 991
99301	5/6/02	GW08312RG	TETRACHLOROETHENE	REAL	TR1	1.1	UG/L		V	0.088	1	5	D&D Bldg 991
99301	5/6/02	GW08312RG	TOLUENE	REAL	TR1	0.11	UG/L	U	V	0.11	1	1000	D&D Bldg 991
99301	5/6/02	GW08312RG	TOTAL XYLENES	REAL	TR1	0.29	UG/L	U	V	0.29	1	10000	D&D Bldg 991
99301	5/6/02	GW08312RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.14	UG/L	U	V	0.14	1	70	D&D Bldg 991
99301	5/6/02	GW08312RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	0.087	UG/L	U	V	0.087	1	0.473	D&D Bldg 991
99301	5/6/02	GW08312RG	TRICHLOROETHENE	REAL	TR1	31	UG/L		V	0.15	1	5	D&D Bldg 991
99301	5/6/02	GW08312RG	TRICHLOROFLUOROMETHANE	REAL	TR1	0.16	UG/L	U	V	0.16	1		D&D Bldg 991
99301	5/6/02	GW08312RG	VINYL CHLORIDE	REAL	TR1	0.27	UG/L	U	V	0.27	1	2	D&D Bldg 991
99401	5/6/02	GW08313RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	0.15	UG/L	U	V	0.15	1		D&D Bldg 991
99401	5/6/02	GW08313RG	1,1,1-TRICHLOROETHANE	REAL	TR1	0.21	UG/L	U	V	0.21	1	200	D&D Bldg 991
99401	5/6/02	GW08313RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	0.13	UG/L	U	V	0.13	1	0.426	D&D Bldg 991
99401	5/6/02	GW08313RG	1,1,2-TRICHLOROETHANE	REAL	TR1	0.12	UG/L	U	V	0.12	1	5	D&D Bldg 991
99401	5/6/02	GW08313RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	0.17	UG/L	U	V	0.17	1		D&D Bldg 991
99401	5/6/02	GW08313RG	1,1-DICHLOROETHANE	REAL	TR1	0.099	UG/L	U	V	0.099	1	3650	D&D Bldg 991

292

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
99401	5/6/02	GW08313RG	1,1-DICHLOROETHENE	REAL	TR1	0.12	UG/L	U	V	0.12	1	7	D&D Bldg 991
99401	5/6/02	GW08313RG	1,1-DICHLOROPROPENE	REAL	TR1	0.12	UG/L	U	V	0.12	1		D&D Bldg 991
99401	5/6/02	GW08313RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	0.11	UG/L	U	V	0.11	1		D&D Bldg 991
99401	5/6/02	GW08313RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	0.332	UG/L	U	V	0.332	1		D&D Bldg 991
99401	5/6/02	GW08313RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	0.11	UG/L	U	V	0.11	1	70	D&D Bldg 991
99401	5/6/02	GW08313RG	1,2-DIBROMOETHANE	REAL	TR1	0.13	UG/L	U	V	0.13	1		D&D Bldg 991
99401	5/6/02	GW08313RG	1,2-DICHLOROBENZENE	REAL	TR1	0.11	UG/L	U	V	0.11	1	600	D&D Bldg 991
99401	5/6/02	GW08313RG	1,2-DICHLOROETHANE	REAL	TR1	0.154	UG/L	U	V	0.154	1	5	D&D Bldg 991
99401	5/6/02	GW08313RG	1,2-DICHLOROPROPANE	REAL	TR1	0.08	UG/L	U	V	0.08	1	5	D&D Bldg 991
99401	5/6/02	GW08313RG	1,3-DICHLOROBENZENE	REAL	TR1	0.11	UG/L	U	V	0.11	1	600	D&D Bldg 991
99401	5/6/02	GW08313RG	1,3-DICHLOROPROPANE	REAL	TR1	0.12	UG/L	U	V	0.12	1		D&D Bldg 991
99401	5/6/02	GW08313RG	1,4-DICHLOROBENZENE	REAL	TR1	0.14	UG/L	U	V	0.14	1	75	D&D Bldg 991
99401	5/6/02	GW08313RG	2,2-DICHLOROPROPANE	REAL	TR1	0.401	UG/L	U	V	0.401	1		D&D Bldg 991
99401	5/6/02	GW08313RG	2-BUTANONE	REAL	TR1	4.62	UG/L	U	V	4.62	1	21900	D&D Bldg 991
99401	5/6/02	GW08313RG	2-HEXANONE	REAL	TR1	3.5	UG/L	U	V	3.5	1		D&D Bldg 991
99401	5/6/02	GW08313RG	4-ISOPROPYLTOLUENE	REAL	TR1	0.071	UG/L	U	V	0.071	1		D&D Bldg 991
99401	5/6/02	GW08313RG	4-METHYL-2-PENTANONE	REAL	TR1	2.57	UG/L	U	V	2.57	1	2920	D&D Bldg 991
99401	5/6/02	GW08313RG	ACETONE	REAL	TR1	9.6	UG/L	U	V	9.6	1	3650	D&D Bldg 991
99401	5/6/02	GW08313RG	BENZENE	REAL	TR1	0.088	UG/L	U	V	0.088	1	5	D&D Bldg 991
99401	5/6/02	GW08313RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	0.076	UG/L	U	V	0.076	1		D&D Bldg 991
99401	5/6/02	GW08313RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	0.12	UG/L	U	V	0.12	1		D&D Bldg 991
99401	5/6/02	GW08313RG	BROMOBENZENE	REAL	TR1	0.07	UG/L	U	V	0.07	1		D&D Bldg 991
99401	5/6/02	GW08313RG	BROMOCHLOROMETHANE	REAL	TR1	0.18	UG/L	U	V	0.18	1		D&D Bldg 991
99401	5/6/02	GW08313RG	BROMODICHLOROMETHANE	REAL	TR1	0.14	UG/L	U	V	0.14	1	100	D&D Bldg 991
99401	5/6/02	GW08313RG	BROMOFORM	REAL	TR1	0.17	UG/L	U	V	0.17	1	100	D&D Bldg 991
99401	5/6/02	GW08313RG	BROMOMETHANE	REAL	TR1	0.5	UG/L	U	UJ	0.5	1	51.1	D&D Bldg 991
99401	5/6/02	GW08313RG	CARBON DISULFIDE	REAL	TR1	0.775	UG/L	U	V	0.775	1	3650	D&D Bldg 991
99401	5/6/02	GW08313RG	CARBON TETRACHLORIDE	REAL	TR1	0.099	UG/L	U	V	0.099	1	5	D&D Bldg 991
99401	5/6/02	GW08313RG	CHLOROBENZENE	REAL	TR1	0.11	UG/L	U	V	0.11	1	100	D&D Bldg 991
99401	5/6/02	GW08313RG	CHLOROETHANE	REAL	TR1	0.16	UG/L	U	V	0.16	1	29.4	D&D Bldg 991
99401	5/6/02	GW08313RG	CHLOROFORM	REAL	TR1	0.097	UG/L	U	V	0.097	1	100	D&D Bldg 991
99401	5/6/02	GW08313RG	CHLOROMETHANE	REAL	TR1	0.361	UG/L	U	V	0.361	1	6.55	D&D Bldg 991
99401	5/6/02	GW08313RG	cis-1,2-DICHLOROETHENE	REAL	TR1	0.48	UG/L	J	V	0.11	1	70	D&D Bldg 991
99401	5/6/02	GW08313RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	0.155	UG/L	U	V	0.155	1	0.473	D&D Bldg 991
99401	5/6/02	GW08313RG	DIBROMOCHLOROMETHANE	REAL	TR1	0.115	UG/L	U	V	0.115	1	1.01	D&D Bldg 991
99401	5/6/02	GW08313RG	DIBROMOMETHANE	REAL	TR1	0.18	UG/L	U	V	0.18	1		D&D Bldg 991
99401	5/6/02	GW08313RG	DICHLORODIFLUOROMETHANE	REAL	TR1	0.19	UG/L	U	V	0.19	1		D&D Bldg 991
99401	5/6/02	GW08313RG	ETHYLBENZENE	REAL	TR1	0.11	UG/L	U	V	0.11	1	700	D&D Bldg 991
99401	5/6/02	GW08313RG	HEXACHLOROBUTADIENE	REAL	TR1	0.14	UG/L	U	V	0.14	1	1.09	D&D Bldg 991
99401	5/6/02	GW08313RG	ISOPROPYLBENZENE	REAL	TR1	0.11	UG/L	U	V	0.11	1		D&D Bldg 991
99401	5/6/02	GW08313RG	METHYLENE CHLORIDE	REAL	TR1	0.75	UG/L	U	UJ	0.75	1	5	D&D Bldg 991
99401	5/6/02	GW08313RG	NAPHTHALENE	REAL	TR1	0.202	UG/L	U	V	0.202	1	1460	D&D Bldg 991
99401	5/6/02	GW08313RG	n-BUTYLBENZENE	REAL	TR1	0.11	UG/L	U	V	0.11	1		D&D Bldg 991
99401	5/6/02	GW08313RG	n-PROPYLBENZENE	REAL	TR1	0.092	UG/L	U	V	0.092	1		D&D Bldg 991
99401	5/6/02	GW08313RG	o-CHLOROTOLUENE	REAL	TR1	0.17	UG/L	U	V	0.17	1		D&D Bldg 991
99401	5/6/02	GW08313RG	p-CHLOROTOLUENE	REAL	TR1	0.16	UG/L	U	V	0.16	1		D&D Bldg 991
99401	5/6/02	GW08313RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	0.38	UG/L	U	V	0.38	1	0.2	D&D Bldg 991
99401	5/6/02	GW08313RG	sec-BUTYLBENZENE	REAL	TR1	0.13	UG/L	U	V	0.13	1		D&D Bldg 991
99401	5/6/02	GW08313RG	STYRENE	REAL	TR1	0.25	UG/L	U	V	0.25	1	100	D&D Bldg 991
99401	5/6/02	GW08313RG	tert-BUTYLBENZENE	REAL	TR1	0.13	UG/L	U	V	0.13	1		D&D Bldg 991
99401	5/6/02	GW08313RG	TETRACHLOROETHENE	REAL	TR1	0.088	UG/L	U	V	0.088	1	5	D&D Bldg 991
99401	5/6/02	GW08313RG	TOLUENE	REAL	TR1	0.11	UG/L	U	V	0.11	1	1000	D&D Bldg 991
99401	5/6/02	GW08313RG	TOTAL XYLENES	REAL	TR1	0.29	UG/L	U	V	0.29	1	10000	D&D Bldg 991
99401	5/6/02	GW08313RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.14	UG/L	U	V	0.14	1	70	D&D Bldg 991
99401	5/6/02	GW08313RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	0.087	UG/L	U	V	0.087	1	0.473	D&D Bldg 991
99401	5/6/02	GW08313RG	TRICHLOROETHENE	REAL	TR1	0.15	UG/L	U	V	0.15	1	5	D&D Bldg 991
99401	5/6/02	GW08313RG	TRICHLOROFLUOROMETHANE	REAL	TR1	0.16	UG/L	U	V	0.16	1		D&D Bldg 991

293

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
99401	5/6/02	GW08313RG	VINYL CHLORIDE	REAL	TR1	0.27	UG/L	U	V	0.27	1	2	D&D Bldg 991
B208789	4/24/02	GW08200RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Plume Extent
B208789	4/24/02	GW08200RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	Plume Extent
B208789	4/24/02	GW08200RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	Plume Extent
B208789	4/24/02	GW08200RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	Plume Extent
B208789	4/24/02	GW08200RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		Plume Extent
B208789	4/24/02	GW08200RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	Plume Extent
B208789	4/24/02	GW08200RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	Plume Extent
B208789	4/24/02	GW08200RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		Plume Extent
B208789	4/24/02	GW08200RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		Plume Extent
B208789	4/24/02	GW08200RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		Plume Extent
B208789	4/24/02	GW08200RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	Plume Extent
B208789	4/24/02	GW08200RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Plume Extent
B208789	4/24/02	GW08200RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	Plume Extent
B208789	4/24/02	GW08200RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	Plume Extent
B208789	4/24/02	GW08200RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	Plume Extent
B208789	4/24/02	GW08200RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	Plume Extent
B208789	4/24/02	GW08200RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		Plume Extent
B208789	4/24/02	GW08200RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	Plume Extent
B208789	4/24/02	GW08200RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		Plume Extent
B208789	4/24/02	GW08200RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	Plume Extent
B208789	4/24/02	GW08200RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		Plume Extent
B208789	4/24/02	GW08200RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		Plume Extent
B208789	4/24/02	GW08200RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	Plume Extent
B208789	4/24/02	GW08200RG	ACETONE	REAL	TR1	10	UG/L	U	UJ1	3.4	1	3650	Plume Extent
B208789	4/24/02	GW08200RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	Plume Extent
B208789	4/24/02	GW08200RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		Plume Extent
B208789	4/24/02	GW08200RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		Plume Extent
B208789	4/24/02	GW08200RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		Plume Extent
B208789	4/24/02	GW08200RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		Plume Extent
B208789	4/24/02	GW08200RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	Plume Extent
B208789	4/24/02	GW08200RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	Plume Extent
B208789	4/24/02	GW08200RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.99	1	51.1	Plume Extent
B208789	4/24/02	GW08200RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	UJ1	0.35	1	3650	Plume Extent
B208789	4/24/02	GW08200RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	Plume Extent
B208789	4/24/02	GW08200RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	Plume Extent
B208789	4/24/02	GW08200RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	UJ1	0.94	1	29.4	Plume Extent
B208789	4/24/02	GW08200RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.21	1	100	Plume Extent
B208789	4/24/02	GW08200RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	Plume Extent
B208789	4/24/02	GW08200RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	Plume Extent
B208789	4/24/02	GW08200RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	Plume Extent
B208789	4/24/02	GW08200RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	Plume Extent
B208789	4/24/02	GW08200RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		Plume Extent
B208789	4/24/02	GW08200RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		Plume Extent
B208789	4/24/02	GW08200RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	Plume Extent
B208789	4/24/02	GW08200RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	Plume Extent
B208789	4/24/02	GW08200RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		Plume Extent
B208789	4/24/02	GW08200RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	Plume Extent
B208789	4/24/02	GW08200RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	Plume Extent
B208789	4/24/02	GW08200RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		Plume Extent
B208789	4/24/02	GW08200RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		Plume Extent
B208789	4/24/02	GW08200RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		Plume Extent
B208789	4/24/02	GW08200RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		Plume Extent
B208789	4/24/02	GW08200RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	Plume Extent
B208789	4/24/02	GW08200RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		Plume Extent
B208789	4/24/02	GW08200RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	Plume Extent
B208789	4/24/02	GW08200RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		Plume Extent

294

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
B208789	4/24/02	GW08200RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	Plume Extent
B208789	4/24/02	GW08200RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	Plume Extent
B208789	4/24/02	GW08200RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	Plume Extent
B208789	4/24/02	GW08200RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	Plume Extent
B208789	4/24/02	GW08200RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	Plume Extent
B208789	4/24/02	GW08200RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.23	1	5	Plume Extent
B208789	4/24/02	GW08200RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Plume Extent
B208789	4/24/02	GW08200RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	Plume Extent
BS-865-2	5/21/02	SW08309RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1.46	UG/L		V1	0.2	1		D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	ACETONE	REAL	TR1	10	UG/L	U	UJ1	3.4	1	3650	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.99	1	51.1	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		D&D Bldg 865

295

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
BS-865-2	5/21/02	SW08309RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.23	1	5	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	D&D Bldg 865
FD-559-561	5/7/02	SW08265RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1.36	UG/L		V	0.5	1	200	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	0.426	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	5	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	62	UG/L		V	2	1		D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	1,1-DICHLOROETHANE	REAL	TR1	2.03	UG/L		V	0.5	1	3650	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	1,1-DICHLOROETHENE	REAL	TR1	14.2	UG/L		V	0.5	1	7	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	70	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	600	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	5	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.5	1	5	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	600	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	75	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	2-BUTANONE	REAL	TR1	12.5	UG/L	U	UJ	2	1	21900	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	2-HEXANONE	REAL	TR1	2.5	UG/L	U	UJ	1	1		D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	4-METHYL-2-PENTANONE	REAL	TR1	2.5	UG/L	U	V	1	1	2920	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	ACETONE	REAL	TR1	12.5	UG/L	U	UJ	2	1	3650	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	BENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	5	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	R	0.5	1	100	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	BROMOFORM	REAL	TR1	1	UG/L	U	UJ	0.5	1	100	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	51.1	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V	0.5	1	3650	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	CARBON TETRACHLORIDE	REAL	DL1	99	UG/L		V	5	10	5	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	100	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	29.4	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	CHLOROFORM	REAL	TR1	6.32	UG/L		V	0.5	1	100	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	6.55	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	cis-1,2-DICHLOROETHENE	REAL	TR1	11.5	UG/L		V	0.5	1	70	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.5	1	0.473	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	0.5	1	1.01	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559-561

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
FD-559-561	5/7/02	SW08265RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	700	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	0.3	1	1.09	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V	0.5	1	5	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	1460	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V	1	1	0.2	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	STYRENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	100	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	0.5	1		D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	TETRACHLOROETHENE	REAL	TR1	6.19	UG/L		V	0.5	1	5	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ	0.5	1	1000	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	UJ	0.5	1	10000	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	0.5	1	70	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	0.5	1	0.473	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	TRICHLOROETHENE	REAL	DL1	204	UG/L		V	5	10	5	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	0.5	1		D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	VINYL CHLORIDE	REAL	TR1	0.78	UG/L	J	V	0.5	1	2	D&D Bldg 559-561
FD-707-4	5/8/02	SW08255RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	200	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	0.426	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	5	UG/L	U	V	5	1		D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	3650	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	7	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	70	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	600	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	600	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	75	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V	10	1	21900	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V	10	1		D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V	10	1	2920	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	ACETONE	REAL	TR1	5.3	UG/L	JB	JB	10	1	3650	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	BENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	5	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	100	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	1	1	100	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1	51.1	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	CARBON DISULFIDE	REAL	TR1	5	UG/L	U	V	5	1	3650	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	100	D&D Bldg 707

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
FD-707-4	5/8/02	SW08255RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	29.4	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V	1	1	100	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	6.55	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	1.01	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	700	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	1	1	1.09	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	METHYLENE CHLORIDE	REAL	TR1	2.4	UG/L	B	U	1	1	5	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V	1	1	1460	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	*n*-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	*n*-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V	1	1	0.2	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	STYRENE	REAL	TR1	1	UG/L	U	V	1	1	100	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	TETRACHLOROETHENE	REAL	TR1	0.4	UG/L	JB	J	1	1	5	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	TOLUENE	REAL	TR1	1	UG/L	U	V	1	1	1000	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	V	3	1	10000	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 707
FD-707-4	5/8/02	SW08255RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	2	D&D Bldg 707
P209289	5/31/02	GW08201RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Plume Definition
P209289	5/31/02	GW08201RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	Plume Definition
P209289	5/31/02	GW08201RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	Plume Definition
P209289	5/31/02	GW08201RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	Plume Definition
P209289	5/31/02	GW08201RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		Plume Definition
P209289	5/31/02	GW08201RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	Plume Definition
P209289	5/31/02	GW08201RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	Plume Definition
P209289	5/31/02	GW08201RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		Plume Definition
P209289	5/31/02	GW08201RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		Plume Definition
P209289	5/31/02	GW08201RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		Plume Definition
P209289	5/31/02	GW08201RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	Plume Definition
P209289	5/31/02	GW08201RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Plume Definition
P209289	5/31/02	GW08201RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	Plume Definition
P209289	5/31/02	GW08201RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	Plume Definition
P209289	5/31/02	GW08201RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	Plume Definition
P209289	5/31/02	GW08201RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	Plume Definition
P209289	5/31/02	GW08201RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		Plume Definition
P209289	5/31/02	GW08201RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	Plume Definition
P209289	5/31/02	GW08201RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		Plume Definition
P209289	5/31/02	GW08201RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	Plume Definition
P209289	5/31/02	GW08201RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		Plume Definition
P209289	5/31/02	GW08201RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		Plume Definition
P209289	5/31/02	GW08201RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	Plume Definition
P209289	5/31/02	GW08201RG	ACETONE	REAL	TR1	10	UG/L	U	V1	3.4	1	3650	Plume Definition
P209289	5/31/02	GW08201RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	Plume Definition
P209289	5/31/02	GW08201RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		Plume Definition
P209289	5/31/02	GW08201RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		Plume Definition
P209289	5/31/02	GW08201RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		Plume Definition

248

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
P209289	5/31/02	GW08201RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		Plume Definition
P209289	5/31/02	GW08201RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	Plume Definition
P209289	5/31/02	GW08201RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	Plume Definition
P209289	5/31/02	GW08201RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	Plume Definition
P209289	5/31/02	GW08201RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	Plume Definition
P209289	5/31/02	GW08201RG	CARBON TETRACHLORIDE	REAL	TR1	2.03	UG/L		V1	0.38	1	5	Plume Definition
P209289	5/31/02	GW08201RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	Plume Definition
P209289	5/31/02	GW08201RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	Plume Definition
P209289	5/31/02	GW08201RG	CHLOROFORM	REAL	TR1	2.98	UG/L		V1	0.21	1	100	Plume Definition
P209289	5/31/02	GW08201RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	Plume Definition
P209289	5/31/02	GW08201RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	Plume Definition
P209289	5/31/02	GW08201RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	Plume Definition
P209289	5/31/02	GW08201RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	Plume Definition
P209289	5/31/02	GW08201RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		Plume Definition
P209289	5/31/02	GW08201RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		Plume Definition
P209289	5/31/02	GW08201RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	Plume Definition
P209289	5/31/02	GW08201RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	Plume Definition
P209289	5/31/02	GW08201RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		Plume Definition
P209289	5/31/02	GW08201RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	Plume Definition
P209289	5/31/02	GW08201RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	Plume Definition
P209289	5/31/02	GW08201RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		Plume Definition
P209289	5/31/02	GW08201RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		Plume Definition
P209289	5/31/02	GW08201RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		Plume Definition
P209289	5/31/02	GW08201RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		Plume Definition
P209289	5/31/02	GW08201RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	Plume Definition
P209289	5/31/02	GW08201RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		Plume Definition
P209289	5/31/02	GW08201RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	Plume Definition
P209289	5/31/02	GW08201RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		Plume Definition
P209289	5/31/02	GW08201RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	Plume Definition
P209289	5/31/02	GW08201RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	Plume Definition
P209289	5/31/02	GW08201RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	Plume Definition
P209289	5/31/02	GW08201RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	Plume Definition
P209289	5/31/02	GW08201RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	Plume Definition
P209289	5/31/02	GW08201RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.23	1	5	Plume Definition
P209289	5/31/02	GW08201RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Plume Definition
P209289	5/31/02	GW08201RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	Plume Definition
P209489	4/30/02	GW08202RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1		Plume Extent
P209489	4/30/02	GW08202RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.32	1	200	Plume Extent
P209489	4/30/02	GW08202RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.5	1	0.426	Plume Extent
P209489	4/30/02	GW08202RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.41	1	5	Plume Extent
P209489	4/30/02	GW08202RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1.2	UG/L		V1	0.56	1		Plume Extent
P209489	4/30/02	GW08202RG	1,1-DICHLOROETHANE	REAL	TR1	0.58	UG/L	J	V1	0.29	1	3650	Plume Extent
P209489	4/30/02	GW08202RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.31	1	7	Plume Extent
P209489	4/30/02	GW08202RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.29	1		Plume Extent
P209489	4/30/02	GW08202RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.62	1		Plume Extent
P209489	4/30/02	GW08202RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.76	1		Plume Extent
P209489	4/30/02	GW08202RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.63	1	70	Plume Extent
P209489	4/30/02	GW08202RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		Plume Extent
P209489	4/30/02	GW08202RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	600	Plume Extent
P209489	4/30/02	GW08202RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.43	1	5	Plume Extent
P209489	4/30/02	GW08202RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	Plume Extent
P209489	4/30/02	GW08202RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	600	Plume Extent
P209489	4/30/02	GW08202RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.37	1		Plume Extent
P209489	4/30/02	GW08202RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1	75	Plume Extent
P209489	4/30/02	GW08202RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.37	1		Plume Extent
P209489	4/30/02	GW08202RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V1	2.4	1	21900	Plume Extent
P209489	4/30/02	GW08202RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	1.8	1		Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
P209489	4/30/02	GW08202RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.32	1		Plume Extent
P209489	4/30/02	GW08202RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	1.8	1	2920	Plume Extent
P209489	4/30/02	GW08202RG	ACETONE	REAL	TR1	10	UG/L	U	V1	2.9	1	3650	Plume Extent
P209489	4/30/02	GW08202RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.27	1	5	Plume Extent
P209489	4/30/02	GW08202RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.3	1		Plume Extent
P209489	4/30/02	GW08202RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.31	1		Plume Extent
P209489	4/30/02	GW08202RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.32	1		Plume Extent
P209489	4/30/02	GW08202RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1		Plume Extent
P209489	4/30/02	GW08202RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.35	1	100	Plume Extent
P209489	4/30/02	GW08202RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.46	1	100	Plume Extent
P209489	4/30/02	GW08202RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	51.1	Plume Extent
P209489	4/30/02	GW08202RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.67	1	3650	Plume Extent
P209489	4/30/02	GW08202RG	CARBON TETRACHLORIDE	REAL	TR1	33	UG/L		V1	0.35	1	5	Plume Extent
P209489	4/30/02	GW08202RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	100	Plume Extent
P209489	4/30/02	GW08202RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	29.4	Plume Extent
P209489	4/30/02	GW08202RG	CHLOROFORM	REAL	TR1	18	UG/L		V1	0.29	1	100	Plume Extent
P209489	4/30/02	GW08202RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	Plume Extent
P209489	4/30/02	GW08202RG	cis-1,2-DICHLOROETHENE	REAL	TR1	7.6	UG/L		V1	0.33	1	70	Plume Extent
P209489	4/30/02	GW08202RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.473	Plume Extent
P209489	4/30/02	GW08202RG	CYCLOTETRASILOXANE, OCTAMETHYL	REAL	TR1	1.3	UG/L	J	V1		1		Plume Extent
P209489	4/30/02	GW08202RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.37	1	1.01	Plume Extent
P209489	4/30/02	GW08202RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.4	1		Plume Extent
P209489	4/30/02	GW08202RG	DICHLORODIFLUOROMETHANE	REAL	TR1	0.45	UG/L	J	V1	0.44	1		Plume Extent
P209489	4/30/02	GW08202RG	ETHANE, 1,2-DICHLORO-1,1,2-T	REAL	TR1	6.7	UG/L	J	V1		1		Plume Extent
P209489	4/30/02	GW08202RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.51	1	700	Plume Extent
P209489	4/30/02	GW08202RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.37	1	1.09	Plume Extent
P209489	4/30/02	GW08202RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1		Plume Extent
P209489	4/30/02	GW08202RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.86	1	5	Plume Extent
P209489	4/30/02	GW08202RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1	1460	Plume Extent
P209489	4/30/02	GW08202RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.41	1		Plume Extent
P209489	4/30/02	GW08202RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.33	1		Plume Extent
P209489	4/30/02	GW08202RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		Plume Extent
P209489	4/30/02	GW08202RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		Plume Extent
P209489	4/30/02	GW08202RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.49	1	0.2	Plume Extent
P209489	4/30/02	GW08202RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.34	1		Plume Extent
P209489	4/30/02	GW08202RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.28	1	100	Plume Extent
P209489	4/30/02	GW08202RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1		Plume Extent
P209489	4/30/02	GW08202RG	TETRACHLOROETHENE	REAL	TR1	2.9	UG/L		V1	0.27	1	5	Plume Extent
P209489	4/30/02	GW08202RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	1000	Plume Extent
P209489	4/30/02	GW08202RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.73	1	10000	Plume Extent
P209489	4/30/02	GW08202RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.25	1	70	Plume Extent
P209489	4/30/02	GW08202RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.36	1	0.473	Plume Extent
P209489	4/30/02	GW08202RG	TRICHLOROETHENE	REAL	TR1	51	UG/L		V1	0.24	1	5	Plume Extent
P209489	4/30/02	GW08202RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.43	1		Plume Extent
P209489	4/30/02	GW08202RG	UNKNOWN	REAL	TR1	3.5	UG/L	J	V1		1		Plume Extent
P209489	4/30/02	GW08202RG	VINYL CHLORIDE	REAL	TR1	0.31	UG/L	J	V1	0.26	1	2	Plume Extent
P209489	4/30/02	GW08203RG	1,1,1,2-TETRACHLOROETHANE	DUP	TR1	1	UG/L	U	V1	0.28	1		Plume Extent
P209489	4/30/02	GW08203RG	1,1,1-TRICHLOROETHANE	DUP	TR1	1	UG/L	U	V1	0.32	1	200	Plume Extent
P209489	4/30/02	GW08203RG	1,1,2,2-TETRACHLOROETHANE	DUP	TR1	1	UG/L	U	V1	0.5	1	0.426	Plume Extent
P209489	4/30/02	GW08203RG	1,1,2-TRICHLOROETHANE	DUP	TR1	1	UG/L	U	V1	0.41	1	5	Plume Extent
P209489	4/30/02	GW08203RG	1,1,2-TRICHLOROTRIFLUOROETHANE	DUP	TR1	1.2	UG/L		V1	0.56	1		Plume Extent
P209489	4/30/02	GW08203RG	1,1-DICHLOROETHANE	DUP	TR1	0.58	UG/L	J	V1	0.29	1	3650	Plume Extent
P209489	4/30/02	GW08203RG	1,1-DICHLOROETHENE	DUP	TR1	1	UG/L	U	V1	0.31	1	7	Plume Extent
P209489	4/30/02	GW08203RG	1,1-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V1	0.29	1		Plume Extent
P209489	4/30/02	GW08203RG	1,2,3-TRICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.62	1		Plume Extent
P209489	4/30/02	GW08203RG	1,2,3-TRICHLOROPROPANE	DUP	TR1	1	UG/L	U	V1	0.76	1		Plume Extent
P209489	4/30/02	GW08203RG	1,2,4-TRICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.63	1	70	Plume Extent

300

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
P209489	4/30/02	GW08203RG	1,2-DIBROMOETHANE	DUP	TR1	1	UG/L	U	V1	0.46	1		Plume Extent
P209489	4/30/02	GW08203RG	1,2-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.3	1	600	Plume Extent
P209489	4/30/02	GW08203RG	1,2-DICHLOROETHANE	DUP	TR1	1	UG/L	U	V1	0.43	1	5	Plume Extent
P209489	4/30/02	GW08203RG	1,2-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V1	0.38	1	5	Plume Extent
P209489	4/30/02	GW08203RG	1,3-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.3	1	600	Plume Extent
P209489	4/30/02	GW08203RG	1,3-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V1	0.37	1		Plume Extent
P209489	4/30/02	GW08203RG	1,4-DICHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.31	1	75	Plume Extent
P209489	4/30/02	GW08203RG	2,2-DICHLOROPROPANE	DUP	TR1	1	UG/L	U	V1	0.37	1		Plume Extent
P209489	4/30/02	GW08203RG	2-BUTANONE	DUP	TR1	5	UG/L	U	V1	2.4	1	21900	Plume Extent
P209489	4/30/02	GW08203RG	2-HEXANONE	DUP	TR1	5	UG/L	U	V1	1.8	1		Plume Extent
P209489	4/30/02	GW08203RG	4-ISOPROPYLTOLUENE	DUP	TR1	1	UG/L	U	UJ1	0.32	1		Plume Extent
P209489	4/30/02	GW08203RG	4-METHYL-2-PENTANONE	DUP	TR1	5	UG/L	U	V1	1.8	1	2920	Plume Extent
P209489	4/30/02	GW08203RG	ACETONE	DUP	TR1	10	UG/L	U	V1	2.9	1	3650	Plume Extent
P209489	4/30/02	GW08203RG	BENZENE	DUP	TR1	1	UG/L	U	UJ1	0.27	1	5	Plume Extent
P209489	4/30/02	GW08203RG	BENZENE, 1,2,4-TRIMETHYL	DUP	TR1	1	UG/L	U	UJ1	0.3	1		Plume Extent
P209489	4/30/02	GW08203RG	BENZENE, 1,3,5-TRIMETHYL-	DUP	TR1	1	UG/L	U	UJ1	0.31	1		Plume Extent
P209489	4/30/02	GW08203RG	BROMOBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.32	1		Plume Extent
P209489	4/30/02	GW08203RG	BROMOCHLOROMETHANE	DUP	TR1	1	UG/L	U	V1	0.39	1		Plume Extent
P209489	4/30/02	GW08203RG	BROMODICHLOROMETHANE	DUP	TR1	1	UG/L	U	V1	0.35	1	100	Plume Extent
P209489	4/30/02	GW08203RG	BROMOFORM	DUP	TR1	1	UG/L	U	V1	0.46	1	100	Plume Extent
P209489	4/30/02	GW08203RG	BROMOMETHANE	DUP	TR1	1	UG/L	U	V1	0.28	1	51.1	Plume Extent
P209489	4/30/02	GW08203RG	CARBON DISULFIDE	DUP	TR1	1	UG/L	U	V1	0.67	1	3650	Plume Extent
P209489	4/30/02	GW08203RG	CARBON TETRACHLORIDE	DUP	TR1	32	UG/L		V1	0.35	1	5	Plume Extent
P209489	4/30/02	GW08203RG	CHLOROBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.24	1	100	Plume Extent
P209489	4/30/02	GW08203RG	CHLOROETHANE	DUP	TR1	1	UG/L	U	V1	0.26	1	29.4	Plume Extent
P209489	4/30/02	GW08203RG	CHLOROFORM	DUP	TR1	17	UG/L		V1	0.29	1	100	Plume Extent
P209489	4/30/02	GW08203RG	CHLOROMETHANE	DUP	TR1	1	UG/L	U	V1	0.26	1	6.55	Plume Extent
P209489	4/30/02	GW08203RG	cis-1,2-DICHLOROETHENE	DUP	TR1	7.3	UG/L		V1	0.33	1	70	Plume Extent
P209489	4/30/02	GW08203RG	cis-1,3-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V1	0.31	1	0.473	Plume Extent
P209489	4/30/02	GW08203RG	DIBROMOCHLOROMETHANE	DUP	TR1	1	UG/L	U	V1	0.37	1	1.01	Plume Extent
P209489	4/30/02	GW08203RG	DIBROMOMETHANE	DUP	TR1	1	UG/L	U	V1	0.4	1		Plume Extent
P209489	4/30/02	GW08203RG	DICHLORODIFLUOROMETHANE	DUP	TR1	1	UG/L	U	V1	0.44	1		Plume Extent
P209489	4/30/02	GW08203RG	ETHANE, 1,2-DICHLORO-1,1,2-T	DUP	TR1	6.7	UG/L	J	V1		1		Plume Extent
P209489	4/30/02	GW08203RG	ETHYLBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.51	1	700	Plume Extent
P209489	4/30/02	GW08203RG	HEXACHLOROBUTADIENE	DUP	TR1	1	UG/L	U	V1	0.37	1	1.09	Plume Extent
P209489	4/30/02	GW08203RG	ISOPROPYLBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.3	1		Plume Extent
P209489	4/30/02	GW08203RG	METHYLENE CHLORIDE	DUP	TR1	1	UG/L	U	V1	0.86	1	5	Plume Extent
P209489	4/30/02	GW08203RG	NAPHTHALENE	DUP	TR1	1	UG/L	U	UJ1	0.78	1	1460	Plume Extent
P209489	4/30/02	GW08203RG	n-BUTYLBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.41	1		Plume Extent
P209489	4/30/02	GW08203RG	n-PROPYLBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.33	1		Plume Extent
P209489	4/30/02	GW08203RG	o-CHLOROTOLUENE	DUP	TR1	1	UG/L	U	UJ1	0.23	1		Plume Extent
P209489	4/30/02	GW08203RG	p-CHLOROTOLUENE	DUP	TR1	1	UG/L	U	UJ1	0.26	1		Plume Extent
P209489	4/30/02	GW08203RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	DUP	TR1	1	UG/L	U	V1	0.49	1	0.2	Plume Extent
P209489	4/30/02	GW08203RG	sec-BUTYLBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.34	1		Plume Extent
P209489	4/30/02	GW08203RG	STYRENE	DUP	TR1	1	UG/L	U	UJ1	0.28	1	100	Plume Extent
P209489	4/30/02	GW08203RG	tert-BUTYLBENZENE	DUP	TR1	1	UG/L	U	UJ1	0.29	1		Plume Extent
P209489	4/30/02	GW08203RG	TETRACHLOROETHENE	DUP	TR1	2.9	UG/L		V1	0.27	1	5	Plume Extent
P209489	4/30/02	GW08203RG	TOLUENE	DUP	TR1	1	UG/L	U	UJ1	0.26	1	1000	Plume Extent
P209489	4/30/02	GW08203RG	TOTAL XYLENES	DUP	TR1	1	UG/L	U	UJ1	0.73	1	10000	Plume Extent
P209489	4/30/02	GW08203RG	trans-1,2-DICHLOROETHENE	DUP	TR1	0.5	UG/L	U	V1	0.25	1	70	Plume Extent
P209489	4/30/02	GW08203RG	trans-1,3-DICHLOROPROPENE	DUP	TR1	1	UG/L	U	V1	0.36	1	0.473	Plume Extent
P209489	4/30/02	GW08203RG	TRICHLOROETHENE	DUP	TR1	49	UG/L		V1	0.24	1	5	Plume Extent
P209489	4/30/02	GW08203RG	TRICHLOROFLUOROMETHANE	DUP	TR1	1	UG/L	U	V1	0.43	1		Plume Extent
P209489	4/30/02	GW08203RG	UNKNOWN	DUP	TR1	1.5	UG/L	J	V1		1		Plume Extent
P209489	4/30/02	GW08203RG	VINYL CHLORIDE	DUP	TR1	0.31	UG/L	J	V1	0.26	1	2	Plume Extent
P209489	4/30/02	GW08204RG	1,1,1,2-TETRACHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.28	1		Plume Extent
P209489	4/30/02	GW08204RG	1,1,1-TRICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.32	1	200	Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
P209489	4/30/02	GW08204RG	1,1,2,2-TETRACHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.5	1	0.426	Plume Extent
P209489	4/30/02	GW08204RG	1,1,2-TRICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.41	1	5	Plume Extent
P209489	4/30/02	GW08204RG	1,1,2-TRICHLOROTRIFLUOROETHANE	RNS	TR1	1	UG/L	U	V1	0.56	1		Plume Extent
P209489	4/30/02	GW08204RG	1,1-DICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.29	1	3650	Plume Extent
P209489	4/30/02	GW08204RG	1,1-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	0.31	1	7	Plume Extent
P209489	4/30/02	GW08204RG	1,1-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V1	0.29	1		Plume Extent
P209489	4/30/02	GW08204RG	1,2,3-TRICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.62	1		Plume Extent
P209489	4/30/02	GW08204RG	1,2,3-TRICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	0.76	1		Plume Extent
P209489	4/30/02	GW08204RG	1,2,4-TRICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.63	1	70	Plume Extent
P209489	4/30/02	GW08204RG	1,2-DIBROMOETHANE	RNS	TR1	1	UG/L	U	V1	0.46	1		Plume Extent
P209489	4/30/02	GW08204RG	1,2-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.3	1	600	Plume Extent
P209489	4/30/02	GW08204RG	1,2-DICHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.43	1	5	Plume Extent
P209489	4/30/02	GW08204RG	1,2-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	0.38	1	5	Plume Extent
P209489	4/30/02	GW08204RG	1,3-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.3	1	600	Plume Extent
P209489	4/30/02	GW08204RG	1,3-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	0.37	1		Plume Extent
P209489	4/30/02	GW08204RG	1,4-DICHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.31	1	75	Plume Extent
P209489	4/30/02	GW08204RG	2,2-DICHLOROPROPANE	RNS	TR1	1	UG/L	U	V1	0.37	1		Plume Extent
P209489	4/30/02	GW08204RG	2-BUTANONE	RNS	TR1	5	UG/L	U	V1	2.4	1	21900	Plume Extent
P209489	4/30/02	GW08204RG	2-HEXANONE	RNS	TR1	5	UG/L	U	V1	1.8	1		Plume Extent
P209489	4/30/02	GW08204RG	4-ISOPROPYLTOLUENE	RNS	TR1	1	UG/L	U	UJ1	0.32	1		Plume Extent
P209489	4/30/02	GW08204RG	4-METHYL-2-PENTANONE	RNS	TR1	5	UG/L	U	V1	1.8	1	2920	Plume Extent
P209489	4/30/02	GW08204RG	ACETONE	RNS	TR1	10	UG/L	U	V1	2.9	1	3650	Plume Extent
P209489	4/30/02	GW08204RG	BENZENE	RNS	TR1	1	UG/L	U	UJ1	0.27	1	5	Plume Extent
P209489	4/30/02	GW08204RG	BENZENE, 1,2,4-TRIMETHYL	RNS	TR1	1	UG/L	U	UJ1	0.3	1		Plume Extent
P209489	4/30/02	GW08204RG	BENZENE, 1,3,5-TRIMETHYL-	RNS	TR1	1	UG/L	U	UJ1	0.31	1		Plume Extent
P209489	4/30/02	GW08204RG	BROMOBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.32	1		Plume Extent
P209489	4/30/02	GW08204RG	BROMOCHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.39	1		Plume Extent
P209489	4/30/02	GW08204RG	BROMODICHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.35	1	100	Plume Extent
P209489	4/30/02	GW08204RG	BROMOFORM	RNS	TR1	1	UG/L	U	V1	0.46	1	100	Plume Extent
P209489	4/30/02	GW08204RG	BROMOMETHANE	RNS	TR1	1	UG/L	U	V1	0.28	1	51.1	Plume Extent
P209489	4/30/02	GW08204RG	CARBON DISULFIDE	RNS	TR1	1	UG/L	U	V1	0.67	1	3650	Plume Extent
P209489	4/30/02	GW08204RG	CARBON TETRACHLORIDE	RNS	TR1	1	UG/L	U	V1	0.35	1	5	Plume Extent
P209489	4/30/02	GW08204RG	CHLOROBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.24	1	100	Plume Extent
P209489	4/30/02	GW08204RG	CHLOROETHANE	RNS	TR1	1	UG/L	U	V1	0.26	1	29.4	Plume Extent
P209489	4/30/02	GW08204RG	CHLOROFORM	RNS	TR1	1	UG/L	U	V1	0.29	1	100	Plume Extent
P209489	4/30/02	GW08204RG	CHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.26	1	6.55	Plume Extent
P209489	4/30/02	GW08204RG	cis-1,2-DICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	0.33	1	70	Plume Extent
P209489	4/30/02	GW08204RG	cis-1,3-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V1	0.31	1	0.473	Plume Extent
P209489	4/30/02	GW08204RG	CYCLOTETRASILOXANE, OCTAMETHYL	RNS	TR1	1.9	UG/L	J	V1		1		Plume Extent
P209489	4/30/02	GW08204RG	DIBROMOCHLOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.37	1	1.01	Plume Extent
P209489	4/30/02	GW08204RG	DIBROMOMETHANE	RNS	TR1	1	UG/L	U	V1	0.4	1		Plume Extent
P209489	4/30/02	GW08204RG	DICHLORODIFLUOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.44	1		Plume Extent
P209489	4/30/02	GW08204RG	ETHYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.51	1	700	Plume Extent
P209489	4/30/02	GW08204RG	HEXACHLOROBUTADIENE	RNS	TR1	1	UG/L	U	V1	0.37	1	1.09	Plume Extent
P209489	4/30/02	GW08204RG	ISOPROPYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.3	1		Plume Extent
P209489	4/30/02	GW08204RG	METHYLENE CHLORIDE	RNS	TR1	1	UG/L	U	V1	0.86	1	5	Plume Extent
P209489	4/30/02	GW08204RG	NAPHTHALENE	RNS	TR1	1	UG/L	U	UJ1	0.78	1	1460	Plume Extent
P209489	4/30/02	GW08204RG	n-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.41	1		Plume Extent
P209489	4/30/02	GW08204RG	n-PROPYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.33	1		Plume Extent
P209489	4/30/02	GW08204RG	o-CHLOROTOLUENE	RNS	TR1	1	UG/L	U	UJ1	0.23	1		Plume Extent
P209489	4/30/02	GW08204RG	p-CHLOROTOLUENE	RNS	TR1	1	UG/L	U	UJ1	0.26	1		Plume Extent
P209489	4/30/02	GW08204RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	RNS	TR1	1	UG/L	U	V1	0.49	1	0.2	Plume Extent
P209489	4/30/02	GW08204RG	sec-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.34	1		Plume Extent
P209489	4/30/02	GW08204RG	STYRENE	RNS	TR1	1	UG/L	U	UJ1	0.28	1	100	Plume Extent
P209489	4/30/02	GW08204RG	tert-BUTYLBENZENE	RNS	TR1	1	UG/L	U	UJ1	0.29	1		Plume Extent
P209489	4/30/02	GW08204RG	TETRACHLOROETHENE	RNS	TR1	1	UG/L	U	V1	0.27	1	5	Plume Extent
P209489	4/30/02	GW08204RG	TOLUENE	RNS	TR1	1	UG/L	U	UJ1	0.26	1	1000	Plume Extent

302

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
P209489	4/30/02	GW08204RG	TOTAL XYLENES	RNS	TR1	1	UG/L	U	UJ1	0.73	1	10000	Plume Extent
P209489	4/30/02	GW08204RG	trans-1,2-DICHLOROETHENE	RNS	TR1	0.5	UG/L	U	V1	0.25	1	70	Plume Extent
P209489	4/30/02	GW08204RG	trans-1,3-DICHLOROPROPENE	RNS	TR1	1	UG/L	U	V1	0.36	1	0.473	Plume Extent
P209489	4/30/02	GW08204RG	TRICHLOROETHENE	RNS	TR1	1	UG/L	U	V1	0.24	1	5	Plume Extent
P209489	4/30/02	GW08204RG	TRICHLOROFLUOROMETHANE	RNS	TR1	1	UG/L	U	V1	0.43	1		Plume Extent
P209489	4/30/02	GW08204RG	UNKNOWN	RNS	TR1	4.6	UG/L	J	V1		1		Plume Extent
P209489	4/30/02	GW08204RG	VINYL CHLORIDE	RNS	TR1	1	UG/L	U	V1	0.26	1	2	Plume Extent
P218089	4/3/02	GW08184RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1		D&D Bldg 707
P218089	4/3/02	GW08184RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.32	1	200	D&D Bldg 707
P218089	4/3/02	GW08184RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.5	1	0.426	D&D Bldg 707
P218089	4/3/02	GW08184RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.41	1	5	D&D Bldg 707
P218089	4/3/02	GW08184RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.56	1		D&D Bldg 707
P218089	4/3/02	GW08184RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.29	1	3650	D&D Bldg 707
P218089	4/3/02	GW08184RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.31	1	7	D&D Bldg 707
P218089	4/3/02	GW08184RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.29	1		D&D Bldg 707
P218089	4/3/02	GW08184RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.62	1		D&D Bldg 707
P218089	4/3/02	GW08184RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.76	1		D&D Bldg 707
P218089	4/3/02	GW08184RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.63	1	70	D&D Bldg 707
P218089	4/3/02	GW08184RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		D&D Bldg 707
P218089	4/3/02	GW08184RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.3	1	600	D&D Bldg 707
P218089	4/3/02	GW08184RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.43	1	5	D&D Bldg 707
P218089	4/3/02	GW08184RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	D&D Bldg 707
P218089	4/3/02	GW08184RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.3	1	600	D&D Bldg 707
P218089	4/3/02	GW08184RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.37	1		D&D Bldg 707
P218089	4/3/02	GW08184RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.31	1	75	D&D Bldg 707
P218089	4/3/02	GW08184RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.37	1		D&D Bldg 707
P218089	4/3/02	GW08184RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V1	2.4	1	21900	D&D Bldg 707
P218089	4/3/02	GW08184RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	1.8	1		D&D Bldg 707
P218089	4/3/02	GW08184RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V1	0.32	1		D&D Bldg 707
P218089	4/3/02	GW08184RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	1.8	1	2920	D&D Bldg 707
P218089	4/3/02	GW08184RG	ACETONE	REAL	TR1	10	UG/L	U	V1	2.9	1	3650	D&D Bldg 707
P218089	4/3/02	GW08184RG	BENZENE	REAL	TR1	1	UG/L	U	V1	0.27	1	5	D&D Bldg 707
P218089	4/3/02	GW08184RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V1	0.3	1		D&D Bldg 707
P218089	4/3/02	GW08184RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V1	0.31	1		D&D Bldg 707
P218089	4/3/02	GW08184RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V1	0.32	1		D&D Bldg 707
P218089	4/3/02	GW08184RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1		D&D Bldg 707
P218089	4/3/02	GW08184RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.35	1	100	D&D Bldg 707
P218089	4/3/02	GW08184RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.46	1	100	D&D Bldg 707
P218089	4/3/02	GW08184RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.28	1	51.1	D&D Bldg 707
P218089	4/3/02	GW08184RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.67	1	3650	D&D Bldg 707
P218089	4/3/02	GW08184RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	5	D&D Bldg 707
P218089	4/3/02	GW08184RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.24	1	100	D&D Bldg 707
P218089	4/3/02	GW08184RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	29.4	D&D Bldg 707
P218089	4/3/02	GW08184RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.29	1	100	D&D Bldg 707
P218089	4/3/02	GW08184RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	D&D Bldg 707
P218089	4/3/02	GW08184RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.33	1	70	D&D Bldg 707
P218089	4/3/02	GW08184RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.473	D&D Bldg 707
P218089	4/3/02	GW08184RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.37	1	1.01	D&D Bldg 707
P218089	4/3/02	GW08184RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.4	1		D&D Bldg 707
P218089	4/3/02	GW08184RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1		D&D Bldg 707
P218089	4/3/02	GW08184RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.51	1	700	D&D Bldg 707
P218089	4/3/02	GW08184RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.37	1	1.09	D&D Bldg 707
P218089	4/3/02	GW08184RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.3	1		D&D Bldg 707
P218089	4/3/02	GW08184RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.86	1	5	D&D Bldg 707
P218089	4/3/02	GW08184RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V1	0.78	1	1460	D&D Bldg 707
P218089	4/3/02	GW08184RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.41	1		D&D Bldg 707
P218089	4/3/02	GW08184RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.33	1		D&D Bldg 707

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
P218089	4/3/02	GW08184RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 707
P218089	4/3/02	GW08184RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.26	1		D&D Bldg 707
P218089	4/3/02	GW08184RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.49	1	0.2	D&D Bldg 707
P218089	4/3/02	GW08184RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.34	1		D&D Bldg 707
P218089	4/3/02	GW08184RG	STYRENE	REAL	TR1	1	UG/L	U	V1	0.28	1	100	D&D Bldg 707
P218089	4/3/02	GW08184RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.29	1		D&D Bldg 707
P218089	4/3/02	GW08184RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.27	1	5	D&D Bldg 707
P218089	4/3/02	GW08184RG	TOLUENE	REAL	TR1	1	UG/L	U	V1	0.26	1	1000	D&D Bldg 707
P218089	4/3/02	GW08184RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	V1	0.73	1	10000	D&D Bldg 707
P218089	4/3/02	GW08184RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.25	1	70	D&D Bldg 707
P218089	4/3/02	GW08184RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.36	1	0.473	D&D Bldg 707
P218089	4/3/02	GW08184RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.24	1	5	D&D Bldg 707
P218089	4/3/02	GW08184RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.43	1		D&D Bldg 707
P218089	4/3/02	GW08184RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.26	1	2	D&D Bldg 707
P219089	5/15/02	GW08281RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
P219089	5/15/02	GW08281RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	200	D&D Bldg 771
P219089	5/15/02	GW08281RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	0.426	D&D Bldg 771
P219089	5/15/02	GW08281RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 771
P219089	5/15/02	GW08281RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	5	UG/L	U	V	5	1		D&D Bldg 771
P219089	5/15/02	GW08281RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	3650	D&D Bldg 771
P219089	5/15/02	GW08281RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	7	D&D Bldg 771
P219089	5/15/02	GW08281RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
P219089	5/15/02	GW08281RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 771
P219089	5/15/02	GW08281RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
P219089	5/15/02	GW08281RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	70	D&D Bldg 771
P219089	5/15/02	GW08281RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
P219089	5/15/02	GW08281RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	600	D&D Bldg 771
P219089	5/15/02	GW08281RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 771
P219089	5/15/02	GW08281RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 771
P219089	5/15/02	GW08281RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	600	D&D Bldg 771
P219089	5/15/02	GW08281RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
P219089	5/15/02	GW08281RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	75	D&D Bldg 771
P219089	5/15/02	GW08281RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
P219089	5/15/02	GW08281RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V	10	1	21900	D&D Bldg 771
P219089	5/15/02	GW08281RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V	10	1		D&D Bldg 771
P219089	5/15/02	GW08281RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
P219089	5/15/02	GW08281RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V	10	1	2920	D&D Bldg 771
P219089	5/15/02	GW08281RG	ACETONE	REAL	TR1	10	UG/L	U	V	10	1	3650	D&D Bldg 771
P219089	5/15/02	GW08281RG	BENZENE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 771
P219089	5/15/02	GW08281RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
P219089	5/15/02	GW08281RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
P219089	5/15/02	GW08281RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
P219089	5/15/02	GW08281RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
P219089	5/15/02	GW08281RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	100	D&D Bldg 771
P219089	5/15/02	GW08281RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	1	1	100	D&D Bldg 771
P219089	5/15/02	GW08281RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1	51.1	D&D Bldg 771
P219089	5/15/02	GW08281RG	CARBON DISULFIDE	REAL	TR1	5	UG/L	U	V	5	1	3650	D&D Bldg 771
P219089	5/15/02	GW08281RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 771
P219089	5/15/02	GW08281RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V	1	1	100	D&D Bldg 771
P219089	5/15/02	GW08281RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	29.4	D&D Bldg 771
P219089	5/15/02	GW08281RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V	1	1	100	D&D Bldg 771
P219089	5/15/02	GW08281RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	6.55	D&D Bldg 771
P219089	5/15/02	GW08281RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70	D&D Bldg 771
P219089	5/15/02	GW08281RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473	D&D Bldg 771
P219089	5/15/02	GW08281RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	1.01	D&D Bldg 771
P219089	5/15/02	GW08281RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
P219089	5/15/02	GW08281RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
P219089	5/15/02	GW08281RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1	700	D&D Bldg 771
P219089	5/15/02	GW08281RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	1	1	1.09	D&D Bldg 771
P219089	5/15/02	GW08281RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
P219089	5/15/02	GW08281RG	METHYLENE CHLORIDE	REAL	TR1	3.7	UG/L	B	U	1	1	5	D&D Bldg 771
P219089	5/15/02	GW08281RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V	1	1	1460	D&D Bldg 771
P219089	5/15/02	GW08281RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
P219089	5/15/02	GW08281RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
P219089	5/15/02	GW08281RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
P219089	5/15/02	GW08281RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
P219089	5/15/02	GW08281RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V	1	1	0.2	D&D Bldg 771
P219089	5/15/02	GW08281RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
P219089	5/15/02	GW08281RG	STYRENE	REAL	TR1	1	UG/L	U	V	1	1	100	D&D Bldg 771
P219089	5/15/02	GW08281RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V	1	1		D&D Bldg 771
P219089	5/15/02	GW08281RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 771
P219089	5/15/02	GW08281RG	TOLUENE	REAL	TR1	1	UG/L	U	V	1	1	1000	D&D Bldg 771
P219089	5/15/02	GW08281RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	V	3	1	10000	D&D Bldg 771
P219089	5/15/02	GW08281RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70	D&D Bldg 771
P219089	5/15/02	GW08281RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473	D&D Bldg 771
P219089	5/15/02	GW08281RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	5	D&D Bldg 771
P219089	5/15/02	GW08281RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ	1	1		D&D Bldg 771
P219089	5/15/02	GW08281RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	2	D&D Bldg 771
P219189	4/24/02	GW08206RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Plume Definition
P219189	4/24/02	GW08206RG	1,1,1-TRICHLOROETHANE	REAL	TR1	2.2	UG/L		V1	0.23	1	200	Plume Definition
P219189	4/24/02	GW08206RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	Plume Definition
P219189	4/24/02	GW08206RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	Plume Definition
P219189	4/24/02	GW08206RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		Plume Definition
P219189	4/24/02	GW08206RG	1,1-DICHLOROETHANE	REAL	TR1	27.5	UG/L		V1	0.22	1	3650	Plume Definition
P219189	4/24/02	GW08206RG	1,1-DICHLOROETHENE	REAL	TR1	31.2	UG/L		V1	0.19	1	7	Plume Definition
P219189	4/24/02	GW08206RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		Plume Definition
P219189	4/24/02	GW08206RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		Plume Definition
P219189	4/24/02	GW08206RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		Plume Definition
P219189	4/24/02	GW08206RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	Plume Definition
P219189	4/24/02	GW08206RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Plume Definition
P219189	4/24/02	GW08206RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	Plume Definition
P219189	4/24/02	GW08206RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	Plume Definition
P219189	4/24/02	GW08206RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	Plume Definition
P219189	4/24/02	GW08206RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	Plume Definition
P219189	4/24/02	GW08206RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		Plume Definition
P219189	4/24/02	GW08206RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	Plume Definition
P219189	4/24/02	GW08206RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		Plume Definition
P219189	4/24/02	GW08206RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	Plume Definition
P219189	4/24/02	GW08206RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		Plume Definition
P219189	4/24/02	GW08206RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		Plume Definition
P219189	4/24/02	GW08206RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	Plume Definition
P219189	4/24/02	GW08206RG	ACETONE	REAL	TR1	10	UG/L	U	UJ1	3.4	1	3650	Plume Definition
P219189	4/24/02	GW08206RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	Plume Definition
P219189	4/24/02	GW08206RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		Plume Definition
P219189	4/24/02	GW08206RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		Plume Definition
P219189	4/24/02	GW08206RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		Plume Definition
P219189	4/24/02	GW08206RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		Plume Definition
P219189	4/24/02	GW08206RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	Plume Definition
P219189	4/24/02	GW08206RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	Plume Definition
P219189	4/24/02	GW08206RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.99	1	51.1	Plume Definition
P219189	4/24/02	GW08206RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	UJ1	0.35	1	3650	Plume Definition
P219189	4/24/02	GW08206RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	Plume Definition
P219189	4/24/02	GW08206RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	Plume Definition
P219189	4/24/02	GW08206RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	UJ1	0.94	1	29.4	Plume Definition

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
P219189	4/24/02	GW08206RG	CHLOROFORM	REAL	TR1	1.01	UG/L		V1	0.21	1	100	Plume Definition
P219189	4/24/02	GW08206RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	Plume Definition
P219189	4/24/02	GW08206RG	cis-1,2-DICHLOROETHENE	REAL	TR1	0.65	UG/L	J	V1	0.15	1	70	Plume Definition
P219189	4/24/02	GW08206RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	Plume Definition
P219189	4/24/02	GW08206RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	Plume Definition
P219189	4/24/02	GW08206RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		Plume Definition
P219189	4/24/02	GW08206RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		Plume Definition
P219189	4/24/02	GW08206RG	ETHANE, 1,2-DICHLORO-1,1,2-T	REAL	TR1	3	UG/L		V1	0	1		Plume Definition
P219189	4/24/02	GW08206RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	Plume Definition
P219189	4/24/02	GW08206RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	Plume Definition
P219189	4/24/02	GW08206RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		Plume Definition
P219189	4/24/02	GW08206RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	Plume Definition
P219189	4/24/02	GW08206RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	Plume Definition
P219189	4/24/02	GW08206RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		Plume Definition
P219189	4/24/02	GW08206RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		Plume Definition
P219189	4/24/02	GW08206RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		Plume Definition
P219189	4/24/02	GW08206RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		Plume Definition
P219189	4/24/02	GW08206RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	Plume Definition
P219189	4/24/02	GW08206RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		Plume Definition
P219189	4/24/02	GW08206RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	Plume Definition
P219189	4/24/02	GW08206RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		Plume Definition
P219189	4/24/02	GW08206RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	Plume Definition
P219189	4/24/02	GW08206RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	Plume Definition
P219189	4/24/02	GW08206RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	Plume Definition
P219189	4/24/02	GW08206RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	Plume Definition
P219189	4/24/02	GW08206RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	Plume Definition
P219189	4/24/02	GW08206RG	TRICHLOROETHENE	REAL	TR1	0.33	UG/L	J	V1	0.23	1	5	Plume Definition
P219189	4/24/02	GW08206RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Plume Definition
P219189	4/24/02	GW08206RG	UNKNOW CHORONATED COMPOUND	REAL	TR1	3	UG/L		V1	0	1		Plume Definition
P219189	4/24/02	GW08206RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	Plume Definition
P219489	4/23/02	GW08207RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Plume Extent
P219489	4/23/02	GW08207RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	Plume Extent
P219489	4/23/02	GW08207RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	Plume Extent
P219489	4/23/02	GW08207RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	Plume Extent
P219489	4/23/02	GW08207RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		Plume Extent
P219489	4/23/02	GW08207RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	Plume Extent
P219489	4/23/02	GW08207RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	Plume Extent
P219489	4/23/02	GW08207RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		Plume Extent
P219489	4/23/02	GW08207RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1		Plume Extent
P219489	4/23/02	GW08207RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		Plume Extent
P219489	4/23/02	GW08207RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	70	Plume Extent
P219489	4/23/02	GW08207RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Plume Extent
P219489	4/23/02	GW08207RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.17	1	600	Plume Extent
P219489	4/23/02	GW08207RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	Plume Extent
P219489	4/23/02	GW08207RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	Plume Extent
P219489	4/23/02	GW08207RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.096	1	600	Plume Extent
P219489	4/23/02	GW08207RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		Plume Extent
P219489	4/23/02	GW08207RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.12	1	75	Plume Extent
P219489	4/23/02	GW08207RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	UJ1	0.65	1		Plume Extent
P219489	4/23/02	GW08207RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	Plume Extent
P219489	4/23/02	GW08207RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		Plume Extent
P219489	4/23/02	GW08207RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		Plume Extent
P219489	4/23/02	GW08207RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	Plume Extent
P219489	4/23/02	GW08207RG	ACETONE	REAL	TR1	10	UG/L	U	V1	3.4	1	3650	Plume Extent
P219489	4/23/02	GW08207RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	5	Plume Extent
P219489	4/23/02	GW08207RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.25	1		Plume Extent
P219489	4/23/02	GW08207RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.19	1		Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
P219489	4/23/02	GW08207RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.16	1		Plume Extent
P219489	4/23/02	GW08207RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		Plume Extent
P219489	4/23/02	GW08207RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	Plume Extent
P219489	4/23/02	GW08207RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	Plume Extent
P219489	4/23/02	GW08207RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	Plume Extent
P219489	4/23/02	GW08207RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	3650	Plume Extent
P219489	4/23/02	GW08207RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	UJ1	0.38	1	5	Plume Extent
P219489	4/23/02	GW08207RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	100	Plume Extent
P219489	4/23/02	GW08207RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	Plume Extent
P219489	4/23/02	GW08207RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.21	1	100	Plume Extent
P219489	4/23/02	GW08207RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	Plume Extent
P219489	4/23/02	GW08207RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	Plume Extent
P219489	4/23/02	GW08207RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	Plume Extent
P219489	4/23/02	GW08207RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	Plume Extent
P219489	4/23/02	GW08207RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		Plume Extent
P219489	4/23/02	GW08207RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		Plume Extent
P219489	4/23/02	GW08207RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1	700	Plume Extent
P219489	4/23/02	GW08207RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	Plume Extent
P219489	4/23/02	GW08207RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.2	1		Plume Extent
P219489	4/23/02	GW08207RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	Plume Extent
P219489	4/23/02	GW08207RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1	1460	Plume Extent
P219489	4/23/02	GW08207RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1		Plume Extent
P219489	4/23/02	GW08207RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.19	1		Plume Extent
P219489	4/23/02	GW08207RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		Plume Extent
P219489	4/23/02	GW08207RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.21	1		Plume Extent
P219489	4/23/02	GW08207RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	Plume Extent
P219489	4/23/02	GW08207RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1		Plume Extent
P219489	4/23/02	GW08207RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.22	1	100	Plume Extent
P219489	4/23/02	GW08207RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.25	1		Plume Extent
P219489	4/23/02	GW08207RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	Plume Extent
P219489	4/23/02	GW08207RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.15	1	1000	Plume Extent
P219489	4/23/02	GW08207RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.19	1	10000	Plume Extent
P219489	4/23/02	GW08207RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	Plume Extent
P219489	4/23/02	GW08207RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	Plume Extent
P219489	4/23/02	GW08207RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.23	1	5	Plume Extent
P219489	4/23/02	GW08207RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Plume Extent
P219489	4/23/02	GW08207RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	Plume Extent
P317989	6/5/02	GW08308RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 886/865
P317989	6/5/02	GW08308RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		D&D Bldg 886/865
P317989	6/5/02	GW08308RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 886/865
P317989	6/5/02	GW08308RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.78	1		D&D Bldg 886/865
P317989	6/5/02	GW08308RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 886/865
P317989	6/5/02	GW08308RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.3	1	70	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 886/865
P317989	6/5/02	GW08308RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.17	1	600	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.096	1	600	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 886/865
P317989	6/5/02	GW08308RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.12	1	75	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		D&D Bldg 886/865
P317989	6/5/02	GW08308RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	D&D Bldg 886/865

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
P317989	6/5/02	GW08308RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		D&D Bldg 886/865
P317989	6/5/02	GW08308RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 886/865
P317989	6/5/02	GW08308RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	ACETONE	REAL	TR1	10	UG/L	U	V1	3.4	1	3650	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	BENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1	5	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V1	0.25	1		D&D Bldg 886/865
P317989	6/5/02	GW08308RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V1	0.19	1		D&D Bldg 886/865
P317989	6/5/02	GW08308RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V1	0.16	1		D&D Bldg 886/865
P317989	6/5/02	GW08308RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		D&D Bldg 886/865
P317989	6/5/02	GW08308RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	UJ1	0.35	1	3650	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.23	1	100	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.21	1	100	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		D&D Bldg 886/865
P317989	6/5/02	GW08308RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		D&D Bldg 886/865
P317989	6/5/02	GW08308RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.2	1	700	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.2	1		D&D Bldg 886/865
P317989	6/5/02	GW08308RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V1	0.25	1	1460	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.15	1		D&D Bldg 886/865
P317989	6/5/02	GW08308RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.19	1		D&D Bldg 886/865
P317989	6/5/02	GW08308RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.23	1		D&D Bldg 886/865
P317989	6/5/02	GW08308RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 886/865
P317989	6/5/02	GW08308RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.31	1		D&D Bldg 886/865
P317989	6/5/02	GW08308RG	STYRENE	REAL	TR1	1	UG/L	U	V1	0.22	1	100	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.25	1		D&D Bldg 886/865
P317989	6/5/02	GW08308RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	TOLUENE	REAL	TR1	1	UG/L	U	V1	0.15	1	1000	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	V1	0.19	1	10000	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1	5	D&D Bldg 886/865
P317989	6/5/02	GW08308RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		D&D Bldg 886/865
P317989	6/5/02	GW08308RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	D&D Bldg 886/865
P416689	4/29/02	GW08208RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1		Plume Extent
P416689	4/29/02	GW08208RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.32	1	200	Plume Extent
P416689	4/29/02	GW08208RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.5	1	0.426	Plume Extent
P416689	4/29/02	GW08208RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.41	1	5	Plume Extent
P416689	4/29/02	GW08208RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.56	1		Plume Extent
P416689	4/29/02	GW08208RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.29	1	3650	Plume Extent
P416689	4/29/02	GW08208RG	1,1-DICHLOROETHENE	REAL	TR1	0.53	UG/L	J	V1	0.31	1	7	Plume Extent
P416689	4/29/02	GW08208RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.29	1		Plume Extent
P416689	4/29/02	GW08208RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.62	1		Plume Extent
P416689	4/29/02	GW08208RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.76	1		Plume Extent
P416689	4/29/02	GW08208RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.63	1	70	Plume Extent
P416689	4/29/02	GW08208RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		Plume Extent
P416689	4/29/02	GW08208RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	600	Plume Extent

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
P416689	4/29/02	GW08208RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.43	1	5	Plume Extent
P416689	4/29/02	GW08208RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	Plume Extent
P416689	4/29/02	GW08208RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1	600	Plume Extent
P416689	4/29/02	GW08208RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.37	1		Plume Extent
P416689	4/29/02	GW08208RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.31	1	75	Plume Extent
P416689	4/29/02	GW08208RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.37	1		Plume Extent
P416689	4/29/02	GW08208RG	2-BUTANONE	REAL	TR1	5	UG/L	U	V1	2.4	1	21900	Plume Extent
P416689	4/29/02	GW08208RG	2-HEXANONE	REAL	TR1	5	UG/L	U	V1	1.8	1		Plume Extent
P416689	4/29/02	GW08208RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.32	1		Plume Extent
P416689	4/29/02	GW08208RG	4-METHYL-2-PENTANONE	REAL	TR1	5	UG/L	U	V1	1.8	1	2920	Plume Extent
P416689	4/29/02	GW08208RG	ACETONE	REAL	TR1	10	UG/L	U	V1	2.9	1	3650	Plume Extent
P416689	4/29/02	GW08208RG	BENZENE	REAL	TR1	1	UG/L	U	UJ1	0.27	1	5	Plume Extent
P416689	4/29/02	GW08208RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ1	0.3	1		Plume Extent
P416689	4/29/02	GW08208RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ1	0.31	1		Plume Extent
P416689	4/29/02	GW08208RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.32	1		Plume Extent
P416689	4/29/02	GW08208RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.39	1		Plume Extent
P416689	4/29/02	GW08208RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.35	1	100	Plume Extent
P416689	4/29/02	GW08208RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.46	1	100	Plume Extent
P416689	4/29/02	GW08208RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	51.1	Plume Extent
P416689	4/29/02	GW08208RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	V1	0.67	1	3650	Plume Extent
P416689	4/29/02	GW08208RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.35	1	5	Plume Extent
P416689	4/29/02	GW08208RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.24	1	100	Plume Extent
P416689	4/29/02	GW08208RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	29.4	Plume Extent
P416689	4/29/02	GW08208RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.29	1	100	Plume Extent
P416689	4/29/02	GW08208RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	Plume Extent
P416689	4/29/02	GW08208RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.33	1	70	Plume Extent
P416689	4/29/02	GW08208RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.31	1	0.473	Plume Extent
P416689	4/29/02	GW08208RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.37	1	1.01	Plume Extent
P416689	4/29/02	GW08208RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.4	1		Plume Extent
P416689	4/29/02	GW08208RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.44	1		Plume Extent
P416689	4/29/02	GW08208RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.51	1	700	Plume Extent
P416689	4/29/02	GW08208RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.37	1	1.09	Plume Extent
P416689	4/29/02	GW08208RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.3	1		Plume Extent
P416689	4/29/02	GW08208RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.86	1	5	Plume Extent
P416689	4/29/02	GW08208RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	UJ1	0.78	1	1460	Plume Extent
P416689	4/29/02	GW08208RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.41	1		Plume Extent
P416689	4/29/02	GW08208RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.33	1		Plume Extent
P416689	4/29/02	GW08208RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.23	1		Plume Extent
P416689	4/29/02	GW08208RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		Plume Extent
P416689	4/29/02	GW08208RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.49	1	0.2	Plume Extent
P416689	4/29/02	GW08208RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.34	1		Plume Extent
P416689	4/29/02	GW08208RG	STYRENE	REAL	TR1	1	UG/L	U	UJ1	0.28	1	100	Plume Extent
P416689	4/29/02	GW08208RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ1	0.29	1		Plume Extent
P416689	4/29/02	GW08208RG	TETRACHLOROETHENE	REAL	TR1	1.5	UG/L		V1	0.27	1	5	Plume Extent
P416689	4/29/02	GW08208RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ1	0.26	1	1000	Plume Extent
P416689	4/29/02	GW08208RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	UJ1	0.73	1	10000	Plume Extent
P416689	4/29/02	GW08208RG	trans-1,2-DICHLOROETHENE	REAL	TR1	0.5	UG/L	U	V1	0.25	1	70	Plume Extent
P416689	4/29/02	GW08208RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.36	1	0.473	Plume Extent
P416689	4/29/02	GW08208RG	TRICHLOROETHENE	REAL	TR1	1.6	UG/L		V1	0.24	1	5	Plume Extent
P416689	4/29/02	GW08208RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.43	1		Plume Extent
P416689	4/29/02	GW08208RG	UNKNOWN	REAL	TR1	3.7	UG/L	J	V1		1		Plume Extent
P416689	4/29/02	GW08208RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.26	1	2	Plume Extent
P416889	5/9/02	GW08210RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
P416889	5/9/02	GW08210RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	200	Plume Definition
P416889	5/9/02	GW08210RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	0.426	Plume Definition
P416889	5/9/02	GW08210RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5	Plume Definition
P416889	5/9/02	GW08210RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	403	UG/L		V	5	1		Plume Definition

309

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
P416889	5/9/02	GW08210RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	3650	Plume Definition
P416889	5/9/02	GW08210RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	7	Plume Definition
P416889	5/9/02	GW08210RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
P416889	5/9/02	GW08210RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		Plume Definition
P416889	5/9/02	GW08210RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
P416889	5/9/02	GW08210RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	70	Plume Definition
P416889	5/9/02	GW08210RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
P416889	5/9/02	GW08210RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	600	Plume Definition
P416889	5/9/02	GW08210RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5	Plume Definition
P416889	5/9/02	GW08210RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1	5	Plume Definition
P416889	5/9/02	GW08210RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	600	Plume Definition
P416889	5/9/02	GW08210RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
P416889	5/9/02	GW08210RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	75	Plume Definition
P416889	5/9/02	GW08210RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
P416889	5/9/02	GW08210RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V	10	1	21900	Plume Definition
P416889	5/9/02	GW08210RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V	10	1		Plume Definition
P416889	5/9/02	GW08210RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
P416889	5/9/02	GW08210RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V	10	1	2920	Plume Definition
P416889	5/9/02	GW08210RG	ACETONE	REAL	TR1	10	UG/L	U	V	10	1	3650	Plume Definition
P416889	5/9/02	GW08210RG	BENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	5	Plume Definition
P416889	5/9/02	GW08210RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ	1	1		Plume Definition
P416889	5/9/02	GW08210RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ	1	1		Plume Definition
P416889	5/9/02	GW08210RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		Plume Definition
P416889	5/9/02	GW08210RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
P416889	5/9/02	GW08210RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	100	Plume Definition
P416889	5/9/02	GW08210RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	1	1	100	Plume Definition
P416889	5/9/02	GW08210RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1	51.1	Plume Definition
P416889	5/9/02	GW08210RG	CARBON DISULFIDE	REAL	TR1	5	UG/L	U	V	5	1	3650	Plume Definition
P416889	5/9/02	GW08210RG	CARBON TETRACHLORIDE	REAL	TR1	0.32	UG/L	J	V	1	1	5	Plume Definition
P416889	5/9/02	GW08210RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	100	Plume Definition
P416889	5/9/02	GW08210RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	29.4	Plume Definition
P416889	5/9/02	GW08210RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V	1	1	100	Plume Definition
P416889	5/9/02	GW08210RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	6.55	Plume Definition
P416889	5/9/02	GW08210RG	cis-1,2-DICHLOROETHENE	REAL	TR1	3.9	UG/L		V	1	1	70	Plume Definition
P416889	5/9/02	GW08210RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473	Plume Definition
P416889	5/9/02	GW08210RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	1.01	Plume Definition
P416889	5/9/02	GW08210RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
P416889	5/9/02	GW08210RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ	1	1		Plume Definition
P416889	5/9/02	GW08210RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	700	Plume Definition
P416889	5/9/02	GW08210RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	1	1	1.09	Plume Definition
P416889	5/9/02	GW08210RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		Plume Definition
P416889	5/9/02	GW08210RG	METHYLENE CHLORIDE	REAL	TR1	2.2	UG/L	B	V	1	1	5	Plume Definition
P416889	5/9/02	GW08210RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V	1	1	1460	Plume Definition
P416889	5/9/02	GW08210RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		Plume Definition
P416889	5/9/02	GW08210RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		Plume Definition
P416889	5/9/02	GW08210RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
P416889	5/9/02	GW08210RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		Plume Definition
P416889	5/9/02	GW08210RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V	1	1	0.2	Plume Definition
P416889	5/9/02	GW08210RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		Plume Definition
P416889	5/9/02	GW08210RG	STYRENE	REAL	TR1	1	UG/L	U	V	1	1	100	Plume Definition
P416889	5/9/02	GW08210RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		Plume Definition
P416889	5/9/02	GW08210RG	TETRACHLOROETHENE	REAL	TR1	49.4	UG/L		V	1	1	5	Plume Definition
P416889	5/9/02	GW08210RG	TOLUENE	REAL	TR1	1	UG/L	U	UJ	1	1	1000	Plume Definition
P416889	5/9/02	GW08210RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	UJ	3	1	10000	Plume Definition
P416889	5/9/02	GW08210RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70	Plume Definition
P416889	5/9/02	GW08210RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473	Plume Definition
P416889	5/9/02	GW08210RG	TRICHLOROETHENE	REAL	TR1	3.5	UG/L		V	1	1	5	Plume Definition

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
P416889	5/9/02	GW08210RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ	1	1		Plume Definition
P416889	5/9/02	GW08210RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	2	Plume Definition
SW085	6/4/02	SW08294RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Non-IMP D&D 779
SW085	6/4/02	SW08294RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.23	1	200	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.24	1	0.426	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.28	1	5	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	1	UG/L	U	V1	0.2	1		Non-IMP D&D 779
SW085	6/4/02	SW08294RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	3650	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.19	1	7	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.23	1		Non-IMP D&D 779
SW085	6/4/02	SW08294RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.78	1		Non-IMP D&D 779
SW085	6/4/02	SW08294RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.23	1		Non-IMP D&D 779
SW085	6/4/02	SW08294RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.3	1	70	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Non-IMP D&D 779
SW085	6/4/02	SW08294RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.17	1	600	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.22	1	5	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.17	1	5	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.096	1	600	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.15	1		Non-IMP D&D 779
SW085	6/4/02	SW08294RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.12	1	75	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V1	0.65	1		Non-IMP D&D 779
SW085	6/4/02	SW08294RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V1	4.4	1	21900	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V1	1.4	1		Non-IMP D&D 779
SW085	6/4/02	SW08294RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V1	0.15	1		Non-IMP D&D 779
SW085	6/4/02	SW08294RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V1	1.7	1	2920	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	ACETONE	REAL	TR1	10	UG/L	U	UJ1	3.4	1	3650	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	BENZENE	REAL	TR1	1	UG/L	U	V1	0.26	1	5	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	V1	0.25	1		Non-IMP D&D 779
SW085	6/4/02	SW08294RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	V1	0.19	1		Non-IMP D&D 779
SW085	6/4/02	SW08294RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	V1	0.16	1		Non-IMP D&D 779
SW085	6/4/02	SW08294RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.46	1		Non-IMP D&D 779
SW085	6/4/02	SW08294RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1	100	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	BROMOFORM	REAL	TR1	1	UG/L	U	V1	0.4	1	100	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.99	1	51.1	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	CARBON DISULFIDE	REAL	TR1	1	UG/L	U	UJ1	0.35	1	3650	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V1	0.38	1	5	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	V1	0.23	1	100	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V1	0.94	1	29.4	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V1	0.21	1	100	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.26	1	6.55	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	cis-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.15	1	70	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.17	1	0.473	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.54	1	1.01	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V1	0.55	1		Non-IMP D&D 779
SW085	6/4/02	SW08294RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ1	0.26	1		Non-IMP D&D 779
SW085	6/4/02	SW08294RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.2	1	700	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V1	0.65	1	1.09	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.2	1		Non-IMP D&D 779
SW085	6/4/02	SW08294RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.82	1	5	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V1	0.25	1	1460	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.15	1		Non-IMP D&D 779
SW085	6/4/02	SW08294RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.19	1		Non-IMP D&D 779
SW085	6/4/02	SW08294RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.23	1		Non-IMP D&D 779
SW085	6/4/02	SW08294RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V1	0.21	1		Non-IMP D&D 779
SW085	6/4/02	SW08294RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V1	0.56	1	0.2	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.31	1		Non-IMP D&D 779
SW085	6/4/02	SW08294RG	STYRENE	REAL	TR1	1	UG/L	U	V1	0.22	1	100	Non-IMP D&D 779

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
SW085	6/4/02	SW08294RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	V1	0.25	1		Non-IMP D&D 779
SW085	6/4/02	SW08294RG	TETRACHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.56	1	5	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	TOLUENE	REAL	TR1	1	UG/L	U	V1	0.15	1	1000	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	TOTAL XYLENES	REAL	TR1	1	UG/L	U	V1	0.19	1	10000	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.092	1	70	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V1	0.22	1	0.473	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	TRICHLOROETHENE	REAL	TR1	1	UG/L	U	V1	0.23	1	5	Non-IMP D&D 779
SW085	6/4/02	SW08294RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	V1	0.21	1		Non-IMP D&D 779
SW085	6/4/02	SW08294RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V1	0.25	1	2	Non-IMP D&D 779
SW13494	5/13/02	SW08299RG	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1		Perf Monitoring
SW13494	5/13/02	SW08299RG	1,1,1-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	200	Perf Monitoring
SW13494	5/13/02	SW08299RG	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	0.426	Perf Monitoring
SW13494	5/13/02	SW08299RG	1,1,2-TRICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5	Perf Monitoring
SW13494	5/13/02	SW08299RG	1,1,2-TRICHLOROTRIFLUOROETHANE	REAL	TR1	5	UG/L	U	V	5	1		Perf Monitoring
SW13494	5/13/02	SW08299RG	1,1-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	3650	Perf Monitoring
SW13494	5/13/02	SW08299RG	1,1-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	7	Perf Monitoring
SW13494	5/13/02	SW08299RG	1,1-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1		Perf Monitoring
SW13494	5/13/02	SW08299RG	1,2,3-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
SW13494	5/13/02	SW08299RG	1,2,3-TRICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		Perf Monitoring
SW13494	5/13/02	SW08299RG	1,2,4-TRICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	70	Perf Monitoring
SW13494	5/13/02	SW08299RG	1,2-DIBROMOETHANE	REAL	TR1	1	UG/L	U	V	1	1		Perf Monitoring
SW13494	5/13/02	SW08299RG	1,2-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	600	Perf Monitoring
SW13494	5/13/02	SW08299RG	1,2-DICHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	5	Perf Monitoring
SW13494	5/13/02	SW08299RG	1,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1	5	Perf Monitoring
SW13494	5/13/02	SW08299RG	1,3-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	600	Perf Monitoring
SW13494	5/13/02	SW08299RG	1,3-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		Perf Monitoring
SW13494	5/13/02	SW08299RG	1,4-DICHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	75	Perf Monitoring
SW13494	5/13/02	SW08299RG	2,2-DICHLOROPROPANE	REAL	TR1	1	UG/L	U	V	1	1		Perf Monitoring
SW13494	5/13/02	SW08299RG	2-BUTANONE	REAL	TR1	10	UG/L	U	V	10	1	21900	Perf Monitoring
SW13494	5/13/02	SW08299RG	2-HEXANONE	REAL	TR1	10	UG/L	U	V	10	1		Perf Monitoring
SW13494	5/13/02	SW08299RG	4-ISOPROPYLTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		Perf Monitoring
SW13494	5/13/02	SW08299RG	4-METHYL-2-PENTANONE	REAL	TR1	10	UG/L	U	V	10	1	2920	Perf Monitoring
SW13494	5/13/02	SW08299RG	ACETONE	REAL	TR1	7.2	UG/L	JB	JB	10	1	3650	Perf Monitoring
SW13494	5/13/02	SW08299RG	BENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	5	Perf Monitoring
SW13494	5/13/02	SW08299RG	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
SW13494	5/13/02	SW08299RG	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
SW13494	5/13/02	SW08299RG	BROMOBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
SW13494	5/13/02	SW08299RG	BROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1		Perf Monitoring
SW13494	5/13/02	SW08299RG	BROMODICHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	100	Perf Monitoring
SW13494	5/13/02	SW08299RG	BROMOFORM	REAL	TR1	1	UG/L	U	V	1	1	100	Perf Monitoring
SW13494	5/13/02	SW08299RG	BROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1	51.1	Perf Monitoring
SW13494	5/13/02	SW08299RG	CARBON DISULFIDE	REAL	TR1	5	UG/L	U	V	5	1	3650	Perf Monitoring
SW13494	5/13/02	SW08299RG	CARBON TETRACHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5	Perf Monitoring
SW13494	5/13/02	SW08299RG	CHLOROBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	100	Perf Monitoring
SW13494	5/13/02	SW08299RG	CHLOROETHANE	REAL	TR1	1	UG/L	U	V	1	1	29.4	Perf Monitoring
SW13494	5/13/02	SW08299RG	CHLOROFORM	REAL	TR1	1	UG/L	U	V	1	1	100	Perf Monitoring
SW13494	5/13/02	SW08299RG	CHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	6.55	Perf Monitoring
SW13494	5/13/02	SW08299RG	cis-1,2-DICHLOROETHENE	REAL	TR1	0.77	UG/L	J	V	1	1	70	Perf Monitoring
SW13494	5/13/02	SW08299RG	cis-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473	Perf Monitoring
SW13494	5/13/02	SW08299RG	DIBROMOCHLOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1	1.01	Perf Monitoring
SW13494	5/13/02	SW08299RG	DIBROMOMETHANE	REAL	TR1	1	UG/L	U	V	1	1		Perf Monitoring
SW13494	5/13/02	SW08299RG	DICHLORODIFLUOROMETHANE	REAL	TR1	1	UG/L	U	V	1	1		Perf Monitoring
SW13494	5/13/02	SW08299RG	ETHYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1	700	Perf Monitoring
SW13494	5/13/02	SW08299RG	HEXACHLOROBUTADIENE	REAL	TR1	1	UG/L	U	V	1	1	1.09	Perf Monitoring
SW13494	5/13/02	SW08299RG	ISOPROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
SW13494	5/13/02	SW08299RG	METHYLENE CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	5	Perf Monitoring
SW13494	5/13/02	SW08299RG	NAPHTHALENE	REAL	TR1	1	UG/L	U	V	1	1	1460	Perf Monitoring

312

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Qual	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
SW13494	5/13/02	SW08299RG	n-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
SW13494	5/13/02	SW08299RG	n-PROPYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
SW13494	5/13/02	SW08299RG	o-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		Perf Monitoring
SW13494	5/13/02	SW08299RG	p-CHLOROTOLUENE	REAL	TR1	1	UG/L	U	V	1	1		Perf Monitoring
SW13494	5/13/02	SW08299RG	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1	UG/L	U	V	1	1	0.2	Perf Monitoring
SW13494	5/13/02	SW08299RG	sec-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
SW13494	5/13/02	SW08299RG	STYRENE	REAL	TR1	1	UG/L	U	V	1	1	100	Perf Monitoring
SW13494	5/13/02	SW08299RG	tert-BUTYLBENZENE	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
SW13494	5/13/02	SW08299RG	TETRACHLOROETHENE	REAL	TR1	30.5	UG/L	B	V	1	1	5	Perf Monitoring
SW13494	5/13/02	SW08299RG	TOLUENE	REAL	TR1	1	UG/L	U	V	1	1	1000	Perf Monitoring
SW13494	5/13/02	SW08299RG	TOTAL XYLENES	REAL	TR1	3	UG/L	U	V	3	1	10000	Perf Monitoring
SW13494	5/13/02	SW08299RG	trans-1,2-DICHLOROETHENE	REAL	TR1	1	UG/L	U	V	1	1	70	Perf Monitoring
SW13494	5/13/02	SW08299RG	trans-1,3-DICHLOROPROPENE	REAL	TR1	1	UG/L	U	V	1	1	0.473	Perf Monitoring
SW13494	5/13/02	SW08299RG	TRICHLOROETHENE	REAL	TR1	2.2	UG/L		V	1	1	5	Perf Monitoring
SW13494	5/13/02	SW08299RG	TRICHLOROFLUOROMETHANE	REAL	TR1	1	UG/L	U	UJ	1	1		Perf Monitoring
SW13494	5/13/02	SW08299RG	VINYL CHLORIDE	REAL	TR1	1	UG/L	U	V	1	1	2	Perf Monitoring

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Result	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
Polychlorinated Biphenyls (PCBs)													
56001	4/23/02	GW08259RG	AROCLOR-1016	REAL	TR1	0.5	UG/L	U	V1	0.085	1	0.5	D&D Bldg 559
56001	4/23/02	GW08259RG	AROCLOR-1221	REAL	TR1	0.5	UG/L	U	V1	0.12	1	0.5	D&D Bldg 559
56001	4/23/02	GW08259RG	AROCLOR-1232	REAL	TR1	0.5	UG/L	U	V1	0.1	1	0.5	D&D Bldg 559
56001	4/23/02	GW08259RG	AROCLOR-1242	REAL	TR1	0.5	UG/L	U	V1	0.12	1	0.5	D&D Bldg 559
56001	4/23/02	GW08259RG	AROCLOR-1248	REAL	TR1	0.5	UG/L	U	V1	0.079	1	0.5	D&D Bldg 559
56001	4/23/02	GW08259RG	AROCLOR-1254	REAL	TR1	0.5	UG/L	U	V1	0.074	1	0.5	D&D Bldg 559
56001	4/23/02	GW08259RG	AROCLOR-1260	REAL	TR1	0.5	UG/L	U	V1	0.06	1	0.5	D&D Bldg 559
Water Quality Parameters (WQPs)													
30900	4/1/02	GW08182RG	Alkalinity,Total as CaCO3	REAL	TR1	341	MG/L		J	1.5	1		Plume Degradation
30900	5/2/02	GW08242RG	Alkalinity,Total as CaCO3	REAL	TR1	350	MG/L		J	1.5	1		Plume Degradation
18199	4/29/02	GW08252RG	CHLORIDE	REAL	DL1	85.8	MG/L		V	0.6	5		Plume Degradation
18499	4/30/02	GW08247RG	CHLORIDE	REAL	DL1	156	MG/L		V	0.6	5		Plume Degradation
18499	4/30/02	GW08248RG	CHLORIDE	DUP	DL1	156	MG/L		V	0.6	5		Plume Degradation
18799	6/18/02	GW08249RG	CHLORIDE	REAL	DL1	306	MG/L		V1	2.4	20		Plume Degradation
21098	5/1/02	GW08250RG	CHLORIDE	REAL	DL1	184	MG/L		V	0.6	5		Plume Extent
21098	5/1/02	GW08251RG	CHLORIDE	RNS	TR1	0.94	MG/L		V	0.12	1		Plume Extent
30900	4/1/02	GW08182RG	CHLORIDE	REAL	TR1	9.1	MG/L		V	0.81	1		Plume Degradation
30900	5/2/02	GW08242RG	CHLORIDE	REAL	TR1	6.9	MG/L		V	0.12	1		Plume Degradation
1386	4/19/02	GW08225RG	FLUORIDE	REAL	TR1	0.24	MG/L	J	V1	0.014	1	4	Plume Extent
1786	4/16/02	GW08226RG	FLUORIDE	REAL	TR1	1.08	MG/L		V	0.014	1	4	Plume Extent
4087	4/22/02	GW08227RG	FLUORIDE	REAL	TR1	2.5	MG/L		V	0.5	2	4	RCRA
4087	4/22/02	GW08227RG	FLUORIDE	REAL	TR2	2.6	MG/L		V	0.5	2	4	RCRA
5887	5/20/02	GW08228RG	FLUORIDE	REAL	TR1	0.25	MG/L	U	V1	0.25	1	4	RCRA
70193	5/21/02	GW08231RG	FLUORIDE	REAL	TR1	0.25	MG/L	U	V1	0.25	1	4	RCRA
70193	5/21/02	GW08232RG	FLUORIDE	RNS	TR1	0.25	MG/L	U	V1	0.25	1	4	RCRA
70393	5/21/02	GW08233RG	FLUORIDE	REAL	TR1	0.25	MG/L	U	V1	0.25	1	4	RCRA
70393	5/21/02	GW08234RG	FLUORIDE	DUP	TR1	0.25	MG/L	U	V1	0.25	1	4	RCRA
70493	5/17/02	GW08235RG	FLUORIDE	REAL	TR1	0.5	MG/L	U	V1	0.5	2	4	RCRA
70493	5/17/02	GW08235RG	FLUORIDE	REAL	TR2	0.5	MG/L	U	1	0.5	2	4	RCRA
B208789	4/24/02	GW08200RG	FLUORIDE	REAL	TR1	0.719	MG/L		V1	0.014	1	4	Plume Extent
P209289	5/31/02	GW08201RG	FLUORIDE	REAL	TR1	0.5	MG/L	U	V1	0.5	2	4	Plume Definition
P209489	4/30/02	GW08202RG	FLUORIDE	REAL	TR1	0.5	MG/L	U	V1	0.5	2	4	Plume Extent
P209489	4/30/02	GW08203RG	FLUORIDE	DUP	TR1	0.5	MG/L	U	V1	0.5	2	4	Plume Extent
P209489	4/30/02	GW08204RG	FLUORIDE	RNS	TR1	0.25	MG/L	U	V1	0.25	1	4	Plume Extent
18199	4/29/02	GW08252RG	NITRATE	REAL	TR1	0.43	MG/L	B	J	0.031	1	10	Plume Degradation
18499	4/30/02	GW08248RG	NITRATE	DUP	TR1	0.5	MG/L	U	UJ	0.031	1	10	Plume Degradation
18499	4/30/02	GW08247RG	NITRATE	REAL	TR1	0.5	MG/L	U	UJ	0.031	1	10	Plume Degradation
18799	6/18/02	GW08249RG	NITRATE	REAL	TR1	4	MG/L		V1	0.031	1	10	Plume Degradation
21098	5/1/02	GW08250RG	NITRATE	REAL	TR1	1.7	MG/L		V	0.031	1	10	Plume Extent
21098	5/1/02	GW08251RG	NITRATE	RNS	TR1	0.5	MG/L	U	V	0.031	1	10	Plume Extent
30900	4/1/02	GW08182RG	NITRATE	REAL	TR1	0.5	MG/L	U	J	0.12	1	10	Plume Degradation
30900	5/2/02	GW08242RG	NITRATE	REAL	TR1	0.5	MG/L	U	V	0.031	1	10	Plume Degradation
00100	4/18/02	GW08290RG	NITRATE/NITRITE	REAL	TR1	2.59	MG/L		V	0.007	1	10	D&D Bldg 779
00400	4/16/02	GW08283RG	NITRATE/NITRITE	REAL	TR1	2.46	MG/L		V	0.007	1	10	D&D Bldg 776/777
00500	4/30/02	GW08284RG	NITRATE/NITRITE	REAL	TR1	0.5	MG/L		V1	0.02	1	10	D&D Bldg 776/777
00500	4/30/02	GW08285RG	NITRATE/NITRITE	DUP	TR1	0.53	MG/L		V1	0.02	1	10	D&D Bldg 776/777
00500	4/30/02	GW08286RG	NITRATE/NITRITE	RNS	TR1	0.02	MG/L	U	V1	0.02	1	10	D&D Bldg 776/777
00600	4/16/02	GW08287RG	NITRATE/NITRITE	REAL	TR1	0.05	MG/L		UJ	0.007	1	10	D&D Bldg 776/777
00700	5/8/02	GW08288RG	NITRATE/NITRITE	REAL	TR1	1.3	MG/L		V	0.04	2	10	D&D Bldg 776/777
00897	5/8/02	GW08186RG	NITRATE/NITRITE	REAL	TR1	2.6	MG/L		V	0.1	5	10	Perf Monitoring
00897	5/8/02	GW08187RG	NITRATE/NITRITE	DUP	TR1	2.5	MG/L		V	0.1	5	10	Perf Monitoring
00897	5/8/02	GW08188RG	NITRATE/NITRITE	RNS	TR1	0.02	MG/L	U	V	0.02	1	10	Perf Monitoring
02291	5/14/02	GW08189RG	NITRATE/NITRITE	REAL	TR1	2.8	MG/L		V	0.1	5	10	Perf Monitoring
02397	5/30/02	GW08292RG	NITRATE/NITRITE	REAL	TR1	10.7	MG/L		V1	0.4	20	10	D&D Bldg 779
02497	6/10/02	GW08293RG	NITRATE/NITRITE	REAL	TR1	5.1	MG/L		V1	0.2	10	10	D&D Bldg 779
02500	4/18/02	GW08291RG	NITRATE/NITRITE	REAL	TR1	8.65	MG/L		V	0.035	5	10	D&D Bldg 779

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Result	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
0487	4/24/02	GW08320RG	NITRATE/NITRITE	REAL	TR1	1.7	MG/L		V	0.04	2	10	Plume Definition
11891	5/16/02	GW08194RG	NITRATE/NITRITE	REAL	TR1	4.5	MG/L		V1	0.2	10	10	Perf Monitoring
12191	4/17/02	GW08195RG	NITRATE/NITRITE	REAL	TR1	5.7	MG/L		V	0.035	5	10	Perf Monitoring
12191	4/17/02	GW08196RG	NITRATE/NITRITE	DUP	TR1	5.7	MG/L		V	0.035	5	10	Perf Monitoring
12191	4/17/02	GW08197RG	NITRATE/NITRITE	RNS	TR1	0.04	MG/L	J	UJ	0.007	1	10	Perf Monitoring
1386	4/19/02	GW08225RG	NITRATE/NITRITE	REAL	TR1	0.007	MG/L	U	V1	0.007	1	10	Plume Extent
1786	4/16/02	GW08226RG	NITRATE/NITRITE	REAL	TR1	315	MG/L		V	3.45	500	10	Plume Extent
1986	5/20/02	GW08190RG	NITRATE/NITRITE	REAL	TR1	0.03	MG/L		V1	0.02	1	10	Plume Extent
2186	6/17/02	GW08191RG	NITRATE/NITRITE	REAL	TR1	0.088	MG/L		V1	0.01	1	10	Plume Extent
22796	5/21/02	GW08198RG	NITRATE/NITRITE	REAL	TR1	3.2	MG/L		V1	0.2	10	10	Plume Extent
23296	4/29/02	GW08222RG	NITRATE/NITRITE	REAL	TR1	0.088	MG/L		V1	0.02	1	10	Plume Extent
3586	4/25/02	GW08216RG	NITRATE/NITRITE	REAL	TR1	0.02	MG/L	U	V1	0.02	1	10	Plume Extent
3687	5/22/02	GW08193RG	NITRATE/NITRITE	REAL	TR1	4.8	MG/L		V1	0.2	10	10	Perf Monitoring
37791	4/16/02	GW08103RG	NITRATE/NITRITE	REAL	TR1	0.36	MG/L		V1	0.007	1	10	D&D Bldg 881
4087	4/22/02	GW08227RG	NITRATE/NITRITE	REAL	TR1	0.28	MG/L		V1	0.007	1	10	RCRA
55901	4/23/02	GW08258RG	NITRATE/NITRITE	REAL	TR1	6.2	MG/L		V	0.2	10	10	D&D Bldg 559
56001	4/23/02	GW08259RG	NITRATE/NITRITE	REAL	TR1	1.4	MG/L		V	0.04	2	10	D&D Bldg 559
56101	4/23/02	GW08260RG	NITRATE/NITRITE	REAL	TR1	1.8	MG/L		V1	0.04	2	10	D&D Bldg 559
56201	5/7/02	GW08261RG	NITRATE/NITRITE	REAL	TR1	3.9	MG/L		V1	0.2	10	10	D&D Bldg 559
56201	5/7/02	GW08262RG	NITRATE/NITRITE	DUP	TR1	3.9	MG/L		V1	0.2	10	10	D&D Bldg 559
56201	5/7/02	GW08263RG	NITRATE/NITRITE	RNS	TR1	0.02	MG/L		V1	0.02	1	10	D&D Bldg 559
56301	5/7/02	GW08264RG	NITRATE/NITRITE	REAL	TR1	2	MG/L		V	0.1	5	10	D&D Bldg 559
5887	5/20/02	GW08228RG	NITRATE/NITRITE	REAL	TR1	3.7	MG/L		V1	0.2	10	10	RCRA
61099	5/15/02	GW08300RG	NITRATE/NITRITE	REAL	TR1	5.1	MG/L		V1	0.2	10	10	D&D Bldg 883
61199	5/14/02	GW08301RG	NITRATE/NITRITE	REAL	TR1	5.4	MG/L		V	0.2	10	10	D&D Bldg 883
70099	4/19/02	GW08223RG	NITRATE/NITRITE	REAL	TR1	0.57	MG/L		V1	0.007	1	10	Perf Monitoring
70193	5/21/02	GW08231RG	NITRATE/NITRITE	REAL	TR1	2.4	MG/L		V1	0.2	10	10	RCRA
70193	5/21/02	GW08232RG	NITRATE/NITRITE	RNS	TR1	0.02	MG/L	U	V1	0.02	1	10	RCRA
70299	4/19/02	GW08224RG	NITRATE/NITRITE	REAL	TR1	0.03	MG/L	J	V1	0.007	1	10	Perf Monitoring
70393	5/21/02	GW08233RG	NITRATE/NITRITE	REAL	TR1	5.3	MG/L		V1	0.2	10	10	RCRA
70393	5/21/02	GW08234RG	NITRATE/NITRITE	DUP	TR1	5.3	MG/L		V1	0.2	10	10	RCRA
70493	5/17/02	GW08235RG	NITRATE/NITRITE	REAL	TR1	2.2	MG/L		V1	0.2	10	10	RCRA
771 FD OUT #2	5/31/02	SW08282RG	NITRATE/NITRITE	REAL	TR1	3.8	MG/L		V1	0.2	10	10	D&D Bldg 771
771 FD OUT #2	5/31/02	SW08282RG	NITRATE/NITRITE	REAL	TR2	3.7	MG/L		1	0.2	10	10	D&D Bldg 771
83101	5/8/02	GW08302RG	NITRATE/NITRITE	REAL	TR1	5	MG/L		V	0.2	10	10	D&D Bldg 883/881
83201	5/8/02	GW08303RG	NITRATE/NITRITE	REAL	TR1	2.4	MG/L		V	0.1	5	10	D&D Bldg 883
86501	5/20/02	GW08304RG	NITRATE/NITRITE	REAL	TR1	3.2	MG/L		V1	0.2	10	10	D&D Bldg 865
86601	5/20/02	GW08305RG	NITRATE/NITRITE	REAL	TR1	0.56	MG/L		V1	0.02	1	10	D&D Bldg 865
86701	5/20/02	GW08306RG	NITRATE/NITRITE	REAL	TR1	1.5	MG/L		V1	0.1	5	10	D&D Bldg 865
99201	5/6/02	GW08311RG	NITRATE/NITRITE	REAL	TR1	2.7	MG/L		V1	0.2	10	10	D&D Bldg 991
99301	5/6/02	GW08312RG	NITRATE/NITRITE	REAL	TR1	0.31	MG/L		V1	0.02	1	10	D&D Bldg 991
99301	5/6/02	GW08312RG	NITRATE/NITRITE	REAL	TR2	0.31	MG/L		1	0.02	1	10	D&D Bldg 991
99401	5/6/02	GW08313RG	NITRATE/NITRITE	REAL	TR1	2.4	MG/L		V1	0.2	10	10	D&D Bldg 991
B208789	4/24/02	GW08200RG	NITRATE/NITRITE	REAL	TR1	1.03	MG/L		V1	0.007	1	10	Plume Extent
BS-865-2	5/21/02	SW08309RG	NITRATE/NITRITE	REAL	TR1	3.5	MG/L		V1	0.2	10	10	D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	NITRATE/NITRITE	REAL	TR2	3.4	MG/L		1	0.2	10	10	D&D Bldg 865
FD-559-561	5/7/02	SW08265RG	NITRATE/NITRITE	REAL	TR1	3.9	MG/L		V	0.2	10	10	D&D Bldg 559-561
FD-559-561	5/7/02	SW08265RG	NITRATE/NITRITE	REAL	TR2	3.8	MG/L		V	0.2	10	10	D&D Bldg 559-561
P209289	5/31/02	GW08201RG	NITRATE/NITRITE	REAL	TR1	1.2	MG/L		V1	0.04	2	10	Plume Definition
P209489	4/30/02	GW08202RG	NITRATE/NITRITE	REAL	TR1	183	MG/L		V1	4	200	10	Plume Extent
P209489	4/30/02	GW08203RG	NITRATE/NITRITE	DUP	TR1	181	MG/L		V1	4	200	10	Plume Extent
P209489	4/30/02	GW08204RG	NITRATE/NITRITE	RNS	TR1	0.02	MG/L	U	V1	0.02	1	10	Plume Extent
P218089	4/3/02	GW08184RG	NITRATE/NITRITE	REAL	TR1	0.03	MG/L	J	V1	0.007	1	10	D&D Bldg 707
P219089	5/15/02	GW08281RG	NITRATE/NITRITE	REAL	TR1	2.4	MG/L		V1	0.2	10	10	D&D Bldg 771
P219089	5/15/02	GW08281RG	NITRATE/NITRITE	REAL	TR2	2.4	MG/L		1	0.2	10	10	D&D Bldg 771
P219489	4/23/02	GW08207RG	NITRATE/NITRITE	REAL	TR1	37.7	MG/L		V1	2	100	10	Plume Extent
P317989	6/5/02	GW08308RG	NITRATE/NITRITE	REAL	TR1	1.4	MG/L		V1	0.01	1	10	D&D Bldg 886/865

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Result	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
P416689	4/29/02	GW08208RG	NITRATE/NITRITE	REAL	TR1	3.4	MG/L		V1	0.1	5	10	Plume Extent
P416789	6/10/02	GW08209RG	NITRATE/NITRITE	REAL	DL1	10.6	MG/L		V1	0.02	2	10	Plume Definition
P416889	5/9/02	GW08210RG	NITRATE/NITRITE	REAL	TR1	7.8	MG/L		V	0.2	10	10	Plume Definition
SW085	6/4/02	SW08294RG	NITRATE/NITRITE	REAL	TR1	6.5	MG/L		V1	0.02	10	10	Non-IMP D&D 779
SW13494	5/13/02	SW08299RG	NITRATE/NITRITE	REAL	TR1	4.6	MG/L		V	0.2	10	10	Perf Monitoring
18199	4/29/02	GW08252RG	TOTAL ORGANIC CARBON	REAL	TR1	3.8	MG/L		V	0.34	1		Plume Degradation
18499	4/30/02	GW08247RG	TOTAL ORGANIC CARBON	REAL	TR1	5.4	MG/L		V	0.34	1		Plume Degradation
18499	4/30/02	GW08248RG	TOTAL ORGANIC CARBON	DUP	TR1	4.7	MG/L		V	0.34	1		Plume Degradation
18799	6/18/02	GW08249RG	TOTAL ORGANIC CARBON	REAL	TR1	2.3	MG/L		V1	0.34	1		Plume Degradation
21098	5/1/02	GW08250RG	TOTAL ORGANIC CARBON	REAL	TR1	2.4	MG/L		V	0.34	1		Plume Extent
21098	5/1/02	GW08251RG	TOTAL ORGANIC CARBON	RNS	TR1	0.51	MG/L	B	V	0.34	1		Plume Extent
30900	4/1/02	GW08182RG	TOTAL ORGANIC CARBON	REAL	DL1	192	MG/L		V	1.7	5		Plume Degradation
30900	5/2/02	GW08242RG	TOTAL ORGANIC CARBON	REAL	DL1	215	MG/L		V	1.7	5		Plume Degradation
00100	4/18/02	GW08290RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	372	MG/L		V	10.2	1		D&D Bldg 779
00200	4/11/02	GW08267RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	144	MG/L		V	5.09	1		D&D Bldg 707
00300	4/11/02	GW08268RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	1450	MG/L		V1	5.09	1		D&D Bldg 707
00400	4/16/02	GW08283RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	207	MG/L		V1	5.09	1		D&D Bldg 776/777
00500	4/30/02	GW08284RG	TOTAL DISSOLVED SOLIDS	REAL	TR2	639	MG/L		V1	5	1		D&D Bldg 776/777
00500	4/30/02	GW08285RG	TOTAL DISSOLVED SOLIDS	DUP	TR2	632	MG/L		V1	5	1		D&D Bldg 776/777
00500	4/30/02	GW08286RG	TOTAL DISSOLVED SOLIDS	RNS	TR2	5	MG/L	U	V1	5	1		D&D Bldg 776/777
00600	4/16/02	GW08287RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	592	MG/L		V	10.2	1		D&D Bldg 776/777
00700	5/8/02	GW08288RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	404	MG/L		V	5	1		D&D Bldg 776/777
00897	5/8/02	GW08186RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	441	MG/L		V	5	1		Perf Monitoring
00897	5/8/02	GW08187RG	TOTAL DISSOLVED SOLIDS	DUP	TR1	428	MG/L		V	5	1		Perf Monitoring
00897	5/8/02	GW08188RG	TOTAL DISSOLVED SOLIDS	RNS	TR1	5	MG/L	U	V	5	1		Perf Monitoring
02291	5/14/02	GW08189RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	385	MG/L		V	5	1		Perf Monitoring
02500	4/18/02	GW08291RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	1370	MG/L		V	5.09	1		D&D Bldg 779
0487	4/24/02	GW08320RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	769	MG/L		V	5	1		Plume Definition
11891	5/16/02	GW08194RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	579	MG/L		V	5	1		Perf Monitoring
12191	4/17/02	GW08195RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	668	MG/L		V	10.2	1		Perf Monitoring
12191	4/17/02	GW08196RG	TOTAL DISSOLVED SOLIDS	DUP	TR1	608	MG/L		V	10.2	1		Perf Monitoring
12191	4/17/02	GW08197RG	TOTAL DISSOLVED SOLIDS	RNS	TR1	5.09	MG/L	U	V	5.09	1		Perf Monitoring
1386	4/19/02	GW08225RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	1760	MG/L		V1	5.09	1		Plume Extent
1786	4/16/02	GW08226RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	3080	MG/L		V	5.09	1		Plume Extent
18199	4/29/02	GW08252RG	TOTAL DISSOLVED SOLIDS	REAL	TR2	431	MG/L		V1	5	1		Plume Degradation
18499	4/30/02	GW08247RG	TOTAL DISSOLVED SOLIDS	REAL	TR2	630	MG/L		V1	5	1		Plume Degradation
18499	4/30/02	GW08248RG	TOTAL DISSOLVED SOLIDS	DUP	TR2	659	MG/L		V1	5	1		Plume Degradation
18799	6/18/02	GW08249RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	761	MG/L		V1	5	1		Plume Degradation
1986	5/20/02	GW08190RG	TOTAL DISSOLVED SOLIDS	REAL	TR2	1470	MG/L		V1	5	1		Plume Extent
21098	5/1/02	GW08250RG	TOTAL DISSOLVED SOLIDS	REAL	TR2	714	MG/L		V1	5	1		Plume Extent
21098	5/1/02	GW08251RG	TOTAL DISSOLVED SOLIDS	RNS	TR2	5	MG/L	U	V1	5	1		Plume Extent
2186	6/17/02	GW08191RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	184	MG/L		V1	5	1		Plume Extent
22796	5/21/02	GW08198RG	TOTAL DISSOLVED SOLIDS	REAL	TR2	4980	MG/L		J1	20	1		Plume Extent
23296	4/29/02	GW08222RG	TOTAL DISSOLVED SOLIDS	REAL	TR2	726	MG/L		V1	5	1		Plume Extent
3586	4/25/02	GW08216RG	TOTAL DISSOLVED SOLIDS	REAL	TR2	1080	MG/L		V1	5	1		Plume Extent
3687	5/22/02	GW08193RG	TOTAL DISSOLVED SOLIDS	REAL	TR2	653	MG/L		V1	5	1		Perf Monitoring
37791	4/16/02	GW08103RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	785	MG/L		V1	5.09	1		D&D Bldg 881
4087	4/22/02	GW08227RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	841	MG/L		J	5	1		RCRA
55901	4/23/02	GW08258RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	1670	MG/L		V	5	1		D&D Bldg 559
56001	4/23/02	GW08259RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	490	MG/L	U	V	5	1		D&D Bldg 559
56201	5/7/02	GW08261RG	TOTAL DISSOLVED SOLIDS	REAL	TR2	3920	MG/L		J1	20	1		D&D Bldg 559
56201	5/7/02	GW08262RG	TOTAL DISSOLVED SOLIDS	DUP	TR2	3630	MG/L		J1	20	1		D&D Bldg 559
56201	5/7/02	GW08263RG	TOTAL DISSOLVED SOLIDS	RNS	TR2	5	MG/L	U	V1	5	1		D&D Bldg 559
56301	5/7/02	GW08264RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	1440	MG/L		V	5	1		D&D Bldg 559
5887	5/20/02	GW08228RG	TOTAL DISSOLVED SOLIDS	REAL	TR2	136	MG/L		V1	5	1		RCRA
60499	4/16/02	GW08269RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	355	MG/L		V	5	1		D&D Bldg 707
61099	5/15/02	GW08300RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	520	MG/L		V	5	1		D&D Bldg 883

3|6

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Result	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
61199	5/14/02	GW08301RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	941	MG/L		V	5	1		D&D Bldg 883
61199	5/14/02	GW08301RG	TOTAL DISSOLVED SOLIDS	REAL	TR2	947	MG/L			5	1		D&D Bldg 883
70193	5/21/02	GW08231RG	TOTAL DISSOLVED SOLIDS	REAL	TR2	152	MG/L		V1	5	1		RCRA
70193	5/21/02	GW08232RG	TOTAL DISSOLVED SOLIDS	RNS	TR2	5	MG/L	U	V1	5	1		RCRA
70393	5/21/02	GW08233RG	TOTAL DISSOLVED SOLIDS	REAL	TR2	147	MG/L		V1	5	1		RCRA
70393	5/21/02	GW08234RG	TOTAL DISSOLVED SOLIDS	DUP	TR2	142	MG/L		V1	5	1		RCRA
70493	5/17/02	GW08235RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	155	MG/L		V1	5	1		RCRA
771 FD OUT #2	5/31/02	SW08282RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	655	MG/L		V1	5	1		D&D Bldg 771
83101	5/8/02	GW08302RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	1030	MG/L		V	5	1		D&D Bldg 883/881
83201	5/8/02	GW08303RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	6860	MG/L		J	25	1		D&D Bldg 883
86501	5/20/02	GW08304RG	TOTAL DISSOLVED SOLIDS	REAL	TR2	1130	MG/L		V1	5	1		D&D Bldg 865
86601	5/20/02	GW08305RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	538	MG/L		V1	5	1		D&D Bldg 865
86701	5/20/02	GW08306RG	TOTAL DISSOLVED SOLIDS	REAL	TR2	2610	MG/L		J1	20	1		D&D Bldg 865
891COLWEL	5/15/02	GW08237RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	1110	MG/L		V	5	1		Plume Definition
99301	5/6/02	GW08312RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	860	MG/L		V1	5	1		D&D Bldg 991
B208789	4/24/02	GW08200RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	1310	MG/L		V1	5.09	1		Plume Extent
BS-865-2	5/21/02	SW08309RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	623	MG/L		V1	5	1		D&D Bldg 865
BS-865-2	5/21/02	SW08309RG	TOTAL DISSOLVED SOLIDS	REAL	TR2	628	MG/L		1	5	1		D&D Bldg 865
FD-559-561	5/7/02	SW08265RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	776	MG/L		V	5	1		D&D Bldg 559-561
P209289	5/31/02	GW08201RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	484	MG/L		V1	5	1		Plume Definition
P209489	4/30/02	GW08203RG	TOTAL DISSOLVED SOLIDS	DUP	TR1	1840	MG/L		V1	5	1		Plume Extent
P209489	4/30/02	GW08202RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	1780	MG/L		V1	5	1		Plume Extent
P209489	4/30/02	GW08204RG	TOTAL DISSOLVED SOLIDS	RNS	TR2	5	MG/L	U	V1	5	1		Plume Extent
P218089	4/3/02	GW08184RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	263	MG/L		V1	5.09	1		D&D Bldg 707
P219089	5/15/02	GW08281RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	540	MG/L		V1	12.5	1		D&D Bldg 771
P219089	5/15/02	GW08281RG	TOTAL DISSOLVED SOLIDS	REAL	TR2	675	MG/L		V1	5	1		D&D Bldg 771
P416689	4/29/02	GW08208RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	497	MG/L		V1	5	1		Plume Extent
P416889	5/9/02	GW08210RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	539	MG/L		V	5	1		Plume Definition
SW085	6/4/02	SW08294RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	475	MG/L		V1	12.5	1		Non-IMP D&D 779
SW13494	5/13/02	SW08299RG	TOTAL DISSOLVED SOLIDS	REAL	TR1	819	MG/L		V	5	1		Perf Monitoring
0487	4/24/02	GW08320RG	SULFATE	REAL	TR1	154	MG/L		V	5	20	500	Plume Definition
1386	4/19/02	GW08225RG	SULFATE	REAL	TR1	179	MG/L		V1	0.62	10	500	Plume Extent
1786	4/16/02	GW08226RG	SULFATE	REAL	TR1	309	MG/L		V	1.24	20	500	Plume Extent
18199	4/29/02	GW08252RG	SULFATE	REAL	TR1	22.1	MG/L		V	0.2	1	500	Plume Degradation
18499	4/30/02	GW08247RG	SULFATE	REAL	TR1	21.7	MG/L		V	0.2	1	500	Plume Degradation
18499	4/30/02	GW08248RG	SULFATE	DUP	TR1	21.9	MG/L		V	0.2	1	500	Plume Degradation
18799	6/18/02	GW08249RG	SULFATE	REAL	TR1	49.2	MG/L		V1	0.2	1	500	Plume Degradation
21098	5/1/02	GW08250RG	SULFATE	REAL	TR1	22.4	MG/L		V	0.2	1	500	Plume Extent
21098	5/1/02	GW08251RG	SULFATE	RNS	TR1	5	MG/L	U	V	0.2	1	500	Plume Extent
30900	4/1/02	GW08182RG	SULFATE	REAL	TR1	3.4	MG/L	B	V	0.6	1	500	Plume Degradation
30900	5/2/02	GW08242RG	SULFATE	REAL	TR1	4.2	MG/L	B	V	0.2	1	500	Plume Degradation
4087	4/22/02	GW08227RG	SULFATE	REAL	TR1	351	MG/L		V	12.5	50	500	RCRA
4087	4/22/02	GW08227RG	SULFATE	REAL	TR2	353	MG/L		V	12.5	50	500	RCRA
5887	5/20/02	GW08228RG	SULFATE	REAL	TR1	29.9	MG/L		V1	1.2	5	500	RCRA
70193	5/21/02	GW08231RG	SULFATE	REAL	TR1	21.7	MG/L		V1	1.2	5	500	RCRA
70193	5/21/02	GW08232RG	SULFATE	RNS	TR1	0.25	MG/L	U	V1	0.25	1	500	RCRA
70393	5/21/02	GW08233RG	SULFATE	REAL	TR1	26.9	MG/L		V1	1.2	5	500	RCRA
70393	5/21/02	GW08234RG	SULFATE	DUP	TR1	27	MG/L		V1	1.2	5	500	RCRA
70493	5/17/02	GW08235RG	SULFATE	REAL	TR1	15.6	MG/L		V1	0.5	2	500	RCRA
70493	5/17/02	GW08235RG	SULFATE	REAL	TR2	15.5	MG/L		1	0.5	2	500	RCRA
B208789	4/24/02	GW08200RG	SULFATE	REAL	TR1	175	MG/L		V1	0.62	10	500	Plume Extent
P209289	5/31/02	GW08201RG	SULFATE	REAL	TR1	55.1	MG/L		V1	2.5	10	500	Plume Definition
P209289	5/31/02	GW08201RG	SULFATE	REAL	TR2	55	MG/L		1	2.5	10	500	Plume Definition
P209489	4/30/02	GW08202RG	SULFATE	REAL	TR1	78.4	MG/L		V1	2.5	10	500	Plume Extent
P209489	4/30/02	GW08203RG	SULFATE	DUP	TR1	77.9	MG/L		V1	2.5	10	500	Plume Extent
P209489	4/30/02	GW08204RG	SULFATE	RNS	TR1	0.25	MG/L	U	V1	0.25	1	500	Plume Extent
18199	4/29/02	GW08252RG	SULFIDE	REAL	TR1	0.023	MG/L	U	V1	0.023	1		Plume Degradation

Location	Sample Date	Sample #	Analyte	QC Type	Result Type	Result	Units	Lab Result	Valid-ation	Detect Limit	Dilu-tion	Tier II	IMP Well Class
18499	4/30/02	GW08247RG	SULFIDE	REAL	TR1	0.023	MG/L	U	V1	0.023	1		Plume Degradation
18499	4/30/02	GW08248RG	SULFIDE	DUP	TR1	0.023	MG/L	U	V1	0.023	1		Plume Degradation
18799	6/18/02	GW08249RG	SULFIDE	REAL	TR1	0.013	MG/L		UJ1	0.002	1		Plume Degradation
21098	5/1/02	GW08250RG	SULFIDE	REAL	TR1	0.023	MG/L	U	V1	0.023	1		Plume Extent
21098	5/1/02	GW08251RG	SULFIDE	RNS	TR1	0.023	MG/L	U	V1	0.023	1		Plume Extent
30900	4/1/02	GW08182RG	SULFIDE	REAL	TR1	0.023	MG/L	U	V1	0.023	1		Plume Degradation
30900	5/2/02	GW08242RG	SULFIDE	REAL	TR1	0.023	MG/L	U	V1	0.023	1		Plume Degradation
86501	5/20/02	GW08304RG	PETROLEUM HCs, T. RECOVER.	REAL	TR1	0.5	MG/L	B	J1	0.36	1		D&D Bldg 865
86501	5/20/02	GW08304RG	PETROLEUM HCs, T. RECOVER.	REAL	TR1	1	MG/L	U	UJ1	0.36	1		D&D Bldg 865
86601	5/20/02	GW08305RG	PETROLEUM HCs, T. RECOVER.	REAL	TR1	1	MG/L	U	UJ1	0.36	1		D&D Bldg 865
99401	5/6/02	GW08313RG	PETROLEUM HCs, T. RECOVER.	REAL	TR1	1	MG/L	U	V1	0.36	1		D&D Bldg 991

This page intentionally left blank.

Figure 1A

Regulatory Required Buffer Zone Groundwater Monitoring Wells

Selected VOC & Nitrate Plumes Second Quarter, 2002 Reportable Sample Analyses

EXPLANATION

- IMP Wells Not Sampled This Quarter
- IMP Wells Sampled/Visited This Quarter
- IMP Wells With Reportable Tier II Sample Analyses

Plume Boundaries based on 1997 Annual RFCA Groundwater Monitoring Report

- Composite VOC Groundwater Plume (100 X MCL)
- Composite VOC Groundwater Plume (concentration equal to MCL)
- 100 x Nitrate Standard (1000 mg/l)
- Nitrate Standard (10 mg/l)

Standard Map Features

- Buildings and other structures
- Solar Evaporation Ponds (SEPs)
- Lakes and ponds
- Streams, ditches, or other drainage features
- Fences and other barriers
- Rocky Flats Environmental Technology Site boundary
- Paved roads
- Dirt roads

DATA SOURCE BASE FEATURES:
Buildings, fences, hydrography, roads and other structures from 1994 aerial fly-over data captured by EG&G RSL, Las Vegas. Digitized from the orthophotographs. 1/95

Scale – 1 : 14060
1 inch represents approximately 1171 feet

250 0 500 1000ft

State Plane Coordinate Projection
Colorado Central Zone
Datum: NAD27

U.S. Department of Energy
Rocky Flats Environmental Technology Site

GIS Dept. 303-966-7707

Prepared by: DynCorp THE ART OF TECHNOLOGY

Prepared for: KAISER•HILL COMPANY

November 18, 2002

NT_Svr w:/projects/rfca/quarterly_reports/03-0075/rpt_qtr2_cy2002_bul.aml

46



Figure 1B

Regulatory Required Industrial Area Groundwater Monitoring Wells

Selected VOC & Nitrate Plumes Second Quarter, 2002 Reportable Sample Analyses

EXPLANATION

- IMP Wells Not Sampled This Quarter
- IMP Wells Sampled/Visited This Quarter
- IMP Wells With Reportable Tier II Sample Analyses

Plume Boundaries based on 1997 Annual RFCA Groundwater Monitoring Report

- Composite VOC Groundwater Plume (100 X MCL)
- Composite VOC Groundwater Plume (concentration equal to MCL)
- 100 x Nitrate Standard (1000 mg/l)
- Nitrate Standard (10 mg/l)

Standard Map Features

- Buildings and other structures
- Solar Evaporation Ponds (SEPs)
- Lakes and ponds
- Streams, ditches, or other drainage features
- Fences and other barriers
- Rocky Flats Environmental Technology Site boundary
- Paved roads
- Dirt roads

DATA SOURCE BASE FEATURES:
Buildings, fences, hydrography, roads and other structures from 1994 aerial fly over data captured by EG&G RSL, Las Vegas. Digitized from the orthophotographs. 1/95

Scale – 1 : 8180
1 inch represents approximately 682 feet

200 0 400 800ft

State Plane Coordinate Projection
Colorado Central Zone
Datum: NAD27

U.S. Department of Energy
Rocky Flats Environmental Technology Site

GIS Dept. 303-966-7707

Prepared by: DynCorp — THE ART OF TECHNOLOGY

Prepared for: KAISER•HILL COMPANY

November 18, 2002

NT_Ser w:/projects/rfeis/quarterly_reports/03-0076/rpt_qtr2_cy2002_ia.aml



Figure 1C

Regulatory Required 700 Area Detail Groundwater Monitoring Wells

Selected VOC & Nitrate Plumes Second Quarter, 2002 Reportable Sample Analyses

EXPLANATION

- IMP Wells Not Sampled This Quarter
- IMP Wells Sampled/Visited This Quarter
- IMP Wells With Reportable Tier II Sample Analyses

Plume Boundaries based on 1997 Annual RFCA Groundwater Monitoring Report

- Composite VOC Groundwater Plume (100 X MCL)
- Composite VOC Groundwater Plume (concentration equal to MCL)
- 100 x Nitrate Standard (1000 mg/l)
- Nitrate Standard (10 mg/l)

Standard Map Features

- Buildings and other structures
- Solar Evaporation Ponds (SEPs)
- Lakes and ponds
- Streams, ditches, or other drainage features
- Fences and other barriers
- Rocky Flats Environmental Technology Site boundary
- Paved roads
- Dirt roads

DATA SOURCE BASE FEATURES:
Buildings, fences, hydrography, roads and other structures from 1994 aerial fly-over data captured by EG&G RSL, Las Vegas. Digitized from the orthophotographs. 1/95

Scale = 1 : 2080
1 inch represents approximately 173 feet

State Plane Coordinate Projection
Colorado Central Zone
Datum: NAD27

U.S. Department of Energy
Rocky Flats Environmental Technology Site

GIS Dept. 303-966-7707

Prepared by: DynCorp THE ART OF TECHNOLOGY

Prepared for: KAISER+HILL COMPANY

November 18, 2002

MT_Ser w:/projects/rfca/quarterly_reports/03-0076/rpt_qtr2_oy2002_700.aml