Appendix C

Analytical Results for Water Samples—First Quarter CY 2010

This page intentionally left blank

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
70193	WL	2/10/2010	10022851	71-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		valid
70193	WL	2/10/2010	10022851	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.2	ug/L	U	F	0.2		valid
70193	WL	2/10/2010	10022851	79-00-5	1,1,2-Trichloroethane	N001	0.32	ug/L	U	F	0.32		valid
70193	WL	2/10/2010	10022851	75-35-4	1,1-Dichloroethene	N001	0.14	ug/L	U	F	0.14		valid
70193	WL	2/10/2010	10022851	120-82-1	1,2,4-Trichlorobenzene	N001	0.32	ug/L	U	F	0.32		valid
70193	WL	2/10/2010	10022851	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.81	ug/L	U	F	0.81		valid
70193	WL	2/10/2010	10022851	106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		valid
70193	WL	2/10/2010	10022851	95-50-1	1,2-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13		valid
70193	WL	2/10/2010	10022851	107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		valid
70193	WL	2/10/2010	10022851	78-87-5	1,2-Dichloropropane	N001	0.13	ug/L	U	F	0.13		valid
70193	WL	2/10/2010	10022851	541-73-1	1,3-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		valid
70193	WL	2/10/2010	10022851	106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		valid
70193	WL	2/10/2010	10022851	7440-38-2	Arsenic	0001	4.4	ug/L	U	F	4.4		valid
70193	WL	2/10/2010	10022851	71-43-2	Benzene	N001	0.16	ug/L	U	F	0.16		valid
70193	WL	2/10/2010	10022851	7440-41-7	Beryllium	0001	0.47	ug/L	U	F	0.47		valid
70193	WL	2/10/2010	10022851	7440-42-8	Boron	0001	18	ug/L	B	F	1.6		valid
70193	WL	2/10/2010	10022851	75-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		valid
70193	WL	2/10/2010	10022851	75-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		valid
70193	WL	2/10/2010	10022851	74-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		valid
70193	WL	2/10/2010	10022851	7440-43-9	Cadmium	0001	0.45	ug/L	U	F	0.45		valid
70193	WL	2/10/2010	10022851	56-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		valid
70193	WL	2/10/2010	10022851	108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		valid
70193	WL	2/10/2010	10022851	124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		valid
70193	WL	2/10/2010	10022851	67-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		valid
70193	WL	2/10/2010	10022851	74-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		valid
70193	WL	2/10/2010	10022851	7440-47-3	Chromium	0001	0.66	ug/L	U	F	0.66		valid
70193	WL	2/10/2010	10022851	156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		valid
70193	WL	2/10/2010	10022851	7440-50-8	Copper	0001	1.4	ug/L	U	F	1.4		valid
70193	WL	2/10/2010	10022851	100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		valid
70193	WL	2/10/2010	10022851	87-68-3	Hexachlorobutadiene	N001	0.12	ug/L	U	F	0.12		valid
70193	WL	2/10/2010	10022851	7439-92-1	Lead	0001	2.6	ug/L	U	F	2.6		valid
70193	WL	2/10/2010	10022851	7439-97-6	Mercury	0001	0.027	ug/L	U	F	0.027		valid
70193	WL	2/10/2010	10022851	75-09-2	Methylene chloride	N001	0.34	ug/L	J B	F	0.32		U
70193	WL	2/10/2010	10022851	91-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22		valid
70193	WL	2/10/2010	10022851	7440-02-0	Nickel	0001	1.3	ug/L	U	F	1.3		valid
70193	WL	2/10/2010	10022851	7782-49-2	Selenium	0001	12	ug/L	B	F	4.9		valid
70193	WL	2/10/2010	10022851	7440-22-4	Silver	0001	0.93	ug/L	U	F	0.93		valid
70193	WL	2/10/2010	10022851	100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		valid
70193	WL	2/10/2010	10022851	127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2		valid
70193	WL	2/10/2010	10022851	108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17		valid
70193	WL	2/10/2010	10022851	1330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19		valid
70193	WL	2/10/2010	10022851	156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		valid
70193	WL	2/10/2010	10022851	10061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		valid
70193	WL	2/10/2010	10022851	79-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16		valid
70193	WL	2/10/2010	10022851	7440-61-1	Uranium	0001	0.075	ug/L	B	F	0.02		valid
70193	WL	2/10/2010	10022851	75-01-4	Vinyl chloride	N001	0.4	ug/L	U	F	0.4		valid
70193	WL	2/10/2010	10022851	7440-66-6	Zinc	0001	4.8	ug/L	B	F	4.5		valid
70393	WL	2/10/2010	10022851	71-55-6	1,1,1-Trichloroethane	N001	1.9	ug/L		F	0.16		valid
70393	WL	2/10/2010	10022851	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.2	ug/L	U	F	0.2		valid
70393	WL	2/10/2010	10022851	79-00-5	1,1,2-Trichloroethane	N001	0.32	ug/L	U	F	0.32		valid
70393	WL	2/10/2010	10022851	75-35-4	1,1-Dichloroethene	N001	4.3	ug/L		F	0.14		valid
70393	WL	2/10/2010	10022851	120-82-1	1,2,4-Trichlorobenzene	N001	0.32	ug/L	U	F	0.32		valid
70393	WL	2/10/2010	10022851	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.81	ug/L	U	F	0.81		valid
70393	WL	2/10/2010	10022851	106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		valid

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
70393	WL	2/10/2010	10022851	95-50-1	1,2-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13		valid
70393	WL	2/10/2010	10022851	107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		valid
70393	WL	2/10/2010	10022851	78-87-5	1,2-Dichloropropane	N001	0.13	ug/L	U	F	0.13		valid
70393	WL	2/10/2010	10022851	541-73-1	1,3-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		valid
70393	WL	2/10/2010	10022851	106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		valid
70393	WL	2/10/2010	10022851	7440-38-2	Arsenic	0001	4.4	ug/L	U	F	4.4		valid
70393	WL	2/10/2010	10022851	71-43-2	Benzene	N001	0.16	ug/L	U	F	0.16		valid
70393	WL	2/10/2010	10022851	7440-41-7	Beryllium	0001	0.47	ug/L	U	F	0.47		valid
70393	WL	2/10/2010	10022851	7440-42-8	Boron	0001	7.9	ug/L	B	F	1.6		U
70393	WL	2/10/2010	10022851	75-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		valid
70393	WL	2/10/2010	10022851	75-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		valid
70393	WL	2/10/2010	10022851	74-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		valid
70393	WL	2/10/2010	10022851	7440-43-9	Cadmium	0001	0.45	ug/L	U	F	0.45		valid
70393	WL	2/10/2010	10022851	56-23-5	Carbon tetrachloride	N001	0.21	ug/L	J	F	0.19		valid
70393	WL	2/10/2010	10022851	108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		valid
70393	WL	2/10/2010	10022851	124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		valid
70393	WL	2/10/2010	10022851	67-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		valid
70393	WL	2/10/2010	10022851	74-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		valid
70393	WL	2/10/2010	10022851	7440-47-3	Chromium	0001	0.66	ug/L	U	F	0.66		valid
70393	WL	2/10/2010	10022851	156-59-2	cis-1,2-Dichloroethene	N001	0.17	ug/L	J	F	0.15		valid
70393	WL	2/10/2010	10022851	7440-50-8	Copper	0001	1.4	ug/L	U	F	1.4		valid
70393	WL	2/10/2010	10022851	100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		valid
70393	WL	2/10/2010	10022851	87-68-3	Hexachlorobutadiene	N001	0.12	ug/L	U	F	0.12		valid
70393	WL	2/10/2010	10022851	7439-92-1	Lead	0001	2.6	ug/L	U	F	2.6		valid
70393	WL	2/10/2010	10022851	7439-97-6	Mercury	0001	0.08	ug/L	B	F	0.027		U
70393	WL	2/10/2010	10022851	75-09-2	Methylene chloride	N001	0.32	ug/L	U	F	0.32		valid
70393	WL	2/10/2010	10022851	91-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22		valid
70393	WL	2/10/2010	10022851	7440-02-0	Nickel	0001	1.6	ug/L	B	F	1.3		valid
70393	WL	2/10/2010	10022851	7782-49-2	Selenium	0001	4.9	ug/L	U	F	4.9		valid
70393	WL	2/10/2010	10022851	7440-22-4	Silver	0001	0.97	ug/L	B	F	0.93		valid
70393	WL	2/10/2010	10022851	100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		valid
70393	WL	2/10/2010	10022851	127-18-4	Tetrachloroethene	N001	2.5	ug/L		F	0.2		valid
70393	WL	2/10/2010	10022851	108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17		valid
70393	WL	2/10/2010	10022851	1330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19		valid
70393	WL	2/10/2010	10022851	156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		valid
70393	WL	2/10/2010	10022851	10061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		valid
70393	WL	2/10/2010	10022851	79-01-6	Trichloroethene	N001	9.4	ug/L		F	0.16		valid
70393	WL	2/10/2010	10022851	7440-61-1	Uranium	0001	0.025	ug/L	B	F	0.02		valid
70393	WL	2/10/2010	10022851	75-01-4	Vinyl chloride	N001	0.4	ug/L	U	F	0.4		valid
70393	WL	2/10/2010	10022851	7440-66-6	Zinc	0001	4.5	ug/L	U	F	4.5		valid
70693	WL	2/10/2010	10022851	71-55-6	1,1,1-Trichloroethane	N001	1.7	ug/L		F	0.16		valid
70693	WL	2/10/2010	10022851	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.2	ug/L	U	F	0.2		valid
70693	WL	2/10/2010	10022851	79-00-5	1,1,2-Trichloroethane	N001	0.32	ug/L	U	F	0.32		valid
70693	WL	2/10/2010	10022851	75-35-4	1,1-Dichloroethene	N001	2.8	ug/L		F	0.14		valid
70693	WL	2/10/2010	10022851	120-82-1	1,2,4-Trichlorobenzene	N001	0.32	ug/L	U	F	0.32		valid
70693	WL	2/10/2010	10022851	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.81	ug/L	U	F	0.81		valid
70693	WL	2/10/2010	10022851	106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		valid
70693	WL	2/10/2010	10022851	95-50-1	1,2-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13		valid
70693	WL	2/10/2010	10022851	107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		valid
70693	WL	2/10/2010	10022851	78-87-5	1,2-Dichloropropane	N001	0.13	ug/L	U	F	0.13		valid
70693	WL	2/10/2010	10022851	541-73-1	1,3-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		valid
70693	WL	2/10/2010	10022851	106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		valid
70693	WL	2/10/2010	10022851	7440-38-2	Arsenic	0001	4.4	ug/L	U	F	4.4		valid
70693	WL	2/10/2010	10022851	71-43-2	Benzene	N001	0.16	ug/L	U	F	0.16		valid
70693	WL	2/10/2010	10022851	7440-41-7	Beryllium	0001	0.47	ug/L	U	F	0.47		valid

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
70693	WL	2/10/2010	10022851	7440-42-8	Boron	0001	25	ug/L	B	F	1.6		valid
70693	WL	2/10/2010	10022851	75-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		valid
70693	WL	2/10/2010	10022851	75-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		valid
70693	WL	2/10/2010	10022851	74-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		valid
70693	WL	2/10/2010	10022851	7440-43-9	Cadmium	0001	0.45	ug/L	U	F	0.45		valid
70693	WL	2/10/2010	10022851	56-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		valid
70693	WL	2/10/2010	10022851	108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		valid
70693	WL	2/10/2010	10022851	124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		valid
70693	WL	2/10/2010	10022851	67-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		valid
70693	WL	2/10/2010	10022851	74-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		valid
70693	WL	2/10/2010	10022851	7440-47-3	Chromium	0001	0.66	ug/L	U	F	0.66		valid
70693	WL	2/10/2010	10022851	156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		valid
70693	WL	2/10/2010	10022851	7440-50-8	Copper	0001	1.4	ug/L	U	F	1.4		valid
70693	WL	2/10/2010	10022851	100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		valid
70693	WL	2/10/2010	10022851	87-68-3	Hexachlorobutadiene	N001	0.12	ug/L	U	F	0.12		valid
70693	WL	2/10/2010	10022851	7439-92-1	Lead	0001	2.6	ug/L	U	F	2.6		valid
70693	WL	2/10/2010	10022851	7439-97-6	Mercury	0001	0.027	ug/L	U	F	0.027		valid
70693	WL	2/10/2010	10022851	75-09-2	Methylene chloride	N001	0.32	ug/L	U	F	0.32		valid
70693	WL	2/10/2010	10022851	91-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22		valid
70693	WL	2/10/2010	10022851	7440-02-0	Nickel	0001	1.3	ug/L	B	F	1.3		valid
70693	WL	2/10/2010	10022851	7782-49-2	Selenium	0001	4.9	ug/L	U	F	4.9		valid
70693	WL	2/10/2010	10022851	7440-22-4	Silver	0001	0.93	ug/L	U	F	0.93		valid
70693	WL	2/10/2010	10022851	100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		valid
70693	WL	2/10/2010	10022851	127-18-4	Tetrachloroethene	N001	0.85	ug/L	J	F	0.2		valid
70693	WL	2/10/2010	10022851	108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17		valid
70693	WL	2/10/2010	10022851	1330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19		valid
70693	WL	2/10/2010	10022851	156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		valid
70693	WL	2/10/2010	10022851	10061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		valid
70693	WL	2/10/2010	10022851	79-01-6	Trichloroethene	N001	2.5	ug/L		F	0.16		valid
70693	WL	2/10/2010	10022851	7440-61-1	Uranium	0001	0.032	ug/L	B	F	0.02		valid
70693	WL	2/10/2010	10022851	75-01-4	Vinyl chloride	N001	0.4	ug/L	U	F	0.4		valid
70693	WL	2/10/2010	10022851	7440-66-6	Zinc	0001	4.5	ug/L	B	F	4.5		valid
73005	WL	2/24/2010	10022877	71-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		valid
73005	WL	2/24/2010	10022877	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		valid
73005	WL	2/24/2010	10022877	79-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27		valid
73005	WL	2/24/2010	10022877	75-35-4	1,1-Dichloroethene	N001	0.23	ug/L	U	F	0.23		valid
73005	WL	2/24/2010	10022877	120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U *	F	0.21		valid
73005	WL	2/24/2010	10022877	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47		valid
73005	WL	2/24/2010	10022877	106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		valid
73005	WL	2/24/2010	10022877	95-50-1	1,2-Dichlorobenzene	N001	0.15	ug/L	U	F	0.15		valid
73005	WL	2/24/2010	10022877	107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		valid
73005	WL	2/24/2010	10022877	78-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		valid
73005	WL	2/24/2010	10022877	541-73-1	1,3-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13		valid
73005	WL	2/24/2010	10022877	106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		valid
73005	WL	2/24/2010	10022877	7440-38-2	Arsenic	0001	4.4	ug/L	U	F	4.4		valid
73005	WL	2/24/2010	10022877	71-43-2	Benzene	N001	0.16	ug/L	U	F	0.16		valid
73005	WL	2/24/2010	10022877	7440-41-7	Beryllium	0001	0.47	ug/L	U	F	0.47		valid
73005	WL	2/24/2010	10022877	7440-42-8	Boron	0001	35	ug/L	B	F	1.6		valid
73005	WL	2/24/2010	10022877	75-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		valid
73005	WL	2/24/2010	10022877	75-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		valid
73005	WL	2/24/2010	10022877	74-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		valid
73005	WL	2/24/2010	10022877	7440-43-9	Cadmium	0001	0.45	ug/L	U	F	0.45		valid
73005	WL	2/24/2010	10022877	56-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		valid
73005	WL	2/24/2010	10022877	108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		valid
73005	WL	2/24/2010	10022877	124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		valid

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
73005	WL	2/24/2010	10022877	67-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		valid
73005	WL	2/24/2010	10022877	74-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		valid
73005	WL	2/24/2010	10022877	7440-47-3	Chromium	0001	0.76	ug/L	J	F	0.66		valid
73005	WL	2/24/2010	10022877	156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		valid
73005	WL	2/24/2010	10022877	7440-50-8	Copper	0001	1.4	ug/L	U	F	1.4		valid
73005	WL	2/24/2010	10022877	100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		valid
73005	WL	2/24/2010	10022877	87-68-3	Hexachlorobutadiene	N001	0.12	ug/L	U *	F	0.12		valid
73005	WL	2/24/2010	10022877	7439-92-1	Lead	0001	2.6	ug/L	U	F	2.6		valid
73005	WL	2/24/2010	10022877	7439-97-6	Mercury	0001	0.027	ug/L	U	F	0.027		valid
73005	WL	2/24/2010	10022877	75-09-2	Methylene chloride	N001	0.37	ug/L	J B	F	0.32		U
73005	WL	2/24/2010	10022877	91-20-3	Naphthalene	N001	0.22	ug/L	U *	F	0.22		valid
73005	WL	2/24/2010	10022877	7440-02-0	Nickel	0001	1.3	ug/L	U	F	1.3		valid
73005	WL	2/24/2010	10022877	7782-49-2	Selenium	0001	15	ug/L		F	4.9		J
73005	WL	2/24/2010	10022877	7440-22-4	Silver	0001	0.93	ug/L	U	F	0.93		valid
73005	WL	2/24/2010	10022877	100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		valid
73005	WL	2/24/2010	10022877	127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2		valid
73005	WL	2/24/2010	10022877	108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17		valid
73005	WL	2/24/2010	10022877	1330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19		valid
73005	WL	2/24/2010	10022877	156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		valid
73005	WL	2/24/2010	10022877	10061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		valid
73005	WL	2/24/2010	10022877	79-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16		valid
73005	WL	2/24/2010	10022877	7440-61-1	Uranium	0001	24	ug/L		F	0.02		valid
73005	WL	2/24/2010	10022877	75-01-4	Vinyl chloride	N001	0.4	ug/L	U	F	0.4		valid
73005	WL	2/24/2010	10022877	7440-66-6	Zinc	0001	4.5	ug/L	U	F	4.5		valid
73105	WL	2/16/2010	10022863	71-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		valid
73105	WL	2/16/2010	10022863	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		valid
73105	WL	2/16/2010	10022863	79-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27		valid
73105	WL	2/16/2010	10022863	75-35-4	1,1-Dichloroethene	N001	0.23	ug/L	U	F	0.23		valid
73105	WL	2/16/2010	10022863	120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		valid
73105	WL	2/16/2010	10022863	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47		valid
73105	WL	2/16/2010	10022863	106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		valid
73105	WL	2/16/2010	10022863	95-50-1	1,2-Dichlorobenzene	N001	0.15	ug/L	U	F	0.15		valid
73105	WL	2/16/2010	10022863	107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		valid
73105	WL	2/16/2010	10022863	78-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		valid
73105	WL	2/16/2010	10022863	541-73-1	1,3-Dichlorobenzene	N001	0.22	ug/L	J	F	0.13		valid
73105	WL	2/16/2010	10022863	106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		valid
73105	WL	2/16/2010	10022863	7440-38-2	Arsenic	0001	4.4	ug/L	U	F	4.4		valid
73105	WL	2/16/2010	10022863	71-43-2	Benzene	N001	0.16	ug/L	U	F	0.16		valid
73105	WL	2/16/2010	10022863	7440-41-7	Beryllium	0001	0.47	ug/L	U	F	0.47		valid
73105	WL	2/16/2010	10022863	7440-42-8	Boron	0001	92	ug/L	B	F	1.6		valid
73105	WL	2/16/2010	10022863	75-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		valid
73105	WL	2/16/2010	10022863	75-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		valid
73105	WL	2/16/2010	10022863	74-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		valid
73105	WL	2/16/2010	10022863	7440-43-9	Cadmium	0001	0.45	ug/L	U	F	0.45		valid
73105	WL	2/16/2010	10022863	56-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		valid
73105	WL	2/16/2010	10022863	108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		valid
73105	WL	2/16/2010	10022863	124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		valid
73105	WL	2/16/2010	10022863	67-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		valid
73105	WL	2/16/2010	10022863	74-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		valid
73105	WL	2/16/2010	10022863	7440-47-3	Chromium	0001	0.66	ug/L	U	F	0.66		valid
73105	WL	2/16/2010	10022863	156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		valid
73105	WL	2/16/2010	10022863	7440-50-8	Copper	0001	1.4	ug/L	U	F	1.4		valid
73105	WL	2/16/2010	10022863	100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		valid
73105	WL	2/16/2010	10022863	87-68-3	Hexachlorobutadiene	N001	0.12	ug/L	U	F	0.12		valid
73105	WL	2/16/2010	10022863	7439-92-1	Lead	0001	2.6	ug/L	U	F	2.6		valid

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
73105	WL	2/16/2010	10022863	7439-97-6	Mercury	0001	0.027	ug/L	U	F	0.027		valid
73105	WL	2/16/2010	10022863	75-09-2	Methylene chloride	N001	0.38	ug/L	J	F	0.32		U
73105	WL	2/16/2010	10022863	91-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22		valid
73105	WL	2/16/2010	10022863	7440-02-0	Nickel	0001	1.7	ug/L	J	F	1.3		valid
73105	WL	2/16/2010	10022863	7782-49-2	Selenium	0001	4.9	ug/L	U	F	4.9		valid
73105	WL	2/16/2010	10022863	7440-22-4	Silver	0001	1.2	ug/L	J B	F	0.93		U
73105	WL	2/16/2010	10022863	100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		valid
73105	WL	2/16/2010	10022863	127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2		valid
73105	WL	2/16/2010	10022863	108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17		valid
73105	WL	2/16/2010	10022863	1330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19		valid
73105	WL	2/16/2010	10022863	156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		valid
73105	WL	2/16/2010	10022863	10061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		valid
73105	WL	2/16/2010	10022863	79-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16		valid
73105	WL	2/16/2010	10022863	7440-61-1	Uranium	0001	22	ug/L		F	0.02		valid
73105	WL	2/16/2010	10022863	75-01-4	Vinyl chloride	N001	0.4	ug/L	U	F	0.4		valid
73105	WL	2/16/2010	10022863	7440-66-6	Zinc	0001	6.7	ug/L	J	F	4.5		J
73205	WL	2/16/2010	10022863	71-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		valid
73205	WL	2/16/2010	10022863	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		valid
73205	WL	2/16/2010	10022863	79-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27		valid
73205	WL	2/16/2010	10022863	75-35-4	1,1-Dichloroethene	N001	0.23	ug/L	U	F	0.23		valid
73205	WL	2/16/2010	10022863	120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		valid
73205	WL	2/16/2010	10022863	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47		valid
73205	WL	2/16/2010	10022863	106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		valid
73205	WL	2/16/2010	10022863	95-50-1	1,2-Dichlorobenzene	N001	0.15	ug/L	U	F	0.15		valid
73205	WL	2/16/2010	10022863	107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		valid
73205	WL	2/16/2010	10022863	78-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		valid
73205	WL	2/16/2010	10022863	541-73-1	1,3-Dichlorobenzene	N001	0.21	ug/L	J	F	0.13		valid
73205	WL	2/16/2010	10022863	106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		valid
73205	WL	2/16/2010	10022863	7440-38-2	Arsenic	0001	4.4	ug/L	U	F	4.4		valid
73205	WL	2/16/2010	10022863	71-43-2	Benzene	N001	0.16	ug/L	U	F	0.16		valid
73205	WL	2/16/2010	10022863	7440-41-7	Beryllium	0001	0.47	ug/L	U	F	0.47		valid
73205	WL	2/16/2010	10022863	7440-42-8	Boron	0001	58	ug/L	B	F	1.6		valid
73205	WL	2/16/2010	10022863	75-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		valid
73205	WL	2/16/2010	10022863	75-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		valid
73205	WL	2/16/2010	10022863	74-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		valid
73205	WL	2/16/2010	10022863	7440-43-9	Cadmium	0001	0.62	ug/L	J	F	0.45		valid
73205	WL	2/16/2010	10022863	56-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		valid
73205	WL	2/16/2010	10022863	108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		valid
73205	WL	2/16/2010	10022863	124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		valid
73205	WL	2/16/2010	10022863	67-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		valid
73205	WL	2/16/2010	10022863	74-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		valid
73205	WL	2/16/2010	10022863	7440-47-3	Chromium	0001	0.89	ug/L	J	F	0.66		valid
73205	WL	2/16/2010	10022863	156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		valid
73205	WL	2/16/2010	10022863	7440-50-8	Copper	0001	1.4	ug/L	U	F	1.4		valid
73205	WL	2/16/2010	10022863	100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		valid
73205	WL	2/16/2010	10022863	87-68-3	Hexachlorobutadiene	N001	0.12	ug/L	U	F	0.12		valid
73205	WL	2/16/2010	10022863	7439-92-1	Lead	0001	2.6	ug/L	U	F	2.6		valid
73205	WL	2/16/2010	10022863	7439-97-6	Mercury	0001	0.027	ug/L	U	F	0.027		valid
73205	WL	2/16/2010	10022863	75-09-2	Methylene chloride	N001	0.35	ug/L	J	F	0.32		U
73205	WL	2/16/2010	10022863	91-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22		valid
73205	WL	2/16/2010	10022863	7440-02-0	Nickel	0001	1.6	ug/L	J	F	1.3		valid
73205	WL	2/16/2010	10022863	7782-49-2	Selenium	0001	380	ug/L		F	4.9		valid
73205	WL	2/16/2010	10022863	7440-22-4	Silver	0001	0.93	ug/L	U	F	0.93		valid
73205	WL	2/16/2010	10022863	100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		valid
73205	WL	2/16/2010	10022863	127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2		valid

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
73205	WL	2/16/2010	10022863	108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17		valid
73205	WL	2/16/2010	10022863	1330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19		valid
73205	WL	2/16/2010	10022863	156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		valid
73205	WL	2/16/2010	10022863	10061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		valid
73205	WL	2/16/2010	10022863	79-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16		valid
73205	WL	2/16/2010	10022863	7440-61-1	Uranium	0001	88	ug/L		F	0.02		valid
73205	WL	2/16/2010	10022863	75-01-4	Vinyl chloride	N001	0.4	ug/L	U	F	0.4		valid
73205	WL	2/16/2010	10022863	7440-66-6	Zinc	0001	13	ug/L	J	F	4.5		J
80005	WL	2/23/2010	10022877	71-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		valid
80005	WL	2/23/2010	10022877	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		valid
80005	WL	2/23/2010	10022877	79-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27		valid
80005	WL	2/23/2010	10022877	75-35-4	1,1-Dichloroethene	N001	0.23	ug/L	U	F	0.23		valid
80005	WL	2/23/2010	10022877	120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		valid
80005	WL	2/23/2010	10022877	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47		valid
80005	WL	2/23/2010	10022877	106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		valid
80005	WL	2/23/2010	10022877	95-50-1	1,2-Dichlorobenzene	N001	0.15	ug/L	U	F	0.15		valid
80005	WL	2/23/2010	10022877	107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		valid
80005	WL	2/23/2010	10022877	78-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		valid
80005	WL	2/23/2010	10022877	541-73-1	1,3-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13		valid
80005	WL	2/23/2010	10022877	106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		valid
80005	WL	2/23/2010	10022877	105-67-9	2, 4-Dimethylphenol	N001	0.58	ug/L	U	F	0.58		valid
80005	WL	2/23/2010	10022877	95-95-4	2,4,5-Trichlorophenol	N001	0.45	ug/L	U	F	0.45		valid
80005	WL	2/23/2010	10022877	88-06-2	2,4,6-Trichlorophenol	N001	0.29	ug/L	U	F	0.29		valid
80005	WL	2/23/2010	10022877	120-83-2	2,4-Dichlorophenol	N001	0.64	ug/L	U	F	0.64		valid
80005	WL	2/23/2010	10022877	51-28-5	2,4-Dinitrophenol	N001	10	ug/L	U	F	10		valid
80005	WL	2/23/2010	10022877	121-14-2	2,4-Dinitrotoluene	N001	1.7	ug/L	U	F	1.7		valid
80005	WL	2/23/2010	10022877	606-20-2	2,6-Dinitrotoluene	N001	1.9	ug/L	U	F	1.9		valid
80005	WL	2/23/2010	10022877	91-58-7	2-Chloronaphthalene	N001	0.26	ug/L	U	F	0.26		valid
80005	WL	2/23/2010	10022877	95-57-8	2-Chlorophenol	N001	2	ug/L	U	F	2		valid
80005	WL	2/23/2010	10022877	91-94-1	3,3'-Dichlorobenzidine	N001	2	ug/L	U *	F	2		J
80005	WL	2/23/2010	10022877	534-52-1	4,6-Dinitro-2-methyl phenol	N001	4	ug/L	U	F	4		valid
80005	WL	2/23/2010	10022877	59-50-7	4-Chloro-3-methylphenol	N001	2.4	ug/L	U	F	2.4		valid
80005	WL	2/23/2010	10022877	100-02-7	4-Nitrophenol	N001	1.2	ug/L	U	F	1.2		valid
80005	WL	2/23/2010	10022877	83-32-9	Acenaphthene	N001	0.28	ug/L	U	F	0.28		valid
80005	WL	2/23/2010	10022877	120-12-7	Anthracene	N001	0.42	ug/L	U	F	0.42		valid
80005	WL	2/23/2010	10022877	7440-38-2	Arsenic	0001	4.4	ug/L	U	F	4.4		valid
80005	WL	2/23/2010	10022877	56-55-3	Benz(a)anthracene	N001	0.35	ug/L	U	F	0.35		valid
80005	WL	2/23/2010	10022877	71-43-2	Benzene	N001	0.16	ug/L	U	F	0.16		valid
80005	WL	2/23/2010	10022877	50-32-8	Benzo(a)pyrene	N001	0.31	ug/L	U	F	0.31		valid
80005	WL	2/23/2010	10022877	205-99-2	Benzo(b)fluoranthene	N001	0.53	ug/L	U	F	0.53		valid
80005	WL	2/23/2010	10022877	191-24-2	Benzo(g,h,i)Perylene	N001	0.5	ug/L	U	F	0.5		valid
80005	WL	2/23/2010	10022877	207-08-9	Benzo(k)fluoranthene	N001	0.46	ug/L	U	F	0.46		valid
80005	WL	2/23/2010	10022877	7440-41-7	Beryllium	0001	0.47	ug/L	U	F	0.47		valid
80005	WL	2/23/2010	10022877	111-44-4	Bis(2-chloroethyl) ether	N001	0.41	ug/L	U	F	0.41		valid
80005	WL	2/23/2010	10022877	108-60-1	Bis(2-chloroisopropyl) ether	N001	0.28	ug/L	U	F	0.28		valid
80005	WL	2/23/2010	10022877	117-81-7	Bis(2-ethylhexyl) phthalate	N001	0.56	ug/L	U	F	0.56		valid
80005	WL	2/23/2010	10022877	7440-42-8	Boron	0001	39	ug/L	B	F	1.6		valid
80005	WL	2/23/2010	10022877	75-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		valid
80005	WL	2/23/2010	10022877	75-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		valid
80005	WL	2/23/2010	10022877	74-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		valid
80005	WL	2/23/2010	10022877	85-68-7	Butyl benzyl phthalate	N001	1	ug/L	U	F	1		valid
80005	WL	2/23/2010	10022877	7440-43-9	Cadmium	0001	0.45	ug/L	U	F	0.45		valid
80005	WL	2/23/2010	10022877	56-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		valid
80005	WL	2/23/2010	10022877	108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		valid
80005	WL	2/23/2010	10022877	124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		valid

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
80005	WL	2/23/2010	10022877	67-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		valid
80005	WL	2/23/2010	10022877	74-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		valid
80005	WL	2/23/2010	10022877	7440-47-3	Chromium	0001	0.66	ug/L	U	F	0.66		valid
80005	WL	2/23/2010	10022877	218-01-9	Chrysene	N001	0.54	ug/L	U	F	0.54		valid
80005	WL	2/23/2010	10022877	156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		valid
80005	WL	2/23/2010	10022877	7440-50-8	Copper	0001	1.4	ug/L	U	F	1.4		valid
80005	WL	2/23/2010	10022877	53-70-3	Dibenz(a,h)anthracene	N001	0.51	ug/L	U	F	0.51		valid
80005	WL	2/23/2010	10022877	84-66-2	Diethyl phthalate	N001	0.38	ug/L	U	F	0.38		valid
80005	WL	2/23/2010	10022877	131-11-3	Dimethyl phthalate	N001	0.21	ug/L	U	F	0.21		valid
80005	WL	2/23/2010	10022877	84-74-2	Di-n-butyl phthalate	N001	1.2	ug/L	U	F	1.2		valid
80005	WL	2/23/2010	10022877	100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		valid
80005	WL	2/23/2010	10022877	206-44-0	Fluoranthene	N001	0.2	ug/L	U	F	0.2		valid
80005	WL	2/23/2010	10022877	86-73-7	Fluorene	N001	0.31	ug/L	U	F	0.31		valid
80005	WL	2/23/2010	10022877	118-74-1	Hexachlorobenzene	N001	0.66	ug/L	U	F	0.66		valid
80005	WL	2/23/2010	10022877	87-68-3	Hexachlorobutadiene	N001	0.12	ug/L	U	F	0.12		valid
80005	WL	2/23/2010	10022877	77-47-4	Hexachlorocyclopentadiene	N001	1.5	ug/L	U	F	1.5		valid
80005	WL	2/23/2010	10022877	67-72-1	Hexachloroethane	N001	2.1	ug/L	U	F	2.1		valid
80005	WL	2/23/2010	10022877	193-39-5	Indeno(1,2,3-cd)pyrene	N001	0.65	ug/L	U	F	0.65		valid
80005	WL	2/23/2010	10022877	78-59-1	Isophorone	N001	0.21	ug/L	U	F	0.21		valid
80005	WL	2/23/2010	10022877	7439-92-1	Lead	0001	2.6	ug/L	U	F	2.6		valid
80005	WL	2/23/2010	10022877	7439-97-6	Mercury	0001	0.027	ug/L	U	F	0.027		valid
80005	WL	2/23/2010	10022877	75-09-2	Methylene chloride	N001	0.39	ug/L	J	F	0.32		valid
80005	WL	2/23/2010	10022877	91-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22		valid
80005	WL	2/23/2010	10022877	7440-02-0	Nickel	0001	1.3	ug/L	U	F	1.3		valid
80005	WL	2/23/2010	10022877	98-95-3	Nitrobenzene	N001	0.81	ug/L	U	F	0.81		valid
80005	WL	2/23/2010	10022877	621-64-7	N-Nitrosodi-n-propylamine	N001	0.35	ug/L	U	F	0.35		valid
80005	WL	2/23/2010	10022877	86-30-6	N-Nitrosodiphenylamine	N001	0.44	ug/L	U	F	0.44		valid
80005	WL	2/23/2010	10022877	87-86-5	Pentachlorophenol	N001	20	ug/L	U	F	20		valid
80005	WL	2/23/2010	10022877	108-95-2	Phenol	N001	2	ug/L	U	F	2		valid
80005	WL	2/23/2010	10022877	129-00-0	Pyrene	N001	0.37	ug/L	U	F	0.37		valid
80005	WL	2/23/2010	10022877	7782-49-2	Selenium	0001	4.9	ug/L	U	F	4.9		valid
80005	WL	2/23/2010	10022877	7440-22-4	Silver	0001	0.93	ug/L	U	F	0.93		valid
80005	WL	2/23/2010	10022877	100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		valid
80005	WL	2/23/2010	10022877	127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2		valid
80005	WL	2/23/2010	10022877	108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17		valid
80005	WL	2/23/2010	10022877	1330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19		valid
80005	WL	2/23/2010	10022877	156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		valid
80005	WL	2/23/2010	10022877	10061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		valid
80005	WL	2/23/2010	10022877	79-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16		valid
80005	WL	2/23/2010	10022877	7440-61-1	Uranium	0001	9.5	ug/L		F	0.02		valid
80005	WL	2/23/2010	10022877	75-01-4	Vinyl chloride	N001	0.4	ug/L	U	F	0.4		valid
80005	WL	2/23/2010	10022877	7440-66-6	Zinc	0001	4.5	ug/L	U	F	4.5		valid
80105	WL	2/23/2010	10022877	71-55-6	1,1,1-Trichloroethane	N002	0.16	ug/L	U	D	0.16		valid
80105	WL	2/23/2010	10022877	71-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		valid
80105	WL	2/23/2010	10022877	79-34-5	1,1,2,2-Tetrachloroethane	N002	0.21	ug/L	U	D	0.21		valid
80105	WL	2/23/2010	10022877	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		valid
80105	WL	2/23/2010	10022877	79-00-5	1,1,2-Trichloroethane	N002	0.27	ug/L	U	D	0.27		valid
80105	WL	2/23/2010	10022877	79-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27		valid
80105	WL	2/23/2010	10022877	75-35-4	1,1-Dichloroethene	N002	0.23	ug/L	U	D	0.23		valid
80105	WL	2/23/2010	10022877	75-35-4	1,1-Dichloroethene	N001	0.23	ug/L	U	F	0.23		valid
80105	WL	2/23/2010	10022877	120-82-1	1,2,4-Trichlorobenzene	N002	0.21	ug/L	U	D	0.21		valid
80105	WL	2/23/2010	10022877	120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		valid
80105	WL	2/23/2010	10022877	96-12-8	1,2-Dibromo-3-chloropropane	N002	0.47	ug/L	U	D	0.47		valid
80105	WL	2/23/2010	10022877	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47		valid
80105	WL	2/23/2010	10022877	106-93-4	1,2-Dibromoethane	N002	0.18	ug/L	U	D	0.18		valid

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
80105	WL	2/23/2010	10022877	106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		valid
80105	WL	2/23/2010	10022877	95-50-1	1,2-Dichlorobenzene	N002	0.15	ug/L	U	D	0.15		valid
80105	WL	2/23/2010	10022877	95-50-1	1,2-Dichlorobenzene	N001	0.15	ug/L	U	F	0.15		valid
80105	WL	2/23/2010	10022877	107-06-2	1,2-Dichloroethane	N002	0.13	ug/L	U	D	0.13		valid
80105	WL	2/23/2010	10022877	107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		valid
80105	WL	2/23/2010	10022877	78-87-5	1,2-Dichloropropane	N002	0.18	ug/L	U	D	0.18		valid
80105	WL	2/23/2010	10022877	78-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		valid
80105	WL	2/23/2010	10022877	541-73-1	1,3-Dichlorobenzene	N002	0.13	ug/L	U	D	0.13		valid
80105	WL	2/23/2010	10022877	541-73-1	1,3-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13		valid
80105	WL	2/23/2010	10022877	106-46-7	1,4-Dichlorobenzene	N002	0.16	ug/L	U	D	0.16		valid
80105	WL	2/23/2010	10022877	106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		valid
80105	WL	2/23/2010	10022877	105-67-9	2, 4-Dimethylphenol	N002	0.6	ug/L	U	D	0.6		valid
80105	WL	2/23/2010	10022877	105-67-9	2, 4-Dimethylphenol	N001	0.62	ug/L	U	F	0.62		J
80105	WL	2/23/2010	10022877	95-95-4	2,4,5-Trichlorophenol	N002	0.47	ug/L	U	D	0.47		valid
80105	WL	2/23/2010	10022877	95-95-4	2,4,5-Trichlorophenol	N001	0.48	ug/L	U	F	0.48		J
80105	WL	2/23/2010	10022877	88-06-2	2,4,6-Trichlorophenol	N002	0.3	ug/L	U	D	0.3		valid
80105	WL	2/23/2010	10022877	88-06-2	2,4,6-Trichlorophenol	N001	0.31	ug/L	U	F	0.31		J
80105	WL	2/23/2010	10022877	120-83-2	2,4-Dichlorophenol	N002	0.67	ug/L	U	D	0.67		valid
80105	WL	2/23/2010	10022877	120-83-2	2,4-Dichlorophenol	N001	0.68	ug/L	U	F	0.68		J
80105	WL	2/23/2010	10022877	51-28-5	2,4-Dinitrophenol	N002	10	ug/L	U	D	10		valid
80105	WL	2/23/2010	10022877	51-28-5	2,4-Dinitrophenol	N001	11	ug/L	U	F	11		J
80105	WL	2/23/2010	10022877	121-14-2	2,4-Dinitrotoluene	N002	1.7	ug/L	U	D	1.7		valid
80105	WL	2/23/2010	10022877	121-14-2	2,4-Dinitrotoluene	N001	1.8	ug/L	U	F	1.8		J
80105	WL	2/23/2010	10022877	606-20-2	2,6-Dinitrotoluene	N002	2	ug/L	U	D	2		valid
80105	WL	2/23/2010	10022877	606-20-2	2,6-Dinitrotoluene	N001	2	ug/L	U	F	2		J
80105	WL	2/23/2010	10022877	91-58-7	2-Chloronaphthalene	N002	0.27	ug/L	U	D	0.27		valid
80105	WL	2/23/2010	10022877	91-58-7	2-Chloronaphthalene	N001	0.28	ug/L	U	F	0.28		J
80105	WL	2/23/2010	10022877	95-57-8	2-Chlorophenol	N002	2.1	ug/L	U	D	2.1		valid
80105	WL	2/23/2010	10022877	95-57-8	2-Chlorophenol	N001	2.1	ug/L	U	F	2.1		J
80105	WL	2/23/2010	10022877	91-94-1	3,3'-Dichlorobenzidine	N002	2.1	ug/L	U *	D	2.1		J
80105	WL	2/23/2010	10022877	91-94-1	3,3'-Dichlorobenzidine	N001	2.1	ug/L	U *	F	2.1		J
80105	WL	2/23/2010	10022877	534-52-1	4,6-Dinitro-2-methyl phenol	N002	4.2	ug/L	U	D	4.2		valid
80105	WL	2/23/2010	10022877	534-52-1	4,6-Dinitro-2-methyl phenol	N001	4.3	ug/L	U	F	4.3		J
80105	WL	2/23/2010	10022877	59-50-7	4-Chloro-3-methylphenol	N002	2.5	ug/L	U	D	2.5		valid
80105	WL	2/23/2010	10022877	59-50-7	4-Chloro-3-methylphenol	N001	2.6	ug/L	U	F	2.6		J
80105	WL	2/23/2010	10022877	100-02-7	4-Nitrophenol	N002	1.3	ug/L	U	D	1.3		valid
80105	WL	2/23/2010	10022877	100-02-7	4-Nitrophenol	N001	1.3	ug/L	U	F	1.3		J
80105	WL	2/23/2010	10022877	83-32-9	Acenaphthene	N002	0.29	ug/L	U	D	0.29		valid
80105	WL	2/23/2010	10022877	83-32-9	Acenaphthene	N001	0.3	ug/L	U	F	0.3		J
80105	WL	2/23/2010	10022877	120-12-7	Anthracene	N002	0.44	ug/L	U	D	0.44		valid
80105	WL	2/23/2010	10022877	120-12-7	Anthracene	N001	0.45	ug/L	U	F	0.45		J
80105	WL	2/23/2010	10022877	7440-38-2	Arsenic	0002	4.4	ug/L	U	D	4.4		valid
80105	WL	2/23/2010	10022877	7440-38-2	Arsenic	0001	4.4	ug/L	U	F	4.4		valid
80105	WL	2/23/2010	10022877	56-55-3	Benz(a)anthracene	N002	0.36	ug/L	U	D	0.36		valid
80105	WL	2/23/2010	10022877	56-55-3	Benz(a)anthracene	N001	0.37	ug/L	U	F	0.37		J
80105	WL	2/23/2010	10022877	71-43-2	Benzene	N002	0.16	ug/L	U	D	0.16		valid
80105	WL	2/23/2010	10022877	71-43-2	Benzene	N001	0.16	ug/L	U	F	0.16		valid
80105	WL	2/23/2010	10022877	50-32-8	Benzo(a)pyrene	N002	0.32	ug/L	U	D	0.32		valid
80105	WL	2/23/2010	10022877	50-32-8	Benzo(a)pyrene	N001	0.33	ug/L	U	F	0.33		J
80105	WL	2/23/2010	10022877	205-99-2	Benzo(b)fluoranthene	N002	0.55	ug/L	U	D	0.55		valid
80105	WL	2/23/2010	10022877	205-99-2	Benzo(b)fluoranthene	N001	0.57	ug/L	U	F	0.57		J
80105	WL	2/23/2010	10022877	191-24-2	Benzo(g,h,i)Perylene	N002	0.52	ug/L	U	D	0.52		valid
80105	WL	2/23/2010	10022877	191-24-2	Benzo(g,h,i)Perylene	N001	0.53	ug/L	U	F	0.53		J
80105	WL	2/23/2010	10022877	207-08-9	Benzo(k)fluoranthene	N002	0.48	ug/L	U	D	0.48		valid
80105	WL	2/23/2010	10022877	207-08-9	Benzo(k)fluoranthene	N001	0.49	ug/L	U	F	0.49		J

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
80105	WL	2/23/2010	10022877	7440-41-7	Beryllium	0002	0.47	ug/L	U	D	0.47		valid
80105	WL	2/23/2010	10022877	7440-41-7	Beryllium	0001	0.47	ug/L	U	F	0.47		valid
80105	WL	2/23/2010	10022877	111-44-4	Bis(2-chloroethyl) ether	N002	0.43	ug/L	U	D	0.43		valid
80105	WL	2/23/2010	10022877	111-44-4	Bis(2-chloroethyl) ether	N001	0.44	ug/L	U	F	0.44		J
80105	WL	2/23/2010	10022877	108-60-1	Bis(2-chloroisopropyl) ether	N002	0.29	ug/L	U	D	0.29		valid
80105	WL	2/23/2010	10022877	108-60-1	Bis(2-chloroisopropyl) ether	N001	0.3	ug/L	U	F	0.3		J
80105	WL	2/23/2010	10022877	117-81-7	Bis(2-ethylhexyl) phthalate	N002	0.58	ug/L	U	D	0.58		valid
80105	WL	2/23/2010	10022877	117-81-7	Bis(2-ethylhexyl) phthalate	N001	0.6	ug/L	U	F	0.6		J
80105	WL	2/23/2010	10022877	7440-42-8	Boron	0002	120	ug/L	B	D	1.6		valid
80105	WL	2/23/2010	10022877	7440-42-8	Boron	0001	110	ug/L	B	F	1.6		valid
80105	WL	2/23/2010	10022877	75-27-4	Bromodichloromethane	N002	0.17	ug/L	U	D	0.17		valid
80105	WL	2/23/2010	10022877	75-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		valid
80105	WL	2/23/2010	10022877	75-25-2	Bromoform	N002	0.19	ug/L	U	D	0.19		valid
80105	WL	2/23/2010	10022877	75-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		valid
80105	WL	2/23/2010	10022877	74-83-9	Bromomethane	N002	0.21	ug/L	U	D	0.21		valid
80105	WL	2/23/2010	10022877	74-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		valid
80105	WL	2/23/2010	10022877	85-68-7	Butyl benzyl phthalate	N002	1	ug/L	U	D	1		valid
80105	WL	2/23/2010	10022877	85-68-7	Butyl benzyl phthalate	N001	1.1	ug/L	U	F	1.1		J
80105	WL	2/23/2010	10022877	7440-43-9	Cadmium	0002	0.45	ug/L	U	D	0.45		valid
80105	WL	2/23/2010	10022877	7440-43-9	Cadmium	0001	0.45	ug/L	U	F	0.45		valid
80105	WL	2/23/2010	10022877	56-23-5	Carbon tetrachloride	N002	0.19	ug/L	U	D	0.19		valid
80105	WL	2/23/2010	10022877	56-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		valid
80105	WL	2/23/2010	10022877	108-90-7	Chlorobenzene	N002	0.17	ug/L	U	D	0.17		valid
80105	WL	2/23/2010	10022877	108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		valid
80105	WL	2/23/2010	10022877	124-48-1	Chlorodibromomethane	N002	0.17	ug/L	U	D	0.17		valid
80105	WL	2/23/2010	10022877	124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		valid
80105	WL	2/23/2010	10022877	67-66-3	Chloroform	N002	0.16	ug/L	U	D	0.16		valid
80105	WL	2/23/2010	10022877	67-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		valid
80105	WL	2/23/2010	10022877	74-87-3	Chloromethane	N002	0.3	ug/L	U	D	0.3		valid
80105	WL	2/23/2010	10022877	74-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		valid
80105	WL	2/23/2010	10022877	7440-47-3	Chromium	0002	0.8	ug/L	J	D	0.66		valid
80105	WL	2/23/2010	10022877	7440-47-3	Chromium	0001	0.66	ug/L	U	F	0.66		valid
80105	WL	2/23/2010	10022877	218-01-9	Chrysene	N002	0.56	ug/L	U	D	0.56		valid
80105	WL	2/23/2010	10022877	218-01-9	Chrysene	N001	0.58	ug/L	U	F	0.58		J
80105	WL	2/23/2010	10022877	156-59-2	cis-1,2-Dichloroethene	N002	0.15	ug/L	U	D	0.15		valid
80105	WL	2/23/2010	10022877	156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		valid
80105	WL	2/23/2010	10022877	7440-50-8	Copper	0002	1.6	ug/L	J	D	1.4		valid
80105	WL	2/23/2010	10022877	7440-50-8	Copper	0001	1.4	ug/L	U	F	1.4		valid
80105	WL	2/23/2010	10022877	53-70-3	Dibenz(a,h)anthracene	N002	0.53	ug/L	U	D	0.53		valid
80105	WL	2/23/2010	10022877	53-70-3	Dibenz(a,h)anthracene	N001	0.54	ug/L	U	F	0.54		J
80105	WL	2/23/2010	10022877	84-66-2	Diethyl phthalate	N002	0.4	ug/L	U	D	0.4		valid
80105	WL	2/23/2010	10022877	84-66-2	Diethyl phthalate	N001	0.4	ug/L	U	F	0.4		J
80105	WL	2/23/2010	10022877	131-11-3	Dimethyl phthalate	N002	0.22	ug/L	U	D	0.22		valid
80105	WL	2/23/2010	10022877	131-11-3	Dimethyl phthalate	N001	0.22	ug/L	U	F	0.22		J
80105	WL	2/23/2010	10022877	84-74-2	Di-n-butyl phthalate	N002	1.2	ug/L	U	D	1.2		valid
80105	WL	2/23/2010	10022877	84-74-2	Di-n-butyl phthalate	N001	1.2	ug/L	U	F	1.2		J
80105	WL	2/23/2010	10022877	100-41-4	Ethylbenzene	N002	0.16	ug/L	U	D	0.16		valid
80105	WL	2/23/2010	10022877	100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		valid
80105	WL	2/23/2010	10022877	206-44-0	Fluoranthene	N002	0.21	ug/L	U	D	0.21		valid
80105	WL	2/23/2010	10022877	206-44-0	Fluoranthene	N001	0.21	ug/L	U	F	0.21		J
80105	WL	2/23/2010	10022877	86-73-7	Fluorene	N002	0.32	ug/L	U	D	0.32		valid
80105	WL	2/23/2010	10022877	86-73-7	Fluorene	N001	0.33	ug/L	U	F	0.33		J
80105	WL	2/23/2010	10022877	118-74-1	Hexachlorobenzene	N002	0.69	ug/L	U	D	0.69		valid
80105	WL	2/23/2010	10022877	118-74-1	Hexachlorobenzene	N001	0.7	ug/L	U	F	0.7		J
80105	WL	2/23/2010	10022877	87-68-3	Hexachlorobutadiene	N002	0.12	ug/L	U	D	0.12		valid

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
80105	WL	2/23/2010	10022877	87-68-3	Hexachlorobutadiene	N001	0.12	ug/L	U	F	0.12		valid
80105	WL	2/23/2010	10022877	77-47-4	Hexachlorocyclopentadiene	N002	1.6	ug/L	U	D	1.6		valid
80105	WL	2/23/2010	10022877	77-47-4	Hexachlorocyclopentadiene	N001	1.6	ug/L	U	F	1.6		J
80105	WL	2/23/2010	10022877	67-72-1	Hexachloroethane	N002	2.2	ug/L	U	D	2.2		valid
80105	WL	2/23/2010	10022877	67-72-1	Hexachloroethane	N001	2.2	ug/L	U	F	2.2		J
80105	WL	2/23/2010	10022877	193-39-5	Indeno(1,2,3-cd)pyrene	N002	0.68	ug/L	U	D	0.68		valid
80105	WL	2/23/2010	10022877	193-39-5	Indeno(1,2,3-cd)pyrene	N001	0.69	ug/L	U	F	0.69		J
80105	WL	2/23/2010	10022877	78-59-1	Isophorone	N002	0.22	ug/L	U	D	0.22		valid
80105	WL	2/23/2010	10022877	78-59-1	Isophorone	N001	0.22	ug/L	U	F	0.22		J
80105	WL	2/23/2010	10022877	7439-92-1	Lead	0002	2.6	ug/L	U	D	2.6		valid
80105	WL	2/23/2010	10022877	7439-92-1	Lead	0001	2.6	ug/L	U	F	2.6		valid
80105	WL	2/23/2010	10022877	7439-97-6	Mercury	0002	0.027	ug/L	U	D	0.027		valid
80105	WL	2/23/2010	10022877	7439-97-6	Mercury	0001	0.027	ug/L	U	F	0.027		valid
80105	WL	2/23/2010	10022877	75-09-2	Methylene chloride	N002	0.35	ug/L	J	D	0.32		J
80105	WL	2/23/2010	10022877	75-09-2	Methylene chloride	N001	0.33	ug/L	J	F	0.32		valid
80105	WL	2/23/2010	10022877	91-20-3	Naphthalene	N002	0.22	ug/L	U	D	0.22		valid
80105	WL	2/23/2010	10022877	91-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22		valid
80105	WL	2/23/2010	10022877	7440-02-0	Nickel	0002	1.3	ug/L	U	D	1.3		valid
80105	WL	2/23/2010	10022877	7440-02-0	Nickel	0001	1.3	ug/L	U	F	1.3		valid
80105	WL	2/23/2010	10022877	98-95-3	Nitrobenzene	N002	0.84	ug/L	U	D	0.84		valid
80105	WL	2/23/2010	10022877	98-95-3	Nitrobenzene	N001	0.86	ug/L	U	F	0.86		J
80105	WL	2/23/2010	10022877	621-64-7	N-Nitrosodi-n-propylamine	N002	0.36	ug/L	U	D	0.36		valid
80105	WL	2/23/2010	10022877	621-64-7	N-Nitrosodi-n-propylamine	N001	0.37	ug/L	U	F	0.37		J
80105	WL	2/23/2010	10022877	86-30-6	N-Nitrosodiphenylamine	N002	0.46	ug/L	U	D	0.46		valid
80105	WL	2/23/2010	10022877	86-30-6	N-Nitrosodiphenylamine	N001	0.47	ug/L	U	F	0.47		J
80105	WL	2/23/2010	10022877	87-86-5	Pentachlorophenol	N002	21	ug/L	U	D	21		valid
80105	WL	2/23/2010	10022877	87-86-5	Pentachlorophenol	N001	21	ug/L	U	F	21		J
80105	WL	2/23/2010	10022877	108-95-2	Phenol	N002	2.1	ug/L	U	D	2.1		valid
80105	WL	2/23/2010	10022877	108-95-2	Phenol	N001	2.1	ug/L	U	F	2.1		J
80105	WL	2/23/2010	10022877	129-00-0	Pyrene	N002	0.39	ug/L	U	D	0.39		valid
80105	WL	2/23/2010	10022877	129-00-0	Pyrene	N001	0.39	ug/L	U	F	0.39		J
80105	WL	2/23/2010	10022877	7782-49-2	Selenium	0002	6.4	ug/L	J	D	4.9		J
80105	WL	2/23/2010	10022877	7782-49-2	Selenium	0001	4.9	ug/L	U	F	4.9		valid
80105	WL	2/23/2010	10022877	7440-22-4	Silver	0002	0.93	ug/L	U	D	0.93		valid
80105	WL	2/23/2010	10022877	7440-22-4	Silver	0001	0.93	ug/L	U	F	0.93		valid
80105	WL	2/23/2010	10022877	100-42-5	Styrene	N002	0.17	ug/L	U	D	0.17		valid
80105	WL	2/23/2010	10022877	100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		valid
80105	WL	2/23/2010	10022877	127-18-4	Tetrachloroethene	N002	0.2	ug/L	U	D	0.2		valid
80105	WL	2/23/2010	10022877	127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2		valid
80105	WL	2/23/2010	10022877	108-88-3	Toluene	N002	0.17	ug/L	U	D	0.17		valid
80105	WL	2/23/2010	10022877	108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17		valid
80105	WL	2/23/2010	10022877	1330-20-7	Total Xylenes	N002	0.19	ug/L	U	D	0.19		valid
80105	WL	2/23/2010	10022877	1330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19		valid
80105	WL	2/23/2010	10022877	156-60-5	trans-1,2-Dichloroethene	N002	0.15	ug/L	U	D	0.15		valid
80105	WL	2/23/2010	10022877	156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		valid
80105	WL	2/23/2010	10022877	10061-02-6	trans-1,3-dichloropropene	N002	0.19	ug/L	U	D	0.19		valid
80105	WL	2/23/2010	10022877	10061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		valid
80105	WL	2/23/2010	10022877	79-01-6	Trichloroethene	N002	0.16	ug/L	U	D	0.16		valid
80105	WL	2/23/2010	10022877	79-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16		valid
80105	WL	2/23/2010	10022877	7440-61-1	Uranium	0002	15	ug/L		D	0.02		valid
80105	WL	2/23/2010	10022877	7440-61-1	Uranium	0001	14	ug/L		F	0.02		valid
80105	WL	2/23/2010	10022877	75-01-4	Vinyl chloride	N002	0.4	ug/L	U	D	0.4		valid
80105	WL	2/23/2010	10022877	75-01-4	Vinyl chloride	N001	0.4	ug/L	U	F	0.4		valid
80105	WL	2/23/2010	10022877	7440-66-6	Zinc	0002	4.5	ug/L	U	D	4.5		valid
80105	WL	2/23/2010	10022877	7440-66-6	Zinc	0001	4.5	ug/L	U	F	4.5		valid

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
80205	WL	2/24/2010	10022877	71-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		valid
80205	WL	2/24/2010	10022877	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		valid
80205	WL	2/24/2010	10022877	79-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27		valid
80205	WL	2/24/2010	10022877	75-35-4	1,1-Dichloroethene	N001	0.23	ug/L	U	F	0.23		valid
80205	WL	2/24/2010	10022877	120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U *	F	0.21		valid
80205	WL	2/24/2010	10022877	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47		valid
80205	WL	2/24/2010	10022877	106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		valid
80205	WL	2/24/2010	10022877	95-50-1	1,2-Dichlorobenzene	N001	0.15	ug/L	U	F	0.15		valid
80205	WL	2/24/2010	10022877	107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		valid
80205	WL	2/24/2010	10022877	78-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		valid
80205	WL	2/24/2010	10022877	541-73-1	1,3-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13		valid
80205	WL	2/24/2010	10022877	106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		valid
80205	WL	2/24/2010	10022877	105-67-9	2, 4-Dimethylphenol	N001	0.6	ug/L	U	F	0.6		valid
80205	WL	2/24/2010	10022877	95-95-4	2,4,5-Trichlorophenol	N001	0.47	ug/L	U	F	0.47		valid
80205	WL	2/24/2010	10022877	88-06-2	2,4,6-Trichlorophenol	N001	0.3	ug/L	U	F	0.3		valid
80205	WL	2/24/2010	10022877	120-83-2	2,4-Dichlorophenol	N001	0.67	ug/L	U	F	0.67		valid
80205	WL	2/24/2010	10022877	51-28-5	2,4-Dinitrophenol	N001	10	ug/L	U	F	10		valid
80205	WL	2/24/2010	10022877	121-14-2	2,4-Dinitrotoluene	N001	1.7	ug/L	U	F	1.7		valid
80205	WL	2/24/2010	10022877	606-20-2	2,6-Dinitrotoluene	N001	2	ug/L	U	F	2		valid
80205	WL	2/24/2010	10022877	91-58-7	2-Chloronaphthalene	N001	0.27	ug/L	U	F	0.27		valid
80205	WL	2/24/2010	10022877	95-57-8	2-Chlorophenol	N001	2.1	ug/L	U	F	2.1		valid
80205	WL	2/24/2010	10022877	91-94-1	3,3'-Dichlorobenzidine	N001	2.1	ug/L	U *	F	2.1		J
80205	WL	2/24/2010	10022877	534-52-1	4,6-Dinitro-2-methyl phenol	N001	4.2	ug/L	U	F	4.2		valid
80205	WL	2/24/2010	10022877	59-50-7	4-Chloro-3-methylphenol	N001	2.5	ug/L	U	F	2.5		valid
80205	WL	2/24/2010	10022877	100-02-7	4-Nitrophenol	N001	1.3	ug/L	U	F	1.3		valid
80205	WL	2/24/2010	10022877	83-32-9	Acenaphthene	N001	0.29	ug/L	U	F	0.29		valid
80205	WL	2/24/2010	10022877	120-12-7	Anthracene	N001	0.44	ug/L	U	F	0.44		valid
80205	WL	2/24/2010	10022877	7440-38-2	Arsenic	0001	4.4	ug/L	U	F	4.4		valid
80205	WL	2/24/2010	10022877	56-55-3	Benz(a)anthracene	N001	0.36	ug/L	U	F	0.36		valid
80205	WL	2/24/2010	10022877	71-43-2	Benzene	N001	0.16	ug/L	U	F	0.16		valid
80205	WL	2/24/2010	10022877	50-32-8	Benzo(a)pyrene	N001	0.32	ug/L	U	F	0.32		valid
80205	WL	2/24/2010	10022877	205-99-2	Benzo(b)fluoranthene	N001	0.55	ug/L	U	F	0.55		valid
80205	WL	2/24/2010	10022877	191-24-2	Benzo(g,h,i)Perylene	N001	0.52	ug/L	U	F	0.52		valid
80205	WL	2/24/2010	10022877	207-08-9	Benzo(k)fluoranthene	N001	0.48	ug/L	U	F	0.48		valid
80205	WL	2/24/2010	10022877	7440-41-7	Beryllium	0001	0.47	ug/L	U	F	0.47		valid
80205	WL	2/24/2010	10022877	111-44-4	Bis(2-chloroethyl) ether	N001	0.43	ug/L	U	F	0.43		valid
80205	WL	2/24/2010	10022877	108-60-1	Bis(2-chloroisopropyl) ether	N001	0.29	ug/L	U	F	0.29		valid
80205	WL	2/24/2010	10022877	117-81-7	Bis(2-ethylhexyl) phthalate	N001	0.58	ug/L	U	F	0.58		valid
80205	WL	2/24/2010	10022877	7440-42-8	Boron	0001	62	ug/L	B	F	1.6		valid
80205	WL	2/24/2010	10022877	75-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		valid
80205	WL	2/24/2010	10022877	75-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		valid
80205	WL	2/24/2010	10022877	74-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		valid
80205	WL	2/24/2010	10022877	85-68-7	Butyl benzyl phthalate	N001	1	ug/L	U	F	1		valid
80205	WL	2/24/2010	10022877	7440-43-9	Cadmium	0001	0.73	ug/L	J	F	0.45		valid
80205	WL	2/24/2010	10022877	56-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		valid
80205	WL	2/24/2010	10022877	108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		valid
80205	WL	2/24/2010	10022877	124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		valid
80205	WL	2/24/2010	10022877	67-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		valid
80205	WL	2/24/2010	10022877	74-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		valid
80205	WL	2/24/2010	10022877	7440-47-3	Chromium	0001	0.66	ug/L	U	F	0.66		valid
80205	WL	2/24/2010	10022877	218-01-9	Chrysene	N001	0.56	ug/L	U	F	0.56		valid
80205	WL	2/24/2010	10022877	156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		valid
80205	WL	2/24/2010	10022877	7440-50-8	Copper	0001	1.4	ug/L	U	F	1.4		valid
80205	WL	2/24/2010	10022877	53-70-3	Dibenz(a,h)anthracene	N001	0.53	ug/L	U	F	0.53		valid
80205	WL	2/24/2010	10022877	84-66-2	Diethyl phthalate	N001	0.4	ug/L	U	F	0.4		valid

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
80205	WL	2/24/2010	10022877	131-11-3	Dimethyl phthalate	N001	0.22	ug/L	U	F	0.22		valid
80205	WL	2/24/2010	10022877	84-74-2	Di-n-butyl phthalate	N001	1.2	ug/L	U	F	1.2		valid
80205	WL	2/24/2010	10022877	100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		valid
80205	WL	2/24/2010	10022877	206-44-0	Fluoranthene	N001	0.21	ug/L	U	F	0.21		valid
80205	WL	2/24/2010	10022877	86-73-7	Fluorene	N001	0.32	ug/L	U	F	0.32		valid
80205	WL	2/24/2010	10022877	118-74-1	Hexachlorobenzene	N001	0.69	ug/L	U	F	0.69		valid
80205	WL	2/24/2010	10022877	87-68-3	Hexachlorobutadiene	N001	0.12	ug/L	U *	F	0.12		valid
80205	WL	2/24/2010	10022877	77-47-4	Hexachlorocyclopentadiene	N001	1.6	ug/L	U	F	1.6		valid
80205	WL	2/24/2010	10022877	67-72-1	Hexachloroethane	N001	2.2	ug/L	U	F	2.2		valid
80205	WL	2/24/2010	10022877	193-39-5	Indeno(1,2,3-cd)pyrene	N001	0.68	ug/L	U	F	0.68		valid
80205	WL	2/24/2010	10022877	78-59-1	Isophorone	N001	0.22	ug/L	U	F	0.22		valid
80205	WL	2/24/2010	10022877	7439-92-1	Lead	0001	2.6	ug/L	U	F	2.6		valid
80205	WL	2/24/2010	10022877	7439-97-6	Mercury	0001	0.027	ug/L	U	F	0.027		valid
80205	WL	2/24/2010	10022877	75-09-2	Methylene chloride	N001	0.36	ug/L	J B	F	0.32		U
80205	WL	2/24/2010	10022877	91-20-3	Naphthalene	N001	0.22	ug/L	U *	F	0.22		valid
80205	WL	2/24/2010	10022877	7440-02-0	Nickel	0001	1.7	ug/L	J	F	1.3		valid
80205	WL	2/24/2010	10022877	98-95-3	Nitrobenzene	N001	0.84	ug/L	U	F	0.84		valid
80205	WL	2/24/2010	10022877	621-64-7	N-Nitrosodi-n-propylamine	N001	0.36	ug/L	U	F	0.36		valid
80205	WL	2/24/2010	10022877	86-30-6	N-Nitrosodiphenylamine	N001	0.46	ug/L	U	F	0.46		valid
80205	WL	2/24/2010	10022877	87-86-5	Pentachlorophenol	N001	21	ug/L	U	F	21		valid
80205	WL	2/24/2010	10022877	108-95-2	Phenol	N001	2.1	ug/L	U	F	2.1		valid
80205	WL	2/24/2010	10022877	129-00-0	Pyrene	N001	0.39	ug/L	U	F	0.39		valid
80205	WL	2/24/2010	10022877	7782-49-2	Selenium	0001	9.9	ug/L	J	F	4.9		J
80205	WL	2/24/2010	10022877	7440-22-4	Silver	0001	0.98	ug/L	J	F	0.93		valid
80205	WL	2/24/2010	10022877	100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		valid
80205	WL	2/24/2010	10022877	127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2		valid
80205	WL	2/24/2010	10022877	108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17		valid
80205	WL	2/24/2010	10022877	1330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19		valid
80205	WL	2/24/2010	10022877	156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		valid
80205	WL	2/24/2010	10022877	10061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		valid
80205	WL	2/24/2010	10022877	79-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16		valid
80205	WL	2/24/2010	10022877	7440-61-1	Uranium	0001	59	ug/L		F	0.02		valid
80205	WL	2/24/2010	10022877	75-01-4	Vinyl chloride	N001	0.4	ug/L	U	F	0.4		valid
80205	WL	2/24/2010	10022877	7440-66-6	Zinc	0001	4.5	ug/L	U	F	4.5		valid
A4 POND	SL	1/27/2010	10012826	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	0.026	mg/L	B	F	0.019		valid
A4 POND	SL	1/27/2010	10012826	7440-61-1	Uranium	N001	6.1	ug/L		F	0.02		valid
A4 POND	SL	2/10/2010	10022852	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	0.033	mg/L	B	F	0.019		valid
A4 POND	SL	2/10/2010	10022852	7440-61-1	Uranium	N001	6.1	ug/L		F	0.02		valid
A4 POND	SL	2/24/2010	10022878	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	0.046	mg/L	J	F	0.019		valid
A4 POND	SL	2/24/2010	10022878	7440-61-1	Uranium	N001	7.4	ug/L		F	0.02		valid
A4 POND	SL	3/11/2010	10032920	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	0.019	mg/L	U	F	0.019		valid
A4 POND	SL	3/11/2010	10032920	7440-61-1	Uranium	N001	7.1	ug/L		F	0.02		valid
A4 POND	SL	3/25/2010	10032944	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	0.9	mg/L		F	0.019		valid
A4 POND	SL	3/25/2010	10032944	7440-61-1	Uranium	N001	16	ug/L		F	0.02		valid
B5 POND	SL	1/27/2010	10012826	7440-61-1	Uranium	N001	10	ug/L		F	0.02		valid
B5 POND	SL	2/10/2010	10022852	7440-61-1	Uranium	N001	8.4	ug/L		F	0.04		valid
B5 POND	SL	2/24/2010	10022878	7440-61-1	Uranium	N001	29	ug/L		F	0.02		valid
B5 POND	SL	3/11/2010	10032920	7440-61-1	Uranium	N001	5.2	ug/L		F	0.02		valid
B5 POND	SL	3/25/2010	10032944	7440-61-1	Uranium	N001	10	ug/L		F	0.02		valid
GS01	SL	1/13/2010	10022844	AM-241	Americium-241	N001	0.00105	pCi/L	U	F	0.0165	0.00574	valid
GS01	SL	1/13/2010	10022844	PU-239,240	Plutonium-239, 240	N001	0.00146	pCi/L	U	F	0.0135	0.00286	valid
GS01	SL	1/13/2010	10022844	7440-61-1	Uranium	N001	4.87	ug/L		F	0.05		valid
GS01	SL	2/2/2010	10032909	AM-241	Americium-241	N001	0.00315	pCi/L	U	F	0.00945	0.00411	valid
GS01	SL	2/2/2010	10032909	PU-239,240	Plutonium-239, 240	N001	0	pCi/L	U	F	0.0114	0.00463	valid
GS01	SL	2/2/2010	10032909	7440-61-1	Uranium	N001	5.58	ug/L		F	0.05		valid

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
GS01	SL	3/1/2010	10032923	AM-241	Americium-241	N001	-0.00604	pCi/L	U	F	0.0102	0.00458	valid
GS01	SL	3/1/2010	10032923	PU-239,240	Plutonium-239, 240	N001	0.00115	pCi/L	U	F	0.011	0.00745	valid
GS01	SL	3/1/2010	10032923	7440-61-1	Uranium	N001	5.3	ug/L		F	0.05		J
GS01	SL	3/10/2010	10032940	AM-241	Americium-241	N001	0.00138	pCi/L	U	F	0.0142	0.00266	valid
GS01	SL	3/10/2010	10032940	PU-239,240	Plutonium-239, 240	N001	0.00211	pCi/L	U	F	0.0101	0.00876	valid
GS01	SL	3/10/2010	10032940	7440-61-1	Uranium	N001	4.89	ug/L		F	0.05		valid
GS01	SL	3/16/2010	10032940	AM-241	Americium-241	N001	0.00588	pCi/L	U	F	0.0153	0.00802	valid
GS01	SL	3/16/2010	10032940	PU-239,240	Plutonium-239, 240	N001	0.00102	pCi/L	U	F	0.00983	0.00529	valid
GS01	SL	3/16/2010	10032940	7440-61-1	Uranium	N001	2.69	ug/L		F	0.05		valid
GS01	SL	3/23/2010	10032949	AM-241	Americium-241	N001	0.00473	pCi/L	U	F	0.0132	0.00577	valid
GS01	SL	3/23/2010	10032949	PU-239,240	Plutonium-239, 240	N001	-0.0091	pCi/L	U	F	0.0107	0.0105	valid
GS01	SL	3/23/2010	10032949	7440-61-1	Uranium	N001	3.67	ug/L		F	0.05		valid
GS01	SL	3/25/2010	10032949	AM-241	Americium-241	N001	0.00869	pCi/L	U	F	0.011	0.00705	valid
GS01	SL	3/25/2010	10032949	PU-239,240	Plutonium-239, 240	N001	-0.00206	pCi/L	U	F	0.00971	0.0035	valid
GS01	SL	3/25/2010	10032949	7440-61-1	Uranium	N001	4.57	ug/L		F	0.05		valid
GS01	SL	3/27/2010	10032956	AM-241	Americium-241	N001	0.00362	pCi/L	U	F	0.0202	0.00508	valid
GS01	SL	3/27/2010	10032956	PU-239,240	Plutonium-239, 240	N001	0.00211	pCi/L	U	F	0.00996	0.00586	valid
GS01	SL	3/27/2010	10032956	7440-61-1	Uranium	N001	1.91	ug/L		F	0.05		valid
GS01	SL	3/29/2010	10042980	AM-241	Americium-241	N001	-0.000231	pCi/L	U	F	0.0182	0.00785	valid
GS01	SL	3/29/2010	10042980	PU-239,240	Plutonium-239, 240	N001	0.00905	pCi/L	U	F	0.0122	0.00678	valid
GS01	SL	3/29/2010	10042980	7440-61-1	Uranium	N001	1.79	ug/L		F	0.05		valid
GS03	SL	1/13/2010	10032940	AM-241	Americium-241	N001	0.00264	pCi/L	U	F	0.0139	0.0109	valid
GS03	SL	1/13/2010	10032940	PU-239,240	Plutonium-239, 240	N001	0.00361	pCi/L	U	F	0.0116	0.00784	valid
GS03	SL	1/13/2010	10032940	7440-61-1	Uranium	N001	3.7	ug/L		F	0.05		valid
GS03	SL	3/23/2010	10032949	AM-241	Americium-241	N001	0.0045	pCi/L	U	F	0.0212	0.0058	valid
GS03	SL	3/23/2010	10032949	PU-239,240	Plutonium-239, 240	N001	-0.00377	pCi/L	U	F	0.0119	0.00818	valid
GS03	SL	3/23/2010	10032949	7440-61-1	Uranium	N001	9.4	ug/L		F	0.05		valid
GS03	SL	3/26/2010	10032956	AM-241	Americium-241	N001	0.00679	pCi/L	U	F	0.0136	0.00574	valid
GS03	SL	3/26/2010	10032956	PU-239,240	Plutonium-239, 240	N001	0.0356	pCi/L		F	0.0124	0.0158	valid
GS03	SL	3/26/2010	10032956	7440-61-1	Uranium	N001	2.01	ug/L		F	0.05		valid
GS03	SL	3/29/2010	10043024	AM-241	Americium-241	N001	0.00313	pCi/L	U	F	0.011	0.00446	valid
GS03	SL	3/29/2010	10043024	PU-239,240	Plutonium-239, 240	N001	0	pCi/L	U	F	0.01	0.0059	valid
GS03	SL	3/29/2010	10043024	7440-61-1	Uranium	N001	2.95	ug/L		F	0.05		valid
GS05	SL	1/13/2010	10032940	7440-38-2	Arsenic	N001	5	ug/L	U	F	5		valid
GS05	SL	1/13/2010	10032940	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		valid
GS05	SL	1/13/2010	10032940	7440-42-8	Boron	N001	23.7	ug/L	B	F	15		valid
GS05	SL	1/13/2010	10032940	7440-43-9	Cadmium	0001	1	ug/L	U	F	1		valid
GS05	SL	1/13/2010	10032940	7440-47-3	Chromium	N001	1.96	ug/L	B	F	1		valid
GS05	SL	1/13/2010	10032940	7440-50-8	Copper	0001	3	ug/L	U	F	3		valid
GS05	SL	1/13/2010	10032940	7439-92-1	Lead	0001	3.3	ug/L	U	F	3.3		valid
GS05	SL	1/13/2010	10032940	7439-97-6	Mercury	N001	0.066	ug/L	U	F	0.066		valid
GS05	SL	1/13/2010	10032940	7440-02-0	Nickel	0001	1.5	ug/L	U	F	1.5		valid
GS05	SL	1/13/2010	10032940	7782-49-2	Selenium	N001	5	ug/L	U	F	5		valid
GS05	SL	1/13/2010	10032940	7440-22-4	Silver	0001	1	ug/L	U	F	1		valid
GS05	SL	1/13/2010	10032940	7440-61-1	Uranium	N001	0.978	ug/L		F	0.05		valid
GS05	SL	1/13/2010	10032940	7440-66-6	Zinc	0001	3.3	ug/L	U	F	3.3		J
GS05	SL	1/27/2010	10012826	71-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		valid
GS05	SL	1/27/2010	10012826	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.2	ug/L	U	F	0.2		valid
GS05	SL	1/27/2010	10012826	79-00-5	1,1,2-Trichloroethane	N001	0.32	ug/L	U	F	0.32		valid
GS05	SL	1/27/2010	10012826	75-35-4	1,1-Dichloroethene	N001	0.14	ug/L	U	F	0.14		valid
GS05	SL	1/27/2010	10012826	120-82-1	1,2,4-Trichlorobenzene	N001	0.32	ug/L	U	F	0.32		valid
GS05	SL	1/27/2010	10012826	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.81	ug/L	U	F	0.81		valid
GS05	SL	1/27/2010	10012826	106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		valid
GS05	SL	1/27/2010	10012826	95-50-1	1,2-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13		valid
GS05	SL	1/27/2010	10012826	107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		valid

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
GS05	SL	1/27/2010	10012826	78-87-5	1,2-Dichloropropane	N001	0.13	ug/L	U	F	0.13		valid
GS05	SL	1/27/2010	10012826	541-73-1	1,3-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		valid
GS05	SL	1/27/2010	10012826	106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		valid
GS05	SL	1/27/2010	10012826	71-43-2	Benzene	N001	0.16	ug/L	U	F	0.16		valid
GS05	SL	1/27/2010	10012826	75-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		valid
GS05	SL	1/27/2010	10012826	75-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		valid
GS05	SL	1/27/2010	10012826	74-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		valid
GS05	SL	1/27/2010	10012826	56-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		valid
GS05	SL	1/27/2010	10012826	108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		valid
GS05	SL	1/27/2010	10012826	124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		valid
GS05	SL	1/27/2010	10012826	67-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		valid
GS05	SL	1/27/2010	10012826	74-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		valid
GS05	SL	1/27/2010	10012826	156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		valid
GS05	SL	1/27/2010	10012826	100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		valid
GS05	SL	1/27/2010	10012826	87-68-3	Hexachlorobutadiene	N001	0.12	ug/L	U	F	0.12		valid
GS05	SL	1/27/2010	10012826	7439-97-6	Mercury	N001	0.027	ug/L	U	F	0.027		valid
GS05	SL	1/27/2010	10012826	75-09-2	Methylene chloride	N001	0.39	ug/L	J B	F	0.32		U
GS05	SL	1/27/2010	10012826	91-20-3	Naphthalene	N001	0.53	ug/L	J	F	0.22		J
GS05	SL	1/27/2010	10012826	100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		valid
GS05	SL	1/27/2010	10012826	127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2		valid
GS05	SL	1/27/2010	10012826	108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17		valid
GS05	SL	1/27/2010	10012826	1330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19		valid
GS05	SL	1/27/2010	10012826	156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		valid
GS05	SL	1/27/2010	10012826	10061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		valid
GS05	SL	1/27/2010	10012826	79-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16		valid
GS05	SL	1/27/2010	10012826	75-01-4	Vinyl chloride	N001	0.4	ug/L	U	F	0.4		valid
GS05	SL	3/23/2010	10032956	7440-38-2	Arsenic	N001	5	ug/L	U	F	5		valid
GS05	SL	3/23/2010	10032956	7440-38-2	Arsenic	N002	5	ug/L	U	D	5		valid
GS05	SL	3/23/2010	10032956	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		valid
GS05	SL	3/23/2010	10032956	7440-41-7	Beryllium	N002	1	ug/L	U	D	1		valid
GS05	SL	3/23/2010	10032956	7440-42-8	Boron	N001	19	ug/L	B	F	15		valid
GS05	SL	3/23/2010	10032956	7440-42-8	Boron	N002	18.4	ug/L	B	D	15		valid
GS05	SL	3/23/2010	10032956	7440-43-9	Cadmium	0001	1	ug/L	U	F	1		valid
GS05	SL	3/23/2010	10032956	7440-43-9	Cadmium	0002	1	ug/L	U	D	1		valid
GS05	SL	3/23/2010	10032956	7440-47-3	Chromium	N001	1	ug/L	U	F	1		valid
GS05	SL	3/23/2010	10032956	7440-47-3	Chromium	N002	1	ug/L	U	D	1		valid
GS05	SL	3/23/2010	10032956	7440-50-8	Copper	0001	3	ug/L	U	F	3		valid
GS05	SL	3/23/2010	10032956	7440-50-8	Copper	0002	3	ug/L	U	D	3		valid
GS05	SL	3/23/2010	10032956	7439-92-1	Lead	0001	3.34	ug/L	B	F	3.3		valid
GS05	SL	3/23/2010	10032956	7439-92-1	Lead	0002	3.3	ug/L	U	D	3.3		valid
GS05	SL	3/23/2010	10032956	7439-97-6	Mercury	N001	0.066	ug/L	U	F	0.066		valid
GS05	SL	3/23/2010	10032956	7439-97-6	Mercury	N002	0.066	ug/L	U	D	0.066		valid
GS05	SL	3/23/2010	10032956	7440-02-0	Nickel	0001	2.02	ug/L	B	F	1.5		valid
GS05	SL	3/23/2010	10032956	7440-02-0	Nickel	0002	2.33	ug/L	B	D	1.5		valid
GS05	SL	3/23/2010	10032956	7782-49-2	Selenium	N001	8.26	ug/L	B	F	5		valid
GS05	SL	3/23/2010	10032956	7782-49-2	Selenium	N002	6.05	ug/L	B	D	5		valid
GS05	SL	3/23/2010	10032956	7440-22-4	Silver	0001	1	ug/L	U	F	1		valid
GS05	SL	3/23/2010	10032956	7440-22-4	Silver	0002	1	ug/L	U	D	1		valid
GS05	SL	3/23/2010	10032956	7440-61-1	Uranium	N001	0.401	ug/L		F	0.05		valid
GS05	SL	3/23/2010	10032956	7440-61-1	Uranium	N002	0.467	ug/L		D	0.05		valid
GS05	SL	3/23/2010	10032956	7440-66-6	Zinc	0001	5.88	ug/L	B	F	3.3		valid
GS05	SL	3/23/2010	10032956	7440-66-6	Zinc	0002	4.56	ug/L	B	D	3.3		valid
GS05	SL	3/29/2010	10043006	7440-38-2	Arsenic	N001	5	ug/L	U	F	5		valid
GS05	SL	3/29/2010	10043006	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		valid
GS05	SL	3/29/2010	10043006	7440-42-8	Boron	N001	23.2	ug/L	B	F	15		valid

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
GS05	SL	3/29/2010	10043006	7440-43-9	Cadmium	0001	1	ug/L	U	F	1		valid
GS05	SL	3/29/2010	10043006	7440-47-3	Chromium	N001	1	ug/L	U	F	1		valid
GS05	SL	3/29/2010	10043006	7440-50-8	Copper	0001	3	ug/L	U	F	3		valid
GS05	SL	3/29/2010	10043006	7439-92-1	Lead	0001	3.3	ug/L	U	F	3.3		valid
GS05	SL	3/29/2010	10043006	7439-97-6	Mercury	N001	0.066	ug/L	U	F	0.066		valid
GS05	SL	3/29/2010	10043006	7440-02-0	Nickel	0001	2.12	ug/L	B	F	1.5		valid
GS05	SL	3/29/2010	10043006	7782-49-2	Selenium	N001	5	ug/L	U	F	5		valid
GS05	SL	3/29/2010	10043006	7440-22-4	Silver	0001	1	ug/L	U	F	1		valid
GS05	SL	3/29/2010	10043006	7440-61-1	Uranium	N001	10	ug/L	U	F	10		valid
GS05	SL	3/29/2010	10043006	7440-61-1	Uranium	N001	0.429	ug/L	E	F	0.05		valid
GS05	SL	3/29/2010	10043006	7440-66-6	Zinc	0001	7.45	ug/L	B	F	3.3		valid
GS10	SL	1/11/2010	10032909	AM-241	Americium-241	N001	0.00188	pCi/L	U	F	0.0112	0.00276	valid
GS10	SL	1/11/2010	10032909	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		valid
GS10	SL	1/11/2010	10032909	7440-43-9	Cadmium	0001	0.11	ug/L	U	F	0.11		valid
GS10	SL	1/11/2010	10032909	7440-47-3	Chromium	N001	1	ug/L	U	F	1		valid
GS10	SL	1/11/2010	10032909	HARDNESS	Hardness	N001	818	mg/L		F	5		valid
GS10	SL	1/11/2010	10032909	PU-239,240	Plutonium-239, 240	N001	0.0088	pCi/L	U	F	0.0106	0.00617	valid
GS10	SL	1/11/2010	10032909	7440-22-4	Silver	0001	0.2	ug/L	U	F	0.2		valid
GS10	SL	1/11/2010	10032909	7440-61-1	Uranium	N001	38.4	ug/L		F	0.05		valid
GS10	SL	1/27/2010	10012826	7440-61-1	Uranium	N001	28	ug/L		F	0.02		valid
GS10	SL	2/10/2010	10022852	7440-61-1	Uranium	N001	21	ug/L		F	0.02		valid
GS10	SL	2/24/2010	10022878	7440-61-1	Uranium	N001	25	ug/L		F	0.02		valid
GS10	SL	3/1/2010	10032940	AM-241	Americium-241	N001	0.00767	pCi/L	U	F	0.0197	0.00885	valid
GS10	SL	3/1/2010	10032940	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		valid
GS10	SL	3/1/2010	10032940	7440-43-9	Cadmium	0001	0.11	ug/L	U	F	0.11		valid
GS10	SL	3/1/2010	10032940	7440-47-3	Chromium	N001	1.34	ug/L	B	F	1		valid
GS10	SL	3/1/2010	10032940	HARDNESS	Hardness	N001	497	mg/L		F	2		valid
GS10	SL	3/1/2010	10032940	PU-239,240	Plutonium-239, 240	N001	0.00303	pCi/L	U	F	0.00974	0.00715	valid
GS10	SL	3/1/2010	10032940	7440-22-4	Silver	0001	0.2	ug/L	U	F	0.2		valid
GS10	SL	3/1/2010	10032940	7440-61-1	Uranium	N001	22.7	ug/L		F	0.05		valid
GS10	SL	3/11/2010	10032920	7440-61-1	Uranium	N001	24	ug/L		F	0.02		valid
GS10	SL	3/17/2010	10032949	AM-241	Americium-241	N001	0.00412	pCi/L	U	F	0.0198	0.00536	valid
GS10	SL	3/17/2010	10032949	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		valid
GS10	SL	3/17/2010	10032949	7440-43-9	Cadmium	0001	0.11	ug/L	U	F	0.11		valid
GS10	SL	3/17/2010	10032949	7440-47-3	Chromium	N001	1.01	ug/L	B	F	1		valid
GS10	SL	3/17/2010	10032949	HARDNESS	Hardness	N001	202	mg/L		F	1		valid
GS10	SL	3/17/2010	10032949	PU-239,240	Plutonium-239, 240	N001	0.00233	pCi/L	U	F	0.011	0.00647	valid
GS10	SL	3/17/2010	10032949	7440-22-4	Silver	0001	0.2	ug/L	U	F	0.2		valid
GS10	SL	3/17/2010	10032949	7440-61-1	Uranium	N001	21.8	ug/L		F	0.05		valid
GS10	SL	3/24/2010	10032956	AM-241	Americium-241	N001	0.00292	pCi/L	U	F	0.0264	0.00845	valid
GS10	SL	3/24/2010	10032956	AM-241	Americium-241	N002	0.00772	pCi/L	U	D	0.0211	0.00929	valid
GS10	SL	3/24/2010	10032956	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		valid
GS10	SL	3/24/2010	10032956	7440-41-7	Beryllium	N002	1	ug/L	U	D	1		valid
GS10	SL	3/24/2010	10032956	7440-43-9	Cadmium	0001	0.11	ug/L	U	F	0.11		valid
GS10	SL	3/24/2010	10032956	7440-43-9	Cadmium	0002	0.11	ug/L	U	D	0.11		valid
GS10	SL	3/24/2010	10032956	7440-47-3	Chromium	N001	1.3	ug/L	B	F	1		valid
GS10	SL	3/24/2010	10032956	7440-47-3	Chromium	N002	1.2	ug/L	B	D	1		valid
GS10	SL	3/24/2010	10032956	HARDNESS	Hardness	N001	210	mg/L		F	1		valid
GS10	SL	3/24/2010	10032956	HARDNESS	Hardness	N002	211	mg/L		D	1		valid
GS10	SL	3/24/2010	10032956	PU-239,240	Plutonium-239, 240	N001	0.0202	pCi/L		F	0.0136	0.0108	valid
GS10	SL	3/24/2010	10032956	PU-239,240	Plutonium-239, 240	N002	0.0175	pCi/L		D	0.015	0.0114	valid
GS10	SL	3/24/2010	10032956	7440-22-4	Silver	0001	0.2	ug/L	U	F	0.2		valid
GS10	SL	3/24/2010	10032956	7440-22-4	Silver	0002	0.2	ug/L	U	D	0.2		valid
GS10	SL	3/24/2010	10032956	7440-61-1	Uranium	N001	14.9	ug/L		F	0.05		valid
GS10	SL	3/24/2010	10032956	7440-61-1	Uranium	N002	14.7	ug/L		D	0.05		valid

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
GS10	SL	3/25/2010	10032944	7440-61-1	Uranium	N001	24	ug/L		F	0.02		valid
GS10	SL	3/29/2010	10043006	AM-241	Americium-241	N001	-0.00188	pCi/L	U	F	0.025	0.00782	valid
GS10	SL	3/29/2010	10043006	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		valid
GS10	SL	3/29/2010	10043006	7440-43-9	Cadmium	0001	0.11	ug/L	U	F	0.11		valid
GS10	SL	3/29/2010	10043006	7440-47-3	Chromium	N001	1	ug/L	U	F	1		valid
GS10	SL	3/29/2010	10043006	HARDNESS	Hardness	N001	405	mg/L		F	2		valid
GS10	SL	3/29/2010	10043006	PU-239,240	Plutonium-239, 240	N001	0.00527	pCi/L	U	F	0.0166	0.00772	valid
GS10	SL	3/29/2010	10043006	7440-22-4	Silver	0001	0.2	ug/L	U	F	0.2		valid
GS10	SL	3/29/2010	10043006	7440-61-1	Uranium	N001	20.9	ug/L	E	F	0.05		valid
GS13	SL	1/13/2010	10022844	7440-61-1	Uranium	N001	22.9	ug/L		F	0.05		valid
GS13	SL	1/27/2010	10012826	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	66	mg/L		F	0.19		valid
GS13	SL	1/27/2010	10012826	7440-61-1	Uranium	N001	27	ug/L		F	0.02		valid
GS13	SL	2/2/2010	10032909	7440-61-1	Uranium	N001	14.2	ug/L		F	0.05		valid
GS13	SL	2/10/2010	10022852	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	10	mg/L		F	0.19		valid
GS13	SL	2/10/2010	10022852	7440-61-1	Uranium	N001	23	ug/L		F	0.02		valid
GS13	SL	2/24/2010	10022878	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	9.8	mg/L		F	0.019		valid
GS13	SL	2/24/2010	10022878	7440-61-1	Uranium	N001	26	ug/L		F	0.02		valid
GS13	SL	3/1/2010	10032940	7440-61-1	Uranium	N001	13.5	ug/L		F	0.05		valid
GS13	SL	3/11/2010	10032920	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	20	mg/L		F	0.095		valid
GS13	SL	3/11/2010	10032920	7440-61-1	Uranium	N001	14	ug/L		F	0.02		valid
GS13	SL	3/16/2010	10032940	7440-61-1	Uranium	N001	9.94	ug/L		F	0.05		valid
GS13	SL	3/23/2010	10032949	7440-61-1	Uranium	N001	5.74	ug/L		F	0.05		valid
GS13	SL	3/25/2010	10032944	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	8.1	mg/L		F	0.019		valid
GS13	SL	3/25/2010	10032944	7440-61-1	Uranium	N001	6.6	ug/L		F	0.02		valid
GS13	SL	3/27/2010	10032956	7440-61-1	Uranium	N001	6.5	ug/L		F	0.05		valid
GS13	SL	3/29/2010	10043006	7440-61-1	Uranium	N001	8.95	ug/L	E	F	0.05		valid
GS51	SL	1/13/2010	10032956	AM-241	Americium-241	N001	1.11	pCi/L		F	0.0101	0.143	valid
GS51	SL	1/13/2010	10032956	PU-239,240	Plutonium-239, 240	N001	8.9	pCi/L		F	0.0108	0.969	valid
GS51	SL	3/30/2010	10043024	AM-241	Americium-241	N001	0.718	pCi/L		F	0.0107	0.0981	valid
GS51	SL	3/30/2010	10043024	PU-239,240	Plutonium-239, 240	N001	4.58	pCi/L		F	0.0118	0.482	valid
GS51	SL	3/30/2010	10043010	TSS	Total Suspended Solids	N001	21	mg/L	H B	F	2		J
GS59	SL	1/13/2010	10032940	7440-38-2	Arsenic	N001	5	ug/L	U	F	5		valid
GS59	SL	1/13/2010	10032940	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		valid
GS59	SL	1/13/2010	10032940	7440-42-8	Boron	N001	15	ug/L	U	F	15		valid
GS59	SL	1/13/2010	10032940	7440-43-9	Cadmium	0001	1	ug/L	U	F	1		valid
GS59	SL	1/13/2010	10032940	7440-47-3	Chromium	N001	1.17	ug/L	B	F	1		valid
GS59	SL	1/13/2010	10032940	7440-50-8	Copper	0001	3	ug/L	U	F	3		valid
GS59	SL	1/13/2010	10032940	7439-92-1	Lead	0001	3.3	ug/L	U	F	3.3		valid
GS59	SL	1/13/2010	10032940	7439-97-6	Mercury	N001	0.066	ug/L	U	F	0.066		valid
GS59	SL	1/13/2010	10032940	7440-02-0	Nickel	0001	1.5	ug/L	U	F	1.5		valid
GS59	SL	1/13/2010	10032940	7782-49-2	Selenium	N001	5	ug/L	U	F	5		valid
GS59	SL	1/13/2010	10032940	7440-22-4	Silver	0001	1	ug/L	U	F	1		valid
GS59	SL	1/13/2010	10032940	7440-61-1	Uranium	N001	1.67	ug/L		F	0.05		valid
GS59	SL	1/13/2010	10032940	7440-66-6	Zinc	0001	3.3	ug/L	U	F	3.3		J
GS59	SL	1/27/2010	10012826	71-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		valid
GS59	SL	1/27/2010	10012826	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.2	ug/L	U	F	0.2		valid
GS59	SL	1/27/2010	10012826	79-00-5	1,1,2-Trichloroethane	N001	0.32	ug/L	U	F	0.32		valid
GS59	SL	1/27/2010	10012826	75-35-4	1,1-Dichloroethene	N001	0.14	ug/L	U	F	0.14		valid
GS59	SL	1/27/2010	10012826	120-82-1	1,2,4-Trichlorobenzene	N001	0.32	ug/L	U	F	0.32		valid
GS59	SL	1/27/2010	10012826	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.81	ug/L	U	F	0.81		valid
GS59	SL	1/27/2010	10012826	106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		valid
GS59	SL	1/27/2010	10012826	95-50-1	1,2-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13		valid
GS59	SL	1/27/2010	10012826	107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		valid
GS59	SL	1/27/2010	10012826	78-87-5	1,2-Dichloropropane	N001	0.13	ug/L	U	F	0.13		valid
GS59	SL	1/27/2010	10012826	541-73-1	1,3-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		valid

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
GS59	SL	1/27/2010	10012826	106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		valid
GS59	SL	1/27/2010	10012826	71-43-2	Benzene	N001	0.16	ug/L	U	F	0.16		valid
GS59	SL	1/27/2010	10012826	75-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		valid
GS59	SL	1/27/2010	10012826	75-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		valid
GS59	SL	1/27/2010	10012826	74-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		valid
GS59	SL	1/27/2010	10012826	56-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		valid
GS59	SL	1/27/2010	10012826	108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		valid
GS59	SL	1/27/2010	10012826	124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		valid
GS59	SL	1/27/2010	10012826	67-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		valid
GS59	SL	1/27/2010	10012826	74-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		valid
GS59	SL	1/27/2010	10012826	156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		valid
GS59	SL	1/27/2010	10012826	100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		valid
GS59	SL	1/27/2010	10012826	87-68-3	Hexachlorobutadiene	N001	0.12	ug/L	U	F	0.12		valid
GS59	SL	1/27/2010	10012826	7439-97-6	Mercury	N001	0.027	ug/L	U	F	0.027		valid
GS59	SL	1/27/2010	10012826	75-09-2	Methylene chloride	N001	0.32	ug/L	U	F	0.32		valid
GS59	SL	1/27/2010	10012826	91-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22		valid
GS59	SL	1/27/2010	10012826	100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		valid
GS59	SL	1/27/2010	10012826	127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2		valid
GS59	SL	1/27/2010	10012826	108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17		valid
GS59	SL	1/27/2010	10012826	1330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19		valid
GS59	SL	1/27/2010	10012826	156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		valid
GS59	SL	1/27/2010	10012826	10061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		valid
GS59	SL	1/27/2010	10012826	79-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16		valid
GS59	SL	1/27/2010	10012826	75-01-4	Vinyl chloride	N001	0.4	ug/L	U	F	0.4		valid
GS59	SL	3/23/2010	10032956	7440-38-2	Arsenic	N001	5	ug/L	U	F	5		valid
GS59	SL	3/23/2010	10032956	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		valid
GS59	SL	3/23/2010	10032956	7440-42-8	Boron	N001	16.5	ug/L	B	F	15		valid
GS59	SL	3/23/2010	10032956	7440-43-9	Cadmium	0001	1	ug/L	U	F	1		valid
GS59	SL	3/23/2010	10032956	7440-47-3	Chromium	N001	1	ug/L	U	F	1		valid
GS59	SL	3/23/2010	10032956	7440-50-8	Copper	0001	3	ug/L	U	F	3		valid
GS59	SL	3/23/2010	10032956	7439-92-1	Lead	0001	3.3	ug/L	U	F	3.3		valid
GS59	SL	3/23/2010	10032956	7439-97-6	Mercury	N001	0.066	ug/L	U	F	0.066		valid
GS59	SL	3/23/2010	10032956	7440-02-0	Nickel	0001	2.35	ug/L	B	F	1.5		valid
GS59	SL	3/23/2010	10032956	7782-49-2	Selenium	N001	10.6	ug/L	B	F	5		valid
GS59	SL	3/23/2010	10032956	7440-22-4	Silver	0001	1	ug/L	U	F	1		valid
GS59	SL	3/23/2010	10032956	7440-61-1	Uranium	N001	0.89	ug/L		F	0.05		valid
GS59	SL	3/23/2010	10032956	7440-66-6	Zinc	0001	3.73	ug/L	B	F	3.3		valid
GS59	SL	3/29/2010	10043006	7440-38-2	Arsenic	N001	8.59	ug/L	B	F	5		valid
GS59	SL	3/29/2010	10043006	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		valid
GS59	SL	3/29/2010	10043006	7440-42-8	Boron	N001	21.3	ug/L	B	F	15		valid
GS59	SL	3/29/2010	10043006	7440-43-9	Cadmium	0001	1	ug/L	U	F	1		valid
GS59	SL	3/29/2010	10043006	7440-47-3	Chromium	N001	1	ug/L	U	F	1		valid
GS59	SL	3/29/2010	10043006	7440-50-8	Copper	0001	3	ug/L	U	F	3		valid
GS59	SL	3/29/2010	10043006	7439-92-1	Lead	0001	3.3	ug/L	U	F	3.3		valid
GS59	SL	3/29/2010	10043006	7439-97-6	Mercury	N001	0.066	ug/L	U	F	0.066		valid
GS59	SL	3/29/2010	10043006	7440-02-0	Nickel	0001	1.5	ug/L	U	F	1.5		valid
GS59	SL	3/29/2010	10043006	7782-49-2	Selenium	N001	5	ug/L	U	F	5		valid
GS59	SL	3/29/2010	10043006	7440-22-4	Silver	0001	1	ug/L	U	F	1		valid
GS59	SL	3/29/2010	10043006	7440-61-1	Uranium	N001	10	ug/L	U	F	10		valid
GS59	SL	3/29/2010	10043006	7440-61-1	Uranium	N001	0.937	ug/L	E	F	0.05		valid
GS59	SL	3/29/2010	10043006	7440-66-6	Zinc	0001	4.57	ug/L	B	F	3.3		valid
P416589	WL	2/24/2010	10022877	71-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		valid
P416589	WL	2/24/2010	10022877	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		valid
P416589	WL	2/24/2010	10022877	79-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27		valid
P416589	WL	2/24/2010	10022877	75-35-4	1,1-Dichloroethene	N001	0.23	ug/L	U	F	0.23		valid

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
P416589	WL	2/24/2010	10022877	120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U *	F	0.21		valid
P416589	WL	2/24/2010	10022877	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47		valid
P416589	WL	2/24/2010	10022877	106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		valid
P416589	WL	2/24/2010	10022877	95-50-1	1,2-Dichlorobenzene	N001	0.15	ug/L	U	F	0.15		valid
P416589	WL	2/24/2010	10022877	107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		valid
P416589	WL	2/24/2010	10022877	78-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		valid
P416589	WL	2/24/2010	10022877	541-73-1	1,3-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13		valid
P416589	WL	2/24/2010	10022877	106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		valid
P416589	WL	2/24/2010	10022877	105-67-9	2, 4-Dimethylphenol	N001	0.6	ug/L	U	F	0.6		valid
P416589	WL	2/24/2010	10022877	95-95-4	2,4,5-Trichlorophenol	N001	0.47	ug/L	U	F	0.47		valid
P416589	WL	2/24/2010	10022877	88-06-2	2,4,6-Trichlorophenol	N001	0.3	ug/L	U	F	0.3		valid
P416589	WL	2/24/2010	10022877	120-83-2	2,4-Dichlorophenol	N001	0.67	ug/L	U	F	0.67		valid
P416589	WL	2/24/2010	10022877	51-28-5	2,4-Dinitrophenol	N001	10	ug/L	U	F	10		valid
P416589	WL	2/24/2010	10022877	121-14-2	2,4-Dinitrotoluene	N001	1.7	ug/L	U	F	1.7		valid
P416589	WL	2/24/2010	10022877	606-20-2	2,6-Dinitrotoluene	N001	2	ug/L	U	F	2		valid
P416589	WL	2/24/2010	10022877	91-58-7	2-Chloronaphthalene	N001	0.27	ug/L	U	F	0.27		valid
P416589	WL	2/24/2010	10022877	95-57-8	2-Chlorophenol	N001	2.1	ug/L	U	F	2.1		valid
P416589	WL	2/24/2010	10022877	91-94-1	3,3'-Dichlorobenzidine	N001	2.1	ug/L	U *	F	2.1		J
P416589	WL	2/24/2010	10022877	534-52-1	4,6-Dinitro-2-methyl phenol	N001	4.2	ug/L	U	F	4.2		valid
P416589	WL	2/24/2010	10022877	59-50-7	4-Chloro-3-methylphenol	N001	2.5	ug/L	U	F	2.5		valid
P416589	WL	2/24/2010	10022877	100-02-7	4-Nitrophenol	N001	1.3	ug/L	U	F	1.3		valid
P416589	WL	2/24/2010	10022877	83-32-9	Acenaphthene	N001	0.29	ug/L	U	F	0.29		valid
P416589	WL	2/24/2010	10022877	120-12-7	Anthracene	N001	0.44	ug/L	U	F	0.44		valid
P416589	WL	2/24/2010	10022877	7440-38-2	Arsenic	0001	4.4	ug/L	U	F	4.4		valid
P416589	WL	2/24/2010	10022877	56-55-3	Benz(a)anthracene	N001	0.36	ug/L	U	F	0.36		valid
P416589	WL	2/24/2010	10022877	71-43-2	Benzene	N001	0.16	ug/L	U	F	0.16		valid
P416589	WL	2/24/2010	10022877	50-32-8	Benzo(a)pyrene	N001	0.32	ug/L	U	F	0.32		valid
P416589	WL	2/24/2010	10022877	205-99-2	Benzo(b)fluoranthene	N001	0.55	ug/L	U	F	0.55		valid
P416589	WL	2/24/2010	10022877	191-24-2	Benzo(g,h,i)Perylene	N001	0.52	ug/L	U	F	0.52		valid
P416589	WL	2/24/2010	10022877	207-08-9	Benzo(k)fluoranthene	N001	0.48	ug/L	U	F	0.48		valid
P416589	WL	2/24/2010	10022877	7440-41-7	Beryllium	0001	0.47	ug/L	U	F	0.47		valid
P416589	WL	2/24/2010	10022877	111-44-4	Bis(2-chloroethyl) ether	N001	0.43	ug/L	U	F	0.43		valid
P416589	WL	2/24/2010	10022877	108-60-1	Bis(2-chloroisopropyl) ether	N001	0.29	ug/L	U	F	0.29		valid
P416589	WL	2/24/2010	10022877	117-81-7	Bis(2-ethylhexyl) phthalate	N001	0.58	ug/L	U	F	0.58		valid
P416589	WL	2/24/2010	10022877	7440-42-8	Boron	0001	7.1	ug/L	J B	F	1.6		valid
P416589	WL	2/24/2010	10022877	75-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		valid
P416589	WL	2/24/2010	10022877	75-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		valid
P416589	WL	2/24/2010	10022877	74-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		valid
P416589	WL	2/24/2010	10022877	85-68-7	Butyl benzyl phthalate	N001	1	ug/L	U	F	1		valid
P416589	WL	2/24/2010	10022877	7440-43-9	Cadmium	0001	0.62	ug/L	J	F	0.45		valid
P416589	WL	2/24/2010	10022877	56-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		valid
P416589	WL	2/24/2010	10022877	108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		valid
P416589	WL	2/24/2010	10022877	124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		valid
P416589	WL	2/24/2010	10022877	67-66-3	Chloroform	N001	0.22	ug/L	J	F	0.16		J
P416589	WL	2/24/2010	10022877	74-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		valid
P416589	WL	2/24/2010	10022877	7440-47-3	Chromium	0001	0.66	ug/L	U	F	0.66		valid
P416589	WL	2/24/2010	10022877	218-01-9	Chrysene	N001	0.56	ug/L	U	F	0.56		valid
P416589	WL	2/24/2010	10022877	156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		valid
P416589	WL	2/24/2010	10022877	7440-50-8	Copper	0001	1.4	ug/L	U	F	1.4		valid
P416589	WL	2/24/2010	10022877	53-70-3	Dibenz(a,h)anthracene	N001	0.53	ug/L	U	F	0.53		valid
P416589	WL	2/24/2010	10022877	84-66-2	Diethyl phthalate	N001	0.4	ug/L	U	F	0.4		valid
P416589	WL	2/24/2010	10022877	131-11-3	Dimethyl phthalate	N001	0.22	ug/L	U	F	0.22		valid
P416589	WL	2/24/2010	10022877	84-74-2	Di-n-butyl phthalate	N001	1.2	ug/L	U	F	1.2		valid
P416589	WL	2/24/2010	10022877	100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		valid
P416589	WL	2/24/2010	10022877	206-44-0	Fluoranthene	N001	0.21	ug/L	U	F	0.21		valid

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
P416589	WL	2/24/2010	10022877	86-73-7	Fluorene	N001	0.32	ug/L	U	F	0.32		valid
P416589	WL	2/24/2010	10022877	118-74-1	Hexachlorobenzene	N001	0.69	ug/L	U	F	0.69		valid
P416589	WL	2/24/2010	10022877	87-68-3	Hexachlorobutadiene	N001	0.12	ug/L	U *	F	0.12		valid
P416589	WL	2/24/2010	10022877	77-47-4	Hexachlorocyclopentadiene	N001	1.6	ug/L	U	F	1.6		valid
P416589	WL	2/24/2010	10022877	67-72-1	Hexachloroethane	N001	2.2	ug/L	U	F	2.2		valid
P416589	WL	2/24/2010	10022877	193-39-5	Indeno(1,2,3-cd)pyrene	N001	0.68	ug/L	U	F	0.68		valid
P416589	WL	2/24/2010	10022877	78-59-1	Isophorone	N001	0.22	ug/L	U	F	0.22		valid
P416589	WL	2/24/2010	10022877	7439-92-1	Lead	0001	2.6	ug/L	U	F	2.6		valid
P416589	WL	2/24/2010	10022877	7439-97-6	Mercury	0001	0.027	ug/L	U	F	0.027		valid
P416589	WL	2/24/2010	10022877	75-09-2	Methylene chloride	N001	0.42	ug/L	J B	F	0.32		U
P416589	WL	2/24/2010	10022877	91-20-3	Naphthalene	N001	0.22	ug/L	U *	F	0.22		valid
P416589	WL	2/24/2010	10022877	7440-02-0	Nickel	0001	1.3	ug/L	U	F	1.3		valid
P416589	WL	2/24/2010	10022877	98-95-3	Nitrobenzene	N001	0.84	ug/L	U	F	0.84		valid
P416589	WL	2/24/2010	10022877	621-64-7	N-Nitrosodi-n-propylamine	N001	0.36	ug/L	U	F	0.36		valid
P416589	WL	2/24/2010	10022877	86-30-6	N-Nitrosodiphenylamine	N001	0.46	ug/L	U	F	0.46		valid
P416589	WL	2/24/2010	10022877	87-86-5	Pentachlorophenol	N001	21	ug/L	U	F	21		valid
P416589	WL	2/24/2010	10022877	108-95-2	Phenol	N001	2.1	ug/L	U	F	2.1		valid
P416589	WL	2/24/2010	10022877	129-00-0	Pyrene	N001	0.39	ug/L	U	F	0.39		valid
P416589	WL	2/24/2010	10022877	7782-49-2	Selenium	0001	4.9	ug/L	U	F	4.9		valid
P416589	WL	2/24/2010	10022877	7440-22-4	Silver	0001	1.1	ug/L	J	F	0.93		valid
P416589	WL	2/24/2010	10022877	100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		valid
P416589	WL	2/24/2010	10022877	127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2		valid
P416589	WL	2/24/2010	10022877	108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17		valid
P416589	WL	2/24/2010	10022877	1330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19		valid
P416589	WL	2/24/2010	10022877	156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		valid
P416589	WL	2/24/2010	10022877	10061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		valid
P416589	WL	2/24/2010	10022877	79-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16		valid
P416589	WL	2/24/2010	10022877	7440-61-1	Uranium	0001	1.3	ug/L		F	0.02		valid
P416589	WL	2/24/2010	10022877	75-01-4	Vinyl chloride	N001	0.4	ug/L	U	F	0.4		valid
P416589	WL	2/24/2010	10022877	7440-66-6	Zinc	0001	4.6	ug/L	J	F	4.5		J
PLFSEEPINF	TS	1/27/2010	10012826	71-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		valid
PLFSEEPINF	TS	1/27/2010	10012826	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.2	ug/L	U	F	0.2		valid
PLFSEEPINF	TS	1/27/2010	10012826	79-00-5	1,1,2-Trichloroethane	N001	0.32	ug/L	U	F	0.32		valid
PLFSEEPINF	TS	1/27/2010	10012826	75-35-4	1,1-Dichloroethene	N001	0.14	ug/L	U	F	0.14		valid
PLFSEEPINF	TS	1/27/2010	10012826	120-82-1	1,2,4-Trichlorobenzene	N001	0.32	ug/L	U	F	0.32		valid
PLFSEEPINF	TS	1/27/2010	10012826	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.81	ug/L	U	F	0.81		valid
PLFSEEPINF	TS	1/27/2010	10012826	106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		valid
PLFSEEPINF	TS	1/27/2010	10012826	95-50-1	1,2-Dichlorobenzene	N001	0.23	ug/L	J	F	0.13		valid
PLFSEEPINF	TS	1/27/2010	10012826	107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		valid
PLFSEEPINF	TS	1/27/2010	10012826	78-87-5	1,2-Dichloropropane	N001	0.13	ug/L	U	F	0.13		valid
PLFSEEPINF	TS	1/27/2010	10012826	541-73-1	1,3-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		valid
PLFSEEPINF	TS	1/27/2010	10012826	106-46-7	1,4-Dichlorobenzene	N001	0.22	ug/L	J	F	0.16		valid
PLFSEEPINF	TS	1/27/2010	10012826	7440-38-2	Arsenic	N001	4.4	ug/L	U	F	4.4		valid
PLFSEEPINF	TS	1/27/2010	10012826	71-43-2	Benzene	N001	1.9	ug/L		F	0.16		valid
PLFSEEPINF	TS	1/27/2010	10012826	7440-41-7	Beryllium	N001	0.47	ug/L	U	F	0.47		valid
PLFSEEPINF	TS	1/27/2010	10012826	7440-42-8	Boron	N001	1400	ug/L	J	F	1.6		valid
PLFSEEPINF	TS	1/27/2010	10012826	75-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		valid
PLFSEEPINF	TS	1/27/2010	10012826	75-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		valid
PLFSEEPINF	TS	1/27/2010	10012826	74-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		valid
PLFSEEPINF	TS	1/27/2010	10012826	7440-43-9	Cadmium	0001	0.45	ug/L	U	F	0.45		valid
PLFSEEPINF	TS	1/27/2010	10012826	56-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		valid
PLFSEEPINF	TS	1/27/2010	10012826	108-90-7	Chlorobenzene	N001	0.45	ug/L	J	F	0.17		valid
PLFSEEPINF	TS	1/27/2010	10012826	124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		valid
PLFSEEPINF	TS	1/27/2010	10012826	67-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		valid
PLFSEEPINF	TS	1/27/2010	10012826	74-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		valid

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
PLFSEEPINF	TS	1/27/2010	10012826	7440-47-3	Chromium	N001	1.1	ug/L	B	F	0.66		valid
PLFSEEPINF	TS	1/27/2010	10012826	156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		valid
PLFSEEPINF	TS	1/27/2010	10012826	7440-50-8	Copper	0001	2.3	ug/L	B	F	1.4		valid
PLFSEEPINF	TS	1/27/2010	10012826	100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		valid
PLFSEEPINF	TS	1/27/2010	10012826	87-68-3	Hexachlorobutadiene	N001	0.12	ug/L	U	F	0.12		valid
PLFSEEPINF	TS	1/27/2010	10012826	7439-92-1	Lead	0001	2.6	ug/L	U	F	2.6		valid
PLFSEEPINF	TS	1/27/2010	10012826	7439-97-6	Mercury	N001	0.027	ug/L	U	F	0.027		valid
PLFSEEPINF	TS	1/27/2010	10012826	75-09-2	Methylene chloride	N001	0.59	ug/L	J B	F	0.32		U
PLFSEEPINF	TS	1/27/2010	10012826	91-20-3	Naphthalene	N001	9.8	ug/L		F	0.22		J
PLFSEEPINF	TS	1/27/2010	10012826	7440-02-0	Nickel	0001	5.8	ug/L	B	F	1.3		valid
PLFSEEPINF	TS	1/27/2010	10012826	7782-49-2	Selenium	N001	4.9	ug/L	U	F	4.9		valid
PLFSEEPINF	TS	1/27/2010	10012826	7440-22-4	Silver	0001	0.93	ug/L	U	F	0.93		valid
PLFSEEPINF	TS	1/27/2010	10012826	100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		valid
PLFSEEPINF	TS	1/27/2010	10012826	127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2		valid
PLFSEEPINF	TS	1/27/2010	10012826	108-88-3	Toluene	N001	0.28	ug/L	J	F	0.17		valid
PLFSEEPINF	TS	1/27/2010	10012826	1330-20-7	Total Xylenes	N001	1.4	ug/L		F	0.19		valid
PLFSEEPINF	TS	1/27/2010	10012826	156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		valid
PLFSEEPINF	TS	1/27/2010	10012826	10061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		valid
PLFSEEPINF	TS	1/27/2010	10012826	79-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16		valid
PLFSEEPINF	TS	1/27/2010	10012826	7440-61-1	Uranium	N001	0.31	ug/L		F	0.02		valid
PLFSEEPINF	TS	1/27/2010	10012826	75-01-4	Vinyl chloride	N001	0.4	ug/L	U	F	0.4		valid
PLFSEEPINF	TS	1/27/2010	10012826	7440-66-6	Zinc	0001	7.3	ug/L	B	F	4.5		valid
PLFSYSEFF	TS	1/27/2010	10012826	71-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		valid
PLFSYSEFF	TS	1/27/2010	10012826	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.2	ug/L	U	F	0.2		valid
PLFSYSEFF	TS	1/27/2010	10012826	79-00-5	1,1,2-Trichloroethane	N001	0.32	ug/L	U	F	0.32		valid
PLFSYSEFF	TS	1/27/2010	10012826	75-35-4	1,1-Dichloroethene	N001	0.14	ug/L	U	F	0.14		valid
PLFSYSEFF	TS	1/27/2010	10012826	120-82-1	1,2,4-Trichlorobenzene	N001	0.28	ug/L	U	F	0.28		valid
PLFSYSEFF	TS	1/27/2010	10012826	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.81	ug/L	U	F	0.81		valid
PLFSYSEFF	TS	1/27/2010	10012826	106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		valid
PLFSYSEFF	TS	1/27/2010	10012826	95-50-1	1,2-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13		valid
PLFSYSEFF	TS	1/27/2010	10012826	107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		valid
PLFSYSEFF	TS	1/27/2010	10012826	78-87-5	1,2-Dichloropropane	N001	0.13	ug/L	U	F	0.13		valid
PLFSYSEFF	TS	1/27/2010	10012826	541-73-1	1,3-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		valid
PLFSYSEFF	TS	1/27/2010	10012826	106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		valid
PLFSYSEFF	TS	1/27/2010	10012826	105-67-9	2, 4-Dimethylphenol	N001	0.58	ug/L	U	F	0.58		valid
PLFSYSEFF	TS	1/27/2010	10012826	95-95-4	2,4,5-Trichlorophenol	N001	0.45	ug/L	U	F	0.45		valid
PLFSYSEFF	TS	1/27/2010	10012826	88-06-2	2,4,6-Trichlorophenol	N001	0.29	ug/L	U	F	0.29		valid
PLFSYSEFF	TS	1/27/2010	10012826	120-83-2	2,4-Dichlorophenol	N001	0.64	ug/L	U	F	0.64		valid
PLFSYSEFF	TS	1/27/2010	10012826	51-28-5	2,4-Dinitrophenol	N001	10	ug/L	U	F	10		valid
PLFSYSEFF	TS	1/27/2010	10012826	121-14-2	2,4-Dinitrotoluene	N001	1.7	ug/L	U	F	1.7		valid
PLFSYSEFF	TS	1/27/2010	10012826	606-20-2	2,6-Dinitrotoluene	N001	1.9	ug/L	U	F	1.9		valid
PLFSYSEFF	TS	1/27/2010	10012826	91-58-7	2-Chloronaphthalene	N001	0.26	ug/L	U	F	0.26		valid
PLFSYSEFF	TS	1/27/2010	10012826	95-57-8	2-Chlorophenol	N001	2	ug/L	U	F	2		valid
PLFSYSEFF	TS	1/27/2010	10012826	91-94-1	3,3'-Dichlorobenzidine	N001	2	ug/L	U	F	2		valid
PLFSYSEFF	TS	1/27/2010	10012826	534-52-1	4,6-Dinitro-2-methyl phenol	N001	4	ug/L	U	F	4		valid
PLFSYSEFF	TS	1/27/2010	10012826	59-50-7	4-Chloro-3-methylphenol	N001	2.4	ug/L	U	F	2.4		valid
PLFSYSEFF	TS	1/27/2010	10012826	100-02-7	4-Nitrophenol	N001	1.2	ug/L	U	F	1.2		valid
PLFSYSEFF	TS	1/27/2010	10012826	83-32-9	Acenaphthene	N001	1.8	ug/L	J	F	0.28		valid
PLFSYSEFF	TS	1/27/2010	10012826	120-12-7	Anthracene	N001	0.42	ug/L	U	F	0.42		valid
PLFSYSEFF	TS	1/27/2010	10012826	7440-38-2	Arsenic	N001	4.4	ug/L	U	F	4.4		valid
PLFSYSEFF	TS	1/27/2010	10012826	56-55-3	Benz(a)anthracene	N001	0.35	ug/L	U	F	0.35		valid
PLFSYSEFF	TS	1/27/2010	10012826	71-43-2	Benzene	N001	0.2	ug/L	J	F	0.16		valid
PLFSYSEFF	TS	1/27/2010	10012826	50-32-8	Benzo(a)pyrene	N001	0.31	ug/L	U	F	0.31		valid
PLFSYSEFF	TS	1/27/2010	10012826	205-99-2	Benzo(b)fluoranthene	N001	0.53	ug/L	U	F	0.53		valid
PLFSYSEFF	TS	1/27/2010	10012826	191-24-2	Benzo(g,h,i)Perylene	N001	0.5	ug/L	U	F	0.5		valid

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
PLFSYSEFF	TS	1/27/2010	10012826	207-08-9	Benzo(k)fluoranthene	N001	0.46	ug/L	U	F	0.46		valid
PLFSYSEFF	TS	1/27/2010	10012826	7440-41-7	Beryllium	N001	0.47	ug/L	U	F	0.47		valid
PLFSYSEFF	TS	1/27/2010	10012826	111-44-4	Bis(2-chloroethyl) ether	N001	0.41	ug/L	U	F	0.41		valid
PLFSYSEFF	TS	1/27/2010	10012826	108-60-1	Bis(2-chloroisopropyl) ether	N001	0.28	ug/L	U	F	0.28		valid
PLFSYSEFF	TS	1/27/2010	10012826	117-81-7	Bis(2-ethylhexyl) phthalate	N001	0.56	ug/L	U	F	0.56		valid
PLFSYSEFF	TS	1/27/2010	10012826	7440-42-8	Boron	N001	990	ug/L	J	F	1.6		valid
PLFSYSEFF	TS	1/27/2010	10012826	75-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		valid
PLFSYSEFF	TS	1/27/2010	10012826	75-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		valid
PLFSYSEFF	TS	1/27/2010	10012826	74-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		valid
PLFSYSEFF	TS	1/27/2010	10012826	85-68-7	Butyl benzyl phthalate	N001	1	ug/L	U	F	1		valid
PLFSYSEFF	TS	1/27/2010	10012826	7440-43-9	Cadmium	0001	0.49	ug/L	B	F	0.45		valid
PLFSYSEFF	TS	1/27/2010	10012826	56-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		valid
PLFSYSEFF	TS	1/27/2010	10012826	108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		valid
PLFSYSEFF	TS	1/27/2010	10012826	124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		valid
PLFSYSEFF	TS	1/27/2010	10012826	67-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		valid
PLFSYSEFF	TS	1/27/2010	10012826	74-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		valid
PLFSYSEFF	TS	1/27/2010	10012826	7440-47-3	Chromium	N001	0.66	ug/L	U	F	0.66		valid
PLFSYSEFF	TS	1/27/2010	10012826	218-01-9	Chrysene	N001	0.54	ug/L	U	F	0.54		valid
PLFSYSEFF	TS	1/27/2010	10012826	156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	J	F	0.15		valid
PLFSYSEFF	TS	1/27/2010	10012826	7440-50-8	Copper	0001	1.6	ug/L	B	F	1.4		valid
PLFSYSEFF	TS	1/27/2010	10012826	53-70-3	Dibenz(a,h)anthracene	N001	0.51	ug/L	U	F	0.51		valid
PLFSYSEFF	TS	1/27/2010	10012826	84-66-2	Diethyl phthalate	N001	0.38	ug/L	U	F	0.38		valid
PLFSYSEFF	TS	1/27/2010	10012826	131-11-3	Dimethyl phthalate	N001	0.21	ug/L	U	F	0.21		valid
PLFSYSEFF	TS	1/27/2010	10012826	84-74-2	Di-n-butyl phthalate	N001	1.2	ug/L	U	F	1.2		valid
PLFSYSEFF	TS	1/27/2010	10012826	100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		valid
PLFSYSEFF	TS	1/27/2010	10012826	206-44-0	Fluoranthene	N001	0.45	ug/L	J	F	0.2		valid
PLFSYSEFF	TS	1/27/2010	10012826	86-73-7	Fluorene	N001	1.6	ug/L	J	F	0.31		valid
PLFSYSEFF	TS	1/27/2010	10012826	118-74-1	Hexachlorobenzene	N001	0.66	ug/L	U	F	0.66		valid
PLFSYSEFF	TS	1/27/2010	10012826	87-68-3	Hexachlorobutadiene	N001	0.12	ug/L	U	F	0.12		valid
PLFSYSEFF	TS	1/27/2010	10012826	77-47-4	Hexachlorocyclopentadiene	N001	1.5	ug/L	U	F	1.5		valid
PLFSYSEFF	TS	1/27/2010	10012826	67-72-1	Hexachloroethane	N001	2.1	ug/L	U	F	2.1		valid
PLFSYSEFF	TS	1/27/2010	10012826	193-39-5	Indeno(1,2,3-cd)pyrene	N001	0.65	ug/L	U	F	0.65		valid
PLFSYSEFF	TS	1/27/2010	10012826	78-59-1	Isophorone	N001	0.21	ug/L	U	F	0.21		valid
PLFSYSEFF	TS	1/27/2010	10012826	7439-92-1	Lead	0001	2.6	ug/L	U	F	2.6		valid
PLFSYSEFF	TS	1/27/2010	10012826	7439-97-6	Mercury	N001	0.027	ug/L	U	F	0.027		valid
PLFSYSEFF	TS	1/27/2010	10012826	75-09-2	Methylene chloride	N001	0.38	ug/L	J B	F	0.32		U
PLFSYSEFF	TS	1/27/2010	10012826	91-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22		valid
PLFSYSEFF	TS	1/27/2010	10012826	7440-02-0	Nickel	0001	4.8	ug/L	B	F	1.3		valid
PLFSYSEFF	TS	1/27/2010	10012826	98-95-3	Nitrobenzene	N001	0.81	ug/L	U	F	0.81		valid
PLFSYSEFF	TS	1/27/2010	10012826	621-64-7	N-Nitrosodi-n-propylamine	N001	0.35	ug/L	U	F	0.35		valid
PLFSYSEFF	TS	1/27/2010	10012826	86-30-6	N-Nitrosodiphenylamine	N001	0.44	ug/L	U	F	0.44		valid
PLFSYSEFF	TS	1/27/2010	10012826	87-86-5	Pentachlorophenol	N001	20	ug/L	U	F	20		valid
PLFSYSEFF	TS	1/27/2010	10012826	108-95-2	Phenol	N001	2	ug/L	U	F	2		valid
PLFSYSEFF	TS	1/27/2010	10012826	129-00-0	Pyrene	N001	0.38	ug/L	J	F	0.37		valid
PLFSYSEFF	TS	1/27/2010	10012826	7782-49-2	Selenium	N001	12	ug/L	B	F	4.9		U
PLFSYSEFF	TS	1/27/2010	10012826	7440-22-4	Silver	0001	0.93	ug/L	U	F	0.93		valid
PLFSYSEFF	TS	1/27/2010	10012826	100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		valid
PLFSYSEFF	TS	1/27/2010	10012826	127-18-4	Tetrachloroethene	N001	0.21	ug/L	J	F	0.2		valid
PLFSYSEFF	TS	1/27/2010	10012826	108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17		valid
PLFSYSEFF	TS	1/27/2010	10012826	1330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19		valid
PLFSYSEFF	TS	1/27/2010	10012826	156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		valid
PLFSYSEFF	TS	1/27/2010	10012826	10061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		valid
PLFSYSEFF	TS	1/27/2010	10012826	79-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16		valid
PLFSYSEFF	TS	1/27/2010	10012826	7440-61-1	Uranium	N001	1.3	ug/L		F	0.02		valid
PLFSYSEFF	TS	1/27/2010	10012826	75-01-4	Vinyl chloride	N001	0.4	ug/L	U	F	0.4		valid

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
PLFSYSEFF	TS	1/27/2010	10012826	7440-66-6	Zinc	0001	8.8	ug/L	B	F	4.5		valid
PLFSYSEFF	TS	3/5/2010	10032906	7782-49-2	Selenium	N001	0.7	ug/L	U	F	0.7		valid
SPIN	TS	2/8/2010	10022845	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N002	660	mg/L		F	1.9		valid
SPIN	TS	2/8/2010	10022845	7440-61-1	Uranium	N002	70	ug/L		F	0.02		valid
SPIN	TS	3/22/2010	10032933	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N002	510	mg/L		F	1.9		valid
SPIN	TS	3/22/2010	10032933	7440-61-1	Uranium	N002	69	ug/L		F	0.02		valid
SPOUT	TS	1/27/2010	10012826	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	0.54	mg/L		F	0.019		valid
SPOUT	TS	1/27/2010	10012826	7440-61-1	Uranium	N001	16	ug/L		F	0.02		valid
SPOUT	TS	2/8/2010	10022845	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N002	86	mg/L		F	0.96		valid
SPOUT	TS	2/8/2010	10022845	7440-61-1	Uranium	N002	45	ug/L		F	0.02		valid
SPOUT	TS	2/10/2010	10022852	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N002	68	mg/L		F	0.19		valid
SPOUT	TS	2/10/2010	10022852	7440-61-1	Uranium	N002	38	ug/L		F	0.02		valid
SPOUT	TS	2/24/2010	10022878	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N002	9.6	mg/L		F	0.019		valid
SPOUT	TS	2/24/2010	10022878	7440-61-1	Uranium	N002	26	ug/L		F	0.02		valid
SPOUT	TS	3/11/2010	10032920	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	66	mg/L		F	0.19		valid
SPOUT	TS	3/11/2010	10032920	7440-61-1	Uranium	N001	37	ug/L		F	0.02		valid
SPOUT	TS	3/22/2010	10032933	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N002	30	mg/L		F	1.9		valid
SPOUT	TS	3/22/2010	10032933	7440-61-1	Uranium	N002	35	ug/L		F	0.02		valid
SPOUT	TS	3/25/2010	10032944	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	26	mg/L		F	0.19		valid
SPOUT	TS	3/25/2010	10032944	7440-61-1	Uranium	N001	31	ug/L		F	0.02		valid
SW027	SL	1/13/2010	10032956	AM-241	Americium-241	N001	0.0141	pCi/L	U	F	0.0176	0.0105	valid
SW027	SL	1/13/2010	10032956	AM-241	Americium-241	N002	-0.00189	pCi/L	U	D	0.0224	0.0106	valid
SW027	SL	1/13/2010	10032956	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		valid
SW027	SL	1/13/2010	10032956	7440-41-7	Beryllium	N002	1	ug/L	U	D	1		valid
SW027	SL	1/13/2010	10032956	7440-43-9	Cadmium	0001	0.11	ug/L	U	F	0.11		valid
SW027	SL	1/13/2010	10032956	7440-43-9	Cadmium	0002	0.11	ug/L	U	D	0.11		valid
SW027	SL	1/13/2010	10032956	7440-47-3	Chromium	N001	1.65	ug/L	B	F	1		valid
SW027	SL	1/13/2010	10032956	7440-47-3	Chromium	N002	1.21	ug/L	B	D	1		valid
SW027	SL	1/13/2010	10032956	HARDNESS	Hardness	N001	177	mg/L		F	1		valid
SW027	SL	1/13/2010	10032956	HARDNESS	Hardness	N002	179	mg/L		D	1		valid
SW027	SL	1/13/2010	10032956	PU-239,240	Plutonium-239, 240	N001	0.101	pCi/L		F	0.0131	0.0267	valid
SW027	SL	1/13/2010	10032956	PU-239,240	Plutonium-239, 240	N002	0.142	pCi/L		D	0.0179	0.0368	valid
SW027	SL	1/13/2010	10032956	7440-22-4	Silver	0001	0.2	ug/L	U	F	0.2		valid
SW027	SL	1/13/2010	10032956	7440-22-4	Silver	0002	0.2	ug/L	U	D	0.2		valid
SW027	SL	1/13/2010	10032956	7440-61-1	Uranium	N001	7.14	ug/L		F	0.05		valid
SW027	SL	1/13/2010	10032956	7440-61-1	Uranium	N002	7	ug/L		D	0.05		valid
SW027	SL	3/26/2010	10032947	TSS	Total Suspended Solids	N001	6.4	mg/L		F	1.1		valid
SW027	SL	3/29/2010	10043024	AM-241	Americium-241	N001	0.0533	pCi/L		F	0.0112	0.0157	valid
SW027	SL	3/29/2010	10043024	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		valid
SW027	SL	3/29/2010	10043024	7440-43-9	Cadmium	0001	0.11	ug/L	U	F	0.11		valid
SW027	SL	3/29/2010	10043024	7440-47-3	Chromium	N001	1.63	ug/L	B	F	1		valid
SW027	SL	3/29/2010	10043024	HARDNESS	Hardness	N001	156	mg/L		F	1		valid
SW027	SL	3/29/2010	10043024	PU-239,240	Plutonium-239, 240	N001	0.3	pCi/L		F	0.01	0.0468	valid
SW027	SL	3/29/2010	10043024	7440-22-4	Silver	0001	0.2	ug/L	U	F	0.2		valid
SW027	SL	3/29/2010	10043024	7440-61-1	Uranium	N001	4.36	ug/L		F	0.05		valid
SW093	SL	1/11/2010	10032909	AM-241	Americium-241	N001	-0.00238	pCi/L	U	F	0.0119	0.00436	valid
SW093	SL	1/11/2010	10032909	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		valid
SW093	SL	1/11/2010	10032909	7440-43-9	Cadmium	0001	0.11	ug/L	U	F	0.11		valid
SW093	SL	1/11/2010	10032909	7440-47-3	Chromium	N001	1	ug/L	U	F	1		valid
SW093	SL	1/11/2010	10032909	HARDNESS	Hardness	N001	313	mg/L		F	2		valid
SW093	SL	1/11/2010	10032909	PU-239,240	Plutonium-239, 240	N001	0	pCi/L	U	F	0.0113	0.00229	valid
SW093	SL	1/11/2010	10032909	7440-22-4	Silver	0001	0.2	ug/L	U	F	0.2		valid
SW093	SL	1/11/2010	10032909	7440-61-1	Uranium	N001	8.76	ug/L		F	0.05		valid
SW093	SL	1/27/2010	10012826	7440-61-1	Uranium	N001	8.4	ug/L		F	0.02		valid
SW093	SL	2/10/2010	10022852	7440-61-1	Uranium	N001	5.9	ug/L		F	0.02		valid

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
SW093	SL	2/24/2010	10022878	7440-61-1	Uranium	N001	6.8	ug/L		F	0.02		valid
SW093	SL	3/5/2010	10032940	AM-241	Americium-241	N001	0.00499	pCi/L	U	F	0.0167	0.0148	valid
SW093	SL	3/5/2010	10032940	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		valid
SW093	SL	3/5/2010	10032940	7440-43-9	Cadmium	0001	0.11	ug/L	U	F	0.11		valid
SW093	SL	3/5/2010	10032940	7440-47-3	Chromium	N001	1.12	ug/L	B	F	1		valid
SW093	SL	3/5/2010	10032940	HARDNESS	Hardness	N001	298	mg/L		F	1		valid
SW093	SL	3/5/2010	10032940	PU-239,240	Plutonium-239, 240	N001	0.00467	pCi/L	U	F	0.0113	0.00795	valid
SW093	SL	3/5/2010	10032940	7440-22-4	Silver	0001	0.2	ug/L	U	F	0.2		valid
SW093	SL	3/5/2010	10032940	7440-61-1	Uranium	N001	8.95	ug/L		F	0.05		valid
SW093	SL	3/11/2010	10032920	7440-61-1	Uranium	N001	7.7	ug/L		F	0.02		valid
SW093	SL	3/16/2010	10032940	AM-241	Americium-241	N001	0.00705	pCi/L	U	F	0.0178	0.0124	valid
SW093	SL	3/16/2010	10032940	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		valid
SW093	SL	3/16/2010	10032940	7440-43-9	Cadmium	0001	0.11	ug/L	U	F	0.11		valid
SW093	SL	3/16/2010	10032940	7440-47-3	Chromium	N001	1.44	ug/L	B	F	1		valid
SW093	SL	3/16/2010	10032940	HARDNESS	Hardness	N001	283	mg/L		F	1		valid
SW093	SL	3/16/2010	10032940	PU-239,240	Plutonium-239, 240	N001	0.00953	pCi/L	U	F	0.0112	0.00745	valid
SW093	SL	3/16/2010	10032940	7440-22-4	Silver	0001	0.2	ug/L	U	F	0.2		valid
SW093	SL	3/16/2010	10032940	7440-61-1	Uranium	N001	7.49	ug/L		F	0.05		valid
SW093	SL	3/22/2010	10032949	AM-241	Americium-241	N001	0.00192	pCi/L	U	F	0.0117	0.00407	valid
SW093	SL	3/22/2010	10032949	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		valid
SW093	SL	3/22/2010	10032949	7440-43-9	Cadmium	0001	0.11	ug/L	U	F	0.11		valid
SW093	SL	3/22/2010	10032949	7440-47-3	Chromium	N001	1.22	ug/L	B	F	1		valid
SW093	SL	3/22/2010	10032949	HARDNESS	Hardness	N001	225	mg/L		F	1		valid
SW093	SL	3/22/2010	10032949	PU-239,240	Plutonium-239, 240	N001	0.00103	pCi/L	U	F	0.00972	0.0035	valid
SW093	SL	3/22/2010	10032949	7440-22-4	Silver	0001	0.2	ug/L	U	F	0.2		valid
SW093	SL	3/22/2010	10032949	7440-61-1	Uranium	N001	7.1	ug/L		F	0.05		valid
SW093	SL	3/24/2010	10032949	AM-241	Americium-241	N001	0.00068	pCi/L	U	F	0.0107	0.00192	valid
SW093	SL	3/24/2010	10032949	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		valid
SW093	SL	3/24/2010	10032949	7440-43-9	Cadmium	0001	0.11	ug/L	U	F	0.11		valid
SW093	SL	3/24/2010	10032949	7440-47-3	Chromium	N001	1.58	ug/L	B	F	1		valid
SW093	SL	3/24/2010	10032949	HARDNESS	Hardness	N001	159	mg/L		F	1		valid
SW093	SL	3/24/2010	10032949	PU-239,240	Plutonium-239, 240	N001	0.0116	pCi/L	U	F	0.0136	0.0121	valid
SW093	SL	3/24/2010	10032949	7440-22-4	Silver	0001	0.2	ug/L	U	F	0.2		valid
SW093	SL	3/24/2010	10032949	7440-61-1	Uranium	N001	4.77	ug/L		F	0.05		valid
SW093	SL	3/25/2010	10032944	7440-61-1	Uranium	N001	5.1	ug/L		F	0.02		valid
SW093	SL	3/27/2010	10032956	AM-241	Americium-241	N002	0.0068	pCi/L	U	F	0.0239	0.00758	valid
SW093	SL	3/27/2010	10032956	7440-41-7	Beryllium	N002	1	ug/L	U	F	1		valid
SW093	SL	3/27/2010	10032956	7440-43-9	Cadmium	0001	0.11	ug/L	U	F	0.11		valid
SW093	SL	3/27/2010	10032956	7440-47-3	Chromium	N002	1.05	ug/L	B	F	1		valid
SW093	SL	3/27/2010	10032956	HARDNESS	Hardness	N002	149	mg/L		F	2		valid
SW093	SL	3/27/2010	10032956	PU-239,240	Plutonium-239, 240	N002	0.0126	pCi/L	U	F	0.0149	0.0117	valid
SW093	SL	3/27/2010	10032956	7440-22-4	Silver	0001	0.2	ug/L	U	F	0.2		valid
SW093	SL	3/27/2010	10032947	TSS	Total Suspended Solids	N001	9.6	mg/L		F	1.1		valid
SW093	SL	3/27/2010	10032956	7440-61-1	Uranium	N002	5.62	ug/L		F	0.05		valid
SW093	SL	3/29/2010	10043006	AM-241	Americium-241	N001	0.0116	pCi/L	U	F	0.0188	0.00879	valid
SW093	SL	3/29/2010	10043006	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		valid
SW093	SL	3/29/2010	10043006	7440-43-9	Cadmium	0001	0.11	ug/L	U	F	0.11		valid
SW093	SL	3/29/2010	10043006	7440-47-3	Chromium	N001	1	ug/L	U	F	1		valid
SW093	SL	3/29/2010	10043006	HARDNESS	Hardness	N001	227	mg/L		F	2		valid
SW093	SL	3/29/2010	10043006	PU-239,240	Plutonium-239, 240	N001	0.004	pCi/L	U	F	0.0126	0.00868	valid
SW093	SL	3/29/2010	10043006	7440-22-4	Silver	0001	0.2	ug/L	U	F	0.2		valid
SW093	SL	3/29/2010	10043006	7440-61-1	Uranium	N001	7.53	ug/L	E	F	0.05		valid

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS

EXPLANATION

SAMPLE_ID

N00x = Sample was not filtered.
000x = Sample was filtered.

WATER_UNIT_OF_MEASURE

mg/L; ppm = milligrams per liter
pCi/L = picocuries per liter
ug/L = micrograms per liter
C = degrees celsius
mS/cm = milliSiemens per centimeter
NTU = normal turbidity units
s.u. = standard pH units
uS/cm = microSiemens per centimeter
umhos/cm = microSiemens per centimeter

SAMPLE_TYPE

F = Field Sample
D = Duplicate

DATA_VALIDATION_QUALIFIERS

valid	Result is valid.
F	Low flow sampling method used.
G	Possible grout contamination, pH > 9.
J	Estimated value.
L	Less than 3 bore volumes purged prior to sampling.
Q	Qualitative result due to sampling technique
R	Unusable result.
U	Parameter analyzed for but was not detected.
X	Location is undefined.
999	Validation not complete

LAB_QUALIFIERS

*	Replicate analysis not within control limits.
+	Correlation coefficient for MSA < 0.995.
>	Result above upper detection limit.
A	TIC is a suspected aldol-condensation product.
B	Inorganic: Result is between the IDL and CRDL. Organic & Radiochemistry: Analyte also found in method blank.
C	Pesticide result confirmed by GC-MS.
D	Analyte determined in diluted sample.
E	Inorganic: Estimate value because of interference, see case narrative. Organic: Analyte exceeded calibration range of the GC-MS.
H	Holding time expired, value suspect.
I	Increased detection limit due to required dilution.
J	Estimated
M	GFAA duplicate injection precision not met.
N	Inorganic or radiochemical: Spike sample recovery not within control limits. Organic: Tentatively identified compund (TIC).
P	> 25% difference in detected pesticide or Arochlor concentrations between 2 columns.
S	Result determined by method of standard addition (MSA).
U	Analytical result below detection limit.
W	Post-digestion spike outside control limits while sample absorbance < 50% of analytical spike absorbance.
X	Laboratory defined (USEPA CLP organic) qualifier, see case narrative.
Y	Laboratory defined (USEPA CLP organic) qualifier, see case narrative.
Z	Laboratory defined (USEPA CLP organic) qualifier, see case narrative.

LOCATION_TYPE

SL	SURFACE LOCATION
TS	TREATMENT SYSTEM
WL	WELL