Appendix C

Analytical Results for Water Samples—First Quarter CY 2012

This page intentionally left blank

RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
70193	WL	2/16/2012	12024361	71-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		F
70193	WL	2/16/2012	12024361	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		F
70193	WL	2/16/2012	12024361	79-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27		F
70193	WL	2/16/2012	12024361	75-35-4	1,1-Dichloroethene	N001	0.23	ug/L	U	F	0.23		F
70193	WL	2/16/2012	12024361	120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		F
70193	WL	2/16/2012	12024361	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47		F
70193	WL	2/16/2012	12024361	106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		F
70193	WL	2/16/2012	12024361	95-50-1	1,2-Dichlorobenzene	N001	0.15	ug/L	U	F	0.15		F
70193	WL	2/16/2012	12024361	107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		F
70193	WL	2/16/2012	12024361	78-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		F
70193	WL	2/16/2012	12024361	541-73-1	1,3-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13		F
70193	WL	2/16/2012	12024361	106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		F
70193	WL	2/16/2012	12024361	7440-38-2	Arsenic	0001	4.4	ug/L	U	F	4.4		F
70193	WL	2/16/2012	12024361	71-43-2	Benzene	N001	0.16	ug/L	U	F	0.16		F
70193	WL	2/16/2012	12024361	7440-41-7	Beryllium	0001	0.47	ug/L	U	F	0.47		F
70193	WL	2/16/2012	12024361	7440-42-8	Boron	0001	19	ug/L	J	F	4.4		F
70193	WL	2/16/2012	12024361	75-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		F
70193	WL	2/16/2012	12024361	75-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		F
70193	WL	2/16/2012	12024361	74-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		F
70193	WL	2/16/2012	12024361	7440-43-9	Cadmium	0001	0.45	ug/L	U	F	0.45		F
70193	WL	2/16/2012	12024361	56-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		F
70193	WL	2/16/2012	12024361	108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		F
70193	WL	2/16/2012	12024361	124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		F
70193	WL	2/16/2012	12024361	67-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		F
70193	WL	2/16/2012	12024361	74-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		F
70193	WL	2/16/2012	12024361	7440-47-3	Chromium	0001	0.66	ug/L	U	F	0.66		F
70193	WL	2/16/2012	12024361	156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		F
70193	WL	2/16/2012	12024361	7440-50-8	Copper	0001	1.4	ug/L	U	F	1.4		F
70193	WL	2/16/2012	12024361	100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		F
70193	WL	2/16/2012	12024361	87-68-3	Hexachlorobutadiene	N001	0.36	ug/L	U	F	0.36		F
70193	WL	2/16/2012	12024361	7439-92-1	Lead	0001	2.6	ug/L	U	F	2.6		F
70193	WL	2/16/2012	12024361	7439-97-6	Mercury	0001	0.027	ug/L	U	F	0.027		F
70193	WL	2/16/2012	12024361	75-09-2	Methylene chloride	N001	0.52	ug/L	JB	F	0.32		UF
70193	WL	2/16/2012	12024361	91-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22		F
70193	WL	2/16/2012	12024361	7440-02-0	Nickel	0001	1.3	ug/L	U	F	1.3		F
70193	WL	2/16/2012	12024361	7782-49-2	Selenium	0001	10	ug/L	J	F	4.9		JF
70193	WL	2/16/2012	12024361	7440-22-4	Silver	0001	0.93	ug/L	U	F	0.93		F
70193	WL	2/16/2012	12024361	100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		F
70193	WL	2/16/2012	12024361	127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2		F
70193	WL	2/16/2012	12024361	108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17		F
70193	WL	2/16/2012	12024361	1330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19		F
70193	WL	2/16/2012	12024361	156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		F
70193	WL	2/16/2012	12024361	10061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		F
70193	WL	2/16/2012	12024361	79-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16		F
70193	WL	2/16/2012	12024361	7440-61-1	Uranium	0001	0.085	ug/L	J	F	0.02		F
70193	WL	2/16/2012	12024361	75-01-4	Vinyl chloride	N001	0.1	ug/L	U	F	0.1		F
70193	WL	2/16/2012	12024361	7440-66-6	Zinc	0001	4.5	ug/L	U	F	4.5		F
70393	WL	2/16/2012	12024361	71-55-6	1,1,1-Trichloroethane	N001	0.98	ug/L	J	F	0.16		F
70393	WL	2/16/2012	12024361	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		F
70393	WL	2/16/2012	12024361	79-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27		F
70393	WL	2/16/2012	12024361	75-35-4	1,1-Dichloroethene	N001	2.5	ug/L		F	0.23		F
70393	WL	2/16/2012	12024361	120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		F
70393	WL	2/16/2012	12024361	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47		F
70393	WL	2/16/2012	12024361	106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		F

RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
70393	WL	2/16/2012	12024361	95-50-1	1,2-Dichlorobenzene	N001	0.15	ug/L	U	F	0.15		F
70393	WL	2/16/2012	12024361	107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		F
70393	WL	2/16/2012	12024361	78-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		F
70393	WL	2/16/2012	12024361	541-73-1	1,3-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13		F
70393	WL	2/16/2012	12024361	106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		F
70393	WL	2/16/2012	12024361	7440-38-2	Arsenic	0001	4.4	ug/L	U	F	4.4		F
70393	WL	2/16/2012	12024361	71-43-2	Benzene	N001	0.16	ug/L	U	F	0.16		F
70393	WL	2/16/2012	12024361	7440-41-7	Beryllium	0001	0.47	ug/L	U	F	0.47		F
70393	WL	2/16/2012	12024361	7440-42-8	Boron	0001	6.1	ug/L	J	F	4.4		F
70393	WL	2/16/2012	12024361	75-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		F
70393	WL	2/16/2012	12024361	75-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		F
70393	WL	2/16/2012	12024361	74-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		F
70393	WL	2/16/2012	12024361	7440-43-9	Cadmium	0001	0.45	ug/L	U	F	0.45		F
70393	WL	2/16/2012	12024361	56-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		F
70393	WL	2/16/2012	12024361	108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		F
70393	WL	2/16/2012	12024361	124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		F
70393	WL	2/16/2012	12024361	67-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		F
70393	WL	2/16/2012	12024361	74-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		F
70393	WL	2/16/2012	12024361	7440-47-3	Chromium	0001	0.66	ug/L	U	F	0.66		F
70393	WL	2/16/2012	12024361	156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		F
70393	WL	2/16/2012	12024361	7440-50-8	Copper	0001	1.4	ug/L	U	F	1.4		F
70393	WL	2/16/2012	12024361	100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		F
70393	WL	2/16/2012	12024361	87-68-3	Hexachlorobutadiene	N001	0.36	ug/L	U	F	0.36		F
70393	WL	2/16/2012	12024361	7439-92-1	Lead	0001	2.6	ug/L	U	F	2.6		F
70393	WL	2/16/2012	12024361	7439-97-6	Mercury	0001	0.027	ug/L	U	F	0.027		F
70393	WL	2/16/2012	12024361	75-09-2	Methylene chloride	N001	0.52	ug/L	JB	F	0.32		UF
70393	WL	2/16/2012	12024361	91-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22		F
70393	WL	2/16/2012	12024361	7440-02-0	Nickel	0001	1.4	ug/L	J	F	1.3		F
70393	WL	2/16/2012	12024361	7782-49-2	Selenium	0001	4.9	ug/L	U	F	4.9		JF
70393	WL	2/16/2012	12024361	7440-22-4	Silver	0001	0.93	ug/L	U	F	0.93		F
70393	WL	2/16/2012	12024361	100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		F
70393	WL	2/16/2012	12024361	127-18-4	Tetrachloroethene	N001	1.8	ug/L		F	0.2		F
70393	WL	2/16/2012	12024361	108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17		F
70393	WL	2/16/2012	12024361	1330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19		F
70393	WL	2/16/2012	12024361	156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		F
70393	WL	2/16/2012	12024361	10061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		F
70393	WL	2/16/2012	12024361	79-01-6	Trichloroethene	N001	7.6	ug/L		F	0.16		F
70393	WL	2/16/2012	12024361	7440-61-1	Uranium	0001	0.029	ug/L	J	F	0.02		F
70393	WL	2/16/2012	12024361	75-01-4	Vinyl chloride	N001	0.1	ug/L	U	F	0.1		F
70393	WL	2/16/2012	12024361	7440-66-6	Zinc	0001	4.5	ug/L	U	F	4.5		F
70693	WL	2/16/2012	12024361	71-55-6	1,1,1-Trichloroethane	N001	0.79	ug/L	J	F	0.16		F
70693	WL	2/16/2012	12024361	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		F
70693	WL	2/16/2012	12024361	79-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27		F
70693	WL	2/16/2012	12024361	75-35-4	1,1-Dichloroethene	N001	1.3	ug/L		F	0.23		F
70693	WL	2/16/2012	12024361	120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		F
70693	WL	2/16/2012	12024361	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47		F
70693	WL	2/16/2012	12024361	106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		F
70693	WL	2/16/2012	12024361	95-50-1	1,2-Dichlorobenzene	N001	0.15	ug/L	U	F	0.15		F
70693	WL	2/16/2012	12024361	107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		F
70693	WL	2/16/2012	12024361	78-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		F
70693	WL	2/16/2012	12024361	541-73-1	1,3-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13		F
70693	WL	2/16/2012	12024361	106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		F
70693	WL	2/16/2012	12024361	7440-38-2	Arsenic	0001	4.4	ug/L	U	F	4.4		F
70693	WL	2/16/2012	12024361	71-43-2	Benzene	N001	0.16	ug/L	U	F	0.16		F

RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
70693	WL	2/16/2012	12024361	7440-41-7	Beryllium	0001	0.47	ug/L	U	F	0.47		F
70693	WL	2/16/2012	12024361	7440-42-8	Boron	0001	25	ug/L	J	F	4.4		F
70693	WL	2/16/2012	12024361	75-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		F
70693	WL	2/16/2012	12024361	75-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		F
70693	WL	2/16/2012	12024361	74-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		F
70693	WL	2/16/2012	12024361	7440-43-9	Cadmium	0001	0.45	ug/L	U	F	0.45		F
70693	WL	2/16/2012	12024361	56-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		F
70693	WL	2/16/2012	12024361	108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		F
70693	WL	2/16/2012	12024361	124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		F
70693	WL	2/16/2012	12024361	67-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		F
70693	WL	2/16/2012	12024361	74-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		F
70693	WL	2/16/2012	12024361	7440-47-3	Chromium	0001	0.66	ug/L	U	F	0.66		F
70693	WL	2/16/2012	12024361	156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		F
70693	WL	2/16/2012	12024361	7440-50-8	Copper	0001	1.4	ug/L	J	F	1.4		F
70693	WL	2/16/2012	12024361	100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		F
70693	WL	2/16/2012	12024361	87-68-3	Hexachlorobutadiene	N001	0.36	ug/L	U	F	0.36		F
70693	WL	2/16/2012	12024361	7439-92-1	Lead	0001	2.6	ug/L	U	F	2.6		F
70693	WL	2/16/2012	12024361	7439-97-6	Mercury	0001	0.027	ug/L	U	F	0.027		F
70693	WL	2/16/2012	12024361	75-09-2	Methylene chloride	N001	0.58	ug/L	JB	F	0.32		UF
70693	WL	2/16/2012	12024361	91-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22		F
70693	WL	2/16/2012	12024361	7440-02-0	Nickel	0001	1.3	ug/L	U	F	1.3		F
70693	WL	2/16/2012	12024361	7782-49-2	Selenium	0001	4.9	ug/L	U	F	4.9		JF
70693	WL	2/16/2012	12024361	7440-22-4	Silver	0001	0.93	ug/L	U	F	0.93		F
70693	WL	2/16/2012	12024361	100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		F
70693	WL	2/16/2012	12024361	127-18-4	Tetrachloroethene	N001	0.58	ug/L	J	F	0.2		F
70693	WL	2/16/2012	12024361	108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17		F
70693	WL	2/16/2012	12024361	1330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19		F
70693	WL	2/16/2012	12024361	156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		F
70693	WL	2/16/2012	12024361	10061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		F
70693	WL	2/16/2012	12024361	79-01-6	Trichloroethene	N001	1.7	ug/L		F	0.16		F
70693	WL	2/16/2012	12024361	7440-61-1	Uranium	0001	0.027	ug/L	J	F	0.02		F
70693	WL	2/16/2012	12024361	75-01-4	Vinyl chloride	N001	0.1	ug/L	U	F	0.1		F
70693	WL	2/16/2012	12024361	7440-66-6	Zinc	0001	4.5	ug/L	U	F	4.5		F
73005	WL	2/14/2012	12024361	71-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		FQ
73005	WL	2/14/2012	12024361	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		FQ
73005	WL	2/14/2012	12024361	79-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27		FQ
73005	WL	2/14/2012	12024361	75-35-4	1,1-Dichloroethene	N001	0.23	ug/L	U	F	0.23		FQ
73005	WL	2/14/2012	12024361	120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		FQ
73005	WL	2/14/2012	12024361	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47		FQ
73005	WL	2/14/2012	12024361	106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		FQ
73005	WL	2/14/2012	12024361	95-50-1	1,2-Dichlorobenzene	N001	0.15	ug/L	U	F	0.15		FQ
73005	WL	2/14/2012	12024361	107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		FQ
73005	WL	2/14/2012	12024361	78-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		FQ
73005	WL	2/14/2012	12024361	541-73-1	1,3-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13		FQ
73005	WL	2/14/2012	12024361	106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		FQ
73005	WL	2/14/2012	12024361	7440-38-2	Arsenic	0001	4.4	ug/L	U	F	4.4		FQ
73005	WL	2/14/2012	12024361	71-43-2	Benzene	N001	0.16	ug/L	U	F	0.16		FQ
73005	WL	2/14/2012	12024361	7440-41-7	Beryllium	0001	0.47	ug/L	U	F	0.47		FQ
73005	WL	2/14/2012	12024361	7440-42-8	Boron	0001	35	ug/L		F	4.4		FQ
73005	WL	2/14/2012	12024361	75-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		FQ
73005	WL	2/14/2012	12024361	75-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		FQ
73005	WL	2/14/2012	12024361	74-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		FQ
73005	WL	2/14/2012	12024361	7440-43-9	Cadmium	0001	0.45	ug/L	U	F	0.45		FQ
73005	WL	2/14/2012	12024361	56-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		FQ

RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
73005	WL	2/14/2012	12024361	108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		FQ
73005	WL	2/14/2012	12024361	124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		FQ
73005	WL	2/14/2012	12024361	67-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		FQ
73005	WL	2/14/2012	12024361	74-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		FQ
73005	WL	2/14/2012	12024361	7440-47-3	Chromium	0001	1.3	ug/L	J	F	0.66		FQ
73005	WL	2/14/2012	12024361	156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		FQ
73005	WL	2/14/2012	12024361	7440-50-8	Copper	0001	2.7	ug/L	J	F	1.4		FQ
73005	WL	2/14/2012	12024361	100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		FQ
73005	WL	2/14/2012	12024361	87-68-3	Hexachlorobutadiene	N001	0.36	ug/L	U	F	0.36		FQ
73005	WL	2/14/2012	12024361	7439-92-1	Lead	0001	2.6	ug/L	U	F	2.6		FQ
73005	WL	2/14/2012	12024361	7439-97-6	Mercury	0001	0.027	ug/L	U	F	0.027		FQ
73005	WL	2/14/2012	12024361	75-09-2	Methylene chloride	N001	0.67	ug/L	JB	F	0.32		UFQ
73005	WL	2/14/2012	12024361	91-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22		FQ
73005	WL	2/14/2012	12024361	7440-02-0	Nickel	0001	1.3	ug/L	U	F	1.3		FQ
73005	WL	2/14/2012	12024361	7782-49-2	Selenium	0001	8.5	ug/L	J	F	4.9		JFQ
73005	WL	2/14/2012	12024361	7440-22-4	Silver	0001	0.93	ug/L	U	F	0.93		FQ
73005	WL	2/14/2012	12024361	100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		FQ
73005	WL	2/14/2012	12024361	127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2		FQ
73005	WL	2/14/2012	12024361	108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17		FQ
73005	WL	2/14/2012	12024361	1330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19		FQ
73005	WL	2/14/2012	12024361	156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		FQ
73005	WL	2/14/2012	12024361	10061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		FQ
73005	WL	2/14/2012	12024361	79-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16		FQ
73005	WL	2/14/2012	12024361	7440-61-1	Uranium	0001	29	ug/L		F	0.02		FQ
73005	WL	2/14/2012	12024361	75-01-4	Vinyl chloride	N001	0.1	ug/L	U	F	0.1		FQ
73005	WL	2/14/2012	12024361	7440-66-6	Zinc	0001	6.3	ug/L	J	F	4.5		FQ
73105	WL	2/14/2012	12024361	71-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		FQ
73105	WL	2/14/2012	12024361	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		FQ
73105	WL	2/14/2012	12024361	79-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27		FQ
73105	WL	2/14/2012	12024361	75-35-4	1,1-Dichloroethene	N001	0.23	ug/L	U	F	0.23		FQ
73105	WL	2/14/2012	12024361	120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		FQ
73105	WL	2/14/2012	12024361	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47		FQ
73105	WL	2/14/2012	12024361	106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		FQ
73105	WL	2/14/2012	12024361	95-50-1	1,2-Dichlorobenzene	N001	0.15	ug/L	U	F	0.15		FQ
73105	WL	2/14/2012	12024361	107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		FQ
73105	WL	2/14/2012	12024361	78-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		FQ
73105	WL	2/14/2012	12024361	541-73-1	1,3-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13		FQ
73105	WL	2/14/2012	12024361	106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		FQ
73105	WL	2/14/2012	12024361	7440-38-2	Arsenic	0001	4.4	ug/L	U	F	4.4		FQ
73105	WL	2/14/2012	12024361	71-43-2	Benzene	N001	0.16	ug/L	U	F	0.16		FQ
73105	WL	2/14/2012	12024361	7440-41-7	Beryllium	0001	0.47	ug/L	U	F	0.47		FQ
73105	WL	2/14/2012	12024361	7440-42-8	Boron	0001	120	ug/L		F	4.4		FQ
73105	WL	2/14/2012	12024361	75-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		FQ
73105	WL	2/14/2012	12024361	75-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		FQ
73105	WL	2/14/2012	12024361	74-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		FQ
73105	WL	2/14/2012	12024361	7440-43-9	Cadmium	0001	0.45	ug/L	U	F	0.45		FQ
73105	WL	2/14/2012	12024361	56-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		FQ
73105	WL	2/14/2012	12024361	108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		FQ
73105	WL	2/14/2012	12024361	124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		FQ
73105	WL	2/14/2012	12024361	67-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		FQ
73105	WL	2/14/2012	12024361	74-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		FQ
73105	WL	2/14/2012	12024361	7440-47-3	Chromium	0001	0.66	ug/L	U	F	0.66		FQ
73105	WL	2/14/2012	12024361	156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		FQ
73105	WL	2/14/2012	12024361	7440-50-8	Copper	0001	2.9	ug/L	J	F	1.4		FQ

RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
73105	WL	2/14/2012	12024361	100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		FQ
73105	WL	2/14/2012	12024361	87-68-3	Hexachlorobutadiene	N001	0.36	ug/L	U	F	0.36		FQ
73105	WL	2/14/2012	12024361	7439-92-1	Lead	0001	2.6	ug/L	U	F	2.6		FQ
73105	WL	2/14/2012	12024361	7439-97-6	Mercury	0001	0.027	ug/L	U	F	0.027		FQ
73105	WL	2/14/2012	12024361	75-09-2	Methylene chloride	N001	0.69	ug/L	JB	F	0.32		UFQ
73105	WL	2/14/2012	12024361	91-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22		FQ
73105	WL	2/14/2012	12024361	7440-02-0	Nickel	0001	1.6	ug/L	J	F	1.3		FQ
73105	WL	2/14/2012	12024361	7782-49-2	Selenium	0001	4.9	ug/L	U	F	4.9		JFQ
73105	WL	2/14/2012	12024361	7440-22-4	Silver	0001	0.93	ug/L	U	F	0.93		FQ
73105	WL	2/14/2012	12024361	100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		FQ
73105	WL	2/14/2012	12024361	127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2		FQ
73105	WL	2/14/2012	12024361	108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17		FQ
73105	WL	2/14/2012	12024361	1330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19		FQ
73105	WL	2/14/2012	12024361	156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		FQ
73105	WL	2/14/2012	12024361	10061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		FQ
73105	WL	2/14/2012	12024361	79-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16		FQ
73105	WL	2/14/2012	12024361	7440-61-1	Uranium	0001	21	ug/L		F	0.02		FQ
73105	WL	2/14/2012	12024361	75-01-4	Vinyl chloride	N001	0.1	ug/L	U	F	0.1		FQ
73105	WL	2/14/2012	12024361	7440-66-6	Zinc	0001	6	ug/L	J	F	4.5		FQ
73205	WL	2/14/2012	12024361	71-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		F
73205	WL	2/14/2012	12024361	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		F
73205	WL	2/14/2012	12024361	79-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27		F
73205	WL	2/14/2012	12024361	75-35-4	1,1-Dichloroethene	N001	0.23	ug/L	U	F	0.23		F
73205	WL	2/14/2012	12024361	120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		F
73205	WL	2/14/2012	12024361	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47		F
73205	WL	2/14/2012	12024361	106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		F
73205	WL	2/14/2012	12024361	95-50-1	1,2-Dichlorobenzene	N001	0.15	ug/L	U	F	0.15		F
73205	WL	2/14/2012	12024361	107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		F
73205	WL	2/14/2012	12024361	78-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		F
73205	WL	2/14/2012	12024361	541-73-1	1,3-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13		F
73205	WL	2/14/2012	12024361	106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		F
73205	WL	2/14/2012	12024361	7440-38-2	Arsenic	0001	4.4	ug/L	U	F	4.4		F
73205	WL	2/14/2012	12024361	71-43-2	Benzene	N001	0.16	ug/L	U	F	0.16		F
73205	WL	2/14/2012	12024361	7440-41-7	Beryllium	0001	0.47	ug/L	U	F	0.47		F
73205	WL	2/14/2012	12024361	7440-42-8	Boron	0001	65	ug/L		F	4.4		F
73205	WL	2/14/2012	12024361	75-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		F
73205	WL	2/14/2012	12024361	75-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		F
73205	WL	2/14/2012	12024361	74-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		F
73205	WL	2/14/2012	12024361	7440-43-9	Cadmium	0001	0.47	ug/L	J	F	0.45		F
73205	WL	2/14/2012	12024361	56-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		F
73205	WL	2/14/2012	12024361	108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		F
73205	WL	2/14/2012	12024361	124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		F
73205	WL	2/14/2012	12024361	67-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		F
73205	WL	2/14/2012	12024361	74-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		F
73205	WL	2/14/2012	12024361	7440-47-3	Chromium	0001	0.66	ug/L	U	F	0.66		F
73205	WL	2/14/2012	12024361	156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		F
73205	WL	2/14/2012	12024361	7440-50-8	Copper	0001	4	ug/L	J	F	1.4		F
73205	WL	2/14/2012	12024361	100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		F
73205	WL	2/14/2012	12024361	87-68-3	Hexachlorobutadiene	N001	0.36	ug/L	U	F	0.36		F
73205	WL	2/14/2012	12024361	7439-92-1	Lead	0001	2.6	ug/L	U	F	2.6		F
73205	WL	2/14/2012	12024361	7439-97-6	Mercury	0001	0.027	ug/L	U	F	0.027		F
73205	WL	2/14/2012	12024361	75-09-2	Methylene chloride	N001	0.64	ug/L	JB	F	0.32		UF
73205	WL	2/14/2012	12024361	91-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22		F
73205	WL	2/14/2012	12024361	7440-02-0	Nickel	0001	1.3	ug/L	U	F	1.3		F

RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
73205	WL	2/14/2012	12024361	7782-49-2	Selenium	0001	270	ug/L		F	4.9		F
73205	WL	2/14/2012	12024361	7440-22-4	Silver	0001	0.93	ug/L	U	F	0.93		F
73205	WL	2/14/2012	12024361	100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		F
73205	WL	2/14/2012	12024361	127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2		F
73205	WL	2/14/2012	12024361	108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17		F
73205	WL	2/14/2012	12024361	1330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19		F
73205	WL	2/14/2012	12024361	156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		F
73205	WL	2/14/2012	12024361	10061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		F
73205	WL	2/14/2012	12024361	79-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16		F
73205	WL	2/14/2012	12024361	7440-61-1	Uranium	0001	110	ug/L		F	0.02		F
73205	WL	2/14/2012	12024361	75-01-4	Vinyl chloride	N001	0.1	ug/L	U	F	0.1		F
73205	WL	2/14/2012	12024361	7440-66-6	Zinc	0001	4.9	ug/L	J	F	4.5		F
80005	WL	2/29/2012	12024369	71-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		F
80005	WL	2/29/2012	12024369	71-55-6	1,1,1-Trichloroethane	N002	0.16	ug/L	U	D	0.16		F
80005	WL	2/29/2012	12024369	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		F
80005	WL	2/29/2012	12024369	79-34-5	1,1,2,2-Tetrachloroethane	N002	0.21	ug/L	U	D	0.21		F
80005	WL	2/29/2012	12024369	79-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27		F
80005	WL	2/29/2012	12024369	79-00-5	1,1,2-Trichloroethane	N002	0.27	ug/L	U	D	0.27		F
80005	WL	2/29/2012	12024369	75-35-4	1,1-Dichloroethene	N001	0.23	ug/L	U	F	0.23		F
80005	WL	2/29/2012	12024369	75-35-4	1,1-Dichloroethene	N002	0.23	ug/L	U	D	0.23		F
80005	WL	2/29/2012	12024369	120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		F
80005	WL	2/29/2012	12024369	120-82-1	1,2,4-Trichlorobenzene	N001	0.33	ug/L	U	F	0.33		F
80005	WL	2/29/2012	12024369	120-82-1	1,2,4-Trichlorobenzene	N002	0.21	ug/L	U	D	0.21		F
80005	WL	2/29/2012	12024369	120-82-1	1,2,4-Trichlorobenzene	N002	0.34	ug/L	U	D	0.34		F
80005	WL	2/29/2012	12024369	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47		F
80005	WL	2/29/2012	12024369	96-12-8	1,2-Dibromo-3-chloropropane	N002	0.47	ug/L	U	D	0.47		F
80005	WL	2/29/2012	12024369	106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		F
80005	WL	2/29/2012	12024369	106-93-4	1,2-Dibromoethane	N002	0.18	ug/L	U	D	0.18		F
80005	WL	2/29/2012	12024369	95-50-1	1,2-Dichlorobenzene	N001	0.15	ug/L	U	F	0.15		F
80005	WL	2/29/2012	12024369	95-50-1	1,2-Dichlorobenzene	N001	0.27	ug/L	U	F	0.27		F
80005	WL	2/29/2012	12024369	95-50-1	1,2-Dichlorobenzene	N002	0.15	ug/L	U	D	0.15		F
80005	WL	2/29/2012	12024369	95-50-1	1,2-Dichlorobenzene	N002	0.28	ug/L	U	D	0.28		F
80005	WL	2/29/2012	12024369	107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		F
80005	WL	2/29/2012	12024369	107-06-2	1,2-Dichloroethane	N002	0.13	ug/L	U	D	0.13		F
80005	WL	2/29/2012	12024369	78-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		F
80005	WL	2/29/2012	12024369	78-87-5	1,2-Dichloropropane	N002	0.18	ug/L	U	D	0.18		F
80005	WL	2/29/2012	12024369	541-73-1	1,3-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13		F
80005	WL	2/29/2012	12024369	541-73-1	1,3-Dichlorobenzene	N001	0.35	ug/L	U	F	0.35		F
80005	WL	2/29/2012	12024369	541-73-1	1,3-Dichlorobenzene	N002	0.13	ug/L	U	D	0.13		F
80005	WL	2/29/2012	12024369	541-73-1	1,3-Dichlorobenzene	N002	0.36	ug/L	U	D	0.36		F
80005	WL	2/29/2012	12024369	106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		F
80005	WL	2/29/2012	12024369	106-46-7	1,4-Dichlorobenzene	N001	0.38	ug/L	U	F	0.38		F
80005	WL	2/29/2012	12024369	106-46-7	1,4-Dichlorobenzene	N002	0.16	ug/L	U	D	0.16		F
80005	WL	2/29/2012	12024369	106-46-7	1,4-Dichlorobenzene	N002	0.39	ug/L	U	D	0.39		F
80005	WL	2/29/2012	12024369	105-67-9	2, 4-Dimethylphenol	N001	0.68	ug/L	U	F	0.68		F
80005	WL	2/29/2012	12024369	105-67-9	2, 4-Dimethylphenol	N002	0.7	ug/L	U	D	0.7		F
80005	WL	2/29/2012	12024369	95-95-4	2,4,5-Trichlorophenol	N001	0.53	ug/L	U	F	0.53		F
80005	WL	2/29/2012	12024369	95-95-4	2,4,5-Trichlorophenol	N002	0.54	ug/L	U	D	0.54		F
80005	WL	2/29/2012	12024369	88-06-2	2,4,6-Trichlorophenol	N001	0.34	ug/L	U	F	0.34		F
80005	WL	2/29/2012	12024369	88-06-2	2,4,6-Trichlorophenol	N002	0.35	ug/L	U	D	0.35		F
80005	WL	2/29/2012	12024369	120-83-2	2,4-Dichlorophenol	N001	0.76	ug/L	U	F	0.76		F
80005	WL	2/29/2012	12024369	120-83-2	2,4-Dichlorophenol	N002	0.77	ug/L	U	D	0.77		F
80005	WL	2/29/2012	12024369	51-28-5	2,4-Dinitrophenol	N001	12	ug/L	U	F	12		F
80005	WL	2/29/2012	12024369	51-28-5	2,4-Dinitrophenol	N002	12	ug/L	U	D	12		F

RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
80005	WL	2/29/2012	12024369	121-14-2	2,4-Dinitrotoluene	N001	2	ug/L	U	F	2		F
80005	WL	2/29/2012	12024369	121-14-2	2,4-Dinitrotoluene	N002	2	ug/L	U	D	2		F
80005	WL	2/29/2012	12024369	606-20-2	2,6-Dinitrotoluene	N001	2.2	ug/L	U	F	2.2		F
80005	WL	2/29/2012	12024369	606-20-2	2,6-Dinitrotoluene	N002	2.3	ug/L	U	D	2.3		F
80005	WL	2/29/2012	12024369	91-58-7	2-Chloronaphthalene	N001	0.31	ug/L	U	F	0.31		F
80005	WL	2/29/2012	12024369	91-58-7	2-Chloronaphthalene	N002	0.31	ug/L	U	D	0.31		F
80005	WL	2/29/2012	12024369	95-57-8	2-Chlorophenol	N001	2.4	ug/L	U	F	2.4		F
80005	WL	2/29/2012	12024369	95-57-8	2-Chlorophenol	N002	2.4	ug/L	U	D	2.4		F
80005	WL	2/29/2012	12024369	91-94-1	3,3'-Dichlorobenzidine	N001	2.4	ug/L	U	F	2.4		F
80005	WL	2/29/2012	12024369	91-94-1	3,3'-Dichlorobenzidine	N002	2.4	ug/L	U	D	2.4		F
80005	WL	2/29/2012	12024369	534-52-1	4,6-Dinitro-2-methyl phenol	N001	4.7	ug/L	U	F	4.7		F
80005	WL	2/29/2012	12024369	534-52-1	4,6-Dinitro-2-methyl phenol	N002	4.8	ug/L	U	D	4.8		F
80005	WL	2/29/2012	12024369	59-50-7	4-Chloro-3-methylphenol	N001	2.8	ug/L	U	F	2.8		F
80005	WL	2/29/2012	12024369	59-50-7	4-Chloro-3-methylphenol	N002	2.9	ug/L	U	D	2.9		F
80005	WL	2/29/2012	12024369	100-02-7	4-Nitrophenol	N001	1.5	ug/L	U	F	1.5		F
80005	WL	2/29/2012	12024369	100-02-7	4-Nitrophenol	N002	1.5	ug/L	U	D	1.5		F
80005	WL	2/29/2012	12024369	83-32-9	Acenaphthene	N001	0.33	ug/L	U	F	0.33		F
80005	WL	2/29/2012	12024369	83-32-9	Acenaphthene	N002	0.34	ug/L	U	D	0.34		F
80005	WL	2/29/2012	12024369	120-12-7	Anthracene	N001	0.5	ug/L	U	F	0.5		F
80005	WL	2/29/2012	12024369	120-12-7	Anthracene	N002	0.51	ug/L	U	D	0.51		F
80005	WL	2/29/2012	12024369	7440-38-2	Arsenic	0001	4.4	ug/L	U	F	4.4		F
80005	WL	2/29/2012	12024369	7440-38-2	Arsenic	0002	4.4	ug/L	U	D	4.4		F
80005	WL	2/29/2012	12024369	56-55-3	Benz(a)anthracene	N001	0.41	ug/L	U	F	0.41		F
80005	WL	2/29/2012	12024369	56-55-3	Benz(a)anthracene	N002	0.42	ug/L	U	D	0.42		F
80005	WL	2/29/2012	12024369	71-43-2	Benzene	N001	0.16	ug/L	U	F	0.16		F
80005	WL	2/29/2012	12024369	71-43-2	Benzene	N002	0.16	ug/L	U	D	0.16		F
80005	WL	2/29/2012	12024369	50-32-8	Benzo(a)pyrene	N001	0.37	ug/L	U	F	0.37		F
80005	WL	2/29/2012	12024369	50-32-8	Benzo(a)pyrene	N002	0.37	ug/L	U	D	0.37		F
80005	WL	2/29/2012	12024369	205-99-2	Benzo(b)fluoranthene	N001	0.63	ug/L	U	F	0.63		F
80005	WL	2/29/2012	12024369	205-99-2	Benzo(b)fluoranthene	N002	0.64	ug/L	U	D	0.64		F
80005	WL	2/29/2012	12024369	191-24-2	Benzo(g,h,i)Perylene	N001	0.59	ug/L	U	F	0.59		F
80005	WL	2/29/2012	12024369	191-24-2	Benzo(g,h,i)Perylene	N002	0.6	ug/L	U	D	0.6		F
80005	WL	2/29/2012	12024369	207-08-9	Benzo(k)fluoranthene	N001	0.54	ug/L	U	F	0.54		F
80005	WL	2/29/2012	12024369	207-08-9	Benzo(k)fluoranthene	N002	0.55	ug/L	U	D	0.55		F
80005	WL	2/29/2012	12024369	7440-41-7	Beryllium	0001	0.47	ug/L	U	F	0.47		F
80005	WL	2/29/2012	12024369	7440-41-7	Beryllium	0002	0.47	ug/L	U	D	0.47		F
80005	WL	2/29/2012	12024369	111-44-4	Bis(2-chloroethyl) ether	N001	0.48	ug/L	U	F	0.48		F
80005	WL	2/29/2012	12024369	111-44-4	Bis(2-chloroethyl) ether	N002	0.49	ug/L	U	D	0.49		F
80005	WL	2/29/2012	12024369	108-60-1	Bis(2-chloroisopropyl) ether	N001	0.33	ug/L	U	F	0.33		F
80005	WL	2/29/2012	12024369	108-60-1	Bis(2-chloroisopropyl) ether	N002	0.34	ug/L	U	D	0.34		F
80005	WL	2/29/2012	12024369	117-81-7	Bis(2-ethylhexyl) phthalate	N001	0.66	ug/L	U	F	0.66		F
80005	WL	2/29/2012	12024369	117-81-7	Bis(2-ethylhexyl) phthalate	N002	0.67	ug/L	U	D	0.67		F
80005	WL	2/29/2012	12024369	7440-42-8	Boron	0001	51	ug/L		F	4.4		F
80005	WL	2/29/2012	12024369	7440-42-8	Boron	0002	50	ug/L		D	4.4		F
80005	WL	2/29/2012	12024369	75-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		F
80005	WL	2/29/2012	12024369	75-27-4	Bromodichloromethane	N002	0.17	ug/L	U	D	0.17		F
80005	WL	2/29/2012	12024369	75-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		F
80005	WL	2/29/2012	12024369	75-25-2	Bromoform	N002	0.19	ug/L	U	D	0.19		F
80005	WL	2/29/2012	12024369	74-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		F
80005	WL	2/29/2012	12024369	74-83-9	Bromomethane	N002	0.21	ug/L	U	D	0.21		F
80005	WL	2/29/2012	12024369	85-68-7	Butyl benzyl phthalate	N001	1.2	ug/L	U	F	1.2		F
80005	WL	2/29/2012	12024369	85-68-7	Butyl benzyl phthalate	N002	1.2	ug/L	U	D	1.2		F
80005	WL	2/29/2012	12024369	7440-43-9	Cadmium	0001	0.66	ug/L	J	F	0.45		F
80005	WL	2/29/2012	12024369	7440-43-9	Cadmium	0002	0.69	ug/L	J	D	0.45		F

RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
80005	WL	2/29/2012	12024369	56-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		F
80005	WL	2/29/2012	12024369	56-23-5	Carbon tetrachloride	N002	0.19	ug/L	U	D	0.19		F
80005	WL	2/29/2012	12024369	108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		F
80005	WL	2/29/2012	12024369	108-90-7	Chlorobenzene	N002	0.17	ug/L	U	D	0.17		F
80005	WL	2/29/2012	12024369	124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		F
80005	WL	2/29/2012	12024369	124-48-1	Chlorodibromomethane	N002	0.17	ug/L	U	D	0.17		F
80005	WL	2/29/2012	12024369	67-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		F
80005	WL	2/29/2012	12024369	67-66-3	Chloroform	N002	0.16	ug/L	U	D	0.16		F
80005	WL	2/29/2012	12024369	74-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		F
80005	WL	2/29/2012	12024369	74-87-3	Chloromethane	N002	0.3	ug/L	U	D	0.3		F
80005	WL	2/29/2012	12024369	7440-47-3	Chromium	0001	0.66	ug/L	U	F	0.66		F
80005	WL	2/29/2012	12024369	7440-47-3	Chromium	0002	0.66	ug/L	U	D	0.66		F
80005	WL	2/29/2012	12024369	218-01-9	Chrysene	N001	0.64	ug/L	U	F	0.64		F
80005	WL	2/29/2012	12024369	218-01-9	Chrysene	N002	0.65	ug/L	U	D	0.65		F
80005	WL	2/29/2012	12024369	156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		F
80005	WL	2/29/2012	12024369	156-59-2	cis-1,2-Dichloroethene	N002	0.15	ug/L	U	D	0.15		F
80005	WL	2/29/2012	12024369	7440-50-8	Copper	0001	1.4	ug/L	U	F	1.4		F
80005	WL	2/29/2012	12024369	7440-50-8	Copper	0002	1.4	ug/L	U	D	1.4		F
80005	WL	2/29/2012	12024369	53-70-3	Dibenz(a,h)anthracene	N001	0.6	ug/L	U	F	0.6		F
80005	WL	2/29/2012	12024369	53-70-3	Dibenz(a,h)anthracene	N002	0.61	ug/L	U	D	0.61		F
80005	WL	2/29/2012	12024369	84-66-2	Diethyl phthalate	N001	0.45	ug/L	U	F	0.45		F
80005	WL	2/29/2012	12024369	84-66-2	Diethyl phthalate	N002	0.46	ug/L	U	D	0.46		F
80005	WL	2/29/2012	12024369	131-11-3	Dimethyl phthalate	N001	0.25	ug/L	U	F	0.25		F
80005	WL	2/29/2012	12024369	131-11-3	Dimethyl phthalate	N002	0.25	ug/L	U	D	0.25		F
80005	WL	2/29/2012	12024369	84-74-2	Di-n-butyl phthalate	N001	1.4	ug/L	U	F	1.4		F
80005	WL	2/29/2012	12024369	84-74-2	Di-n-butyl phthalate	N002	1.4	ug/L	U	D	1.4		F
80005	WL	2/29/2012	12024369	100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		F
80005	WL	2/29/2012	12024369	100-41-4	Ethylbenzene	N002	0.16	ug/L	U	D	0.16		F
80005	WL	2/29/2012	12024369	206-44-0	Fluoranthene	N001	0.24	ug/L	U	F	0.24		F
80005	WL	2/29/2012	12024369	206-44-0	Fluoranthene	N002	0.24	ug/L	U	D	0.24		F
80005	WL	2/29/2012	12024369	86-73-7	Fluorene	N001	0.37	ug/L	U	F	0.37		F
80005	WL	2/29/2012	12024369	86-73-7	Fluorene	N002	0.37	ug/L	U	D	0.37		F
80005	WL	2/29/2012	12024369	118-74-1	Hexachlorobenzene	N001	0.78	ug/L	U	F	0.78		F
80005	WL	2/29/2012	12024369	118-74-1	Hexachlorobenzene	N002	0.79	ug/L	U	D	0.79		F
80005	WL	2/29/2012	12024369	87-68-3	Hexachlorobutadiene	N001	0.36	ug/L	U	F	0.36		F
80005	WL	2/29/2012	12024369	87-68-3	Hexachlorobutadiene	N001	3.9	ug/L	U	F	3.9		F
80005	WL	2/29/2012	12024369	87-68-3	Hexachlorobutadiene	N002	0.36	ug/L	U	D	0.36		F
80005	WL	2/29/2012	12024369	87-68-3	Hexachlorobutadiene	N002	4	ug/L	U	D	4		F
80005	WL	2/29/2012	12024369	77-47-4	Hexachlorocyclopentadiene	N001	12	ug/L	U	F	12		F
80005	WL	2/29/2012	12024369	77-47-4	Hexachlorocyclopentadiene	N002	12	ug/L	U	D	12		F
80005	WL	2/29/2012	12024369	67-72-1	Hexachloroethane	N001	2.5	ug/L	U	F	2.5		F
80005	WL	2/29/2012	12024369	67-72-1	Hexachloroethane	N002	2.5	ug/L	U	D	2.5		F
80005	WL	2/29/2012	12024369	193-39-5	Indeno(1,2,3-cd)pyrene	N001	0.77	ug/L	U	F	0.77		F
80005	WL	2/29/2012	12024369	193-39-5	Indeno(1,2,3-cd)pyrene	N002	0.78	ug/L	U	D	0.78		F
80005	WL	2/29/2012	12024369	78-59-1	Isophorone	N001	0.25	ug/L	U	F	0.25		F
80005	WL	2/29/2012	12024369	78-59-1	Isophorone	N002	0.25	ug/L	U	D	0.25		F
80005	WL	2/29/2012	12024369	7439-92-1	Lead	0001	2.6	ug/L	U	F	2.6		F
80005	WL	2/29/2012	12024369	7439-92-1	Lead	0002	2.6	ug/L	U	D	2.6		F
80005	WL	2/29/2012	12024369	7439-97-6	Mercury	0001	0.027	ug/L	U	F	0.027		F
80005	WL	2/29/2012	12024369	7439-97-6	Mercury	0002	0.027	ug/L	U	D	0.027		F
80005	WL	2/29/2012	12024369	75-09-2	Methylene chloride	N001	0.32	ug/L	U	F	0.32		F
80005	WL	2/29/2012	12024369	75-09-2	Methylene chloride	N002	0.32	ug/L	U	D	0.32		F
80005	WL	2/29/2012	12024369	91-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22		F
80005	WL	2/29/2012	12024369	91-20-3	Naphthalene	N001	0.34	ug/L	U	F	0.34		F

RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
80005	WL	2/29/2012	12024369	91-20-3	Naphthalene	N002	0.22	ug/L	U	D	0.22		F
80005	WL	2/29/2012	12024369	91-20-3	Naphthalene	N002	0.35	ug/L	U	D	0.35		F
80005	WL	2/29/2012	12024369	7440-02-0	Nickel	0001	1.3	ug/L	U	F	1.3		F
80005	WL	2/29/2012	12024369	7440-02-0	Nickel	0002	1.3	ug/L	U	D	1.3		F
80005	WL	2/29/2012	12024369	98-95-3	Nitrobenzene	N001	0.96	ug/L	U	F	0.96		F
80005	WL	2/29/2012	12024369	98-95-3	Nitrobenzene	N002	0.98	ug/L	U	D	0.98		F
80005	WL	2/29/2012	12024369	621-64-7	N-Nitrosodi-n-propylamine	N001	0.41	ug/L	U	F	0.41		F
80005	WL	2/29/2012	12024369	621-64-7	N-Nitrosodi-n-propylamine	N002	0.42	ug/L	U	D	0.42		F
80005	WL	2/29/2012	12024369	86-30-6	N-Nitrosodiphenylamine	N001	0.52	ug/L	U	F	0.52		F
80005	WL	2/29/2012	12024369	86-30-6	N-Nitrosodiphenylamine	N002	0.53	ug/L	U	D	0.53		F
80005	WL	2/29/2012	12024369	87-86-5	Pentachlorophenol	N001	24	ug/L	U	F	24		F
80005	WL	2/29/2012	12024369	87-86-5	Pentachlorophenol	N002	24	ug/L	U	D	24		F
80005	WL	2/29/2012	12024369	108-95-2	Phenol	N001	2.4	ug/L	U	F	2.4		F
80005	WL	2/29/2012	12024369	108-95-2	Phenol	N002	2.4	ug/L	U	D	2.4		F
80005	WL	2/29/2012	12024369	129-00-0	Pyrene	N001	0.44	ug/L	U	F	0.44		F
80005	WL	2/29/2012	12024369	129-00-0	Pyrene	N002	0.45	ug/L	U	D	0.45		F
80005	WL	2/29/2012	12024369	7782-49-2	Selenium	0001	5.6	ug/L	J	F	4.9		F
80005	WL	2/29/2012	12024369	7782-49-2	Selenium	0002	4.9	ug/L	U	D	4.9		F
80005	WL	2/29/2012	12024369	7440-22-4	Silver	0001	0.93	ug/L	U	F	0.93		F
80005	WL	2/29/2012	12024369	7440-22-4	Silver	0002	0.93	ug/L	U	D	0.93		F
80005	WL	2/29/2012	12024369	100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		F
80005	WL	2/29/2012	12024369	100-42-5	Styrene	N002	0.17	ug/L	U	D	0.17		F
80005	WL	2/29/2012	12024369	127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2		F
80005	WL	2/29/2012	12024369	127-18-4	Tetrachloroethene	N002	0.2	ug/L	U	D	0.2		F
80005	WL	2/29/2012	12024369	108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17		F
80005	WL	2/29/2012	12024369	108-88-3	Toluene	N002	0.17	ug/L	U	D	0.17		F
80005	WL	2/29/2012	12024369	1330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19		F
80005	WL	2/29/2012	12024369	1330-20-7	Total Xylenes	N002	0.19	ug/L	U	D	0.19		F
80005	WL	2/29/2012	12024369	156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		F
80005	WL	2/29/2012	12024369	156-60-5	trans-1,2-Dichloroethene	N002	0.15	ug/L	U	D	0.15		F
80005	WL	2/29/2012	12024369	10061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		F
80005	WL	2/29/2012	12024369	10061-02-6	trans-1,3-dichloropropene	N002	0.19	ug/L	U	D	0.19		F
80005	WL	2/29/2012	12024369	79-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16		F
80005	WL	2/29/2012	12024369	79-01-6	Trichloroethene	N002	0.16	ug/L	U	D	0.16		F
80005	WL	2/29/2012	12024369	7440-61-1	Uranium	0001	7.9	ug/L		F	0.02		F
80005	WL	2/29/2012	12024369	7440-61-1	Uranium	0002	8	ug/L		D	0.02		F
80005	WL	2/29/2012	12024369	75-01-4	Vinyl chloride	N001	0.1	ug/L	U	F	0.1		F
80005	WL	2/29/2012	12024369	75-01-4	Vinyl chloride	N002	0.1	ug/L	U	D	0.1		F
80005	WL	2/29/2012	12024369	7440-66-6	Zinc	0001	4.5	ug/L	U	F	4.5		F
80005	WL	2/29/2012	12024369	7440-66-6	Zinc	0002	4.5	ug/L	U	D	4.5		F
80105	WL	2/29/2012	12024369	71-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		F
80105	WL	2/29/2012	12024369	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		F
80105	WL	2/29/2012	12024369	79-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27		F
80105	WL	2/29/2012	12024369	75-35-4	1,1-Dichloroethene	N001	0.23	ug/L	U	F	0.23		F
80105	WL	2/29/2012	12024369	120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		F
80105	WL	2/29/2012	12024369	120-82-1	1,2,4-Trichlorobenzene	N001	0.33	ug/L	U	F	0.33		FJ
80105	WL	2/29/2012	12024369	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47		F
80105	WL	2/29/2012	12024369	106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		F
80105	WL	2/29/2012	12024369	95-50-1	1,2-Dichlorobenzene	N001	0.15	ug/L	U	F	0.15		F
80105	WL	2/29/2012	12024369	95-50-1	1,2-Dichlorobenzene	N001	0.27	ug/L	U	F	0.27		FJ
80105	WL	2/29/2012	12024369	107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		F
80105	WL	2/29/2012	12024369	78-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		F
80105	WL	2/29/2012	12024369	541-73-1	1,3-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13		F
80105	WL	2/29/2012	12024369	541-73-1	1,3-Dichlorobenzene	N001	0.35	ug/L	U	F	0.35		FJ

RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
80105	WL	2/29/2012	12024369	106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		F
80105	WL	2/29/2012	12024369	106-46-7	1,4-Dichlorobenzene	N001	0.37	ug/L	U	F	0.37		FJ
80105	WL	2/29/2012	12024369	105-67-9	2, 4-Dimethylphenol	N001	0.68	ug/L	U	F	0.68		FJ
80105	WL	2/29/2012	12024369	95-95-4	2,4,5-Trichlorophenol	N001	0.53	ug/L	U	F	0.53		FJ
80105	WL	2/29/2012	12024369	88-06-2	2,4,6-Trichlorophenol	N001	0.34	ug/L	U	F	0.34		FJ
80105	WL	2/29/2012	12024369	120-83-2	2,4-Dichlorophenol	N001	0.75	ug/L	U	F	0.75		FJ
80105	WL	2/29/2012	12024369	51-28-5	2,4-Dinitrophenol	N001	12	ug/L	U	F	12		FJ
80105	WL	2/29/2012	12024369	121-14-2	2,4-Dinitrotoluene	N001	1.9	ug/L	U	F	1.9		FJ
80105	WL	2/29/2012	12024369	606-20-2	2,6-Dinitrotoluene	N001	2.2	ug/L	U	F	2.2		FJ
80105	WL	2/29/2012	12024369	91-58-7	2-Chloronaphthalene	N001	0.3	ug/L	U	F	0.3		FJ
80105	WL	2/29/2012	12024369	95-57-8	2-Chlorophenol	N001	2.3	ug/L	U	F	2.3		FJ
80105	WL	2/29/2012	12024369	91-94-1	3,3'-Dichlorobenzidine	N001	2.3	ug/L	U	F	2.3		FJ
80105	WL	2/29/2012	12024369	534-52-1	4,6-Dinitro-2-methyl phenol	N001	4.7	ug/L	U	F	4.7		FJ
80105	WL	2/29/2012	12024369	59-50-7	4-Chloro-3-methylphenol	N001	2.8	ug/L	U	F	2.8		FJ
80105	WL	2/29/2012	12024369	100-02-7	4-Nitrophenol	N001	1.4	ug/L	U	F	1.4		FJ
80105	WL	2/29/2012	12024369	83-32-9	Acenaphthene	N001	0.33	ug/L	U	F	0.33		FJ
80105	WL	2/29/2012	12024369	120-12-7	Anthracene	N001	0.49	ug/L	U	F	0.49		FJ
80105	WL	2/29/2012	12024369	7440-38-2	Arsenic	0001	4.4	ug/L	U	F	4.4		F
80105	WL	2/29/2012	12024369	56-55-3	Benz(a)anthracene	N001	0.41	ug/L	U	F	0.41		FJ
80105	WL	2/29/2012	12024369	71-43-2	Benzene	N001	0.16	ug/L	U	F	0.16		F
80105	WL	2/29/2012	12024369	50-32-8	Benzo(a)pyrene	N001	0.36	ug/L	U	F	0.36		FJ
80105	WL	2/29/2012	12024369	205-99-2	Benzo(b)fluoranthene	N001	0.62	ug/L	U	F	0.62		FJ
80105	WL	2/29/2012	12024369	191-24-2	Benzo(g,h,i)Perylene	N001	0.59	ug/L	U	F	0.59		FJ
80105	WL	2/29/2012	12024369	207-08-9	Benzo(k)fluoranthene	N001	0.54	ug/L	U	F	0.54		FJ
80105	WL	2/29/2012	12024369	7440-41-7	Beryllium	0001	0.47	ug/L	U	F	0.47		F
80105	WL	2/29/2012	12024369	111-44-4	Bis(2-chloroethyl) ether	N001	0.48	ug/L	U	F	0.48		FJ
80105	WL	2/29/2012	12024369	108-60-1	Bis(2-chloroisopropyl) ether	N001	0.33	ug/L	U	F	0.33		FJ
80105	WL	2/29/2012	12024369	117-81-7	Bis(2-ethylhexyl) phthalate	N001	0.66	ug/L	U	F	0.66		FJ
80105	WL	2/29/2012	12024369	7440-42-8	Boron	0001	130	ug/L		F	4.4		F
80105	WL	2/29/2012	12024369	75-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		F
80105	WL	2/29/2012	12024369	75-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		F
80105	WL	2/29/2012	12024369	74-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		F
80105	WL	2/29/2012	12024369	85-68-7	Butyl benzyl phthalate	N001	1.2	ug/L	U	F	1.2		FJ
80105	WL	2/29/2012	12024369	7440-43-9	Cadmium	0001	0.79	ug/L	J	F	0.45		F
80105	WL	2/29/2012	12024369	56-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		F
80105	WL	2/29/2012	12024369	108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		F
80105	WL	2/29/2012	12024369	124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		F
80105	WL	2/29/2012	12024369	67-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		F
80105	WL	2/29/2012	12024369	74-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		F
80105	WL	2/29/2012	12024369	7440-47-3	Chromium	0001	0.66	ug/L	U	F	0.66		F
80105	WL	2/29/2012	12024369	218-01-9	Chrysene	N001	0.63	ug/L	U	F	0.63		FJ
80105	WL	2/29/2012	12024369	156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		F
80105	WL	2/29/2012	12024369	7440-50-8	Copper	0001	1.4	ug/L	U	F	1.4		F
80105	WL	2/29/2012	12024369	53-70-3	Dibenz(a,h)anthracene	N001	0.6	ug/L	U	F	0.6		FJ
80105	WL	2/29/2012	12024369	84-66-2	Diethyl phthalate	N001	0.45	ug/L	U	F	0.45		FJ
80105	WL	2/29/2012	12024369	131-11-3	Dimethyl phthalate	N001	0.25	ug/L	U	F	0.25		FJ
80105	WL	2/29/2012	12024369	84-74-2	Di-n-butyl phthalate	N001	1.4	ug/L	U	F	1.4		FJ
80105	WL	2/29/2012	12024369	100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		F
80105	WL	2/29/2012	12024369	206-44-0	Fluoranthene	N001	0.23	ug/L	U	F	0.23		FJ
80105	WL	2/29/2012	12024369	86-73-7	Fluorene	N001	0.36	ug/L	U	F	0.36		FJ
80105	WL	2/29/2012	12024369	118-74-1	Hexachlorobenzene	N001	0.77	ug/L	U	F	0.77		FJ
80105	WL	2/29/2012	12024369	87-68-3	Hexachlorobutadiene	N001	0.36	ug/L	U	F	0.36		F
80105	WL	2/29/2012	12024369	87-68-3	Hexachlorobutadiene	N001	3.9	ug/L	U	F	3.9		FJ
80105	WL	2/29/2012	12024369	77-47-4	Hexachlorocyclopentadiene	N001	12	ug/L	U	F	12		FJ

RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
80105	WL	2/29/2012	12024369	67-72-1	Hexachloroethane	N001	2.5	ug/L	U	F	2.5		FJ
80105	WL	2/29/2012	12024369	193-39-5	Indeno(1,2,3-cd)pyrene	N001	0.76	ug/L	U	F	0.76		FJ
80105	WL	2/29/2012	12024369	78-59-1	Isophorone	N001	0.25	ug/L	U	F	0.25		FJ
80105	WL	2/29/2012	12024369	7439-92-1	Lead	0001	2.6	ug/L	U	F	2.6		F
80105	WL	2/29/2012	12024369	7439-97-6	Mercury	0001	0.027	ug/L	U	F	0.027		F
80105	WL	2/29/2012	12024369	75-09-2	Methylene chloride	N001	0.32	ug/L	U	F	0.32		F
80105	WL	2/29/2012	12024369	91-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22		F
80105	WL	2/29/2012	12024369	91-20-3	Naphthalene	N001	0.34	ug/L	U	F	0.34		F
80105	WL	2/29/2012	12024369	7440-02-0	Nickel	0001	1.3	ug/L	U	F	1.3		F
80105	WL	2/29/2012	12024369	98-95-3	Nitrobenzene	N001	0.95	ug/L	U	F	0.95		FJ
80105	WL	2/29/2012	12024369	621-64-7	N-Nitrosodi-n-propylamine	N001	0.41	ug/L	U	F	0.41		FJ
80105	WL	2/29/2012	12024369	86-30-6	N-Nitrosodiphenylamine	N001	0.52	ug/L	U	F	0.52		FJ
80105	WL	2/29/2012	12024369	87-86-5	Pentachlorophenol	N001	23	ug/L	U	F	23		FJ
80105	WL	2/29/2012	12024369	108-95-2	Phenol	N001	2.3	ug/L	U	F	2.3		FJ
80105	WL	2/29/2012	12024369	129-00-0	Pyrene	N001	0.43	ug/L	U	F	0.43		FJ
80105	WL	2/29/2012	12024369	7782-49-2	Selenium	0001	4.9	ug/L	U	F	4.9		F
80105	WL	2/29/2012	12024369	7440-22-4	Silver	0001	0.93	ug/L	U	F	0.93		F
80105	WL	2/29/2012	12024369	100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		F
80105	WL	2/29/2012	12024369	127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2		F
80105	WL	2/29/2012	12024369	108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17		F
80105	WL	2/29/2012	12024369	1330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19		F
80105	WL	2/29/2012	12024369	156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		F
80105	WL	2/29/2012	12024369	10061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		F
80105	WL	2/29/2012	12024369	79-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16		F
80105	WL	2/29/2012	12024369	7440-61-1	Uranium	0001	14	ug/L		F	0.02		F
80105	WL	2/29/2012	12024369	75-01-4	Vinyl chloride	N001	0.1	ug/L	U	F	0.1		F
80105	WL	2/29/2012	12024369	7440-66-6	Zinc	0001	4.5	ug/L	U	F	4.5		F
80205	WL	2/29/2012	12024369	71-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		FQ
80205	WL	2/29/2012	12024369	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		FQ
80205	WL	2/29/2012	12024369	79-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27		FQ
80205	WL	2/29/2012	12024369	75-35-4	1,1-Dichloroethene	N001	0.23	ug/L	U	F	0.23		FQ
80205	WL	2/29/2012	12024369	120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		FQ
80205	WL	2/29/2012	12024369	120-82-1	1,2,4-Trichlorobenzene	N001	0.33	ug/L	U	F	0.33		FQ
80205	WL	2/29/2012	12024369	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47		FQ
80205	WL	2/29/2012	12024369	106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		FQ
80205	WL	2/29/2012	12024369	95-50-1	1,2-Dichlorobenzene	N001	0.15	ug/L	U	F	0.15		FQ
80205	WL	2/29/2012	12024369	95-50-1	1,2-Dichlorobenzene	N001	0.27	ug/L	U	F	0.27		FQ
80205	WL	2/29/2012	12024369	107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		FQ
80205	WL	2/29/2012	12024369	78-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		FQ
80205	WL	2/29/2012	12024369	541-73-1	1,3-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13		FQ
80205	WL	2/29/2012	12024369	541-73-1	1,3-Dichlorobenzene	N001	0.35	ug/L	U	F	0.35		FQ
80205	WL	2/29/2012	12024369	106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		FQ
80205	WL	2/29/2012	12024369	106-46-7	1,4-Dichlorobenzene	N001	0.37	ug/L	U	F	0.37		FQ
80205	WL	2/29/2012	12024369	105-67-9	2, 4-Dimethylphenol	N001	0.68	ug/L	U	F	0.68		FQ
80205	WL	2/29/2012	12024369	95-95-4	2,4,5-Trichlorophenol	N001	0.52	ug/L	U	F	0.52		FQ
80205	WL	2/29/2012	12024369	88-06-2	2,4,6-Trichlorophenol	N001	0.34	ug/L	U	F	0.34		FQ
80205	WL	2/29/2012	12024369	120-83-2	2,4-Dichlorophenol	N001	0.75	ug/L	U	F	0.75		FQ
80205	WL	2/29/2012	12024369	51-28-5	2,4-Dinitrophenol	N001	12	ug/L	U	F	12		FQ
80205	WL	2/29/2012	12024369	121-14-2	2,4-Dinitrotoluene	N001	1.9	ug/L	U	F	1.9		FQ
80205	WL	2/29/2012	12024369	606-20-2	2,6-Dinitrotoluene	N001	2.2	ug/L	U	F	2.2		FQ
80205	WL	2/29/2012	12024369	91-58-7	2-Chloronaphthalene	N001	0.3	ug/L	U	F	0.3		FQ
80205	WL	2/29/2012	12024369	95-57-8	2-Chlorophenol	N001	2.3	ug/L	U	F	2.3		FQ
80205	WL	2/29/2012	12024369	91-94-1	3,3'-Dichlorobenzidine	N001	2.3	ug/L	U	F	2.3		FQ
80205	WL	2/29/2012	12024369	534-52-1	4,6-Dinitro-2-methyl phenol	N001	4.7	ug/L	U	F	4.7		FQ

RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
80205	WL	2/29/2012	12024369	59-50-7	4-Chloro-3-methylphenol	N001	2.8	ug/L	U	F	2.8		FQ
80205	WL	2/29/2012	12024369	100-02-7	4-Nitrophenol	N001	1.4	ug/L	U	F	1.4		FQ
80205	WL	2/29/2012	12024369	83-32-9	Acenaphthene	N001	0.33	ug/L	U	F	0.33		FQ
80205	WL	2/29/2012	12024369	120-12-7	Anthracene	N001	0.49	ug/L	U	F	0.49		FQ
80205	WL	2/29/2012	12024369	7440-38-2	Arsenic	0001	4.4	ug/L	U	F	4.4		FQ
80205	WL	2/29/2012	12024369	56-55-3	Benz(a)anthracene	N001	0.41	ug/L	U	F	0.41		FQ
80205	WL	2/29/2012	12024369	71-43-2	Benzene	N001	0.16	ug/L	U	F	0.16		FQ
80205	WL	2/29/2012	12024369	50-32-8	Benzo(a)pyrene	N001	0.36	ug/L	U	F	0.36		FQ
80205	WL	2/29/2012	12024369	205-99-2	Benzo(b)fluoranthene	N001	0.62	ug/L	U	F	0.62		FQ
80205	WL	2/29/2012	12024369	191-24-2	Benzo(g,h,i)Perylene	N001	0.58	ug/L	U	F	0.58		FQ
80205	WL	2/29/2012	12024369	207-08-9	Benzo(k)fluoranthene	N001	0.54	ug/L	U	F	0.54		FQ
80205	WL	2/29/2012	12024369	7440-41-7	Beryllium	0001	0.47	ug/L	U	F	0.47		FQ
80205	WL	2/29/2012	12024369	111-44-4	Bis(2-chloroethyl) ether	N001	0.48	ug/L	U	F	0.48		FQ
80205	WL	2/29/2012	12024369	108-60-1	Bis(2-chloroisopropyl) ether	N001	0.33	ug/L	U	F	0.33		FQ
80205	WL	2/29/2012	12024369	117-81-7	Bis(2-ethylhexyl) phthalate	N001	1	ug/L	J	F	0.65		FQ
80205	WL	2/29/2012	12024369	7440-42-8	Boron	0001	79	ug/L		F	4.4		FQ
80205	WL	2/29/2012	12024369	75-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		FQ
80205	WL	2/29/2012	12024369	75-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		FQ
80205	WL	2/29/2012	12024369	74-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		FQ
80205	WL	2/29/2012	12024369	85-68-7	Butyl benzyl phthalate	N001	1.2	ug/L	U	F	1.2		FQ
80205	WL	2/29/2012	12024369	7440-43-9	Cadmium	0001	1	ug/L	J	F	0.45		FQ
80205	WL	2/29/2012	12024369	56-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		FQ
80205	WL	2/29/2012	12024369	108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		FQ
80205	WL	2/29/2012	12024369	124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		FQ
80205	WL	2/29/2012	12024369	67-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		FQ
80205	WL	2/29/2012	12024369	74-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		FQ
80205	WL	2/29/2012	12024369	7440-47-3	Chromium	0001	0.66	ug/L	U	F	0.66		FQ
80205	WL	2/29/2012	12024369	218-01-9	Chrysene	N001	0.63	ug/L	U	F	0.63		FQ
80205	WL	2/29/2012	12024369	156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		FQ
80205	WL	2/29/2012	12024369	7440-50-8	Copper	0001	2.8	ug/L	J	F	1.4		FQ
80205	WL	2/29/2012	12024369	53-70-3	Dibenz(a,h)anthracene	N001	0.59	ug/L	U	F	0.59		FQ
80205	WL	2/29/2012	12024369	84-66-2	Diethyl phthalate	N001	0.44	ug/L	U	F	0.44		FQ
80205	WL	2/29/2012	12024369	131-11-3	Dimethyl phthalate	N001	0.24	ug/L	U	F	0.24		FQ
80205	WL	2/29/2012	12024369	84-74-2	Di-n-butyl phthalate	N001	1.4	ug/L	U	F	1.4		FQ
80205	WL	2/29/2012	12024369	100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		FQ
80205	WL	2/29/2012	12024369	206-44-0	Fluoranthene	N001	0.23	ug/L	U	F	0.23		FQ
80205	WL	2/29/2012	12024369	86-73-7	Fluorene	N001	0.36	ug/L	U	F	0.36		FQ
80205	WL	2/29/2012	12024369	118-74-1	Hexachlorobenzene	N001	0.77	ug/L	U	F	0.77		FQ
80205	WL	2/29/2012	12024369	87-68-3	Hexachlorobutadiene	N001	0.36	ug/L	U	F	0.36		FQ
80205	WL	2/29/2012	12024369	87-68-3	Hexachlorobutadiene	N001	3.8	ug/L	U	F	3.8		FQ
80205	WL	2/29/2012	12024369	77-47-4	Hexachlorocyclopentadiene	N001	12	ug/L	U	F	12		FQ
80205	WL	2/29/2012	12024369	67-72-1	Hexachloroethane	N001	2.4	ug/L	U	F	2.4		FQ
80205	WL	2/29/2012	12024369	193-39-5	Indeno(1,2,3-cd)pyrene	N001	0.76	ug/L	U	F	0.76		FQ
80205	WL	2/29/2012	12024369	78-59-1	Isophorone	N001	0.24	ug/L	U	F	0.24		FQ
80205	WL	2/29/2012	12024369	7439-92-1	Lead	0001	3.1	ug/L	J	F	2.6		FQ
80205	WL	2/29/2012	12024369	7439-97-6	Mercury	0001	0.027	ug/L	U	F	0.027		FQ
80205	WL	2/29/2012	12024369	75-09-2	Methylene chloride	N001	0.32	ug/L	U	F	0.32		FQ
80205	WL	2/29/2012	12024369	91-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22		FQ
80205	WL	2/29/2012	12024369	91-20-3	Naphthalene	N001	0.34	ug/L	U	F	0.34		FQ
80205	WL	2/29/2012	12024369	7440-02-0	Nickel	0001	3.5	ug/L	J	F	1.3		FQ
80205	WL	2/29/2012	12024369	98-95-3	Nitrobenzene	N001	0.94	ug/L	U	F	0.94		FQ
80205	WL	2/29/2012	12024369	621-64-7	N-Nitrosodi-n-propylamine	N001	0.41	ug/L	U	F	0.41		FQ
80205	WL	2/29/2012	12024369	86-30-6	N-Nitrosodiphenylamine	N001	0.51	ug/L	U	F	0.51		FQ
80205	WL	2/29/2012	12024369	87-86-5	Pentachlorophenol	N001	23	ug/L	U	F	23		FQ

RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
80205	WL	2/29/2012	12024369	108-95-2	Phenol	N001	2.3	ug/L	U	F	2.3		FQ
80205	WL	2/29/2012	12024369	129-00-0	Pyrene	N001	0.43	ug/L	U	F	0.43		FQ
80205	WL	2/29/2012	12024369	7782-49-2	Selenium	0001	4.9	ug/L	U	F	4.9		FQ
80205	WL	2/29/2012	12024369	7440-22-4	Silver	0001	0.93	ug/L	U	F	0.93		FQ
80205	WL	2/29/2012	12024369	100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		FQ
80205	WL	2/29/2012	12024369	127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2		FQ
80205	WL	2/29/2012	12024369	108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17		FQ
80205	WL	2/29/2012	12024369	1330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19		FQ
80205	WL	2/29/2012	12024369	156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		FQ
80205	WL	2/29/2012	12024369	10061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		FQ
80205	WL	2/29/2012	12024369	79-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16		FQ
80205	WL	2/29/2012	12024369	7440-61-1	Uranium	0001	51	ug/L		F	0.02		FQ
80205	WL	2/29/2012	12024369	75-01-4	Vinyl chloride	N001	0.1	ug/L	U	F	0.1		FQ
80205	WL	2/29/2012	12024369	7440-66-6	Zinc	0001	5.1	ug/L	J	F	4.5		FQ
ET EFFLUENT	TS	1/24/2012	12014321	71-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		
ET EFFLUENT	TS	1/24/2012	12014321	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		
ET EFFLUENT	TS	1/24/2012	12014321	79-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27		
ET EFFLUENT	TS	1/24/2012	12014321	75-35-4	1,1-Dichloroethene	N001	0.67	ug/L	J	F	0.23		
ET EFFLUENT	TS	1/24/2012	12014321	120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		
ET EFFLUENT	TS	1/24/2012	12014321	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47		
ET EFFLUENT	TS	1/24/2012	12014321	106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		
ET EFFLUENT	TS	1/24/2012	12014321	95-50-1	1,2-Dichlorobenzene	N001	0.15	ug/L	U	F	0.15		
ET EFFLUENT	TS	1/24/2012	12014321	107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		
ET EFFLUENT	TS	1/24/2012	12014321	78-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		
ET EFFLUENT	TS	1/24/2012	12014321	541-73-1	1,3-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13		
ET EFFLUENT	TS	1/24/2012	12014321	106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		
ET EFFLUENT	TS	1/24/2012	12014321	71-43-2	Benzene	N001	0.55	ug/L	J	F	0.16		
ET EFFLUENT	TS	1/24/2012	12014321	75-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		
ET EFFLUENT	TS	1/24/2012	12014321	75-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		
ET EFFLUENT	TS	1/24/2012	12014321	74-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		
ET EFFLUENT	TS	1/24/2012	12014321	56-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		
ET EFFLUENT	TS	1/24/2012	12014321	108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		
ET EFFLUENT	TS	1/24/2012	12014321	124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		
ET EFFLUENT	TS	1/24/2012	12014321	67-66-3	Chloroform	N001	12	ug/L		F	0.16		
ET EFFLUENT	TS	1/24/2012	12014321	74-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		
ET EFFLUENT	TS	1/24/2012	12014321	156-59-2	cis-1,2-Dichloroethene	N001	94	ug/L		F	0.6		
ET EFFLUENT	TS	1/24/2012	12014321	100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		
ET EFFLUENT	TS	1/24/2012	12014321	87-68-3	Hexachlorobutadiene	N001	0.36	ug/L	U	F	0.36		
ET EFFLUENT	TS	1/24/2012	12014321	75-09-2	Methylene chloride	N001	8.5	ug/L	B	F	0.32		
ET EFFLUENT	TS	1/24/2012	12014321	91-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22		
ET EFFLUENT	TS	1/24/2012	12014321	100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		
ET EFFLUENT	TS	1/24/2012	12014321	127-18-4	Tetrachloroethene	N001	22	ug/L		F	0.2		J
ET EFFLUENT	TS	1/24/2012	12014321	108-88-3	Toluene	N001	0.18	ug/L	J	F	0.17		
ET EFFLUENT	TS	1/24/2012	12014321	1330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19		
ET EFFLUENT	TS	1/24/2012	12014321	156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		
ET EFFLUENT	TS	1/24/2012	12014321	10061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		
ET EFFLUENT	TS	1/24/2012	12014321	79-01-6	Trichloroethene	N001	17	ug/L		F	0.16		
ET EFFLUENT	TS	1/24/2012	12014321	75-01-4	Vinyl chloride	N001	0.1	ug/L	U	F	0.1		
ET INFLUENT	TS	1/24/2012	12014321	71-55-6	1,1,1-Trichloroethane	N001	3.8	ug/L	J	F	1.6		
ET INFLUENT	TS	1/24/2012	12014321	79-34-5	1,1,2,2-Tetrachloroethane	N001	2.1	ug/L	U	F	2.1		
ET INFLUENT	TS	1/24/2012	12014321	79-00-5	1,1,2-Trichloroethane	N001	2.7	ug/L	U	F	2.7		
ET INFLUENT	TS	1/24/2012	12014321	75-35-4	1,1-Dichloroethene	N001	5.7	ug/L	J	F	2.3		
ET INFLUENT	TS	1/24/2012	12014321	120-82-1	1,2,4-Trichlorobenzene	N001	2.1	ug/L	U	F	2.1		
ET INFLUENT	TS	1/24/2012	12014321	96-12-8	1,2-Dibromo-3-chloropropane	N001	4.7	ug/L	U	F	4.7		

RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
ET INFLUENT	TS	1/24/2012	12014321	106-93-4	1,2-Dibromoethane	N001	1.8	ug/L	U	F	1.8		
ET INFLUENT	TS	1/24/2012	12014321	95-50-1	1,2-Dichlorobenzene	N001	1.5	ug/L	U	F	1.5		
ET INFLUENT	TS	1/24/2012	12014321	107-06-2	1,2-Dichloroethane	N001	1.3	ug/L	U	F	1.3		
ET INFLUENT	TS	1/24/2012	12014321	78-87-5	1,2-Dichloropropane	N001	1.8	ug/L	U	F	1.8		
ET INFLUENT	TS	1/24/2012	12014321	541-73-1	1,3-Dichlorobenzene	N001	1.3	ug/L	U	F	1.3		
ET INFLUENT	TS	1/24/2012	12014321	106-46-7	1,4-Dichlorobenzene	N001	1.6	ug/L	U	F	1.6		
ET INFLUENT	TS	1/24/2012	12014321	71-43-2	Benzene	N001	1.6	ug/L	U	F	1.6		
ET INFLUENT	TS	1/24/2012	12014321	75-27-4	Bromodichloromethane	N001	1.7	ug/L	U	F	1.7		
ET INFLUENT	TS	1/24/2012	12014321	75-25-2	Bromoform	N001	1.9	ug/L	U	F	1.9		
ET INFLUENT	TS	1/24/2012	12014321	74-83-9	Bromomethane	N001	2.1	ug/L	U	F	2.1		
ET INFLUENT	TS	1/24/2012	12014321	56-23-5	Carbon tetrachloride	N001	190	ug/L		F	1.9		
ET INFLUENT	TS	1/24/2012	12014321	108-90-7	Chlorobenzene	N001	1.7	ug/L	U	F	1.7		
ET INFLUENT	TS	1/24/2012	12014321	124-48-1	Chlorodibromomethane	N001	1.7	ug/L	U	F	1.7		
ET INFLUENT	TS	1/24/2012	12014321	67-66-3	Chloroform	N001	120	ug/L		F	1.6		
ET INFLUENT	TS	1/24/2012	12014321	74-87-3	Chloromethane	N001	3	ug/L	U	F	3		
ET INFLUENT	TS	1/24/2012	12014321	156-59-2	cis-1,2-Dichloroethene	N001	49	ug/L		F	1.5		
ET INFLUENT	TS	1/24/2012	12014321	100-41-4	Ethylbenzene	N001	1.6	ug/L	U	F	1.6		
ET INFLUENT	TS	1/24/2012	12014321	87-68-3	Hexachlorobutadiene	N001	3.6	ug/L	U	F	3.6		
ET INFLUENT	TS	1/24/2012	12014321	75-09-2	Methylene chloride	N001	6.7	ug/L	JB	F	3.2		U
ET INFLUENT	TS	1/24/2012	12014321	91-20-3	Naphthalene	N001	2.2	ug/L	U	F	2.2		
ET INFLUENT	TS	1/24/2012	12014321	100-42-5	Styrene	N001	1.7	ug/L	U	F	1.7		
ET INFLUENT	TS	1/24/2012	12014321	127-18-4	Tetrachloroethene	N001	310	ug/L		F	2		J
ET INFLUENT	TS	1/24/2012	12014321	108-88-3	Toluene	N001	1.7	ug/L	U	F	1.7		
ET INFLUENT	TS	1/24/2012	12014321	1330-20-7	Total Xylenes	N001	1.9	ug/L	U	F	1.9		
ET INFLUENT	TS	1/24/2012	12014321	156-60-5	trans-1,2-Dichloroethene	N001	1.5	ug/L	U	F	1.5		
ET INFLUENT	TS	1/24/2012	12014321	10061-02-6	trans-1,3-dichloropropene	N001	1.9	ug/L	U	F	1.9		
ET INFLUENT	TS	1/24/2012	12014321	79-01-6	Trichloroethene	N001	3500	ug/L		F	16		
ET INFLUENT	TS	1/24/2012	12014321	75-01-4	Vinyl chloride	N001	1	ug/L	U	F	1		
GS01	SL	1/3/2012	12014314	AM-241	Americium-241	N001	0.00235	pCi/L	U	F	0.0176	0.00461	
GS01	SL	1/3/2012	12014314	PU-239,240	Plutonium-239, 240	N001	0.00325	pCi/L	U	F	0.011	0.00562	
GS01	SL	1/3/2012	12014314	7440-61-1	Uranium	N001	5.55	ug/L		F	0.067		
GS01	SL	1/19/2012	12024362	AM-241	Americium-241	N001	0.00383	pCi/L	U	F	0.0197	0.00561	
GS01	SL	1/19/2012	12024362	PU-239,240	Plutonium-239, 240	N001	0.00455	pCi/L	U	F	0.0104	0.00593	
GS01	SL	1/19/2012	12024362	7440-61-1	Uranium	N001	11.3	ug/L		F	0.067		
GS01	SL	2/13/2012	12024379	AM-241	Americium-241	N001	0.00297	pCi/L	U	F	0.0205	0.00712	
GS01	SL	2/13/2012	12024379	PU-239,240	Plutonium-239, 240	N001	0.0017	pCi/L	U	F	0.0194	0.0174	
GS01	SL	2/13/2012	12024379	7440-61-1	Uranium	N001	5.44	ug/L		F	0.067		
GS01	SL	2/23/2012	12034402	AM-241	Americium-241	N001	-0.00252	pCi/L	U	F	0.0175	0.00782	
GS01	SL	2/23/2012	12034402	AM-241	Americium-241	N002	0.00606	pCi/L	U	D	0.0168	0.00714	
GS01	SL	2/23/2012	12034402	PU-239,240	Plutonium-239, 240	N001	0.00284	pCi/L	U	F	0.0161	0.00557	
GS01	SL	2/23/2012	12034402	PU-239,240	Plutonium-239, 240	N002	-0.00658	pCi/L	U	D	0.015	0.0124	
GS01	SL	2/23/2012	12034402	7440-61-1	Uranium	N001	4.14	ug/L		F	0.067		
GS01	SL	2/23/2012	12034402	7440-61-1	Uranium	N002	4.24	ug/L		D	0.067		
GS01	SL	3/1/2012	12034418	AM-241	Americium-241	N001	0.00624	pCi/L	U	F	0.0144	0.00579	
GS01	SL	3/1/2012	12034418	PU-239,240	Plutonium-239, 240	N001	-0.0038	pCi/L	U	F	0.0216	0.00745	
GS01	SL	3/1/2012	12034418	7440-61-1	Uranium	N001	4.39	ug/L		F	0.067		
GS01	SL	3/15/2012	12044453	AM-241	Americium-241	N001	-0.00136	pCi/L	U	F	0.0188	0.00707	
GS01	SL	3/15/2012	12044453	PU-239,240	Plutonium-239, 240	N001	-0.00125	pCi/L	U	F	0.0138	0.00947	
GS01	SL	3/15/2012	12044453	7440-61-1	Uranium	N001	5.01	ug/L		F	0.067		
GS03	SL	1/3/2012	12024362	AM-241	Americium-241	N002	0.00634	pCi/L	U	F	0.0326	0.011	
GS03	SL	1/3/2012	12014304	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	3.6	mg/L		F	0.019		
GS03	SL	1/3/2012	12024362	PU-239,240	Plutonium-239, 240	N002	0.003	pCi/L	U	F	0.0115	0.00588	
GS03	SL	1/3/2012	12024362	7440-61-1	Uranium	N002	13.3	ug/L		F	0.067		
GS03	SL	2/10/2012	12024379	AM-241	Americium-241	N001	-0.00308	pCi/L	U	F	0.0213	0.00853	

RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
GS03	SL	2/10/2012	12024379	AM-241	Americium-241	N002	-0.00743	pCi/L	U	D	0.0257	0.00892	
GS03	SL	2/10/2012	12024362	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N003	0.865	mg/L		F	0.05		
GS03	SL	2/10/2012	12024379	PU-239,240	Plutonium-239, 240	N001	0.0015	pCi/L	U	F	0.017	0.0121	
GS03	SL	2/10/2012	12024379	PU-239,240	Plutonium-239, 240	N002	0.0038	pCi/L	U	D	0.0144	0.00963	
GS03	SL	2/10/2012	12024379	7440-61-1	Uranium	N001	13.5	ug/L		F	0.067		
GS03	SL	2/10/2012	12024379	7440-61-1	Uranium	N002	13.8	ug/L		D	0.067		
GS03	SL	2/23/2012	12034412	AM-241	Americium-241	N002	-0.0108	pCi/L	U	F	0.0298	0.014	
GS03	SL	2/23/2012	12024379	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	5.46	mg/L		F	0.1		
GS03	SL	2/23/2012	12034412	PU-239,240	Plutonium-239, 240	N002	0.0122	pCi/L	U	F	0.0198	0.0103	
GS03	SL	2/23/2012	12034412	7440-61-1	Uranium	N002	11.2	ug/L		F	0.067		
GS03	SL	2/27/2012	12034402	AM-241	Americium-241	N001	-0.00313	pCi/L	U	F	0.0216	0.00751	
GS03	SL	2/27/2012	12034403	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N002	3.85	mg/L		F	0.05		
GS03	SL	2/27/2012	12034402	PU-239,240	Plutonium-239, 240	N001	0	pCi/L	U	F	0.0127	0.00693	
GS03	SL	2/27/2012	12034402	7440-61-1	Uranium	N001	11.4	ug/L		F	0.067		
GS03	SL	3/1/2012	12034418	AM-241	Americium-241	N001	2.03E-10	pCi/L	U	F	0.0169	0.00338	
GS03	SL	3/1/2012	12034403	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N002	3.76	mg/L		F	0.05		
GS03	SL	3/1/2012	12034418	PU-239,240	Plutonium-239, 240	N001	0.0023	pCi/L	U	F	0.0131	0.00552	
GS03	SL	3/1/2012	12034418	7440-61-1	Uranium	N001	13.1	ug/L		F	0.067		
GS03	SL	3/15/2012	12044465	AM-241	Americium-241	N003	-0.00417	pCi/L	U	F	0.0288	0.00817	
GS03	SL	3/15/2012	12034418	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	1.93	mg/L		F	0.085		
GS03	SL	3/15/2012	12044465	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N002	0.775	mg/L		F	0.085		J
GS03	SL	3/15/2012	12044465	PU-239,240	Plutonium-239, 240	N003	0.00487	pCi/L	U	F	0.0135	0.00756	
GS03	SL	3/15/2012	12044465	7440-61-1	Uranium	N003	14.2	ug/L		F	0.067		
GS05	SL	1/5/2012	12014304	71-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		
GS05	SL	1/5/2012	12014304	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		
GS05	SL	1/5/2012	12014304	79-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27		
GS05	SL	1/5/2012	12014304	75-35-4	1,1-Dichloroethene	N001	0.23	ug/L	U	F	0.23		
GS05	SL	1/5/2012	12014304	120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		
GS05	SL	1/5/2012	12014304	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47		
GS05	SL	1/5/2012	12014304	106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		
GS05	SL	1/5/2012	12014304	95-50-1	1,2-Dichlorobenzene	N001	0.15	ug/L	U	F	0.15		
GS05	SL	1/5/2012	12014304	107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		
GS05	SL	1/5/2012	12014304	78-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		
GS05	SL	1/5/2012	12014304	541-73-1	1,3-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13		
GS05	SL	1/5/2012	12014304	106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		
GS05	SL	1/5/2012	12034403	7440-38-2	Arsenic	N002	5	ug/L	U	F	5		
GS05	SL	1/5/2012	12014304	71-43-2	Benzene	N001	0.16	ug/L	U	F	0.16		
GS05	SL	1/5/2012	12034403	7440-41-7	Beryllium	N002	1	ug/L	U	F	1		
GS05	SL	1/5/2012	12034403	7440-42-8	Boron	N002	15	ug/L	U	F	15		
GS05	SL	1/5/2012	12014304	75-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		
GS05	SL	1/5/2012	12014304	75-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		
GS05	SL	1/5/2012	12014304	74-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		
GS05	SL	1/5/2012	12034403	7440-43-9	Cadmium	0001	1	ug/L	U	F	1		
GS05	SL	1/5/2012	12014304	56-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		
GS05	SL	1/5/2012	12014304	108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		
GS05	SL	1/5/2012	12014304	124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		
GS05	SL	1/5/2012	12014304	67-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		
GS05	SL	1/5/2012	12014304	74-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		
GS05	SL	1/5/2012	12034403	7440-47-3	Chromium	N002	1	ug/L	U	F	1		
GS05	SL	1/5/2012	12014304	156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		
GS05	SL	1/5/2012	12034403	7440-50-8	Copper	0001	3	ug/L	U	F	3		
GS05	SL	1/5/2012	12014304	100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		
GS05	SL	1/5/2012	12014304	87-68-3	Hexachlorobutadiene	N001	0.12	ug/L	U	F	0.12		
GS05	SL	1/5/2012	12034403	7439-92-1	Lead	0001	3.3	ug/L	U	F	3.3		

RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
GS05	SL	1/5/2012	12014304	7439-97-6	Mercury	N001	0.027	ug/L	U	F	0.027		J
GS05	SL	1/5/2012	12034403	7439-97-6	Mercury	N002	0.066	ug/L	U	F	0.066		
GS05	SL	1/5/2012	12014304	75-09-2	Methylene chloride	N001	0.32	ug/L	U	F	0.32		
GS05	SL	1/5/2012	12014304	91-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22		
GS05	SL	1/5/2012	12034403	7440-02-0	Nickel	0001	1.7	ug/L	B	F	1.5		J
GS05	SL	1/5/2012	12034403	7782-49-2	Selenium	N002	6	ug/L	U	F	6		
GS05	SL	1/5/2012	12034403	7440-22-4	Silver	0001	1	ug/L	U	F	1		
GS05	SL	1/5/2012	12014304	100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		
GS05	SL	1/5/2012	12014304	127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2		
GS05	SL	1/5/2012	12014304	108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17		
GS05	SL	1/5/2012	12014304	1330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19		
GS05	SL	1/5/2012	12014304	156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		
GS05	SL	1/5/2012	12014304	10061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		
GS05	SL	1/5/2012	12014304	79-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16		
GS05	SL	1/5/2012	12034403	7440-61-1	Uranium	N002	0.843	ug/L		F	0.067		
GS05	SL	1/5/2012	12014304	75-01-4	Vinyl chloride	N001	0.1	ug/L	U	F	0.1		
GS05	SL	1/5/2012	12034403	7440-66-6	Zinc	0001	3.3	ug/L	U	F	3.3		
GS05	SL	2/27/2012	12044483	7440-38-2	Arsenic	N001	5	ug/L	U	F	5		
GS05	SL	2/27/2012	12044483	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		
GS05	SL	2/27/2012	12044483	7440-42-8	Boron	N001	15	ug/L	U	F	15		
GS05	SL	2/27/2012	12044483	7440-43-9	Cadmium	0001	1	ug/L	U	F	1		
GS05	SL	2/27/2012	12044483	7440-47-3	Chromium	N001	1	ug/L	U	F	1		
GS05	SL	2/27/2012	12044483	7440-50-8	Copper	0001	3	ug/L	U	F	3		
GS05	SL	2/27/2012	12044483	7439-92-1	Lead	0001	3.3	ug/L	U	F	3.3		
GS05	SL	2/27/2012	12044483	7439-97-6	Mercury	N001	0.067	ug/L	U	F	0.067		
GS05	SL	2/27/2012	12044483	7440-02-0	Nickel	0001	1.56	ug/L	B	F	1.5		
GS05	SL	2/27/2012	12044483	7782-49-2	Selenium	N001	6	ug/L	U	F	6		
GS05	SL	2/27/2012	12044483	7440-22-4	Silver	0001	1	ug/L	U	F	1		
GS05	SL	2/27/2012	12044483	7440-61-1	Uranium	N001	1.2	ug/L		F	0.067		
GS05	SL	2/27/2012	12044483	7440-66-6	Zinc	0001	3.3	ug/L	U	F	3.3		
GS10	SL	1/5/2012	12014327	AM-241	Americium-241	N001	1.14	pCi/L		F	0.0279	0.136	
GS10	SL	1/5/2012	12014327	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		
GS10	SL	1/5/2012	12014327	7440-43-9	Cadmium	0001	0.11	ug/L	U	F	0.11		
GS10	SL	1/5/2012	12014327	7440-47-3	Chromium	N001	1	ug/L	U	F	1		
GS10	SL	1/5/2012	12014327	HARDNESS	Hardness	N001	782	mg/L		F	5		
GS10	SL	1/5/2012	12014327	PU-239,240	Plutonium-239, 240	N001	0.735	pCi/L		F	0.0203	0.106	
GS10	SL	1/5/2012	12014327	7440-22-4	Silver	0001	0.2	ug/L	U	F	0.2		
GS10	SL	1/5/2012	12014327	7440-61-1	Uranium	N001	49.7	ug/L		F	0.067		
GS10	SL	1/23/2012	12024347	AM-241	Americium-241	N001	0.0369	pCi/L		F	0.0228	0.0169	J
GS10	SL	1/23/2012	12024347	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		
GS10	SL	1/23/2012	12024347	7440-43-9	Cadmium	0001	0.11	ug/L	U	F	0.11		
GS10	SL	1/23/2012	12024347	7440-47-3	Chromium	N001	1	ug/L	U	F	1		
GS10	SL	1/23/2012	12024347	HARDNESS	Hardness	N001	727	mg/L		F	5		
GS10	SL	1/23/2012	12024347	PU-239,240	Plutonium-239, 240	N001	0.0211	pCi/L		F	0.0142	0.0128	J
GS10	SL	1/23/2012	12024347	7440-22-4	Silver	0001	0.2	ug/L	U	F	0.2		
GS10	SL	1/23/2012	12024347	7440-61-1	Uranium	N001	38.3	ug/L		F	0.067		
GS10	SL	2/2/2012	12024379	AM-241	Americium-241	N001	0.776	pCi/L		F	0.0193	0.0912	
GS10	SL	2/2/2012	12024379	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		
GS10	SL	2/2/2012	12024379	7440-43-9	Cadmium	0001	0.11	ug/L	U	F	0.11		
GS10	SL	2/2/2012	12024379	7440-47-3	Chromium	N001	1.34	ug/L	B	F	1		
GS10	SL	2/2/2012	12024379	HARDNESS	Hardness	N001	697	mg/L		F	5		
GS10	SL	2/2/2012	12024379	PU-239,240	Plutonium-239, 240	N001	0.466	pCi/L		F	0.0142	0.0665	
GS10	SL	2/2/2012	12024379	7440-22-4	Silver	0001	0.2	ug/L	U	F	0.2		
GS10	SL	2/2/2012	12024379	7440-61-1	Uranium	N001	49	ug/L		F	0.067		

RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
GS10	SL	2/21/2012	12024379	AM-241	Americium-241	N001	0.214	pCi/L		F	0.0173	0.0363	
GS10	SL	2/21/2012	12024379	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		
GS10	SL	2/21/2012	12024379	7440-43-9	Cadmium	0001	0.11	ug/L	U	F	0.11		
GS10	SL	2/21/2012	12024379	7440-47-3	Chromium	N001	1.28	ug/L	B	F	1		
GS10	SL	2/21/2012	12024379	HARDNESS	Hardness	N001	398	mg/L		F	5		
GS10	SL	2/21/2012	12024379	PU-239,240	Plutonium-239, 240	N001	0.267	pCi/L		F	0.0127	0.0431	
GS10	SL	2/21/2012	12024379	7440-22-4	Silver	0001	0.2	ug/L	U	F	0.2		
GS10	SL	2/21/2012	12024379	7440-61-1	Uranium	N001	25.1	ug/L		F	0.067		
GS10	SL	2/24/2012	12034402	AM-241	Americium-241	N001	0.0743	pCi/L		F	0.0321	0.0289	J
GS10	SL	2/24/2012	12034402	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		
GS10	SL	2/24/2012	12034402	7440-43-9	Cadmium	0001	0.11	ug/L	U	F	0.11		
GS10	SL	2/24/2012	12034402	7440-47-3	Chromium	N001	1	ug/L	U	F	1		
GS10	SL	2/24/2012	12034402	HARDNESS	Hardness	N001	507	mg/L		F	5		
GS10	SL	2/24/2012	12034402	PU-239,240	Plutonium-239, 240	N001	0.0501	pCi/L		F	0.0139	0.0184	
GS10	SL	2/24/2012	12034402	7440-22-4	Silver	0001	0.2	ug/L	U	F	0.2		
GS10	SL	2/24/2012	12034402	7440-61-1	Uranium	N001	33.9	ug/L		F	0.067		
GS10	SL	3/6/2012	12034430	AM-241	Americium-241	N001	0.15	pCi/L		F	0.015	0.0279	
GS10	SL	3/6/2012	12034430	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		
GS10	SL	3/6/2012	12034430	7440-43-9	Cadmium	0001	0.11	ug/L	U	F	0.11		
GS10	SL	3/6/2012	12034430	7440-47-3	Chromium	N001	1	ug/L	U	F	1		
GS10	SL	3/6/2012	12034430	HARDNESS	Hardness	N001	566	mg/L		F	2		
GS10	SL	3/6/2012	12034430	PU-239,240	Plutonium-239, 240	N001	0.114	pCi/L		F	0.0154	0.0274	
GS10	SL	3/6/2012	12034430	7440-22-4	Silver	0001	0.2	ug/L	U	F	0.2		
GS10	SL	3/6/2012	12034430	7440-61-1	Uranium	N001	38.7	ug/L		F	0.067		
GS10	SL	3/21/2012	12044465	AM-241	Americium-241	N001	0.318	pCi/L		F	0.025	0.0558	
GS10	SL	3/21/2012	12044465	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		
GS10	SL	3/21/2012	12044465	7440-43-9	Cadmium	0001	0.11	ug/L	U	F	0.11		
GS10	SL	3/21/2012	12044465	7440-47-3	Chromium	N001	1	ug/L	U	F	1		
GS10	SL	3/21/2012	12044465	HARDNESS	Hardness	N001	553	mg/L		F	5		
GS10	SL	3/21/2012	12044465	PU-239,240	Plutonium-239, 240	N001	0.246	pCi/L		F	0.0138	0.0428	
GS10	SL	3/21/2012	12044465	7440-22-4	Silver	0001	0.2	ug/L	U	F	0.2		
GS10	SL	3/21/2012	12044465	7440-61-1	Uranium	N001	35.5	ug/L		F	0.067		
GS13	SL	1/5/2012	12034403	7440-61-1	Uranium	N001	8.49	ug/L		F	0.067		
GS13	SL	1/17/2012	12014312	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	17	mg/L		F	0.038		
GS13	SL	1/25/2012	12014322	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	24	mg/L		F	0.095		
GS13	SL	3/1/2012	12034404	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	11	mg/L		F	0.038		
GS13	SL	3/6/2012	12034430	7440-61-1	Uranium	N001	11.1	ug/L		F	0.067		
GS13	SL	3/15/2012	12034417	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	19	mg/L		F	0.095		
GS13	SL	3/23/2012	12044483	7440-61-1	Uranium	N001	13.6	ug/L		F	0.067		
GS13	SL	3/28/2012	12044451	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	11	mg/L		F	0.095		
GS59	SL	1/5/2012	12014304	71-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		
GS59	SL	1/5/2012	12014304	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		
GS59	SL	1/5/2012	12014304	79-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27		
GS59	SL	1/5/2012	12014304	75-35-4	1,1-Dichloroethene	N001	0.23	ug/L	U	F	0.23		
GS59	SL	1/5/2012	12014304	120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		
GS59	SL	1/5/2012	12014304	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47		
GS59	SL	1/5/2012	12014304	106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		
GS59	SL	1/5/2012	12014304	95-50-1	1,2-Dichlorobenzene	N001	0.15	ug/L	U	F	0.15		
GS59	SL	1/5/2012	12014304	107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		
GS59	SL	1/5/2012	12014304	78-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		
GS59	SL	1/5/2012	12014304	541-73-1	1,3-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13		
GS59	SL	1/5/2012	12014304	106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		
GS59	SL	1/5/2012	12034403	7440-38-2	Arsenic	N002	5	ug/L	U	F	5		
GS59	SL	1/5/2012	12014304	71-43-2	Benzene	N001	0.16	ug/L	U	F	0.16		

RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
GS59	SL	1/5/2012	12034403	7440-41-7	Beryllium	N002	1	ug/L	U	F	1		
GS59	SL	1/5/2012	12034403	7440-42-8	Boron	N002	15	ug/L	U	F	15		
GS59	SL	1/5/2012	12014304	75-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		
GS59	SL	1/5/2012	12014304	75-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		
GS59	SL	1/5/2012	12014304	74-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		
GS59	SL	1/5/2012	12034403	7440-43-9	Cadmium	0001	1	ug/L	U	F	1		
GS59	SL	1/5/2012	12014304	56-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		
GS59	SL	1/5/2012	12014304	108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		
GS59	SL	1/5/2012	12014304	124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		
GS59	SL	1/5/2012	12014304	67-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		
GS59	SL	1/5/2012	12014304	74-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		
GS59	SL	1/5/2012	12034403	7440-47-3	Chromium	N002	1	ug/L	U	F	1		
GS59	SL	1/5/2012	12014304	156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		
GS59	SL	1/5/2012	12034403	7440-50-8	Copper	0001	3	ug/L	U	F	3		
GS59	SL	1/5/2012	12014304	100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		
GS59	SL	1/5/2012	12014304	87-68-3	Hexachlorobutadiene	N001	0.12	ug/L	U	F	0.12		
GS59	SL	1/5/2012	12034403	7439-92-1	Lead	0001	3.3	ug/L	U	F	3.3		
GS59	SL	1/5/2012	12014304	7439-97-6	Mercury	N001	0.027	ug/L	U	F	0.027		J
GS59	SL	1/5/2012	12034403	7439-97-6	Mercury	N002	0.066	ug/L	U	F	0.066		
GS59	SL	1/5/2012	12014304	75-09-2	Methylene chloride	N001	0.32	ug/L	U	F	0.32		
GS59	SL	1/5/2012	12014304	91-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22		
GS59	SL	1/5/2012	12034403	7440-02-0	Nickel	0001	1.88	ug/L	B	F	1.5		J
GS59	SL	1/5/2012	12034403	7782-49-2	Selenium	N002	6	ug/L	U	F	6		
GS59	SL	1/5/2012	12034403	7440-22-4	Silver	0001	1	ug/L	U	F	1		
GS59	SL	1/5/2012	12014304	100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		
GS59	SL	1/5/2012	12014304	127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2		
GS59	SL	1/5/2012	12014304	108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17		
GS59	SL	1/5/2012	12014304	1330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19		
GS59	SL	1/5/2012	12014304	156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		
GS59	SL	1/5/2012	12014304	10061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		
GS59	SL	1/5/2012	12014304	79-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16		
GS59	SL	1/5/2012	12034403	7440-61-1	Uranium	N002	1.07	ug/L		F	0.067		
GS59	SL	1/5/2012	12014304	75-01-4	Vinyl chloride	N001	0.1	ug/L	U	F	0.1		
GS59	SL	1/5/2012	12034403	7440-66-6	Zinc	0001	3.3	ug/L	U	F	3.3		
GS59	SL	2/27/2012	12044483	7440-38-2	Arsenic	N001	5	ug/L	U	F	5		
GS59	SL	2/27/2012	12044483	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		
GS59	SL	2/27/2012	12044483	7440-42-8	Boron	N001	15	ug/L	U	F	15		
GS59	SL	2/27/2012	12044483	7440-43-9	Cadmium	0001	1	ug/L	U	F	1		
GS59	SL	2/27/2012	12044483	7440-47-3	Chromium	N001	1	ug/L	U	F	1		
GS59	SL	2/27/2012	12044483	7440-50-8	Copper	0001	3	ug/L	U	F	3		
GS59	SL	2/27/2012	12044483	7439-92-1	Lead	0001	3.3	ug/L	U	F	3.3		
GS59	SL	2/27/2012	12044483	7439-97-6	Mercury	N001	0.067	ug/L	U	F	0.067		
GS59	SL	2/27/2012	12044483	7440-02-0	Nickel	0001	1.5	ug/L	U	F	1.5		
GS59	SL	2/27/2012	12044483	7782-49-2	Selenium	N001	6	ug/L	U	F	6		
GS59	SL	2/27/2012	12044483	7440-22-4	Silver	0001	1	ug/L	U	F	1		
GS59	SL	2/27/2012	12044483	7440-61-1	Uranium	N001	1.39	ug/L		F	0.067		
GS59	SL	2/27/2012	12044483	7440-66-6	Zinc	0001	3.3	ug/L	U	F	3.3		
P416589	WL	2/29/2012	12024369	71-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		F
P416589	WL	2/29/2012	12024369	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		F
P416589	WL	2/29/2012	12024369	79-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27		F
P416589	WL	2/29/2012	12024369	75-35-4	1,1-Dichloroethene	N001	0.23	ug/L	U	F	0.23		F
P416589	WL	2/29/2012	12024369	120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		F
P416589	WL	2/29/2012	12024369	120-82-1	1,2,4-Trichlorobenzene	N001	0.33	ug/L	U	F	0.33		F
P416589	WL	2/29/2012	12024369	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47		F

RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
P416589	WL	2/29/2012	12024369	106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		F
P416589	WL	2/29/2012	12024369	95-50-1	1,2-Dichlorobenzene	N001	0.15	ug/L	U	F	0.15		F
P416589	WL	2/29/2012	12024369	95-50-1	1,2-Dichlorobenzene	N001	0.27	ug/L	U	F	0.27		F
P416589	WL	2/29/2012	12024369	107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		F
P416589	WL	2/29/2012	12024369	78-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		F
P416589	WL	2/29/2012	12024369	541-73-1	1,3-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13		F
P416589	WL	2/29/2012	12024369	541-73-1	1,3-Dichlorobenzene	N001	0.35	ug/L	U	F	0.35		F
P416589	WL	2/29/2012	12024369	106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		F
P416589	WL	2/29/2012	12024369	106-46-7	1,4-Dichlorobenzene	N001	0.37	ug/L	U	F	0.37		F
P416589	WL	2/29/2012	12024369	105-67-9	2, 4-Dimethylphenol	N001	0.68	ug/L	U	F	0.68		F
P416589	WL	2/29/2012	12024369	95-95-4	2,4,5-Trichlorophenol	N001	0.52	ug/L	U	F	0.52		F
P416589	WL	2/29/2012	12024369	88-06-2	2,4,6-Trichlorophenol	N001	0.34	ug/L	U	F	0.34		F
P416589	WL	2/29/2012	12024369	120-83-2	2,4-Dichlorophenol	N001	0.75	ug/L	U	F	0.75		F
P416589	WL	2/29/2012	12024369	51-28-5	2,4-Dinitrophenol	N001	12	ug/L	U	F	12		F
P416589	WL	2/29/2012	12024369	121-14-2	2,4-Dinitrotoluene	N001	1.9	ug/L	U	F	1.9		F
P416589	WL	2/29/2012	12024369	606-20-2	2,6-Dinitrotoluene	N001	2.2	ug/L	U	F	2.2		F
P416589	WL	2/29/2012	12024369	91-58-7	2-Chloronaphthalene	N001	0.3	ug/L	U	F	0.3		F
P416589	WL	2/29/2012	12024369	95-57-8	2-Chlorophenol	N001	2.3	ug/L	U	F	2.3		F
P416589	WL	2/29/2012	12024369	91-94-1	3,3'-Dichlorobenzidine	N001	2.3	ug/L	U	F	2.3		F
P416589	WL	2/29/2012	12024369	534-52-1	4,6-Dinitro-2-methyl phenol	N001	4.7	ug/L	U	F	4.7		F
P416589	WL	2/29/2012	12024369	59-50-7	4-Chloro-3-methylphenol	N001	2.8	ug/L	U	F	2.8		F
P416589	WL	2/29/2012	12024369	100-02-7	4-Nitrophenol	N001	1.4	ug/L	U	F	1.4		F
P416589	WL	2/29/2012	12024369	83-32-9	Acenaphthene	N001	0.33	ug/L	U	F	0.33		F
P416589	WL	2/29/2012	12024369	120-12-7	Anthracene	N001	0.49	ug/L	U	F	0.49		F
P416589	WL	2/29/2012	12024369	7440-38-2	Arsenic	0001	4.4	ug/L	U	F	4.4		F
P416589	WL	2/29/2012	12024369	56-55-3	Benz(a)anthracene	N001	0.41	ug/L	U	F	0.41		F
P416589	WL	2/29/2012	12024369	71-43-2	Benzene	N001	0.16	ug/L	U	F	0.16		F
P416589	WL	2/29/2012	12024369	50-32-8	Benzo(a)pyrene	N001	0.36	ug/L	U	F	0.36		F
P416589	WL	2/29/2012	12024369	205-99-2	Benzo(b)fluoranthene	N001	0.62	ug/L	U	F	0.62		F
P416589	WL	2/29/2012	12024369	191-24-2	Benzo(g,h,i)Perylene	N001	0.58	ug/L	U	F	0.58		F
P416589	WL	2/29/2012	12024369	207-08-9	Benzo(k)fluoranthene	N001	0.54	ug/L	U	F	0.54		F
P416589	WL	2/29/2012	12024369	7440-41-7	Beryllium	0001	0.47	ug/L	U	F	0.47		F
P416589	WL	2/29/2012	12024369	111-44-4	Bis(2-chloroethyl) ether	N001	0.48	ug/L	U	F	0.48		F
P416589	WL	2/29/2012	12024369	108-60-1	Bis(2-chloroisopropyl) ether	N001	0.33	ug/L	U	F	0.33		F
P416589	WL	2/29/2012	12024369	117-81-7	Bis(2-ethylhexyl) phthalate	N001	0.65	ug/L	U	F	0.65		F
P416589	WL	2/29/2012	12024369	7440-42-8	Boron	0001	9.1	ug/L	J	F	4.4		F
P416589	WL	2/29/2012	12024369	75-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		F
P416589	WL	2/29/2012	12024369	75-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		F
P416589	WL	2/29/2012	12024369	74-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		F
P416589	WL	2/29/2012	12024369	85-68-7	Butyl benzyl phthalate	N001	1.2	ug/L	U	F	1.2		F
P416589	WL	2/29/2012	12024369	7440-43-9	Cadmium	0001	0.54	ug/L	J	F	0.45		F
P416589	WL	2/29/2012	12024369	56-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		F
P416589	WL	2/29/2012	12024369	108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		F
P416589	WL	2/29/2012	12024369	124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		F
P416589	WL	2/29/2012	12024369	67-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		F
P416589	WL	2/29/2012	12024369	74-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		F
P416589	WL	2/29/2012	12024369	7440-47-3	Chromium	0001	1.1	ug/L	J	F	0.66		F
P416589	WL	2/29/2012	12024369	218-01-9	Chrysene	N001	0.63	ug/L	U	F	0.63		F
P416589	WL	2/29/2012	12024369	156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		F
P416589	WL	2/29/2012	12024369	7440-50-8	Copper	0001	1.4	ug/L	U	F	1.4		F
P416589	WL	2/29/2012	12024369	53-70-3	Dibenz(a,h)anthracene	N001	0.59	ug/L	U	F	0.59		F
P416589	WL	2/29/2012	12024369	84-66-2	Diethyl phthalate	N001	0.44	ug/L	U	F	0.44		F
P416589	WL	2/29/2012	12024369	131-11-3	Dimethyl phthalate	N001	0.24	ug/L	U	F	0.24		F
P416589	WL	2/29/2012	12024369	84-74-2	Di-n-butyl phthalate	N001	1.4	ug/L	U	F	1.4		F

RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
P416589	WL	2/29/2012	12024369	100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		F
P416589	WL	2/29/2012	12024369	206-44-0	Fluoranthene	N001	0.23	ug/L	U	F	0.23		F
P416589	WL	2/29/2012	12024369	86-73-7	Fluorene	N001	0.36	ug/L	U	F	0.36		F
P416589	WL	2/29/2012	12024369	118-74-1	Hexachlorobenzene	N001	0.77	ug/L	U	F	0.77		F
P416589	WL	2/29/2012	12024369	87-68-3	Hexachlorobutadiene	N001	0.36	ug/L	U	F	0.36		F
P416589	WL	2/29/2012	12024369	87-68-3	Hexachlorobutadiene	N001	3.8	ug/L	U	F	3.8		F
P416589	WL	2/29/2012	12024369	77-47-4	Hexachlorocyclopentadiene	N001	12	ug/L	U	F	12		F
P416589	WL	2/29/2012	12024369	67-72-1	Hexachloroethane	N001	2.4	ug/L	U	F	2.4		F
P416589	WL	2/29/2012	12024369	193-39-5	Indeno(1,2,3-cd)pyrene	N001	0.76	ug/L	U	F	0.76		F
P416589	WL	2/29/2012	12024369	78-59-1	Isophorone	N001	0.24	ug/L	U	F	0.24		F
P416589	WL	2/29/2012	12024369	7439-92-1	Lead	0001	3	ug/L	J	F	2.6		F
P416589	WL	2/29/2012	12024369	7439-97-6	Mercury	0001	0.027	ug/L	U	F	0.027		F
P416589	WL	2/29/2012	12024369	75-09-2	Methylene chloride	N001	0.32	ug/L	U	F	0.32		F
P416589	WL	2/29/2012	12024369	91-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22		F
P416589	WL	2/29/2012	12024369	91-20-3	Naphthalene	N001	0.34	ug/L	U	F	0.34		F
P416589	WL	2/29/2012	12024369	7440-02-0	Nickel	0001	1.3	ug/L	U	F	1.3		F
P416589	WL	2/29/2012	12024369	98-95-3	Nitrobenzene	N001	0.94	ug/L	U	F	0.94		F
P416589	WL	2/29/2012	12024369	621-64-7	N-Nitrosodi-n-propylamine	N001	0.41	ug/L	U	F	0.41		F
P416589	WL	2/29/2012	12024369	86-30-6	N-Nitrosodiphenylamine	N001	0.51	ug/L	U	F	0.51		F
P416589	WL	2/29/2012	12024369	87-86-5	Pentachlorophenol	N001	23	ug/L	U	F	23		F
P416589	WL	2/29/2012	12024369	108-95-2	Phenol	N001	2.3	ug/L	U	F	2.3		F
P416589	WL	2/29/2012	12024369	129-00-0	Pyrene	N001	0.43	ug/L	U	F	0.43		F
P416589	WL	2/29/2012	12024369	7782-49-2	Selenium	0001	4.9	ug/L	U	F	4.9		F
P416589	WL	2/29/2012	12024369	7440-22-4	Silver	0001	0.93	ug/L	U	F	0.93		F
P416589	WL	2/29/2012	12024369	100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		F
P416589	WL	2/29/2012	12024369	127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2		F
P416589	WL	2/29/2012	12024369	108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17		F
P416589	WL	2/29/2012	12024369	1330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19		F
P416589	WL	2/29/2012	12024369	156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		F
P416589	WL	2/29/2012	12024369	10061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		F
P416589	WL	2/29/2012	12024369	79-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16		F
P416589	WL	2/29/2012	12024369	7440-61-1	Uranium	0001	1.2	ug/L		F	0.02		F
P416589	WL	2/29/2012	12024369	75-01-4	Vinyl chloride	N001	0.1	ug/L	U	F	0.1		F
P416589	WL	2/29/2012	12024369	7440-66-6	Zinc	0001	4.5	ug/L	U	F	4.5		F
PLFSEEPINF	TS	1/24/2012	12014322	71-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		
PLFSEEPINF	TS	1/24/2012	12014322	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		
PLFSEEPINF	TS	1/24/2012	12014322	79-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27		
PLFSEEPINF	TS	1/24/2012	12014322	75-35-4	1,1-Dichloroethene	N001	0.23	ug/L	U	F	0.23		
PLFSEEPINF	TS	1/24/2012	12014322	120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		
PLFSEEPINF	TS	1/24/2012	12014322	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47		
PLFSEEPINF	TS	1/24/2012	12014322	106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		
PLFSEEPINF	TS	1/24/2012	12014322	95-50-1	1,2-Dichlorobenzene	N001	0.31	ug/L	J	F	0.15		
PLFSEEPINF	TS	1/24/2012	12014322	107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		
PLFSEEPINF	TS	1/24/2012	12014322	78-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		
PLFSEEPINF	TS	1/24/2012	12014322	541-73-1	1,3-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13		
PLFSEEPINF	TS	1/24/2012	12014322	106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		
PLFSEEPINF	TS	1/24/2012	12014322	7440-38-2	Arsenic	N002	9.2	ug/L	J	F	4.4		J
PLFSEEPINF	TS	1/24/2012	12014322	71-43-2	Benzene	N001	1.9	ug/L		F	0.16		
PLFSEEPINF	TS	1/24/2012	12014322	7440-41-7	Beryllium	N002	0.47	ug/L	U	F	0.47		
PLFSEEPINF	TS	1/24/2012	12014322	7440-42-8	Boron	N002	1200	ug/L		F	4.4		
PLFSEEPINF	TS	1/24/2012	12014322	75-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		
PLFSEEPINF	TS	1/24/2012	12014322	75-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		
PLFSEEPINF	TS	1/24/2012	12014322	74-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		
PLFSEEPINF	TS	1/24/2012	12014322	7440-43-9	Cadmium	0001	0.45	ug/L	U	F	0.45		

RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
PLFSEEPINF	TS	1/24/2012	12014322	56-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		
PLFSEEPINF	TS	1/24/2012	12014322	108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		
PLFSEEPINF	TS	1/24/2012	12014322	124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		
PLFSEEPINF	TS	1/24/2012	12014322	67-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		
PLFSEEPINF	TS	1/24/2012	12014322	74-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		
PLFSEEPINF	TS	1/24/2012	12014322	7440-47-3	Chromium	N002	1.2	ug/L	J	F	0.66		
PLFSEEPINF	TS	1/24/2012	12014322	156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		
PLFSEEPINF	TS	1/24/2012	12014322	7440-50-8	Copper	0001	1.4	ug/L	U	F	1.4		
PLFSEEPINF	TS	1/24/2012	12014322	100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		
PLFSEEPINF	TS	1/24/2012	12014322	87-68-3	Hexachlorobutadiene	N001	0.36	ug/L	U	F	0.36		
PLFSEEPINF	TS	1/24/2012	12014322	7439-92-1	Lead	0001	2.6	ug/L	U	F	2.6		
PLFSEEPINF	TS	1/24/2012	12014322	7439-97-6	Mercury	N002	0.027	ug/L	U	F	0.027		J
PLFSEEPINF	TS	1/24/2012	12014322	75-09-2	Methylene chloride	N001	0.47	ug/L	JB	F	0.32		U
PLFSEEPINF	TS	1/24/2012	12014322	91-20-3	Naphthalene	N001	15	ug/L		F	0.22		
PLFSEEPINF	TS	1/24/2012	12014322	7440-02-0	Nickel	0001	4.5	ug/L	J	F	1.3		
PLFSEEPINF	TS	1/24/2012	12014322	7782-49-2	Selenium	N002	6.6	ug/L	J	F	4.9		
PLFSEEPINF	TS	1/24/2012	12014322	7440-22-4	Silver	0001	0.93	ug/L	U	F	0.93		
PLFSEEPINF	TS	1/24/2012	12014322	100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		
PLFSEEPINF	TS	1/24/2012	12014322	127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2		
PLFSEEPINF	TS	1/24/2012	12014322	108-88-3	Toluene	N001	0.31	ug/L	J	F	0.17		
PLFSEEPINF	TS	1/24/2012	12014322	1330-20-7	Total Xylenes	N001	1.4	ug/L		F	0.19		
PLFSEEPINF	TS	1/24/2012	12014322	156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		
PLFSEEPINF	TS	1/24/2012	12014322	10061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		
PLFSEEPINF	TS	1/24/2012	12014322	79-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16		
PLFSEEPINF	TS	1/24/2012	12014322	7440-61-1	Uranium	N001	0.18	ug/L		F	0.02		
PLFSEEPINF	TS	1/24/2012	12014322	7440-61-1	Uranium	N002	0.24	ug/L	J	F	0.02		
PLFSEEPINF	TS	1/24/2012	12014322	75-01-4	Vinyl chloride	N001	0.1	ug/L	U	F	0.1		
PLFSEEPINF	TS	1/24/2012	12014322	7440-66-6	Zinc	0001	22	ug/L		F	4.5		
PLFSYSEFF	TS	1/24/2012	12014322	71-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		
PLFSYSEFF	TS	1/24/2012	12014322	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		
PLFSYSEFF	TS	1/24/2012	12014322	79-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27		
PLFSYSEFF	TS	1/24/2012	12014322	75-35-4	1,1-Dichloroethene	N001	0.23	ug/L	U	F	0.23		
PLFSYSEFF	TS	1/24/2012	12014322	120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		
PLFSYSEFF	TS	1/24/2012	12014322	120-82-1	1,2,4-Trichlorobenzene	N001	0.31	ug/L	U	F	0.31		
PLFSYSEFF	TS	1/24/2012	12014322	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47		
PLFSYSEFF	TS	1/24/2012	12014322	106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		
PLFSYSEFF	TS	1/24/2012	12014322	95-50-1	1,2-Dichlorobenzene	N001	0.15	ug/L	U	F	0.15		
PLFSYSEFF	TS	1/24/2012	12014322	95-50-1	1,2-Dichlorobenzene	N001	0.26	ug/L	U	F	0.26		
PLFSYSEFF	TS	1/24/2012	12014322	107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		
PLFSYSEFF	TS	1/24/2012	12014322	78-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		
PLFSYSEFF	TS	1/24/2012	12014322	541-73-1	1,3-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13		
PLFSYSEFF	TS	1/24/2012	12014322	541-73-1	1,3-Dichlorobenzene	N001	0.33	ug/L	U	F	0.33		
PLFSYSEFF	TS	1/24/2012	12014322	106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		
PLFSYSEFF	TS	1/24/2012	12014322	106-46-7	1,4-Dichlorobenzene	N001	0.36	ug/L	U	F	0.36		
PLFSYSEFF	TS	1/24/2012	12014322	105-67-9	2, 4-Dimethylphenol	N001	0.65	ug/L	U	F	0.65		
PLFSYSEFF	TS	1/24/2012	12014322	95-95-4	2,4,5-Trichlorophenol	N001	0.5	ug/L	U	F	0.5		
PLFSYSEFF	TS	1/24/2012	12014322	88-06-2	2,4,6-Trichlorophenol	N001	0.32	ug/L	U	F	0.32		
PLFSYSEFF	TS	1/24/2012	12014322	120-83-2	2,4-Dichlorophenol	N001	0.71	ug/L	U	F	0.71		
PLFSYSEFF	TS	1/24/2012	12014322	51-28-5	2,4-Dinitrophenol	N001	11	ug/L	U	F	11		
PLFSYSEFF	TS	1/24/2012	12014322	121-14-2	2,4-Dinitrotoluene	N001	1.8	ug/L	U	F	1.8		
PLFSYSEFF	TS	1/24/2012	12014322	606-20-2	2,6-Dinitrotoluene	N001	2.1	ug/L	U	F	2.1		
PLFSYSEFF	TS	1/24/2012	12014322	91-58-7	2-Chloronaphthalene	N001	0.29	ug/L	U	F	0.29		
PLFSYSEFF	TS	1/24/2012	12014322	95-57-8	2-Chlorophenol	N001	2.2	ug/L	U	F	2.2		
PLFSYSEFF	TS	1/24/2012	12014322	91-94-1	3,3'-Dichlorobenzidine	N001	2.2	ug/L	U	F	2.2		

RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
PLFSYSEFF	TS	1/24/2012	12014322	534-52-1	4,6-Dinitro-2-methyl phenol	N001	4.4	ug/L	U	F	4.4		
PLFSYSEFF	TS	1/24/2012	12014322	59-50-7	4-Chloro-3-methylphenol	N001	2.7	ug/L	U	F	2.7		
PLFSYSEFF	TS	1/24/2012	12014322	100-02-7	4-Nitrophenol	N001	1.4	ug/L	U	F	1.4		
PLFSYSEFF	TS	1/24/2012	12014322	83-32-9	Acenaphthene	N001	1.2	ug/L	J	F	0.31		
PLFSYSEFF	TS	1/24/2012	12014322	120-12-7	Anthracene	N001	0.47	ug/L	U	F	0.47		
PLFSYSEFF	TS	1/24/2012	12014322	7440-38-2	Arsenic	N002	43	ug/L		F	4.4		J
PLFSYSEFF	TS	1/24/2012	12014322	56-55-3	Benz(a)anthracene	N001	0.39	ug/L	U	F	0.39		
PLFSYSEFF	TS	1/24/2012	12014322	71-43-2	Benzene	N001	0.22	ug/L	J	F	0.16		
PLFSYSEFF	TS	1/24/2012	12014322	50-32-8	Benzo(a)pyrene	N001	0.34	ug/L	U	F	0.34		
PLFSYSEFF	TS	1/24/2012	12014322	205-99-2	Benzo(b)fluoranthene	N001	0.59	ug/L	U	F	0.59		
PLFSYSEFF	TS	1/24/2012	12014322	191-24-2	Benzo(g,h,i)Perylene	N001	0.56	ug/L	U	F	0.56		
PLFSYSEFF	TS	1/24/2012	12014322	207-08-9	Benzo(k)fluoranthene	N001	0.51	ug/L	U	F	0.51		
PLFSYSEFF	TS	1/24/2012	12014322	7440-41-7	Beryllium	N002	0.47	ug/L	U	F	0.47		
PLFSYSEFF	TS	1/24/2012	12014322	111-44-4	Bis(2-chloroethyl) ether	N001	0.46	ug/L	U	F	0.46		
PLFSYSEFF	TS	1/24/2012	12014322	108-60-1	Bis(2-chloroisopropyl) ether	N001	0.31	ug/L	U	F	0.31		
PLFSYSEFF	TS	1/24/2012	12014322	117-81-7	Bis(2-ethylhexyl) phthalate	N001	0.62	ug/L	U	F	0.62		
PLFSYSEFF	TS	1/24/2012	12014322	7440-42-8	Boron	N002	820	ug/L		F	4.4		
PLFSYSEFF	TS	1/24/2012	12014322	75-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		
PLFSYSEFF	TS	1/24/2012	12014322	75-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		
PLFSYSEFF	TS	1/24/2012	12014322	74-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		
PLFSYSEFF	TS	1/24/2012	12014322	85-68-7	Butyl benzyl phthalate	N001	1.1	ug/L	U	F	1.1		
PLFSYSEFF	TS	1/24/2012	12014322	7440-43-9	Cadmium	0001	0.45	ug/L	U	F	0.45		
PLFSYSEFF	TS	1/24/2012	12014322	56-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		
PLFSYSEFF	TS	1/24/2012	12014322	108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		
PLFSYSEFF	TS	1/24/2012	12014322	124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		
PLFSYSEFF	TS	1/24/2012	12014322	67-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		
PLFSYSEFF	TS	1/24/2012	12014322	74-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		
PLFSYSEFF	TS	1/24/2012	12014322	7440-47-3	Chromium	N002	3.6	ug/L	J	F	0.66		
PLFSYSEFF	TS	1/24/2012	12014322	218-01-9	Chrysene	N001	0.6	ug/L	U	F	0.6		
PLFSYSEFF	TS	1/24/2012	12014322	156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		
PLFSYSEFF	TS	1/24/2012	12014322	7440-50-8	Copper	0001	1.4	ug/L	U	F	1.4		
PLFSYSEFF	TS	1/24/2012	12014322	53-70-3	Dibenz(a,h)anthracene	N001	0.57	ug/L	U	F	0.57		
PLFSYSEFF	TS	1/24/2012	12014322	84-66-2	Diethyl phthalate	N001	0.42	ug/L	U	F	0.42		
PLFSYSEFF	TS	1/24/2012	12014322	131-11-3	Dimethyl phthalate	N001	0.23	ug/L	U	F	0.23		
PLFSYSEFF	TS	1/24/2012	12014322	84-74-2	Di-n-butyl phthalate	N001	1.3	ug/L	U	F	1.3		
PLFSYSEFF	TS	1/24/2012	12014322	100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		
PLFSYSEFF	TS	1/24/2012	12014322	206-44-0	Fluoranthene	N001	0.33	ug/L	J	F	0.22		
PLFSYSEFF	TS	1/24/2012	12014322	86-73-7	Fluorene	N001	0.96	ug/L	J	F	0.34		
PLFSYSEFF	TS	1/24/2012	12014322	118-74-1	Hexachlorobenzene	N001	0.73	ug/L	U	F	0.73		
PLFSYSEFF	TS	1/24/2012	12014322	87-68-3	Hexachlorobutadiene	N001	0.36	ug/L	U	F	0.36		
PLFSYSEFF	TS	1/24/2012	12014322	87-68-3	Hexachlorobutadiene	N001	3.7	ug/L	U	F	3.7		
PLFSYSEFF	TS	1/24/2012	12014322	77-47-4	Hexachlorocyclopentadiene	N001	1.7	ug/L	U	F	1.7		
PLFSYSEFF	TS	1/24/2012	12014322	67-72-1	Hexachloroethane	N001	2.3	ug/L	U	F	2.3		
PLFSYSEFF	TS	1/24/2012	12014322	193-39-5	Indeno(1,2,3-cd)pyrene	N001	0.72	ug/L	U	F	0.72		
PLFSYSEFF	TS	1/24/2012	12014322	78-59-1	Isophorone	N001	0.23	ug/L	U	F	0.23		
PLFSYSEFF	TS	1/24/2012	12014322	7439-92-1	Lead	0001	2.6	ug/L	U	F	2.6		
PLFSYSEFF	TS	1/24/2012	12014322	7439-97-6	Mercury	N002	0.059	ug/L	J	F	0.027		J
PLFSYSEFF	TS	1/24/2012	12014322	75-09-2	Methylene chloride	N001	0.45	ug/L	JB	F	0.32		U
PLFSYSEFF	TS	1/24/2012	12014322	91-20-3	Naphthalene	N001	0.82	ug/L	J	F	0.22		
PLFSYSEFF	TS	1/24/2012	12014322	91-20-3	Naphthalene	N001	1.5	ug/L	J	F	0.32		
PLFSYSEFF	TS	1/24/2012	12014322	7440-02-0	Nickel	0001	4.1	ug/L	J	F	1.3		
PLFSYSEFF	TS	1/24/2012	12014322	98-95-3	Nitrobenzene	N001	0.9	ug/L	U	F	0.9		
PLFSYSEFF	TS	1/24/2012	12014322	621-64-7	N-Nitrosodi-n-propylamine	N001	0.39	ug/L	U	F	0.39		
PLFSYSEFF	TS	1/24/2012	12014322	86-30-6	N-Nitrosodiphenylamine	N001	0.49	ug/L	U	F	0.49		

RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
PLFSYSEFF	TS	1/24/2012	12014322	87-86-5	Pentachlorophenol	N001	22	ug/L	U	F	22		
PLFSYSEFF	TS	1/24/2012	12014322	108-95-2	Phenol	N001	2.2	ug/L	U	F	2.2		
PLFSYSEFF	TS	1/24/2012	12014322	129-00-0	Pyrene	N001	0.41	ug/L	U	F	0.41		
PLFSYSEFF	TS	1/24/2012	12014322	7782-49-2	Selenium	N002	4.9	ug/L	U	F	4.9		J
PLFSYSEFF	TS	1/24/2012	12014322	7440-22-4	Silver	0001	0.93	ug/L	U	F	0.93		
PLFSYSEFF	TS	1/24/2012	12014322	100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		
PLFSYSEFF	TS	1/24/2012	12014322	127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2		
PLFSYSEFF	TS	1/24/2012	12014322	108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17		
PLFSYSEFF	TS	1/24/2012	12014322	1330-20-7	Total Xylenes	N001	0.29	ug/L	J	F	0.19		
PLFSYSEFF	TS	1/24/2012	12014322	156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		
PLFSYSEFF	TS	1/24/2012	12014322	10061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		
PLFSYSEFF	TS	1/24/2012	12014322	79-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16		
PLFSYSEFF	TS	1/24/2012	12014322	7440-61-1	Uranium	N001	1.6	ug/L		F	0.02		
PLFSYSEFF	TS	1/24/2012	12014322	7440-61-1	Uranium	N002	2.5	ug/L		F	0.02		
PLFSYSEFF	TS	1/24/2012	12014322	75-01-4	Vinyl chloride	N001	0.1	ug/L	U	F	0.1		
PLFSYSEFF	TS	1/24/2012	12014322	7440-66-6	Zinc	0001	8.3	ug/L	J	F	4.5		
PLFSYSEFF	TS	3/9/2012	12034409	7440-38-2	Arsenic	N001	4.7	ug/L		F	0.33		
SPOUT	TS	1/17/2012	12014312	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	430	mg/L		F	0.95		
SPOUT	TS	1/17/2012	12014312	7440-61-1	Uranium	N001	42	ug/L		F	0.02		
SPOUT	TS	1/25/2012	12014322	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	380	mg/L		F	0.95		
SPOUT	TS	1/25/2012	12014322	7440-61-1	Uranium	N001	42	ug/L		F	0.02		
SPOUT	TS	3/1/2012	12034404	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	400	mg/L		F	0.95		
SPOUT	TS	3/1/2012	12034404	7440-61-1	Uranium	N001	41	ug/L		F	0.02		
SPOUT	TS	3/15/2012	12034417	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	210	mg/L		F	0.95		
SPOUT	TS	3/15/2012	12034417	7440-61-1	Uranium	N001	36	ug/L	B	F	0.02		
SPOUT	TS	3/28/2012	12044451	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	430	mg/L		F	0.95		
SPOUT	TS	3/28/2012	12044451	7440-61-1	Uranium	N001	42	ug/L		F	0.05		
SW093	SL	1/5/2012	12024348	AM-241	Americium-241	N001	0.00307	pCi/L	U	F	0.0237	0.00737	
SW093	SL	1/5/2012	12024348	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		
SW093	SL	1/5/2012	12024348	7440-43-9	Cadmium	0001	0.114	ug/L	B	F	0.11		
SW093	SL	1/5/2012	12024348	7440-47-3	Chromium	N001	1	ug/L	U	F	1		
SW093	SL	1/5/2012	12024348	HARDNESS	Hardness	N001	415	mg/L		F	5		
SW093	SL	1/5/2012	12024348	PU-239,240	Plutonium-239, 240	N001	3.96E-09	pCi/L	U	F	0.013	0.0144	
SW093	SL	1/5/2012	12024348	7440-22-4	Silver	0001	0.2	ug/L	U	F	0.2		
SW093	SL	1/5/2012	12024348	7440-61-1	Uranium	N001	6.18	ug/L		F	0.067		
SW093	SL	2/1/2012	12034403	AM-241	Americium-241	N001	0.00578	pCi/L	U	F	0.0266	0.0146	
SW093	SL	2/1/2012	12034403	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		
SW093	SL	2/1/2012	12034403	7440-43-9	Cadmium	0001	0.11	ug/L	U	F	0.11		
SW093	SL	2/1/2012	12034403	7440-47-3	Chromium	N001	1	ug/L	U	F	1		
SW093	SL	2/1/2012	12034403	HARDNESS	Hardness	N001	234	mg/L		F	2		
SW093	SL	2/1/2012	12034403	PU-239,240	Plutonium-239, 240	N001	-0.0029	pCi/L	U	F	0.0165	0.0057	
SW093	SL	2/1/2012	12034403	7440-22-4	Silver	0001	0.2	ug/L	U	F	0.2		
SW093	SL	2/1/2012	12034403	7440-61-1	Uranium	N001	6.63	ug/L		F	0.067		
SW093	SL	2/27/2012	12034418	AM-241	Americium-241	N001	0.00257	pCi/L	U	F	0.0178	0.00505	
SW093	SL	2/27/2012	12034418	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		
SW093	SL	2/27/2012	12034418	7440-43-9	Cadmium	0001	0.118	ug/L	B	F	0.11		
SW093	SL	2/27/2012	12034418	7440-47-3	Chromium	N001	1	ug/L	U	F	1		
SW093	SL	2/27/2012	12034418	HARDNESS	Hardness	N001	248	mg/L		F	5		
SW093	SL	2/27/2012	12034418	PU-239,240	Plutonium-239, 240	N001	0.00377	pCi/L	U	F	0.0107	0.00453	
SW093	SL	2/27/2012	12034418	7440-22-4	Silver	0001	0.2	ug/L	U	F	0.2		
SW093	SL	2/27/2012	12034418	7440-61-1	Uranium	N001	5.42	ug/L		F	0.067		
SW093	SL	3/14/2012	12044453	AM-241	Americium-241	N001	0.00154	pCi/L	U	F	0.0213	0.00522	
SW093	SL	3/14/2012	12044453	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		
SW093	SL	3/14/2012	12044453	7440-43-9	Cadmium	0001	0.11	ug/L	U	F	0.11		

RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
SW093	SL	3/14/2012	12044453	7440-47-3	Chromium	N001	1	ug/L	U	F	1		
SW093	SL	3/14/2012	12044453	HARDNESS	Hardness	N001	371	mg/L		F	5		
SW093	SL	3/14/2012	12044453	PU-239,240	Plutonium-239, 240	N001	-0.0057	pCi/L	U	F	0.0158	0.0079	
SW093	SL	3/14/2012	12044453	7440-22-4	Silver	0001	0.2	ug/L	U	F	0.2		
SW093	SL	3/14/2012	12044453	7440-61-1	Uranium	N001	5.09	ug/L		F	0.067		
SW093	SL	3/29/2012	12044483	AM-241	Americium-241	N001	0	pCi/L	U	F	0.0167	0.00748	
SW093	SL	3/29/2012	12044483	7440-41-7	Beryllium	N001	1	ug/L	U	F	1		
SW093	SL	3/29/2012	12044483	7440-43-9	Cadmium	0001	0.11	ug/L	U	F	0.11		
SW093	SL	3/29/2012	12044483	7440-47-3	Chromium	N001	1	ug/L	U	F	1		
SW093	SL	3/29/2012	12044483	HARDNESS	Hardness	N001	450	mg/L		F	5		
SW093	SL	3/29/2012	12044483	PU-239,240	Plutonium-239, 240	N001	0.00257	pCi/L	U	F	0.0142	0.00714	
SW093	SL	3/29/2012	12044483	7440-22-4	Silver	0001	0.2	ug/L	U	F	0.2		
SW093	SL	3/29/2012	12044483	7440-61-1	Uranium	N001	6.77	ug/L		F	0.067		
WALPOC	SL	1/3/2012	12024379	AM-241	Americium-241	N002	-0.00349	pCi/L	U	D	0.0242	0.00968	
WALPOC	SL	1/3/2012	12024379	AM-241	Americium-241	N003	-0.00378	pCi/L	U	F	0.0261	0.00907	
WALPOC	SL	1/3/2012	12014304	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	3.9	mg/L		F	0.019		
WALPOC	SL	1/3/2012	12024379	PU-239,240	Plutonium-239, 240	N002	0.0121	pCi/L	U	D	0.0153	0.00886	
WALPOC	SL	1/3/2012	12024379	PU-239,240	Plutonium-239, 240	N003	0.00595	pCi/L	U	F	0.0135	0.00843	
WALPOC	SL	1/3/2012	12024379	7440-61-1	Uranium	N002	12.3	ug/L		D	0.067		
WALPOC	SL	1/3/2012	12024379	7440-61-1	Uranium	N003	12.8	ug/L		F	0.067		
WALPOC	SL	2/23/2012	12034402	AM-241	Americium-241	N002	0.00299	pCi/L	U	F	0.0207	0.00586	
WALPOC	SL	2/23/2012	12024379	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	7.69	mg/L		F	0.1		
WALPOC	SL	2/23/2012	12034402	PU-239,240	Plutonium-239, 240	N002	0.00139	pCi/L	U	F	0.0158	0.00817	
WALPOC	SL	2/23/2012	12034402	7440-61-1	Uranium	N002	12.2	ug/L		F	0.067		
WALPOC	SL	3/6/2012	12034430	AM-241	Americium-241	N001	0.00447	pCi/L	U	F	0.0155	0.00694	
WALPOC	SL	3/6/2012	12034403	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N002	2.14	mg/L		F	0.05		
WALPOC	SL	3/6/2012	12034430	PU-239,240	Plutonium-239, 240	N001	0.00886	pCi/L	U	F	0.0201	0.0116	
WALPOC	SL	3/6/2012	12034430	7440-61-1	Uranium	N001	14.2	ug/L		F	0.067		
WALPOC	SL	3/21/2012	12044482	AM-241	Americium-241	N001	0.0182	pCi/L	U	F	0.0252	0.0168	
WALPOC	SL	3/21/2012	12044453	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N002	0.085	mg/L	U	F	0.085		J
WALPOC	SL	3/21/2012	12044482	PU-239,240	Plutonium-239, 240	N001	5.4E-10	pCi/L	U	F	0.0179	0.00635	
WALPOC	SL	3/21/2012	12044482	7440-61-1	Uranium	N001	14.1	ug/L		F	0.067		
WOMPOC	SL	1/3/2012	12024347	AM-241	Americium-241	N001	0	pCi/L	U	F	0.017	0.00431	
WOMPOC	SL	1/3/2012	12024347	PU-239,240	Plutonium-239, 240	N001	0.00362	pCi/L	U	F	0.0139	0.00711	
WOMPOC	SL	1/3/2012	12024347	7440-61-1	Uranium	N001	3.33	ug/L		F	0.067		
WOMPOC	SL	2/2/2012	12024379	AM-241	Americium-241	N001	0.00369	pCi/L	U	F	0.017	0.00638	
WOMPOC	SL	2/2/2012	12024379	AM-241	Americium-241	N002	0.00109	pCi/L	U	D	0.0151	0.0037	
WOMPOC	SL	2/2/2012	12024379	PU-239,240	Plutonium-239, 240	N001	0.00685	pCi/L	U	F	0.013	0.00778	
WOMPOC	SL	2/2/2012	12024379	PU-239,240	Plutonium-239, 240	N002	0.00692	pCi/L	U	D	0.0131	0.00558	
WOMPOC	SL	2/2/2012	12024379	7440-61-1	Uranium	N001	2.71	ug/L		F	0.067		
WOMPOC	SL	2/2/2012	12024379	7440-61-1	Uranium	N002	2.63	ug/L		D	0.067		
WOMPOC	SL	2/23/2012	12034402	AM-241	Americium-241	N001	0.00109	pCi/L	U	F	0.0151	0.00371	
WOMPOC	SL	2/23/2012	12034402	PU-239,240	Plutonium-239, 240	N001	-0.00566	pCi/L	U	F	0.0161	0.00961	
WOMPOC	SL	2/23/2012	12034402	7440-61-1	Uranium	N001	2.55	ug/L		F	0.067		
WOMPOC	SL	3/6/2012	12034430	AM-241	Americium-241	N001	0	pCi/L	U	F	0.0133	0.00378	
WOMPOC	SL	3/6/2012	12034430	PU-239,240	Plutonium-239, 240	N001	-0.00132	pCi/L	U	F	0.015	0.00775	
WOMPOC	SL	3/6/2012	12034430	7440-61-1	Uranium	N001	3.43	ug/L		F	0.067		
WOMPOC	SL	3/21/2012	12044482	AM-241	Americium-241	N001	-0.00299	pCi/L	U	F	0.0207	0.00717	
WOMPOC	SL	3/21/2012	12044482	PU-239,240	Plutonium-239, 240	N001	0.0042	pCi/L	U	F	0.0155	0.00615	
WOMPOC	SL	3/21/2012	12044482	7440-61-1	Uranium	N001	3.98	ug/L		F	0.067		

This page intentionally left blank

RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS

EXPLANATION

SAMPLE_ID

N00x = Sample was not filtered.
000x = Sample was filtered.

WATER_UNIT_OF_MEASURE

mg/L; ppm = milligrams per liter
pCi/L = picocuries per liter
ug/L = micrograms per liter
C = degrees celsius
mS/cm = milliSiemens per centimeter
NTU = normal turbidity units
s.u. = standard pH units
uS/cm = microSiemens per centimeter
umhos/cm = microSiemens per centimeter

SAMPLE_TYPE

F = Field Sample
D = Duplicate

DATA_VALIDATION_QUALIFIERS

valid	Result is valid.
F	Low flow sampling method used.
G	Possible grout contamination, pH > 9.
J	Estimated value.
L	Less than 3 bore volumes purged prior to sampling.
Q	Qualitative result due to sampling technique
R	Unusable result.
U	Parameter analyzed for but was not detected.
X	Location is undefined.
999	Validation not complete

LAB_QUALIFIERS

*	Replicate analysis not within control limits.
+	Correlation coefficient for MSA < 0.995.
>	Result above upper detection limit.
A	TIC is a suspected aldol-condensation product.
B	Inorganic: Result is between the IDL and CRDL. Organic & Radiochemistry: Analyte also found in method blank.
C	Pesticide result confirmed by GC-MS.
D	Analyte determined in diluted sample.
E	Inorganic: Estimate value because of interference, see case narrative. Organic: Analyte exceeded calibration range of the GC-MS.
H	Holding time expired, value suspect.
I	Increased detection limit due to required dilution.
J	Estimated
M	GFAA duplicate injection precision not met.
N	Inorganic or radiochemical: Spike sample recovery not within control limits. Organic: Tentatively identified compund (TIC).
P	> 25% difference in detected pesticide or Arochlor concentrations between 2 columns.
S	Result determined by method of standard addition (MSA).
U	Analytical result below detection limit.
W	Post-digestion spike outside control limits while sample absorbance < 50% of analytical spike absorbance.
X	Laboratory defined (USEPA CLP organic) qualifier, see case narrative.
Y	Laboratory defined (USEPA CLP organic) qualifier, see case narrative.
Z	Laboratory defined (USEPA CLP organic) qualifier, see case narrative.

LOCATION_TYPE

SL	SURFACE LOCATION
TS	TREATMENT SYSTEM
WL	WELL

COLLECTION_METHOD

G	Grab
C	Composite

Non-RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
70193	WL	2/16/2012	12024361	630-20-6	1,1,1,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		F
70193	WL	2/16/2012	12024361	75-34-3	1,1-Dichloroethane	N001	0.22	ug/L	U	F	0.22		F
70193	WL	2/16/2012	12024361	563-58-6	1,1-Dichloropropene	N001	0.19	ug/L	U	F	0.19		F
70193	WL	2/16/2012	12024361	87-61-6	1,2,3-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		F
70193	WL	2/16/2012	12024361	96-18-4	1,2,3-Trichloropropane	N001	0.33	ug/L	U	F	0.33		F
70193	WL	2/16/2012	12024361	95-63-6	1,2,4-Trimethylbenzene	N001	0.15	ug/L	U	F	0.15		F
70193	WL	2/16/2012	12024361	108-67-8	1,3,5-Trimethylbenzene	N001	0.16	ug/L	U	F	0.16		F
70193	WL	2/16/2012	12024361	142-28-9	1,3-Dichloropropane	N001	0.22	ug/L	U	F	0.22		F
70193	WL	2/16/2012	12024361	594-20-7	2,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		F
70193	WL	2/16/2012	12024361	78-93-3	2-Butanone	N001	2	ug/L	U	F	2		F
70193	WL	2/16/2012	12024361	95-49-8	2-Chlorotoluene	N001	0.17	ug/L	U	F	0.17		F
70193	WL	2/16/2012	12024361	591-78-6	2-Hexanone	N001	1.7	ug/L	U	F	1.7		F
70193	WL	2/16/2012	12024361	106-43-4	4-Chlorotoluene	N001	0.21	ug/L	U	F	0.21		F
70193	WL	2/16/2012	12024361	108-10-1	4-Methyl-2-Pentanone	N001	0.98	ug/L	U	F	0.98		F
70193	WL	2/16/2012	12024361	67-64-1	Acetone	N001	1.9	ug/L	U	F	1.9		F
70193	WL	2/16/2012	12024361	7429-90-5	Aluminum	0001	18	ug/L	U	F	18		F
70193	WL	2/16/2012	12024361	7440-36-0	Antimony	0001	3.1	ug/L	U	F	3.1		F
70193	WL	2/16/2012	12024361	7440-39-3	Barium	0001	94	ug/L		F	0.58		F
70193	WL	2/16/2012	12024361	108-86-1	Bromobenzene	N001	0.17	ug/L	U	F	0.17		F
70193	WL	2/16/2012	12024361	74-97-5	Bromochloromethane	N001	0.1	ug/L	U	F	0.1		F
70193	WL	2/16/2012	12024361	7440-70-2	Calcium	0001	25000	ug/L		F	35		F
70193	WL	2/16/2012	12024361	75-15-0	Carbon Disulfide	N001	0.45	ug/L	U	F	0.45		F
70193	WL	2/16/2012	12024361	75-00-3	Chloroethane	N001	0.41	ug/L	U	F	0.41		F
70193	WL	2/16/2012	12024361	10061-01-5	cis-1,3-Dichloropropene	N001	0.16	ug/L	U	F	0.16		F
70193	WL	2/16/2012	12024361	7440-48-4	Cobalt	0001	1.2	ug/L	U	F	1.2		F
70193	WL	2/16/2012	12024361	74-95-3	Dibromomethane	N001	0.17	ug/L	U	F	0.17		F
70193	WL	2/16/2012	12024361	75-71-8	Dichlorodifluoromethane	N001	0.31	ug/L	U	F	0.31		F
70193	WL	2/16/2012	12024361	7439-89-6	Iron	0001	22	ug/L	U	F	22		F
70193	WL	2/16/2012	12024361	98-82-8	Isopropylbenzene	N001	0.19	ug/L	U	F	0.19		F
70193	WL	2/16/2012	12024361	7439-93-2	Lithium	0001	11	ug/L		F	2.6		F
70193	WL	2/16/2012	12024361	7439-95-4	Magnesium	0001	5100	ug/L		F	11		F
70193	WL	2/16/2012	12024361	7439-96-5	Manganese	0001	0.59	ug/L	J	F	0.25		F
70193	WL	2/16/2012	12024361	7439-98-7	Molybdenum	0001	3.1	ug/L	U	F	3.1		F
70193	WL	2/16/2012	12024361	104-51-8	n-Butylbenzene	N001	0.32	ug/L	U	F	0.32		F
70193	WL	2/16/2012	12024361	103-65-1	n-Propylbenzene	N001	0.16	ug/L	U	F	0.16		F
70193	WL	2/16/2012	12024361	99-87-6	p-Isopropyltoluene	N001	0.2	ug/L	U	F	0.2		F
70193	WL	2/16/2012	12024361	7440-09-7	Potassium	0001	1000	ug/L	J	F	240		F
70193	WL	2/16/2012	12024361	135-98-8	sec-Butylbenzene	N001	0.17	ug/L	U	F	0.17		F
70193	WL	2/16/2012	12024361	7631-86-9	Silica	0001	24000	ug/L		F	74		F
70193	WL	2/16/2012	12024361	7440-23-5	Sodium	0001	15000	ug/L		F	92		F
70193	WL	2/16/2012	12024361	7440-24-6	Strontium	0001	160	ug/L		F	0.3		F
70193	WL	2/16/2012	12024361	98-06-6	tert-Butylbenzene	N001	0.16	ug/L	U	F	0.16		F
70193	WL	2/16/2012	12024361	7440-28-0	Thallium	0001	4.9	ug/L	U	F	4.9		F
70193	WL	2/16/2012	12024361	7440-31-5	Tin	0001	5.8	ug/L	U	F	5.8		F
70193	WL	2/16/2012	12024361	7440-32-6	Titanium	0001	0.91	ug/L	J	F	0.6		F
70193	WL	2/16/2012	12024361	75-69-4	Trichlorofluoromethane	N001	0.29	ug/L	U	F	0.29		F
70193	WL	2/16/2012	12024361	7440-62-2	Vanadium	0001	1.1	ug/L	U	F	1.1		F
70393	WL	2/16/2012	12024361	630-20-6	1,1,1,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		F
70393	WL	2/16/2012	12024361	75-34-3	1,1-Dichloroethane	N001	0.22	ug/L	U	F	0.22		F
70393	WL	2/16/2012	12024361	563-58-6	1,1-Dichloropropene	N001	0.19	ug/L	U	F	0.19		F
70393	WL	2/16/2012	12024361	87-61-6	1,2,3-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		F
70393	WL	2/16/2012	12024361	96-18-4	1,2,3-Trichloropropane	N001	0.33	ug/L	U	F	0.33		F
70393	WL	2/16/2012	12024361	95-63-6	1,2,4-Trimethylbenzene	N001	0.15	ug/L	U	F	0.15		F
70393	WL	2/16/2012	12024361	108-67-8	1,3,5-Trimethylbenzene	N001	0.16	ug/L	U	F	0.16		F

Non-RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
70393	WL	2/16/2012	12024361	142-28-9	1,3-Dichloropropane	N001	0.22	ug/L	U	F	0.22		F
70393	WL	2/16/2012	12024361	594-20-7	2,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		F
70393	WL	2/16/2012	12024361	78-93-3	2-Butanone	N001	2	ug/L	U	F	2		F
70393	WL	2/16/2012	12024361	95-49-8	2-Chlorotoluene	N001	0.17	ug/L	U	F	0.17		F
70393	WL	2/16/2012	12024361	591-78-6	2-Hexanone	N001	1.7	ug/L	U	F	1.7		F
70393	WL	2/16/2012	12024361	106-43-4	4-Chlorotoluene	N001	0.21	ug/L	U	F	0.21		F
70393	WL	2/16/2012	12024361	108-10-1	4-Methyl-2-Pentanone	N001	0.98	ug/L	U	F	0.98		F
70393	WL	2/16/2012	12024361	67-64-1	Acetone	N001	1.9	ug/L	U	F	1.9		F
70393	WL	2/16/2012	12024361	7429-90-5	Aluminum	0001	18	ug/L	U	F	18		F
70393	WL	2/16/2012	12024361	7440-36-0	Antimony	0001	3.1	ug/L	U	F	3.1		F
70393	WL	2/16/2012	12024361	7440-39-3	Barium	0001	100	ug/L		F	0.58		F
70393	WL	2/16/2012	12024361	108-86-1	Bromobenzene	N001	0.17	ug/L	U	F	0.17		F
70393	WL	2/16/2012	12024361	74-97-5	Bromochloromethane	N001	0.1	ug/L	U	F	0.1		F
70393	WL	2/16/2012	12024361	7440-70-2	Calcium	0001	35000	ug/L		F	35		F
70393	WL	2/16/2012	12024361	75-15-0	Carbon Disulfide	N001	0.45	ug/L	U	F	0.45		F
70393	WL	2/16/2012	12024361	75-00-3	Chloroethane	N001	0.41	ug/L	U	F	0.41		F
70393	WL	2/16/2012	12024361	10061-01-5	cis-1,3-Dichloropropene	N001	0.16	ug/L	U	F	0.16		F
70393	WL	2/16/2012	12024361	7440-48-4	Cobalt	0001	1.2	ug/L	U	F	1.2		F
70393	WL	2/16/2012	12024361	74-95-3	Dibromomethane	N001	0.17	ug/L	U	F	0.17		F
70393	WL	2/16/2012	12024361	75-71-8	Dichlorodifluoromethane	N001	0.31	ug/L	U	F	0.31		F
70393	WL	2/16/2012	12024361	7439-89-6	Iron	0001	24	ug/L	J	F	22		F
70393	WL	2/16/2012	12024361	98-82-8	Isopropylbenzene	N001	0.19	ug/L	U	F	0.19		F
70393	WL	2/16/2012	12024361	7439-93-2	Lithium	0001	10	ug/L		F	2.6		F
70393	WL	2/16/2012	12024361	7439-95-4	Magnesium	0001	7000	ug/L		F	11		F
70393	WL	2/16/2012	12024361	7439-96-5	Manganese	0001	2.5	ug/L	J	F	0.25		F
70393	WL	2/16/2012	12024361	7439-98-7	Molybdenum	0001	3.1	ug/L	U	F	3.1		F
70393	WL	2/16/2012	12024361	104-51-8	n-Butylbenzene	N001	0.32	ug/L	U	F	0.32		F
70393	WL	2/16/2012	12024361	103-65-1	n-Propylbenzene	N001	0.16	ug/L	U	F	0.16		F
70393	WL	2/16/2012	12024361	99-87-6	p-Isopropyltoluene	N001	0.2	ug/L	U	F	0.2		F
70393	WL	2/16/2012	12024361	7440-09-7	Potassium	0001	710	ug/L	J	F	240		F
70393	WL	2/16/2012	12024361	135-98-8	sec-Butylbenzene	N001	0.17	ug/L	U	F	0.17		F
70393	WL	2/16/2012	12024361	7631-86-9	Silica	0001	22000	ug/L		F	74		F
70393	WL	2/16/2012	12024361	7440-23-5	Sodium	0001	17000	ug/L		F	92		F
70393	WL	2/16/2012	12024361	7440-24-6	Strontium	0001	200	ug/L		F	0.3		F
70393	WL	2/16/2012	12024361	98-06-6	tert-Butylbenzene	N001	0.16	ug/L	U	F	0.16		F
70393	WL	2/16/2012	12024361	7440-28-0	Thallium	0001	4.9	ug/L	U	F	4.9		F
70393	WL	2/16/2012	12024361	7440-31-5	Tin	0001	5.8	ug/L	U	F	5.8		F
70393	WL	2/16/2012	12024361	7440-32-6	Titanium	0001	0.6	ug/L	U	F	0.6		F
70393	WL	2/16/2012	12024361	75-69-4	Trichlorofluoromethane	N001	0.29	ug/L	U	F	0.29		F
70393	WL	2/16/2012	12024361	7440-62-2	Vanadium	0001	1.1	ug/L	U	F	1.1		F
70693	WL	2/16/2012	12024361	630-20-6	1,1,1,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		F
70693	WL	2/16/2012	12024361	75-34-3	1,1-Dichloroethane	N001	0.22	ug/L	U	F	0.22		F
70693	WL	2/16/2012	12024361	563-58-6	1,1-Dichloropropene	N001	0.19	ug/L	U	F	0.19		F
70693	WL	2/16/2012	12024361	87-61-6	1,2,3-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		F
70693	WL	2/16/2012	12024361	96-18-4	1,2,3-Trichloropropane	N001	0.33	ug/L	U	F	0.33		F
70693	WL	2/16/2012	12024361	95-63-6	1,2,4-Trimethylbenzene	N001	0.15	ug/L	U	F	0.15		F
70693	WL	2/16/2012	12024361	108-67-8	1,3,5-Trimethylbenzene	N001	0.16	ug/L	U	F	0.16		F
70693	WL	2/16/2012	12024361	142-28-9	1,3-Dichloropropane	N001	0.22	ug/L	U	F	0.22		F
70693	WL	2/16/2012	12024361	594-20-7	2,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		F
70693	WL	2/16/2012	12024361	78-93-3	2-Butanone	N001	2	ug/L	U	F	2		F
70693	WL	2/16/2012	12024361	95-49-8	2-Chlorotoluene	N001	0.17	ug/L	U	F	0.17		F
70693	WL	2/16/2012	12024361	591-78-6	2-Hexanone	N001	1.7	ug/L	U	F	1.7		F
70693	WL	2/16/2012	12024361	106-43-4	4-Chlorotoluene	N001	0.21	ug/L	U	F	0.21		F
70693	WL	2/16/2012	12024361	108-10-1	4-Methyl-2-Pentanone	N001	0.98	ug/L	U	F	0.98		F

Non-RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
70693	WL	2/16/2012	12024361	67-64-1	Acetone	N001	1.9	ug/L	U	F	1.9		F
70693	WL	2/16/2012	12024361	7429-90-5	Aluminum	0001	18	ug/L	U	F	18		F
70693	WL	2/16/2012	12024361	7440-36-0	Antimony	0001	3.1	ug/L	U	F	3.1		F
70693	WL	2/16/2012	12024361	7440-39-3	Barium	0001	94	ug/L		F	0.58		F
70693	WL	2/16/2012	12024361	108-86-1	Bromobenzene	N001	0.17	ug/L	U	F	0.17		F
70693	WL	2/16/2012	12024361	74-97-5	Bromochloromethane	N001	0.1	ug/L	U	F	0.1		F
70693	WL	2/16/2012	12024361	7440-70-2	Calcium	0001	38000	ug/L		F	35		F
70693	WL	2/16/2012	12024361	75-15-0	Carbon Disulfide	N001	0.45	ug/L	U	F	0.45		F
70693	WL	2/16/2012	12024361	75-00-3	Chloroethane	N001	0.41	ug/L	U	F	0.41		F
70693	WL	2/16/2012	12024361	10061-01-5	cis-1,3-Dichloropropene	N001	0.16	ug/L	U	F	0.16		F
70693	WL	2/16/2012	12024361	7440-48-4	Cobalt	0001	1.2	ug/L	U	F	1.2		F
70693	WL	2/16/2012	12024361	74-95-3	Dibromomethane	N001	0.17	ug/L	U	F	0.17		F
70693	WL	2/16/2012	12024361	75-71-8	Dichlorodifluoromethane	N001	0.31	ug/L	U	F	0.31		F
70693	WL	2/16/2012	12024361	7439-89-6	Iron	0001	22	ug/L	U	F	22		F
70693	WL	2/16/2012	12024361	98-82-8	Isopropylbenzene	N001	0.19	ug/L	U	F	0.19		F
70693	WL	2/16/2012	12024361	7439-93-2	Lithium	0001	7.6	ug/L	J	F	2.6		F
70693	WL	2/16/2012	12024361	7439-95-4	Magnesium	0001	7400	ug/L		F	11		F
70693	WL	2/16/2012	12024361	7439-96-5	Manganese	0001	0.65	ug/L	J	F	0.25		F
70693	WL	2/16/2012	12024361	7439-98-7	Molybdenum	0001	3.1	ug/L	U	F	3.1		F
70693	WL	2/16/2012	12024361	104-51-8	n-Butylbenzene	N001	0.32	ug/L	U	F	0.32		F
70693	WL	2/16/2012	12024361	103-65-1	n-Propylbenzene	N001	0.16	ug/L	U	F	0.16		F
70693	WL	2/16/2012	12024361	99-87-6	p-Isopropyltoluene	N001	0.2	ug/L	U	F	0.2		F
70693	WL	2/16/2012	12024361	7440-09-7	Potassium	0001	740	ug/L	J	F	240		F
70693	WL	2/16/2012	12024361	135-98-8	sec-Butylbenzene	N001	0.17	ug/L	U	F	0.17		F
70693	WL	2/16/2012	12024361	7631-86-9	Silica	0001	18000	ug/L		F	74		F
70693	WL	2/16/2012	12024361	7440-23-5	Sodium	0001	16000	ug/L		F	92		F
70693	WL	2/16/2012	12024361	7440-24-6	Strontium	0001	200	ug/L		F	0.3		F
70693	WL	2/16/2012	12024361	98-06-6	tert-Butylbenzene	N001	0.16	ug/L	U	F	0.16		F
70693	WL	2/16/2012	12024361	7440-28-0	Thallium	0001	4.9	ug/L	U	F	4.9		F
70693	WL	2/16/2012	12024361	7440-31-5	Tin	0001	5.8	ug/L	U	F	5.8		F
70693	WL	2/16/2012	12024361	7440-32-6	Titanium	0001	0.6	ug/L	U	F	0.6		F
70693	WL	2/16/2012	12024361	75-69-4	Trichlorofluoromethane	N001	0.29	ug/L	U	F	0.29		F
70693	WL	2/16/2012	12024361	7440-62-2	Vanadium	0001	1.1	ug/L	U	F	1.1		F
73005	WL	2/14/2012	12024361	630-20-6	1,1,1,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		FQ
73005	WL	2/14/2012	12024361	75-34-3	1,1-Dichloroethane	N001	0.22	ug/L	U	F	0.22		FQ
73005	WL	2/14/2012	12024361	563-58-6	1,1-Dichloropropene	N001	0.19	ug/L	U	F	0.19		FQ
73005	WL	2/14/2012	12024361	87-61-6	1,2,3-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		FQ
73005	WL	2/14/2012	12024361	96-18-4	1,2,3-Trichloropropane	N001	0.33	ug/L	U	F	0.33		FQ
73005	WL	2/14/2012	12024361	95-63-6	1,2,4-Trimethylbenzene	N001	0.15	ug/L	U	F	0.15		FQ
73005	WL	2/14/2012	12024361	108-67-8	1,3,5-Trimethylbenzene	N001	0.16	ug/L	U	F	0.16		FQ
73005	WL	2/14/2012	12024361	142-28-9	1,3-Dichloropropane	N001	0.22	ug/L	U	F	0.22		FQ
73005	WL	2/14/2012	12024361	594-20-7	2,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		FQ
73005	WL	2/14/2012	12024361	78-93-3	2-Butanone	N001	2	ug/L	U	F	2		FQ
73005	WL	2/14/2012	12024361	95-49-8	2-Chlorotoluene	N001	0.17	ug/L	U	F	0.17		FQ
73005	WL	2/14/2012	12024361	591-78-6	2-Hexanone	N001	1.7	ug/L	U	F	1.7		FQ
73005	WL	2/14/2012	12024361	106-43-4	4-Chlorotoluene	N001	0.21	ug/L	U	F	0.21		FQ
73005	WL	2/14/2012	12024361	108-10-1	4-Methyl-2-Pentanone	N001	0.98	ug/L	U	F	0.98		FQ
73005	WL	2/14/2012	12024361	67-64-1	Acetone	N001	1.9	ug/L	U	F	1.9		FQ
73005	WL	2/14/2012	12024361	7429-90-5	Aluminum	0001	18	ug/L	U	F	18		FQ
73005	WL	2/14/2012	12024361	7440-36-0	Antimony	0001	3.1	ug/L	U	F	3.1		FQ
73005	WL	2/14/2012	12024361	7440-39-3	Barium	0001	100	ug/L		F	0.58		FQ
73005	WL	2/14/2012	12024361	108-86-1	Bromobenzene	N001	0.17	ug/L	U	F	0.17		FQ
73005	WL	2/14/2012	12024361	74-97-5	Bromochloromethane	N001	0.1	ug/L	U	F	0.1		FQ
73005	WL	2/14/2012	12024361	7440-70-2	Calcium	0001	90000	ug/L		F	35		FQ

Non-RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
73005	WL	2/14/2012	12024361	75-15-0	Carbon Disulfide	N001	0.45	ug/L	U	F	0.45		FQ
73005	WL	2/14/2012	12024361	75-00-3	Chloroethane	N001	0.41	ug/L	U	F	0.41		FQ
73005	WL	2/14/2012	12024361	10061-01-5	cis-1,3-Dichloropropene	N001	0.16	ug/L	U	F	0.16		FQ
73005	WL	2/14/2012	12024361	7440-48-4	Cobalt	0001	1.2	ug/L	U	F	1.2		FQ
73005	WL	2/14/2012	12024361	74-95-3	Dibromomethane	N001	0.17	ug/L	U	F	0.17		FQ
73005	WL	2/14/2012	12024361	75-71-8	Dichlorodifluoromethane	N001	0.31	ug/L	U	F	0.31		FQ
73005	WL	2/14/2012	12024361	7439-89-6	Iron	0001	22	ug/L	U	F	22		FQ
73005	WL	2/14/2012	12024361	98-82-8	Isopropylbenzene	N001	0.19	ug/L	U	F	0.19		FQ
73005	WL	2/14/2012	12024361	7439-93-2	Lithium	0001	75	ug/L		F	2.6		FQ
73005	WL	2/14/2012	12024361	7439-95-4	Magnesium	0001	18000	ug/L		F	11		FQ
73005	WL	2/14/2012	12024361	7439-96-5	Manganese	0001	6	ug/L	J	F	0.25		FQ
73005	WL	2/14/2012	12024361	7439-98-7	Molybdenum	0001	3.1	ug/L	U	F	3.1		FQ
73005	WL	2/14/2012	12024361	104-51-8	n-Butylbenzene	N001	0.32	ug/L	U	F	0.32		FQ
73005	WL	2/14/2012	12024361	103-65-1	n-Propylbenzene	N001	0.16	ug/L	U	F	0.16		FQ
73005	WL	2/14/2012	12024361	99-87-6	p-Isopropyltoluene	N001	0.2	ug/L	U	F	0.2		FQ
73005	WL	2/14/2012	12024361	7440-09-7	Potassium	0001	2800	ug/L	J	F	240		FQ
73005	WL	2/14/2012	12024361	135-98-8	sec-Butylbenzene	N001	0.17	ug/L	U	F	0.17		FQ
73005	WL	2/14/2012	12024361	7631-86-9	Silica	0001	19000	ug/L		F	74		FQ
73005	WL	2/14/2012	12024361	7440-23-5	Sodium	0001	61000	ug/L		F	92		FQ
73005	WL	2/14/2012	12024361	7440-24-6	Strontium	0001	620	ug/L		F	0.3		FQ
73005	WL	2/14/2012	12024361	98-06-6	tert-Butylbenzene	N001	0.16	ug/L	U	F	0.16		FQ
73005	WL	2/14/2012	12024361	7440-28-0	Thallium	0001	4.9	ug/L	U	F	4.9		FQ
73005	WL	2/14/2012	12024361	7440-31-5	Tin	0001	5.8	ug/L	U	F	5.8		FQ
73005	WL	2/14/2012	12024361	7440-32-6	Titanium	0001	0.6	ug/L	U	F	0.6		FQ
73005	WL	2/14/2012	12024361	75-69-4	Trichlorofluoromethane	N001	0.29	ug/L	U	F	0.29		FQ
73005	WL	2/14/2012	12024361	7440-62-2	Vanadium	0001	1.1	ug/L	U	F	1.1		FQ
73105	WL	2/14/2012	12024361	630-20-6	1,1,1,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		FQ
73105	WL	2/14/2012	12024361	75-34-3	1,1-Dichloroethane	N001	0.22	ug/L	U	F	0.22		FQ
73105	WL	2/14/2012	12024361	563-58-6	1,1-Dichloropropene	N001	0.19	ug/L	U	F	0.19		FQ
73105	WL	2/14/2012	12024361	87-61-6	1,2,3-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		FQ
73105	WL	2/14/2012	12024361	96-18-4	1,2,3-Trichloropropane	N001	0.33	ug/L	U	F	0.33		FQ
73105	WL	2/14/2012	12024361	95-63-6	1,2,4-Trimethylbenzene	N001	0.15	ug/L	U	F	0.15		FQ
73105	WL	2/14/2012	12024361	108-67-8	1,3,5-Trimethylbenzene	N001	0.16	ug/L	U	F	0.16		FQ
73105	WL	2/14/2012	12024361	142-28-9	1,3-Dichloropropane	N001	0.22	ug/L	U	F	0.22		FQ
73105	WL	2/14/2012	12024361	594-20-7	2,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		FQ
73105	WL	2/14/2012	12024361	78-93-3	2-Butanone	N001	2	ug/L	U	F	2		FQ
73105	WL	2/14/2012	12024361	95-49-8	2-Chlorotoluene	N001	0.17	ug/L	U	F	0.17		FQ
73105	WL	2/14/2012	12024361	591-78-6	2-Hexanone	N001	1.7	ug/L	U	F	1.7		FQ
73105	WL	2/14/2012	12024361	106-43-4	4-Chlorotoluene	N001	0.21	ug/L	U	F	0.21		FQ
73105	WL	2/14/2012	12024361	108-10-1	4-Methyl-2-Pentanone	N001	0.98	ug/L	U	F	0.98		FQ
73105	WL	2/14/2012	12024361	67-64-1	Acetone	N001	1.9	ug/L	U	F	1.9		FQ
73105	WL	2/14/2012	12024361	7429-90-5	Aluminum	0001	18	ug/L	U	F	18		FQ
73105	WL	2/14/2012	12024361	7440-36-0	Antimony	0001	3.1	ug/L	U	F	3.1		FQ
73105	WL	2/14/2012	12024361	7440-39-3	Barium	0001	75	ug/L		F	0.58		FQ
73105	WL	2/14/2012	12024361	108-86-1	Bromobenzene	N001	0.17	ug/L	U	F	0.17		FQ
73105	WL	2/14/2012	12024361	74-97-5	Bromochloromethane	N001	0.1	ug/L	U	F	0.1		FQ
73105	WL	2/14/2012	12024361	7440-70-2	Calcium	0001	98000	ug/L		F	35		FQ
73105	WL	2/14/2012	12024361	75-15-0	Carbon Disulfide	N001	0.45	ug/L	U	F	0.45		FQ
73105	WL	2/14/2012	12024361	75-00-3	Chloroethane	N001	0.41	ug/L	U	F	0.41		FQ
73105	WL	2/14/2012	12024361	10061-01-5	cis-1,3-Dichloropropene	N001	0.16	ug/L	U	F	0.16		FQ
73105	WL	2/14/2012	12024361	7440-48-4	Cobalt	0001	1.2	ug/L	U	F	1.2		FQ
73105	WL	2/14/2012	12024361	74-95-3	Dibromomethane	N001	0.17	ug/L	U	F	0.17		FQ
73105	WL	2/14/2012	12024361	75-71-8	Dichlorodifluoromethane	N001	0.31	ug/L	U	F	0.31		FQ
73105	WL	2/14/2012	12024361	7439-89-6	Iron	0001	22	ug/L	U	F	22		FQ

Non-RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
73105	WL	2/14/2012	12024361	98-82-8	Isopropylbenzene	N001	0.19	ug/L	U	F	0.19		FQ
73105	WL	2/14/2012	12024361	7439-93-2	Lithium	0001	230	ug/L		F	2.6		FQ
73105	WL	2/14/2012	12024361	7439-95-4	Magnesium	0001	28000	ug/L		F	11		FQ
73105	WL	2/14/2012	12024361	7439-96-5	Manganese	0001	2.4	ug/L	J	F	0.25		FQ
73105	WL	2/14/2012	12024361	7439-98-7	Molybdenum	0001	3.1	ug/L	U	F	3.1		FQ
73105	WL	2/14/2012	12024361	104-51-8	n-Butylbenzene	N001	0.32	ug/L	U	F	0.32		FQ
73105	WL	2/14/2012	12024361	103-65-1	n-Propylbenzene	N001	0.16	ug/L	U	F	0.16		FQ
73105	WL	2/14/2012	12024361	99-87-6	p-Isopropyltoluene	N001	0.2	ug/L	U	F	0.2		FQ
73105	WL	2/14/2012	12024361	7440-09-7	Potassium	0001	3600	ug/L		F	240		FQ
73105	WL	2/14/2012	12024361	135-98-8	sec-Butylbenzene	N001	0.17	ug/L	U	F	0.17		FQ
73105	WL	2/14/2012	12024361	7631-86-9	Silica	0001	15000	ug/L		F	74		FQ
73105	WL	2/14/2012	12024361	7440-23-5	Sodium	0001	180000	ug/L		F	92		FQ
73105	WL	2/14/2012	12024361	7440-24-6	Strontium	0001	970	ug/L		F	0.3		FQ
73105	WL	2/14/2012	12024361	98-06-6	tert-Butylbenzene	N001	0.16	ug/L	U	F	0.16		FQ
73105	WL	2/14/2012	12024361	7440-28-0	Thallium	0001	4.9	ug/L	U	F	4.9		FQ
73105	WL	2/14/2012	12024361	7440-31-5	Tin	0001	5.8	ug/L	U	F	5.8		FQ
73105	WL	2/14/2012	12024361	7440-32-6	Titanium	0001	0.6	ug/L	U	F	0.6		FQ
73105	WL	2/14/2012	12024361	75-69-4	Trichlorofluoromethane	N001	0.29	ug/L	U	F	0.29		FQ
73105	WL	2/14/2012	12024361	7440-62-2	Vanadium	0001	1.1	ug/L	U	F	1.1		FQ
73205	WL	2/14/2012	12024361	630-20-6	1,1,1,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		F
73205	WL	2/14/2012	12024361	75-34-3	1,1-Dichloroethane	N001	0.22	ug/L	U	F	0.22		F
73205	WL	2/14/2012	12024361	563-58-6	1,1-Dichloropropene	N001	0.19	ug/L	U	F	0.19		F
73205	WL	2/14/2012	12024361	87-61-6	1,2,3-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		F
73205	WL	2/14/2012	12024361	96-18-4	1,2,3-Trichloropropane	N001	0.33	ug/L	U	F	0.33		F
73205	WL	2/14/2012	12024361	95-63-6	1,2,4-Trimethylbenzene	N001	0.15	ug/L	U	F	0.15		F
73205	WL	2/14/2012	12024361	108-67-8	1,3,5-Trimethylbenzene	N001	0.16	ug/L	U	F	0.16		F
73205	WL	2/14/2012	12024361	142-28-9	1,3-Dichloropropane	N001	0.22	ug/L	U	F	0.22		F
73205	WL	2/14/2012	12024361	594-20-7	2,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		F
73205	WL	2/14/2012	12024361	78-93-3	2-Butanone	N001	2	ug/L	U	F	2		F
73205	WL	2/14/2012	12024361	95-49-8	2-Chlorotoluene	N001	0.17	ug/L	U	F	0.17		F
73205	WL	2/14/2012	12024361	591-78-6	2-Hexanone	N001	1.7	ug/L	U	F	1.7		F
73205	WL	2/14/2012	12024361	106-43-4	4-Chlorotoluene	N001	0.21	ug/L	U	F	0.21		F
73205	WL	2/14/2012	12024361	108-10-1	4-Methyl-2-Pentanone	N001	0.98	ug/L	U	F	0.98		F
73205	WL	2/14/2012	12024361	67-64-1	Acetone	N001	1.9	ug/L	U	F	1.9		F
73205	WL	2/14/2012	12024361	7429-90-5	Aluminum	0001	18	ug/L	U	F	18		F
73205	WL	2/14/2012	12024361	7440-36-0	Antimony	0001	3.1	ug/L	U	F	3.1		F
73205	WL	2/14/2012	12024361	7440-39-3	Barium	0001	40	ug/L		F	0.58		F
73205	WL	2/14/2012	12024361	108-86-1	Bromobenzene	N001	0.17	ug/L	U	F	0.17		F
73205	WL	2/14/2012	12024361	74-97-5	Bromochloromethane	N001	0.1	ug/L	U	F	0.1		F
73205	WL	2/14/2012	12024361	7440-70-2	Calcium	0001	230000	ug/L		F	35		F
73205	WL	2/14/2012	12024361	75-15-0	Carbon Disulfide	N001	0.45	ug/L	U	F	0.45		F
73205	WL	2/14/2012	12024361	75-00-3	Chloroethane	N001	0.41	ug/L	U	F	0.41		F
73205	WL	2/14/2012	12024361	10061-01-5	cis-1,3-Dichloropropene	N001	0.16	ug/L	U	F	0.16		F
73205	WL	2/14/2012	12024361	7440-48-4	Cobalt	0001	1.2	ug/L	U	F	1.2		F
73205	WL	2/14/2012	12024361	74-95-3	Dibromomethane	N001	0.17	ug/L	U	F	0.17		F
73205	WL	2/14/2012	12024361	75-71-8	Dichlorodifluoromethane	N001	0.31	ug/L	U	F	0.31		F
73205	WL	2/14/2012	12024361	7439-89-6	Iron	0001	22	ug/L	U	F	22		F
73205	WL	2/14/2012	12024361	98-82-8	Isopropylbenzene	N001	0.19	ug/L	U	F	0.19		F
73205	WL	2/14/2012	12024361	7439-93-2	Lithium	0001	370	ug/L		F	2.6		F
73205	WL	2/14/2012	12024361	7439-95-4	Magnesium	0001	67000	ug/L		F	11		F
73205	WL	2/14/2012	12024361	7439-96-5	Manganese	0001	3.7	ug/L	J	F	0.25		F
73205	WL	2/14/2012	12024361	7439-98-7	Molybdenum	0001	4.9	ug/L	J	F	3.1		F
73205	WL	2/14/2012	12024361	104-51-8	n-Butylbenzene	N001	0.32	ug/L	U	F	0.32		F
73205	WL	2/14/2012	12024361	103-65-1	n-Propylbenzene	N001	0.16	ug/L	U	F	0.16		F

Non-RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
73205	WL	2/14/2012	12024361	99-87-6	p-Isopropyltoluene	N001	0.2	ug/L	U	F	0.2		F
73205	WL	2/14/2012	12024361	7440-09-7	Potassium	0001	5900	ug/L		F	240		F
73205	WL	2/14/2012	12024361	135-98-8	sec-Butylbenzene	N001	0.17	ug/L	U	F	0.17		F
73205	WL	2/14/2012	12024361	7631-86-9	Silica	0001	21000	ug/L		F	74		F
73205	WL	2/14/2012	12024361	7440-23-5	Sodium	0001	140000	ug/L		F	92		F
73205	WL	2/14/2012	12024361	7440-24-6	Strontium	0001	2300	ug/L		F	0.3		F
73205	WL	2/14/2012	12024361	98-06-6	tert-Butylbenzene	N001	0.16	ug/L	U	F	0.16		F
73205	WL	2/14/2012	12024361	7440-28-0	Thallium	0001	4.9	ug/L	U	F	4.9		F
73205	WL	2/14/2012	12024361	7440-31-5	Tin	0001	5.8	ug/L	U	F	5.8		F
73205	WL	2/14/2012	12024361	7440-32-6	Titanium	0001	1.2	ug/L	J	F	0.6		F
73205	WL	2/14/2012	12024361	75-69-4	Trichlorofluoromethane	N001	0.29	ug/L	U	F	0.29		F
73205	WL	2/14/2012	12024361	7440-62-2	Vanadium	0001	1.1	ug/L	U	F	1.1		F
80005	WL	2/29/2012	12024369	630-20-6	1,1,1,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		F
80005	WL	2/29/2012	12024369	630-20-6	1,1,1,2-Tetrachloroethane	N002	0.21	ug/L	U	D	0.21		F
80005	WL	2/29/2012	12024369	75-34-3	1,1-Dichloroethane	N001	0.22	ug/L	U	F	0.22		F
80005	WL	2/29/2012	12024369	75-34-3	1,1-Dichloroethane	N002	0.22	ug/L	U	D	0.22		F
80005	WL	2/29/2012	12024369	563-58-6	1,1-Dichloropropene	N001	0.19	ug/L	U	F	0.19		F
80005	WL	2/29/2012	12024369	563-58-6	1,1-Dichloropropene	N002	0.19	ug/L	U	D	0.19		F
80005	WL	2/29/2012	12024369	87-61-6	1,2,3-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		F
80005	WL	2/29/2012	12024369	87-61-6	1,2,3-Trichlorobenzene	N002	0.21	ug/L	U	D	0.21		F
80005	WL	2/29/2012	12024369	96-18-4	1,2,3-Trichloropropane	N001	0.33	ug/L	U	F	0.33		F
80005	WL	2/29/2012	12024369	96-18-4	1,2,3-Trichloropropane	N002	0.33	ug/L	U	D	0.33		F
80005	WL	2/29/2012	12024369	95-63-6	1,2,4-Trimethylbenzene	N001	0.15	ug/L	U	F	0.15		F
80005	WL	2/29/2012	12024369	95-63-6	1,2,4-Trimethylbenzene	N002	0.15	ug/L	U	D	0.15		F
80005	WL	2/29/2012	12024369	108-67-8	1,3,5-Trimethylbenzene	N001	0.16	ug/L	U	F	0.16		F
80005	WL	2/29/2012	12024369	108-67-8	1,3,5-Trimethylbenzene	N002	0.16	ug/L	U	D	0.16		F
80005	WL	2/29/2012	12024369	142-28-9	1,3-Dichloropropane	N001	0.22	ug/L	U	F	0.22		F
80005	WL	2/29/2012	12024369	142-28-9	1,3-Dichloropropane	N002	0.22	ug/L	U	D	0.22		F
80005	WL	2/29/2012	12024369	594-20-7	2,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		F
80005	WL	2/29/2012	12024369	594-20-7	2,2-Dichloropropane	N002	0.18	ug/L	U	D	0.18		F
80005	WL	2/29/2012	12024369	78-93-3	2-Butanone	N001	2	ug/L	U	F	2		F
80005	WL	2/29/2012	12024369	78-93-3	2-Butanone	N002	2	ug/L	U	D	2		F
80005	WL	2/29/2012	12024369	95-49-8	2-Chlorotoluene	N001	0.17	ug/L	U	F	0.17		F
80005	WL	2/29/2012	12024369	95-49-8	2-Chlorotoluene	N002	0.17	ug/L	U	D	0.17		F
80005	WL	2/29/2012	12024369	591-78-6	2-Hexanone	N001	1.7	ug/L	U	F	1.7		F
80005	WL	2/29/2012	12024369	591-78-6	2-Hexanone	N002	1.7	ug/L	U	D	1.7		F
80005	WL	2/29/2012	12024369	91-57-6	2-Methylnaphthalene	N001	0.34	ug/L	U	F	0.34		F
80005	WL	2/29/2012	12024369	91-57-6	2-Methylnaphthalene	N002	0.35	ug/L	U	D	0.35		F
80005	WL	2/29/2012	12024369	95-48-7	2-Methylphenol	N001	1.2	ug/L	U	F	1.2		F
80005	WL	2/29/2012	12024369	95-48-7	2-Methylphenol	N002	1.2	ug/L	U	D	1.2		F
80005	WL	2/29/2012	12024369	88-74-4	2-Nitroaniline	N001	2	ug/L	U	F	2		F
80005	WL	2/29/2012	12024369	88-74-4	2-Nitroaniline	N002	2.1	ug/L	U	D	2.1		F
80005	WL	2/29/2012	12024369	88-75-5	2-Nitrophenol	N001	0.46	ug/L	U	F	0.46		F
80005	WL	2/29/2012	12024369	88-75-5	2-Nitrophenol	N002	0.47	ug/L	U	D	0.47		F
80005	WL	2/29/2012	12024369	99-09-2	3-Nitroaniline	N001	2.4	ug/L	U	F	2.4		F
80005	WL	2/29/2012	12024369	99-09-2	3-Nitroaniline	N002	2.4	ug/L	U	D	2.4		F
80005	WL	2/29/2012	12024369	101-55-3	4-Bromophenyl phenyl ether	N001	0.51	ug/L	U	F	0.51		F
80005	WL	2/29/2012	12024369	101-55-3	4-Bromophenyl phenyl ether	N002	0.52	ug/L	U	D	0.52		F
80005	WL	2/29/2012	12024369	106-47-8	4-Chloroaniline	N001	2.5	ug/L	U	F	2.5		F
80005	WL	2/29/2012	12024369	106-47-8	4-Chloroaniline	N002	2.6	ug/L	U	D	2.6		F
80005	WL	2/29/2012	12024369	7005-72-3	4-Chlorophenyl phenyl ether	N001	2	ug/L	U	F	2		F
80005	WL	2/29/2012	12024369	7005-72-3	4-Chlorophenyl phenyl ether	N002	2	ug/L	U	D	2		F
80005	WL	2/29/2012	12024369	106-43-4	4-Chlorotoluene	N001	0.21	ug/L	U	F	0.21		F
80005	WL	2/29/2012	12024369	106-43-4	4-Chlorotoluene	N002	0.21	ug/L	U	D	0.21		F

Non-RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
80005	WL	2/29/2012	12024369	108-10-1	4-Methyl-2-Pentanone	N001	0.98	ug/L	U	F	0.98		F
80005	WL	2/29/2012	12024369	108-10-1	4-Methyl-2-Pentanone	N002	0.98	ug/L	U	D	0.98		F
80005	WL	2/29/2012	12024369	106-44-5	4-Methylphenol	N001	0.3	ug/L	U	F	0.3		F
80005	WL	2/29/2012	12024369	106-44-5	4-Methylphenol	N002	0.3	ug/L	U	D	0.3		F
80005	WL	2/29/2012	12024369	100-01-6	4-Nitroaniline	N001	2.4	ug/L	U	F	2.4		F
80005	WL	2/29/2012	12024369	100-01-6	4-Nitroaniline	N002	2.4	ug/L	U	D	2.4		F
80005	WL	2/29/2012	12024369	208-96-8	Acenaphthylene	N001	0.58	ug/L	U	F	0.58		F
80005	WL	2/29/2012	12024369	208-96-8	Acenaphthylene	N002	0.59	ug/L	U	D	0.59		F
80005	WL	2/29/2012	12024369	67-64-1	Acetone	N001	1.9	ug/L	U	F	1.9		F
80005	WL	2/29/2012	12024369	67-64-1	Acetone	N002	1.9	ug/L	U	D	1.9		F
80005	WL	2/29/2012	12024369	7429-90-5	Aluminum	0001	18	ug/L	U	F	18		F
80005	WL	2/29/2012	12024369	7429-90-5	Aluminum	0002	18	ug/L	U	D	18		F
80005	WL	2/29/2012	12024369	7440-36-0	Antimony	0001	4	ug/L	J	F	3.1		UF
80005	WL	2/29/2012	12024369	7440-36-0	Antimony	0002	3.1	ug/L	U	D	3.1		F
80005	WL	2/29/2012	12024369	7440-39-3	Barium	0001	99	ug/L		F	0.58		F
80005	WL	2/29/2012	12024369	7440-39-3	Barium	0002	97	ug/L		D	0.58		F
80005	WL	2/29/2012	12024369	65-85-0	Benzoic acid	N001	12	ug/L	U	F	12		F
80005	WL	2/29/2012	12024369	65-85-0	Benzoic acid	N002	12	ug/L	U	D	12		F
80005	WL	2/29/2012	12024369	100-51-6	Benzyl alcohol	N001	0.27	ug/L	U	F	0.27		F
80005	WL	2/29/2012	12024369	100-51-6	Benzyl alcohol	N002	0.28	ug/L	U	D	0.28		F
80005	WL	2/29/2012	12024369	111-91-1	Bis(2-chloroethoxy)methane	N001	1.1	ug/L	U	F	1.1		F
80005	WL	2/29/2012	12024369	111-91-1	Bis(2-chloroethoxy)methane	N002	1.2	ug/L	U	D	1.2		F
80005	WL	2/29/2012	12024369	108-86-1	Bromobenzene	N001	0.17	ug/L	U	F	0.17		F
80005	WL	2/29/2012	12024369	108-86-1	Bromobenzene	N002	0.17	ug/L	U	D	0.17		F
80005	WL	2/29/2012	12024369	74-97-5	Bromochloromethane	N001	0.1	ug/L	U	F	0.1		F
80005	WL	2/29/2012	12024369	74-97-5	Bromochloromethane	N002	0.1	ug/L	U	D	0.1		F
80005	WL	2/29/2012	12024369	7440-70-2	Calcium	0001	120000	ug/L		F	35		F
80005	WL	2/29/2012	12024369	7440-70-2	Calcium	0002	110000	ug/L		D	35		F
80005	WL	2/29/2012	12024369	75-15-0	Carbon Disulfide	N001	0.45	ug/L	U	F	0.45		F
80005	WL	2/29/2012	12024369	75-15-0	Carbon Disulfide	N002	0.45	ug/L	U	D	0.45		F
80005	WL	2/29/2012	12024369	75-00-3	Chloroethane	N001	0.41	ug/L	U	F	0.41		F
80005	WL	2/29/2012	12024369	75-00-3	Chloroethane	N002	0.41	ug/L	U	D	0.41		F
80005	WL	2/29/2012	12024369	10061-01-5	cis-1,3-Dichloropropene	N001	0.16	ug/L	U	F	0.16		F
80005	WL	2/29/2012	12024369	10061-01-5	cis-1,3-Dichloropropene	N002	0.16	ug/L	U	D	0.16		F
80005	WL	2/29/2012	12024369	7440-48-4	Cobalt	0001	1.2	ug/L	U	F	1.2		F
80005	WL	2/29/2012	12024369	7440-48-4	Cobalt	0002	1.2	ug/L	U	D	1.2		F
80005	WL	2/29/2012	12024369	132-64-9	Dibenzofuran	N001	0.34	ug/L	U	F	0.34		F
80005	WL	2/29/2012	12024369	132-64-9	Dibenzofuran	N002	0.35	ug/L	U	D	0.35		F
80005	WL	2/29/2012	12024369	74-95-3	Dibromomethane	N001	0.17	ug/L	U	F	0.17		F
80005	WL	2/29/2012	12024369	74-95-3	Dibromomethane	N002	0.17	ug/L	U	D	0.17		F
80005	WL	2/29/2012	12024369	75-71-8	Dichlorodifluoromethane	N001	0.31	ug/L	U	F	0.31		F
80005	WL	2/29/2012	12024369	75-71-8	Dichlorodifluoromethane	N002	0.31	ug/L	U	D	0.31		F
80005	WL	2/29/2012	12024369	117-84-0	Di-n-octyl phthalate	N001	0.41	ug/L	U	F	0.41		F
80005	WL	2/29/2012	12024369	117-84-0	Di-n-octyl phthalate	N002	0.42	ug/L	U	D	0.42		F
80005	WL	2/29/2012	12024369	7439-89-6	Iron	0001	22	ug/L	U	F	22		F
80005	WL	2/29/2012	12024369	7439-89-6	Iron	0002	22	ug/L	U	D	22		F
80005	WL	2/29/2012	12024369	98-82-8	Isopropylbenzene	N001	0.19	ug/L	U	F	0.19		F
80005	WL	2/29/2012	12024369	98-82-8	Isopropylbenzene	N002	0.19	ug/L	U	D	0.19		F
80005	WL	2/29/2012	12024369	7439-93-2	Lithium	0001	79	ug/L		F	2.6		F
80005	WL	2/29/2012	12024369	7439-93-2	Lithium	0002	72	ug/L		D	2.6		F
80005	WL	2/29/2012	12024369	7439-95-4	Magnesium	0001	40000	ug/L		F	11		F
80005	WL	2/29/2012	12024369	7439-95-4	Magnesium	0002	39000	ug/L		D	11		F
80005	WL	2/29/2012	12024369	7439-96-5	Manganese	0001	0.6	ug/L	J	F	0.25		F
80005	WL	2/29/2012	12024369	7439-96-5	Manganese	0002	0.43	ug/L	J	D	0.25		F

Non-RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
80005	WL	2/29/2012	12024369	7439-98-7	Molybdenum	0001	3.1	ug/L	U	F	3.1		F
80005	WL	2/29/2012	12024369	7439-98-7	Molybdenum	0002	3.1	ug/L	U	D	3.1		F
80005	WL	2/29/2012	12024369	104-51-8	n-Butylbenzene	N001	0.32	ug/L	U	F	0.32		F
80005	WL	2/29/2012	12024369	104-51-8	n-Butylbenzene	N002	0.32	ug/L	U	D	0.32		F
80005	WL	2/29/2012	12024369	103-65-1	n-Propylbenzene	N001	0.16	ug/L	U	F	0.16		F
80005	WL	2/29/2012	12024369	103-65-1	n-Propylbenzene	N002	0.16	ug/L	U	D	0.16		F
80005	WL	2/29/2012	12024369	85-01-8	Phenanthrene	N001	0.31	ug/L	U	F	0.31		F
80005	WL	2/29/2012	12024369	85-01-8	Phenanthrene	N002	0.31	ug/L	U	D	0.31		F
80005	WL	2/29/2012	12024369	99-87-6	p-Isopropyltoluene	N001	0.2	ug/L	U	F	0.2		F
80005	WL	2/29/2012	12024369	99-87-6	p-Isopropyltoluene	N002	0.2	ug/L	U	D	0.2		F
80005	WL	2/29/2012	12024369	7440-09-7	Potassium	0001	3400	ug/L		F	240		F
80005	WL	2/29/2012	12024369	7440-09-7	Potassium	0002	3200	ug/L		D	240		F
80005	WL	2/29/2012	12024369	135-98-8	sec-Butylbenzene	N001	0.17	ug/L	U	F	0.17		F
80005	WL	2/29/2012	12024369	135-98-8	sec-Butylbenzene	N002	0.17	ug/L	U	D	0.17		F
80005	WL	2/29/2012	12024369	7631-86-9	Silica	0001	11000	ug/L		F	74		F
80005	WL	2/29/2012	12024369	7631-86-9	Silica	0002	10000	ug/L		D	74		F
80005	WL	2/29/2012	12024369	7440-23-5	Sodium	0001	60000	ug/L	B	F	92		F
80005	WL	2/29/2012	12024369	7440-23-5	Sodium	0002	59000	ug/L	B	D	92		F
80005	WL	2/29/2012	12024369	7440-24-6	Strontium	0001	970	ug/L		F	0.3		F
80005	WL	2/29/2012	12024369	7440-24-6	Strontium	0002	950	ug/L		D	0.3		F
80005	WL	2/29/2012	12024369	98-06-6	tert-Butylbenzene	N001	0.16	ug/L	U	F	0.16		F
80005	WL	2/29/2012	12024369	98-06-6	tert-Butylbenzene	N002	0.16	ug/L	U	D	0.16		F
80005	WL	2/29/2012	12024369	7440-28-0	Thallium	0001	4.9	ug/L	U	F	4.9		F
80005	WL	2/29/2012	12024369	7440-28-0	Thallium	0002	4.9	ug/L	U	D	4.9		F
80005	WL	2/29/2012	12024369	7440-31-5	Tin	0001	5.8	ug/L	U	F	5.8		F
80005	WL	2/29/2012	12024369	7440-31-5	Tin	0002	5.8	ug/L	U	D	5.8		F
80005	WL	2/29/2012	12024369	7440-32-6	Titanium	0001	0.6	ug/L	U	F	0.6		F
80005	WL	2/29/2012	12024369	7440-32-6	Titanium	0002	0.6	ug/L	U	D	0.6		F
80005	WL	2/29/2012	12024369	75-69-4	Trichlorofluoromethane	N001	0.29	ug/L	U	F	0.29		F
80005	WL	2/29/2012	12024369	75-69-4	Trichlorofluoromethane	N002	0.29	ug/L	U	D	0.29		F
80005	WL	2/29/2012	12024369	7440-62-2	Vanadium	0001	1.1	ug/L	U	F	1.1		F
80005	WL	2/29/2012	12024369	7440-62-2	Vanadium	0002	1.1	ug/L	U	D	1.1		F
80105	WL	2/29/2012	12024369	630-20-6	1,1,1,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		F
80105	WL	2/29/2012	12024369	75-34-3	1,1-Dichloroethane	N001	0.22	ug/L	U	F	0.22		F
80105	WL	2/29/2012	12024369	563-58-6	1,1-Dichloropropene	N001	0.19	ug/L	U	F	0.19		F
80105	WL	2/29/2012	12024369	87-61-6	1,2,3-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		F
80105	WL	2/29/2012	12024369	96-18-4	1,2,3-Trichloropropane	N001	0.33	ug/L	U	F	0.33		F
80105	WL	2/29/2012	12024369	95-63-6	1,2,4-Trimethylbenzene	N001	0.15	ug/L	U	F	0.15		F
80105	WL	2/29/2012	12024369	108-67-8	1,3,5-Trimethylbenzene	N001	0.16	ug/L	U	F	0.16		F
80105	WL	2/29/2012	12024369	142-28-9	1,3-Dichloropropane	N001	0.22	ug/L	U	F	0.22		F
80105	WL	2/29/2012	12024369	594-20-7	2,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		F
80105	WL	2/29/2012	12024369	78-93-3	2-Butanone	N001	2	ug/L	U	F	2		F
80105	WL	2/29/2012	12024369	95-49-8	2-Chlorotoluene	N001	0.17	ug/L	U	F	0.17		F
80105	WL	2/29/2012	12024369	591-78-6	2-Hexanone	N001	1.7	ug/L	U	F	1.7		F
80105	WL	2/29/2012	12024369	91-57-6	2-Methylnaphthalene	N001	0.34	ug/L	U	F	0.34		FJ
80105	WL	2/29/2012	12024369	95-48-7	2-Methylphenol	N001	1.1	ug/L	U	F	1.1		FJ
80105	WL	2/29/2012	12024369	88-74-4	2-Nitroaniline	N001	2	ug/L	U	F	2		FJ
80105	WL	2/29/2012	12024369	88-75-5	2-Nitrophenol	N001	0.46	ug/L	U	F	0.46		FJ
80105	WL	2/29/2012	12024369	99-09-2	3-Nitroaniline	N001	2.3	ug/L	U	F	2.3		FJ
80105	WL	2/29/2012	12024369	101-55-3	4-Bromophenyl phenyl ether	N001	0.5	ug/L	U	F	0.5		FJ
80105	WL	2/29/2012	12024369	106-47-8	4-Chloroaniline	N001	2.5	ug/L	U	F	2.5		FJ
80105	WL	2/29/2012	12024369	7005-72-3	4-Chlorophenyl phenyl ether	N001	1.9	ug/L	U	F	1.9		FJ
80105	WL	2/29/2012	12024369	106-43-4	4-Chlorotoluene	N001	0.21	ug/L	U	F	0.21		F
80105	WL	2/29/2012	12024369	108-10-1	4-Methyl-2-Pentanone	N001	0.98	ug/L	U	F	0.98		F

Non-RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
80105	WL	2/29/2012	12024369	106-44-5	4-Methylphenol	N001	0.29	ug/L	U	F	0.29		FJ
80105	WL	2/29/2012	12024369	100-01-6	4-Nitroaniline	N001	2.3	ug/L	U	F	2.3		FJ
80105	WL	2/29/2012	12024369	208-96-8	Acenaphthylene	N001	0.57	ug/L	U	F	0.57		FJ
80105	WL	2/29/2012	12024369	67-64-1	Acetone	N001	1.9	ug/L	U	F	1.9		F
80105	WL	2/29/2012	12024369	7429-90-5	Aluminum	0001	18	ug/L	U	F	18		F
80105	WL	2/29/2012	12024369	7440-36-0	Antimony	0001	3.1	ug/L	U	F	3.1		F
80105	WL	2/29/2012	12024369	7440-39-3	Barium	0001	46	ug/L		F	0.58		F
80105	WL	2/29/2012	12024369	65-85-0	Benzoic acid	N001	12	ug/L	U	F	12		FJ
80105	WL	2/29/2012	12024369	100-51-6	Benzyl alcohol	N001	0.27	ug/L	U	F	0.27		FJ
80105	WL	2/29/2012	12024369	111-91-1	Bis(2-chloroethoxy)methane	N001	1.1	ug/L	U	F	1.1		FJ
80105	WL	2/29/2012	12024369	108-86-1	Bromobenzene	N001	0.17	ug/L	U	F	0.17		F
80105	WL	2/29/2012	12024369	74-97-5	Bromochloromethane	N001	0.1	ug/L	U	F	0.1		F
80105	WL	2/29/2012	12024369	7440-70-2	Calcium	0001	160000	ug/L		F	35		F
80105	WL	2/29/2012	12024369	75-15-0	Carbon Disulfide	N001	0.45	ug/L	U	F	0.45		F
80105	WL	2/29/2012	12024369	75-00-3	Chloroethane	N001	0.41	ug/L	U	F	0.41		F
80105	WL	2/29/2012	12024369	10061-01-5	cis-1,3-Dichloropropene	N001	0.16	ug/L	U	F	0.16		F
80105	WL	2/29/2012	12024369	7440-48-4	Cobalt	0001	1.2	ug/L	U	F	1.2		F
80105	WL	2/29/2012	12024369	132-64-9	Dibenzofuran	N001	0.34	ug/L	U	F	0.34		FJ
80105	WL	2/29/2012	12024369	74-95-3	Dibromomethane	N001	0.17	ug/L	U	F	0.17		F
80105	WL	2/29/2012	12024369	75-71-8	Dichlorodifluoromethane	N001	0.31	ug/L	U	F	0.31		F
80105	WL	2/29/2012	12024369	117-84-0	Di-n-octyl phthalate	N001	0.41	ug/L	U	F	0.41		FJ
80105	WL	2/29/2012	12024369	7439-89-6	Iron	0001	22	ug/L	U	F	22		F
80105	WL	2/29/2012	12024369	98-82-8	Isopropylbenzene	N001	0.19	ug/L	U	F	0.19		F
80105	WL	2/29/2012	12024369	7439-93-2	Lithium	0001	190	ug/L		F	2.6		F
80105	WL	2/29/2012	12024369	7439-95-4	Magnesium	0001	43000	ug/L		F	11		F
80105	WL	2/29/2012	12024369	7439-96-5	Manganese	0001	12	ug/L		F	0.25		F
80105	WL	2/29/2012	12024369	7439-98-7	Molybdenum	0001	3.1	ug/L	U	F	3.1		F
80105	WL	2/29/2012	12024369	104-51-8	n-Butylbenzene	N001	0.32	ug/L	U	F	0.32		F
80105	WL	2/29/2012	12024369	103-65-1	n-Propylbenzene	N001	0.16	ug/L	U	F	0.16		F
80105	WL	2/29/2012	12024369	85-01-8	Phenanthrene	N001	0.3	ug/L	U	F	0.3		FJ
80105	WL	2/29/2012	12024369	99-87-6	p-Isopropyltoluene	N001	0.2	ug/L	U	F	0.2		F
80105	WL	2/29/2012	12024369	7440-09-7	Potassium	0001	4300	ug/L		F	240		F
80105	WL	2/29/2012	12024369	135-98-8	sec-Butylbenzene	N001	0.17	ug/L	U	F	0.17		F
80105	WL	2/29/2012	12024369	7631-86-9	Silica	0001	11000	ug/L		F	74		F
80105	WL	2/29/2012	12024369	7440-23-5	Sodium	0001	100000	ug/L	B	F	92		F
80105	WL	2/29/2012	12024369	7440-24-6	Strontium	0001	1500	ug/L		F	0.3		F
80105	WL	2/29/2012	12024369	98-06-6	tert-Butylbenzene	N001	0.16	ug/L	U	F	0.16		F
80105	WL	2/29/2012	12024369	7440-28-0	Thallium	0001	4.9	ug/L	U	F	4.9		F
80105	WL	2/29/2012	12024369	7440-31-5	Tin	0001	5.8	ug/L	U	F	5.8		F
80105	WL	2/29/2012	12024369	7440-32-6	Titanium	0001	0.6	ug/L	U	F	0.6		F
80105	WL	2/29/2012	12024369	75-69-4	Trichlorofluoromethane	N001	0.29	ug/L	U	F	0.29		F
80105	WL	2/29/2012	12024369	7440-62-2	Vanadium	0001	1.1	ug/L	U	F	1.1		F
80205	WL	2/29/2012	12024369	630-20-6	1,1,1,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		FQ
80205	WL	2/29/2012	12024369	75-34-3	1,1-Dichloroethane	N001	0.22	ug/L	U	F	0.22		FQ
80205	WL	2/29/2012	12024369	563-58-6	1,1-Dichloropropene	N001	0.19	ug/L	U	F	0.19		FQ
80205	WL	2/29/2012	12024369	87-61-6	1,2,3-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		FQ
80205	WL	2/29/2012	12024369	96-18-4	1,2,3-Trichloropropane	N001	0.33	ug/L	U	F	0.33		FQ
80205	WL	2/29/2012	12024369	95-63-6	1,2,4-Trimethylbenzene	N001	0.15	ug/L	U	F	0.15		FQ
80205	WL	2/29/2012	12024369	108-67-8	1,3,5-Trimethylbenzene	N001	0.16	ug/L	U	F	0.16		FQ
80205	WL	2/29/2012	12024369	142-28-9	1,3-Dichloropropane	N001	0.22	ug/L	U	F	0.22		FQ
80205	WL	2/29/2012	12024369	594-20-7	2,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		FQ
80205	WL	2/29/2012	12024369	78-93-3	2-Butanone	N001	2	ug/L	U	F	2		FQ
80205	WL	2/29/2012	12024369	95-49-8	2-Chlorotoluene	N001	0.17	ug/L	U	F	0.17		FQ
80205	WL	2/29/2012	12024369	591-78-6	2-Hexanone	N001	1.7	ug/L	U	F	1.7		FQ

Non-RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
80205	WL	2/29/2012	12024369	91-57-6	2-Methylnaphthalene	N001	0.34	ug/L	U	F	0.34		FQ
80205	WL	2/29/2012	12024369	95-48-7	2-Methylphenol	N001	1.1	ug/L	U	F	1.1		FQ
80205	WL	2/29/2012	12024369	88-74-4	2-Nitroaniline	N001	2	ug/L	U	F	2		FQ
80205	WL	2/29/2012	12024369	88-75-5	2-Nitrophenol	N001	0.45	ug/L	U	F	0.45		FQ
80205	WL	2/29/2012	12024369	99-09-2	3-Nitroaniline	N001	2.3	ug/L	U	F	2.3		FQ
80205	WL	2/29/2012	12024369	101-55-3	4-Bromophenyl phenyl ether	N001	0.5	ug/L	U	F	0.5		FQ
80205	WL	2/29/2012	12024369	106-47-8	4-Chloroaniline	N001	2.5	ug/L	U	F	2.5		FQ
80205	WL	2/29/2012	12024369	7005-72-3	4-Chlorophenyl phenyl ether	N001	1.9	ug/L	U	F	1.9		FQ
80205	WL	2/29/2012	12024369	106-43-4	4-Chlorotoluene	N001	0.21	ug/L	U	F	0.21		FQ
80205	WL	2/29/2012	12024369	108-10-1	4-Methyl-2-Pentanone	N001	0.98	ug/L	U	F	0.98		FQ
80205	WL	2/29/2012	12024369	106-44-5	4-Methylphenol	N001	0.29	ug/L	U	F	0.29		FQ
80205	WL	2/29/2012	12024369	100-01-6	4-Nitroaniline	N001	2.3	ug/L	U	F	2.3		FQ
80205	WL	2/29/2012	12024369	208-96-8	Acenaphthylene	N001	0.57	ug/L	U	F	0.57		FQ
80205	WL	2/29/2012	12024369	67-64-1	Acetone	N001	1.9	ug/L	U	F	1.9		FQ
80205	WL	2/29/2012	12024369	7429-90-5	Aluminum	0001	18	ug/L	U	F	18		FQ
80205	WL	2/29/2012	12024369	7440-36-0	Antimony	0001	5.5	ug/L	J	F	3.1		UFQ
80205	WL	2/29/2012	12024369	7440-39-3	Barium	0001	45	ug/L		F	0.58		FQ
80205	WL	2/29/2012	12024369	65-85-0	Benzoic acid	N001	12	ug/L	U	F	12		FQ
80205	WL	2/29/2012	12024369	100-51-6	Benzyl alcohol	N001	0.27	ug/L	U	F	0.27		FQ
80205	WL	2/29/2012	12024369	111-91-1	Bis(2-chloroethoxy)methane	N001	1.1	ug/L	U	F	1.1		FQ
80205	WL	2/29/2012	12024369	108-86-1	Bromobenzene	N001	0.17	ug/L	U	F	0.17		FQ
80205	WL	2/29/2012	12024369	74-97-5	Bromochloromethane	N001	0.1	ug/L	U	F	0.1		FQ
80205	WL	2/29/2012	12024369	7440-70-2	Calcium	0001	260000	ug/L		F	35		FQ
80205	WL	2/29/2012	12024369	75-15-0	Carbon Disulfide	N001	0.45	ug/L	U	F	0.45		FQ
80205	WL	2/29/2012	12024369	75-00-3	Chloroethane	N001	0.41	ug/L	U	F	0.41		FQ
80205	WL	2/29/2012	12024369	10061-01-5	cis-1,3-Dichloropropene	N001	0.16	ug/L	U	F	0.16		FQ
80205	WL	2/29/2012	12024369	7440-48-4	Cobalt	0001	1.2	ug/L	U	F	1.2		FQ
80205	WL	2/29/2012	12024369	132-64-9	Dibenzofuran	N001	0.34	ug/L	U	F	0.34		FQ
80205	WL	2/29/2012	12024369	74-95-3	Dibromomethane	N001	0.17	ug/L	U	F	0.17		FQ
80205	WL	2/29/2012	12024369	75-71-8	Dichlorodifluoromethane	N001	0.31	ug/L	U	F	0.31		FQ
80205	WL	2/29/2012	12024369	117-84-0	Di-n-octyl phthalate	N001	0.41	ug/L	U	F	0.41		FQ
80205	WL	2/29/2012	12024369	7439-89-6	Iron	0001	22	ug/L	U	F	22		FQ
80205	WL	2/29/2012	12024369	98-82-8	Isopropylbenzene	N001	0.19	ug/L	U	F	0.19		FQ
80205	WL	2/29/2012	12024369	7439-93-2	Lithium	0001	180	ug/L		F	2.6		FQ
80205	WL	2/29/2012	12024369	7439-95-4	Magnesium	0001	100000	ug/L		F	11		FQ
80205	WL	2/29/2012	12024369	7439-96-5	Manganese	0001	11	ug/L		F	0.25		FQ
80205	WL	2/29/2012	12024369	7439-98-7	Molybdenum	0001	3.1	ug/L	U	F	3.1		FQ
80205	WL	2/29/2012	12024369	104-51-8	n-Butylbenzene	N001	0.32	ug/L	U	F	0.32		FQ
80205	WL	2/29/2012	12024369	103-65-1	n-Propylbenzene	N001	0.16	ug/L	U	F	0.16		FQ
80205	WL	2/29/2012	12024369	85-01-8	Phenanthrene	N001	0.3	ug/L	U	F	0.3		FQ
80205	WL	2/29/2012	12024369	99-87-6	p-Isopropyltoluene	N001	0.2	ug/L	U	F	0.2		FQ
80205	WL	2/29/2012	12024369	7440-09-7	Potassium	0001	2300	ug/L	J	F	240		FQ
80205	WL	2/29/2012	12024369	135-98-8	sec-Butylbenzene	N001	0.17	ug/L	U	F	0.17		FQ
80205	WL	2/29/2012	12024369	7631-86-9	Silica	0001	24000	ug/L		F	74		FQ
80205	WL	2/29/2012	12024369	7440-23-5	Sodium	0001	210000	ug/L	B	F	92		FQ
80205	WL	2/29/2012	12024369	7440-24-6	Strontium	0001	2800	ug/L		F	0.3		FQ
80205	WL	2/29/2012	12024369	98-06-6	tert-Butylbenzene	N001	0.16	ug/L	U	F	0.16		FQ
80205	WL	2/29/2012	12024369	7440-28-0	Thallium	0001	4.9	ug/L	U	F	4.9		FQ
80205	WL	2/29/2012	12024369	7440-31-5	Tin	0001	5.8	ug/L	U	F	5.8		FQ
80205	WL	2/29/2012	12024369	7440-32-6	Titanium	0001	0.6	ug/L	U	F	0.6		FQ
80205	WL	2/29/2012	12024369	75-69-4	Trichlorofluoromethane	N001	0.29	ug/L	U	F	0.29		FQ
80205	WL	2/29/2012	12024369	7440-62-2	Vanadium	0001	1.1	ug/L	U	F	1.1		FQ
A1EFF	SL	3/1/2012	12034404	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	6.6	mg/L		F	0.019		
A1EFF	SL	3/1/2012	12034404	7440-61-1	Uranium	N001	32	ug/L		F	0.02		

Non-RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
A1EFF	SL	3/15/2012	12034417	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	1	mg/L		F	0.019		
A1EFF	SL	3/15/2012	12034417	7440-61-1	Uranium	N001	56	ug/L	B	F	0.02		
A1EFF	SL	3/28/2012	12044451	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	16	mg/L		F	0.038		J
A1EFF	SL	3/28/2012	12044451	7440-61-1	Uranium	N001	28	ug/L		F	0.05		
A2EFF	SL	1/25/2012	12014322	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	0.055	mg/L		F	0.019		
A2EFF	SL	1/25/2012	12014322	7440-61-1	Uranium	N001	67	ug/L		F	0.02		
A2EFF	SL	3/1/2012	12034404	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	4.2	mg/L		F	0.019		
A2EFF	SL	3/1/2012	12034404	7440-61-1	Uranium	N001	50	ug/L		F	0.02		
A2EFF	SL	3/15/2012	12034417	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	0.054	mg/L		F	0.019		
A2EFF	SL	3/15/2012	12034417	7440-61-1	Uranium	N001	64	ug/L	B	F	0.02		
A2EFF	SL	3/28/2012	12044451	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	7.4	mg/L		F	0.038		
A2EFF	SL	3/28/2012	12044451	7440-61-1	Uranium	N001	44	ug/L		F	0.05		
A4 POND	SL	1/17/2012	12014312	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	7.4	mg/L		F	0.038		
A4 POND	SL	1/17/2012	12014312	7440-61-1	Uranium	N001	19	ug/L		F	0.02		
A4 POND	SL	1/25/2012	12014322	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	4.7	mg/L		F	0.019		
A4 POND	SL	1/25/2012	12014322	7440-61-1	Uranium	N001	17	ug/L		F	0.02		
A4 POND	SL	3/1/2012	12034404	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	9.5	mg/L		F	0.019		
A4 POND	SL	3/1/2012	12034404	7440-61-1	Uranium	N001	12	ug/L		F	0.02		
A4 POND	SL	3/15/2012	12034417	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	8.1	mg/L		F	0.019		
A4 POND	SL	3/15/2012	12034417	7440-61-1	Uranium	N001	13	ug/L	B	F	0.02		
A4 POND	SL	3/28/2012	12044451	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	4.3	mg/L		F	0.019		
A4 POND	SL	3/28/2012	12044451	7440-61-1	Uranium	N001	16	ug/L		F	0.05		
A4INFLOW	SL	1/17/2012	12014312	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	15	mg/L		F	0.038		
A4INFLOW	SL	1/17/2012	12014312	7440-61-1	Uranium	N001	18	ug/L		F	0.02		
A4INFLOW	SL	1/25/2012	12014322	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	20	mg/L		F	0.095		
A4INFLOW	SL	1/25/2012	12014322	7440-61-1	Uranium	N001	20	ug/L		F	0.02		
A4INFLOW	SL	3/1/2012	12034404	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	10	mg/L		F	0.038		
A4INFLOW	SL	3/1/2012	12034404	7440-61-1	Uranium	N001	7.4	ug/L		F	0.02		
A4INFLOW	SL	3/15/2012	12034417	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	16	mg/L		F	0.038		
A4INFLOW	SL	3/15/2012	12034417	7440-61-1	Uranium	N001	12	ug/L	B	F	0.02		
ASHEFF	TS	3/8/2012	12034405	630-20-6	1,1,1,2-Tetrachloroethane	N001	0.2	ug/L	U	F	0.2		J
ASHEFF	TS	3/8/2012	12034405	71-55-6	1,1,1-Trichloroethane	N001	0.26	ug/L	J	F	0.2		J
ASHEFF	TS	3/8/2012	12034405	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.15	ug/L	U	F	0.15		J
ASHEFF	TS	3/8/2012	12034405	79-00-5	1,1,2-Trichloroethane	N001	0.25	ug/L	U	F	0.25		J
ASHEFF	TS	3/8/2012	12034405	75-34-3	1,1-Dichloroethane	N001	59.5	ug/L		F	10		J
ASHEFF	TS	3/8/2012	12034405	75-35-4	1,1-Dichloroethene	N001	2.92	ug/L		F	0.1		J
ASHEFF	TS	3/8/2012	12034405	563-58-6	1,1-Dichloropropene	N001	0.25	ug/L	U	F	0.25		J
ASHEFF	TS	3/8/2012	12034405	87-61-6	1,2,3-Trichlorobenzene	N001	0.1	ug/L	U	F	0.1		J
ASHEFF	TS	3/8/2012	12034405	96-18-4	1,2,3-Trichloropropane	N001	0.2	ug/L	U	F	0.2		J
ASHEFF	TS	3/8/2012	12034405	120-82-1	1,2,4-Trichlorobenzene	N001	0.25	ug/L	U	F	0.25		J
ASHEFF	TS	3/8/2012	12034405	95-63-6	1,2,4-Trimethylbenzene	N001	0.1	ug/L	U	F	0.1		J
ASHEFF	TS	3/8/2012	12034405	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.25	ug/L	U	F	0.25		J
ASHEFF	TS	3/8/2012	12034405	106-93-4	1,2-Dibromoethane	N001	0.2	ug/L	U	F	0.2		J
ASHEFF	TS	3/8/2012	12034405	95-50-1	1,2-Dichlorobenzene	N001	0.2	ug/L	U	F	0.2		J
ASHEFF	TS	3/8/2012	12034405	107-06-2	1,2-Dichloroethane	N001	0.85	ug/L	J	F	0.25		J
ASHEFF	TS	3/8/2012	12034405	78-87-5	1,2-Dichloropropane	N001	0.2	ug/L	U	F	0.2		J
ASHEFF	TS	3/8/2012	12034405	108-67-8	1,3,5-Trimethylbenzene	N001	0.1	ug/L	U	F	0.1		J
ASHEFF	TS	3/8/2012	12034405	541-73-1	1,3-Dichlorobenzene	N001	0.1	ug/L	U	F	0.1		J
ASHEFF	TS	3/8/2012	12034405	142-28-9	1,3-Dichloropropane	N001	0.25	ug/L	U	F	0.25		J
ASHEFF	TS	3/8/2012	12034405	106-46-7	1,4-Dichlorobenzene	N001	0.1	ug/L	U	F	0.1		J
ASHEFF	TS	3/8/2012	12034405	594-20-7	2,2-Dichloropropane	N001	0.25	ug/L	U	F	0.25		J
ASHEFF	TS	3/8/2012	12034405	78-93-3	2-Butanone	N001	0.5	ug/L	U	F	0.5		J
ASHEFF	TS	3/8/2012	12034405	95-49-8	2-Chlorotoluene	N001	0.1	ug/L	U	F	0.1		J
ASHEFF	TS	3/8/2012	12034405	591-78-6	2-Hexanone	N001	0.5	ug/L	U	F	0.5		J

Non-RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
ASHEFF	TS	3/8/2012	12034405	106-43-4	4-Chlorotoluene	N001	0.1	ug/L	U	F	0.1		J
ASHEFF	TS	3/8/2012	12034405	108-10-1	4-Methyl-2-Pentanone	N001	0.5	ug/L	U	F	0.5		J
ASHEFF	TS	3/8/2012	12034405	67-64-1	Acetone	N001	2.36	ug/L	J	F	0.5		J
ASHEFF	TS	3/8/2012	12034405	71-43-2	Benzene	N001	0.27	ug/L	J	F	0.1		J
ASHEFF	TS	3/8/2012	12034405	108-86-1	Bromobenzene	N001	0.1	ug/L	U	F	0.1		J
ASHEFF	TS	3/8/2012	12034405	74-97-5	Bromochloromethane	N001	0.2	ug/L	U	F	0.2		J
ASHEFF	TS	3/8/2012	12034405	75-27-4	Bromodichloromethane	N001	0.2	ug/L	U	F	0.2		J
ASHEFF	TS	3/8/2012	12034405	75-25-2	Bromoform	N001	0.25	ug/L	U	F	0.25		J
ASHEFF	TS	3/8/2012	12034405	74-83-9	Bromomethane	N001	0.2	ug/L	U	F	0.2		J
ASHEFF	TS	3/8/2012	12034405	75-15-0	Carbon Disulfide	N001	0.25	ug/L	U	F	0.25		J
ASHEFF	TS	3/8/2012	12034405	56-23-5	Carbon tetrachloride	N001	0.1	ug/L	U	F	0.1		J
ASHEFF	TS	3/8/2012	12034405	108-90-7	Chlorobenzene	N001	0.1	ug/L	U	F	0.1		J
ASHEFF	TS	3/8/2012	12034405	124-48-1	Chlorodibromomethane	N001	0.2	ug/L	U	F	0.2		J
ASHEFF	TS	3/8/2012	12034405	75-00-3	Chloroethane	N001	0.25	ug/L	U	F	0.25		J
ASHEFF	TS	3/8/2012	12034405	67-66-3	Chloroform	N001	10.3	ug/L		F	0.1		J
ASHEFF	TS	3/8/2012	12034405	74-87-3	Chloromethane	N001	0.2	ug/L	U	F	0.2		J
ASHEFF	TS	3/8/2012	12034405	156-59-2	cis-1,2-Dichloroethene	N001	627	ug/L		F	5		J
ASHEFF	TS	3/8/2012	12034405	10061-01-5	cis-1,3-Dichloropropene	N001	0.25	ug/L	U	F	0.25		J
ASHEFF	TS	3/8/2012	12034405	74-95-3	Dibromomethane	N001	0.25	ug/L	U	F	0.25		J
ASHEFF	TS	3/8/2012	12034405	75-71-8	Dichlorodifluoromethane	N001	0.25	ug/L	U	F	0.25		J
ASHEFF	TS	3/8/2012	12034405	100-41-4	Ethylbenzene	N001	0.1	ug/L	U	F	0.1		J
ASHEFF	TS	3/8/2012	12034405	87-68-3	Hexachlorobutadiene	N001	0.25	ug/L	U	F	0.25		J
ASHEFF	TS	3/8/2012	12034405	98-82-8	Isopropylbenzene	N001	0.1	ug/L	U	F	0.1		J
ASHEFF	TS	3/8/2012	12034405	75-09-2	Methylene chloride	N001	1.55	ug/L		F	0.25		J
ASHEFF	TS	3/8/2012	12034405	91-20-3	Naphthalene	N001	0.25	ug/L	U	F	0.25		J
ASHEFF	TS	3/8/2012	12034405	104-51-8	n-Butylbenzene	N001	0.1	ug/L	U	F	0.1		J
ASHEFF	TS	3/8/2012	12034405	103-65-1	n-Propylbenzene	N001	0.1	ug/L	U	F	0.1		J
ASHEFF	TS	3/8/2012	12034405	99-87-6	p-Isopropyltoluene	N001	0.1	ug/L	U	F	0.1		J
ASHEFF	TS	3/8/2012	12034405	135-98-8	sec-Butylbenzene	N001	0.1	ug/L	U	F	0.1		J
ASHEFF	TS	3/8/2012	12034405	100-42-5	Styrene	N001	0.1	ug/L	U	F	0.1		J
ASHEFF	TS	3/8/2012	12034405	98-06-6	tert-Butylbenzene	N001	0.1	ug/L	U	F	0.1		J
ASHEFF	TS	3/8/2012	12034405	127-18-4	Tetrachloroethene	N001	3.13	ug/L		F	0.2		J
ASHEFF	TS	3/8/2012	12034405	108-88-3	Toluene	N001	0.11	ug/L	J	F	0.1		J
ASHEFF	TS	3/8/2012	12034405	1330-20-7	Total Xylenes	N001	0.2	ug/L	U	F	0.2		J
ASHEFF	TS	3/8/2012	12034405	156-60-5	trans-1,2-Dichloroethene	N001	0.2	ug/L	J	F	0.2		J
ASHEFF	TS	3/8/2012	12034405	10061-02-6	trans-1,3-dichloropropene	N001	0.25	ug/L	U	F	0.25		J
ASHEFF	TS	3/8/2012	12034405	79-01-6	Trichloroethene	N001	5.09	ug/L		F	0.11		J
ASHEFF	TS	3/8/2012	12034405	75-69-4	Trichlorofluoromethane	N001	0.2	ug/L	U	F	0.2		J
ASHEFF	TS	3/8/2012	12034405	75-01-4	Vinyl chloride	N001	2.42	ug/L		F	0.2		J
ASHINF	TS	3/8/2012	12034405	630-20-6	1,1,1,2-Tetrachloroethane	N001	0.2	ug/L	U	F	0.2		J
ASHINF	TS	3/8/2012	12034405	71-55-6	1,1,1-Trichloroethane	N001	1.7	ug/L		F	0.2		J
ASHINF	TS	3/8/2012	12034405	79-34-5	1,1,2,2-Tetrachloroethane	N001	0.15	ug/L	U	F	0.15		J
ASHINF	TS	3/8/2012	12034405	79-00-5	1,1,2-Trichloroethane	N001	0.29	ug/L	J	F	0.25		J
ASHINF	TS	3/8/2012	12034405	75-34-3	1,1-Dichloroethane	N001	250	ug/L		F	20		J
ASHINF	TS	3/8/2012	12034405	75-35-4	1,1-Dichloroethene	N001	20.5	ug/L		F	0.1		J
ASHINF	TS	3/8/2012	12034405	563-58-6	1,1-Dichloropropene	N001	0.25	ug/L	U	F	0.25		J
ASHINF	TS	3/8/2012	12034405	87-61-6	1,2,3-Trichlorobenzene	N001	0.1	ug/L	U	F	0.1		J
ASHINF	TS	3/8/2012	12034405	96-18-4	1,2,3-Trichloropropane	N001	0.2	ug/L	U	F	0.2		J
ASHINF	TS	3/8/2012	12034405	120-82-1	1,2,4-Trichlorobenzene	N001	0.25	ug/L	U	F	0.25		J
ASHINF	TS	3/8/2012	12034405	95-63-6	1,2,4-Trimethylbenzene	N001	0.1	ug/L	U	F	0.1		J
ASHINF	TS	3/8/2012	12034405	96-12-8	1,2-Dibromo-3-chloropropane	N001	0.25	ug/L	U	F	0.25		J
ASHINF	TS	3/8/2012	12034405	106-93-4	1,2-Dibromoethane	N001	0.2	ug/L	U	F	0.2		J
ASHINF	TS	3/8/2012	12034405	95-50-1	1,2-Dichlorobenzene	N001	0.2	ug/L	U	F	0.2		J
ASHINF	TS	3/8/2012	12034405	107-06-2	1,2-Dichloroethane	N001	1.65	ug/L		F	0.25		J

Non-RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
ASHINF	TS	3/8/2012	12034405	78-87-5	1,2-Dichloropropane	N001	0.2	ug/L	U	F	0.2		J
ASHINF	TS	3/8/2012	12034405	108-67-8	1,3,5-Trimethylbenzene	N001	0.1	ug/L	U	F	0.1		J
ASHINF	TS	3/8/2012	12034405	541-73-1	1,3-Dichlorobenzene	N001	0.1	ug/L	U	F	0.1		J
ASHINF	TS	3/8/2012	12034405	142-28-9	1,3-Dichloropropane	N001	0.25	ug/L	U	F	0.25		J
ASHINF	TS	3/8/2012	12034405	106-46-7	1,4-Dichlorobenzene	N001	0.1	ug/L	U	F	0.1		J
ASHINF	TS	3/8/2012	12034405	594-20-7	2,2-Dichloropropane	N001	0.25	ug/L	U	F	0.25		J
ASHINF	TS	3/8/2012	12034405	78-93-3	2-Butanone	N001	0.5	ug/L	U	F	0.5		J
ASHINF	TS	3/8/2012	12034405	95-49-8	2-Chlorotoluene	N001	0.1	ug/L	U	F	0.1		J
ASHINF	TS	3/8/2012	12034405	591-78-6	2-Hexanone	N001	0.5	ug/L	U	F	0.5		J
ASHINF	TS	3/8/2012	12034405	106-43-4	4-Chlorotoluene	N001	0.1	ug/L	U	F	0.1		J
ASHINF	TS	3/8/2012	12034405	108-10-1	4-Methyl-2-Pentanone	N001	0.5	ug/L	U	F	0.5		J
ASHINF	TS	3/8/2012	12034405	67-64-1	Acetone	N001	3.91	ug/L	J	F	0.5		J
ASHINF	TS	3/8/2012	12034405	71-43-2	Benzene	N001	1.13	ug/L		F	0.1		J
ASHINF	TS	3/8/2012	12034405	108-86-1	Bromobenzene	N001	0.1	ug/L	U	F	0.1		J
ASHINF	TS	3/8/2012	12034405	74-97-5	Bromochloromethane	N001	0.2	ug/L	U	F	0.2		J
ASHINF	TS	3/8/2012	12034405	75-27-4	Bromodichloromethane	N001	0.2	ug/L	U	F	0.2		J
ASHINF	TS	3/8/2012	12034405	75-25-2	Bromoform	N001	0.25	ug/L	U	F	0.25		J
ASHINF	TS	3/8/2012	12034405	74-83-9	Bromomethane	N001	0.2	ug/L	U	F	0.2		J
ASHINF	TS	3/8/2012	12034405	75-15-0	Carbon Disulfide	N001	0.25	ug/L	U	F	0.25		J
ASHINF	TS	3/8/2012	12034405	56-23-5	Carbon tetrachloride	N001	0.1	ug/L	U	F	0.1		J
ASHINF	TS	3/8/2012	12034405	108-90-7	Chlorobenzene	N001	0.1	ug/L	U	F	0.1		J
ASHINF	TS	3/8/2012	12034405	124-48-1	Chlorodibromomethane	N001	0.2	ug/L	U	F	0.2		J
ASHINF	TS	3/8/2012	12034405	75-00-3	Chloroethane	N001	1.04	ug/L		F	0.25		J
ASHINF	TS	3/8/2012	12034405	67-66-3	Chloroform	N001	35.7	ug/L		F	0.1		J
ASHINF	TS	3/8/2012	12034405	74-87-3	Chloromethane	N001	0.2	ug/L	U	F	0.2		J
ASHINF	TS	3/8/2012	12034405	156-59-2	cis-1,2-Dichloroethene	N001	2330	ug/L		F	10		J
ASHINF	TS	3/8/2012	12034405	10061-01-5	cis-1,3-Dichloropropene	N001	0.25	ug/L	U	F	0.25		J
ASHINF	TS	3/8/2012	12034405	74-95-3	Dibromomethane	N001	0.25	ug/L	U	F	0.25		J
ASHINF	TS	3/8/2012	12034405	75-71-8	Dichlorodifluoromethane	N001	0.25	ug/L	U	F	0.25		J
ASHINF	TS	3/8/2012	12034405	100-41-4	Ethylbenzene	N001	0.1	ug/L	U	F	0.1		J
ASHINF	TS	3/8/2012	12034405	87-68-3	Hexachlorobutadiene	N001	0.25	ug/L	U	F	0.25		J
ASHINF	TS	3/8/2012	12034405	98-82-8	Isopropylbenzene	N001	0.1	ug/L	U	F	0.1		J
ASHINF	TS	3/8/2012	12034405	75-09-2	Methylene chloride	N001	8.27	ug/L		F	0.25		J
ASHINF	TS	3/8/2012	12034405	91-20-3	Naphthalene	N001	0.25	ug/L	U	F	0.25		J
ASHINF	TS	3/8/2012	12034405	104-51-8	n-Butylbenzene	N001	0.1	ug/L	U	F	0.1		J
ASHINF	TS	3/8/2012	12034405	103-65-1	n-Propylbenzene	N001	0.1	ug/L	U	F	0.1		J
ASHINF	TS	3/8/2012	12034405	99-87-6	p-Isopropyltoluene	N001	0.1	ug/L	U	F	0.1		J
ASHINF	TS	3/8/2012	12034405	135-98-8	sec-Butylbenzene	N001	0.1	ug/L	U	F	0.1		J
ASHINF	TS	3/8/2012	12034405	100-42-5	Styrene	N001	0.1	ug/L	U	F	0.1		J
ASHINF	TS	3/8/2012	12034405	98-06-6	tert-Butylbenzene	N001	0.1	ug/L	U	F	0.1		J
ASHINF	TS	3/8/2012	12034405	127-18-4	Tetrachloroethene	N001	20.8	ug/L		F	0.2		J
ASHINF	TS	3/8/2012	12034405	108-88-3	Toluene	N001	0.33	ug/L	J	F	0.1		J
ASHINF	TS	3/8/2012	12034405	1330-20-7	Total Xylenes	N001	0.2	ug/L	U	F	0.2		J
ASHINF	TS	3/8/2012	12034405	156-60-5	trans-1,2-Dichloroethene	N001	0.82	ug/L	J	F	0.2		J
ASHINF	TS	3/8/2012	12034405	10061-02-6	trans-1,3-dichloropropene	N001	0.25	ug/L	U	F	0.25		J
ASHINF	TS	3/8/2012	12034405	79-01-6	Trichloroethene	N001	26.1	ug/L		F	0.11		J
ASHINF	TS	3/8/2012	12034405	75-69-4	Trichlorofluoromethane	N001	0.2	ug/L	U	F	0.2		J
ASHINF	TS	3/8/2012	12034405	75-01-4	Vinyl chloride	N001	16.8	ug/L		F	0.2		J
B3OUTFLOW	SL	1/17/2012	12014312	7440-61-1	Uranium	N001	24	ug/L		F	0.02		
B3OUTFLOW	SL	1/25/2012	12014322	7440-61-1	Uranium	N001	19	ug/L		F	0.02		
B3OUTFLOW	SL	3/1/2012	12034404	7440-61-1	Uranium	N001	18	ug/L		F	0.02		
B3OUTFLOW	SL	3/15/2012	12034417	7440-61-1	Uranium	N001	17	ug/L	B	F	0.02		
B3OUTFLOW	SL	3/28/2012	12044451	7440-61-1	Uranium	N001	17	ug/L		F	0.05		
B5 POND	SL	1/17/2012	12014312	7440-61-1	Uranium	N001	13	ug/L		F	0.02		

Non-RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
B5 POND	SL	1/25/2012	12014322	7440-61-1	Uranium	N001	11	ug/L		F	0.02		
B5 POND	SL	3/1/2012	12034404	7440-61-1	Uranium	N001	12	ug/L		F	0.02		
B5 POND	SL	3/15/2012	12034417	7440-61-1	Uranium	N001	12	ug/L	B	F	0.02		
B5 POND	SL	3/28/2012	12044451	7440-61-1	Uranium	N001	12	ug/L		F	0.05		
B5INFLOW	SL	1/3/2012	12034403	7440-61-1	Uranium	N001	15	ug/L		F	0.067		
B5INFLOW	SL	1/17/2012	12014312	7440-61-1	Uranium	N001	18	ug/L		F	0.02		
B5INFLOW	SL	1/25/2012	12014322	7440-61-1	Uranium	N001	18	ug/L		F	0.02		
B5INFLOW	SL	3/1/2012	12034404	7440-61-1	Uranium	N001	17	ug/L		F	0.02		
B5INFLOW	SL	3/6/2012	12034431	7440-61-1	Uranium	N001	17.4	ug/L		F	0.067		
B5INFLOW	SL	3/15/2012	12034417	7440-61-1	Uranium	N001	15	ug/L	B	F	0.02		
B5INFLOW	SL	3/23/2012	12044484	7440-61-1	Uranium	N001	13.2	ug/L		F	0.067		
B5INFLOW	SL	3/28/2012	12044451	7440-61-1	Uranium	N001	14	ug/L		F	0.05		
ET EFFLUENT	TS	1/24/2012	12014321	630-20-6	1,1,1,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		
ET EFFLUENT	TS	1/24/2012	12014321	75-34-3	1,1-Dichloroethane	N001	1.3	ug/L		F	0.22		
ET EFFLUENT	TS	1/24/2012	12014321	563-58-6	1,1-Dichloropropene	N001	0.19	ug/L	U	F	0.19		
ET EFFLUENT	TS	1/24/2012	12014321	87-61-6	1,2,3-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		
ET EFFLUENT	TS	1/24/2012	12014321	96-18-4	1,2,3-Trichloropropane	N001	0.33	ug/L	U	F	0.33		
ET EFFLUENT	TS	1/24/2012	12014321	95-63-6	1,2,4-Trimethylbenzene	N001	0.15	ug/L	U	F	0.15		
ET EFFLUENT	TS	1/24/2012	12014321	108-67-8	1,3,5-Trimethylbenzene	N001	0.16	ug/L	U	F	0.16		
ET EFFLUENT	TS	1/24/2012	12014321	142-28-9	1,3-Dichloropropane	N001	0.22	ug/L	U	F	0.22		
ET EFFLUENT	TS	1/24/2012	12014321	594-20-7	2,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		
ET EFFLUENT	TS	1/24/2012	12014321	78-93-3	2-Butanone	N001	2	ug/L	U	F	2		
ET EFFLUENT	TS	1/24/2012	12014321	95-49-8	2-Chlorotoluene	N001	0.17	ug/L	U	F	0.17		
ET EFFLUENT	TS	1/24/2012	12014321	591-78-6	2-Hexanone	N001	1.7	ug/L	U	F	1.7		
ET EFFLUENT	TS	1/24/2012	12014321	106-43-4	4-Chlorotoluene	N001	0.21	ug/L	U	F	0.21		
ET EFFLUENT	TS	1/24/2012	12014321	108-10-1	4-Methyl-2-Pentanone	N001	0.98	ug/L	U	F	0.98		
ET EFFLUENT	TS	1/24/2012	12014321	67-64-1	Acetone	N001	1.9	ug/L	U	F	1.9		
ET EFFLUENT	TS	1/24/2012	12014321	108-86-1	Bromobenzene	N001	0.17	ug/L	U	F	0.17		
ET EFFLUENT	TS	1/24/2012	12014321	74-97-5	Bromochloromethane	N001	0.1	ug/L	U	F	0.1		
ET EFFLUENT	TS	1/24/2012	12014321	75-15-0	Carbon Disulfide	N001	0.45	ug/L	U	F	0.45		
ET EFFLUENT	TS	1/24/2012	12014321	75-00-3	Chloroethane	N001	0.41	ug/L	U	F	0.41		
ET EFFLUENT	TS	1/24/2012	12014321	10061-01-5	cis-1,3-Dichloropropene	N001	0.16	ug/L	U	F	0.16		
ET EFFLUENT	TS	1/24/2012	12014321	74-95-3	Dibromomethane	N001	0.17	ug/L	U	F	0.17		
ET EFFLUENT	TS	1/24/2012	12014321	75-71-8	Dichlorodifluoromethane	N001	0.31	ug/L	U	F	0.31		
ET EFFLUENT	TS	1/24/2012	12014321	98-82-8	Isopropylbenzene	N001	0.19	ug/L	U	F	0.19		
ET EFFLUENT	TS	1/24/2012	12014321	104-51-8	n-Butylbenzene	N001	0.32	ug/L	U	F	0.32		
ET EFFLUENT	TS	1/24/2012	12014321	103-65-1	n-Propylbenzene	N001	0.16	ug/L	U	F	0.16		
ET EFFLUENT	TS	1/24/2012	12014321	99-87-6	p-Isopropyltoluene	N001	0.2	ug/L	U	F	0.2		
ET EFFLUENT	TS	1/24/2012	12014321	135-98-8	sec-Butylbenzene	N001	0.17	ug/L	U	F	0.17		
ET EFFLUENT	TS	1/24/2012	12014321	98-06-6	tert-Butylbenzene	N001	0.16	ug/L	U	F	0.16		
ET EFFLUENT	TS	1/24/2012	12014321	75-69-4	Trichlorofluoromethane	N001	0.29	ug/L	U	F	0.29		J
ET INFLUENT	TS	1/24/2012	12014321	630-20-6	1,1,1,2-Tetrachloroethane	N001	2.1	ug/L	U	F	2.1		
ET INFLUENT	TS	1/24/2012	12014321	75-34-3	1,1-Dichloroethane	N001	2.2	ug/L	U	F	2.2		
ET INFLUENT	TS	1/24/2012	12014321	563-58-6	1,1-Dichloropropene	N001	1.9	ug/L	U	F	1.9		
ET INFLUENT	TS	1/24/2012	12014321	87-61-6	1,2,3-Trichlorobenzene	N001	2.1	ug/L	U	F	2.1		
ET INFLUENT	TS	1/24/2012	12014321	96-18-4	1,2,3-Trichloropropane	N001	3.3	ug/L	U	F	3.3		
ET INFLUENT	TS	1/24/2012	12014321	95-63-6	1,2,4-Trimethylbenzene	N001	1.5	ug/L	U	F	1.5		
ET INFLUENT	TS	1/24/2012	12014321	108-67-8	1,3,5-Trimethylbenzene	N001	1.6	ug/L	U	F	1.6		
ET INFLUENT	TS	1/24/2012	12014321	142-28-9	1,3-Dichloropropane	N001	2.2	ug/L	U	F	2.2		
ET INFLUENT	TS	1/24/2012	12014321	594-20-7	2,2-Dichloropropane	N001	1.8	ug/L	U	F	1.8		
ET INFLUENT	TS	1/24/2012	12014321	78-93-3	2-Butanone	N001	20	ug/L	U	F	20		
ET INFLUENT	TS	1/24/2012	12014321	95-49-8	2-Chlorotoluene	N001	1.7	ug/L	U	F	1.7		
ET INFLUENT	TS	1/24/2012	12014321	591-78-6	2-Hexanone	N001	17	ug/L	U	F	17		
ET INFLUENT	TS	1/24/2012	12014321	106-43-4	4-Chlorotoluene	N001	2.1	ug/L	U	F	2.1		

Non-RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
ET INFLUENT	TS	1/24/2012	12014321	108-10-1	4-Methyl-2-Pentanone	N001	9.8	ug/L	U	F	9.8		
ET INFLUENT	TS	1/24/2012	12014321	67-64-1	Acetone	N001	19	ug/L	U	F	19		
ET INFLUENT	TS	1/24/2012	12014321	108-86-1	Bromobenzene	N001	1.7	ug/L	U	F	1.7		
ET INFLUENT	TS	1/24/2012	12014321	74-97-5	Bromochloromethane	N001	1	ug/L	U	F	1		
ET INFLUENT	TS	1/24/2012	12014321	75-15-0	Carbon Disulfide	N001	4.5	ug/L	U	F	4.5		
ET INFLUENT	TS	1/24/2012	12014321	75-00-3	Chloroethane	N001	4.1	ug/L	U	F	4.1		
ET INFLUENT	TS	1/24/2012	12014321	10061-01-5	cis-1,3-Dichloropropene	N001	1.6	ug/L	U	F	1.6		
ET INFLUENT	TS	1/24/2012	12014321	74-95-3	Dibromomethane	N001	1.7	ug/L	U	F	1.7		
ET INFLUENT	TS	1/24/2012	12014321	75-71-8	Dichlorodifluoromethane	N001	3.1	ug/L	U	F	3.1		
ET INFLUENT	TS	1/24/2012	12014321	98-82-8	Isopropylbenzene	N001	1.9	ug/L	U	F	1.9		
ET INFLUENT	TS	1/24/2012	12014321	104-51-8	n-Butylbenzene	N001	3.2	ug/L	U	F	3.2		
ET INFLUENT	TS	1/24/2012	12014321	103-65-1	n-Propylbenzene	N001	1.6	ug/L	U	F	1.6		
ET INFLUENT	TS	1/24/2012	12014321	99-87-6	p-Isopropyltoluene	N001	2	ug/L	U	F	2		
ET INFLUENT	TS	1/24/2012	12014321	135-98-8	sec-Butylbenzene	N001	1.7	ug/L	U	F	1.7		
ET INFLUENT	TS	1/24/2012	12014321	98-06-6	tert-Butylbenzene	N001	1.6	ug/L	U	F	1.6		
ET INFLUENT	TS	1/24/2012	12014321	75-69-4	Trichlorofluoromethane	N001	2.9	ug/L	U	F	2.9		J
FC4750	SL	3/15/2012	12034417	7440-61-1	Uranium	N001	19	ug/L	B	F	0.02		
FC4750	SL	3/28/2012	12044451	7440-61-1	Uranium	N001	21	ug/L		F	0.05		
FC4988	SL	3/6/2012	12034402	ALKALINITY	Alkalinity, Total (As CaCO3)	N001	261	mg/L		F	0.725		
FC4988	SL	3/6/2012	12034402	AM-241	Americium-241	N001	0.00188	pCi/L	U	F	0.026	0.00974	
FC4988	SL	3/6/2012	12034402	HARDNESS	Hardness	N001	478	mg/L		F	2		
FC4988	SL	3/6/2012	12034402	PU-238	Plutonium-238	N001	0	pCi/L	U	F	0.0205	0.0114	
FC4988	SL	3/6/2012	12034402	PU-239,240	Plutonium-239, 240	N001	0.0263	pCi/L		F	0.0176	0.0148	J
FC4988	SL	3/6/2012	12034402	TSS	Total Suspended Solids	N001	113	mg/L		F	4.79		
FC4988	SL	3/6/2012	12034402	7440-61-1	Uranium	N001	19	ug/L		F	0.067		
FC4991	SL	1/17/2012	12014312	7440-61-1	Uranium	N001	27	ug/L		F	0.02		
FC4991	SL	1/25/2012	12014322	7440-61-1	Uranium	N001	22	ug/L		F	0.02		
FC4991	SL	3/1/2012	12034404	7440-61-1	Uranium	N001	19	ug/L		F	0.02		
FC4991	SL	3/15/2012	12034417	7440-61-1	Uranium	N001	19	ug/L	B	F	0.02		
FC4991	SL	3/28/2012	12044451	7440-61-1	Uranium	N001	19	ug/L		F	0.05		
FC4995	SL	3/6/2012	12034402	ALKALINITY	Alkalinity, Total (As CaCO3)	N001	256	mg/L		F	0.725		
FC4995	SL	3/6/2012	12034402	AM-241	Americium-241	N001	0.00133	pCi/L	U	F	0.0184	0.00691	
FC4995	SL	3/6/2012	12034402	HARDNESS	Hardness	N001	468	mg/L		F	2		
FC4995	SL	3/6/2012	12034402	PU-238	Plutonium-238	N001	-0.00556	pCi/L	U	F	0.0184	0.00943	
FC4995	SL	3/6/2012	12034402	PU-239,240	Plutonium-239, 240	N001	-0.00694	pCi/L	U	F	0.0158	0.00903	
FC4995	SL	3/6/2012	12034402	TSS	Total Suspended Solids	N001	1.57	mg/L	U	F	1.57		
FC4995	SL	3/6/2012	12034402	7440-61-1	Uranium	N001	19.1	ug/L		F	0.067		
FC4997	SL	3/6/2012	12034402	ALKALINITY	Alkalinity, Total (As CaCO3)	N001	246	mg/L		F	2.42		
FC4997	SL	3/6/2012	12034402	AM-241	Americium-241	N001	0.00164	pCi/L	U	F	0.0226	0.00556	
FC4997	SL	3/6/2012	12034402	HARDNESS	Hardness	N001	464	mg/L		F	2		
FC4997	SL	3/6/2012	12034402	PU-238	Plutonium-238	N001	-0.0044	pCi/L	U	F	0.0194	0.00862	
FC4997	SL	3/6/2012	12034402	PU-239,240	Plutonium-239, 240	N001	0.00733	pCi/L	U	F	0.0167	0.00956	
FC4997	SL	3/6/2012	12034402	TSS	Total Suspended Solids	N001	1.35	mg/L	U	F	1.35		
FC4997	SL	3/6/2012	12034402	7440-61-1	Uranium	N001	18.7	ug/L		F	0.067		
FC4EFF	SL	3/6/2012	12034402	ALKALINITY	Alkalinity, Total (As CaCO3)	N001	246	mg/L		F	0.725		
FC4EFF	SL	3/6/2012	12034402	AM-241	Americium-241	N001	-1.07E-09	pCi/L	U	F	0.0297	0.0103	
FC4EFF	SL	3/6/2012	12034402	HARDNESS	Hardness	N001	462	mg/L		F	2		
FC4EFF	SL	3/6/2012	12034402	PU-238	Plutonium-238	N001	0.00286	pCi/L	U	F	0.0189	0.00794	
FC4EFF	SL	3/6/2012	12034402	PU-239,240	Plutonium-239, 240	N001	0.00429	pCi/L	U	F	0.0163	0.00743	
FC4EFF	SL	3/6/2012	12034402	TSS	Total Suspended Solids	N001	5.16	mg/L	J	F	1.34		
FC4EFF	SL	3/6/2012	12034402	7440-61-1	Uranium	N001	18.7	ug/L		F	0.067		
GS01	SL	1/3/2012	12014314	PU-238	Plutonium-238	N001	-0.00216	pCi/L	U	F	0.0137	0.00424	
GS01	SL	1/19/2012	12024362	PU-238	Plutonium-238	N001	0.00273	pCi/L	U	F	0.00909	0.004	
GS01	SL	2/13/2012	12024379	PU-238	Plutonium-238	N001	-0.0102	pCi/L	U	F	0.0226	0.0183	

Non-RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
GS01	SL	2/23/2012	12034402	PU-238	Plutonium-238	N001	-0.0071	pCi/L	U	F	0.0188	0.01	
GS01	SL	2/23/2012	12034402	PU-238	Plutonium-238	N002	-0.00658	pCi/L	U	D	0.0174	0.0118	
GS01	SL	3/1/2012	12034418	PU-238	Plutonium-238	N001	3.17E-10	pCi/L	U	F	0.0251	0.00527	
GS01	SL	3/15/2012	12044453	PU-238	Plutonium-238	N001	-0.00749	pCi/L	U	F	0.0175	0.0109	
GS03	SL	1/3/2012	12024362	PU-238	Plutonium-238	N002	0.005	pCi/L	U	F	0.00998	0.0076	
GS03	SL	2/10/2012	12024379	PU-238	Plutonium-238	N001	0.0015	pCi/L	U	F	0.0198	0.0158	
GS03	SL	2/10/2012	12024379	PU-238	Plutonium-238	N002	-0.00634	pCi/L	U	D	0.0168	0.00746	
GS03	SL	2/23/2012	12034412	PU-238	Plutonium-238	N002	0.00174	pCi/L	U	F	0.023	0.0123	
GS03	SL	2/27/2012	12034402	PU-238	Plutonium-238	N001	-0.00335	pCi/L	U	F	0.0148	0.00727	
GS03	SL	3/1/2012	12034418	PU-238	Plutonium-238	N001	-0.00115	pCi/L	U	F	0.0152	0.00391	
GS03	SL	3/15/2012	12044465	PU-238	Plutonium-238	N003	-0.0122	pCi/L	U	F	0.017	0.00827	
GS05	SL	1/5/2012	12014304	630-20-6	1,1,1,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		
GS05	SL	1/5/2012	12014304	75-34-3	1,1-Dichloroethane	N001	0.22	ug/L	U	F	0.22		
GS05	SL	1/5/2012	12014304	563-58-6	1,1-Dichloropropene	N001	0.19	ug/L	U	F	0.19		
GS05	SL	1/5/2012	12014304	87-61-6	1,2,3-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		
GS05	SL	1/5/2012	12014304	96-18-4	1,2,3-Trichloropropane	N001	0.33	ug/L	U	F	0.33		
GS05	SL	1/5/2012	12014304	95-63-6	1,2,4-Trimethylbenzene	N001	0.15	ug/L	U	F	0.15		
GS05	SL	1/5/2012	12014304	108-67-8	1,3,5-Trimethylbenzene	N001	0.16	ug/L	U	F	0.16		
GS05	SL	1/5/2012	12014304	142-28-9	1,3-Dichloropropane	N001	0.22	ug/L	U	F	0.22		
GS05	SL	1/5/2012	12014304	594-20-7	2,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		
GS05	SL	1/5/2012	12014304	78-93-3	2-Butanone	N001	2	ug/L	U	F	2		
GS05	SL	1/5/2012	12014304	95-49-8	2-Chlorotoluene	N001	0.17	ug/L	U	F	0.17		
GS05	SL	1/5/2012	12014304	591-78-6	2-Hexanone	N001	1.7	ug/L	U	F	1.7		
GS05	SL	1/5/2012	12014304	106-43-4	4-Chlorotoluene	N001	0.21	ug/L	U	F	0.21		
GS05	SL	1/5/2012	12014304	108-10-1	4-Methyl-2-Pentanone	N001	0.98	ug/L	U	F	0.98		
GS05	SL	1/5/2012	12014304	67-64-1	Acetone	N001	1.9	ug/L	U	F	1.9		
GS05	SL	1/5/2012	12034403	7429-90-5	Aluminum	0001	72.5	ug/L	B	F	68		
GS05	SL	1/5/2012	12034403	7429-90-5	Aluminum	N002	333	ug/L		F	68		
GS05	SL	1/5/2012	12034403	7440-36-0	Antimony	0001	3.5	ug/L	U	F	3.5		
GS05	SL	1/5/2012	12034403	7440-36-0	Antimony	N002	3.5	ug/L	U	F	3.5		
GS05	SL	1/5/2012	12034403	7440-38-2	Arsenic	0001	5	ug/L	U	F	5		
GS05	SL	1/5/2012	12034403	7440-39-3	Barium	0001	54.4	ug/L	B	F	1		
GS05	SL	1/5/2012	12034403	7440-39-3	Barium	N002	72.7	ug/L	B	F	1		
GS05	SL	1/5/2012	12034403	7440-41-7	Beryllium	0001	1	ug/L	U	F	1		
GS05	SL	1/5/2012	12034403	7440-42-8	Boron	0001	15	ug/L	U	F	15		
GS05	SL	1/5/2012	12014304	108-86-1	Bromobenzene	N001	0.17	ug/L	U	F	0.17		
GS05	SL	1/5/2012	12014304	74-97-5	Bromochloromethane	N001	0.1	ug/L	U	F	0.1		
GS05	SL	1/5/2012	12034403	7440-43-9	Cadmium	N002	1	ug/L	U	F	1		
GS05	SL	1/5/2012	12034403	7440-70-2	Calcium	0001	30700	ug/L		F	50		
GS05	SL	1/5/2012	12034403	7440-70-2	Calcium	N002	30700	ug/L		F	50		
GS05	SL	1/5/2012	12014304	75-15-0	Carbon Disulfide	N001	0.45	ug/L	U	F	0.45		
GS05	SL	1/5/2012	12014304	75-00-3	Chloroethane	N001	0.41	ug/L	U	F	0.41		
GS05	SL	1/5/2012	12034403	7440-47-3	Chromium	0001	1	ug/L	U	F	1		
GS05	SL	1/5/2012	12014304	10061-01-5	cis-1,3-Dichloropropene	N001	0.16	ug/L	U	F	0.16		
GS05	SL	1/5/2012	12034403	7440-48-4	Cobalt	0001	1	ug/L	U	F	1		
GS05	SL	1/5/2012	12034403	7440-48-4	Cobalt	N002	1.15	ug/L	B	F	1		
GS05	SL	1/5/2012	12034403	7440-50-8	Copper	N002	3	ug/L	U	F	3		
GS05	SL	1/5/2012	12014304	74-95-3	Dibromomethane	N001	0.17	ug/L	U	F	0.17		
GS05	SL	1/5/2012	12014304	75-71-8	Dichlorodifluoromethane	N001	0.31	ug/L	U	F	0.31		
GS05	SL	1/5/2012	12034403	7439-89-6	Iron	0001	78.4	ug/L	B	F	30		
GS05	SL	1/5/2012	12034403	7439-89-6	Iron	N002	1810	ug/L		F	30		
GS05	SL	1/5/2012	12014304	98-82-8	Isopropylbenzene	N001	0.19	ug/L	U	F	0.19		
GS05	SL	1/5/2012	12034403	7439-92-1	Lead	N002	3.3	ug/L	U	F	3.3		
GS05	SL	1/5/2012	12034403	7439-93-2	Lithium	0001	3.12	ug/L	B	F	2		

Non-RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
GS05	SL	1/5/2012	12034403	7439-93-2	Lithium	N002	3.14	ug/L	B	F	2		
GS05	SL	1/5/2012	12034403	7439-95-4	Magnesium	0001	7230	ug/L		F	110		
GS05	SL	1/5/2012	12034403	7439-95-4	Magnesium	N002	7340	ug/L		F	110		
GS05	SL	1/5/2012	12034403	7439-96-5	Manganese	0001	2.41	ug/L	B	F	2		
GS05	SL	1/5/2012	12034403	7439-96-5	Manganese	N002	286	ug/L		F	2		
GS05	SL	1/5/2012	12034403	7439-97-6	Mercury	0001	0.066	ug/L	U	F	0.066		
GS05	SL	1/5/2012	12034403	7439-98-7	Molybdenum	0001	2	ug/L	U	F	2		
GS05	SL	1/5/2012	12034403	7439-98-7	Molybdenum	N002	2	ug/L	U	F	2		
GS05	SL	1/5/2012	12014304	104-51-8	n-Butylbenzene	N001	0.14	ug/L	U	F	0.14		
GS05	SL	1/5/2012	12034403	7440-02-0	Nickel	N002	2.42	ug/L	B	F	1.5		J
GS05	SL	1/5/2012	12014304	103-65-1	n-Propylbenzene	N001	0.16	ug/L	U	F	0.16		
GS05	SL	1/5/2012	12014304	99-87-6	p-Isopropyltoluene	N001	0.2	ug/L	U	F	0.2		
GS05	SL	1/5/2012	12034403	7440-09-7	Potassium	0001	1450	ug/L	B	F	50		
GS05	SL	1/5/2012	12034403	7440-09-7	Potassium	N002	1610	ug/L	B	F	50		
GS05	SL	1/5/2012	12014304	135-98-8	sec-Butylbenzene	N001	0.17	ug/L	U	F	0.17		
GS05	SL	1/5/2012	12034403	7782-49-2	Selenium	0001	6	ug/L	U	F	6		
GS05	SL	1/5/2012	12034403	7631-86-9	Silica	0001	9990	ug/L		F	53		
GS05	SL	1/5/2012	12034403	7631-86-9	Silica	N002	11000	ug/L		F	53		
GS05	SL	1/5/2012	12034403	7440-22-4	Silver	N002	1	ug/L	U	F	1		
GS05	SL	1/5/2012	12034403	7440-23-5	Sodium	0001	29100	ug/L		F	100		
GS05	SL	1/5/2012	12034403	7440-23-5	Sodium	N002	29700	ug/L		F	100		
GS05	SL	1/5/2012	12034403	7440-24-6	Strontium	0001	189	ug/L	B	F	1		
GS05	SL	1/5/2012	12034403	7440-24-6	Strontium	N002	191	ug/L	B	F	1		
GS05	SL	1/5/2012	12014304	98-06-6	tert-Butylbenzene	N001	0.16	ug/L	U	F	0.16		
GS05	SL	1/5/2012	12034403	7440-28-0	Thallium	0001	5	ug/L	U	F	5		
GS05	SL	1/5/2012	12034403	7440-28-0	Thallium	N002	5	ug/L	U	F	5		
GS05	SL	1/5/2012	12034403	7440-31-5	Tin	0001	2.5	ug/L	U	F	2.5		
GS05	SL	1/5/2012	12034403	7440-31-5	Tin	N002	2.5	ug/L	U	F	2.5		
GS05	SL	1/5/2012	12034403	7440-32-6	Titanium	0001	1	ug/L	U	F	1		
GS05	SL	1/5/2012	12034403	7440-32-6	Titanium	N002	4.74	ug/L	B	F	1		
GS05	SL	1/5/2012	12014304	75-69-4	Trichlorofluoromethane	N001	0.29	ug/L	U	F	0.29		
GS05	SL	1/5/2012	12034403	7440-61-1	Uranium	0001	18.6	ug/L	B	F	10		U
GS05	SL	1/5/2012	12034403	7440-62-2	Vanadium	0001	1	ug/L	U	F	1		
GS05	SL	1/5/2012	12034403	7440-62-2	Vanadium	N002	1.24	ug/L	B	F	1		
GS05	SL	1/5/2012	12034403	7440-66-6	Zinc	N002	7.14	ug/L	B	F	3.3		
GS05	SL	2/27/2012	12044483	7429-90-5	Aluminum	0001	68	ug/L	U	F	68		
GS05	SL	2/27/2012	12044483	7429-90-5	Aluminum	N001	173	ug/L	B	F	68		
GS05	SL	2/27/2012	12044483	7440-36-0	Antimony	0001	3.5	ug/L	U	F	3.5		
GS05	SL	2/27/2012	12044483	7440-36-0	Antimony	N001	3.5	ug/L	U	F	3.5		
GS05	SL	2/27/2012	12044483	7440-38-2	Arsenic	0001	5	ug/L	U	F	5		
GS05	SL	2/27/2012	12044483	7440-39-3	Barium	0001	58	ug/L	B	F	1		
GS05	SL	2/27/2012	12044483	7440-39-3	Barium	N001	66.6	ug/L	B	F	1		
GS05	SL	2/27/2012	12044483	7440-41-7	Beryllium	0001	1	ug/L	U	F	1		
GS05	SL	2/27/2012	12044483	7440-42-8	Boron	0001	15	ug/L	U	F	15		
GS05	SL	2/27/2012	12044483	7440-43-9	Cadmium	N001	1	ug/L	U	F	1		
GS05	SL	2/27/2012	12044483	7440-70-2	Calcium	0001	33400	ug/L		F	50		
GS05	SL	2/27/2012	12044483	7440-70-2	Calcium	N001	35300	ug/L		F	50		
GS05	SL	2/27/2012	12044483	7440-47-3	Chromium	0001	1	ug/L	U	F	1		
GS05	SL	2/27/2012	12044483	7440-48-4	Cobalt	0001	1	ug/L	U	F	1		
GS05	SL	2/27/2012	12044483	7440-48-4	Cobalt	N001	1	ug/L	U	F	1		
GS05	SL	2/27/2012	12044483	7440-50-8	Copper	N001	3	ug/L	U	F	3		
GS05	SL	2/27/2012	12044483	7439-89-6	Iron	0001	36.6	ug/L	B	F	30		
GS05	SL	2/27/2012	12044483	7439-89-6	Iron	N001	505	ug/L		F	30		
GS05	SL	2/27/2012	12044483	7439-92-1	Lead	N001	3.3	ug/L	U	F	3.3		

Non-RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
GS05	SL	2/27/2012	12044483	7439-93-2	Lithium	0001	3.68	ug/L	B	F	2		
GS05	SL	2/27/2012	12044483	7439-93-2	Lithium	N001	3.76	ug/L	B	F	2		
GS05	SL	2/27/2012	12044483	7439-95-4	Magnesium	0001	7350	ug/L		F	110		
GS05	SL	2/27/2012	12044483	7439-95-4	Magnesium	N001	7770	ug/L		F	110		
GS05	SL	2/27/2012	12044483	7439-96-5	Manganese	0001	49.8	ug/L		F	2		
GS05	SL	2/27/2012	12044483	7439-96-5	Manganese	N001	63.4	ug/L		F	2		
GS05	SL	2/27/2012	12044483	7439-97-6	Mercury	0001	0.067	ug/L	U	F	0.067		
GS05	SL	2/27/2012	12044483	7439-98-7	Molybdenum	0001	2	ug/L	U	F	2		
GS05	SL	2/27/2012	12044483	7439-98-7	Molybdenum	N001	2	ug/L	U	F	2		
GS05	SL	2/27/2012	12044483	7440-02-0	Nickel	N001	1.53	ug/L	B	F	1.5		
GS05	SL	2/27/2012	12044483	7440-09-7	Potassium	0001	1360	ug/L	B	F	50		
GS05	SL	2/27/2012	12044483	7440-09-7	Potassium	N001	1430	ug/L	B	F	50		
GS05	SL	2/27/2012	12044483	7782-49-2	Selenium	0001	6	ug/L	U	F	6		
GS05	SL	2/27/2012	12044483	7631-86-9	Silica	0001	8750	ug/L		F	53		
GS05	SL	2/27/2012	12044483	7631-86-9	Silica	N001	10100	ug/L		F	53		
GS05	SL	2/27/2012	12044483	7440-22-4	Silver	N001	1	ug/L	U	F	1		
GS05	SL	2/27/2012	12044483	7440-23-5	Sodium	0001	30800	ug/L		F	100		
GS05	SL	2/27/2012	12044483	7440-23-5	Sodium	N001	32600	ug/L		F	100		
GS05	SL	2/27/2012	12044483	7440-24-6	Strontium	0001	224	ug/L		F	1		
GS05	SL	2/27/2012	12044483	7440-24-6	Strontium	N001	237	ug/L		F	1		
GS05	SL	2/27/2012	12044483	7440-28-0	Thallium	0001	5	ug/L	U	F	5		
GS05	SL	2/27/2012	12044483	7440-28-0	Thallium	N001	5	ug/L	U	F	5		
GS05	SL	2/27/2012	12044483	7440-31-5	Tin	0001	2.5	ug/L	U	F	2.5		
GS05	SL	2/27/2012	12044483	7440-31-5	Tin	N001	2.5	ug/L	U	F	2.5		
GS05	SL	2/27/2012	12044483	7440-32-6	Titanium	0001	1	ug/L	U	F	1		
GS05	SL	2/27/2012	12044483	7440-32-6	Titanium	N001	4.24	ug/L	B	F	1		
GS05	SL	2/27/2012	12044483	7440-61-1	Uranium	0001	18.7	ug/L	B	F	10		
GS05	SL	2/27/2012	12044483	7440-62-2	Vanadium	0001	1	ug/L	U	F	1		
GS05	SL	2/27/2012	12044483	7440-62-2	Vanadium	N001	1	ug/L	U	F	1		
GS05	SL	2/27/2012	12044483	7440-66-6	Zinc	N001	3.3	ug/L	U	F	3.3		
GS08	SL	1/5/2012	12024347	AM-241	Americium-241	N001	0.00133	pCi/L	U	F	0.0205	0.00938	
GS08	SL	1/5/2012	12024347	PU-238	Plutonium-238	N001	0.00206	pCi/L	U	F	0.0103	0.00987	
GS08	SL	1/5/2012	12024347	PU-239,240	Plutonium-239, 240	N001	-0.00411	pCi/L	U	F	0.0118	0.00569	
GS08	SL	1/5/2012	12024347	7440-61-1	Uranium	N001	9.89	ug/L		F	0.067		
GS08	SL	2/1/2012	12044465	AM-241	Americium-241	N001	-0.0019	pCi/L	U	F	0.0263	0.0112	
GS08	SL	2/1/2012	12044465	PU-238	Plutonium-238	N001	-0.00127	pCi/L	U	F	0.0177	0.00658	
GS08	SL	2/1/2012	12044465	PU-239,240	Plutonium-239, 240	N001	1.06E-09	pCi/L	U	F	0.014	0.00785	
GS08	SL	2/1/2012	12044465	7440-61-1	Uranium	N001	11.9	ug/L		F	0.067		
GS10	SL	1/5/2012	12014327	PU-238	Plutonium-238	N001	0.01	pCi/L	U	F	0.0253	0.013	
GS10	SL	1/17/2012	12014312	7440-61-1	Uranium	N001	21	ug/L		F	0.02		
GS10	SL	1/23/2012	12024347	PU-238	Plutonium-238	N001	0.00248	pCi/L	U	F	0.0124	0.0077	
GS10	SL	1/25/2012	12014322	7440-61-1	Uranium	N001	20	ug/L		F	0.02		
GS10	SL	2/2/2012	12024379	PU-238	Plutonium-238	N001	0.0075	pCi/L	U	F	0.0165	0.00605	
GS10	SL	2/21/2012	12024379	PU-238	Plutonium-238	N001	0.00223	pCi/L	U	F	0.0147	0.00757	
GS10	SL	2/24/2012	12034402	PU-238	Plutonium-238	N001	-0.00733	pCi/L	U	F	0.0162	0.0112	
GS10	SL	3/1/2012	12034404	7440-61-1	Uranium	N001	19	ug/L		F	0.02		
GS10	SL	3/6/2012	12034430	PU-238	Plutonium-238	N001	0.00812	pCi/L	U	F	0.0179	0.00655	
GS10	SL	3/15/2012	12034417	7440-61-1	Uranium	N001	18	ug/L	B	F	0.02		
GS10	SL	3/21/2012	12044465	PU-238	Plutonium-238	N001	0.00374	pCi/L	U	F	0.0174	0.00733	
GS10	SL	3/28/2012	12044451	7440-61-1	Uranium	N001	18	ug/L		F	0.05		
GS11	SL	1/6/2012	12024348	AM-241	Americium-241	N002	0.00697	pCi/L	U	F	0.0268	0.00685	
GS11	SL	1/6/2012	12014304	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	9.8	mg/L		F	0.038		
GS11	SL	1/6/2012	12024348	PU-238	Plutonium-238	N002	0.00222	pCi/L	U	F	0.0111	0.00815	
GS11	SL	1/6/2012	12024348	PU-239,240	Plutonium-239, 240	N002	-0.00222	pCi/L	U	F	0.0127	0.00688	

Non-RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
GS11	SL	1/6/2012	12024348	7440-61-1	Uranium	N002	15.9	ug/L		F	0.067		
GS11	SL	2/2/2012	12024380	AM-241	Americium-241	N001	0.0076	pCi/L	U	F	0.0263	0.00915	
GS11	SL	2/2/2012	12024381	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N002	4.7	mg/L		F	0.019		
GS11	SL	2/2/2012	12024380	PU-238	Plutonium-238	N001	-0.00301	pCi/L	U	F	0.0199	0.0132	
GS11	SL	2/2/2012	12024380	PU-239,240	Plutonium-239, 240	N001	0.00753	pCi/L	U	F	0.0171	0.00889	
GS11	SL	2/2/2012	12024380	7440-61-1	Uranium	N001	9.92	ug/L		F	0.067		
GS11	SL	2/24/2012	12034419	AM-241	Americium-241	N002	0.00963	pCi/L	U	F	0.019	0.00812	
GS11	SL	2/24/2012	12024381	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	9.9	mg/L		F	0.019		
GS11	SL	2/24/2012	12034419	PU-238	Plutonium-238	N002	0.00417	pCi/L	U	F	0.0138	0.00647	
GS11	SL	2/24/2012	12034419	PU-239,240	Plutonium-239, 240	N002	0.00729	pCi/L	U	F	0.0118	0.00681	
GS11	SL	2/24/2012	12034419	7440-61-1	Uranium	N002	14.7	ug/L		F	0.067		
GS11	SL	3/14/2012	12044484	AM-241	Americium-241	N002	0.00354	pCi/L	U	F	0.0245	0.00695	
GS11	SL	3/14/2012	12034419	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	7.15	mg/L		F	0.05		
GS11	SL	3/14/2012	12044484	PU-238	Plutonium-238	N002	0.00132	pCi/L	U	F	0.0185	0.00579	
GS11	SL	3/14/2012	12044484	PU-239,240	Plutonium-239, 240	N002	0.0066	pCi/L	U	F	0.0146	0.00582	
GS11	SL	3/14/2012	12044484	7440-61-1	Uranium	N002	16.4	ug/L		F	0.067		
GS12	SL	3/21/2012	12044466	7440-61-1	Uranium	N001	45	ug/L		F	0.067		
GS13	SL	1/17/2012	12014312	7440-61-1	Uranium	N001	14	ug/L		F	0.02		
GS13	SL	1/25/2012	12014322	7440-61-1	Uranium	N001	16	ug/L		F	0.02		
GS13	SL	3/1/2012	12034404	7440-61-1	Uranium	N001	6.1	ug/L		F	0.02		
GS13	SL	3/15/2012	12034417	7440-61-1	Uranium	N001	10	ug/L	B	F	0.02		
GS13	SL	3/28/2012	12044451	7440-61-1	Uranium	N001	14	ug/L		F	0.05		
GS31	SL	1/6/2012	12024380	AM-241	Americium-241	N001	0	pCi/L	U	F	0.0228	0.00456	
GS31	SL	1/6/2012	12024380	PU-238	Plutonium-238	N001	-0.00547	pCi/L	U	F	0.0145	0.00643	
GS31	SL	1/6/2012	12024380	PU-239,240	Plutonium-239, 240	N001	0.00109	pCi/L	U	F	0.0124	0.00643	
GS31	SL	1/6/2012	12024380	7440-61-1	Uranium	N001	4.91	ug/L		F	0.067		
GS31	SL	2/16/2012	12044484	AM-241	Americium-241	N001	-0.00185	pCi/L	U	F	0.0256	0.00812	
GS31	SL	2/16/2012	12044484	PU-238	Plutonium-238	N001	-0.00239	pCi/L	U	F	0.0167	0.00574	
GS31	SL	2/16/2012	12044484	PU-239,240	Plutonium-239, 240	N001	0.00477	pCi/L	U	F	0.0132	0.00575	
GS31	SL	2/16/2012	12044484	7440-61-1	Uranium	N001	7.77	ug/L		F	0.067		
GS59	SL	1/5/2012	12014304	630-20-6	1,1,1,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		
GS59	SL	1/5/2012	12014304	75-34-3	1,1-Dichloroethane	N001	0.22	ug/L	U	F	0.22		
GS59	SL	1/5/2012	12014304	563-58-6	1,1-Dichloropropene	N001	0.19	ug/L	U	F	0.19		
GS59	SL	1/5/2012	12014304	87-61-6	1,2,3-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		
GS59	SL	1/5/2012	12014304	96-18-4	1,2,3-Trichloropropane	N001	0.33	ug/L	U	F	0.33		
GS59	SL	1/5/2012	12014304	95-63-6	1,2,4-Trimethylbenzene	N001	0.15	ug/L	U	F	0.15		
GS59	SL	1/5/2012	12014304	108-67-8	1,3,5-Trimethylbenzene	N001	0.16	ug/L	U	F	0.16		
GS59	SL	1/5/2012	12014304	142-28-9	1,3-Dichloropropane	N001	0.22	ug/L	U	F	0.22		
GS59	SL	1/5/2012	12014304	594-20-7	2,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		
GS59	SL	1/5/2012	12014304	78-93-3	2-Butanone	N001	2	ug/L	U	F	2		
GS59	SL	1/5/2012	12014304	95-49-8	2-Chlorotoluene	N001	0.17	ug/L	U	F	0.17		
GS59	SL	1/5/2012	12014304	591-78-6	2-Hexanone	N001	1.7	ug/L	U	F	1.7		
GS59	SL	1/5/2012	12014304	106-43-4	4-Chlorotoluene	N001	0.21	ug/L	U	F	0.21		
GS59	SL	1/5/2012	12014304	108-10-1	4-Methyl-2-Pentanone	N001	0.98	ug/L	U	F	0.98		
GS59	SL	1/5/2012	12014304	67-64-1	Acetone	N001	1.9	ug/L	U	F	1.9		
GS59	SL	1/5/2012	12034403	7429-90-5	Aluminum	0001	83.4	ug/L	B	F	68		
GS59	SL	1/5/2012	12034403	7429-90-5	Aluminum	N002	348	ug/L		F	68		
GS59	SL	1/5/2012	12034403	7440-36-0	Antimony	0001	3.5	ug/L	U	F	3.5		
GS59	SL	1/5/2012	12034403	7440-36-0	Antimony	N002	3.5	ug/L	U	F	3.5		
GS59	SL	1/5/2012	12034403	7440-38-2	Arsenic	0001	5	ug/L	U	F	5		
GS59	SL	1/5/2012	12034403	7440-39-3	Barium	0001	54.1	ug/L	B	F	1		
GS59	SL	1/5/2012	12034403	7440-39-3	Barium	N002	60.6	ug/L	B	F	1		
GS59	SL	1/5/2012	12034403	7440-41-7	Beryllium	0001	1	ug/L	U	F	1		
GS59	SL	1/5/2012	12034403	7440-42-8	Boron	0001	15	ug/L	U	F	15		

Non-RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
GS59	SL	1/5/2012	12014304	108-86-1	Bromobenzene	N001	0.17	ug/L	U	F	0.17		
GS59	SL	1/5/2012	12014304	74-97-5	Bromochloromethane	N001	0.1	ug/L	U	F	0.1		
GS59	SL	1/5/2012	12034403	7440-43-9	Cadmium	N002	1	ug/L	U	F	1		
GS59	SL	1/5/2012	12034403	7440-70-2	Calcium	0001	33200	ug/L		F	50		
GS59	SL	1/5/2012	12034403	7440-70-2	Calcium	N002	35200	ug/L		F	50		
GS59	SL	1/5/2012	12014304	75-15-0	Carbon Disulfide	N001	0.45	ug/L	U	F	0.45		
GS59	SL	1/5/2012	12014304	75-00-3	Chloroethane	N001	0.41	ug/L	U	F	0.41		
GS59	SL	1/5/2012	12034403	7440-47-3	Chromium	0001	1	ug/L	U	F	1		
GS59	SL	1/5/2012	12014304	10061-01-5	cis-1,3-Dichloropropene	N001	0.16	ug/L	U	F	0.16		
GS59	SL	1/5/2012	12034403	7440-48-4	Cobalt	0001	1	ug/L	U	F	1		
GS59	SL	1/5/2012	12034403	7440-48-4	Cobalt	N002	1	ug/L	U	F	1		
GS59	SL	1/5/2012	12034403	7440-50-8	Copper	N002	3	ug/L	U	F	3		
GS59	SL	1/5/2012	12014304	74-95-3	Dibromomethane	N001	0.17	ug/L	U	F	0.17		
GS59	SL	1/5/2012	12014304	75-71-8	Dichlorodifluoromethane	N001	0.31	ug/L	U	F	0.31		
GS59	SL	1/5/2012	12034403	7439-89-6	Iron	0001	77.5	ug/L	B	F	30		
GS59	SL	1/5/2012	12034403	7439-89-6	Iron	N002	351	ug/L		F	30		
GS59	SL	1/5/2012	12014304	98-82-8	Isopropylbenzene	N001	0.19	ug/L	U	F	0.19		
GS59	SL	1/5/2012	12034403	7439-92-1	Lead	N002	3.3	ug/L	U	F	3.3		
GS59	SL	1/5/2012	12034403	7439-93-2	Lithium	0001	5.51	ug/L	B	F	2		
GS59	SL	1/5/2012	12034403	7439-93-2	Lithium	N002	5.56	ug/L	B	F	2		
GS59	SL	1/5/2012	12034403	7439-95-4	Magnesium	0001	9960	ug/L		F	110		
GS59	SL	1/5/2012	12034403	7439-95-4	Magnesium	N002	9840	ug/L		F	110		
GS59	SL	1/5/2012	12034403	7439-96-5	Manganese	0001	2	ug/L	U	F	2		
GS59	SL	1/5/2012	12034403	7439-96-5	Manganese	N002	21.7	ug/L		F	2		
GS59	SL	1/5/2012	12034403	7439-97-6	Mercury	0001	0.066	ug/L	U	F	0.066		
GS59	SL	1/5/2012	12034403	7439-98-7	Molybdenum	0001	2	ug/L	U	F	2		
GS59	SL	1/5/2012	12034403	7439-98-7	Molybdenum	N002	2	ug/L	U	F	2		
GS59	SL	1/5/2012	12014304	104-51-8	n-Butylbenzene	N001	0.14	ug/L	U	F	0.14		
GS59	SL	1/5/2012	12034403	7440-02-0	Nickel	N002	2.26	ug/L	B	F	1.5		J
GS59	SL	1/5/2012	12014304	103-65-1	n-Propylbenzene	N001	0.16	ug/L	U	F	0.16		
GS59	SL	1/5/2012	12014304	99-87-6	p-Isopropyltoluene	N001	0.2	ug/L	U	F	0.2		
GS59	SL	1/5/2012	12034403	7440-09-7	Potassium	0001	1480	ug/L	B	F	50		
GS59	SL	1/5/2012	12034403	7440-09-7	Potassium	N002	1500	ug/L	B	F	50		
GS59	SL	1/5/2012	12014304	135-98-8	sec-Butylbenzene	N001	0.17	ug/L	U	F	0.17		
GS59	SL	1/5/2012	12034403	7782-49-2	Selenium	0001	6	ug/L	U	F	6		
GS59	SL	1/5/2012	12034403	7631-86-9	Silica	0001	12900	ug/L		F	53		
GS59	SL	1/5/2012	12034403	7631-86-9	Silica	N002	13700	ug/L		F	53		
GS59	SL	1/5/2012	12034403	7440-22-4	Silver	N002	1	ug/L	U	F	1		
GS59	SL	1/5/2012	12034403	7440-23-5	Sodium	0001	30400	ug/L		F	100		
GS59	SL	1/5/2012	12034403	7440-23-5	Sodium	N002	29700	ug/L		F	100		
GS59	SL	1/5/2012	12034403	7440-24-6	Strontium	0001	217	ug/L		F	1		
GS59	SL	1/5/2012	12034403	7440-24-6	Strontium	N002	224	ug/L		F	1		
GS59	SL	1/5/2012	12014304	98-06-6	tert-Butylbenzene	N001	0.16	ug/L	U	F	0.16		
GS59	SL	1/5/2012	12034403	7440-28-0	Thallium	0001	5	ug/L	U	F	5		
GS59	SL	1/5/2012	12034403	7440-28-0	Thallium	N002	5	ug/L	U	F	5		
GS59	SL	1/5/2012	12034403	7440-31-5	Tin	0001	2.5	ug/L	U	F	2.5		
GS59	SL	1/5/2012	12034403	7440-31-5	Tin	N002	2.5	ug/L	U	F	2.5		
GS59	SL	1/5/2012	12034403	7440-32-6	Titanium	0001	1.04	ug/L	B	F	1		
GS59	SL	1/5/2012	12034403	7440-32-6	Titanium	N002	4.91	ug/L	B	F	1		
GS59	SL	1/5/2012	12014304	75-69-4	Trichlorofluoromethane	N001	0.29	ug/L	U	F	0.29		
GS59	SL	1/5/2012	12034403	7440-61-1	Uranium	0001	25.7	ug/L	B	F	10		U
GS59	SL	1/5/2012	12034403	7440-62-2	Vanadium	0001	1	ug/L	U	F	1		
GS59	SL	1/5/2012	12034403	7440-62-2	Vanadium	N002	1	ug/L	U	F	1		
GS59	SL	1/5/2012	12034403	7440-66-6	Zinc	N002	3.51	ug/L	B	F	3.3		

Non-RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
GS59	SL	2/27/2012	12044483	7429-90-5	Aluminum	0001	68	ug/L	U	F	68		
GS59	SL	2/27/2012	12044483	7429-90-5	Aluminum	N001	71	ug/L	B	F	68		
GS59	SL	2/27/2012	12044483	7440-36-0	Antimony	0001	3.5	ug/L	U	F	3.5		
GS59	SL	2/27/2012	12044483	7440-36-0	Antimony	N001	3.5	ug/L	U	F	3.5		
GS59	SL	2/27/2012	12044483	7440-38-2	Arsenic	0001	5.88	ug/L	B	F	5		
GS59	SL	2/27/2012	12044483	7440-39-3	Barium	0001	86.6	ug/L	B	F	1		
GS59	SL	2/27/2012	12044483	7440-39-3	Barium	N001	90.3	ug/L	B	F	1		
GS59	SL	2/27/2012	12044483	7440-41-7	Beryllium	0001	1	ug/L	U	F	1		
GS59	SL	2/27/2012	12044483	7440-42-8	Boron	0001	15	ug/L	U	F	15		
GS59	SL	2/27/2012	12044483	7440-43-9	Cadmium	N001	1	ug/L	U	F	1		
GS59	SL	2/27/2012	12044483	7440-70-2	Calcium	0001	48100	ug/L		F	50		
GS59	SL	2/27/2012	12044483	7440-70-2	Calcium	N001	48900	ug/L		F	50		
GS59	SL	2/27/2012	12044483	7440-47-3	Chromium	0001	1	ug/L	U	F	1		
GS59	SL	2/27/2012	12044483	7440-48-4	Cobalt	0001	1	ug/L	U	F	1		
GS59	SL	2/27/2012	12044483	7440-48-4	Cobalt	N001	1	ug/L	U	F	1		
GS59	SL	2/27/2012	12044483	7440-50-8	Copper	N001	3	ug/L	U	F	3		
GS59	SL	2/27/2012	12044483	7439-89-6	Iron	0001	30	ug/L	U	F	30		
GS59	SL	2/27/2012	12044483	7439-89-6	Iron	N001	131	ug/L		F	30		
GS59	SL	2/27/2012	12044483	7439-92-1	Lead	N001	3.3	ug/L	U	F	3.3		
GS59	SL	2/27/2012	12044483	7439-93-2	Lithium	0001	7.47	ug/L	B	F	2		
GS59	SL	2/27/2012	12044483	7439-93-2	Lithium	N001	7.37	ug/L	B	F	2		
GS59	SL	2/27/2012	12044483	7439-95-4	Magnesium	0001	10800	ug/L		F	110		
GS59	SL	2/27/2012	12044483	7439-95-4	Magnesium	N001	10800	ug/L		F	110		
GS59	SL	2/27/2012	12044483	7439-96-5	Manganese	0001	2	ug/L	U	F	2		
GS59	SL	2/27/2012	12044483	7439-96-5	Manganese	N001	24.3	ug/L		F	2		
GS59	SL	2/27/2012	12044483	7439-97-6	Mercury	0001	0.067	ug/L	U	F	0.067		
GS59	SL	2/27/2012	12044483	7439-98-7	Molybdenum	0001	2	ug/L	U	F	2		
GS59	SL	2/27/2012	12044483	7439-98-7	Molybdenum	N001	2	ug/L	U	F	2		
GS59	SL	2/27/2012	12044483	7440-02-0	Nickel	N001	1.8	ug/L	B	F	1.5		
GS59	SL	2/27/2012	12044483	7440-09-7	Potassium	0001	1070	ug/L	B	F	50		
GS59	SL	2/27/2012	12044483	7440-09-7	Potassium	N001	1060	ug/L	B	F	50		
GS59	SL	2/27/2012	12044483	7782-49-2	Selenium	0001	6	ug/L	U	F	6		
GS59	SL	2/27/2012	12044483	7631-86-9	Silica	0001	14200	ug/L		F	53		
GS59	SL	2/27/2012	12044483	7631-86-9	Silica	N001	14200	ug/L		F	53		
GS59	SL	2/27/2012	12044483	7440-22-4	Silver	N001	1	ug/L	U	F	1		
GS59	SL	2/27/2012	12044483	7440-23-5	Sodium	0001	30000	ug/L		F	100		
GS59	SL	2/27/2012	12044483	7440-23-5	Sodium	N001	29500	ug/L		F	100		
GS59	SL	2/27/2012	12044483	7440-24-6	Strontium	0001	287	ug/L		F	1		
GS59	SL	2/27/2012	12044483	7440-24-6	Strontium	N001	290	ug/L		F	1		
GS59	SL	2/27/2012	12044483	7440-28-0	Thallium	0001	5	ug/L	U	F	5		
GS59	SL	2/27/2012	12044483	7440-28-0	Thallium	N001	5	ug/L	U	F	5		
GS59	SL	2/27/2012	12044483	7440-31-5	Tin	0001	2.5	ug/L	U	F	2.5		
GS59	SL	2/27/2012	12044483	7440-31-5	Tin	N001	2.5	ug/L	U	F	2.5		
GS59	SL	2/27/2012	12044483	7440-32-6	Titanium	0001	1	ug/L	U	F	1		
GS59	SL	2/27/2012	12044483	7440-32-6	Titanium	N001	1.57	ug/L	B	F	1		
GS59	SL	2/27/2012	12044483	7440-61-1	Uranium	0001	22.9	ug/L	B	F	10		
GS59	SL	2/27/2012	12044483	7440-62-2	Vanadium	0001	1	ug/L	U	F	1		
GS59	SL	2/27/2012	12044483	7440-62-2	Vanadium	N001	1	ug/L	U	F	1		
GS59	SL	2/27/2012	12044483	7440-66-6	Zinc	N001	3.3	ug/L	U	F	3.3		
P416589	WL	2/29/2012	12024369	630-20-6	1,1,1,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		F
P416589	WL	2/29/2012	12024369	75-34-3	1,1-Dichloroethane	N001	0.22	ug/L	U	F	0.22		F
P416589	WL	2/29/2012	12024369	563-58-6	1,1-Dichloropropene	N001	0.19	ug/L	U	F	0.19		F
P416589	WL	2/29/2012	12024369	87-61-6	1,2,3-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		F
P416589	WL	2/29/2012	12024369	96-18-4	1,2,3-Trichloropropane	N001	0.33	ug/L	U	F	0.33		F

Non-RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
P416589	WL	2/29/2012	12024369	95-63-6	1,2,4-Trimethylbenzene	N001	0.15	ug/L	U	F	0.15		F
P416589	WL	2/29/2012	12024369	108-67-8	1,3,5-Trimethylbenzene	N001	0.16	ug/L	U	F	0.16		F
P416589	WL	2/29/2012	12024369	142-28-9	1,3-Dichloropropane	N001	0.22	ug/L	U	F	0.22		F
P416589	WL	2/29/2012	12024369	594-20-7	2,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		F
P416589	WL	2/29/2012	12024369	78-93-3	2-Butanone	N001	2	ug/L	U	F	2		F
P416589	WL	2/29/2012	12024369	95-49-8	2-Chlorotoluene	N001	0.17	ug/L	U	F	0.17		F
P416589	WL	2/29/2012	12024369	591-78-6	2-Hexanone	N001	1.7	ug/L	U	F	1.7		F
P416589	WL	2/29/2012	12024369	91-57-6	2-Methylnaphthalene	N001	0.34	ug/L	U	F	0.34		F
P416589	WL	2/29/2012	12024369	95-48-7	2-Methylphenol	N001	1.1	ug/L	U	F	1.1		F
P416589	WL	2/29/2012	12024369	88-74-4	2-Nitroaniline	N001	2	ug/L	U	F	2		F
P416589	WL	2/29/2012	12024369	88-75-5	2-Nitrophenol	N001	0.45	ug/L	U	F	0.45		F
P416589	WL	2/29/2012	12024369	99-09-2	3-Nitroaniline	N001	2.3	ug/L	U	F	2.3		F
P416589	WL	2/29/2012	12024369	101-55-3	4-Bromophenyl phenyl ether	N001	0.5	ug/L	U	F	0.5		F
P416589	WL	2/29/2012	12024369	106-47-8	4-Chloroaniline	N001	2.5	ug/L	U	F	2.5		F
P416589	WL	2/29/2012	12024369	7005-72-3	4-Chlorophenyl phenyl ether	N001	1.9	ug/L	U	F	1.9		F
P416589	WL	2/29/2012	12024369	106-43-4	4-Chlorotoluene	N001	0.21	ug/L	U	F	0.21		F
P416589	WL	2/29/2012	12024369	108-10-1	4-Methyl-2-Pentanone	N001	0.98	ug/L	U	F	0.98		F
P416589	WL	2/29/2012	12024369	106-44-5	4-Methylphenol	N001	0.29	ug/L	U	F	0.29		F
P416589	WL	2/29/2012	12024369	100-01-6	4-Nitroaniline	N001	2.3	ug/L	U	F	2.3		F
P416589	WL	2/29/2012	12024369	208-96-8	Acenaphthylene	N001	0.57	ug/L	U	F	0.57		F
P416589	WL	2/29/2012	12024369	67-64-1	Acetone	N001	1.9	ug/L	U	F	1.9		F
P416589	WL	2/29/2012	12024369	7429-90-5	Aluminum	0001	18	ug/L	U	F	18		F
P416589	WL	2/29/2012	12024369	7440-36-0	Antimony	0001	3.1	ug/L	U	F	3.1		F
P416589	WL	2/29/2012	12024369	7440-39-3	Barium	0001	410	ug/L		F	0.58		F
P416589	WL	2/29/2012	12024369	65-85-0	Benzoic acid	N001	12	ug/L	U	F	12		F
P416589	WL	2/29/2012	12024369	100-51-6	Benzyl alcohol	N001	0.27	ug/L	U	F	0.27		F
P416589	WL	2/29/2012	12024369	111-91-1	Bis(2-chloroethoxy)methane	N001	1.1	ug/L	U	F	1.1		F
P416589	WL	2/29/2012	12024369	108-86-1	Bromobenzene	N001	0.17	ug/L	U	F	0.17		F
P416589	WL	2/29/2012	12024369	74-97-5	Bromochloromethane	N001	0.1	ug/L	U	F	0.1		F
P416589	WL	2/29/2012	12024369	7440-70-2	Calcium	0001	250000	ug/L		F	35		F
P416589	WL	2/29/2012	12024369	75-15-0	Carbon Disulfide	N001	0.45	ug/L	U	F	0.45		F
P416589	WL	2/29/2012	12024369	75-00-3	Chloroethane	N001	0.41	ug/L	U	F	0.41		F
P416589	WL	2/29/2012	12024369	10061-01-5	cis-1,3-Dichloropropene	N001	0.16	ug/L	U	F	0.16		F
P416589	WL	2/29/2012	12024369	7440-48-4	Cobalt	0001	1.2	ug/L	U	F	1.2		F
P416589	WL	2/29/2012	12024369	132-64-9	Dibenzofuran	N001	0.34	ug/L	U	F	0.34		F
P416589	WL	2/29/2012	12024369	74-95-3	Dibromomethane	N001	0.17	ug/L	U	F	0.17		F
P416589	WL	2/29/2012	12024369	75-71-8	Dichlorodifluoromethane	N001	0.31	ug/L	U	F	0.31		F
P416589	WL	2/29/2012	12024369	117-84-0	Di-n-octyl phthalate	N001	0.41	ug/L	U	F	0.41		F
P416589	WL	2/29/2012	12024369	7439-89-6	Iron	0001	57	ug/L	J	F	22		F
P416589	WL	2/29/2012	12024369	98-82-8	Isopropylbenzene	N001	0.19	ug/L	U	F	0.19		F
P416589	WL	2/29/2012	12024369	7439-93-2	Lithium	0001	7.9	ug/L	J	F	2.6		F
P416589	WL	2/29/2012	12024369	7439-95-4	Magnesium	0001	35000	ug/L		F	11		F
P416589	WL	2/29/2012	12024369	7439-96-5	Manganese	0001	1.4	ug/L	J	F	0.25		F
P416589	WL	2/29/2012	12024369	7439-98-7	Molybdenum	0001	3.1	ug/L	U	F	3.1		F
P416589	WL	2/29/2012	12024369	104-51-8	n-Butylbenzene	N001	0.32	ug/L	U	F	0.32		F
P416589	WL	2/29/2012	12024369	103-65-1	n-Propylbenzene	N001	0.16	ug/L	U	F	0.16		F
P416589	WL	2/29/2012	12024369	85-01-8	Phenanthrene	N001	0.3	ug/L	U	F	0.3		F
P416589	WL	2/29/2012	12024369	99-87-6	p-Isopropyltoluene	N001	0.2	ug/L	U	F	0.2		F
P416589	WL	2/29/2012	12024369	7440-09-7	Potassium	0001	1700	ug/L	J	F	240		F
P416589	WL	2/29/2012	12024369	135-98-8	sec-Butylbenzene	N001	0.17	ug/L	U	F	0.17		F
P416589	WL	2/29/2012	12024369	7631-86-9	Silica	0001	22000	ug/L		F	74		F
P416589	WL	2/29/2012	12024369	7440-23-5	Sodium	0001	22000	ug/L	B	F	92		F
P416589	WL	2/29/2012	12024369	7440-24-6	Strontium	0001	1200	ug/L		F	0.3		F
P416589	WL	2/29/2012	12024369	98-06-6	tert-Butylbenzene	N001	0.16	ug/L	U	F	0.16		F

Non-RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
P416589	WL	2/29/2012	12024369	7440-28-0	Thallium	0001	4.9	ug/L	U	F	4.9		F
P416589	WL	2/29/2012	12024369	7440-31-5	Tin	0001	5.8	ug/L	U	F	5.8		F
P416589	WL	2/29/2012	12024369	7440-32-6	Titanium	0001	0.6	ug/L	U	F	0.6		F
P416589	WL	2/29/2012	12024369	75-69-4	Trichlorofluoromethane	N001	0.29	ug/L	U	F	0.29		F
P416589	WL	2/29/2012	12024369	7440-62-2	Vanadium	0001	1.1	ug/L	U	F	1.1		F
PLFSEEPINF	TS	1/24/2012	12014322	630-20-6	1,1,1,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		
PLFSEEPINF	TS	1/24/2012	12014322	75-34-3	1,1-Dichloroethane	N001	0.43	ug/L	J	F	0.22		
PLFSEEPINF	TS	1/24/2012	12014322	563-58-6	1,1-Dichloropropene	N001	0.19	ug/L	U	F	0.19		
PLFSEEPINF	TS	1/24/2012	12014322	87-61-6	1,2,3-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		
PLFSEEPINF	TS	1/24/2012	12014322	96-18-4	1,2,3-Trichloropropane	N001	0.33	ug/L	U	F	0.33		
PLFSEEPINF	TS	1/24/2012	12014322	95-63-6	1,2,4-Trimethylbenzene	N001	0.8	ug/L	J	F	0.15		
PLFSEEPINF	TS	1/24/2012	12014322	108-67-8	1,3,5-Trimethylbenzene	N001	0.3	ug/L	J	F	0.16		
PLFSEEPINF	TS	1/24/2012	12014322	142-28-9	1,3-Dichloropropane	N001	0.22	ug/L	U	F	0.22		
PLFSEEPINF	TS	1/24/2012	12014322	594-20-7	2,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		
PLFSEEPINF	TS	1/24/2012	12014322	78-93-3	2-Butanone	N001	2	ug/L	U	F	2		
PLFSEEPINF	TS	1/24/2012	12014322	95-49-8	2-Chlorotoluene	N001	0.17	ug/L	U	F	0.17		
PLFSEEPINF	TS	1/24/2012	12014322	591-78-6	2-Hexanone	N001	1.7	ug/L	U	F	1.7		
PLFSEEPINF	TS	1/24/2012	12014322	106-43-4	4-Chlorotoluene	N001	0.21	ug/L	U	F	0.21		
PLFSEEPINF	TS	1/24/2012	12014322	108-10-1	4-Methyl-2-Pentanone	N001	0.98	ug/L	U	F	0.98		
PLFSEEPINF	TS	1/24/2012	12014322	67-64-1	Acetone	N001	8.2	ug/L	J	F	1.9		U
PLFSEEPINF	TS	1/24/2012	12014322	7429-90-5	Aluminum	0001	18	ug/L	U	F	18		
PLFSEEPINF	TS	1/24/2012	12014322	7429-90-5	Aluminum	N002	18	ug/L	U	F	18		
PLFSEEPINF	TS	1/24/2012	12014322	7440-36-0	Antimony	0001	3.1	ug/L	U	F	3.1		J
PLFSEEPINF	TS	1/24/2012	12014322	7440-36-0	Antimony	N002	3.1	ug/L	U	F	3.1		J
PLFSEEPINF	TS	1/24/2012	12014322	7440-38-2	Arsenic	0001	4.4	ug/L	U	F	4.4		
PLFSEEPINF	TS	1/24/2012	12014322	7440-39-3	Barium	0001	310	ug/L		F	0.58		
PLFSEEPINF	TS	1/24/2012	12014322	7440-39-3	Barium	N002	550	ug/L		F	0.58		
PLFSEEPINF	TS	1/24/2012	12014322	7440-41-7	Beryllium	0001	0.47	ug/L	U	F	0.47		
PLFSEEPINF	TS	1/24/2012	12014322	7440-42-8	Boron	0001	1100	ug/L		F	4.4		
PLFSEEPINF	TS	1/24/2012	12014322	108-86-1	Bromobenzene	N001	0.17	ug/L	U	F	0.17		
PLFSEEPINF	TS	1/24/2012	12014322	74-97-5	Bromochloromethane	N001	0.1	ug/L	U	F	0.1		
PLFSEEPINF	TS	1/24/2012	12014322	7440-43-9	Cadmium	N002	0.45	ug/L	U	F	0.45		
PLFSEEPINF	TS	1/24/2012	12014322	7440-70-2	Calcium	0001	170000	ug/L		F	35		
PLFSEEPINF	TS	1/24/2012	12014322	7440-70-2	Calcium	N002	180000	ug/L		F	35		
PLFSEEPINF	TS	1/24/2012	12014322	75-15-0	Carbon Disulfide	N001	0.45	ug/L	U	F	0.45		
PLFSEEPINF	TS	1/24/2012	12014322	75-00-3	Chloroethane	N001	8.8	ug/L		F	0.41		
PLFSEEPINF	TS	1/24/2012	12014322	7440-47-3	Chromium	0001	0.78	ug/L	J	F	0.66		
PLFSEEPINF	TS	1/24/2012	12014322	10061-01-5	cis-1,3-Dichloropropene	N001	0.16	ug/L	U	F	0.16		
PLFSEEPINF	TS	1/24/2012	12014322	7440-48-4	Cobalt	0001	2.4	ug/L	J	F	1.2		
PLFSEEPINF	TS	1/24/2012	12014322	7440-48-4	Cobalt	N002	2.6	ug/L	J	F	1.2		
PLFSEEPINF	TS	1/24/2012	12014322	7440-50-8	Copper	N002	1.4	ug/L	U	F	1.4		
PLFSEEPINF	TS	1/24/2012	12014322	74-95-3	Dibromomethane	N001	0.17	ug/L	U	F	0.17		
PLFSEEPINF	TS	1/24/2012	12014322	75-71-8	Dichlorodifluoromethane	N001	0.31	ug/L	U	F	0.31		
PLFSEEPINF	TS	1/24/2012	12014322	7439-89-6	Iron	0001	23000	ug/L		F	22		
PLFSEEPINF	TS	1/24/2012	12014322	7439-89-6	Iron	N002	58000	ug/L		F	22		
PLFSEEPINF	TS	1/24/2012	12014322	98-82-8	Isopropylbenzene	N001	1.3	ug/L		F	0.19		
PLFSEEPINF	TS	1/24/2012	12014322	7439-92-1	Lead	N002	2.6	ug/L	U	F	2.6		
PLFSEEPINF	TS	1/24/2012	12014322	7439-93-2	Lithium	0001	31	ug/L		F	2.6		
PLFSEEPINF	TS	1/24/2012	12014322	7439-93-2	Lithium	N002	34	ug/L		F	2.6		
PLFSEEPINF	TS	1/24/2012	12014322	7439-95-4	Magnesium	0001	34000	ug/L		F	11		
PLFSEEPINF	TS	1/24/2012	12014322	7439-95-4	Magnesium	N002	35000	ug/L		F	11		
PLFSEEPINF	TS	1/24/2012	12014322	7439-96-5	Manganese	0001	880	ug/L		F	0.25		
PLFSEEPINF	TS	1/24/2012	12014322	7439-96-5	Manganese	N002	990	ug/L		F	0.25		
PLFSEEPINF	TS	1/24/2012	12014322	7439-97-6	Mercury	0001	0.027	ug/L	U	F	0.027		J

Non-RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
PLFSEEPINF	TS	1/24/2012	12014322	7439-98-7	Molybdenum	0001	3.1	ug/L	U	F	3.1		
PLFSEEPINF	TS	1/24/2012	12014322	7439-98-7	Molybdenum	N002	3.1	ug/L	U	F	3.1		
PLFSEEPINF	TS	1/24/2012	12014322	104-51-8	n-Butylbenzene	N001	0.32	ug/L	U	F	0.32		
PLFSEEPINF	TS	1/24/2012	12014322	7440-02-0	Nickel	N002	4.1	ug/L	J	F	1.3		
PLFSEEPINF	TS	1/24/2012	12014322	103-65-1	n-Propylbenzene	N001	0.34	ug/L	J	F	0.16		
PLFSEEPINF	TS	1/24/2012	12014322	99-87-6	p-Isopropyltoluene	N001	0.2	ug/L	U	F	0.2		
PLFSEEPINF	TS	1/24/2012	12014322	7440-09-7	Potassium	0001	9900	ug/L		F	240		
PLFSEEPINF	TS	1/24/2012	12014322	7440-09-7	Potassium	N002	10000	ug/L		F	240		
PLFSEEPINF	TS	1/24/2012	12014322	135-98-8	sec-Butylbenzene	N001	0.17	ug/L	U	F	0.17		
PLFSEEPINF	TS	1/24/2012	12014322	7782-49-2	Selenium	0001	4.9	ug/L	U	F	4.9		
PLFSEEPINF	TS	1/24/2012	12014322	7631-86-9	Silica	0001	26000	ug/L		F	74		
PLFSEEPINF	TS	1/24/2012	12014322	7631-86-9	Silica	N002	29000	ug/L		F	74		
PLFSEEPINF	TS	1/24/2012	12014322	7440-22-4	Silver	N002	0.93	ug/L	U	F	0.93		
PLFSEEPINF	TS	1/24/2012	12014322	7440-23-5	Sodium	0001	74000	ug/L		F	92		
PLFSEEPINF	TS	1/24/2012	12014322	7440-23-5	Sodium	N002	76000	ug/L		F	92		
PLFSEEPINF	TS	1/24/2012	12014322	7440-24-6	Strontium	0001	1100	ug/L		F	0.3		
PLFSEEPINF	TS	1/24/2012	12014322	7440-24-6	Strontium	N002	1200	ug/L		F	0.3		
PLFSEEPINF	TS	1/24/2012	12014322	98-06-6	tert-Butylbenzene	N001	0.16	ug/L	U	F	0.16		
PLFSEEPINF	TS	1/24/2012	12014322	7440-28-0	Thallium	0001	4.9	ug/L	U	F	4.9		
PLFSEEPINF	TS	1/24/2012	12014322	7440-28-0	Thallium	N002	4.9	ug/L	U	F	4.9		
PLFSEEPINF	TS	1/24/2012	12014322	7440-31-5	Tin	0001	5.8	ug/L	U	F	5.8		
PLFSEEPINF	TS	1/24/2012	12014322	7440-31-5	Tin	N002	5.8	ug/L	U	F	5.8		
PLFSEEPINF	TS	1/24/2012	12014322	7440-32-6	Titanium	0001	2	ug/L	J	F	0.6		
PLFSEEPINF	TS	1/24/2012	12014322	7440-32-6	Titanium	N002	2.4	ug/L	J	F	0.6		
PLFSEEPINF	TS	1/24/2012	12014322	75-69-4	Trichlorofluoromethane	N001	0.29	ug/L	U	F	0.29		
PLFSEEPINF	TS	1/24/2012	12014322	7440-61-1	Uranium	0001	0.19	ug/L	J	F	0.02		
PLFSEEPINF	TS	1/24/2012	12014322	7440-62-2	Vanadium	0001	1.1	ug/L	U	F	1.1		
PLFSEEPINF	TS	1/24/2012	12014322	7440-62-2	Vanadium	N002	2.2	ug/L	J	F	1.1		
PLFSEEPINF	TS	1/24/2012	12014322	7440-66-6	Zinc	N002	100	ug/L		F	4.5		
PLFSYSEFF	TS	1/24/2012	12014322	630-20-6	1,1,1,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		
PLFSYSEFF	TS	1/24/2012	12014322	75-34-3	1,1-Dichloroethane	N001	0.27	ug/L	J	F	0.22		
PLFSYSEFF	TS	1/24/2012	12014322	563-58-6	1,1-Dichloropropene	N001	0.19	ug/L	U	F	0.19		
PLFSYSEFF	TS	1/24/2012	12014322	87-61-6	1,2,3-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		
PLFSYSEFF	TS	1/24/2012	12014322	96-18-4	1,2,3-Trichloropropane	N001	0.33	ug/L	U	F	0.33		
PLFSYSEFF	TS	1/24/2012	12014322	95-63-6	1,2,4-Trimethylbenzene	N001	1.1	ug/L		F	0.15		
PLFSYSEFF	TS	1/24/2012	12014322	108-67-8	1,3,5-Trimethylbenzene	N001	1.2	ug/L		F	0.16		
PLFSYSEFF	TS	1/24/2012	12014322	142-28-9	1,3-Dichloropropane	N001	0.22	ug/L	U	F	0.22		
PLFSYSEFF	TS	1/24/2012	12014322	594-20-7	2,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		
PLFSYSEFF	TS	1/24/2012	12014322	78-93-3	2-Butanone	N001	2	ug/L	U	F	2		
PLFSYSEFF	TS	1/24/2012	12014322	95-49-8	2-Chlorotoluene	N001	0.17	ug/L	U	F	0.17		
PLFSYSEFF	TS	1/24/2012	12014322	591-78-6	2-Hexanone	N001	1.7	ug/L	U	F	1.7		
PLFSYSEFF	TS	1/24/2012	12014322	91-57-6	2-Methylnaphthalene	N001	0.45	ug/L	J	F	0.32		
PLFSYSEFF	TS	1/24/2012	12014322	95-48-7	2-Methylphenol	N001	1.1	ug/L	U	F	1.1		
PLFSYSEFF	TS	1/24/2012	12014322	88-74-4	2-Nitroaniline	N001	1.9	ug/L	U	F	1.9		
PLFSYSEFF	TS	1/24/2012	12014322	88-75-5	2-Nitrophenol	N001	0.43	ug/L	U	F	0.43		
PLFSYSEFF	TS	1/24/2012	12014322	99-09-2	3-Nitroaniline	N001	2.2	ug/L	U	F	2.2		
PLFSYSEFF	TS	1/24/2012	12014322	101-55-3	4-Bromophenyl phenyl ether	N001	0.48	ug/L	U	F	0.48		
PLFSYSEFF	TS	1/24/2012	12014322	106-47-8	4-Chloroaniline	N001	2.4	ug/L	U	F	2.4		
PLFSYSEFF	TS	1/24/2012	12014322	7005-72-3	4-Chlorophenyl phenyl ether	N001	1.8	ug/L	U	F	1.8		
PLFSYSEFF	TS	1/24/2012	12014322	106-43-4	4-Chlorotoluene	N001	0.21	ug/L	U	F	0.21		
PLFSYSEFF	TS	1/24/2012	12014322	108-10-1	4-Methyl-2-Pentanone	N001	0.98	ug/L	U	F	0.98		
PLFSYSEFF	TS	1/24/2012	12014322	106-44-5	4-Methylphenol	N001	0.28	ug/L	U	F	0.28		
PLFSYSEFF	TS	1/24/2012	12014322	100-01-6	4-Nitroaniline	N001	2.2	ug/L	U	F	2.2		
PLFSYSEFF	TS	1/24/2012	12014322	208-96-8	Acenaphthylene	N001	0.55	ug/L	U	F	0.55		

Non-RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
PLFSYSEFF	TS	1/24/2012	12014322	67-64-1	Acetone	N001	4.4	ug/L	J	F	1.9		U
PLFSYSEFF	TS	1/24/2012	12014322	7429-90-5	Aluminum	0001	18	ug/L	U	F	18		
PLFSYSEFF	TS	1/24/2012	12014322	7429-90-5	Aluminum	N002	140	ug/L		F	18		
PLFSYSEFF	TS	1/24/2012	12014322	7440-36-0	Antimony	0001	3.1	ug/L	U	F	3.1		J
PLFSYSEFF	TS	1/24/2012	12014322	7440-36-0	Antimony	N002	3.1	ug/L	U	F	3.1		J
PLFSYSEFF	TS	1/24/2012	12014322	7440-38-2	Arsenic	0001	4.4	ug/L	U	F	4.4		
PLFSYSEFF	TS	1/24/2012	12014322	7440-39-3	Barium	0001	230	ug/L		F	0.58		
PLFSYSEFF	TS	1/24/2012	12014322	7440-39-3	Barium	N002	2500	ug/L		F	0.58		
PLFSYSEFF	TS	1/24/2012	12014322	65-85-0	Benzoic acid	N001	11	ug/L	U	F	11		
PLFSYSEFF	TS	1/24/2012	12014322	100-51-6	Benzyl alcohol	N001	0.26	ug/L	U	F	0.26		
PLFSYSEFF	TS	1/24/2012	12014322	7440-41-7	Beryllium	0001	0.47	ug/L	U	F	0.47		
PLFSYSEFF	TS	1/24/2012	12014322	111-91-1	Bis(2-chloroethoxy)methane	N001	1.1	ug/L	U	F	1.1		
PLFSYSEFF	TS	1/24/2012	12014322	7440-42-8	Boron	0001	760	ug/L		F	4.4		
PLFSYSEFF	TS	1/24/2012	12014322	108-86-1	Bromobenzene	N001	0.17	ug/L	U	F	0.17		
PLFSYSEFF	TS	1/24/2012	12014322	74-97-5	Bromochloromethane	N001	0.1	ug/L	U	F	0.1		
PLFSYSEFF	TS	1/24/2012	12014322	7440-43-9	Cadmium	N002	0.45	ug/L	U	F	0.45		
PLFSYSEFF	TS	1/24/2012	12014322	7440-70-2	Calcium	0001	160000	ug/L		F	35		
PLFSYSEFF	TS	1/24/2012	12014322	7440-70-2	Calcium	N002	220000	ug/L		F	35		
PLFSYSEFF	TS	1/24/2012	12014322	75-15-0	Carbon Disulfide	N001	0.45	ug/L	U	F	0.45		
PLFSYSEFF	TS	1/24/2012	12014322	75-00-3	Chloroethane	N001	2.3	ug/L		F	0.41		
PLFSYSEFF	TS	1/24/2012	12014322	7440-47-3	Chromium	0001	0.66	ug/L	U	F	0.66		
PLFSYSEFF	TS	1/24/2012	12014322	10061-01-5	cis-1,3-Dichloropropene	N001	0.16	ug/L	U	F	0.16		
PLFSYSEFF	TS	1/24/2012	12014322	7440-48-4	Cobalt	0001	3.1	ug/L	J	F	1.2		
PLFSYSEFF	TS	1/24/2012	12014322	7440-48-4	Cobalt	N002	8.9	ug/L	J	F	1.2		
PLFSYSEFF	TS	1/24/2012	12014322	7440-50-8	Copper	N002	4.1	ug/L	J	F	1.4		
PLFSYSEFF	TS	1/24/2012	12014322	132-64-9	Dibenzofuran	N001	0.6	ug/L	J	F	0.32		
PLFSYSEFF	TS	1/24/2012	12014322	74-95-3	Dibromomethane	N001	0.17	ug/L	U	F	0.17		
PLFSYSEFF	TS	1/24/2012	12014322	75-71-8	Dichlorodifluoromethane	N001	0.31	ug/L	U	F	0.31		
PLFSYSEFF	TS	1/24/2012	12014322	117-84-0	Di-n-octyl phthalate	N001	0.39	ug/L	U	F	0.39		
PLFSYSEFF	TS	1/24/2012	12014322	7439-89-6	Iron	0001	28	ug/L	J	F	22		
PLFSYSEFF	TS	1/24/2012	12014322	7439-89-6	Iron	N002	360000	ug/L		F	22		
PLFSYSEFF	TS	1/24/2012	12014322	98-82-8	Isopropylbenzene	N001	0.19	ug/L	U	F	0.19		
PLFSYSEFF	TS	1/24/2012	12014322	7439-92-1	Lead	N002	2.6	ug/L	U	F	2.6		
PLFSYSEFF	TS	1/24/2012	12014322	7439-93-2	Lithium	0001	23	ug/L		F	2.6		
PLFSYSEFF	TS	1/24/2012	12014322	7439-93-2	Lithium	N002	22	ug/L		F	2.6		
PLFSYSEFF	TS	1/24/2012	12014322	7439-95-4	Magnesium	0001	30000	ug/L		F	11		
PLFSYSEFF	TS	1/24/2012	12014322	7439-95-4	Magnesium	N002	32000	ug/L		F	11		
PLFSYSEFF	TS	1/24/2012	12014322	7439-96-5	Manganese	0001	1700	ug/L		F	0.25		
PLFSYSEFF	TS	1/24/2012	12014322	7439-96-5	Manganese	N002	3000	ug/L		F	0.25		
PLFSYSEFF	TS	1/24/2012	12014322	7439-97-6	Mercury	0001	0.027	ug/L	U	F	0.027		J
PLFSYSEFF	TS	1/24/2012	12014322	7439-98-7	Molybdenum	0001	3.1	ug/L	U	F	3.1		
PLFSYSEFF	TS	1/24/2012	12014322	7439-98-7	Molybdenum	N002	3.1	ug/L	U	F	3.1		
PLFSYSEFF	TS	1/24/2012	12014322	104-51-8	n-Butylbenzene	N001	0.32	ug/L	U	F	0.32		
PLFSYSEFF	TS	1/24/2012	12014322	7440-02-0	Nickel	N002	4.1	ug/L	J	F	1.3		
PLFSYSEFF	TS	1/24/2012	12014322	103-65-1	n-Propylbenzene	N001	0.16	ug/L	U	F	0.16		
PLFSYSEFF	TS	1/24/2012	12014322	85-01-8	Phenanthrene	N001	0.9	ug/L	J	F	0.29		
PLFSYSEFF	TS	1/24/2012	12014322	99-87-6	p-Isopropyltoluene	N001	0.2	ug/L	U	F	0.2		
PLFSYSEFF	TS	1/24/2012	12014322	7440-09-7	Potassium	0001	7000	ug/L		F	240		
PLFSYSEFF	TS	1/24/2012	12014322	7440-09-7	Potassium	N002	7400	ug/L		F	240		
PLFSYSEFF	TS	1/24/2012	12014322	135-98-8	sec-Butylbenzene	N001	0.17	ug/L	U	F	0.17		
PLFSYSEFF	TS	1/24/2012	12014322	7782-49-2	Selenium	0001	4.9	ug/L	U	F	4.9		
PLFSYSEFF	TS	1/24/2012	12014322	7631-86-9	Silica	0001	20000	ug/L		F	74		
PLFSYSEFF	TS	1/24/2012	12014322	7631-86-9	Silica	N002	58000	ug/L		F	74		
PLFSYSEFF	TS	1/24/2012	12014322	7440-22-4	Silver	N002	1.1	ug/L	J	F	0.93		

Non-RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
PLFSYSEFF	TS	1/24/2012	12014322	7440-23-5	Sodium	0001	62000	ug/L		F	92		
PLFSYSEFF	TS	1/24/2012	12014322	7440-23-5	Sodium	N002	66000	ug/L		F	92		
PLFSYSEFF	TS	1/24/2012	12014322	7440-24-6	Strontium	0001	960	ug/L		F	0.3		
PLFSYSEFF	TS	1/24/2012	12014322	7440-24-6	Strontium	N002	1500	ug/L		F	0.3		
PLFSYSEFF	TS	1/24/2012	12014322	98-06-6	tert-Butylbenzene	N001	0.16	ug/L	U	F	0.16		
PLFSYSEFF	TS	1/24/2012	12014322	7440-28-0	Thallium	0001	4.9	ug/L	U	F	4.9		
PLFSYSEFF	TS	1/24/2012	12014322	7440-28-0	Thallium	N002	4.9	ug/L	U	F	4.9		
PLFSYSEFF	TS	1/24/2012	12014322	7440-31-5	Tin	0001	5.8	ug/L	U	F	5.8		
PLFSYSEFF	TS	1/24/2012	12014322	7440-31-5	Tin	N002	5.8	ug/L	U	F	5.8		
PLFSYSEFF	TS	1/24/2012	12014322	7440-32-6	Titanium	0001	0.91	ug/L	J	F	0.6		
PLFSYSEFF	TS	1/24/2012	12014322	7440-32-6	Titanium	N002	6.5	ug/L		F	0.6		
PLFSYSEFF	TS	1/24/2012	12014322	75-69-4	Trichlorofluoromethane	N001	0.29	ug/L	U	F	0.29		
PLFSYSEFF	TS	1/24/2012	12014322	7440-61-1	Uranium	0001	1.1	ug/L		F	0.02		
PLFSYSEFF	TS	1/24/2012	12014322	7440-62-2	Vanadium	0001	1.1	ug/L	U	F	1.1		
PLFSYSEFF	TS	1/24/2012	12014322	7440-62-2	Vanadium	N002	8.6	ug/L	J	F	1.1		
PLFSYSEFF	TS	1/24/2012	12014322	7440-66-6	Zinc	N002	520	ug/L		F	4.5		
SEEP995A	SL	1/6/2012	12014328	AM-241	Americium-241	N001	0.0516	pCi/L		F	0.0209	0.0176	J
SEEP995A	SL	1/6/2012	12014328	PU-238	Plutonium-238	N001	0.00387	pCi/L	U	F	0.0163	0.00669	
SEEP995A	SL	1/6/2012	12014328	PU-239,240	Plutonium-239, 240	N001	0.0786	pCi/L		F	0.0131	0.0212	
SEEP995A	SL	1/6/2012	12014328	7440-61-1	Uranium	N001	12.3	ug/L		F	0.067		
SEEP995A	SL	1/24/2012	12014328	AM-241	Americium-241	0001	-0.00482	pCi/L	U	F	0.0181	0.00884	
SEEP995A	SL	1/24/2012	12014328	AM-241	Americium-241	N001	-0.00143	pCi/L	U	F	0.0221	0.0109	
SEEP995A	SL	1/24/2012	12014328	PU-238	Plutonium-238	0001	-3.51E-10	pCi/L	U	F	0.0134	0.00413	
SEEP995A	SL	1/24/2012	12014328	PU-238	Plutonium-238	N001	0.00174	pCi/L	U	F	0.022	0.00341	
SEEP995A	SL	1/24/2012	12014328	PU-239,240	Plutonium-239, 240	0001	-1.76E-10	pCi/L	U	F	0.0107	0.00292	
SEEP995A	SL	1/24/2012	12014328	PU-239,240	Plutonium-239, 240	N001	0.00695	pCi/L	U	F	0.0177	0.00965	
SEEP995A	SL	1/24/2012	12014328	7440-61-1	Uranium	N001	13.7	ug/L		F	0.067		
SEEP995A	SL	3/6/2012	12034402	ALKALINITY	Alkalinity, Total (As CaCO3)	N001	143	mg/L		F	0.725		
SEEP995A	SL	3/6/2012	12034402	AM-241	Americium-241	N001	0.00336	pCi/L	U	F	0.0155	0.00729	
SEEP995A	SL	3/6/2012	12034402	HARDNESS	Hardness	N001	384	mg/L		F	2		
SEEP995A	SL	3/6/2012	12034402	PU-238	Plutonium-238	N001	-0.00253	pCi/L	U	F	0.0167	0.00784	
SEEP995A	SL	3/6/2012	12034402	PU-239,240	Plutonium-239, 240	N001	0.0038	pCi/L	U	F	0.0144	0.00657	
SEEP995A	SL	3/6/2012	12034402	TSS	Total Suspended Solids	N001	6.44	mg/L		F	1.47		
SEEP995A	SL	3/6/2012	12034402	7440-61-1	Uranium	N001	11.2	ug/L		F	0.067		
SPCAE	TS	1/30/2012	12014286	NH3+NH4-N	Ammonia Total as N	N001	1	mg/L	U	F	1		
SPCAE	TS	1/30/2012	12014286	7440-70-2	Calcium	N001	540	mg/L		F	0.01		
SPCAE	TS	1/30/2012	12014286	7439-89-6	Iron	N001	2	mg/L		F	0.01		
SPCAE	TS	1/30/2012	12014286	NITRATE AS N	Nitrate as Nitrogen	N001	219	mg/L		F	0.1		
SPCAE	TS	1/30/2012	12014286	NITRITE AS N	Nitrite as Nitrogen	N001	40.1	mg/L		F	0.15		
SPCAE	TS	1/30/2012	12014286	TOC	Total Organic Carbon	N001	24	mg/L		F	100		
SPCAE	TS	1/30/2012	12014286	7440-61-1	Uranium	N001	55.1	ug/L		F	0.2		
SPCAE	TS	2/13/2012	12024359	NH3+NH4-N	Ammonia Total as N	N001	1	mg/L	U	F	1		
SPCAE	TS	2/13/2012	12024359	7440-70-2	Calcium	N001	509	mg/L		F	0.01		
SPCAE	TS	2/13/2012	12024359	7439-89-6	Iron	N001	1.3	mg/L		F	0.01		
SPCAE	TS	2/13/2012	12024359	NITRATE AS N	Nitrate as Nitrogen	N001	189.6	mg/L		F	0.1		
SPCAE	TS	2/13/2012	12024359	NITRITE AS N	Nitrite as Nitrogen	N001	88.5	mg/L		F	0.15		
SPCAE	TS	2/13/2012	12024359	TOC	Total Organic Carbon	N001	47	mg/L		F	15		
SPCAE	TS	2/13/2012	12024359	7440-61-1	Uranium	N001	56.6	ug/L		F	0.2		
SPCAE	TS	2/27/2012	12024377	NH3+NH4-N	Ammonia Total as N	N001	3	mg/L		F	1		
SPCAE	TS	2/27/2012	12024377	7440-70-2	Calcium	N001	503	mg/L		F	0.01		
SPCAE	TS	2/27/2012	12024377	7439-89-6	Iron	N001	0.94	mg/L		F	0.01		
SPCAE	TS	2/27/2012	12024377	NITRATE AS N	Nitrate as Nitrogen	N001	179.9	mg/L		F	0.1		
SPCAE	TS	2/27/2012	12024377	NITRITE AS N	Nitrite as Nitrogen	N001	55.3	mg/L		F	0.15		
SPCAE	TS	2/27/2012	12024377	TOC	Total Organic Carbon	N001	82	mg/L		F	15		

Non-RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
SPCAE	TS	2/27/2012	12024377	7440-61-1	Uranium	N001	63.3	ug/L		F	0.2		
SPHSEEP1	SL	3/6/2012	12034398	NITRATE AS N	Nitrate as Nitrogen	N001	92.3	mg/L		F	0.1		
SPHSEEP1	SL	3/6/2012	12034398	7440-61-1	Uranium	N001	74.4	ug/L		F	0.2		
SPHSEEP2	SL	2/2/2012	12014341	NITRATE AS N	Nitrate as Nitrogen	N001	133.6	mg/L		F	0.1		
SPHSEEP2	SL	2/2/2012	12014341	7440-61-1	Uranium	N001	96.5	ug/L		F	0.2		
SPHSEEP2	SL	3/6/2012	12034398	NITRATE AS N	Nitrate as Nitrogen	N001	106.8	mg/L		F	0.1		
SPHSEEP2	SL	3/6/2012	12034398	7440-61-1	Uranium	N001	88.3	ug/L		F	0.2		
SPHSEEP3	SL	2/2/2012	12014341	NITRATE AS N	Nitrate as Nitrogen	N001	291.4	mg/L		F	0.1		
SPHSEEP3	SL	2/2/2012	12014341	7440-61-1	Uranium	N001	139	ug/L		F	0.2		
SPHSEEP3	SL	3/6/2012	12034398	NITRATE AS N	Nitrate as Nitrogen	N001	270.4	mg/L		F	0.1		
SPHSEEP3	SL	3/6/2012	12034398	7440-61-1	Uranium	N001	123.4	ug/L		F	0.2		
SPHSEEP4	SL	2/2/2012	12014341	NITRATE AS N	Nitrate as Nitrogen	N001	578.6	mg/L		F	0.1		
SPHSEEP4	SL	2/2/2012	12014341	7440-61-1	Uranium	N001	200.5	ug/L		F	0.2		
SPHSEEP4	SL	3/6/2012	12034398	NITRATE AS N	Nitrate as Nitrogen	N001	460.5	mg/L		F	0.1		
SPHSEEP4	SL	3/6/2012	12034398	7440-61-1	Uranium	N001	154.5	ug/L		F	0.2		
SPHSEEP5	SL	3/6/2012	12034398	NITRATE AS N	Nitrate as Nitrogen	N001	96.4	mg/L		F	0.1		
SPHSEEP5	SL	3/6/2012	12034398	7440-61-1	Uranium	N001	87	ug/L		F	0.2		
SPIN	TS	1/30/2012	12014286	NH3+NH4-N	Ammonia Total as N	N001	1	mg/L	U	F	1		
SPIN	TS	1/30/2012	12014286	7440-70-2	Calcium	N001	529	mg/L		F	0.01		
SPIN	TS	1/30/2012	12014286	7439-89-6	Iron	N001	0.05	mg/L	U	F	0.01		
SPIN	TS	1/30/2012	12014286	NITRATE AS N	Nitrate as Nitrogen	N001	580.1	mg/L		F	0.1		
SPIN	TS	1/30/2012	12014286	NITRITE AS N	Nitrite as Nitrogen	N001	0.76	mg/L	U	F	0.15		
SPIN	TS	1/30/2012	12014286	7440-61-1	Uranium	N001	73.7	ug/L		F	0.2		
SPIN	TS	2/13/2012	12024359	NH3+NH4-N	Ammonia Total as N	N001	1	mg/L	U	F	1		
SPIN	TS	2/13/2012	12024359	7440-70-2	Calcium	N001	547	mg/L		F	0.01		
SPIN	TS	2/13/2012	12024359	7439-89-6	Iron	N001	0.05	mg/L	U	F	0.01		
SPIN	TS	2/13/2012	12024359	NITRATE AS N	Nitrate as Nitrogen	N001	618.5	mg/L		F	0.1		
SPIN	TS	2/13/2012	12024359	NITRITE AS N	Nitrite as Nitrogen	N001	0.76	mg/L	U	F	0.15		
SPIN	TS	2/13/2012	12024359	7440-61-1	Uranium	N001	74.5	ug/L		F	0.2		
SPIN	TS	2/27/2012	12024377	NH3+NH4-N	Ammonia Total as N	N001	1	mg/L	U	F	1		
SPIN	TS	2/27/2012	12024377	7440-70-2	Calcium	N001	524	mg/L		F	0.01		
SPIN	TS	2/27/2012	12024377	7439-89-6	Iron	N001	0.01	mg/L	U	F	0.01		
SPIN	TS	2/27/2012	12024377	NITRATE AS N	Nitrate as Nitrogen	N001	546.3	mg/L		F	0.1		
SPIN	TS	2/27/2012	12024377	NITRITE AS N	Nitrite as Nitrogen	N001	0.82	mg/L		F	0.15		
SPIN	TS	2/27/2012	12024377	7440-61-1	Uranium	N001	72.1	ug/L		F	0.2		
SPOUT	TS	1/30/2012	12014286	NH3+NH4-N	Ammonia Total as N	N001	7	mg/L		F	1		
SPOUT	TS	1/30/2012	12014286	7440-70-2	Calcium	N001	430	mg/L		F	0.01		
SPOUT	TS	1/30/2012	12014286	7439-89-6	Iron	N001	0.08	mg/L		F	0.01		
SPOUT	TS	1/30/2012	12014286	NITRATE AS N	Nitrate as Nitrogen	N001	419.9	mg/L		F	0.1		
SPOUT	TS	1/30/2012	12014286	NITRITE AS N	Nitrite as Nitrogen	N001	2.1	mg/L		F	0.15		
SPOUT	TS	1/30/2012	12014286	TOC	Total Organic Carbon	N001	7.3	mg/L		F	1		
SPOUT	TS	1/30/2012	12014286	7440-61-1	Uranium	N001	34.5	ug/L		F	0.2		
SPOUT	TS	2/13/2012	12024359	NH3+NH4-N	Ammonia Total as N	N001	3	mg/L		F	1		
SPOUT	TS	2/13/2012	12024359	7440-70-2	Calcium	N001	423	mg/L		F	0.01		
SPOUT	TS	2/13/2012	12024359	7439-89-6	Iron	N001	0.69	mg/L		F	0.01		
SPOUT	TS	2/13/2012	12024359	NITRATE AS N	Nitrate as Nitrogen	N001	413.1	mg/L		F	0.1		
SPOUT	TS	2/13/2012	12024359	NITRITE AS N	Nitrite as Nitrogen	N001	1.88	mg/L		F	0.15		
SPOUT	TS	2/13/2012	12024359	TOC	Total Organic Carbon	N001	7.3	mg/L		F	1		
SPOUT	TS	2/13/2012	12024359	7440-61-1	Uranium	N001	38.4	ug/L		F	0.2		
SPOUT	TS	2/27/2012	12024377	NH3+NH4-N	Ammonia Total as N	N001	1	mg/L	U	F	1		
SPOUT	TS	2/27/2012	12024377	7440-70-2	Calcium	N001	474	mg/L		F	0.01		
SPOUT	TS	2/27/2012	12024377	7439-89-6	Iron	N001	0.44	mg/L		F	0.01		
SPOUT	TS	2/27/2012	12024377	NITRATE AS N	Nitrate as Nitrogen	N001	415.3	mg/L		F	0.1		
SPOUT	TS	2/27/2012	12024377	NITRITE AS N	Nitrite as Nitrogen	N001	1.22	mg/L		F	0.15		

Non-RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS
SPOUT	TS	2/27/2012	12024377	TOC	Total Organic Carbon	N001	8.3	mg/L		F	1		
SPOUT	TS	2/27/2012	12024377	7440-61-1	Uranium	N001	38.7	ug/L		F	0.2		
SPZE	TS	1/30/2012	12014286	NH3+NH4-N	Ammonia Total as N	N001	1	mg/L	U	F	1		
SPZE	TS	1/30/2012	12014286	7440-70-2	Calcium	N001	520	mg/L		F	0.01		
SPZE	TS	1/30/2012	12014286	7439-89-6	Iron	N001	9.4	mg/L		F	0.01		
SPZE	TS	1/30/2012	12014286	NITRATE AS N	Nitrate as Nitrogen	N001	584.7	mg/L		F	0.1		
SPZE	TS	1/30/2012	12014286	NITRITE AS N	Nitrite as Nitrogen	N001	0.76	mg/L	U	F	0.15		
SPZE	TS	1/30/2012	12014286	7440-61-1	Uranium	N001	59.2	ug/L		F	0.2		
SPZE	TS	2/13/2012	12024359	NH3+NH4-N	Ammonia Total as N	N001	1	mg/L	U	F	1		
SPZE	TS	2/13/2012	12024359	7440-70-2	Calcium	N001	523	mg/L		F	0.01		
SPZE	TS	2/13/2012	12024359	7439-89-6	Iron	N001	9.9	mg/L		F	0.01		
SPZE	TS	2/13/2012	12024359	NITRATE AS N	Nitrate as Nitrogen	N001	589.2	mg/L		F	0.1		
SPZE	TS	2/13/2012	12024359	NITRITE AS N	Nitrite as Nitrogen	N001	0.82	mg/L		F	0.15		
SPZE	TS	2/13/2012	12024359	7440-61-1	Uranium	N001	59.6	ug/L		F	0.2		
SPZE	TS	2/27/2012	12024377	NH3+NH4-N	Ammonia Total as N	N001	1	mg/L	U	F	1		
SPZE	TS	2/27/2012	12024377	7440-70-2	Calcium	N001	501	mg/L		F	0.01		
SPZE	TS	2/27/2012	12024377	7439-89-6	Iron	N001	7.1	mg/L		F	0.01		
SPZE	TS	2/27/2012	12024377	NITRATE AS N	Nitrate as Nitrogen	N001	514.7	mg/L		F	0.1		
SPZE	TS	2/27/2012	12024377	NITRITE AS N	Nitrite as Nitrogen	N001	1.16	mg/L		F	0.15		
SPZE	TS	2/27/2012	12024377	7440-61-1	Uranium	N001	59.9	ug/L		F	0.2		
SW093	SL	1/5/2012	12024348	PU-238	Plutonium-238	N001	-0.00453	pCi/L	U	F	0.0113	0.0166	
SW093	SL	1/17/2012	12014312	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	1.4	mg/L		F	0.019		
SW093	SL	1/17/2012	12014312	7440-61-1	Uranium	N001	4.9	ug/L		F	0.02		
SW093	SL	1/25/2012	12014322	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	1.8	mg/L		F	0.019		
SW093	SL	1/25/2012	12014322	7440-61-1	Uranium	N001	5.1	ug/L		F	0.02		
SW093	SL	2/1/2012	12034403	PU-238	Plutonium-238	N001	0.00145	pCi/L	U	F	0.0192	0.011	
SW093	SL	2/27/2012	12034418	PU-238	Plutonium-238	N001	-0.00188	pCi/L	U	F	0.0125	0.00584	
SW093	SL	3/1/2012	12034404	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	2.9	mg/L		F	0.019		
SW093	SL	3/1/2012	12034404	7440-61-1	Uranium	N001	3.1	ug/L		F	0.02		
SW093	SL	3/14/2012	12044453	PU-238	Plutonium-238	N001	-0.00713	pCi/L	U	F	0.02	0.0101	
SW093	SL	3/15/2012	12034417	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	1.3	mg/L		F	0.019		
SW093	SL	3/15/2012	12034417	7440-61-1	Uranium	N001	4.9	ug/L	B	F	0.02		
SW093	SL	3/28/2012	12044451	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	0.95	mg/L		F	0.019		
SW093	SL	3/28/2012	12044451	7440-61-1	Uranium	N001	5.7	ug/L		F	0.05		
SW093	SL	3/29/2012	12044483	PU-238	Plutonium-238	N001	-0.00129	pCi/L	U	F	0.018	0.00438	
WALPOC	SL	1/3/2012	12024379	PU-238	Plutonium-238	N002	-0.00135	pCi/L	U	D	0.0179	0.00459	
WALPOC	SL	1/3/2012	12024379	PU-238	Plutonium-238	N003	-0.00358	pCi/L	U	F	0.0158	0.00468	
WALPOC	SL	2/23/2012	12034402	PU-238	Plutonium-238	N002	-0.00695	pCi/L	U	F	0.0184	0.0112	
WALPOC	SL	3/6/2012	12034430	PU-238	Plutonium-238	N001	-0.00355	pCi/L	U	F	0.0234	0.011	
WALPOC	SL	3/21/2012	12044482	PU-238	Plutonium-238	N001	-0.00486	pCi/L	U	F	0.0227	0.00636	
WOMPOC	SL	1/3/2012	12024347	PU-238	Plutonium-238	N001	-0.00846	pCi/L	U	F	0.0121	0.00711	
WOMPOC	SL	2/2/2012	12024379	PU-238	Plutonium-238	N001	0.00799	pCi/L	U	F	0.0151	0.00676	
WOMPOC	SL	2/2/2012	12024379	PU-238	Plutonium-238	N002	0	pCi/L	U	D	0.0153	0.0032	
WOMPOC	SL	2/23/2012	12034402	PU-238	Plutonium-238	N001	0.00142	pCi/L	U	F	0.0187	0.0121	
WOMPOC	SL	3/6/2012	12034430	PU-238	Plutonium-238	N001	0.00527	pCi/L	U	F	0.0174	0.0116	
WOMPOC	SL	3/21/2012	12044482	PU-238	Plutonium-238	N001	-0.00701	pCi/L	U	F	0.0196	0.00727	

Non-RFLMA Data

LOCATION_CODE	LOCATION_TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS

EXPLANATION

SAMPLE_ID

N00x = Sample was not filtered.
000x = Sample was filtered.

WATER_UNIT_OF_MEASURE

mg/L; ppm = milligrams per liter
pCi/L = picocuries per liter
ug/L = micrograms per liter
C = degrees celsius
mS/cm = milliSiemens per centimeter
NTU = normal turbidity units
s.u. = standard pH units
uS/cm = microSiemens per centimeter
umhos/cm = microSiemens per centimeter
cfu/ml = colony forming units per milliliter
mg/kg = milligrams per kilogram
pCi/g = picocuries per gram
ug/kg = micrograms per kilogram

SAMPLE_TYPE

F = Field Sample
D = Duplicate

DATA_VALIDATION_QUALIFIERS

valid	Result is valid.
F	Low flow sampling method used.
G	Possible grout contamination, pH > 9.
J	Estimated value.
L	Less than 3 bore volumes purged prior to sampling.

LAB_QUALIFIERS

*	Replicate analysis not within control limits.
+	Correlation coefficient for MSA < 0.995.
>	Result above upper detection limit.
A	TIC is a suspected aldol-condensation product.
B	Inorganic: Result is between the IDL and CRDL. Organic & Radiochemistry: Analyte also found in method blank.
C	Pesticide result confirmed by GC-MS.
D	Analyte determined in diluted sample.
E	Inorganic: Estimate value because of interference, see case narrative. Organic: Analyte exceeded calibration range of the GC-MS.
H	Holding time expired, value suspect.
I	Increased detection limit due to required dilution.
J	Estimated
M	GFAA duplicate injection precision not met.
N	Inorganic or radiochemical: Spike sample recovery not within control limits. Organic: Tentatively identified compund (TIC).
P	> 25% difference in detected pesticide or Arochlor concentrations between 2 columns.
S	Result determined by method of standard addition (MSA).
U	Analytical result below detection limit.
W	Post-digestion spike outside control limits while sample absorbance < 50% of analytical spike absorbance.
X	Laboratory defined (USEPA CLP organic) qualifier, see case narrative.
Y	Laboratory defined (USEPA CLP organic) qualifier, see case narrative.
Z	Laboratory defined (USEPA CLP organic) qualifier, see case narrative.

LOCATION_TYPE

SL	SURFACE LOCATION
TS	TREATMENT SYSTEM
WL	WELL
BH	BOREHOLE

COLLECTION_METHOD

G	Grab
C	Composite