G-000-1012.31

3886

RESULTS OF WATER SAMPLING OF WELL (40 INDIVIDUAL LETTERS)

10/08/92

DOE-2686-92
DOE-FN/CITIZEN
80
LETTER

[redacted]

G-000-10/2.31

3886

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 13 1992
RECEIVED

OCT 8 1992

DOE-2686-92

Mr. Brian Horn
[redacted]

Dear Mr. Horn:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your cistern and other drinking water sources in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on drinking water quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express drinking water data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	Uranium Concentration (pCi/L)
July 28, 1992	0.4	0.3

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992

DOE-2686-92

Ms. Stephanie Spade
[redacted]

Dear Ms. Spade:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your cistern and other drinking water sources in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on drinking water quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express drinking water data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	Uranium Concentration (pCi/L)
July 28, 1992	0.4	0.3

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

3886

OCT 8 1992

DOE-2686-92

Mrs. Joan Pottenger
[redacted]

Dear Mrs. Pottenger:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. Samples have been collected from your water softener system and the reverse osmosis filter in your kitchen. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of July is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	(pCi/L)
(Water softener system)		
July 25, 1992	5.7	3.9

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit. The uranium concentration in your water softener sample continues to indicate an elevated concentration of uranium above the background range expected for this part of the country. However, the result is consistent with those obtained and reported to you during the previous periods. A sample could not be obtained from your outside faucet and from your reverse osmosis filter during the month of July due to maintenance problems.

As discussed with Environmental Monitoring on July 29, 1992, efforts have been initiated to repair the leaking line on the outside faucet so that samples may be collected directly from your well. A sample was collected from your reverse osmosis filter during the months of August and September. The results will be forwarded to you upon receipt and verification from the laboratory. Environmental Monitoring will continue to collect water samples on a monthly basis, at your convenience.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992

DOE-2686-92

Mr. Thomas Pottenger
[redacted]

Dear Mr. Pottenger:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well at 7376 New Haven Road, and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	(pCi/L)
July 22, 1992	1.8	1.2

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992

DOE-2686-92

Fort Scott
Attn: Ed Shannon
6762 River Rd.
Harrison, OH 45030

Dear Mr. Shannon:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	(pCi/L)
July 29, 1992	0.5	0.3

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this area.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

3886

OCT 8 1992

DOE-2686-91

Welch Sand & Gravel
Attn: Mr. Jim Welch
8953 E. Miami River Rd.
Cincinnati, OH 45247

Dear Mr. Welch:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, at your request, has been collecting a water sample from your gravel pit operation on an annual basis. These samples have been analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the gravel pit located at 11489 Hamilton-Cleves Road for 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	(pCi/L)
July 30, 1992	1.0	0.7

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this area.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992

DOE-2686-92

Mrs. Pam Dunn
[redacted]

Dear Mrs. Dunn:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	(pCi/L)
(Cistern)		
July 31, 1992	0.4	0.3

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country. A sample could not be obtained from your well for the month of July due to the broken water line. However, a sample was obtained from the cistern for the month. Environmental Monitoring will continue to collect a sample from your cistern on a quarterly basis until the line to the well has been repaired.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992

DOE-2686-92

Mrs. Doris Turner
[redacted]

Dear Mrs. Turner:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your wells and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory results from the month of July 1992 are expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration	
(Barn Well)	(ppb)	(pCi/L)
July 29, 1992	0.9	0.6
(House Well)		
July 29, 1992	1.0	0.7

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your samples is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the results reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992
DOE-2686-92

Mrs. Ruth Sellet
[redacted]

Dear Mrs. Sellet:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	(pCi/L)
July 29, 1992	8.7	5.9

For comparison, a groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit. However, the concentration is higher than the range expected for naturally-occurring background uranium in this area. The result is consistent with those obtained and reported to you during previous periods.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992

DOE-2686-92

Mr. Joe Schomaker
[redacted]

Dear Mr. Schomaker:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling conducted at [redacted]. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	(pCi/L)
July 27, 1992	0.7	0.5

For comparison, a groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in the sample from 4355 Hamilton-Cleves Highway is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992

DOE-2686-92

Miami Valley Ready Mix
Attn: Loyd Smith
7466 New Haven Road
Harrison, OH 45030

Dear Mr. Smith:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	(pCi/L)
July 27, 1992	0.4	0.3

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992

DOE-2686-92

Mr. Joe Langley
[redacted]

Dear Mr. Langley:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	(pCi/L)
July 30, 1992	3.8	2.6

For comparison, a groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit. However, the concentration is slightly higher than the range expected for naturally-occurring background uranium in this area. The result is consistent with those obtained and reported to you during previous periods.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992

DOE-2686-92

Mr. Mark Hollis
[redacted]

Dear Mr. Hollis:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	(pCi/L)
July 27, 1992	0.7	0.5

For comparison, a groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992
DOE-2686-92

Dr. Stanley K. Henshaw
[redacted]

Dear Dr. Henshaw:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	(pCi/L)
July 29, 1992	<0.1	<0.1

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in the sample collected from [redacted] is well below this limit and is within the range expected for naturally-occurring background uranium concentrations in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (513-738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992

DOE-2686-92

Dr. Edgar C. Henshaw
[redacted]

Dear Dr. Henshaw:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	(pCi/L)
July 29, 1992	<0.1	<0.1

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in the sample collected from [redacted] is well below this limit and is within the range expected for naturally-occurring background uranium concentrations in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (513-738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992

DOE-2686-92

Ms. Maggie Merritt
[redacted]

Dear Ms. Merritt:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling at Branch Hill Mobile Home Park. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	Uranium Concentration (pCi/L)
July 27, 1992	0.6	0.4

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in the sample for Branch Hill Mobile Home Park is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992

DOE-2686-92

Ms. Ann Harrigan
[redacted]

Dear Ms. Harrigan:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling at Branch Hill Mobile Home Park. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	Uranium Concentration (pCi/L)
July 27, 1992	0.6	0.4

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in the sample for Branch Hill Mobile Home Park is well below this limit and is within the range expected for naturally-occurring background uranium in this area.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992

DOE-2686-92

Mr. Donald Gieringer
[redacted]

Dear Mr. Gieringer:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	Uranium Concentration (pCi/L)
July 28, 1992	1.0	0.7

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992

DOE-2686-92

Mr. A. J. Nieman
[redacted]

Dear Mr. Nieman:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	(pCi/L)
July 22, 1992	1.9	1.3

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992
DOE-2686-92

Mr. Allen Minges
[redacted]

Dear Mr. Minges:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	(pCi/L)
July 29, 1992	<0.1	<0.1

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992

DOE-2686-92

Delta Steel Corp.
Attn: Ronald Poston
P.O. Box 39040
Cincinnati, OH 45239-0040

Dear Mr. Poston:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	(pCi/L)
July 22, 1992	240	162.2

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is higher than the range expected for naturally-occurring background uranium in this area. However, the result is consistent with those obtained and reported to you during previous periods and no significant changes in the reported levels are apparent.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992

DOE-2686-92

Mr. N. L. Burwinkel
[redacted]

Dear Mr. Burwinkel:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	(pCi/L)
July 29, 1992	2.1	1.4

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this area.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

3886

OCT 8 1992

DOE-2686-92

Branch Hill Mobile Home Park
Attn: Manager
11200 Hamilton-Cleves Rd.
Harrison, OH 45030

Dear Sir:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	(pCi/L)
July 27, 1992	0.6	0.4

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this area.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

3886

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992

DOE-2686-92

Best Panel Homes
Attn: Manager
11301 Paddy's Run Rd.
Hamilton, OH 45013

Dear Sir:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	Uranium Concentration (pCi/L)
July 28, 1992	0.6	0.4

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

3886

OCT 8 1992

DOE-2686-92

Mr. Russell Beckner
[redacted]

Dear Mr. Beckner:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	(pCi/L)
July 28, 1992	0.2	0.1

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992

DOE-2686-92

Albright and Wilson
Attn: Sam Goodson
P. O. Box 39066
Cincinnati, OH 45239

Dear Mr. Goodson:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	(pCi/L)
July 27, 1992	43	29.1

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample was higher than the range expected for naturally-occurring background uranium concentrations in this part of the country. However, the result is consistent with those obtained and reported to you during the previous periods and no significant changes in the reported levels are apparent.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992

DOE-2686-92

Mrs. Sue Verkamp
[redacted]

Dear Mrs. Verkamp:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in conjunction with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	(pCi/L)
July 31, 1992	0.6	0.4

For comparison, a groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J. D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium content of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental monitoring program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992

DOE-2686-92

Mrs. Verdie Estes
[redacted]

Dear Mrs. Estes:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	Uranium Concentration (pCi/L)
July 28, 1992	1.7	1.2

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.06 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

3886

OCT 8 1992

DOE-2686-92

Mr. Frank Divo
Southwestern Ohio Water Co.
11300 Cornell Park Dr. #385
Cincinnati, OH 45242

Dear Mr. Divo:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your wells and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory results from the month of July 1992 are expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration	
(Well 1)	(ppb)	(pCi/L)
July 29, 1992	2.0	1.2
(Well 2)		
July 29, 1992	1.0	0.7

Recycled and Recyclable

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your samples is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the results reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992

DOE-2686-92

Denier Electric
Attn: Manager
P.O. Box 308
Ross, OH 45061

Dear Sir:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	Uranium Concentration (pCi/L)
July 27, 1992	0.5	0.3

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this area.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992

DOE-2686-92

Knollman Farms, Inc.
Attn: Norman Knollman
7312 Willey Rd.
Hamilton, OH 45013

Dear Mr. Knollman:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your wells and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory results from the month of July 1992 are expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration	
(Old Well)	(ppb)	(pCi/L)
July 27, 1992	307.0	207.5
(Duplicate) July 27, 1992	172.0	116.3
August 25, 1992	180.0	121.7
(New Well) July 27, 1992	0.2	0.1
(House Well) July 22, 1992	2.2	1.5

Recycled and Recyclable

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in the samples taken from the new well and the house well (7312) Willey Road is well below this limit and is within the range expected for naturally-occurring background uranium concentrations in this part of the country.

However, the result from the old well (7308 Willey Road) is higher than the range expected for naturally-occurring background uranium concentrations and previously reported results. A duplicate sample was collected and the uranium concentration was within the range expected from this location. As a follow-up to the July results, the sample collected during the month of August was analyzed and the result remains within the range expected for the old well.

If you have any questions regarding the results reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992

DOE-2686-92

Mr. Ken Aday
[redacted]

Dear Mr. Aday:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your wells and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory results from the month of July 1992 are expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration	
(Old Well)	(ppb)	(pCi/L)
July 27, 1992	307.0	207.5
(Duplicate) July 27, 1992	172.0	116.3
August 25, 1992	180.0	121.7
(New Well) July 27, 1992	0.2	0.1
(House Well) July 22, 1992	2.2	1.5

Recycled and Recyclable

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in the samples taken from the new well and the house well [redacted] is well below this limit and is within the range expected for naturally-occurring background uranium concentrations in this part of the country.

However, the result from the old well [redacted] is higher than the range expected for naturally-occurring background uranium concentrations and previously reported results. A duplicate sample was collected and the uranium concentration was within the range expected from this location. As a follow-up to the July results, the sample collected during the month of August was analyzed and the result remains within the range expected for the old well.

If you have any questions regarding the results reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992

DOE-2686-92

Ruetgers Nease, Inc.
Attn: Noah Pope
10740 Paddy's Run Rd.
Harrison, OH 45030

Dear Mr. Pope:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	(pCi/L)
July 27, 1992	<0.1	<0.1

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992

DOE-2686-92

Mr. James Rolfes
[redacted]

Dear Mr. Rolfes:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express drinking water data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	(pCi/L)
July 30, 1992	1.1	0.7

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992

DOE-2686-92

Ms. Nancy Riggs
[redacted]

Dear Ms. Riggs:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	(pCi/L)
July 22, 1992	1.8	1.2

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

3886

OCT 8 1992

DOE-2686-92

Mr. Thomas Renck
Renck's Nursery
11765 Hamilton-Cleves Rd.
Hamilton, OH 45013

Dear Mr. Renck:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your wells and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory results from the month of July 1992 are expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration	
(Barn Well)	(ppb)	(pCi/L)
July 27, 1992	0.7	0.5
(House Well)		
July 27, 1992	0.5	0.3

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your samples is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the results reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992

DOE-2686-92

Ray Evers Welding Co., Inc.
Attn: Manager
4849 Blue Rock Rd.
Cincinnati, OH 45239

Dear Sir:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling conducted at 7500 New Haven Road. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	Uranium Concentration (pCi/L)
July 22, 1992	0.1	0.1

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

3886

OCT 8 1992

DOE-2686-92

Ms. Darlene Ramsey
[redacted]

Dear Ms. Ramsey:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	(pCi/L)
July 22, 1992	1.8	1.2

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

3880

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992

DOE-2686-92

Mr. Frank Lienesch
[redacted]

Dear Mr. Lienesch:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in conjunction with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	(pCi/L)
July 30, 1992	0.5	0.3

For comparison, a groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J. D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium content of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental monitoring program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

OCT 8 1992

DOE-2686-92

Mr. Michael Lienesch
[redacted]

Dear Mr. Lienesch:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in conjunction with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of July 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

Sampling Date	Uranium Concentration (ppb)	(pCi/L)
July 30, 1992	0.5	0.3

For comparison, a groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J. D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium content of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Recycled and Recyclable

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental monitoring program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider

Wally Quaider, Assistant Manager
Technical Support

FN:Quaider