

**5737**

**G-000-1012.87**

**RESULTS OF THE WATER SAMPLING OF WELLS (2 INDIVIDUAL  
LETTERS)**

**07/06/94**

**DOE-2021-94  
DOE-FN       CITIZENS  
4  
LETTERS**



**Department of Energy**  
**Fernald Environmental Management Project**  
 P.O. Box 398705  
 Cincinnati, Ohio 45239-8705  
 (513) 738-6357

JUL 06 1994  
 DOE-2021-94

Mr. Marvin Clawson  
 [REDACTED]

Dear Mr. Clawson:

The purpose of this letter is to provide you with the results of the water sampling of your well conducted by Fernald Environmental Restoration Management Corporation (FERMCO). The well at 4555 Paddys Run Road was sampled on May 12, 1994, in response to your request. The result of this sampling is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
May 12, 1994	<0.1	<0.1

For comparison, a groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this area.

1 6 8 3  
M. Clawson

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact Wally Quaider by phone (648-3137) at your convenience.

Sincerely,

*Wally Quaider for*  
Kenneth L. Morgan, Director  
Public Information

FN:Quaider

2



**Department of Energy**  
**Fernald Environmental Management Project**  
 P.O. Box 398705  
 Cincinnati, Ohio 45239-8705  
 (513) 738-6357

JUL 0 8 1994

DOE-2021-94

Mrs. Amy Butterfield  
 [REDACTED]

Dear Mrs. Butterfield:

The purpose of this letter is to provide you with the results of the water sampling of your well conducted by Fernald Environmental Restoration Management Corporation (FERMCO). Your well at 4555 Paddys Run Road was sampled on May 12, 1994, in response to your request. The result of this sampling is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
May 12, 1994	<0.1	<0.1

For comparison, a groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this area.

2585

A. Butterfield

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact Wally Quaider by phone (648-3137) at your convenience.

Sincerely,

*Wally Quaider for*  
Kenneth L. Morgan, Director  
Public Information

FN:Quaider

4