

7007

G-000-1012.138

RESULTS OF WELL SAMPLING (29 LETTERS)

06/30/95

DOE-1112-95
DOE-FN CITIZENS
58
LETTERS

7007



Department of Energy
Fernald Environmental Management Project
P. O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 648-3155

JUN 30 1995
DOE-1112-95

Mr. Russell Beckner



Dear Mr. Beckner:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.


The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of April 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
April 24, 1995	<0.1	<0.1

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

000001



7008

R. Beckner

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaider
Deputy Associate Director
Office of Safety & Assessment

000002



7007

Department of Energy
 Fernald Environmental Management Project
 P. O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 648-3155

JUN 30 1995

DOE-1112-95

Mr. Joe Schomaker
 [REDACTED]

Dear Mr. Schomaker:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.


The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of April 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
April 26, 1995	0.5	0.3

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

000003



J. Schomaker

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment

000004



Department of Energy
Fernald Environmental Management Project
P. O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 648-3155

JUN 30 1995

DOE-1112-95

Ms. Ann Harrigan



Dear Ms. Harrigan:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of April 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
April 24, 1995	1.2	0.8

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

A. Harrigan

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment

000006

7007



Department of Energy
Fernald Environmental Management Project
P. O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 648-3155

JUN 30 1995
DOE-1112-95

Mr. Donald Gieringer



Dear Mr. Gieringer:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of April 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
April 24, 1995	2.1	1.4

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

000007

D. Gieringer

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment

000008



Department of Energy
Fernald Environmental Management Project
P. O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 648-3155

JUN 30 1995

DOE-1112-95

Delta Steel Corp.
Attn: Mr. Ronald Poston
10860 Paddys Run Road
Harrison, OH 45030

Dear Mr. Poston:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of April is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
April 26, 1995	170.0	114.9

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

000009

8005

Delta Steel Corporation

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is higher than the range expected for naturally-occurring background uranium in this area. However, the result is consistent with those obtained and reported to you during previous periods and no significant change in the reported level is apparent.

If you have any questions regarding the results reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment

000010

7007



Department of Energy
Fernald Environmental Management Project
P. O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 648-3155

JUN 30 1995
DOE-1112-95

Mr. Frank Divo
Southwestern Ohio Water Co.
11300 Cornell Park Dr. #385
Cincinnati, Ohio 45242

Dear Mr. Divo:


The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your wells and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory results from the month of April 1995 are expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
(Well 1) April 27, 1995	1.5	1.0
(Well 2) April 27, 1995	0.9	0.6

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

000011



7008
F. Divo

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the results reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment

000012

7007



Department of Energy
Fernald Environmental Management Project
P. O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 648-3155

JUN 30 1995

DOE-1112-95

Knollman Farms, Inc.
Attn: Norman Knollman
7312 Willey Rd.
Hamilton, OH 45013

Dear Mr. Knollman:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your wells and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory results from the month of April 1995 are expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
(Old Well) April 24, 1995	180.0	121.7
(New Well) April 24, 1995	0.5	0.3
(House Well) April 25, 1995	2.2	1.5

000013

N. Knollman

-2-

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentrations in the samples taken from the new well and the house well (7312 Willey Road) are well below this limit and are within the range expected for naturally-occurring background uranium concentrations in this part of the country. However, the uranium concentration in the sample taken from the old (shallow) well at 7308 Willey Road is higher than the range expected for naturally-occurring background uranium concentrations in this part of the country. The results are consistent with those obtained and reported to you during the previous periods.

If you have any questions regarding the results reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment

000014

- 7007



Department of Energy
Fernald Environmental Management Project
P. O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 648-3155

JUN 30 1995

DOE-1112-95

Mrs. Doris Turner



Dear Mrs. Turner:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your wells and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory results from the month of April 1995 are expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
(Barn Well) April 24, 1995	0.9	0.6
(House Well) April 24, 1995	0.9	0.6

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

5005

D. Turner

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentrations in your samples are well below this limit and within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact Wally Quaider by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaider
Deputy Associate Director
Office of Safety & Assessment

000016



2007

Department of Energy
Fernald Environmental Management Project
P. O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 648-3155

JUN 30 1995

DOE-1112-95

Mr. Thomas Pottenger



Dear Mr. Pottenger:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well at [redacted] and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of April 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
April 24, 1995	1.8	1.2

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

T. Pottenger

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentrations in your samples are well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaider
Deputy Associate Director
Office of Safety & Assessment

000018



Department of Energy
Fernald Environmental Management Project
P. O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 648-3155

JUN 30 1995
DOE-1112-95

Mr. A. J. Nieman



Dear Mr. Nieman:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of April 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
April 26, 1995	1.8	1.2

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

5007

A. Nieman

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment

000020

5-70-87



Department of Energy
Fernald Environmental Management Project
P. O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 648-3155

JUN 30 1995
DOE-1112-95

Mr. Clayton Burton



Dear Mr. Burton:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of April 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
April 26, 1995	2.0	1.4

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.



000021

C. Burton

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment

000022

7007



Department of Energy
Fernald Environmental Management Project
P. O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 648-3155

JUN 30 1995
DOE-1112-95

Mr. Frank Lienesch



Dear Mr. Lienesch:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of April 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
April 26, 1995	0.5	0.3

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

F. Lienesch

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment

000024

7007



Department of Energy
Fernald Environmental Management Project
P. O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 648-3155

JUN 30 1995
DOE-1112-95

Mrs. Verdie Estes



Dear Mrs. Estes:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of April 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
April 24, 1995	2.0	1.4

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

8007
V. Estes

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment

000026



Department of Energy
Fernald Environmental Management Project
P. O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 648-3155

JUN 30 1995
DOE-1112-95

Ms. Darlene Ramsey
[Redacted]

Dear Ms. Ramsey:


The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of April 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
April 24, 1995	1.8	1.2

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.



D. Ramsey

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment

7007



Department of Energy
Fernald Environmental Management Project
P. O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 648-3155

JUN 30 1995
DOE-1112-95

Ms. Nancy Riggs



Dear Ms. Riggs:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of April 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
April 24, 1995	1.8	1.2

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

000029

N. Riggs

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,

Handwritten signature of Walter J. Quaid in cursive script.

Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment

000030



E-7000

Department of Energy
Fernald Environmental Management Project
P. O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 648-3155

JUN 30 1995

DOE-1112-95

Mr. James Rolfes


Dear Mr. Rolfes:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.


The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of April 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
April 24, 1995	1.0	0.7

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

000031



005

J. Rolfes

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment

000032

7007




Department of Energy
Fernald Environmental Management Project
P. O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 648-3155

JUN 30 1995

DOE-1112-95

Mrs. Ruth Sellet



Dear Mrs. Sellet:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of April 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
April 24, 1995	6.3	4.3

For comparison, a groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

R. Sellet

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit. However, the concentration is slightly higher than the range expected for naturally-occurring background uranium in this area. The result is consistent with those obtained and reported to you during previous periods.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment Support

000034

7007



Department of Energy
Fernald Environmental Management Project
P. O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 648-3155

JUN 30 1995

DOE-1112-95

Best Panel Homes
ATTN: Manager
11301 Paddys Run Road
Hamilton, Ohio 45013

Dear Sir:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of April 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
April 24, 1995	0.6	0.4

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Best Panel Homes

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaider
Deputy Associate Director
Office of Safety & Assessment Support

000036

000037



Department of Energy
Fernald Environmental Management Project
P. O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 648-3155

JUN 30 1995

DOE-1112-95

Branch Hill Mobile Home Park
ATTN: Manager
11200 Hamilton-Cleves Road
Harrison, Ohio 45030

Dear Sir:


The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of April 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
April 24, 1995	1.2	0.8

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

000037



Branch Hill Mobile Home Park

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment Support

000038



Department of Energy
 Fernald Environmental Management Project
 P. O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 648-3155

JUN 30 1995

DOE-1112-95

Denier Electric
 ATTN: Manager
 P.O. Box 308
 Ross, Ohio 45061

Dear Sir:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of April 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
April 24, 1995	0.5	0.3

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

7005

Denier Electric

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaider
Deputy Associate Director
Office of Safety & Assessment Support

000040

7007



Department of Energy
Fernald Environmental Management Project
P. O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 648-3155

JUN 30 1995

DOE-1112-95

Ray Evers Welding Company
ATTN: Manager
4849 Blue Rock Road
Cincinnati, Ohio 45239

Dear Sir:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of April 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
April 26, 1995	<0.1	<0.1

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

000041

7007

Ray Evers Welding Company

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaider
Deputy Associate Director
Office of Safety & Assessment Support

000042



Department of Energy
Fernald Environmental Management Project
 P. O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 648-3155

JUN 30 1995

DOE-1112-95

Miami Valley Ready Mix
 ATTN: Mr. Loyd Smith
 7466 New Haven Road
 Harrison, Ohio 45030

Dear Mr. Smith:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of April 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
April 24, 1995	0.4	0.3

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

7007
Miami Valley Ready Mix

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment Support

000044

7007



Department of Energy
Fernald Environmental Management Project
P. O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 648-3155

JUN 30 1995

DOE-1112-95

Rutgers Nease, Inc.
ATTN: Mr. Noah Pope
10740 Paddys Run Road
Harrison, Ohio 45030

Dear Mr. Pope:


The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of April 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
April 26, 1995	<0.1	<0.1

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

000045



Rutgers Nease, Inc.

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaid

Deputy Associate Director
Office of Safety & Assessment Support

000046



Department of Energy
Fernald Environmental Management Project
P. O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 648-3155

JUN 30 1995
DOE-1112-95

Ms. Stephanie Spade



Dear Ms. Spade:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the quarterly sample collected in April 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
April 24, 1995	0.7	0.5

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

0008

S. Spade

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment

000048



Department of Energy
Fernald Environmental Management Project
P. O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 648-3155

JUN 30 1995
DOE-1112-95

Mrs. Pamela Dunn
[Redacted]

Dear Mrs. Dunn:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your cistern and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.


The purpose of this letter is to provide you with results of our sampling. The laboratory result from the quarterly sample collected in April 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
April 24, 1995	<0.1	<0.1

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

000049



P. Dunn

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment

000050



Department of Energy
Fernald Environmental Management Project
P. O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 648-3155

JUN 30 1995

DOE-1112-95

Mr. Thomas Renck
Renck's Nursery
11765 Hamilton-Cleves Road
Hamilton, Ohio 45030

Dear Mr. Renck:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your wells and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory results from the month of April 1995 are expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
(Barn Well) April 24, 1995	1.2	0.8
(House Well) April 24, 1995	0.6	0.4

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

T. Renck

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentrations in your samples are well below this limit and within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact Wally Quaider by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaider
Deputy Associate Director
Office of Safety & Assessment

000052

7007



Department of Energy
Fernald Environmental Management Project
P. O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 648-3155

JUN 30 1995

DOE-1112-95

Ms. Maggie Merritt
[Redacted]

Dear Ms. Merritt:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of April 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
April 24, 1995	1.2	0.8

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

7007

M. Merritt

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment

000054

7007



Department of Energy
Fernald Environmental Management Project
P. O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 648-3155

JUN 30 1995
DOE-1112-95

Mr. Joseph Langley



Dear Mr. Langley:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of April 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
April 24, 1995	3.0	2.0

For comparison, a groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

000055

0005

J. Langley

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit. However, the concentration is slightly higher than the range expected for naturally-occurring background uranium in this area. The result is consistent with those obtained and reported to you during previous periods.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment Support

000056



Department of Energy
Fernald Environmental Management Project
P. O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 648-3155

JUN 30 1995

DOE-1112-95

Mr. Michael Lienesch



Dear Mr. Lienesch:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The intended purpose of this letter is to provide you with results of our sampling. However, no sample was collected from your property in April 1995 because no one was at home on the scheduled sampling day. Radiological Environmental Monitoring will continue to sample the well on a quarterly basis.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,

Walter J. Quaid
Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment