



State of Ohio Environmental Protection Agency

Southwest District Office

401 East Fifth Street
Dayton, Ohio 45402-2911
(513) 285-6357
FAX (513) 285-6249

FERNALD _____

LOG B-0395

DEC 26 10 14 AM '00

3417

George V. Voinovich
Governor

FILE: 6446.6C15el

LIBRARY: _____

December 20, 2000

Mr. Johnny Reising
U.S. Department of Energy, Fernald Area Office
P.O. Box 538705
Cincinnati, OH 45253-8705

RE: Approval- PSP for the Area 9, Phase II Precertification Real-Time Scan

Dear Mr. Reising:

Ohio EPA has reviewed DOE's November 22, 2000 submittal on the "Project Specific Plan for the Area 9, Phase II Precertification Real-Time Scan". Based upon our review, Ohio EPA approves this document.

If you have any questions, please contact Michelle Waller or me.

Sincerely,

Thomas A. Schneider
Fernald Project Manager
Office of Federal Facilities Oversight

cc: Jim Saric, U.S. EPA
Terry Hagen, FDF
Ruth Vandergrift, ODH
Mark Shupe, HSI GeoTrans
Francie Hodge, Tetra Tech EM Inc.

Q:\femp\ou5\A9P2\precerscan.app.wpd

L