



State of Ohio Environmental Protection Agency

Southwest District Office

401 East Fifth Street
Dayton, Ohio 45402-2911
(513) 285-6357
FAX (513) 285-6249

FERNALD

LOG B-0807

FEB 23 12 34 PM '01

3523

George V. Voinovich
Governor

February 22, 2001

FILE:
LIBRARY:

Mr. Johnny Reising
U.S. Department of Energy, Fernald Area Office
P.O. Box 538705
Cincinnati, OH 45253-8705

Re: Conditional Approval - PSP for A9P1

Dear Mr. Reising:

This letter provides conditional approval of the "Project Specific Plan for Area 9, Phase I" which was submitted by DOE on January 19, 2001. The condition of approval is the satisfactory resolution of the following comment.

1. Commenting Organization: OEPA Commentor: OFFO
Section #: 4.1 Pg #: 4-1, 4-2 Line #: 40-41, 1 Code: C
Original Comment #

Comment: These two bullet points reference changing the PSP. This is not acceptable. Once the PSP has been approved by the Agencies, V/FCNs are the only acceptable method for documenting change to the original design. Please correct.

If you have any questions, please contact me at (937) 285-6466.

Sincerely,

Thomas A. Schneider
Fernald Project Manager
Office of Federal Facilities Oversight

cc: Jim Saric, U.S. EPA
Terry Hagen, FDF
Mark Shupe, HSI GeoTrans
Francie Hodge, Tetra Tech EM Inc.
Ruth Vandergrift, ODH

Q:\ou5\A9P1\psp.cap.wpd