



State of Ohio Environmental Protection Agency

5466

Southwest District Office

401 East Fifth Street
Dayton, Ohio 45402-2911

TELE: (937) 285-6357 FAX: (937) 285-6404

Bob Taft, Governor
Maureen O'Connor, Lt. Governor
Christopher Jones, Director

LIBRARY
FILE: 6446.561
2004 APR 13 A 11:00
FERNALD
OG E-0013

April 12, 2004

Mr. William J. Taylor
U.S. Department of Energy, Fernald Area Office
P.O. Box 538705
Cincinnati, OH 45253-8705

Re: Response to Conditional Approval of Silo 3 Remedial Design/Remedial Action Package, Revision 2

Dear Mr. Taylor:

Ohio EPA has reviewed the "Response to Conditional Approval of Silo 3 Remedial Design/Remedial Action Package, Revision 2, received on March 19, 2004.

Ohio EPA agrees with DOE's response to comments and therefore approves the document.

If you have any questions, please contact me at (937) 285-6466.

Sincerely,

Thomas A. Schneider
Fernald Project Manager
Office of Federal Facilities Oversight

cc: Jim Saric, U.S. EPA
Terry Hagen, FDF
Mark Shupe, HSI GeoTrans

Ruth Vandergrift, ODH
Michelle Cullerton, Tetra Tech EM Inc.