

ROCKY FLATS ENVIRONMENTAL TECHNOLOGY SITE REGULATORY CONTACT RECORD

Date/Time: April 27, 2005 / 3:00 p.m.
Site Contact(s): Chris Gilbreath/Randy Leitner
Phone: 303-966-7355/3537
Regulatory Contact: Denise Onyskiw, Harlen Ainscough
Phone: 303-966-6687
Agency: CDPHE


Purpose of Contact: Closure of remaining RCRA Mixed Residue Units – Building 371
Addendum to Contact Record dated December 21, 2004

Discussion

A previous Contact Record dated December 21, 2004, outlined the process agreed to by CDPHE for closure of specific units in Building 371/374, and documented how closure of the majority of these units was completed. At that time, closure activities for mixed residue vaults in Rooms 2317, 3549, 3553, 3558, and 3563 had not yet been completed. Specifically, these rooms were to be closed in accordance with the requirements of the B371 DOP for abrasive mechanical decontamination. This activity has since been completed. Completion of this activity was documented in a Professional Engineer Certification letter dated March 31, 2005. This letter and survey documentation indicating that these areas contain less than 20 d/m removable Pu was submitted to CDPHE on April 27, 2005. This completes the RCRA closure activities for the Building 371/374 project. This determination will be reflected in the final Building 371 PDSR prior to demolition of phases IV and V of Building 371.

Contact Record Prepared By: Randy Leitner

Required Distribution:



M. Aguilar, USEPA
B. Birk, DOE-RFPO
C. Deck, K-H Legal
S. Garcia, USEPA
C. Gilbreath, K-H 771/774
S. Gunderson, CDPHE
S. Johnson, K-H ESS
D. Kruchek, CDPHE
K. Lavorato, K-H MS
J. Legare, DOE-RFPO

Contact Record 4/10/00
Rev. 4/5/05

Additional Distribution:

R. Leitner, K-H 371/374
D. McCranie, DOE-RFPO
G. Morgan, DOE-RFPO
S. Nesta, K-H RISS
M. Roy, DOE-RFPO
R. Schassburger, DOE-RFPO
D. Shelton, K-H ESS
J. Walstrom, K-H RISS
C. Zahm, K-H Legal

H. Ainscough CDPHE
D. Onyskiw, CDPHE
W. Seyfert, DOE-RFPO

ADMIN RECORD