

**ROCKY FLATS ENVIRONMENTAL TECHNOLOGY SITE
REGULATORY CONTACT RECORD**

Date/Time: 12/02/02 - 0947

Site Contact(s): C. J. Freiboth (KH) – (CJF-037.1)
Phone: (303) 966-2823

Regulatory Contact: James Hindman, CDPHE
Phone: (303) 692-3345

Agency: CDPHE

Purpose of Contact: State (CDPHE) contact regarding the Building 444 Complex Reconnaissance Level Characterization Reports (RLCR) Questions

Meeting Attendance

C. J. Freiboth, KH PM James Hindman, CDPHE

Discussion

On October 29, 2002, at 1640 the State (Hindman) called regarding the Building 444 Complex Reconnaissance Level Characterization Reports (RLCR). Specific questions:

Question 1 - Radiation survey data (Table 3.1) shows the upper areas (walls and ceilings) where they are results greater than 5,000 dpm/100 cm². The DCGL from the previous page shows the uranium limit being 5,000 dpm/100 cm². Is this in error?

Response (October 29, 2002 at 1645) – This item will be corrected in the RLCR.

Question 2 – Can I (State) get a copy of the RCRA sampling data?

Response (November 20, 2002 at 1500) – A copy of the data for RINS 02S0183, 02S0198, and 02S0200 were provided to the State (Hindman).

On December 2, 2002 at 0947 – The State (Hindman) verified receipt of the sample data.



Y2

CEX-105-01

Contact Record Prepared By: C. J. Freiboth

Required Distribution:

P. Arnold, K-H
C. Deck, K-H
R. DiSalvo, RFFO
C. Gilbreath, K-H
S. Gunderson, CDPHE
T. Hopkins, K-H
L. Kilpatrick, K-H
J. Legare, RFFO

R. Leitner, K-H
J. Mead, K-H
S. Nesta, K-H
K. North, K-H
W. Prymak, DOE
T. Rehder, USEPA
D. Shelton, K-H

Additional Distribution:

C. J. Freiboth, K-H
J. Hindman, CDPHE
S. Tower, DOE