

**ROCKY FLATS ENVIRONMENTAL TECHNOLOGY SITE
REGULATORY CONTACT RECORD**

Date/Time June 22, 2004 / 9 30 am

Site Contact(s) Carolyn Hicks
Phone (303) 994-9555

Regulatory Contact Edd Kray
Phone (303) 966-2115

Agency CDPHE

Purpose of Contact Retype Building 701 from a Type 1 to a Type 2 facility, and add it to the scope of the Building 776/777 DOP via a minor modification

Discussion

Section 2 4 of the Building 776/777 DOP states

“Building 776/777 is believed to be a Type 3 building, Building 730 is believed to be a Type 2 building, and the remaining buildings in the Cluster are believed to be Type 1 buildings. As a result, this DOP addresses the decommissioning of Building 776/777 and Building 730, only. However, it is recognized that additional sampling and analysis will be required to verify the characterization of the Type 1 buildings. In the event future survey data indicate that contamination and/or hazards are present in one or more of these buildings, they will be addressed in a subsequent decision document(s), which may include a modification to this DOP.”

Recent survey data indicate that Building 701 should be retyped to a Type 2 facility due to radiological contamination. Mr Kray agreed that Building 701 should be added to the Building 776/777 DOP via a minor modification.

Contact Record Prepared By Carolyn Hicks

Required Distribution

M Aguilar, USEPA
S Bell, DOE-RFPO
B Birk, DOE-RFPO
C Deck, K-H Legal
D Foss, K-H 707/776/777
S Garcia, USEPA

Contact Record 4/10/00
Rev 5/24/04

R Leitner, K-H 371/374
J Mead, K-H ESS
G Morgan, DOE-RFPO
S Nesta, K-H RISS
K North, K-H ESS/MS
R Schassburger, DOE-RFPO

Additional Distribution


E Kray, CDPHE
G Schuetz, DOE-RFPO
V Pizzuto, K-H 707/776/777
D DelVecchio, K-H 707/776/777
T Vaughn, K-H 707/776/777
R Kury, 707/776/777

1/2

C Gilbreath, K-H 771/774
S Gunderson, CDPHE
J Legare, DOE-RFPO

D Shelton, K-H ESS
C Zahm, K-H Legal

M Grube, 707/776/777
J Robbins, CERCLA admin record



2/2