

RECEIVED

2003 OCT -2 P 4 11

STATE OF COLORADO

Revised 09/03

CORRES CONTROL
INCOMING LTR NO

00913 RF03

DUE DATE
ACTION

Bill Owens Governor
Douglas H Benevento Executive Director
CORRESPONDENCE CONTROL

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr S
Denver, Colorado 80246-1530
Phone (303) 692-2000
TDD Line (303) 691-7700
Located in Glendale, Colorado

Laboratory Services Division
8100 Lowry Blvd
Denver, Colorado 80230 6928
(303) 692 3090

http://www.cdphe.state.co.us



Colorado Department
of Public Health
and Environment

DIST	LTR	ENC
BERARDINI, J. H.	X	
BOGNAR, E. S.	X	
BROOKS, L.	X	
BUTLER, L.	X	
CROCKETT, G. A.	X	
DECK, C. A.	X	
DEGENHART, K. R.	X	
DIETER, T. J.		
DIETERLE, S. E.		
FERRERA, D. W.	X	
GIACOMINI, J. J.	X	
HIETT, S. B.	X	
ISOM, J. H.	X	
LINDSAY, D. C.	X	
LONG, J. W.		
LYLE, J. L.		
MARTINEZ, L. A.	X	
NAGEL, R. E.	X	
NORTH, K.	X	
PARKER, A. M.	X	
RODGERS, A. D.	X	
SHELTON, D. C.	X	
SPEARS, M. S.		
TRICE, K. D.	X	
TUOR, N. B.	X	
WILLIAMS, J. L.		
Zaboy, C.	X	
WIEMELT, K.	X	

September 29, 2003

Mr Joe Legare
Acting Assistant Manager for Environment and Stewardship
U S Department of Energy, Rocky Flats Field Office
10808 Highway 93, Unit A
Golden, CO 80403-8200

RE Draft Environmental Restoration RFCA Standard Operating Protocol For Routine Soil Remediation FY 03
Notification #03-12 IHSS Group 800-1 (B865) - Approval

Dear Mr Legare

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division has reviewed the Draft ER RSOP Notification #03-12, IHSS Group 800-1 (B865), dated September 18, 2003 The Division is hereby approving this Notification.

Although we are approving this Notification we are concerned that this activity has not been previously discussed (prior to initiation) with the public, and is to be presented at the October ER/D&D Status Meeting It is our understanding that this is an unusual situation caused by the cancellation of the September ER/D&D meeting, and should not set a precedent for future occurrences

Also, although it is stated in Section 2 4 that the B865 slab will be disposed as low-level radioactive and beryllium waste, we have previously agreed that most of the Low-Bay slab, except for the small area of known contamination, may be disposed as sold waste unless the slab is found to be contaminated during removal activities

It is our understanding the consultative process will be utilized to resolve any additional issues that may arise during the performance of the remediation activities addressed in this Notification

If you have any questions regarding this correspondence please contact me at (303) 692-3367, David Kruchek at (303) 692-3328, or Elizabeth Pottorff at (303) 692-3429

Sincerely,

Steven H Gunderson
RFCA Project Coordinator

cc Norma Castaneda, DOE
~~Steve Duder, KH~~
Dave Shelton, KH
Gary Kleeman, EPA

Tim Rehder, EPA
Mark Sattelberg, USFWS
Karen Wiemelt, KH
Administrative Records Building T130G

COR CONTROL	X
ADMIN RECORD	X
PATS/130	

Reviewed for Addressee
Corres Control RFP

10/2/03
Date By

Ref Ltr #

DOE ORDER #

NONE

DOCUMENT CLASSIFICATION
REVIEW WAIVER PER
CLASSIFICATION OFFICE



ADMIN RECORD
B865-A-00082