

2589 RF 91

DUE
DATE

ACTION

DIST.	LTR	ENC
ENJAMIN, A.		
RETZKE, J.C.		
URLINGAME, A.H.		
OPP, R.D.		
ROUCHER, D.W.		
AVIS, J.G.		
VERED, J.E.		
ERBERA, D.W.		
ERRIS, L.R.		
RAIKOR, F.J.		
RANCIS, G.E.		
WOODWIN, R.		
ANNI, B.J.		
HEALY, T.J.		
DEKER, E.H.		
ENS, J. P.		
ERSH, J.M.	X	
IRBY, W.A.		
RIEG, D.		
EE, E.M.		
MAJESTIC, J.R.		
MARX, G.E.		
MATHEWS, T.A.		
MACCLUSKY, J.K.		
MEURRENS, B.E.		
MORGAN, R.V.	X	
PIZZUTO, V.M.		
POTTER, G.L.		
GAFFELL, B.F.		
SANDLIN, N.B.		
SWANSON, E.R.		
VIEBE, J.S.		
VILKINSON, R.B.		
WILSON, J.M.		
YOUNG, E.R.		
LANE, J.O.		
Edrich	P	X
Greengard	T	X
Roberts	J	X
Schubert	A	X



Department of Energy

ROCKY FLATS OFFICE
P.O. BOX 928
GOLDEN, COLORADO 80402-0928
AUG 16 3 42 PM '91

EG&G
ROCKY FLATS PLANT
CORRESPONDENCE CONTROL

AUG 13 1991

91-DOE-6433



cc: Bunge
Taylor
Duffy
20688

Frederick R. Dowsett, PhD, Unit Leader
Monitoring and Enforcement
Hazardous Materials and Waste Management Division
Colorado Department of Health
4210 East 11th Avenue
Denver, Colorado 80220

Dear Dr. Dowsett:

In a telephone conversation with Jim Kiefer of my staff on June 7, 1991, Dave Maxwell of your staff stated that there appeared to be some errors in the monthly reports of pondcrete operations. After checking the reports, we confirmed that there were errors in those reports. The purpose of this letter is to correct the errors and also provide you with data that were inadvertently omitted from previous reports. The corrected data are provided in the enclosure to this letter.

If you have any questions, please contact Tom Lukow of my staff at 966-4561.

Sincerely,

David P. Simonson
David P. Simonson
Assistant Manager
for Environmental Management

Enclosure
As Stated

cc w/Enclosure:
B. Barry, CDH
D. Maxwell, CDH
M. Schwartz, RFEMC
M. Hestmark, EPA

cc w/o Enclosure:
P. Edrich, EG&G
T. Greengard, EG&G
J. M. Kersh, EG&G
R. V. Morgan, EG&G
J. D. Roberts, EG&G
A. L. Schubert, EG&G

Reviewed for Addressee
Corres. Control RFP

DATE BY

Ref Ltr. #

Best Available Copy

ADMIN RECORD

ADMIN RECORD

IA-A-000338

41