RECEIVED

Revised 12/02

2003 JAN 20 A 10 31

CORRES CONTROL
INCOMING LTR NO

CORRESPONDENCE CONTROL

STATE OF COLORAD

000117 RF 03

DUE DATE

ACTION

Bill Owens, Governor
Jane E Norton, Executive Director
Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr S
Denver, Colorado 80246-1530
Phone (303) 692-2000
TDD Line (303) 691-7700
Located in Glendale, Colorado

Laboratory and Radiation Services Division
8100 Lowry Blvd
Denver, Colorado 80230-6928
(303) 692-3090

http://www cdphe state co.us

Colorado Depart
of Public Heal
and Environm

DIST.	LTR	ENC
BOGNAR, E.	X	
CROCKETT, G.		
DECK, C.A.	X	
DEGENHART, K.		
DIETER, T. J.		
DIETERLE, S. E.		
FERRERA, D.W.	X	
FERRI, M.S.		
GERMAIN, A. L.		
GIACOMINI, J. J.		
ISOM, J. H.		
LINDSAY, D. C.	X	
LONG, J. W.		
LYLE, J. L.		
MARTINEZ, L.A.	X	
NAGEL, R. E.	X	
NORTH, K.		
PARKER, A.M.	X	
POWERS, K.		
RODGERS, A. D.		
SHELTON, D.C.	X	
SPEARS, M.S.		
TRICE, K.D.		
TUOR, N.R.	X	
WILLIAMS, J. L.		
PARSONS, D.	X	
NESTA, S.	X	
FREIBOTH, C.	X	
BROOKS, L.	X	
COR. CONTROL	X	
ADMIN. RECORD	X	
PATS/130		

January 10, 2003

Mr Richard DiSalvo
Acting Assistant Manager for Environment and Infrastructure
U S Department of Energy, Rocky Flats Field Office
10808 Highway 93, Unit A
Golden, CO 80403-8200

RE Reconnaissance Level Characterization Report (RLCR) for B112, B223, B367, B553, T371A, T371C, T371D, T371E, T371F and T760A - Concurrence

Dear Mr DiSalvo:

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division has reviewed the RLCR for B112, B223, B367, B553, T371A, T371C, T371D, T371E, T371F and T760A, Revision 0 dated October 7, 2002, which was received on November 15, 2002 Based on a review of the information contained in the RLCR, and the additional supplemental information that has been provided, we are hereby concurring with the Type 1 designation for B112, B223, B367, B553, T371A, T371C, T371D, T371E, T371F and T760A.

Previous discussions utilizing the consultative process have provided preliminary concurrence with the Typing of some of these facilities and allowed the implementation of D&D actions in several of these facilities prior to issuance of this concurrence letter

These facilities are identified as Type 1 Facilities, however, it is recognized that some of them may have been, or currently are, still in use and that it may be necessary to perform additional investigations after closure and prior to demolition or sale The consultative process should be utilized to acquire and provide the additional information prior to final disposition of these facilities

If you have any questions regarding this correspondence please contact me at (303) 692-3367 or David Kruchek at (303) 692-3328

Sincerely,

Steven H Gunderson
RFCA Project Coordinator

Reviewed for Addressee
Corres Control RFP

1/20/03 by
Date By

cc Steve Tower, DOE
Tim Rehder, EPA
Duane Parsons, KH
Administrative Records Building T130G
Steve Nesta, KH
Dave Shelton, KH
Cameron Freiboth, KH

Ref Ltr #

DOE ORDER #
5400.1

JAN 2003

DOCUMENT CLASSIFICATION REVIEW WAIVER PER CLASSIFICATION OFFICE
CEX-005-02

Best Available Copy

ADMIN RECORD

IA-A-000243