

24

ROCKY FLATS ENVIRONMENTAL TECHNOLOGY SITE ER REGULATORY CONTACT RECORD

Date/Time: 07-21-2004 / 1256

Site Contact(s): Mike Bemski
Phone: 303-966-4090

Regulatory Contact: David Kruchek
Phone: 303-692-3328

Agency: CDPHE

Purpose of Contact: Sampling Under 779 Basement

Discussion

One of the original samples planned for collection at the 700-7 project was CH45-065, which was to be collected immediately under the center of the base of the 779 basement. This is to confirm approval from the State, that instead of the collecting CH45-065, the four 779 basement corner locations would be collected by Geoprobe to a depth below the base of the basement and samples taken at two foot intervals would all analyzed for the same analytes as planned for CH45-065.

Concerns with collecting the sample under the center of the base of the 779 basement are:

- The drilling would have to be done in a confined space that would be difficult to access and get equipment into operating position, and
 - The base of the basement is below the water table, presenting the safety issue of having water enter the confined space and making sample collection difficult.
-

Contact Record Prepared By: Mike Bemski


Required Distribution:

M. Aguilar, USEPA
S. Bell, DOE-RFFO
J. Berardini, K-H
B. Birk, DOE-RFFO
L. Brooks, K-H ESS
D. Mayo, K-H RISS
L. Butler, K-H RISS
G. Carnival, K-H RISS
N. Castaneda, DOE-RFFO
C. Deck, K-H Legal
S. Gunderson, CDPHE

R. McCallister, DOE-RFFO
J. Mead, K-H ESS
S. Nesta, K-H RISS
L. Norland, K-H RISS
K. North, K-H ESS
E. Pottorff, CDPHE
A. Primrose, K-H RISS
R. Schassburger, DOE-RFFO
S. Serreze, K-H RISS
D. Shelton, K-H ESS
C. Spreng, CDPHE

Additional Distribution:

G. Kelly, K-H RISS
J. Hebert, K-H RISS



M. Keating, K-H RISS
G. Kleeman, USEPA
D. Kruchek, CDPHE

S. Surovchak, DOE-RFFO
K. Wiemelt, K-H RISS
C. Zahm, K-H Legal

