

CORRES. CONTROL
INCOMING LTR NO.

RECEIVED

2004 SEP 14 A 3:35

STATE OF COLORADO

00394RF04

DUE DATE
ACTION

Bill Owens, Governor
Douglas H. Benevento, Executive Director

CORRESPONDENCE
CONTROL

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr. S.
Denver, Colorado 80246-1530
Phone (303) 692-2000
TDD Line (303) 691-7700
Located in Glendale, Colorado

Laboratory and Radiation Services Division
8100 Lowry Blvd.
Denver, Colorado 80230-6928
(303) 692-3090



Colorado Department
of Public Health
and Environment

DIST.	LTR	ENC
BERARDINI, J.H.	X	
BOGNAR, E.S.	X	
BROOKS, L.	X	
BUTLER, L.	X	
CARPENTER, M.	X	
CROCKETT, G. A.		
DECK, C. A.	X	
DEGENHART, K. R.		
DIETER, T. J.		
FERRERA, D. W.	X	
GIACOMINI, J. J.		
LINDSAY, D. C.	X	
LONG, J. W.		
LYLE, J. L.		
MARTINEZ, L. A.	X	
NAGEL, R. E.	X	
NESTA, S.	X	
NORTH, K.	X	
RODGERS, A. D.		
SHELTON, D. C.	X	
SPEARS, M. S.	X	
PIZZUTO, V.M.		
TUOR, N. R.	X	
WIEMELT, K.	X	
WILLIAMS, J. L.		
ZAHM, C.	X	

<http://www.cdphe.state.co.us>

September 3, 2004

Mr. Joseph Legare
Director, Project Management Division
U.S. Department of Energy, Rocky Flats Project Office
10808 Highway 93, Unit A
Golden, CO 80403-8200

RE: B964 Facility Disposition RSOP Notification

Dear Mr. Legare:

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division has reviewed your September 1, 2004 letters (04-DOE-00638 & 00643, received on September 3, 2004) notifying us that the Facility Disposition RSOP and Component Removal RSOP will be utilized during the demolition of Building 964. Although your cover letter states that this notification is for implementation of the Component Removal RSOP (04-DOE-00638) it is our understanding, based on the contents of the attached enclosure, that this notification is in fact for utilization of the Facility Disposition RSOP. If this is not correct please let us know. Otherwise, we hereby agree with both letters that B964 may be demolished utilizing the Facility Disposition RSOP.

We have previously provided approval that RCRA Unit 24 may be closed per the Component Removal RSOP in a letter dated 5/17/04. The utilization of the Component Removal RSOP to demolish the contaminated parts of B964 was previously agreed to in our letter dated 6/28/04.

Although we have agreed with the utilization of the Facility Disposition RSOP for demolition of B964, it is recognized that B964 has areas meeting the unrestricted release criteria as well as contaminated areas. The contaminated areas must be properly protected to prevent possible releases during demolition, management, and removal.

If you have any questions regarding this correspondence please contact me at (303) 692-3367 or David Kruckek at (303) 692-3328.

Sincerely,

Steven H. Gunderson
RFCA Project Coordinator


Reviewed for Addressee
Corres. Control RFP

9/14/04
Date By

Ref. Ltr. #

cc: Gary Morgan, DOE
Mark Aguilar, EPA
Sam Garcia, EPA
Harlen Ainscough, CDPHE

Karen Wiemelt, KH
Dave Shelton, KH
Steve Nesta, KH
Administrative Records Building T130G



DOE ORDER #

5400.1

ADMIN RECORD