

00
IA-A 2669

RECEIVED

STATE OF COLORADO

Revised 05/05

CORRES. CONTROL
INCOMING LTR NO.

00387RF05

DUE DATE
ACTION

Bill Owens, Governor
Douglas H. Berland, Executive Director

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr. S.
Denver, Colorado 80246-1530
Phone (303) 692-2000

Laboratory and Radiation Services Division
8100 Lowry Blvd.
Denver, Colorado 80230-6928
(303) 692-3090

TDD Line (303) 691-7700
Located in Glendale, Colorado

<http://www.cdphc.state.co.us>



Colorado Department
of Public Health
and Environment

DIST.	LTR	ENC
BERARDINI, J.H.	X	
BOGNAR, E.S.	X	
BROOKS, L.	X	
CARPENTER, M.	X	
CIUCCI, J.A.	X	
CROCKETT, G. A.	X	
DECK, C. A.	X	
DEGENHART, K. R.	X	
DEL VECCHIO, D.	X	
FERRERA, D. W.	X	
GIACOMINI, J. J.	X	
GILPIN, H.	X	
LINDSAY, D. C.	X	
LONG, J. W.	X	
NESTA, S.	X	
SHELTON, D. C.	X	
TUOR, N. R.	X	
WARD, D.	X	
WIEMELT, K.	X	
ZAHM, C.	X	
<i>DeHaven, M.</i>	X	

July 28, 2005

Mr. John Rampe
Director, Project Management Division
U.S. Department of Energy, Rocky Flats Project Office
12101 Airport Way, Unit A
Broomfield, CO 80021-2583

RE: Closeout Report for Buildings 124 & 129


Dear Mr. Rampe:

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division has reviewed your letter, and the Closeout Report for Buildings 124 and 129 Water Treatment structures, dated June 17, 2005. We have also received the additional information requested. Thank you for providing this Closeout Report on these Type 1 Facilities for our information.

If you have any questions regarding this correspondence please contact me at (303) 692-3328.

Sincerely,

David A. Kruchek
Acting Rocky Flats Oversight Unit Leader



COR. CONTROL	X
ADMIN. RECORD	X

cc: Gary Morgan, DOE
Mark Aguilar, EPA
Steve Nesta, KH
Sam Garcia, EPA
Administrative Records - Mountain View

Karen Wiemelt, KH
Dave Shelton, KH
David Abelson, RFCLOG
Carl Spreng, CDPHE

Reviewed for Addressee
Corres. Control RFP

8/2/05 *dc*
Date By

Ref. Ltr. #

DOE ORDER #

5400.1

ADMIN RECORD

IA-A-002711