

Revised 05/05

CORRES. CONTROL  
INCOMING LTR NO.

00238 RF05

DUE DATE  
ACTION

RECEIVED

STATE OF COLORADO

2005 MAY -3 A 9 15

Bill Owens, Governor  
Douglas H. Benevento, Executive Director

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr. S. Laboratory and Radiation Services Division  
Denver, Colorado 80246-1530 8100 Lowry Blvd.  
Phone (303) 692-2000 Denver, Colorado 80230-6928  
TDD Line (303) 691-7700 (303) 692-3090  
Located in Glendale, Colorado



Colorado Department  
of Public Health  
and Environment

DIST.	LTR	ENC
BERARDINI, J.H.	X	
BOGNAR, E.S.	X	
BROOKS, L.	X	
CARPENTER, M.	X	
CIUCCI, J.A.		
CROCKETT, G. A.	X	
DECK, C. A.	X	
DEGENHART, K. R.	X	
DEL VECCHIO, D.		
FERRERA, D. W.	X	
GIACOMINI, J. J.		
GILPIN, H.		
LINDSAY, D. C.	X	
LONG, J. W.		
NESTA, S.	X	
SHELTON, D. C.	X	
SPEARS, M. S.	X	
THOR, N. R.	X	
T. K.	X	
S.	X	

<http://www.cdphe.state.co.us>

April 26, 2005

Mr. Joe Legare  
Director, Project Management Division  
U.S. Department of Energy, Rocky Flats Project Office  
10808 Highway 93, Unit A  
Golden, CO 80403-8200

RE: Closeout Reports for Buildings 910 and 993 - Approval

Dear Mr. Legare:

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division has reviewed the additional information provided for the Closeout Reports for Buildings 910 and 993, both Type 2 Facilities. As indicated in your letter, dated February 26, 2004, this additional information is provided to address our concerns as stated in our separate letters regarding B910 and B993, both dated January 12, 2004. We apologize for the lateness of our response, which was caused by our need to attend to more pressing matters in moving individual buildings and the site as a whole to closure. Thank you for providing this additional information augmenting the Closeout Reports for Buildings 910 and 993 and clarifying the remaining infrastructure associated with B910. With this additional clarifying information, we hereby approve the Closeout Reports for Building 910 and Building 993.

If you have any questions regarding this correspondence please contact me at (303) 692-3367, or David Kruchek at (303) 692-3328.

Sincerely,

Steven H. Gunderson  
RFCA Project Coordinator

COR. CONTROL	X
ADMIN. RECORD	X
PATS	

Reviewed for Addressee  
Corres. Control RFP

5/3/05  
Date By

Ref. Ltr. #

cc: Gary Morgan, DOE  
Mark Aguilar, EPA  
Steve Nesta, KH  
Sam Garcia, EPA

Cameron Freiboth, KH  
Dave Shelton, KH  
David Abelson, RFCLOG  
Administrative Records - Mountain View

ADMIN RECORD

DOE ORDER #  
5400.1

1/4  
IA-A-003013

# STATE OF COLORADO

Bill Owens, Governor  
Jane E. Norton, Executive Director

*Dedicated to protecting and improving the health and environment of the people of Colorado*

4300 Cherry Creek Dr. S.      Laboratory and Radiation Services Division  
Denver, Colorado 80246-1530      8100 Lowry Blvd.  
Phone (303) 692-2000      Denver, Colorado 80230-6928  
TDD Line (303) 691-7700      (303) 692-3090  
Located in Glendale, Colorado

<http://www.cdphe.state.co.us>



Colorado Department  
of Public Health  
and Environment

July 26, 2002

**JUL 31 2002**

Mr. Joseph A. Legare, Assistant Manager  
Environment and Stewardship  
U.S. Department of Energy, RFFO  
10808 Highway 93, Unit A  
Golden, CO 80403-8200

Mr. Stephen Nesta, Environmental Manager  
Remediation, Industrial D&D, & Site Services  
Kaiser-Hill Company, L.L.C.  
Rocky Flats Environmental Technology Site  
10808 Highway 93, Unit B, Building 116  
Golden, CO 80403-8200

**RE: Administrative Closure of RCRA Unit 993.1; Permit Modification #02-05**

Dear Mr. Nesta and Mr. Legare:

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division (the "Division"), has reviewed your letter dated April 15, 2002 (received by the Division on April 23, 2002) requesting to "administratively close RCRA Unit 993.1" and to remove this unit from the Rocky Flats Environmental Technology Site (RFETS) RCRA Permit No. CO-97-05-30-01 (the "Permit"). Unit 993.1 is a small skid-mounted metal enclosure that was permitted for the storage of containerized hazardous waste. As stated in your letter, Unit 993.1 was never used for the storage of hazardous wastes. The Division hereby approves the removal of Unit 993.1 from the Permit as a Class 1 permit modification (permit modification #02-05). In accordance with Section 100.511(b) of the Colorado Hazardous Waste Regulations, this approved permit modification shall become effective immediately. Procedures for appeal of this decision are contained in Section 100.514. Revised pages to the RFETS Hazardous Waste Permit are enclosed. If you have any questions concerning these matters, please contact James Hindman at (303) 692-3345.

Sincerely,

Joe Schieffelin, Unit Leader  
Hazardous Waste Compliance Unit  
Federal Facilities Program

Enclosures

cc: S. MacLeod, U.S. DOE-RFFO  
A. Rosenman, Kaiser-Hill  
D. Shelton, Kaiser-Hill  
D. Miller, AGO  
T. Rehder, EPA

D. Abelson, RFCLOG  
S. Garcia, City of Broomfield  
S. Gunderson, CDPHE  
Jefferson County Health Department

RECEIVED

2002 DEC 11 A 7 48

CORRESPONDENCE CONTROL

STATE OF COLORADO

Revised 12/02

CORRES. CONTROL INCOMING LTR NO.

6-345 RF02

DUE DATE ACTION

Bill Owens, Governor  
Jane E. Norton, Executive Director

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr. S.  
Denver, Colorado 80246-1530  
Phone (303) 692-2000  
TDD Line (303) 691-7700  
Located in Glendale, Colorado

Laboratory and Radiation Services Division  
8100 Lowry Blvd.  
Denver, Colorado 80230-6928  
(303) 692-3090

<http://www.cdphe.state.co.us>



Colorado Dept of Public Health and Environment

December 5, 2002

Mr. Joseph A Legare  
Assistant Manager for Environment and Infrastructure  
U.S. Department of Energy, Rocky Flats Field Office  
10808 Highway 93, Unit A  
Golden, CO 80403-8200

RE: Pre-Demolition Survey Report (PDSR) for Building 910 - Approval

Dear Mr. Legare:

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division has reviewed the PDSR for Building 910, Revision 0 dated November 15, 2002, received on December 3, 2003 and the modification received on December 5, 2002. Based on the information contained in this PDSR, we are hereby approving the PDSR for B910.

The Division has also reviewed the Notification to invoke the Facility Disposition RSOP, submitted with the PDSR on December 3, 2002. The Division agrees that the demolition of B910 may proceed with utilizing the Facility Disposition RSOP, as long as the concerns identified in the PDSR are properly addressed, specifically with respect to the two sand-filter tanks in B910.

If you have any questions regarding this correspondence please contact me at (303) 692-3367 or David Krueck at (303) 692-3328.

Sincerely,

Steven H. Gunderson  
RFCA Project Coordinator

cc: Steve Tower, DOE  
Tim Rehder, EPA  
Duane Parsons, KH  
Administrative Records Building T130G

Karen Wiemelt, KH  
Dave Shelton, KH  
Steve Nesta, KH

DIST.	LTR	ENC
BOGNAR, E	X	
CROCKET, G		
DECK, G.A.	X	
DEGENHART, K.		
DIETER, T.J.		
DIETERLE, S.E.		
FERRERA, D.W.		
FERRY, M.S.		
GERMAN, A.L.		
GIACOMINI, J.J.		
ISOM, J.H.		
LINDSAY, D.G.		
LONG, J.W.		
LYLE, J.L.		
MARTINEZ, L.A.	X	
NAGEL, R.E.	X	
NORTH, K.	X	
PARKER, A.M.		
POWERS, K.		
RODGERS, A.D.		
SHELTON, D.C.	X	
SPEARS, M.S.		
TRICE, K.D.		
TUOR, N.B.		
W...		
W...	X	
Parsons, D.	X	
Wiemelt, K.	X	
Nesta, S.	X	

COR. CONTROL	X	X
ADMIN. RECORD	X	
PATS/T130		

Reviewed for Addressee  
Cones. Control RFP

12/11/02 DSR  
Date By

Ref. Ltr. #  
NONE

OK SER #  
2400.1



ADMIN RECORD

4/4

	A	B	C	D	E	F	G	H	I	J
	Unit No.	Building	Unit Description	Regulatory Status	Closure Status	Closure Date	Closure Document Approval	SET	Closure document submitted	CDPHE approval
593	993.1	993	Special Material Storage Enclosure	WITHDRAWN - never used for haz waste	ADMINISTRATIVELY CLOSED. 1997 permit MODIFICATION #02-05 approved by CDPHE on 07/26/02.	NA	NA	NA	NA	NA