

NOTICE!

**ALL DRAWINGS
ARE LOCATED
AT THE END OF
THE DOCUMENT**

TECHNICAL MEMORANDUM 2

**ADDENDUM TO
FINAL PHASE II RFI/RI WORK PLANS
(ALLUVIAL AND BEDROCK)**

CHEMICAL ANALYSIS PLAN

ROCKY FLATS PLANT

**903 PAD, MOUND AND
EAST TRENCHES AREA**

(OPERABLE UNIT NO 2)

U S DEPARTMENT OF ENERGY
Rocky Flats Plant
Golden Colorado

ENVIRONMENTAL RESTORATION PROGRAM

September 1991

TECHNICAL MEMORANDUM 2
ADDENDUM TO
FINAL PHASE II RFI/RI WORK PLANS
(ALLUVIAL AND BEDROCK)
CHEMICAL ANALYSIS PLAN
903 PAD, MOUND, AND
EAST TRENCHES AREAS
(OPERABLE UNIT NO 2)

U S DEPARTMENT OF ENERGY
ROCKY FLATS PLANT
GOLDEN, COLORADO

ENVIRONMENTAL RESTORATION PROGRAM

SEPTEMBER 1991

REVIEWED FOR CLASSIFICATION/UCNI
By F J Curran (U-NU)
Date 10-3-91

TABLE OF CONTENTS

<u>TITLE</u>	<u>PAGE</u>
BACKGROUND	1
APPROACH	2
Step 1 Summarize Existing Analytical Data by Analytical Suite	2
Step 2 Evaluation of Results	3
Fate and Transport	4
Toxicity	4
FINDINGS	5
Data Considered in This Evaluation	5
Data Quality, Useability, and Representativeness	5
Results	5
Ground Water and Surface Water	6
Volatile Organic Compounds	6
Semivolatiles (acid extractables)	6
Semivolatiles (base/neutral extractables)	7
Pesticides/PCBs	8
Soils and Sediments	8
Volatile Organic Compounds	8
Semivolatiles (acid extractables)	9
Semivolatiles (base/neutral extractables)	9
Pesticides/PCBs	10
CONCLUSIONS	10
REFERENCES	54

TABLE OF CONTENTS, Continued

TABLES

<u>NO</u>	<u>TITLE</u>	<u>PAGE</u>
1	Chemical/Physical Parameters Affecting Environmental Fate and Transport	12
2	Summary of Environmental Inter-Media Migration Characteristics	14
3	Health-Based Reference Contaminant Concentrations	15
4	Existing OU2 Boreholes, Ground-Water Wells, Surface Water and Sediment Stations	16
5	Boreholes Associated with ISSs	17
6	Monitoring Wells, Surface Water, and Sediment Stations Immediately Downgradient of IHSSs	18
7	Summary of Detected Compounds for Operable Unit No 2 Phase I and Phase II RIs	19
8	Summary of Non-Volatile Organic Compound Occurrences in Ground Water and Surface Water by IHSS	20
9	Summary of Non-Volatile Organic Compound Occurrences in Soils by IHSS	21
10	Summary of Non-Volatile Organic Compound Occurrences in Sediments by IHSS	22
11	OU2 Surface Water VOC Summary	23
12	OU2 Alluvial Ground-Water VOC Summary	25
13	OU2 Bedrock Ground-Water VOC Summary	26
14	OU2 Surface Water Acid Extractable Summary	27
15	OU2 Alluvial Ground-Water Acid Extractable Summary	28
16	OU2 Bedrock Ground-Water Acid Extractable Summary	29
17	OU2 Surface Water Acid Extractable Summary by Location	30
18	OU2 Surface Water Base Neutral Extractable Summary	31
19	OU2 Alluvial Ground-Water Base Neutral Extractable Summary	33
20	OU2 Bedrock Ground-Water Base Neutral Extractable Summary	34
21	OU2 Surface Water PNA Summary by Location	35
22	OU2 Surface Water Pesticide/PCB Summary	36
23	OU2 Alluvial Ground-Water Pesticide/PCB Summary	37

TABLE OF CONTENTS, Continued

<u>NO</u>	<u>TITLE</u>	<u>PAGE</u>
26	OU2 Bedrock Ground-Water Pesticide/PCB Summary	38
25	OU2 Surface Water Pesticide/PCB Summary by Location	39
26	OU2 Soil VOC Summary	40
27	OU2 Sediment VOC Summary	41
28	OU2 Soil Acid Extractable Summary	42
29	OU2 Sediment Acid Extractable Summary	43
30	OU2 Soil and Sediment Acid Extractable Summary by Location	44
31	OU2 Source Characterization Boreholes for IHSSs in OU2 Not Previously Drilled	45
32	OU2 Soil Base Neutral Extractable Summary	46
33	OU2 Sediment Base Neutral Extractable Summary	47
34	OU2 Soil/Sediment PNA Summary by Location	48
35	OU2 Soil Pesticides/PCBs Summary	49
36	OU2 Sediment Pesticide/PCBs Summary	50
37	OU2 Soil/Sediment Pesticide/PCB Summary by Location	51
38	OU2 Site-Specific Chemical Analysis Roster	52
39	OU2 Ground-Water Volatile Organic Analysis Method Specification	53

FIGURE

<u>NO</u>	<u>TITLE</u>	<u>PAGE</u>
1	Phase II Monitor Well and Borehole Locations	55
2	Surface Water and Sediment Monitoring Stations	56
3	Existing and Proposed Phase II RFI/RI Monitor Well and Borehole Locations	57

TABLE OF CONTENTS, Continued

GLOSSARY OF ACRONYMS

<u>Acronym</u>	<u>Meaning</u>
ARAR	Applicable or Relevant Appropriate Requirement
CDH	Colorado Department of Health
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act of 1980
CLP	Contract Laboratory Program
CRQL	Contract Required Quantitation Limit
ER	Environmental Restoration
ft	feet
GRAASP	General Radiochemistry and Analytical Services Protocol
Hg	Mercury
IHSS	Individual Hazardous Substance Site
kg	kilogram
l	liter
MCL	Maximum Contaminant Level
mg	milligram
mm	millimeter
PCB	Polychlorinated Biphenyl
PNA	Polynuclear Aromatic Hydrocarbon
QAPjP	Quality Assurance Project Plan
RCRA	Resource Conservation and Recovery Act of 1976
Rd	Retardation Factor
RFEDS	Rocky Flats Environmental Database System
RFI/RI	RCRA Facility Investigation/CERCLA Remedial Investigation
SDWA	Safe Drinking Water Act
SID	South Interceptor Ditch
TCL	Target Compound List
µg	microgram
VOC	Volatile Organic Compound
yr	year

**TECHNICAL MEMORANDUM 2
ADDENDUM TO
FINAL PHASE II RFI/RI WORK PLANS
(ALLUVIAL AND BEDROCK)
CHEMICAL ANALYSIS PLAN
903 PAD, MOUND, AND EAST TRENCHES AREAS
(OPERABLE UNIT NO 2)**

This document provides analysis and rationale for amending the analytical strategy for the Resource Conservation and Recovery Act (RCRA) Facility Investigation/Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Remedial Investigation (RFI/RI) (Alluvial and Bedrock) at Operable Unit No 2 (OU2). The RFI/RI Work Plans stipulates that soils, sediments, ground water, and surface water be analyzed for all Contract Laboratory Program (CLP) Target Compound List (TCL) organic constituents. This analytical program is conservative for various reasons discussed herein, however, considering that the RFI/RI for OU2 is in its second phase, it appears that the need for such a comprehensive analytical program should be reevaluated. This document presents a historical review of how the analyte lists evolved as well as an analysis of available sampling results from OU2 as justification for eliminating certain analytical suites from the overall program. The basis for developing a site-specific target analyte list is discussed in U S Environmental Protection Agency (EPA) guidance documents for conducting remedial investigations and feasibility studies (EPA, 1988) and for developing data quality objectives for remedial response activities (EPA, 1989). As discussed with EPA and the Colorado Department of Health (CDH) in a meeting on 17 May 1991, the approach is applicable to establishing the analytical strategy for the upcoming OU2 RFI/RI.

BACKGROUND

Comprehensive site characterization began at OU2 in 1986, and a Phase I RI report for OU2 was submitted in December 1987. Site characterization for this previous RI was based on analysis of soils, sediments, ground water and surface water for the CLP Hazardous Substance List (HSL) compounds (Currently this list of analytes is known as the TCL, however, it should be noted that there are minor differences in the two lists). Phase II RFI/RI Work Plans for the alluvial and bedrock hydrogeologic systems have been prepared for OU2 which are designed to fill data gaps that were identified in the earlier phase of investigation.

The OU2 RFI/RI Work Plans specify analysis of soils, sediments, ground water, and surface water for all TCL organic compounds. Analysis for the full suite of TCL organics for ground water and surface water beyond the first round of samples would be dependent on the initial results. The need for continued full suite analysis would be based on an assessment approach not unlike that presented in this document. The TCL was chosen as the basis for characterizing this OU because it is used by EPA in characterizing uncontrolled hazardous waste sites where historical waste disposal practices are often unknown, and because of the

associated high quality assurance/quality control procedures that are widely accepted by both federal and state agencies. Although chlorinated solvents (and radionuclides) are the principal contaminants at this OU, based on historical waste disposal records and previously collected data, a list of all chemicals disposed at this location is not known, which established the need for monitoring for a more comprehensive list of analytes.

With respect to soils, the full suite of TCL organics was specified, because the upcoming phase of investigation is designed to provide a comprehensive characterization eliminating the need for subsequent phases of investigation. More specifically, semivolatiles and pesticides/polychlorinated biphenyls (PCBs) were to be analyzed at OU2 because previously collected data indicated the consistent occurrence of phthalate esters and the infrequent occurrence of other semivolatile compounds and pesticides/PCBs. Also, several proposed waste investigation boreholes will penetrate waste sources (Individual Hazardous Substance Sites [IHSSs]), where previous targeted soil sampling was outside the waste source boundaries. Thus, the full suite of TCL organics is currently specified because of the uncertainty of the types of waste that were disposed at these OU2 IHSSs.

Ground water and surface water were to be analyzed for the full suite of TCL organics because of the infrequent occurrence of semivolatiles and pesticides/PCBs as indicated by previously collected data, and the limited quantity of historical data for these classes of chemicals (one to two rounds). Sediments were also to be analyzed for the full suite of TCL organics largely because of its relevance to contaminant migration in surface water.

APPROACH

The approach to defining a site-specific target analyte list consists of the following two steps:

Step 1 Summarize Existing Analytical Data by Analytical Suite

In step 1, existing data are tabularized showing the total number of analyses for each chemical within an analytical suite, and the total number of detections of each chemical. This is performed for each medium that was characterized. Seven analytical suites within three major chemical groupings based on analytical protocol can be identified. The analytical suites are as follows:

Group A Compounds, TCL Volatiles

- I Ketones and Aldehydes
- II Monocyclic Aromatics
- III Chlorinated Aliphatics

Group B Compounds, TCL Semivolatiles

- IV Acid Extractables
- V Base Neutral Extractables

Group C Compounds, Pesticides/PCBs

- VI Pesticides
- VII PCBs

This exercise yields one of three possible outcomes

- 1) **Case 1** Chemicals within one or more analytical suites in a specified media have not been detected above the Contract Required Quantitation Limit (CRQL)
- 2) **Case 2** One or more chemicals from an analytical suite have been detected in a specified media either inconsistently or at low concentrations
- 3) **Case 3** Consistent detections of one or more chemicals from an analytical suite in a specified media

Step 2 Evaluation of Results

Each of the cases identified above have implications with regard to the elimination of an analytical suite from the analytical program. In Case 1, a strong case can be made to eliminate the analytical suite provided the historical data are of adequate quality or useability, and are representative of the site. Data quality is assessed in accordance with the Environmental Restoration (ER) Program Quality Assurance Project Plan (QAPjP) and the General Radiochemistry and Analytical Services Protocol (GRAASP), and references therein. Evaluation of representativeness must include spatial considerations. For example, if the chemicals within one or more analytical suites were not detected at a specified sample location, it is necessary to be sure associated potential waste sources were investigated. Elimination of a suite of chemicals, where historical data fit Case 2, requires an assessment of data quality, spatial representativeness, temporal considerations (depending on the concentrations observed), chemical fate and transport, and human risks posed by the chemicals. For Case 3, continued monitoring for the analytical suite(s) in order to better characterize the medium is justified, particularly if the chemicals are mobile and toxic.

Assessment of chemical fate and transport and human/environmental risks is one of determining whether the chemical is at a concentration in a specific medium that poses an unacceptable risk to humans or the environment through a likely exposure pathway, and whether the chemical can migrate to another medium at concentrations that also pose an unacceptable risk.

Fate and Transport

Table 1 presents some of the relevant chemical/physical parameters that relate to the environmental fate and transport of representative chemicals from each of the analytical suites previously identified. The general tendency for chemicals from each group to migrate from one environmental medium to another is discussed below. This is summarized in Table 2.

Group A Compounds, TCL Volatile Organic Compounds

Generally, TCL volatile organic compounds (VOCs) have computed mobility indices that suggest high mobility in the environment. They are characterized by relatively high water solubility (greater than 100 milligrams per liter [mg/l]) and volatility (vapor pressures generally much greater than 1 millimeter (mm) mercury (Hg) and Henry's Law Constants greater than 0.1). Volatiles can be expected to migrate through soils, and to be transported by ground water and surface water as neutral solutes. This is denoted by the saturated zone retardation factors (Rds) generally between 1 and 50. (Note: chemical migration velocity = water migration velocity/Rd). The substantial vapor pressures and Henry's Law Constants suggest a tendency to volatilize from aqueous systems (including soil water) to the atmosphere.

Group B and C Compounds, Semivolatiles and Pesticides/PCBs

In general, semivolatiles and pesticides/PCBs are considered to be slightly to very immobile (pesticides and PCBs are particularly immobile). Again this is denoted by the high Rds. Phenols are the most mobile of these compounds owing to their high water solubility. Semivolatiles and pesticides/PCBs exhibit low to negligible volatility as indicated by the very low vapor pressures and Henry's Law Constants. This suggests a low propensity for volatilization of these compounds to the atmosphere from soil and soil water.

Toxicity

Without the benefit of a risk assessment, it is necessary to rely on published acceptable concentrations for chemicals to estimate the risk posed by the various chemicals in each of the media they are found. Many of these published standards are considered Applicable or Relevant and Appropriate Requirements (ARARs). In this analysis, Safe Drinking Water Act (SDWA) Maximum Contaminant Levels (MCLs) (an ARAR) and Action Levels under EPA's proposed RCRA Corrective Action Regulations (40 CFR 145.105, July 27, 1990, 40 CFR 264.521) are used to provide an estimate of concentrations of chemicals that are protective of human health. The Action Levels are based on likely chemical exposure scenarios, a 10^{-6} incremental cancer risk (for carcinogens), or a no adverse health effect from a lifetime of exposure to a systemic contaminant (non carcinogen). MCLs and Action Levels used in this assessment are shown in Table 3.

FINDINGS

Data Considered in This Evaluation

Data from OU2 contained in the Rocky Flats Environmental Database System (RFEDS) were used to perform this evaluation. Data from the boreholes, ground-water wells, surface water stations, and sediment stations listed in Table 4 and shown in Figures 1 and 2 have been summarized in this document. This includes all existing soil/sediment data and surface water and ground-water data collected through March of 1991. Table 5 identifies the boreholes in the proximity of each IHSS. Table 6 lists ground-water monitoring wells and surface water stations that may be impacted by each IHSS.

Data Quality, Useability, and Representativeness

With the exception of the cases discussed below, soil and water quality data are either valid or acceptable with qualifications, based on limited data validation conducted in accordance with guidance provided in the ER QAPJP and GRAASP. With respect to both soils and ground water, high concentrations of acetone, butanone, and methylene chloride in the laboratory blanks for the 1986 and 1987 investigations render it difficult to ascertain their presence in samples as an indication of site contamination. Furthermore, volatile organic data for soils was rejected principally because of the high dilutions used (high detection limits). Since the 1986 and 1987 investigations, the sample collection methodology for VOCs in soils has been significantly improved to prevent volatile release during sample handling. Therefore, these soil data have little or no useability. In contrast, semivolatile and pesticide/PCB analyses of soils are valid or acceptable with qualifications based on the limited data validation.

With respect to representativeness, the previous results are from boreholes, ground-water monitor wells and surface water/sediment stations that span the entire OU. However, boreholes at OU2 did not penetrate all the IHSSs. Therefore, previous soil data cannot always be considered representative of buried wastes characteristics for all IHSSs. Also, ground-water and surface water semivolatile and pesticide/PCB data are based on limited rounds of sampling. The impact of these observations are discussed in the following section.

Results

Table 7 provides a tabulation of the total number of analyses for each analytical suite and the number of occurrences for which a chemical was detected. A detection is defined as all reported concentrations of a chemical above the CRQL, and chemical concentrations estimated below the detection limit ("J" qualifier). As indicated in Table 7 and discussed further in subsequent sections, VOCs are a class of contaminants that are pervasive in all environmental media at OU2. VOCs represent the Case 3 scenario. In contrast, the other

analytical suites occur much less frequently (Case 2) and are the primary subject of this technical memorandum. Table 8, 9, and 10 summarize, by IHSS, the occurrence of these non-volatile organics.

Ground Water and Surface Water

Volatile Organic Compounds

As shown in Tables 11, 12, and 13, VOCs are frequently detected and in significant concentrations. The chlorinated aliphatics occur often and occasionally at high concentrations. These compounds are known waste constituents and are relatively toxic. Acetone, and to a lesser extent other ketones, also appear in the samples. However, the occurrence of acetone and 2-butanone in a sample is often due to laboratory contamination, and there are no occurrences of acetone or 2-butanone above their action levels. Concentrations of these ketones are generally two orders of magnitude less than the action level. Based on the high health-based reference concentrations (action levels) of acetone and 2-butanone, it can be surmised that ketones are relatively non-toxic, and the less frequent occurrence of other ketones at low concentrations is of little concern. Therefore, ketones could be eliminated from future analysis at OU2. However, there is little advantage in removing the ketones from the TCL volatile suite, and, therefore, ground-water and surface water samples will be analyzed for all TCL VOCs. As a class, the VOCs represent Case 3.

Semivolatiles (acid extractables)

As shown in Tables 14, 15 and 16, out of 93 analyses for acid extractables in ground and surface water, there have been a total of nine detections of 2-methylphenol, benzoic acid, benzyl alcohol, pentachlorophenol, and phenol within this analytical suite. Acid extractables were not detected in bedrock ground water. Two of the four detections of phenol are at concentrations of 13 micrograms per liter ($\mu\text{g}/\ell$) and 15 $\mu\text{g}/\ell$, and occurred at station SW-27, and Pond C-2, respectively (Table 17). The other two detections of phenol are for Pond C-2 but occurred at estimated concentrations (2J $\mu\text{g}/\ell$ and 9J $\mu\text{g}/\ell$) below the detection limit. The action level for phenol in water is 20,000 $\mu\text{g}/\ell$. Although phenol occurred in the sediments at SED030 (650J $\mu\text{g}/\text{kilogram [kg]}$) (See Table 28), immediately upstream of SW-27, it did not occur in sediments in the associated sediment station (SED025), nor did it occur in surface water immediately upstream, or in soils or ground water anywhere within OU2. The occurrences of phenol at stations SW-27 and Pond C-2 are at low concentrations, and were not detected in three other samplings of water at station SW-27 or in ten other sampling events at Pond C-2. The occurrence of 2-methylphenol (24 $\mu\text{g}/\ell$) and benzoic acid (8J $\mu\text{g}/\ell$) at station SW-27 were at low concentrations and not detected in three other subsequent water sampling events at the station (Table 17). Benzoic acid was detected once at station SW-64 (8J $\mu\text{g}/\ell$) at an estimated concentration below the detection limit and did not occur in sediments, soils, or ground water anywhere within OU2. Similar to benzoic acid, benzyl alcohol occurred once at station SW-65 (4J $\mu\text{g}/\ell$), and was not detected

in two other water sampling events at this station or in any other medium at OU2. The only detection of an acid extractable compound in ground water is pentachlorophenol ($4\text{J } \mu\text{g}/\ell$) at well 39-86, approximately 3,000 feet northeast of the East Trenches Area. Although pentachlorophenol was detected in the soils (at the bedrock contact and water table in boreholes BH4787 and BH5487, respectively) (See Table 30), it was not detected in ground water immediately downgradient (well 41-86). Furthermore, the pentachlorophenol Rd (Table 1) together with the average seepage velocity of 82 feet per year (ft/yr) suggests the compound would have migrated less than 1 foot from this location during the past 30 years. This suggests the datum for well 39-86 is spurious. Regardless, the health-based reference concentration for pentachlorophenol is $1,000 \mu\text{g}/\ell$.

Although acid extractables in ground and surface waters may have arisen from Trenches T-5 through T-8 (Table 8) based on hydraulic gradients and topographic grades, respectively, the above stated arguments and the fact that there is no history of disposal of wastes containing acid extractable compounds, strongly justifies elimination of this analytical suite from future water monitoring at OU2.

Semivolatiles (base neutral extractables)

As shown in Tables 18, 19, and 20, base/neutral extractables rarely occur in water at OU2. The most frequently occurring compounds are phthalate esters, particularly bis(2-ethylhexyl) phthalate and di-n-butyl phthalate, at estimated concentrations below the detection limit, and near the action level of $3 \mu\text{g}/\ell$. However, bis(2-ethylhexyl) phthalate did occur at $220 \mu\text{g}/\ell$ at SW-27, but is considered an outlier relative to the concentrations observed elsewhere and the fact that it was not detected at this station during three other samplings. Phthalate esters are common laboratory contaminants, and bis(2-ethylhexyl)phthalate and di-n-butyl phthalate often occurred in laboratory blanks for the samples where this compound was detected ("B" qualifier).

N-nitrosodiphenylamine occurred second most frequently, however, this compound is also a known laboratory contaminant that leaches from the gas chromatograph column. (Note the compound occurred in the laboratory blank in more than half the samples.) This compound did occur at $200 \mu\text{g}/\ell$ in Pond C-2, but is also considered an outlier relative to other concentrations observed and the fact that it was not detected in 22 other samplings at this station. The remaining detections of N-nitrosodiphenylamine are near the health-based reference concentration ($7 \mu\text{g}/\ell$), and are at estimated concentrations below the detection limit and/or also occurred in the laboratory blank.

The remaining few base neutral extractable compounds that were detected are polynuclear aromatic hydrocarbons (PNAs) and all occurred at surface water station SW-101 and Pond C-2 (Table 21). PNA's were not present elsewhere in surface waters at OU2, and are not considered site contaminants originating from historical waste disposal activities at OU2 (see discussion for semivolatiles in soils/sediments). Their infrequent presence in two different drainages also suggest an IHSS is not the sources for PNAs. These compounds all

occurred at estimated concentrations less than or equal to 4 $\mu\text{g}/\ell$. It is noted that the source of immobile contaminants (base neutral extractables and pesticides/PCBs) at SW-101 cannot be IHSSs associated with OU2 because those IHSSs are isolated from the South Walnut Creek drainage above Pond B-4 by the Central Avenue Ditch. These contaminants do not migrate readily in ground water.

In general, none of the base neutral extractable compounds would be considered contaminants of concern from a human health risk assessment perspective owing to either their infrequent occurrence, low concentrations (estimated below detection limits), likelihood as a laboratory contaminant, or general absence in soils and sediments. Further analysis for base neutral extractable compounds in surface water or ground water is not warranted during the Phase II RFI/RI.

Pesticides/PCBs

As shown in Tables 22, 23, and 24, pesticide/PCBs occurrences in surface water are rare and none of these compounds have been detected in ground water. Atrazine and simazine are two herbicides that were detected in surface water (Table 25). (For convenience, herbicides that have been analyzed at the RFP are included in the pesticide/PCB group. Observed concentrations are less than 3 $\mu\text{g}/\ell$ which is the MCL for atrazine (Table 3). These compounds are not known to be associated with waste disposal at OU2, but rather, their occurrence in surface water reflects their probable use at the RFP in weed control. AROCLOR-1254 is the only PCB that occurred in surface water. It was present at SW-60 at a concentration of 0.15 $\mu\text{g}/\ell$ and was not detected in three other samplings at this location (Table 25). As discussed for the base neutral extractables, AROCHLOR-1254 at SW-60 could not have arisen from OU2 because OU2 is isolated from South Walnut Creek by the Central Avenue Ditch. Because there is no record of disposal of pesticides or PCBs at OU2, and they did not occur in ground or surface water (attributable to OU2), the elimination of pesticide/PCB analysis from future ground-water and surface water monitoring at OU2 is justified. Herbicides will be monitored in surface water via other RFP programs, as appropriate.

Soils and Sediments

Volatile Organic Compounds

As shown in Tables 26 and 27, like ground water and surface water, chlorinated aliphatics occur in soils and sediments with high frequency and at high concentrations. These compounds are known waste constituents that are both toxic and mobile in the environment. These constituents should continue to be analyzed. Although the monocyclic aromatics and the ketones appear to occur at concentrations far below their acceptable concentrations, the actual concentrations in soils within IHSSs is not known. As previously discussed, this is because the sampling technique for VOCs in soils was inadequate. Elimination of monocyclic

aromatics and ketones cannot be justified because the soil/sediment RI data is of little useability as a result of the sample collection issue. Therefore, the full suite of TCL volatiles will be analyzed for these media during the Phase II investigation.

Semivolatiles (acid extractables)

Out of 198 analyses for acid extractables, there are only three detections of chemicals in this class for soils/sediments at OU2 (Tables 28, 29, and 30). Pentachlorophenol was detected at estimated concentrations below the detection limit (95J $\mu\text{g}/\ell$ and 41J $\mu\text{g}/\ell$, respectively) at boreholes BH4787 and BH5487. This compound was not detected in surface water and was detected at only a very low concentration in ground water at a downgradient well remote from these boreholes. If this compound is truly a contaminant, it is at concentrations in soils far below the health-based reference concentration, and is not migrating into water at concentrations that would present an unacceptable human health risk. Nevertheless, samples from Trenches T-5 through T-9, which are in the area where pentachlorophenol was detected (Table 9), will be analyzed for all TCL organics because these IHSSs were not previously penetrated and sampled (see below). The phenol detected at SED030 (650J $\mu\text{g}/\ell$) is far below the health-based reference concentration, and if it is a contaminant, it is also not migrating into surface water at levels that would pose an unacceptable human health risk. Also, SED-30 is within the Woman Creek drainage south of the South Interceptor Ditch (SID), and is thus isolated from the OU2 IHSSs with respect to runoff.

As shown in Table 31, several waste source boreholes have been proposed in IHSSs because previous drilling did not penetrate these waste sources. Therefore, these IHSSs are not chemically characterized and these waste source borehole samples will be analyzed for all TCL organics. However, other boreholes will only be analyzed for TCL volatiles.

Semivolatiles (base neutral extractables)

There are frequent occurrences of base neutral extractables in soils/sediments at OU2 (Tables 32 and 33). However, phthalate esters represent the majority of these occurrences, and were present in soils throughout OU2. The presence of phthalate esters in samples is surmised to be due to field contamination from handling the samples with plastic gloves. Regardless, the concentrations of the phthalate esters are far below the health-based reference concentration for bis(2-ethylhexyl) phthalate (assumed to be representative of the class). Also, phthalates are extremely immobile in the environment. This is demonstrated by the site data that show the relatively infrequent occurrence of phthalates in water at OU2. N-nitrodiphenylamine is the next most frequently occurring base neutral extractable. However, as discussed for surface water, this is considered a laboratory contaminant (occurs at estimated concentrations and is often present in the associated laboratory blanks), and also occurs at concentrations far below the health-based reference concentration.

PNAs comprise the remainder of the occurrences of base neutral extractables in soils/sediments (Table 34). The PNAs occurred in only two soil samples at OU2. These samples are the 0-5 foot composites for boreholes BH3687 and BH3787. Concentrations were low occurring at estimated values below the detection limit. These boreholes are associated with the Mound Site (Table 9) where waste burning (a source for PNAs) is not known to have occurred. Because the PNAs occur in the composite sample from boreholes that includes the surface, PNAs are not likely associated with past disposal of waste at OU2. It appears that the occurrence of PNAs is a result of deposition in the environment from other sources, e.g., burning of fossil fuels, fires, etc. PNAs are also immobile in the environment which is supported by the OU 2 water quality data. The low concentration of PNAs occurring at SED-12 could not have arisen from OU2 IHSSs because the IHSSs are separated from SED-12 by the Central Avenue Ditch. Therefore, only those boreholes at OU2 that will penetrate IHSSs for the first time, will be analyzed for base neutral extractables.

Pesticides/PCBs

Out of 203 analyses for pesticides/PCBs, there are only two occurrences of PCBs, and one occurrence of pesticides in soils/sediments at OU2 (Tables 35, 36, and 37). AROCHLOR-1254 occurred in one soil sample (21J $\mu\text{g}/\text{kg}$) at the Mound Site (Table 9) at an estimated value below the detection limit. The concentration below the action level of 90 $\mu\text{g}/\text{kg}$. AROCLOR-1254 occurred at 540 $\mu\text{g}/\text{kg}$ at SED011 along with 4,4'-DDT (95 $\mu\text{g}/\text{kg}$). As previously discussed SED-11 is in the upper reach of South Walnut Creek which is isolated from surface water runoff from OU2. Because pesticides/PCBs are relatively immobile in ground water, these contaminants did not arise from OU2. Therefore, all sediments and boreholes that penetrate previously sampled IHSSs will not be analyzed for pesticides/PCBs. All sediment stations will be analyzed for TCL volatiles only. Only those boreholes at OU2 that will penetrate IHSSs for the first time will be analyzed for pesticides/PCBs.

CONCLUSIONS

The conclusions presented above that delineate retaining or deleting analytical suites from future monitoring of environmental media at OU2 are summarized in Table 38 and schematically presented in Figures 2 and 3. Elimination of certain analytical suites from future monitoring/characterization of the various media at this OU is well justified and will not compromise achieving the objectives of the Phase II RFI/RI. The future investigation activities will provide better characterization of the extent of contamination for those contaminants that are significant from a waste disposal and human health risk perspective. Only waste characterization within IHSSs at OU2 that were not previously investigated will include the full suite of TCL organics because of the current lack of soil/waste characterization data for these sources. If semivolatiles or pesticides/PCBs are detected at these IHSSs at significant levels, ground-water wells, surface water, and

sediment stations in the proximity of these IHSSs will be sampled and analyzed for these compounds at a later date, but prior to submittal of the Phase II RFI/RI report

Lastly, because CLP gas chromatograph/mass spectrometer (GC/MS) detection limits do not achieve "risk based" detection limits for some of the carcinogenic chlorinated solvents, EPA Method 502.2, which has detection limits as low as $0.5 \mu\text{g}/\text{l}$, will be used for ground-water samples that are collected from wells near the edge of the plume (Table 39). This will allow achieving data quality objectives for the RFI/RI. All proposed 1991 wells (alluvial and bedrock) are being installed to better define the plume of organic contamination, and, therefore, samples from these wells will be analyzed for volatiles using this method. Samples from existing wells and surface water stations remote from the IHSSs, as identified on Figures 2 and 3, will also be analyzed for volatiles using this method.

TABLE 1

CHEMICAL/PHYSICAL PARAMETERS AFFECTING ENVIRONMENTAL FATE AND TRANSPORT (See Notes)

Group A Compounds, TCL Volatile Organics

I Ketones & Aldehydes

Chemical	Molecular Weight g/mole	Specific Gravity g/cc	Vapor Pressure mmHg	H Dimension-less	Water Solubility mg/l	Log Kow c/c	Log Koc ml/g	Saturated Zone Rd	Mobility Index MI	Env Mobility
Acetone	55.1	0.1	270.00	0.013	60000.0	-0.24	-0.43	1.0	8	Extremely Mobile

II Monocyclic Aromatics

Chemical	Molecular Weight g/mole	Specific Gravity g/cc	Vapor Pressure mmHg	H Dimension-less	Water Solubility mg/l	Log Kow c/c	Log Koc ml/g	Saturated Zone Rd	Mobility Index MI	Env Mobility
Benzene	78.1	0.9	76.00	0.182	1700.0	2.13	1.81	6.8	3	Very Mobile
Toluene	92.1	0.9	22.00	0.214	515.0	2.79	2.48	28.0	2	Very Mobile
Ethyl Benzene	106.2	0.9	7	0.266	152.0	3.34	3.04	100.0	0	Slightly Mobile
Xylene	106.2	0.9	10	0.300	152.0	3.13	2.11	12.6	1	Very Mobile

III Chlorinated Aliphatics

Chemical	Molecular Weight g/mole	Specific Gravity g/cc	Vapor Pressure mmHg	H Dimension-less	Water Solubility mg/l	Log Kow c/c	Log Koc ml/g	Saturated Zone Rd	Mobility Index MI	Env Mobility
Carbon Tetrachloride	153.8	1.6	90.00	0.960	785.0	2.96	2.64	40.5	2	Very Mobile
Trichloroethene	131.4	1.5	60.00	0.590	1100.0	2.42	2.10	12.3	3	Very Mobile
Chloroform	119.4	1.5	160.00	0.130	8000.0	1.97	1.64	4.9	4	Very Mobile
1,1,2,2-Tetrachloroethane	167.9	1.6	5.00	0.016	2900.0	2.39	2.07	11.6	2	Very Mobile

Group B Compounds, Semi Volatile Organics

IV Acid Extractables (Phenolics)

Chemical	Molecular Weight g/mole	Specific Gravity g/cc	Vapor Pressure mmHg	H Dimension-less	Water Solubility mg/l	Log Kow c/c	Log Koc ml/g	Saturated Zone Rd	Mobility Index MI	Env Mobility
Phenol	94.1	1.1	0.20	1.2E-04	8200.0	1.66	1.15	2.3	2	Very Mobile
Pentachlorophenol	266.4	2.0	1.1E-04	1.1E-04	14.0	5.18	4.72	4771.3	-8	Immobile
2,4-Dinitrophenol	184.1	1.7	1.5E-05	2.7E-08	5400.0	1.54	1.22	2.5	-2	Slightly Immobile
2,4,6-Trichlorophenol	197.5	1.5	0.012	1.6E-04	800.0	3.61	3.30	181.0	-2	Slightly Immobile

V Base Neutral Extractables

Chemical	Molecular Weight g/mole	Specific Gravity g/cc	Vapor Pressure mmHg	H Dimension-less	Water Solubility mg/l	Log Kow c/c	Log Koc ml/g	Saturated Zone Rd	Mobility Index MI	Env Mobility
Bis(2 ethylhexyl)phthalate	391.1	1.0	2.7E-07	4.4E-06	1.3	9.61	9.30	1.8E+08	-16	Very Immobile
Chrysene	228.2	1.3	1.0E-11	6.9E-08	0.0	5.61	5.30	1.8E+04	-19	Very Immobile
1,2,4-Trichlorobenzene	181.5	1.5	0.29	9.4E-02	30	4.28	3.96	3E+02	-3	Slightly Immobile
1,3-Dichlorobenzene	167.0	1.3	2.28	1.5E-01	123	3.29	3.96	3E+02	-2	Slightly Immobile
Naphthalene	128.2	1.0	0.007	1.9E-02	31.7	3.29	2.97	8.6E+01	-3	Slightly Immobile
Benzo(a)pyrene	252.0	1.4	5.6E-09	2.0E-05	3.8E-03	6.06	6.74	5.0E+05	17	Very Immobile

TABLE 1

CHEMICAL/PHYSICAL PARAMETERS AFFECTING ENVIRONMENTAL FATE AND TRANSPORT (See Notes)

Group C Compounds, PCB's and Pesticides
VI PCB's

Chemical	Molecular Weight g/mole	Specific Gravity g/cc	Vapor Pressure mmHg	N Dimension -less	Water Solubility mg/l	Log Kow c/c	Log Koc ml/g	Saturated Zone Rd	Mobility Index MI	Env Mobility
PCB 1248	299.5	1.4	4.9E-04	1.5E-01	0.054	5.76	5.44	24931.0	-10	Immobile
PCB 1254	328.4	1.5	7.7E-05	4.6E-02	0.0	6.03	5.72	47233.7	11	Very Immobile
PCB 1260	375.7	1.6	4.1E-05	2.8E-01	0.0	7.15	6.82	594625.1	14	Very Immobile

VII Chlorinated Pesticides

Chemical	Molecular Weight g/mole	Specific Gravity g/cc	Vapor Pressure mmHg	N Dimension -less	Water Solubility mg/l	Log Kow c/c	Log Koc ml/g	Saturated Zone Rd	Mobility Index MI	Env Mobility
Dieldrin	381.0	1.8	1.0E-07	1.9E-05	0.2	3.54	3.23	153.8	-11	Very Immobile
DDT	375.7	1.6	1.9E-07	7.1E-04	5.5E-03	6.91	6.59	350161.6	-16	Very Immobile
Heptachlor	375.0	1.6	3.0E-04	3.4E-02	0.18	4.4	4.1	1081.0	-8	Immobile
Lindane	291.0	1.6	2.5E-05	2.5E-04	1.6	3.9	3.6	343.0	-8	Immobile
Chlordane	409.8	1.6	1.0E-05	4.0E-03	0.056	5.5	5.1	12401.0	-11	Very Immobile
Toxaphene	414.0	1.6	0.3	1.4E+01	0.5	3.3	3.0	87.8	-4	

TABLE 2
SUMMARY OF ENVIRONMENTAL
INTER-MEDIA MIGRATION
CHARACTERISTICS

Inter-Media Migration Characteristic ***** Soil to Groundwater	Aldehydes & Ketones *****	Monocyclic Aromatics *****	Chlorinated Aliphatics *****	Acid Extractables *****	Base-Neutral Extractables *****	PCB's *****	Pesticides *****
Soil to Groundwater	Yes	Yes	Yes	Yes	No	No	No
Soil or Soil Water to Air	No	Yes	Yes	No	No	No	No
Migration in Groundwater	Yes	Yes	Yes	Yes	No	No	No

TABLE 3

HEALTH-BASED REFERENCE CONTAMINANT CONCENTRATIONS

COMPOUND	MCL ($\mu\text{g}/\ell$)	RCRA ACTION LEVEL	
		WATER ($\mu\text{g}/\ell$)	SOIL ($\mu\text{g}/\text{kg}$)
<u>Volatiles</u>			
Benzene	5	N/A	
Ethylbenzene	700	N/A	8,000,000
Toluene	1,000	N/A	20,000,000
Xylene	10,000	N/A	200,000,000
Acetone		4,000	8,000,000
2-Butanone		2,000	4,000,000
<u>Semivolatiles</u>			
Bis(2-ethylhexyl)phthalate		3	50,000
Phenol		20,000	50,000,000
Pentachlorophenol		1,000	2,000,000
N-Nitrosodiphenylamine		7	100,000
1,2,4-Trichlorobenzene		700	2,000,000
1,4-Dichlorobenzene	75		
<u>PCBs and Pesticides</u>			
PCBs		N/A	90
Atrazine*	30	N/A	N/A

*Atrazine is a herbicide

TABLE 4
 EXISTING OU2 BOREHOLES, GROUND-WATER WELLS,
 SURFACE WATER AND SEDIMENT STATIONS

<u>Boreholes</u>	<u>Alluvial Ground-Water Wells</u>	<u>Bedrock Ground- Water Wells</u>	<u>Surface Water Stations</u>	<u>Sediment Stations</u>
BH2287	3386	6286	SW026	SD011
BH2387	3986	0386	SW027	SD012
BH2487	4196	0987BR	SW028	SD013
BH2587	4286	1187BR	SW029	SD025
BH2687	4386	1287BR	SW030	SD026
BH2787	1087	1487BR	SW050	SD027
BH2887	1587	2387BR	SW051-	SD028
BH2987	1787	3687BR	SW052	SD029
BH3087	1987	3486	SW053	SD030
BH3187	2498	4086	SW054	SD031
BH3287	2687	1687BR	SW055	
BH3387	2787	1887BR	SW057	
BH3487	3287	2087BR	SW058	
BH3587	3387	2287BR	SW062	
BH3687	3587	2887BR	SW063	
BH3787	5087	3087BR	SW064	
BH3887	6386	3187BR	SW070	
BH3987	6786	3487BR	SW077	
BH4087	2987	4587BR	SW021	
BH4187	4487	2587BR	SW022	
BH4287	3586		SW023	
BH4387	3686		SW059	
BH4487	2187		SW060	
BH4587	0171		SW061	
BH4687	0271		SW101	
BH4787	0174		SW065	
BH4887	0374		SW103	
BH4987			SW024	
BH5087			SW025	
BH5187			SW102	
BH5287			SW132	
BH5387			SW133	
BH5487				
BH5587				
BH5687				
BH5787				

TABLE 5

**BOREHOLES ASSOCIATED WITH IHSSs
Operable Unit No 2**

IHSS No	IHSS Name	Boreholes
112, and 155	903 Drum Storage Site, and 903 Pad Lip Site	BH22-87, BH23-87, BH24-87, BH29-87, and BH30-87
113, 153, and 108	Mound Site, Oil Burn Pits, and Trench T-1	BH33-87, BH34-87, BH35-87, BH36-87, BH37-87, and BH38-87
109, 140 and 183	Trench T-2 Site, Reactive Metal Destruction Site, and Gas Detoxification Site	BH25-81, BH26-87, BH27-87, and BH28-87
154	Pallet Burn Site	BH31-87, and BH32-87
110, 111 1, 111 7, and 111 8	Trench T-3, T-4, T-10, and T-11	BH39-87 through BH46-87
111 2 through 111 6	Trenches T-5 through T-9	BH47-87 through BH54-87
216 2, and 216 3	East Spray Irrigation Sites	None

TABLE 6

**MONITORING WELLS, SURFACE WATER AND SEDIMENT STATIONS
IMMEDIATELY DOWNGRADIENT OF IHSSs*
Operable Unit No 2**

IHSS		GROUND-WATER MONITORING WELL	SURFACE WATER/ SEDIMENT STATION
No	Name		
108	Trench T-1	19-87, 20-87, 01-74, 34-86, 35-86	SW-59
109	Trench T-2	02-71, 62-86, 63-86	SW-30/SED-28
110	Trench T-3	03-74, 36-86, 35-87	NA
111 1	Trench T-4	03-74, 35-87, 36-87	NA
111 2	Trench T-5	27-87, 28-87, 07-74, 31-87	SW-65, SW-27/SED-25
111 3	Trench T-6	27-87, 28-87, 07-74, 31-87	SW-65, SW-27/SED-25
111 4	Trench T-7	27-87, 28-87, 07-74, 31-87	SW-65, SW-27/SED-25
111 5	Trench T-8	27-87, 28-87, 07-74, 31-87	SW-65, SW-27/SED-25
111 6	Trench T-9	27-87, 28-87, 07-74, 31-87	SW-65, SW-27/SED-25
111 7	Trench T-10	03-74, 35-87, 36-87	NA
111 8	Trench T-11	03-74, 35-87, 36-87	NA
112	903 Pad Drum Storage Site	43-86, 23-87, 16-87, 15-87, 1-71	SW-50, SED-28, SED-29
113	Mound Site	19-87, 01-74, 20-87, 35-86, 34-86	SW-59
140	Reactive Metal Destruction Site	12-87, 11-87, 02-71	SW-50, SW-52, SW-57, SW-77, SW-55
153	Oil Burn Pit No 2	21-87, 22-87	SW-59
154 1	Pallet Burn Site	21-87, 22-87	SW-59
154 2	Pallet Burn Site	21-87, 22-87	
155	903 Pad Lip Site	02-71, 62-86, 63-86, 12-87, 1-71, 15-87, 16-87, 17-87, 18-87, 43-86, 23-87	SW-50, SW-52, SW-57, SW-77, SW-55, SW-51, SW-58
183	Gas Detox- ification Site	12-87, 11-87, 02-71	SW-50, SW-52, SW-57, SW-77, SW-55
216 2, 216 3	East Spray Fields	32-87, 40-86, 41-86	SW-26/SED-24

* Monitoring Wells Surface Water and Sediment Stations immediately downgradient of IHSSs is estimated based on potentiometric surface and topographic grades

TABLE 7
SUMMARY OF DETECTED COMPOUNDS FOR
Operable Unit No 2

Phase I Ris

Matrix Soil/Sediment

<u>Analytical Suite</u>	<u>Detections⁽¹⁾ / Analyses⁽²⁾</u>	<u>Case</u>	<u>Comment</u>
Pesticides/PCBs	3 / 5293	2	No History of Release at the Site
Acid Extractables	3 / 3168	2	No History of Release at the Site
Base-Neutral Extractables	336 / 9644	2	Extremely Immobile in Ground Water
Volatile Organic Compounds	5106 / 7534	3	Assumed to be Site-Related

Matrix Ground Water/Surface Water

<u>Analytical Suite</u>	<u>Detections⁽¹⁾ / Analyses⁽²⁾</u>	<u>Case</u>	<u>Comment</u>
Pesticides/PCBs	10 / 2576	2	No History of Release at the Site
Acid Extractables	9 / 1512	2	No History of Release at the Site
Base-Neutral Extractables	82 / 4754	2	Extremely Immobile in Ground Water
Volatile Organic Compounds	465 / 28,576	3	Assumed to be Site-Related

⁽¹⁾ Reported concentrations of a chemical above the CRQL, including chemical concentrations estimated below the detection limit

⁽²⁾ The sum of the number of analysis performed for each chemical within an analytical suite

TABLE 11
OU2 SURFACE WATER VOC SUMMARY ($\mu\text{g}/\ell$)

OBS	ANALYTE	Total Analysis	Total Detections	CRQL*	Maximum Value	Average Value
1	1,1,1,2-TETRACHLOROETHANE	6	0	0	-	-
2	1,1,1-TRICHLOROETHANE	361	35	5	42	12 171
3	1,1,2,2 TETRACHLOROETHANE	343	3	5	3 J	2 000
4	1,1,2-TRICHLOROETHANE	360	2	5	2 J	1 500
5	1,1-DICHLOROETHANE	344	24	5	8	2 833
6	1,1,1 DICHLOROETHENE	358	24	5	140	26 500
7	1,1-DICHLOROPROPENE	7	0	0	-	-
8	1,2,3-TRICHLOROPROPANE	7	0	0	-	-
9	1,2-DIBROMOETHANE	7	0	0	-	-
10	1,2-DICHLOROETHANE	360	3	5	1 J	1 000
11	1,2-DICHLOROETHENE	350	44	5	360	53 023
12	1,2-DICHLOROPROPANE	343	1	5	1 J	1 000
13	1,2-DIMETHYLBENZENE	68	2	5	1 J	1 000
14	1,3 DICHLOROPROPANE	7	0	0	-	-
15	2-BUTANONE	339	12	10	25	11 750
16	2-CHLOROETHYL VINYL ETHER	68	0	0	-	-
17	2-HEXANONE	336	2	10	1 J	1 000
18	4-METHYL-2-PENTANONE	336	2	10	1 JB	1 000
19	ACETONE	344	106	10	65	7 349
20	BENZENE	340	6	5	42 J	9 000
21	BENZENE, 1,2,4-TRIMETHYL	7	0	0	-	-
22	BENZENE, 1,3,5-TRIMETHYL-	7	0	0	-	-
23	BROMOCHLOROMETHANE	6	0	0	-	-
24	BROMODICHLOROMETHANE	343	8	5	2 J	1 750
25	BROMOFORM	343	0	5	-	-
26	BROMOMETHANE	343	0	10	-	-
27	CARBON DISULFIDE	337	12	5	11	3 417
28	CARBON TETRACHLORIDE	363	84	5	1005	88 024
29	CHLOROBENZENE	340	4	5	7	3 000
30	CHLOROETHANE	343	1	10	2 J	2 000
31	CHLOROFORM	364	89	5	84	17 685
32	CHLOROMETHANE	343	0	10	-	-
33	CUMENE	7	0	0	-	-
34	DIBROMOCHLOROMETHANE	343	0	5	-	-
35	DIBROMOMETHANE	7	0	0	-	-
36	DICHLORODIFLUOROMETHANE	7	0	0	-	-
37	ETHYLBENZENE	343	2	5	1 J	1 000
38	METHYLENE CHLORIDE	358	201	5	68	6 134
39	PROPANE, 1,2-DIBROMO-3-CHLOR	7	0	0	-	-
40	STYRENE	343	0	5	-	-
41	TETRACHLOROETHENE	361	80	5	270	30 900
42	TOLUENE	341	18	5	18 J	5 556
43	TOTAL XYLENES	336	5	5	40 J	11 000
44	TRICHLOROETHENE	359	100	5	2000	75 520
45	TRICHLOROFLUOROMETHANE	7	0	0	-	-
46	VINYL ACETATE	336	4	10	2 J	1 250
47	VINYL CHLORIDE	343	20	10	16	5 500

TABLE 11 (Continued)
OU2 SURFACE WATER VOC SUMMARY ($\mu\text{g}/\text{l}$)

OBS	ANALYTE	Total Analysis	Total Detections	CRQL*	Maximum Value	Average Value
48	cis 1,2-DICHLOROETHENE	7	0	5	-	-
49	cis-1,3-DICHLOROPROPENE	337	1	5	1 J	1 000
50	n-BUTYLBENZENE	7	0	0	-	-
51	n-PROPYLBENZENE	7	0	0	-	-
52	o-CHLOROTOLUENE	7	0	0	-	-
53	p-CHLOROTOLUENE	7	0	0	-	-
54	p-CYMENE	7	0	0	-	-
55	p-XYLENE	6	0	0	-	-
56	sec-BUTYLBENZENE	7	0	0	-	-
57	sec-DICHLOROPROPANE	7	0	0	-	-
58	tert-BUTYLBENZENE	7	0	0	-	-
59	trans-1,2-DICHLOROETHENE	14	2	5	9	6
60	trans-1,3-DICHLOROPROPENE	337	0	5	-	-
		=====	=====			
		12,078	897			

* - Contract Required Quantitation Limit

J Estimated value below the detection limit

TABLE 12

OU2 ALLUVIAL GROUND-WATER VOC SUMMARY ($\mu\text{g}/\ell$)

OBS	ANALYTE	Total Analysis	Total Detections	CRQL*	Maximum Value	Average Value
1	1,1,1-TRICHLOROETHANE	270	31	5	2892	112 52
2	1,1,2,2-TETRACHLOROETHANE	216	4	5	6	3 75
3	1,1,2-TRICHLOROETHANE	269	6	5	51	13 50
4	1,1-DICHLOROETHANE	217	23	5	62	34 96
5	1,1-DICHLOROETHENE	270	51	5	673	38 86
6	1,2-DICHLOROETHANE	270	9	5	400	101 44
7	1,2-DICHLOROETHENE	255	35	5	1600	116 74
8	1,2-DICHLOROPROPANE	216	1	5	3 J	3 00
9	1,2-DIMETHYLBENZENE	2	0	5	-	-
10	2-BUTANONE	216	5	10	5 BJ	3 60
11	2-CHLOROETHYL VINYL ETHER	80	0	0	-	-
12	2-HEXANONE	216	2	0	47	26 00
13	4-METHYL-2-PENTANONE	216	3	10	35	12 33
14	ACETONE	217	46	10	68	11 57
15	BENZENE	216	3	5	2 J	1 63
16	BROMODICHLOROMETHANE	216	1	5	1 J	1 00
17	BROMOFORM	216	0	5	-	-
18	BROMOMETHANE	216	0	10	-	-
19	CARBON DISULFIDE	216	7	5	4 J	2 57
20	CARBON TETRACHLORIDE	270	89	5	6400 DE	1039 78
21	CHLOROBENZENE	216	0	5	-	-
22	CHLOROETHANE	216	0	10	-	-
23	CHLOROFORM	270	89	5	1525	99 62
24	CHLOROMETHANE	216	0	10	-	-
25	DIBROMOCHLOROMETHANE	216	0	5	-	-
26	ETHYLBENZENE	216	2	5	3 J	3 00
27	METHYLENE CHLORIDE	217	87	5	4100 B	70 37
28	STYRENE	216	1	5	9	9 00
29	TETRACHLOROETHENE	270	133	5	528000	8906 21
30	TOLUENE	216	16	5	12	3 06
31	TOTAL XYLENES	216	3	5	4 J	2 67
32	TRICHLOROETHENE	270	131	5	28800	1731 28
33	VINYL ACETATE	216	0	10	-	-
34	VINYL CHLORIDE	216	15	10	930	402 80
35	cis-1,3-DICHLOROPROPENE	216	0	5	-	-
36	trans-1,2-DICHLOROETHENE	27	7	5	1070	186 00
37	trans-1,3-DICHLOROPROPENE	216	0	5	-	-

=====

=====

7,926

800

* - Contract Required Quantitation Limit
 J - Estimated value below the detection limit
 B - Found in laboratory blank
 D - Dilution factor
 E - Estimated value

TABLE 13

OU2 BEDROCK GROUND-WATER VOC SUMMARY (µg/l)

OBS	ANALYTE	Total Analysis	Total Detections	CRQL*	Maximum Value	Average Value
1	1,1,1-TRICHLOROETHANE	268	14	5	1472	186 29
2	1,1,2,2 TETRACHLOROETHANE	242	0	5	-	-
3	1,1,2-TRICHLOROETHANE	268	0	5	-	-
4	1,1-DICHLOROETHANE	242	3	5	6	4 33
5	1,1-DICHLOROETHENE	268	16	5	1044	135 06
6	1,2-DICHLOROETHANE	268	2	5	2 J	2 00
7	1,2-DICHLOROETHENE	262	14	5	92	22 93
8	1,2-DICHLOROPROPANE	242	0	5	-	-
9	1,2-DIMETHYLBENZENE	2	0	5	-	-
10	2-BUTANONE	242	8	10	150 B	24 62
11	2-CHLOROETHYL VINYL ETHER	91	0	0	-	-
12	2-HEXANONE	242	4	10	975	253 00
13	4-METHYL-2-PENTANONE	242	3	10	9 BJ	7 00
14	ACETONE	242	50	10	4100 BJ	97 70
15	BENZENE	242	1	5	1 J	1 00
16	BROMODICHLOROMETHANE	242	1	5	1 J	1 00
17	BROMOFORM	242	0	5	-	-
18	BROMOMETHANE	242	0	10	-	-
19	CARBON DISULFIDE	242	4	5	12	6 75
20	CARBON TETRACHLORIDE	268	56	5	3673	377 68
21	CHLOROBENZENE	242	0	5	-	-
22	CHLOROETHANE	242	0	10	-	-
23	CHLOROFORM	268	62	5	5427	275 13
24	CHLOROMETHANE	242	0	10	-	-
25	DIBROMOCHLOROMETHANE	242	0	5	-	-
26	ETHYLBENZENE	242	1	5	1 BJ	1 00
27	METHYLENE CHLORIDE	242	80	5	1600 B	44 54
28	STYRENE	242	0	5	-	-
29	TETRACHLOROETHENE	268	64	5	4654	217 31
30	TOLUENE	242	14	5	53	8 19
31	TOTAL XYLENES	242	1	5	0 8 J	0 80
32	TRICHLOROETHENE	268	58	5	221860	17810 38
33	VINYL ACETATE	242	0	10	-	-
34	VINYL CHLORIDE	242	0	10	-	-
35	cis-1,3-DICHLOROPROPENE	242	0	5	-	-
36	trans-1,2-DICHLOROETHENE	23	0	5	-	-
37	trans-1,3-DICHLOROPROPENE	242	0	5	-	-
		=====	=====			
		8,572	456			

- * - Contract Required Quantitation Limit
- J - Estimated value below the detection limit
- B - Found in laboratory blank

TABLE 14

OU2 SURFACE WATER ACID EXTRACTABLE SUMMARY ($\mu\text{g}/\ell$)

OBS	ANALYTE	Total Analysis	Total Detections	CRQL*	Maximum Value	Average Value
1	1,2-DIPHENYLHYDRAZINE	2	0	0	-	-
2	2,4,5-TRICHLOROPHENOL	84	0	50	-	-
3	2,4,6-TRICHLOROPHENOL	86	0	10	-	-
4	2,4-DICHLOROPHENOL	86	0	10	-	-
5	2,4-DIMETHYLPHENOL	86	0	10	-	-
6	2,4-DINITROPHENOL	86	0	50	-	-
7	2 CHLOROPHENOL	86	0	10	-	-
8	2-METHYLPHENOL	84	1	10	24	24 00
9	2-NITROPHENOL	86	0	10	-	-
10	4,6-DINITRO-2-METHYLPHENOL	86	0	50	-	-
11	4-CHLORO-3-METHYLPHENOL	86	0	10	-	-
12	4-METHYLPHENOL	84	0	10	-	-
13	4-NITROPHENOL	86	0	50	-	-
14	BENZOIC ACID	84	2	50	8 J	8 00
15	BENZYL ALCOHOL	84	1	10	4 J	4 00
16	PENTACHLOROPHENOL	86	0	50	-	-
17	PHENOL	86	4	10	15	9 75
		=====	=====			
		1368	8			

* - Contract Required Quantitation Limit

J - Estimated value below the detection limit

TABLE 15

OU2 ALLUVIAL GROUND-WATER ACID EXTRACTABLE SUMMARY ($\mu\text{g}/\ell$)

OBS	ANALYTE	Total Analysis	Total Detections	CRQL*	Maximum Value	Average Value
1	2,4,5-TRICHLOROPHENOL	7	0	50	-	-
2	2,4,6-TRICHLOROPHENOL	7	0	10	-	-
3	2,4-DICHLOROPHENOL	7	0	10	-	-
4	2,4-DIMETHYLPHENOL	7	0	10	-	-
5	2,4-DINITROPHENOL	7	0	50	-	-
6	2-CHLOROPHENOL	7	0	10	-	-
7	2-METHYLPHENOL	7	0	10	-	-
8	2-NITROPHENOL	7	0	10	-	-
9	4,6-DINITRO-2-METHYLPHENOL	7	0	50	-	-
10	4-CHLORO-3-METHYLPHENOL	7	0	10	-	-
11	4-METHYLPHENOL	7	0	10	-	-
12	4-NITROPHENOL	7	0	50	-	-
13	BENZOIC ACID	7	0	50	-	-
14	BENZYL ALCOHOL	7	0	10	-	-
15	PENTACHLOROPHENOL	7	1	50	4 J	4
16	PHENOL	7	0	10	-	-
		=====	=====			
		112	1			

* - Contract Required Quantitation Limit

J - Estimated value below the detection limit

TABLE 16

OU2 BEDROCK GROUND-WATER ACID EXTRACTABLE SUMMARY ($\mu\text{g}/\ell$)

OBS	ANALYTE	Total Analysis	Total Detections	CRQL*	Maximum Value	Average Value
1	2,4,5-TRICHLOROPHENOL	2	0	50	-	-
2	2,4,6-TRICHLOROPHENOL	2	0	10	-	-
3	2,4-DICHLOROPHENOL	2	0	10	-	-
4	2,4-DIMETHYLPHENOL	2	0	10	-	-
5	2,4-DINITROPHENOL	2	0	50	-	-
6	2-CHLOROPHENOL	2	0	10	-	-
7	2-METHYLPHENOL	2	0	10	-	-
8	2-NITROPHENOL	2	0	10	-	-
9	4,6-DINITRO-2-METHYLPHENOL	2	0	50	-	-
10	4-CHLORO-3-METHYLPHENOL	2	0	10	-	-
11	4-METHYLPHENOL	2	0	10	-	-
12	4-NITROPHENOL	2	0	50	-	-
13	BENZOIC ACID	2	0	50	-	-
14	BENZYL ALCOHOL	2	0	10	-	-
15	PENTACHLOROPHENOL	2	0	50	-	-
16	PHENOL	2	0	10	-	-
		=====	=====			
		32	0			

* - Contract Required Quantitation Limit

TABLE 17

OU2 SURFACE WATER ACID EXTRACTABLE SUMMARY BY LOCATION

Location	Sample Number	Analyte	Concentration (µg/l)	Qualifier	Detection Limit	Collection Date
SW027	TRG SW27088600	2-METHYLPHENOL	24		10	
SW027	TRG SW27088600	BENZOIC ACID	8	J	50	
SW027	TRG SW27088600	PHENOL	13		10	
SW064	TRG SW00433WC	BENZOIC ACID	8	J	50	90-10-23
SW064	TRG SW00433WC	BENZYL ALCOHOL	4	J	10	90-10-23
SWC2	TRG SWC20411	PHENOL	9	J	10	89-07-21
SWC2	TRG SWC20503	PHENOL	2	J	10	89-07-21
SWC2	TRG SWC20710002	PHENOL	15		10	89-08-02

J - Estimated value below the detection limit

TABLE 18

OU2 SURFACE WATER BASE NEUTRAL EXTRACTABLE SUMMARY ($\mu\text{g}/\ell$)

OBS	ANALYTE	Total Analysis	Total Detections	CRQL*	Maximum Value	Average Value
1	1,2,3-TRICHLOROBENZENE	7	0	0	-	-
2	1,2,4-TRICHLOROBENZENE	93	0	10	-	-
3	1,2-DICHLOROBENZENE	93	0	10	-	-
4	1,3-DICHLOROBENZENE	93	0	10	-	-
5	1,3-DIMETHYLBENZENE	7	0	0	-	-
6	1,4-DICHLOROBENZENE	93	0	10	-	-
7	2,4-DINITROTOLUENE	86	0	10	-	-
8	2,6-DINITROTOLUENE	86	0	10	-	-
9	2-CHLORONAPHTHALENE	86	0	10	-	-
10	2-METHYLNAPHTHALENE	84	0	10	-	-
11	2-NITROANILINE	84	0	50	-	-
12	3,3'-DICHLOROBENZIDINE	86	0	20	-	-
13	3-NITROANILINE	84	0	50	-	-
14	4-BROMOPHENYL PHENYL ETHER	86	0	10	-	-
15	4-CHLOROANILINE	84	0	10	-	-
16	4-CHLOROPHENYL PHENYL ETHER	86	0	10	-	-
17	4-NITROANILINE	84	0	50	-	-
18	ACENAPHTHENE	87	0	10	-	-
19	ACENAPHTHYLENE	87	0	10	-	-
20	ANTHRACENE	87	1	10	2 J	2 000
21	BENZENAMINE	7	0	0	-	-
22	BENZIDINE	10	0	0	-	-
23	BENZO(a)ANTHRACENE	87	2	10	2 J	1 500
24	BENZO(a)PYRENE	87	1	10	3 J	3 000
25	BENZO(b)FLUORANTHENE	87	1	10	3 J	3 000
26	BENZO(ghi)PERYLENE	87	0	10	-	-
27	BENZO(k)FLUORANTHENE	87	1	10	4 J	4 000
28	BIS(2-CHLOROETHOXY)METHANE	86	0	10	-	-
29	BIS(2-CHLOROETHYL)ETHER	86	0	10	-	-
30	BIS(2-CHLOROISOPROPYL)ETHER	86	0	10	-	-
31	BIS(2-ETHYLHEXYL)PHTHALATE	87	28	10	220	10 286
32	BROMOBENZENE	7	0	0	-	-
33	BUTYL BENZYL PHTHALATE	86	2	10	2 J	1 500
34	CHRYSENE	87	2	10	2 J	1 500
35	DI-n-BUTYL PHTHALATE	87	15	10	17	2 733
36	DI-n-OCTYL PHTHALATE	86	1	10	2 J	2 000
37	DIBENZO(a,h)ANTHRACENE	87	0	10	-	-
38	DIBENZOFURAN	84	0	10	-	-
39	DIETHYL PHTHALATE	86	0	10	-	-
40	DIMETHYL PHTHALATE	86	0	10	-	-
41	FLUORANTHENE	87	1	10	2 J	2-000
42	FLUORENE	87	0	10	-	-
43	HEXACHLOROBENZENE	86	0	10	-	-
44	HEXACHLOROBUTADIENE	93	0	10	-	-
45	HEXACHLOROCYCLOPENTADIENE	86	0	10	-	-
46	HEXACHLOROETHANE	86	0	10	-	-
47	INDENO(1,2,3 cd)PYRENE	87	0	10	-	-
48	ISOPHORONE	86	0	10	-	-
49	N-NITROSO-DI-n-PROPYLAMINE	86	0	10	-	-
50	N-NITROSODI-N-BUTYLAMINE	1	0	0	-	-
51	N-NITROSODIETHYLAMINE	1	0	0	-	-
52	N-NITROSODIMETHYLAMINE	10	0	0	-	-

TABLE 18 (Continued)

OU2 SURFACE WATER BASE NEUTRAL EXTRACTABLE SUMMARY ($\mu\text{g}/\ell$)

OBS	ANALYTE	Total Analysis	Total Detections	CRQL*	Maximum Value	Average Value
53	N-NITROSODIPHENYLAMINE	86	10	10	200	30 1
54	N-NITROSOPYRROLIDINE	1	0	0	-	-
55	NAPHTHALENE	94	0	10	-	-
56	NITROBENZENE	86	0	10	-	-
57	PHENANTHRENE	87	0	10	-	-
58	PYRENE	87	1	10	2 J	2 0
		=====	=====			
		4313	66			

* - Contract Required Quantitation Limit

J - Estimated concentration below the detection limit

TABLE 19

OU2 ALLUVIAL GROUND-WATER BASE NEUTRAL EXTRACTABLE SUMMARY (µg/l)

OBS	ANALYTE	Total Analysis	Total Detections	CRQL*	Maximum Value	Average Value
1	1,2,4-TRICHLOROBENZENE	7	0	10		
2	1,2-DICHLOROBENZENE	7	0	10		
3	1,3-DICHLOROBENZENE	7	0	10		
4	1,4-DICHLOROBENZENE	7	0	10		
5	2,4-DINITROTOLUENE	7	0	10		
6	2,6-DINITROTOLUENE	7	0	10		
7	2-CHLORONAPHTHALENE	7	0	10		
8	2-METHYLNAPHTHALENE	7	0	10		
9	2-NITROANILINE	7	0	50		
10	3,3'-DICHLOROBENZIDINE	7	0	20		
11	3-NITROANILINE	7	0	50		
12	4-BROMOPHENYL PHENYL ETHER	7	0	10		
13	4-CHLOROANILINE	7	0	10		
14	4-CHLOROPHENYL PHENYL ETHER	7	0	10		
15	4-NITROANILINE	7	0	50		
16	ACENAPHTHENE	7	0	10		
17	ACENAPHTHYLENE	7	0	10		
18	ANTHRACENE	7	0	10		
19	BENZO(a)ANTHRACENE	7	0	10		
20	BENZO(a)PYRENE	7	0	10		
21	BENZO(b)FLUORANTHENE	7	0	10		
22	BENZO(ghi)PERYLENE	7	0	10		
23	BENZO(k)FLUORANTHENE	7	0	10		
24	BIS(2-CHLOROETHOXY)METHANE	7	0	10		
25	BIS(2-CHLOROETHYL)ETHER	7	0	10		
26	BIS(2-CHLOROISOPROPYL)ETHER	7	0	10		
27	BIS(2-ETHYLHEXYL)PHTHALATE	7	3	10	4 JB	2 667
28	BUTYL BENZYL PHTHALATE	7	0	10		
29	CHRYSENE	7	0	10		
30	DI-n-BUTYL PHTHALATE	7	4	10	21	7 250
31	DI-n-OCTYL PHTHALATE	7	0	10		
32	DIBENZO(a,h)ANTHRACENE	7	0	10		
33	DIBENZOFURAN	7	0	10		
34	DIETHYL PHTHALATE	7	0	10		
35	DIMETHYL PHTHALATE	7	0	10		
36	FLUORANTHENE	7	0	10		
37	FLUORENE	7	0	10		
38	HEXACHLOROBENZENE	7	0	10		
39	HEXACHLOROBUTADIENE	7	0	10		
40	HEXACHLOROCYCLOPENTADIENE	7	0	10		
41	HEXACHLOROETHANE	7	0	10		
42	INDENO(1,2,3-cd)PYRENE	7	0	10		
43	ISOPHORONE	7	0	10		
44	N-NITROSO-DI-n-PROPYLAMINE	7	0	10		
45	N-NITROSODIPHENYLAMINE	7	5	10	19 B	12 000
46	NAPHTHALENE	7	0	10		
47	NITROBENZENE	7	0	10		
48	PHENANTHRENE	7	0	10		
49	PYRENE	7	0	10		
		=====	=====			
		343	12			

* - Contract Required Quantitation Limit
 J - Estimated value below the detection limit
 B - Found in laboratory blank

TABLE 20

OU2 BEDROCK GROUND-WATER BASE NEUTRAL EXTRACTABLE SUMMARY ($\mu\text{g}/\text{l}$)

OBS	ANALYTE	Total Analysis	Total Detections	CRQL*	Maximum Value	Average Value
1	1,2,4-TRICHLOROBENZENE	2	0	10		
2	1,2-DICHLOROBENZENE	2	0	10		
3	1,3-DICHLOROBENZENE	2	0	10		
4	1,4-DICHLOROBENZENE	2	0	10		
5	2,4-DINITROTOLUENE	2	0	10		
6	2,6-DINITROTOLUENE	2	0	10		
7	2-CHLORONAPHTHALENE	2	0	10		
8	2-METHYLNAPHTHALENE	2	0	10		
9	2-NITROANILINE	2	0	50		
10	3,3'-DICHLOROBENZIDINE	2	0	20		
11	3-NITROANILINE	2	0	50		
12	4-BROMOPHENYL PHENYL ETHER	2	0	10		
13	4-CHLOROANILINE	2	0	10		
14	4-CHLOROPHENYL PHENYL ETHER	2	0	10		
15	4-NITROANILINE	2	0	50		
16	ACENAPHTHENE	2	0	10		
17	ACENAPHTHYLENE	2	0	10		
18	ANTHRACENE	2	0	10		
19	BENZO(a)ANTHRACENE	2	0	10		
20	BENZO(a)PYRENE	2	0	10		
21	BENZO(b)FLUORANTHENE	2	0	10		
22	BENZO(ghi)PERYLENE	2	0	10		
23	BENZO(k)FLUORANTHENE	2	0	10		
24	BIS(2-CHLOROETHOXY)METHANE	2	0	10		
25	BIS(2-CHLOROETHYL)ETHER	2	0	10		
26	BIS(2-CHLOROISOPROPYL)ETHER	2	0	10		
27	BIS(2 ETHYLHEXYL)PHTHALATE	2	1	10	11 B	11
28	BUTYL BENZYL PHTHALATE	2	0	10		
29	CHRYSENE	2	0	10		
30	DI-n-BUTYL PHTHALATE	2	1	10	4 JB	4
31	DI-n-OCTYL PHTHALATE	2	0	10		
32	DIBENZO(a,h)ANTHRACENE	2	0	10		
33	DIBENZOFURAN	2	0	10		
34	DIETHYL PHTHALATE	2	0	10		
35	DIMETHYL PHTHALATE	2	0	10		
36	FLUORANTHENE	2	0	10		
37	FLUORENE	2	0	10		
38	HEXACHLOROBENZENE	2	0	10		
39	HEXACHLOROBUTADIENE	2	0	10		
40	HEXACHLOROCYCLOPENTADIENE	2	0	10		
41	HEXACHLOROETHANE	2	0	10		
42	INDENO(1,2,3-cd)PYRENE	2	0	10		
43	ISOPHORONE	2	0	10		
44	N-NITROSO-DI-n-PROPYLAMINE	2	0	10		
45	N-NITROSODIPHENYLAMINE	2	2	10	7 JB	5
46	NAPHTHALENE	2	0	10		
47	NITROBENZENE	2	0	10		
48	PHENANTHRENE	2	0	10		
49	PYRENE	2	0	10		
		=====	=====			
		98	4			

* - Contact Required Quantitation Limit
 B - Found In Laboratory Blank
 J - Estimated value below the detection limit

TABLE 21

OU2 SURFACE WATER PNA SUMMARY BY LOCATION

<u>Location</u>	<u>Sample Number</u>	<u>Analyte</u>	<u>Concentration ($\mu\text{g}/\text{L}$)</u>	<u>Qualifier</u>	<u>Detection Limit</u>	<u>Collection Date</u>
SW101	TRG SW101002	ANTHRACENE	2	J	10	89-05-11
SW101	TRG SW101002	BENZO(a)ANTHRACENE	1	J	10	89-05-11
SW101	TRG SW101002	CHRYSENE	1	J	10	89-05-11
SW101	TRG SW101002	FLUORANTHENE	2	J	10	89-05-11
SW101	TRG SW101002	PYRENE	2	J	10	89-05-11
SWC2	TRG SWC208860	BENZO(a)ANTHRACENE	2	J	10	
SWC2	TRG SWC208860	BENZO(a)PYRENE	3	J	10	
SWC2	TRG SWC208860	BENZO(b)FLUORANTHENE	3	J	10	
SWC2	TRG SWC208860	BENZO(k)FLUORANTHENE	4	J	10	
SWC2	TRG SWC208860	CHRYSENE	2	J	10	

TABLE 22

OU2 SURFACE WATER PESTICIDE/PCB SUMMARY** ($\mu\text{g}/\ell$)

OBS	ANALYTE	Total Analysis	Total Detections	CRQL*	Maximum Value	Average Value
1	2,2-DICHLOROPROPANOIC ACID	1	0	0 00		
2	2,4,5-TRICHLOROPHENOXYACETIC	1	0	0 00		
3	2,4 DB	1	0	0 00		
4	2,4-DICHLOROPHENOXYACETIC AC	1	0	0 00		
5	4,4'-DDD	82	0	0 10		
6	4,4'-DDE	82	0	0 10		
7	4,4'-DDT	82	0	0 10		
8	ALDRIN	82	0	0 05		
9	AMETRYN	5	0	0 00		
10	AROCLOR-1016	82	0	0 50		
11	AROCLOR 1221	82	0	0 50		
12	AROCLOR-1232	82	0	0 50		
13	AROCLOR-1242	82	0	0 50		
14	AROCLOR-1248	82	0	0 50		
15	AROCLOR-1254	82	1	1 00	0 15J	
16	AROCLOR-1260	82	0	1 00		
17	ATRAZINE	6	6	0 00	2 8	1 955
18	CHLORDANE	10	0	0 50		
19	CYANAZINE	5	0	0 00		
20	DICAMBA	1	0	0 00		
21	DICHLOROPROP	1	0	0 00		
22	DIELDRIN	82	0	0 10		
23	ENDOSULFAN I	82	0	0 05		
24	ENDOSULFAN II	82	0	0 10		
25	ENDOSULFAN SULFATE	82	0	0 10		
26	ENDRIN	82	0	0 10		
27	ENDRIN ALDEHYDE	2	0	0 00		
28	ENDRIN KETONE	79	0	0 10		
29	HEPTACHLOR	82	0	0 05		
30	HEPTACHLOR EPOXIDE	82	0	0 05		
31	HEXAVALENT CHROMIUM	24	0	0 00		
32	MCPA	1	0	0 00		
33	MCPP	1	0	0 00		
34	METHOXYCHLOR	79	0	0 50		
35	PHENOL, 2-(1-METHYLPROPYL) 4	1	0	0 00		
36	PROMETON	5	0	0 00		
37	PROMETRYN	5	0	0 00		
38	PROPANOIC ACID, 2-(2,4,5-TRI	1	0	0 00		
39	PROPazine	5	0	0 00		
40	SIMAZINE	5	3	0 00	0 81	0 757
41	SIMETRYN	5	0	0 00		
42	TERBUTHYLAZINE	5	0	0 00		
43	TOXAPHENE	82	0	1 00		
44	alpha-BHC	82	0	0 05		
45	alpha-CHLORDANE	72	0	0 50		
46	beta-BHC	82	0	0 05		
47	delta-BHC	82	0	0 05		
48	gamma-BHC (LINDANE)	82	0	0 05		
49	gamma-CHLORDANE	72	0	0 50		
		=====	=====			
		2,280	10			

* - Contact Required Quantitation Limit

** - Some herbicides are also shown in this listing

TABLE 23

OU2 ALLUVIAL GROUND-WATER PESTICIDE/PCB SUMMARY (µg/l)

OBS	ANALYTE	Total Samples	Total Detections	CRQL*	Maximum Value	Average Value
1	4,4'-DDD	9	0	0 10		
2	4,4'-DDE	9	0	0 10		
3	4,4'-DDT	9	0	0 10		
4	ALDRIN	9	0	0 05		
5	AROCLOR-1016	9	0	0 50		
6	AROCLOR-1221	9	0	0 50		
7	AROCLOR-1232	9	0	0 50		
8	AROCLOR-1242	9	0	0 50		
9	AROCLOR-1248	9	0	0 50		
10	AROCLOR-1254	9	0	1 00		
11	AROCLOR-1260	9	0	1 00		
12	CHLORDANE	9	0	0 50		
13	DIELDRIN	9	0	0 10		
14	ENDOSULFAN I	9	0	0 05		
15	ENDOSULFAN II	9	0	0 10		
16	ENDOSULFAN SULFATE	9	0	0 10		
17	ENDRIN	9	0	0 10		
18	ENDRIN KETONE	9	0	0 10		
19	HEPTACHLOR	9	0	0 05		
20	HEPTACHLOR EPOXIDE	9	0	0 05		
21	HEXAVALENT CHROMIUM	8	0	0 00		
22	METHOXYCHLOR	9	0	0 50		
23	TOXAPHENE	9	0	1 00		
24	alpha-BHC	9	0	0 05		
25	beta-BHC	9	0	0 05		
26	delta-BHC	9	0	0 05		
27	gamma-BHC (LINDANE)	9	0	0 05		
		=====	=====			
		242	0			

* - Contract Required Quantitation Limit

TABLE 24

OU2 BEDROCK GROUND-WATER PESTICIDE/PCB SUMMARY ($\mu\text{g}/\text{l}$)

OBS	ANALYTE	Total Samples	Total Detections	CRQL*	Maximum Value	Average Value
1	4,4'-DDD	2	0	0	10	
2	4,4'-DDE	2	0	0	10	
3	4,4'-DDT	2	0	0	10	
4	ALDRIN	2	0	0	05	
5	AROCLOR-1016	2	0	0	50	
6	AROCLOR-1221	2	0	0	50	
7	AROCLOR-1232	2	0	0	50	
8	AROCLOR-1242	2	0	0	50	
9	AROCLOR-1248	2	0	0	50	
10	AROCLOR-1254	2	0	1	00	
11	AROCLOR-1260	2	0	1	00	
12	CHLORDANE	2	0	0	50	
13	DIELDRIN	2	0	0	10	
14	ENDOSULFAN I	2	0	0	05	
15	ENDOSULFAN II	2	0	0	10	
16	ENDOSULFAN SULFATE	2	0	0	10	
17	ENDRIN	2	0	0	10	
18	ENDRIN KETONE	2	0	0	10	
19	HEPTACHLOR	2	0	0	05	
20	HEPTACHLOR EPOXIDE	2	0	0	05	
21	HEXAVALENT CHROMIUM	2	0	0	00	
22	METHOXYCHLOR	2	0	0	50	
23	TOXAPHENE	2	0	1	00	
24	alpha-BHC	2	0	0	05	
25	beta-BHC	2	0	0	05	
26	delta-BHC	2	0	0	05	
27	gamma-BHC (LINDANE)	2	0	0	05	
		=====	=====			
		54	0			

* - Contact Required Quantitation Limit

TABLE 25

OU2 SURFACE WATER PESTICIDE/PCB SUMMARY BY LOCATION

<u>Location</u>	<u>Sample Number</u>	<u>Analyte</u>	<u>Concentration ($\mu\text{g}/\ell$)</u>	<u>Qualifier</u>	<u>Detection Limit</u>	<u>Collection Date</u>
SW052	TRG SW00082WC	ATRAZINE*	0 72		0 05	90-06-18
SW026	TRG SW026004	ATRAZINE	2 70		0 50	89-10-06
SW026	TRG SW026005	ATRAZINE	2 50		0 50	89-10-17
SW026	TRG SW026004	SIMAZINE	0 78		0 60	89-10-06
SWC2	TRG SW207COMP013	ATRAZINE	2 70		0 50	89-10-11
SWC2	TRG SW207COMP014	ATRAZINE	2 80		0 50	89-10-17
SWC2	TRG NP50306WC	ATRAZINE	0 31		0 15	91-03-18
SWC2	TRG SW207COMP013	SIMAZINE	0 81		0 60	89-10-11
SWC2	TRG SW207COMP014	ATRAZINE	0 68		0 60	89-10-17
SW060	TRG SW00440WC	AROCLOR-1254	0 15	J		90-10-16

* Atrazine and Simazine are herbicides Pesticides were not detected

TABLE 26

OU2 SOIL VOC SUMMARY ($\mu\text{g}/\text{kg}$)

OBS	ANALYTE	Total Analysis	Total Detections	CRQL*	Maximum Value	Average Value
1	1,1,1-TRICHLOROETHANE	188	18	5	190	59 06
2	1,1,2,2-TETRACHLOROETHANE	188	0	5		
3	1,1,2 TRICHLOROETHANE	188	3	5	27	13 67
4	1,1-DICHLOROETHANE	188	0	5		
5	1,1-DICHLOROETHENE	188	1	5	8 J	8 00
6	1,2-DICHLOROETHANE	187	51	5	120	25 08
7	1,2-DICHLOROPROPANE	188	0	5		
8	2-BUTANONE	188	23	10	210 J	73 61
9	2-CHLOROETHYL VINYL ETHER	188	1	0	31 J	31 00
10	2-HEXANONE	188	0	10		
11	4-METHYL-2-PENTANONE	188	1	10	120 J	120 00
12	ACETONE	188	171	10	2400 B	276 75
13	BENZENE	188	1	5	12 J	12 00
14	BROMODICHLOROMETHANE	188	0	5		
15	BROMOFORM	188	0	5		
16	BROMOMETHANE	188	1	10	6 J	6 00
17	CARBON DISULFIDE	188	2	5	140 B	99 00
18	CARBON TETRACHLORIDE	188	2	5	100	64 50
19	CHLOROBENZENE	188	0	5		
20	CHLOROETHANE	188	1	10	50 J	50 00
21	CHLOROFORM	188	4	5	130 J	39 75
22	CHLOROMETHANE	188	0	10		
23	DIBROMOCHLOROMETHANE	188	0	5		
24	ETHYLBENZENE	188	3	5	780	360 33
25	METHYLENE CHLORIDE	188	113	5	210 B	14 72
26	STYRENE	188	1	5	17 J	17 00
27	TETRACHLOROETHENE	188	13	5	10000	1115 39
28	TOLUENE	188	10	5	640	106 80
29	TOTAL XYLENES	188	5	5	3300	771 60
30	TRICHLOROETHENE	188	17	5	16000	1389 41
31	VINYL ACETATE	188	0	10		
32	VINYL CHLORIDE	188	0	10		
33	cis-1,3-DICHLOROPROPENE	188	2	5	6 J	6 00
34	trans-1,2-DICHLOROETHENE	188	2	5	10 J	9 00
35	trans-1,3-DICHLOROPROPENE	188	0	5		
		=====	=====			
		6579	446			

* - Contract Required Quantitation Limit

J - Estimated value below the detection limit

B Found in laboratory blank

TABLE 27

OU2 SEDIMENT VOC SUMMARY (µg/kg)

OBS	ANALYTE	Total Analysis	Total Detections	CRQL*	Maximum Value	Average Value
1	1,1,1-TRICHLOROETHANE	28	0	5		
2	1,1,2,2-TETRACHLOROETHANE	28	0	5		
3	1,1,2-TRICHLOROETHANE	28	0	5		
4	1,1-DICHLOROETHANE	28	0	5		
5	1,1-DICHLOROETHENE	28	1	5	5 J	5 000
6	1,2-DICHLOROETHANE	28	0	5		
7	1,2-DICHLOROETHENE	24	0	5		
8	1,2-DICHLOROPROPANE	28	0	5		
9	2-BUTANONE	28	3	10	100	42 667
10	2-CHLOROETHYL VINYL ETHER	3	0	0		
11	2-HEXANONE	28	0	10		
12	4-METHYL-2-PENTANONE	28	0	10		
13	ACETONE	28	18	10	480 B	92 389
14	BENZENE	28	1	5	3 J	3 000
15	BROMODICHLOROMETHANE	28	0	5		
16	BROMOFORM	28	0	5		
17	BROMOMETHANE	28	0	10		
18	CARBON DISULFIDE	28	1	5	6 J	6 000
19	CARBON TETRACHLORIDE	28	0	5		
20	CHLOROBENZENE	28	1	5	4 J	4 000
21	CHLOROETHANE	28	0	10		
22	CHLOROFORM	28	1	5	18	18 000
23	CHLOROMETHANE	28	2	10	60	39 500
24	DIBROMOCHLOROMETHANE	28	0	5		
25	ETHYLBENZENE	28	2	5	4 J	2 500
26	METHYLENE CHLORIDE	28	20	5	54 B	12 400
27	STYRENE	28	0	5		
28	TETRACHLOROETHENE	28	0	5		
29	TOLUENE	28	8	5	59	9 750
30	TOTAL XYLENES	28	1	5	7 J	7 000
31	TRICHLOROETHENE	28	5	5	8	5 400
32	VINYL ACETATE	28	0	10		
33	VINYL CHLORIDE	28	0	10		
34	cis-1,3-DICHLOROPROPENE	28	0	5		
35	trans-1,2-DICHLOROETHENE	4	0	5		
36	trans 1,3-DICHLOROPROPENE	28	0	5		
		=====	=====			
		955	64			

* Contract Required Quantitation Limit

J - Estimated value below the detection limit

B Found in laboratory blank

TABLE 28

OU2 SOIL ACID EXTRACTABLE SUMMARY (µg/kg)

OBS	ANALYTE	Total Analysis	Total Detections	CRQL*	Maximum Value	Average Value
1	2,4,5 TRICHLOROPHENOL	183	0	1600		
2	2,4,6-TRICHLOROPHENOL	183	0	330		
3	2,4-DICHLOROPHENOL	183	0	330		
4	2,4-DIMETHYLPHENOL	183	0	330		
5	2,4-DINITROPHENOL	183	0	1600		
6	2-CHLOROPHENOL	183	0	330		
7	2-METHYLPHENOL	183	0	330		
8	2-NITROPHENOL	183	0	330		
9	4,6-DINITRO 2-METHYLPHENOL	183	0	1600		
10	4 CHLORO-3-METHYLPHENOL	183	0	330		
11	4-METHYLPHENOL	183	0	330		
12	4-NITROPHENOL	183	0	1600		
13	BENZOIC ACID	183	0	1600		
14	BENZYL ALCOHOL	183	0	330		
15	PENTACHLOROPHENOL	183	2	1600	95 J	68
16	PHENOL	183	0	330		
		=====	=====			
		2928	2			

* - Contract Required Quantitation Limit

J - Estimated value below the detection limit

TABLE 29

OU2 SEDIMENT ACID EXTRACTABLE SUMMARY (µg/kg)

OBS	ANALYTE	Total Analysis	Total Detections	CRQL*	Maximum Value	Average Value
1	2,4,5-TRICHLOROPHENOL	15	0	1600		
2	2,4,6-TRICHLOROPHENOL	15	0	330		
3	2,4-DICHLOROPHENOL	15	0	330		
4	2,4-DIMETHYLPHENOL	15	0	330		
5	2,4-DINITROPHENOL	15	0	1600		
6	2-CHLOROPHENOL	15	0	330		
7	2-METHYLPHENOL	15	0	330		
8	2-NITROPHENOL	15	0	330		
9	4,6-DINITRO-2-METHYLPHENOL	15	0	1600		
10	4-CHLORO-3-METHYLPHENOL	15	0	330		
11	4-METHYLPHENOL	15	0	330		
12	4-NITROPHENOL	15	0	1600		
13	BENZOIC ACID	15	0	1600		
14	BENZYL ALCOHOL	15	0	330		
15	PENTACHLOROPHENOL	15	0	1600		
16	PHENOL	15	1	330	650 J	650
		=====	=====			
		240	1			

* - Contract Required Quantitation Limit

J - Estimated value below the detection limit

TABLE 30

OU2 SOIL AND SEDIMENT ACID EXTRACTABLE SUMMARY BY LOCATION

Location	Sample Number	Analyte	Concentration (µg/kg)	Qualifier	Detection Limit	Collection Date
BH4787	BH478726CT	PENTACHLOROPHENOL	95 00	J		15-SEP-87
BH5487	BH548702WT	PENTACHLOROPHENOL	41 00	J		15-SEP-87
SED030	SS00121WC	PHENOL	650	J	330	22-AUG-90

J - Estimated value below the detection limit

TABLE 31

**SOURCE CHARACTERIZATION BOREHOLES
FOR IHSSs IN OU2 NOT PREVIOUSLY DRILLED**

<u>IHSS</u>	<u>Boreholes</u>
903 Drum Storage Site (IHSS Ref No 112)	BH0191 through BH1391
Gas Detoxification Site (IHSS Ref No 183)	BH4691
Pallet Burn Site (IHSS Ref No 154)	BH2891
Trenches T-3 through T-11 (IHSS Ref Nos 110, 111 1 through 111 8)	BH2991 through BH4191
East Spray Field (IHSS Ref Nos 216 2 and 216 3)	BH4291 through BH4591

TABLE 32

OU2 SOIL BASE NEUTRAL EXTRACTABLE SUMMARY ($\mu\text{g}/\text{kg}$)

OBS	ANALYTE	Total Analysis	Total Detections	CRQL*	Maximum Value	Average Value
1	1,2,4-TRICHLOROBENZENE	183	0	330		
2	1,2-DICHLOROBENZENE	183	0	330		
3	1,3-DICHLOROBENZENE	183	0	330		
4	1,4-DICHLOROBENZENE	183	0	330		
5	2,4-DINITROTOLUENE	183	0	330		
6	2,6-DINITROTOLUENE	183	0	330		
7	2-CHLORONAPHTHALENE	183	0	330		
8	2-METHYLNAPHTHALENE	183	0	330		
9	2-NITROANILINE	183	0	1600		
10	3,3'-DICHLOROBENZIDINE	183	0	660		
11	3-NITROANILINE	183	0	1600		
12	4-BROMOPHENYL PHENYL ETHER	183	0	330		
13	4-CHLOROANILINE	183	0	330		
14	4-CHLOROPHENYL PHENYL ETHER	183	0	330		
15	4-NITROANILINE	183	0	1600		
16	ACENAPHTHENE	183	0	330		
17	ACENAPHTHYLENE	183	0	330		
18	ANTHRACENE	183	0	330		
19	BENZO(a)ANTHRACENE	183	0	330		
20	BENZO(a)PYRENE	183	0	330		
21	BENZO(b)FLUORANTHENE	183	0	330		
22	BENZO(ghi)PERYLENE	183	0	330		
23	BENZO(k)FLUORANTHENE	183	0	330		
24	BIS(2-CHLOROETHOXY)METHANE	183	0	330		
25	BIS(2-CHLOROETHYL)ETHER	183	0	330		
26	BIS(2-CHLOROISOPROPYL)ETHER	183	0	330		
27	BIS(2-ETHYLHEXYL)PHTHALATE	183	180	330	18000 B	924 717
28	BUTYL BENZYL PHTHALATE	183	1	330	69 J	69 000
29	CHRYSENE	183	0	330		
30	DI-n-BUTYL PHTHALATE	183	80	330	3400	111 425
31	DI-n-OCTYL PHTHALATE	183	3	330	160 J	97 000
32	DIBENZO(a,h)ANTHRACENE	183	0	330		
33	DIBENZOFURAN	183	0	330		
34	DIETHYL PHTHALATE	183	0	330		
35	DIMETHYL PHTHALATE	183	0	330		
36	FLUORANTHENE	183	2	330	110 J	73 500
37	FLUORENE	183	0	330		
38	HEXACHLOROBENZENE	183	0	330		
39	HEXACHLOROBUTADIENE	183	0	330		
40	HEXACHLOROCYCLOPENTADIENE	183	0	330		
41	HEXACHLOROETHANE	183	0	330		
42	INDENO(1,2,3-cd)PYRENE	183	0	330		
43	ISOPHORONE	183	0	330		
44	N-NITROSO-DI-n-PROPYLAMINE	183	0	330		
45	N-NITROSODIPHENYLAMINE	183	48	330	370 B	79 167
46	NAPHTHALENE	183	0	330		
47	NITROBENZENE	183	0	330		
48	PHENANTHRENE	183	0	330		
49	PYRENE	183	0	330		
		=====	=====			
		8967	314			

* - Contract Required Quantitation Limit
 J - Estimated value below the detection limit
 B - Found in laboratory blank

TABLE 33

OU2 SEDIMENT BASE NEUTRAL EXTRACTABLE SUMMARY ($\mu\text{g}/\text{kg}$)

OBS	ANALYTE	Total Analysis	Total Detections	CRQL*	Maximum Value	Average Value
1	1,2,4-TRICHLOROBENZENE	15	0	330		
2	1,2-DICHLOROBENZENE	15	0	330		
3	1,3-DICHLOROBENZENE	15	0	330		
4	1,4-DICHLOROBENZENE	15	0	330		
5	2,4-DINITROTOLUENE	15	0	330		
6	2,6-DINITROTOLUENE	15	0	330		
7	2-CHLORONAPHTHALENE	15	0	330		
8	2-METHYLNAPHTHALENE	15	0	330		
9	2-NITROANILINE	15	0	1600		
10	3,3'-DICHLOROBENZIDINE	15	0	660		
11	3-NITROANILINE	15	0	1600		
12	4-BROMOPHENYL PHENYL ETHER	15	0	330		
13	4-CHLOROANILINE	15	0	330		
14	4-CHLOROPHENYL PHENYL ETHER	15	0	330		
15	4-NITROANILINE	15	0	1600		
16	ACENAPHTHENE	15	0	330		
17	ACENAPHTHYLENE	15	0	330		
18	ANTHRACENE	15	0	330		
19	BENZO(a)ANTHRACENE	15	0	330		
20	BENZO(a)PYRENE	14	0	330		
21	BENZO(b)FLUORANTHENE	14	0	330		
22	BENZO(ghi)PERYLENE	14	0	330		
23	BENZO(k)FLUORANTHENE	14	0	330		
24	BIS(2-CHLOROETHOXY)METHANE	15	0	330		
25	BIS(2-CHLOROETHYL)ETHER	15	0	330		
26	BIS(2-CHLOROISOPROPYL)ETHER	15	0	330		
27	BIS(2-ETHYLHEXYL)PHTHALATE	14	9	330	1300 BJ	390 0
28	BUTYL BENZYL PHTHALATE	15	0	330		
29	CHRYSENE	15	0	330		
30	DI-n-BUTYL PHTHALATE	15	8	330	400 BJ	172 5
31	DI-n-OCTYL PHTHALATE	14	0	330		
32	DIBENZO(a,h)ANTHRACENE	14	0	330		
33	DIBENZOFURAN	15	0	330		
34	DIETHYL PHTHALATE	15	0	330		
35	DIMETHYL PHTHALATE	15	0	330		
36	FLUORANTHENE	15	1	330	50 J	50 0
37	FLUORENE	15	0	330		
38	HEXACHLOROBENZENE	15	0	330		
39	HEXACHLOROBUTADIENE	15	0	330		
40	HEXACHLOROCYCLOPENTADIENE	15	0	330		
41	HEXACHLOROETHANE	15	0	330		
42	INDENO(1,2,3-cd)PYRENE	14	0	330		
43	ISOPHORONE	15	0	330		
44	N NITROSO-DI-n-PROPYLAMINE	15	0	330		
45	N-NITROSODIPHENYLAMINE	15	3	330	370 JB	260 0
46	NAPHTHALENE	15	0	330		
47	NITROBENZENE	15	0	330		
48	PHENANTHRENE	15	0	330		
49	PYRENE	15	1	330	50 J	50 0
		=====	=====			
		727	22			

* - Contract Required Quantitation Limit
 J - Estimated value below the detection limit
 B - Found in laboratory blank

TABLE 34

OU2 SOIL/SEDIMENT PNA SUMMARY BY LOCATION

<u>Location</u>	<u>Sample Number</u>	<u>Analyte</u>	<u>Concentration ($\mu\text{g}/\ell$)</u>	<u>Qualifier</u>	<u>Detection Limit</u>	<u>Collection Date</u>
BH3687	TRG BH36870005	FLUORANTHENE	37 00	J		
BH3787	TRG BH37870005	FLUORANTHENE	110 00	J	330	
SED012	TRG SED1208860	PYRENE	50 00	J	270	
SED012	TRG SED1208860	FLUORANTHENE	50 00	J	270	

TABLE 35

OU2 SOIL PESTICIDES/PCBs SUMMARY ($\mu\text{g}/\text{kg}$)

OBS	ANALYTE	Total Analysis	Total Detections	CRQL*	Maximum Value	Average Value
1	4,4'-DDD	185	0	16		
2	4,4'-DDE	185	0	16		
3	4,4'-DDT	185	0	16		
4	ALDRIN	185	0	8		
5	AROCLOR 1016	185	0	80		
6	AROCLOR-1221	185	0	80		
7	AROCLOR-1232	185	0	80		
8	AROCLOR-1242	185	0	80		
9	AROCLOR-1248	185	0	80		
10	AROCLOR-1254	185	1	80	21 J	21
11	AROCLOR-1260	185	0	80		
12	CHLORDANE	185	0	80		
13	DIELDRIN	185	0	16		
14	ENDOSULFAN I	185	0	8		
15	ENDOSULFAN II	185	0	16		
16	ENDOSULFAN SULFATE	185	0	16		
17	ENDRIN	185	0	16		
18	ENDRIN KETONE	185	0	16		
19	HEPTACHLOR	185	0	8		
20	HEPTACHLOR EPOXIDE	185	0	8		
21	METHOXYCHLOR	185	0	80		
22	TOXAPHENE	185	0	160		
23	alpha-BHC	185	0	8		
24	beta-BHC	185	0	8		
25	delta-BHC	185	0	8		
26	gamma-BHC (LINDANE)	185	0	8		
		=====	=====			
		4810	1			

* - Contract Required Quantitation Limit

J - Estimated value below the detection limit

TABLE 36

OU2 SEDIMENT PESTICIDES/PCBs SUMMARY ($\mu\text{g}/\text{kg}$)

OBS	ANALYTE	Total Analysis	Total Detections	CRQL*	Maximum Value	Average Value
1	4,4'-DDD	18	0	16		
2	4,4'-DDE	18	0	16		
3	4,4'-DDT	18	1	16	95 XZ	95
4	ALDRIN	18	0	8		
5	AROCLOR-1016	18	0	80		
6	AROCLOR-1221	18	0	80		
7	AROCLOR-1232	18	0	80		
8	AROCLOR-1242	18	0	80		
9	AROCLOR-1248	18	0	80		
10	AROCLOR-1254	18	1	80	540 X	540
11	AROCLOR-1260	18	0	80		
12	CHLORDANE	3	0	80		
13	DIELDRIN	18	0	16		
14	ENDOSULFAN I	18	0	8		
15	ENDOSULFAN II	18	0	16		
16	ENDOSULFAN SULFATE	18	0	16		
17	ENDRIN	18	0	16		
18	ENDRIN KETONE	18	0	16		
19	HEPTACHLOR	18	0	8		
20	HEPTACHLOR EPOXIDE	18	0	8		
21	METHOXYCHLOR	18	0	80		
22	TOXAPHENE	18	0	160		
23	alpha-BHC	18	0	8		
24	alpha-CHLORDANE	15	0	80		
25	beta-BHC	18	0	8		
26	delta-BHC	18	0	8		
27	gamma-BHC (LINDANE)	18	0	8		
28	gamma-CHLORDANE	15	0	80		
		=====	=====			
		483	2			

* - Contract Required Quantitation Limit

X - More than five qualifiers, other specific flags may be required to properly define the result

Z - More than five qualifiers, other specific flags may be required to properly define the result

TABLE 37

OU2 SURFACE SOIL/SEDIMENT PESTICIDE/PCB SUMMARY BY LOCATION

<u>Location</u>	<u>Sample Number</u>	<u>Analyte</u>	<u>Concentration</u> <u>(μg/kg)</u>	<u>Qualifier</u>	<u>Detection Limit</u>	<u>Collection Date</u>
BH3687	TRG BH36870005	AROCLOR-1254	21 00	J		
SED011	TRG SS00140WC	4,4'-DDT	95	XZ		90-12-03
SED011	TRG SS00140WC	AROCLOR-1254	540	X		90-12-03

- J - Estimated value below the detection limit
- X - More than five qualifiers, other specific flags may be required to properly define the result
- Z - More than five qualifiers, other specific flags may be required to properly define the result

TABLE 38
SITE-SPECIFIC CHEMICAL ANALYSIS ROSTER

MATRIX	ANALYTICAL SUITES			
	Volatile Organics	Acid Extractables	Base Neutral Extractables	Pesticides/PCBs
Waste Sources	Yes ⁽¹⁾	Yes ⁽²⁾	Yes ⁽²⁾	Yes ⁽²⁾
Soils	Yes ⁽¹⁾	No ⁽³⁾	No ⁽³⁾	No ⁽³⁾
Soils/Sediments	Yes ⁽¹⁾	No ⁽³⁾	No ⁽³⁾	No ⁽³⁾
Ground Water	Yes ⁽¹⁾	No ⁽³⁾	No ⁽³⁾	No ⁽³⁾
Surface Water	Yes ⁽¹⁾	No ⁽³⁾	No ⁽³⁾	No ⁽³⁾

Notes

Case Determination

- ⁽¹⁾ Case III, supplemental data required
- ⁽²⁾ Case II, supplemental data required only for IHSSs that were not previously investigated (see Table 31)
- ⁽³⁾ Case II, supplemental data not required

TABLE 39

GROUND-WATER VOLATILE
ORGANIC ANALYSIS METHOD SPECIFICATION

<u>CLP Method</u>	<u>EPA Method 502.2</u>
Ground-Water Monitoring Wells	All 1991 Ground-Water Monitoring Wells
3386	3986
4186	5087
4286	6386
4286	6786
4386	2987
1087	4487
1587	3686
1787	3786
1987	6486
2487	6586
2687	6686
2787	0386
3287	0286
3387	6286
3587	3087BR
2187	4587BR
0171	
0271	
0174	
0374	
0987BR	
1187BR	
1287BR	
1487BR	
2387BR	
2587BR	
3687BR	
3486	
4086	
1687BR	
18887BR	
2087BR	
2287BR	
2887BR	
3187BR	
3487BR	

REFERENCES

EPA, 1988, Guidance for Conducting Remedial Investigations and Feasibility Studies Under CERCLA OSWER Directive 9355 3-01

EPA, 1989, Data Quality Objectives for Remedial Response Activities OSWER Directive 9355 0-7B

TABLE 8

SUMMARY OF NON VOLATILE ORGANIC COMPOUND OCCURRENCES IN GROUND WATER AND SURFACE WATER BY IHSS

IHSS Name (IHSS Number [No.])	Monitoring Wells Immediately Downgradient of IHSSs	Surface Water Stations Immediately Downgradient of IHSSs	Acid Extractables (µg/l)			Base Neutral Extractables (µg/l)			Pesticides/PCBs (µg/l)			Remarks
			Compo nd	D tectio ns pe Samp les Analy zed	M am um C c nt to Ma am um C c nt rto	C mpo nd	D tectio ns pe Samp les Analy zed	M am um C c nt to M am um C c nt rto	Compo d	D to pe Samp les Analy zed	M am um C c nt to M am um C c nt rto	
Trench T 1 (IHSS No 108) Mound Site (IHSS No 113)	19-87 20-87 01 74 34-86 35-86	SW 59	(0/7)	(0/7)	(0/7)	(0/7)	(0/7)	(0/7)	(0/7)	(0/7)	Non volatiles were not detected downgradient of these IHSSs	
Trench T 2 (IHSS No 109) Reactive Metal Destruction Site (IHSS No 140) Gas Detoxificat on Site (IHSS No 183) 903 Lip Site (IHSS No 155)	02 71 62 86 63-86 12-87 11 87 1 71 15-87 16- 87 17 87 18-87 43-86 23 87	SW 30 SW 50 * SW 51 * SW 52 SW 55 SW 57** SW 58 SW 77	(0/4)	(0/4)	(0/4)	(0/4)	(0/4)	(0/4)	(0/4)	(0/4)	Except for atrazine at SW 52 non volatiles were not detected downgradient of these IHSSs. Atrazine is probably from weed control and not from these IHSSs. It is also below health based reference concentration	
Trench T 3 (IHSS No 110) Trench T 4 (IHSS No 111 1) Trench T 10 (IHSS No 111 7) Trench T 11 (IHSS No 111 8)	03-74 35-87 36-87	NA	(0/1)	(0/1)	(0/1)	(0/1)	(0/1)	(0/1)	(0/1)	(0/1)	Non volatiles were not detected downgradient of these IHSSs	
Trenches T 5 through T 9 (IHSS Nos 111 2 through 111 6)	27 87 28 87 07 74 31 87	SW-65 SW 27	(1/7)	(1/7)	(1/7)	(1/7)	(1/7)	(1/7)	(1/7)	(1/7)	Acid Extractables were detected only once in four sampling rounds. Other IHSSs could be source and data could be spurious. Phenol significantly below health based reference concentration	
903 Pad Drum Storage Site (IHSS No 112)	43-86 23-87 16- 87 15-87 1 71	SW 50**	(0/1)	(0/1)	(0/1)	(0/1)	(0/1)	(0/1)	(0/1)	(0/1)	Non volatiles were not detected downgradient of these IHSSs	
Oil Burn Pit No 2 (IHSS No 153) Pallet Burn Sites (IHSS No 154 1 and 154 2)***	21-87 22-87 *	SW 59	(0/5)	(0/5)	(0/5)	(0/5)	(0/5)	(0/5)	(0/5)	(0/5)	Non volatiles were not detected downgradient of these IHSSs	
East Spray Field (IHSS No 216 2 and 216 3)	32-87 40-86 41-86	SW 26	(0/6)	(0/6)	(0/6)	(0/6)	(0/6)	(0/6)	(0/6)	(0/6)	Atrazine and Simazine were present at low concentrations at SW 26. Source is likely from weed control and not from the IHSS. Atrazine was below health based reference concentration	

Note Analytes shown here do not include phthalate esters or N-nitrosodiphenylamine as these compounds are suspected field or laboratory contaminants
 J Estimated value below detection limit
 NA Not Applicable
 ** Analyzed for acid extractables base neutral extractables and pesticides/PCBs
 *** Targeted for full suite analysis

TABLE 9

SUMMARY OF NON VOLAITE ORGANIC COMPOUND OCCURRENCES IN SOILS BY IHSS

IHSS Name and No	Boreholes Associated with IHSSs	Acid Extractables (µg/l)		Base Neutral Extractables (µg/l)		Pesticides/PCBs (µg/l)			Remarks		
		Compound	Detectio pe Samples Analyzed	Minimum C ncentration Maximum C ncentration	Compo nd	D tectio pe Samples A nalyzed	Minimum C ncentration Maximum C ncentration	Compo nd		Detectio pe Sample A nly d	Minimum C ncentration Maximum C ncentration
903 Drum Storage Site (IHSS No 112) 903 Pad Lip Site (IHSS No 155)	BH22-87 BH23-87 BH24-87 BH29-87 BH30-87		(0/23)				(0/23)		(0/23)	Non olat les were not present in soils n the c ninity of these IHSSs	
Mound Site (IHSS No 113) Trench T 1 (IHSS No 108)	BH35-87 BH36-87 BH37-87 BH38-87		(0/15)		Fluoranthene	(2/15)	37J 110J	AROCLOR 1254	(1/15)	21J	Fluoranthene occurred in the surface compost es and is unlikely to be assoc ated with buried waste at these IHSSs (see text) AROCHLOR 1254 is randomly found in soils at OU2 Concentration observed here is below health based reference concentration
Pallet Burn Site (IHSS No 154) Oil Burn Pits (IHSS No 153)	BH31-87 BH32-87 BH33-87 BH34-87		(0/18)						(0/18)		Non olat les were not present in soils in the c ninity of these IHSSs
Trench T 3 (IHSS No 110) Trench T-4 (IHSS No 111 1) Trench T 10 (IHSS No 111 7) Trench T 11 (IHSS No 111 8)	BH39-87 through BH46-87		(0/50)						(0/50)		Non olat les were not present in the vicinity of these IHSSs
Trenches T 5 through T 9 (IHSS 111 2 through 111 6)	BH47-87 through BH57-87	Pentachlor o phenol	(2/80)	41J 95J					(0/80)		Pentachlorophenol rarely occurred in soils at OU2 Concentrations observed here are well below health based reference concentration IHSS will ne ert heless be sampled for acid extractables
East Spring Irrigation Sites (IHSSs 216 2 and 216 3)	No boreholes associated with IHSS		(0/0)						(0/0)		IHSSs will be sampled and analyzed for all TCL organics

Note Analytes shown here do not include phthalate esters or N-nitrosodiphenylamine as these compounds are suspected field or laboratory contaminants
J Estimated value below detection limit
Targeted for full suite analysis

TABLE 10

SUMMARY OF NON VOLATILE ORGANIC COMPOUND OCCURRENCES IN SEDIMENTS BY IHSS

IHSS Name and No	Sediment Station Downgradient of IHSSs	Acid Extractables (µg/kg)		Base Neutral Extractables (µg/kg)		Pesticides/PCBs (µg/kg)			Remarks	
		Compound	Detectable Samples Analyzed	Maximum Concentration	Compound	Detectable Samples Analyzed	Maximum Concentration	Compound		Detectable Samples Analyzed
Trench T 1 (IHSS No 108) Mound Site (IHSS No 113) Oil Burn Pit No 2 (IHSS No 153) Pallet Burn Site (IHSSs Nos 154 1 and 154 2)	NA	NA	NA	NA	NA	NA	NA	NA	NA	No downgradient stations exist
Trench T 2 (IHSS No 109) 903 Drum Storage Site (IHSS No 112) **	SED 28 SED 29	(0/3)	(0/3)	(0/3)	(0/3)	(0/3)	(0/3)	(0/3)	(0/3)	Non volatile organics were not detected downgradient of these IHSSs
903 Lip Site (IHSS No 155) Reactive Metal Destruction Site (IHSS No 140) Gas Detoxification Site (IHSS No 183)	SED-25	(0/2)	(0/2)	(0/2)	(0/2)	(0/2)	(0/2)	(0/2)	(0/2)	Non volatile organics were not detected downgradient of these IHSSs
Trenches T 5 through T 9 (IHSS Nos 111 2 through 111 6) **	NA	(0/0)	(0/0)	(0/0)	(0/0)	(0/0)	(0/0)	(0/0)	(0/0)	No downgradient stations exist
Trench T 3 (IHSS 110) Trench T 4 (IHSS 111 1) Trench T 10 (IHSS 111 7) Trench T 11 (IHSS 111 8)	SED-11 SED 26									
East Spary Field (IHSS Nos 216 2 216 3) *	SED-24	(0/0)	(0/0)	(0/0)	(0/0)	(0/0)	(0/0)	(0/0)	(0/0)	Downgradient station was not sampled and analyzed for non volatiles

Note Analytes shown here do not include phthalate esters or N-nitrodiphenylamine as these compounds are suspected field or laboratory contaminants

NA Not applicable

* Analyzed for acid extractables base neutral extractables and pesticides/PCBs


** Targeted for full suite analysis

EXPLANATION


- BEDROCK MONITOR WELL
- ALLUVIAL MONITOR WELL
- PROPOSED SOURCE CHARACTERIZATION ALLUVIAL MONITOR WELL AND BOREHOLE
- PROPOSED PLUME CHARACTERIZATION ALLUVIAL MONITOR WELL
- PROPOSED SOURCE CHARACTERIZATION BOREHOLE
- DRIVER WELL SITE - PROPOSED PLUME CHARACTERIZATION ALLUVIAL MONITOR WELL SITE
- ▲ CONTINGENCY WELL SITE - PROPOSED PLUME CHARACTERIZATION ALLUVIAL MONITOR WELL SITE
- ⊕ PROPOSED HYDRAULIC TEST LOCATION
- INDIVIDUAL HAZARDOUS SUBSTANCE SITE LOCATION
- LOCATION OF BARRIERS DETERMINED BY VISUAL INSPECTION OR MAGNETOMETER SURVEY

TOTAL PROPOSED WELL SITES 66
 TOTAL BOREHOLES 46
 TOTAL DRILL SITES 131

- ANALYZE FOR VOLATILES ONLY (CJP METHOD)
- ANALYZE FOR ALL TOL ORGANICS
- ANALYZE FOR VOLATILES ONLY (METHOD-EPA 8022)



Scale 1 = 600
 0' 300' 600'
 CONTOUR INTERVAL = 20'



U.S. DEPARTMENT OF ENERGY
 Rocky Flats Plant Golden Colorado


OPERABLE UNIT NO 2
 PHASE II RFI/RI WORK PLAN (ALLUVIAL)

EXISTING AND PROPOSED PHASE II RFI/RI
 MONITOR WELL AND
 BOREHOLE LOCATIONS

FIGURE 3

EXPLANATION

- INDIVIDUAL HAZARDOUS SUBSTANCE SITE AND HSS DESIGNATION
- 3217489 ● BEDROCK MONITOR WELL
- 3213789 ○ ALLUVIAL MONITOR WELL
- 0392 ▲ PRE-1986 MONITOR WELL
- 3217389 + ABANDONED HOLE
- BH4987 ○ BOREHOLE



Scale 1 = 600

0' 300' 600'

CONTOUR INTERVAL = 20'



U.S. DEPARTMENT OF ENERGY
Rocky Flats Plant Golden Colorado

OPERABLE UNIT NO 2
PHASE II RFI/RI WORK PLAN (ALLUVIAL)

**PHASE I REMEDIAL INVESTIGATION
MONITOR WELL AND
BOREHOLE LOCATIONS**

FIGURE 1

July, 1991