

Department of Energy

ROCKY FLATS OFFICE
P.O. BOX 928
GOLDEN, COLORADO 80402-0928

1626 RF 93



DUE DATE

ACTION

DIST.	LTR	ENC
BENEDETTI, R.L.	X	
BENJAMIN, A.		
BERMAN, H.S.		
CARNIVAL, G.J.		
COPP, R.D.		
CORDOVA, R.C.		
DAVIS, J.G.		
FERRERA, D.W.		
HANNI, B.J.		
HEALY, T.J.		
HEDAHL, T.G.		
HILBIG, J.G.		
KIRBY, W.A.		
KUESTER, A.W.		
LEE, E.M.		
MANN, H.P.		
MARX, G.E.		
McKENNA, F.G.		
MORGAN, R.V.		
PIZZUTO, V.M.		
POTTER, G.L.		
RILEY, J.H.		
SANDLIN, N.B.		
SATTERWHITE, D.G.		
SCHUBERT, A.L.		
SETLOCK, G.H.		
SHEPLER, R. L.		
SULLIVAN, M.T.		
SWANSON, E.R.		
WILKINSON, R.B.		
WILSON, J.M.		
ZANE, J.O.		

APR 06 1993

93-DOE-03936

Mr. Martin Hestmark
U. S. Environmental Protection Agency, Region VIII
ATTN: Rocky Flats Project Manager, 8HWM-RI
999 18th Street, Suite 500, 8WM-C
Denver, Colorado 80202-2405

Mr. Gary Baughman
Hazardous Waste Facilities Unit Leader
Colorado Department of Health
4300 Cherry Creek Drive South
Denver, Colorado 80222-1530

APR 1 2 19 1993
ROCKY FLATS PLANT
CORRESPONDENCE SECTION

Gentlemen:

A meeting was held March 31, 1993, with your staff to discuss your preliminary comments on our Draft Technical Memorandum 8 for Operable Unit 2 (903 Pad, Mound, and East Trenches). Technical Memorandum 8 is the revised Work Plan for the Lower Hydro-Stratigraphic Unit (Bedrock) for OU2. In the meeting, we agreed to revise the "Decision Pathway" figures ES-1, 2-4, and 2-6 and corresponding text. In these Decision Pathway figures, we agreed to remove the references to the potential for contaminant migration, and focus on availability of water for well development as decision points. We will further develop the criteria relating to potential pathways in the decision process in the Work Plan Contingency Plan.

We have already provided your staff with the revised Decision Pathway figures. In the March 31 meeting, your staff indicated that you should be able to provide comments on the Draft Technical Memorandum 8 to us by April 9, 1993. Based on the preliminary comments in the March 31 meeting, we have decided to start the field work associated with Technical Memorandum 8 the week of April 5, 1993.

In addition, we are modifying the figures and text to clarify that a full suite of analytical constituents will be analyzed to verify the results of the "indicator" sample analysis.

If you have any questions, please contact Scott Grace at 966-7199.

Sincerely,

James K. Hartman
Assistant Manager for Transition
and Environmental Restoration

CORRESPONDENCE CONTROL	x	x

Reviewed for Addressee
Corres. Control RFP

4-7-93
DATE BY

Ref Ltr. #

Enclosure

APR 06 1993

M. Hestmark and G. Baughman
93-DOE-03936

2

cc w Enclosure:

A. Rampertaap, EM-453

cc w/o Enclosure:

W. Busby, EG&G

A. Primrose, EG&G

E. Dille, EG&G

B. Fraser, EPA

J. Schieffelin, CDH