

ADMIN RECORD

**1996 ANNUAL UPDATE
ENVIRONMENTAL RESTORATION RANKING**

Rocky Mountain Remediation Services, L.L.C.

**DOCUMENT CLASSIFICATION
REVIEW WAIVER PER
CLASSIFICATION OFFICE**

September 1996

A-DUOJ-000473

1996 ANNUAL UPDATE ENVIRONMENTAL RESTORATION RANKING

The Rocky Flats Cleanup Agreement (RFCA, EPA 1996a), Attachment 4, contains the 1995 prioritized list of Environmental Restoration (ER) sites developed to select the top priority sites for remediation (DOE, 1995a). The list was developed to be used as an aid in planning and prioritizing remedial actions at Rocky Flats Environmental Technology Site (RFETS). The sequence of remediation activities at RFETS has generally followed the prioritization. Other factors that also influence the remediation sequence are funding, project cost, resource availability, data sufficiency, and integration with other remedial and site activities. Prioritization accelerates the cleanup process of the worst sites first, and more quickly reduces risks to human health and the environment. The prioritization of cleanup targets also results in cost reductions by allowing better planning, and more efficient utilization of resources.

The 1995 prioritization methodology was developed by a working group of the United States Environmental Protection Agency (EPA), the Colorado Department of Public Health and the Environment (CDPHE), the Department of Energy (DOE), Kaiser-Hill, and Rocky Mountain Remediation Services (RMRS) staff and was implemented by RMRS. The result was a prioritized list of ER sites, including a list of ranked sites that require more information (DOE, 1995a). In accordance with RFCA Attachment 4, the ranking has been updated for 1996. The evaluation process is essentially the same as was used in the September 1995 ranking, with the following exceptions:

- Action Level Framework (ALF) (RFCA, Attachment 5) values were used instead of Programmatic Risk-Based Preliminary Remediation Goals (PPRGs),
- The scoring scale was adjusted to reflect the greater range in ALF ratios,
- Impact to surface water was evaluated instead of mobility,
- A professional judgment factor was added to account for process knowledge,
- Groundwater plumes were evaluated and ranked separately from the contaminant source,
- Metals data for subsurface soils were not used, as ALF values were not available in time to be included in the evaluation, and
- The secondary evaluation, which included project cost and schedule estimates has been omitted due to other planning activities ongoing at the RFETS.

General Methodology

The ranking process detailed in RFCA Attachment 4 has been slightly modified for 1996 to incorporate the ALF and process knowledge. This ranking was generated by using concentrations of contaminants present at different sites, action levels for the appropriate media and location, and factors for impact to surface water, potential for further release, and

professional judgment to develop a score for each site. The scores were then ranked to determine which sites have the highest priority. This methodology is conservative and is used only to generate a list to prioritize remedial actions, and pre-remediation investigations. It is not meant to replace a formal risk assessment.

The following steps were used in the 1996 ranking process:

- The existing analytical data were compared to background data,
- Data exceeding background were compared to the ALF Tier I and Tier II values,
- Ratios of Tier II ALF values to contaminant concentrations/activities were used for the ranking, unless Tier II values were not available,
- A column was added to the ranking sheet to note Tier I exceedances,
- The resulting ratios were converted to a score of 1 to 10,
- The impact to surface water was evaluated, and assigned a factor of 1 to 3
- The potential for further release was evaluated, and a factor of 1 to 3 applied,
- Process knowledge of the site was evaluated, and a professional judgment factor of 0.5 to 2 applied, and,
- The results of the previous steps were multiplied to generate a score per site. This score was used to rank the ER sites.

Analytical data in RFEDS from 1990 to the present were evaluated for three media, surface soils, subsurface soils, and groundwater. The analytical data were extracted from RFEDS and compiled into data sets by media and analytical suite. The media-specific analytical data were compared to the media- and chemical-specific background UTL_{99/99}. All data above the background UTL_{99/99} were then compared to the appropriate Tier I and Tier II ALF values in RFCA. The draft radiological ALFs (DOE, 1996b) for surface soils were applied to both surface and subsurface soils. The ALF values for metals in subsurface soils were not agreed upon in time to be included in the 1996 ranking and metals data from subsurface soils were not used in the ranking. A review of the data suggests that this will not effect the ranking significantly.

All exceedances of the Tier I and II ALF values were tabulated for groundwater, subsurface soils, and surface soils at each sample location. The locations were plotted on maps using available survey information. Where no survey data is available, approximate locations were derived from work plan maps. The sample locations were assigned to areas-of-concern, IHSSs, and groundwater plumes based on the media, location of the exceedance, and the analyte.

Media Specific Evaluations

Groundwater - Sitewide groundwater data were compared to background UTL_{99/99} values presented in the 1993 Background Geochemical Characterization Report (DOE 1993). Groundwater data were then compared to the Tier I and Tier II ALF values. All well locations

where a chemical concentration exceeds a Tier I or Tier II ALF value were plotted. The locations were then associated with the most probable source area and known groundwater plumes. Ratios of analyte concentrations to the Tier II ALF values were used in the scoring.

Subsurface Soil - All available subsurface soil data collected since 1990 were compared to subsurface soil background UTL_{99/99} values (DOE 1993). The data for volatile organic compounds were compared to the Tier I ALF values (there are no Tier II values), the radiological activities were compared to the surface soil Tier I and Tier II ALF values. The ALF values for metals in subsurface soils were not agreed upon in time to be included in the 1996 ranking. The locations of all borings, where a chemical concentration exceeded an ALF value, were plotted and associated with the most likely source area.

Surface Soil - All available surface soil data for metals and radiologicals were compared to UTL_{99/99} background values computed from data presented in the Background Soil Characterization Program (DOE 1995b). The inorganic and radiological results above background and all data for organic compounds were compared to the Tier I and Tier II ALF values for surface soil. Within the boundaries of the Industrial Area Operable Unit (OU), the surface soil data were compared to office worker ALFs. In the Buffer Zone OU, the surface soil data were compared to open-space ALFs. The ALF exceedances were plotted to determine the most likely source area, IHSS or group of IHSSs, using the most common wind patterns. Ratios of analyte concentrations to the Tier II ALF values were used in the scoring.

Chemical Score Tabulation

All ALF exceedances were tabulated by IHSS, group of IHSSs, or source area. The chemical score was calculated for each media, within each site, by adding the maximum ratio for each analyte per media. The groundwater, subsurface soil, and surface soil scores were then summed to generate a total score per site. This is a conservative approach that allows the sites to be judged on a uniform basis.

A separate score was derived for each groundwater plume by evaluating only the groundwater exceedances. A risk score was calculated for each plume, as above, by adding the maximum ALF ratios for groundwater contaminants associated with all sites within the estimated plume area. This method results in groundwater being used twice, once in the scoring of sources, and again for the scoring of groundwater plumes.

The total chemical scores were graded using the following table so that the risk component of the ranking system would be weighted similarly to the other components. The table has been adjusted from the 1995 methodology due to the increase in the range of the scores.

Total Chemical Score	ALF/PPRG Score
>20001	10
10001-20000	9
5001-10000	8
1001-5000	7
501-1000	6
251-500	5
126-250	4
75-125	3
26-75	2
1-25	1

Surface Water Impacts

The impact of contamination at a site on surface water quality was evaluated and each site was assigned a factor of 1 to 3 to indicate the impact on surface water from each site. The impact to surface water factors were assigned on a scale of 1 to 3 as follows:

- 1 Contaminants that are immobile in the environment or for which there is no pathway to surface water. Radionuclides and metals were given a score of one unless adjacent to surface water, or on a steep slope bordering surface water. A factor of one was used where engineered structures are in place that prevent the spread of contaminants.
- 2 This rating was applied where contaminants have or are expected to have an impact on surface water at the Tier II ALF level (MCL).
- 3 This rating will apply where there is a documented or probable impact to surface water above the Tier I ALFs (100 x MCL).

Potential for Further Release

This factor takes into account the potential for additional release of contaminants into the environment and includes cross-media movement of contaminants within the environment. Sites were assigned a value of 1 to 3 based on the following criteria:

- 1 Sites where contaminants are not present as free product, nor in very high concentrations, and/or show no cross-contamination of environmental media. A factor of one was used where engineered structures are in place that effectively prevent the release or migration of contaminants.

- 2 Sites where high concentrations in soil may be present and/or where there is a potential for cross media movement of contamination
- 3 Sites where there is suspected or known free product, significant levels of contamination exists, and/or where cross contamination of environmental media is present or likely

Professional Judgment

A professional judgment factor was added to this year's ranking based on process knowledge not represented by the other factors. The reasons for assigning the professional judgment factor are given in the comment column of the ranking. The values for this factor are

- 0.5 The ranking overestimates the priority of a site. This was used if a risk assessment or conservative screen has been completed indicating an acceptable risk, but the site ranks high on the priority listing
- 1 The ranking reflects process knowledge of a site
- 2 The ranking underestimates the priority of a site. This may be due to a lack of data, coupled with process knowledge of significant releases

Total Score and Ranking

The total score was calculated by multiplying the ALF score times the impact to surface water, potential for further release, and professional judgment factors. A formal risk assessment is a more precise evaluation of the same data, and, where risk assessment data exist, it was used to refine the ranking of the sites through the use of the professional judgment factor.

Where insufficient data currently exist to rank sites, these sites were assigned to the category of needs further investigation (INV) and ranked using the professional judgment factor. This placed them on the ranking above known low-risk sites. As data become available, the ranking for these sites will be updated.

The Solar Ponds groundwater score was calculated without using data from an upgradient well which shows the effects of an upgradient plume. This well was used in the calculations for the groundwater score for IHSS 1181 and the carbon tetrachloride spill plume.

Where analytical data and process knowledge indicate that there are localized areas of contamination, the associated data was eliminated from site evaluation, and was assigned to a hot spot list. These sites will be evaluated to verify that these are hot spots. Most of the localized extent sites are PCB sites, including a PCB site in IHSS 1506 and those surrounding Bowman's

References

- Environmental Protection Agency, State of Colorado, and Department of Energy
Final Rocky Flats Cleanup Agreement CERCLA VIII-96-21, RCRA(3008(h)) VIII-96-01, State of Colorado Docket # 96-07-19-01 July 19, 1996
- Department of Energy, Environmental Protection Agency, Colorado Department of Public Health and the Environment 1996 Action Levels for Radionuclides in Soils for the Rocky Flats Cleanup Agreement, Preliminary Draft June 27, 1996
- Department of Energy 1992 Historical Release Report for the Rocky Flats Plant June, 1992
- Department of Energy 1993 Background Geochemical Characterization Report September 30, 1993
- Department of Energy 1995a Environmental Restoration Ranking September 27, 1995
- Department of Energy 1995b Geochemical Characterization of Background Surficial Soils Background Soils Characterization Program May 1995

Pond The Old Landfill has analytical data indicating the presence of small radiological anomalies at the surface. Best management practices will be used on these hot spots as part of the final remedy for the Old Landfill.

Radium 226 and 228 data were not evaluated for the following reasons:

- Radium 226 and 228 are not listed as having been used at RFETS in either the Historical Release Report (DOE, 1992) or the Rocky Flats Toxicologic Review and Dose Reconstruction, Task 3/4 Report (ChemRisk, 1992)
- The decay chains and half-lives of decay products make it highly unlikely that significant amounts of radium 226 or 228 would have accumulated by radioactive decay of radionuclides known to have been used at RFETS
- The soils and groundwater in the foothills to the west of RFETS are known to have high levels of both uranium (total) and radium 226
- The background amount for radium 226 in surface soil has a PPRG ratio of 48. Therefore, any surface soil analytical result above background would skew the prioritization score to a higher result. This is not justified given the information on usage and natural occurrence.

Results

The use of the groundwater ALF values in the 1996 ranking and the inclusion of the groundwater plumes increased the influence of groundwater on the final priority listing. This lowered the tank sites on the priority list, although they remain among the top ranked sites. Some sites also moved on the basis of newly available data. Overall, highest priority sites were reshuffled but remained near the top of the listing.

Remediation of sources of contamination in 7 of the 15 top ranked IHSSs has been completed or interim action and stabilization has been completed during FY96 (Table 1). The top three ranked IHSSs, 109 (Ryan's Pit), IHSS 110 (Trench T-3), 111 (Trench T-4) have been completed. The 4 other sites in the top 15 that have been stabilized and interim actions completed are tank T-40, tanks T-2/T-3, tank T-14, and Tank T-16N in IHSS 121. These tanks were cleaned and foamed, but remain in the ground.

Trench T-1 (IHSS 108) was scored using data reported in the Historical Release Report (DOE 1992) from a drum that was uncovered and sampled in a 1982 event. This decision was made based on process knowledge and the conclusion that direct sampling of the trench will be very hazardous. With the inclusion of this data, IHSS 108 ranks number 5 on the listing.

One groundwater plume ranked in the top 10. The Mound Plume, which is located just east of the PA and is migrating toward South Walnut Creek. The 903 Pad & Ryan's Pit Plume, which is migrating southeastward from the 903 Pad and Ryan's Pit toward Woman Creek ranked number 12. There are 6 plumes ranked in the top 20 of the priority listing.

ER Ranking

Status	Rank	IHSS Number and Name	Total Tank Contents	Total Ground Water	Total Subsurface Soil	Total Surface Soil	Total Chemical Score	ALF Score	SW Impact Score	Potential for Further Release Multiplier	Professional Judgment Multiplier	Total Priority Score	Exceeds Tier 1	General Comments
C-96	1	1109 Ryan's Pit		33679	2	<1	33681	10	2	3	1	60	Yes	Source removed
C-96	2	1110 Trench T-3		26101	1612	<1	27713	10	2	3	1	60	Yes	Source removed
C-96	3	1111 Trench T-4		26101	78	n	26179	10	2	3	1	60	Yes	Source removed
C-96	4	1113 Mound		19064	6	1	19071	9	3	2	1	54	Yes	Source of Mound Plume
														French concrete not sampled subsurface ALF ratio based on previously increased drum data.
														IHSSs evaluated together
														IHSSs evaluated together-Carbon Tetrachloride Plume Source
IAC-96	5	1108 Trench T-1		11	11080	<1	11207	9	1	3	2	54	Yes	Source removed, tank foamed and stabilized
IAC-96	6	1112 1/55/183/140 903 Pad and Lip Area		40488	<1	45	40533	10	2	2	1	40	Yes	Impacting surface water in the S Walnut Creek Drainage
IAC-96	7	Mound Plume		19067			19067	9	3	1	1	27	Yes	IHSSs evaluated together-Carbon Tetrachloride Plume Source
IAC-96	8	118 Trench and 121 Tanks 9 & 10		5796	2321	<1	9273	8	1	3	1	24	Yes	Source removed, tank foamed and stabilized
IAC-96	9	121 Tank T-40		3570	n	<1	3570	7	1	3	1	21	Yes	Source removed, tank foamed and stabilized
IAC-96	10	121/124 1/124 2/125 PW Tank T-16N		<1	<1	n	1453	7	1	3	1	21	Yes	Tank foamed and stabilized, PAHs in surface soil and groundwater
IAC-96	11	121 Tanks T-2/1-3 122-Underground Concrete Tanks		72427	<1	29	72427	10	2	1	1	20	Yes	Low level impact on surface water in the Walnut Creek drainage
IAC-96	12	903 Pad & Ryan's Pit Plume		26105	<1	n	26093	10	2	1	1	20	Yes	Low level impact on surface water in the S. Walnut Creek drainage
IAC-96	13	East Trenches Plume		<1	<1	n	1000	6	1	3	1	18	Yes	Source removed, tank foamed and stabilized
IAC-96	14	121/124 3. Process Waste Tank T-14		190	n	12	202	4	2	1	2	16	NO	Plume indicates source present
IAC-96	15	170 174 1 (174b) 174 2 (174b) PU&D Storage Areas		190	n	n	190	4	2	1	1	8	NO	Source not characterized
IAC-96	16	PU&D Yard Plume		9167	29	159	9355	8	1	1	1	8	Yes	Units current extraction well data only
IAC-96	17	1119 1 OU 1 Solvent Spill Site		9167	n	n	9167	8	1	1	1	8	Yes	No impact on surface water in the Walnut Creek drainage
IAC-96	18	881 Hillside/119 1 Plume		5756	n	n	5756	8	1	1	1	8	Yes	IHSS 118.1 is unimpacted source
IAC-96	19	Carbon Tetrachloride Plume (118.1)		<1	<1	4110	4125	7	1	2	0.5	7	Yes	New 1995 data-PAHs in surface soil
IAC-96	20	121 Tank T-29 (Tank 207)		2615	n	n	2643	7	1	1	1	7	Yes	No impact on surface water
IAC-96	21	Industrial Area Plume		2403	<1	14	2417	7	2	1	0.5	7	Yes	IHSS 10-4 to 10-6 or less upgradient groundwater from 118.1 not used in ranking IHSS 101
IAC-96	22	101 Solar Ponds		2403	<1	14	2417	7	2	1	0.5	7	Yes	Plume due to NO ₂ impacts surface water in N. Walnut Creek drainage
IAC-96	23	Solar Ponds Plume		2403	<1	14	2417	7	2	1	0.5	7	Yes	Plume due to NO ₂ impacts surface water in N. Walnut Creek drainage
IAC-96	24	160 Rad Site Bldg 664 Parking Lot		578	n	1	579	6	1	1	1	6	Yes	Proved
IAC-96	25	114-Present Landfill (includes IHSS 203)		415	<1	31	446	5	2	1	0.5	5	NO	Compliance, presumptive remedy for closures
IAC-96	26	Present Landfill Area Plume		415	<1	31	446	5	2	1	0.5	5	NO	Compliance, presumptive remedy for closures
IAC-96	27	158 Rad Site B55/B3554		418	n	1	419	5	1	1	1	5	NO	IHSS 10E-1 to 10-6 Remedial Action required due to physical hazard
IAC-96	28	Building 881 Area Plume		257	n	2	263	5	1	1	1	5	NO	Source may be due to LBC at 8881
IAC-96	29	129 Tank T-4 outside steam plant		<1	n	2	2	1	1	3	1	3	NO	Tank foamed and stabilized, tank not breached
IAC-96	30	121 126 1 126 2 Tank T-3		<1	<1	<1	0	1	1	3	1	3	NO	Tank foamed and stabilized
IAC-96	31	Old Landfill Area Plume		174	n	64	174	4	1	1	0.5	2	NO	IHSS 10E-1 to 10-6 Remedial Action required due to physical hazard
IAC-96	32	Building 779 UBC		n	n	59	59	2	1	1	1	2	NO	Continuation due to B779
IAC-96	33	121 Tank T-27		n	n	59	59	2	1	1	1	2	NO	Continuation due to B779
IAC-96	34	143 771 Outfall		46	<1	3	49	2	1	1	1	2	NO	PAHs in surface soil
IAC-96	35	172 Central Avenue Waste Spill		28	n	18	46	2	1	1	1	2	NO	Metals in GW
IAC-96	36	176 SAW Yard		n	n	26	26	2	1	1	1	2	NO	Metals in GW
IAC-96	37	131 Rad Site #1 700 Area		n	n	4	4	1	1	2	1	2	NO	Continuation probably from 400 Complex
IAC-96	38	120 1 North Fiberglassing area		n	n	20	20	1	1	1	1	1	NO	Continuation probably from 400 Complex
IAC-96	39	150 3 Rad Site Between B771 & B774		n	n	16	16	1	1	1	1	1	NO	Continuation probably from 400 Complex

n = data not available

ER Ranking

Rev 9/96

Status	Rank	IHSS Number and Name	Total Tank Contents	Total Ground Water	Total Subsurface Soil	Total Surface Soil	Total Chemical Score	ALF Score	SW Impact Score Multiplier	Potential for Further Release Multiplier	Professional Judgment Multiplier	Total Priority Score	Exceeds Tier 1	General Comments
	40	214 750-Pad concrete/saltorete storage	n	5	n	13	13	1	1	1	1	1	NO	
	41	157 1 Rad Site North-Central Ave DKch	5	2	n	5	10	1	1	1	1	1	NO	PCB IM above AL listed under PCB 9
	42	157 2 Rad Site south	2	n	n	5	7	1	1	1	1	1	NO	
	43	120 2 West Fiberglassing Area	n	n	n	6	6	1	1	1	1	1	NO	
	44	144 Sewer line overflow	n	n	n	4	4	1	1	1	1	1	NO	
	45	136 2 Cooling Tower Pond East of B444	n	n	n	4	4	1	1	1	1	1	NO	
	46	163 1 Rad Site 700 North B774	n	n	n	2	2	1	1	1	1	1	NO	
	47	139 1 KOH NaOH condensate tanks spill	n	n	n	19	19	1	1	1	0.5	0.5	NO	PAHs in surface soil
	48	139 2 Hydrofluoric Acid Tank spills	n	n	n	19	19	1	1	1	0.5	0.5	NO	PAHs in surface soil
	49	153 Oil Burn Pit	<1	<1	<1	n	<1	0	1	1	1	0		Remediate with Mound Site in PA fence
	50	164 3 Rad Site #2 800 Area 887 Pad	n	n	n	<1	<1	0	1	1	1	0		
	51	127 Low level Rad waste leak	n	n	n	<1	<1	0	1	1	1	0		
	52	186 Valve Vault 11 12 and 13	n	n	n	<1	<1	0	1	1	1	0		
	53	150 4 Rad Site NW of B750	n	n	n	<1	<1	0	1	1	1	0		
	54	159 Rad Site B559	<1	<1	<1	n	<1	0	1	1	1	0		
	55	111 3 SE Trenches T-6	<1	<1	<1	<1	<1	0	1	1	1	0		
	56	111 4 SE Trenches T-7	<1	<1	<1	<1	<1	0	1	1	1	0		
	57	111 5 SE Trenches T-8	<1	<1	<1	<1	<1	0	1	1	1	0		
	58	111 6 SE Trenches T-9	<1	<1	<1	<1	<1	0	1	1	1	0		
	59	138 Bldg 779 Cooling Tower Blowdown	n	n	n	<1	<1	0	1	1	1	0		
	60	164 2 Rad Site #2 800 Area Bldg 886 Spill	<1	<1	<1	<1	<1	0	1	1	1	0		
	61	117 SE Trenches T 10	n	n	n	<1	<1	0	1	1	1	0		Investigation done analysis not
	62	137 Bldg 712/713 Cooling Tower Blowdown	n	n	n	n	0	0	1	1	1	0		
	INV	171 Fire Training	134	134	n	<1	134	4	1	2	2	16	NO	Empirical data indicates free product present
	INV	Building 444 UBC	156	156	n	<1	156	4	1	1	2	8		Known contaminant plume
	INV	Building 707 UBC	142	142	n	<1	12	4	1	1	2	8		Many known spills
	INV	121 Old Process Waste Lines-includes 66 segments (35 0007) & 22 tank units-not investigated 123 2 Valve Vault w of 707	1013	1013	n	n	1013	7	1	1	2	14	yes	IFSS 121 includes the following labeled IHSSs
		147 1 MAAS Area												Not characterized probably highly contaminated
		149 1 OPWL to SEPS												Not characterized probably highly contaminated
		149 2 OPWL to SEPS												Not characterized probably highly contaminated
		215 Abandoned sump in 774												Not characterized probably highly contaminated
	INV	Bldg 774 UBC (146 1 146 2 146 3 146 4 146 5 146 6)	n	n	n	n	0	0	1	1	2	0		Not characterized probably highly contaminated
	INV	Bowman's Pond (PAC 700-1108)	n	n	n	<1	0	0	2	1	2	0		Tanks removed, 1971 pat. data exceeded Tier 1 levels
	INV	150 1 Rad Site N of 771	n	n	n	<1	0	0	1	1	1	0		Process knowledge of probable influent liquids
	INV	150 2 Rad Site W of 771/776	n	n	n	<1	0	0	1	1	1	0		Preval. old data exists
	INV	117 1 (North Site)&197/Scrap Metal Storage	n	n	n	<1	0	0	1	1	2	0		Preval. old data exists
	INV	161 W of 664	n	n	n	<1	0	0	1	1	2	0		Suspected source-known buried material-PUMD yard
	INV	117 2 Middle Site Chemical Storage	651	651	n	<1	651	6	1	1	1	6	yes	Waste staging area-back of site
	INV	128 Oil Burn Pit #1	<1	<1	n	<1	0	0	1	1	1	0		Source
	INV	123 1 Valve Vault #7	n	n	n	<1	0	0	1	1	1	0		Tied to Building 335 D&D Project
	INV	135 Bldg 337 Cooling Tower	n	n	n	<1	0	0	1	1	1	0		

n = data not available

ER Ranking

Status	Rank	IHSS Number and Name	Total Tank Contents	Total Ground Water	Total Subsurface Soil	Total Surface Soil	Total Chemical Score	ALF Score	SW Impact Score Multiplier	Potential for Further Release Multiplier	Professional Judgment Multiplier	Total Priority Score	Exceeds Tier 1	General Comments
INV	150	7 Rad Site S of 778	n	n	<1	0	0	1	1	1	0	0	0	Rad Screens only
INV	151	Fuel Oil Leak	n	n	<1	0	0	1	1	1	0	0	0	HFGa Survey
INV	163	2 Amencium Slab	n	n	<1	0	0	1	1	1	0	0	0	Active Storage Unit, not sampled
INV	210	Bldg 980 Cargo Container	n	n	<1	0	0	1	1	1	0	0	0	
INV	213	904 Pad Pondrale Storage	n	n	<1	0	0	1	1	1	0	0	0	
INV	116	1 Bldg 447 W Loading Dock	n	n	<1	0	0	1	1	1	0	0	0	
INV	116	2 Bldg 444 S Loading Dock	n	n	<1	0	0	1	1	1	0	0	0	
INV	136	1 Cooling Tower Pond W of 444	n	n	<1	0	0	1	1	1	0	0	0	
INV	148	Waste Leaks	n	n	<1	0	0	1	1	1	0	0	0	
INV	150	8 Rad Site S of 779	n	n	<1	0	0	1	1	1	0	0	0	Spills cleaned up at time
INV	164	1 Rad Site #2 800 Area	2	n	<1	2	1	1	1	1	0.5	0.5	NO	Spills cleaned up at time
INV	173	Rad Site Bldg 991	n	n	<1	0	0	1	1	1	0.5	0	0	Unconfirmed-no location found
INV	184	Rad Site 991 Steam	n	n	<1	0	0	1	1	1	0.5	0	0	Spills cleaned up at time
INV	162	700 Area	n	n	<1	0	0	1	1	1	0.5	0	0	
LOW		Building 881 UBC	257	7	n	264	5	1	1	1	1	5	YES	No pathway known
LOW	111	8 Trench T 11	96	<1	<1	96	3	1	1	1	1	3	NO	Organics in groundwater
LOW	190	Caustic Leak	12	n	<1	12	3	1	1	1	1	3	NO	Evaluate using approved NAAFA process
LOW	177	OU 10	<1	n	2	2	1	1	1	1	1	1	NO	PCB MI above AL
LOW	118	2 Solvent Spills North End of Bldg 707	<1	n	<1	0	0	1	1	1	0	0	NO	Evaluate using approved NAAFA process
LOW	188	Acid Leak Southeast of Bldg 374	n	n	<1	0	0	1	1	1	1	0	0	Evaluate using approved NAAFA process
LOW	121	PO8 OPWL Pipeline 135 ft, Bldg 881	n	n	n	0	0	1	1	1	1	0	0	Evaluate using approved NAAFA process
LOW	121	P57 OPWL Pipeline 112 ft, Bldg 122	n	n	n	0	0	1	1	1	1	0	0	Evaluate using approved NAAFA process
LOW	121	112 Invalid tank location	n	n	n	0	0	1	1	1	1	0	0	Evaluate using approved NAAFA process
LOW	121	131 Invalid tank location	n	n	n	0	0	1	1	1	1	0	0	Evaluate using approved NAAFA process
LOW	121	133 Invalid tank location	n	n	n	0	0	1	1	1	1	0	0	Evaluate using approved NAAFA process
LOW	121	134 Invalid tank location	n	n	n	0	0	1	1	1	1	0	0	Evaluate using approved NAAFA process
LOW	121	135 Invalid tank location	n	n	n	0	0	1	1	1	1	0	0	Evaluate using approved NAAFA process
LOW	175	S&W B 980 Container Storage Facility	n	n	<1	0	0	1	1	1	1	0	0	Evaluate using approved NAAFA process
LOW	181	Building 334 Cargo Container Area	n	n	<1	0	0	1	1	1	1	0	0	Evaluate using approved NAAFA process
LOW	182	444/453 Drum Storage Area	n	n	n	0	0	1	1	1	1	0	0	Evaluate using approved NAAFA process
LOW	205	Sump #3 Acid Site SE B460	n	n	<1	0	0	1	1	1	1	0	0	Evaluate using approved NAAFA process
LOW	206	Inactive D-386 HW Tank B374	n	n	<1	0	0	1	1	1	1	0	0	Evaluate using approved NAAFA process
LOW	207	Inactive B444 Acid Dumpsters	n	n	<1	0	0	1	1	1	1	0	0	Evaluate using approved NAAFA process
LOW	208	Inactive 444/447 Waste Storage	n	n	<1	0	0	1	1	1	1	0	0	Evaluate using approved NAAFA process
LOW	147	2 Bldg 881 Conversion Activity	n	n	<1	0	0	1	1	1	1	0	0	Evaluate using approved NAAFA process
LOW	187	Sulfuric Acid Spill B443	n	n	<1	0	0	1	1	1	1	0	0	Evaluate using approved NAAFA process
LOW	117	3 S Chemical Storage Site	n	n	<1	0	0	1	1	1	1	0	0	Evaluate using approved NAAFA process
LOW	169	Hydrogen Peroxide Spill	n	n	<1	0	0	1	1	1	1	0	0	Evaluate using approved NAAFA process
LOW	191	Hydrogen Peroxide Leak	n	n	n	0	0	1	1	1	1	0	0	Evaluate using approved NAAFA process
LOW	134(N)	Lithium Metal Destruction Site	<1	<1	<1	0	0	1	1	1	1	0	0	Evaluate by NAAFA process/le B335 D&D
LOW	134(S)	Lithium Metal Destruction Site	n	n	<1	0	0	1	1	1	1	0	0	Evaluate by NAAFA process/le B335 D&D
LOW	156	1 Radioactive Site	n	n	<1	0	0	1	1	1	1	0	0	Evaluate using approved NAAFA process

n = data not available

ER Ranking

Status	Rank	IRIS Number and Name	Total Tank Contents	Total Ground Water	Total Subsurface Soil	Total Surface Soil	Total Chemical Score	ALF Score	SW Impact Score Multiplier	Potential for Further Release Multiplier	Professional Judgment Multiplier	Total Priority Score	Exceeds Tier 1	General Comments
	LOW	150 6 Loading Dock	n	n	<1	0	0	1	1	1	1	0		Evaluate with MAF/APCB Hot Spot only
	LOW	216.2 East Spray Field OU 2	n	n	<1	0	0	1	1	1	1	0		PPRG ratio less than 1 * 2 downgradient wells
	LOW	216 3 East Spray Field OU 2	n	n	<1	0	0	1	1	1	1	0		PPRG ratio less than 1 * 2 downgradient wells
	LOW	154 Pallet Burn Site	n	n	<1	0	0	1	1	1	1	0		Removed during PA construction, verify only
	LOW	111.2 Trench T 5	<1	<1	1	1	1	1	1	1	1	0		
	LOW	192 Pipeline	3	n	n	3	1	1	1	1	1	0		N/A-Causitic Spill
	LOW	104 Liquid Dumping	<1	10	<1	10	4	2	1	1	1	0		PPRA, less than 10-6
	LOW	115 Original Landfill	172	<1	27	199	4	1	1	1	1	0		PPRA, less than 10-6
	LOW	130 800 Area Rad Site #1	<1	34	<1	34	2	2	1	1	1	0		PPRA, less than 10-6
C-06	LOW	168 West Spray Field	190	<1	<1	190	4	1	1	1	1	0		Passed COPPE screen-CADPROO complete
	LOW	133 4 Ash Pit #4	44	<1	2	46	2	1	1	1	1	0		PPRA, less than 10-6
	LOW	198 In Old Landfill	44	<1	<1	44	2	1	1	1	1	0		PPRA, less than 10-6
	LOW	133 1 Ash Pit #1	44	2	<1	46	2	1	1	1	1	0		PPRA, less than 10-6
	LOW	133.2 Ash Pit #2	44	2	<1	46	2	1	1	1	1	0		PPRA, less than 10-6
	LOW	133 3 Ash Pit #3	44	<1	<1	44	2	1	1	1	1	0		PPRA, less than 10-6
	LOW	119.2 Solvent Spill Site	9	<1	<1	9	1	2	1	1	1	0		PPRA, less than 10-6
	LOW	133.5 Incinerator	n	<1	<1	0	0	1	1	1	1	0		PPRA, less than 10-6
	LOW	133.6 Concrete Wash Pad	n	<1	<1	0	0	1	1	1	1	0		PPRA, less than 10-6
	LOW	142.1 Pond A 1	n	<1	<1	0	0	1	1	1	1	0		PPRA, less than 10-6
	LOW	142.2 Pond A 2	n	<1	<1	0	0	1	1	1	1	0		PPRA, less than 10-6
	LOW	142.3 Pond A 3	n	<1	<1	0	0	1	1	1	1	0		PPRA, less than 10-6
	LOW	142.5 Pond B-1	n	<1	<1	0	0	1	1	1	1	0		PPRA, less than 10-6
	LOW	142.6 Pond B-2	n	<1	<1	0	0	1	1	1	1	0		PPRA, less than 10-6
	LOW	142.7 Pond B-3	n	<1	<1	0	0	1	1	1	1	0		PPRA, less than 10-6
	LOW	142 8 Pond B-4	n	<1	<1	0	0	1	1	1	1	0		PPRA, less than 10-6
	LOW	199 Offsite Land Surface	n	<1	<1	0	0	1	1	1	1	0		PPRA, less than 10-6
	LOW	200 Great Western Reservoir	<1	<1	<1	0	0	1	1	1	1	0		PPRA, less than 10-6
	LOW	167.2 Landfill Pond Spray Area	n	<1	<1	0	0	1	1	1	1	0		PPRA, less than 10-6
	LOW	167.3 Landfill South Spray Area	n	<1	<1	0	0	1	1	1	1	0		PPRA, less than 10-6
	LOW	102 Oil Sludge Pit	n	<1	<1	<1	<1	2	1	1	1	0		PPRA, less than 10-6
	LOW	103 Chemical Bural	<1	<1	<1	<1	<1	2	1	1	1	0		PPRA, less than 10-6
	LOW	105 1 W Out-of-Service Fuel Tank	<1	<1	<1	0	0	2	1	1	1	0		PPRA, less than 10-6
	LOW	105 2 E Out-of-Service Fuel Tank	<1	<1	<1	0	0	2	1	1	1	0		PPRA, less than 10-6
	LOW	108 Outfall	<1	<1	<1	0	0	2	1	1	1	0		PPRA, less than 10-6
	LOW	107 Hillside Oil Leak	<1	<1	<1	0	0	2	1	1	1	0		PPRA, less than 10-6
	LOW	145 Sanitary Waste Line Leak	<1	<1	<1	0	0	2	1	1	1	0		PPRA, less than 10-6
	LOW	142.10 Pond C-1	<1	<1	<1	0	0	2	1	1	1	0		PPRA, less than 10-6
	LOW	142.11 Pond C-2	<1	<1	<1	0	0	2	1	1	1	0		PPRA, less than 10-6
	LOW	167 1 N Landfill Spray Area	n	<1	<1	0	0	1	1	1	1	0		PPRA, less than 10-6
	LOW	165 Triangle Area	<1	<1	<1	0	0	1	1	1	1	0		PPRA, less than 10-6
	LOW	141 Sludge Dispensal Area	215	<1	14	229	4	2	1	1	1	0	Yes	PPRA, less than 10-6
	LOW		<1	n	<1	0	0	2	1	1	1	0		PPRA, less than 10-6

n = data not available

ER Ranking

Status	Rank	IHS Number and Name	Total Tank Contents	Total Ground Water	Total Subsurface Soil	Total Surface Soil	Total Chemical Score	ALF Score	SW Impact Score Multiplier	Potential for Further Release Multiplier	Professional Judgment Multiplier	Priority Score	Exceeds Tier 1	General Comments
	LOW	156.2 Soil Disposal Area	<1	<1	<1	<1	0	0	1	1	0.5	0		H-RA, less than 10-6
	LOW	201 Standley Lake	<1	<1	<1	<1	0	0	1	1	0.5	0		Passed COPHE screen
	LOW	202 Mower Reservoir	<1	<1	<1	<1	0	0	1	1	0.5	0		Passed COPHE screen
	LOW	209 Surface Disturbances	<1	<1	<1	<1	0	0	1	1	0.5	0		Passed COPHE screen
	LOW	168 1 Landfill Trench A	<1	<1	<1	n	0	0	1	1	0.5	0		Passed COPHE screen
	LOW	166.2 Landfill Trench B	<1	<1	<1	n	0	0	1	1	0.5	0		Passed COPHE screen
	LOW	168 3 Landfill Trench C	<1	<1	<1	n	0	0	1	1	0.5	0		Passed COPHE screen
	LOW	F167 3 Former S. Spray Field	<1	<1	<1	<1	0	0	1	1	0.5	0		Passed COPHE screen
	LOW	142.4 Pond A-4	<1	<1	<1	<1	0	0	1	1	0.5	0		Passed COPHE screen w/ pond and sediment data
	LOW	142.9 Pond B-5	<1	<1	<1	<1	0	0	1	1	0.5	0		Passed COPHE screen w/ pond and sediment data
	LOW	142 12 Walnut and Indiana Pond	<1	<1	<1	<1	0	0	1	1	0.5	0		Passed COPHE screen
	LOW	216 1 East Spray Field OU 6	n	n	n	n	0	0	1	1	0.5	0		Passed COPHE screen
C-06	LOW	179 B865 Drum Storage Rm. 145	n	n	n	n	0	0	1	1	0.5	0		RCRA Clean Closure CADROD complete
C-06	LOW	180 B883 Drum Storage Rm 104	n	n	n	n	0	0	1	1	0.5	0		RCRA Clean Closure CADROD complete
C-06	LOW	204 Original Uranium Chip Roaster	n	n	n	n	0	0	1	1	0.5	0		RCRA Clean Closure CADROD complete
C-06	LOW	178 B881 Drum Storage Rm 165	n	n	n	n	0	0	1	1	0.5	0		No source found-CADROD complete
C-06	LOW	211 B881 Drum Storage #26-R211	n	n	n	n	0	0	1	1	0.5	0		No source found-CADROD Complete
C-06	LOW	217 B881 Cyanide Treatment - #32	n	n	n	n	0	0	1	1	0.5	0		No source found-CADROD Complete
C-06		Remediation complete in 1996												
IAC-06		Interim Action Complete in 1996												
INV		Needs further investigation												
LOW		Low priority												

n = data not available