


CORRES CONTROL
INCOMING LTR NO

01748 RF 94

DUE
DATE



Department of Energy



000028037

ROCKY FLATS OFFICE
P O BOX 928
GOLDEN COLORADO 80402-0928

173 2127 31

ACTION

DIST. ^{NC}

BERMAN, H S	
CARNIVAL, G J	
COPP, R D	
CORDOVA, R C	
DAVIS, J G	
FERRERA, D W	
FRANZ, W A	
HANNI, B J	
HEALY, T J	
HEDAHL, T G	X
HILBIG, J G	
HUTCHINS, N M	
KELL, R E	
KIRBY, W A	
KUESTER, A W	
MAHAFFEY, J W	
MANN, H P	
MARX, G E	
McKENNA, F G	
MORGAN, R V	
PIZZUTO, V M	
POTTER, G L	
SANDLIN, N B	
SATTERWHITE, D G	
SCHUBERT, A L	
SETLOCK, G H	X
STIGER, S G	X
SULLIVAN, M T	
SWANSON, E R	
WILKINSON, R B	
WILSON, J M	

Martin P X
Porter G X
Busby W X

MAY 02 1994

CO F

94 DOE 04770

Mr J David Holm
Water Quality Control Division
Colorado Department of Health
4300 Cherry Creek Drive South
Denver CO 80222 1530

Dear Mr Holm

The Senior Executive Committee (SEC) of the Interagency Agreement (IAG) signed the Statement of Resolution on the Pond Water Management Interim Measure/Interim Remedial Action (IM/IRA) on April 15 1994. As part of the resolution the SEC agreed that administrative controls would be established in the IM/IRA along with alternative water management practices that would need to be implemented in the event of extreme or prolonged precipitation events that threaten the integrity of the dam structures on plantsite.

In earlier dispute resolution discussions with the Colorado Department of Health (CDH) and the Environmental Protection Agency (EPA) on pond management administrative controls it was agreed to by all parties that standards sampling frequencies and transfer and discharge protocols need to be negotiated between the DOE and the regulators. A meeting between DOE EPA CDH and EG&G has been tentatively scheduled for Wednesday May 4 1994 from 10 00 a m to 12 00 p m in the small west conference room at EG&G's Interlocken offices to begin these discussions.

In this initial meeting we intend to review the negotiation process the emergency procedures for dam safety and the disposition of landfill pond water for installation of the leachate collection system under the Operating Unit 7 IM/IRA. The DOE would like to hold these negotiation meetings weekly on Wednesdays until all administrative control issues have been addressed. Alternating meeting locations between the Rocky Flats Plant CDH and EPA can also be discussed to minimize travel for the agencies.

Please ensure a representative from your organization can attend this initial administrative control meeting. The DOE believes that regular meetings to discuss these controls can ensure completion of all the necessary documentation agreed to by the SEC.

If you have any questions concerning this meeting or administrative control issues please contact me at 966 3424 or Annette Marquez at 966 6247.

CORRES CONTROL
ADMIN RECORD/080 X
PATS/T130G

R wed f Add ss
C C t IRFP

5/3/94
DATE BY

R f Lt #

DOE ORDER 54083

RF-46522 (R 01/94)



Gail S Hill
Gail S Hill Acting Director
Environmental Guidance Division

ADMIN RECORD

A-0005-00004-LB

J David Holm

2

cc

S Olinger AMESH RFFO

A Marquez EGD RFFO

C Row SSS RFFO

D George ER RFFO

J Pepe ER RFFO

P Martin EG&G

G Porter EG&G