



Attachment 1  
92-RF-2477

FOR PONDCRETE OPERATIONS  
JANUARY 27, 1992 THROUGH FEBRUARY 26, 1992

BUILDING 788

Approximately 213,380 gallons of liquid were transferred from the 207B North pond to Building 374, Liquid Waste Operations during the reporting period

STORAGE PAD 750

There were no spills found during the ongoing inspections of the pad during the reporting period  
No liquid was pumped or transferred by truck to Building 374 Liquid Waste Operations

STORAGE PAD 904

There were no spills found during the ongoing inspections of the pad during the reporting period  
Approximately 1,700 gallons of runoff liquid were pumped and transferred by truck to Building 374 Liquid Waste Operations

904 AND 750 WR&S STORAGE AREAS  
RESULTS FROM ANALYSIS OF GRAB SAMPLES

Analytical results from analysis of grab samples collected at the 750 and 904 Pondcrete storage areas are summarized below. This report includes all data for which analytical results were available from January 27, 1992 through February 26, 1992. The plant guide for Nitrate discharges is 10 mg/l, for gross Alpha is 40 pCi/l, and for gross Beta is 50 pCi/l. Also included are the Cyanide, Cadmium, and Ammonia results upon availability.

TABLE 1  
750 CULVERT

SAMPLE DATE	NITRATE mg/l	GROSS ALPHA pCi/l	GROSS BETA pCi/l	TOTAL DISSOLVED SOLIDS (mg/l)
12/06/91	1.12	43±7	71±10	258
01/21/92	1.86	4±0	10±6	771

TABLE 2  
750 PAD PUDDLE

SAMPLE DATE	NITRATE mg/l	GROSS ALPHA pCi/l	GROSS BETA pCi/l	CYANIDE mg/l	CADMIUM ug/l	AMMONIA mg/l	TOTAL DISSOLVED SOLIDS (mg/l)
No Data Received							

TABLE 3  
904 PAD PUDDLE

SAMPLE DATE	NITRATE mg/l	GROSS ALPHA pCi/l	GROSS BETA pCi/l	CYANIDE mg/l	CADMIUM ug/l	AMMONIA mg/l	TOTAL DISSOLVED SOLIDS (mg/l)
No Data Received							

These data were gathered as part of the routine environmental monitoring conducted by Environmental Management to screen runoff waters from the pads. Care must be used in any interpretation of these data, which are derived from grab samples taken in a dynamic system.