

083194-10

STATE OF COLORADO

CORRES. CONTROL INCOMING LTR NO.

03351RF 94

Goy Romer, Governor
Patricia A. Nolan, MD, MPH, Executive Director
Dedicated to protecting and improving the health and environment of the people of Colorado
300 Cherry Creek Dr. S. Laboratory Building
Denver, Colorado 80222-1530 4210 E. 11th Avenue
Phone (303) 692-2000 Denver, Colorado 80220-3716
(303) 691-4700



Colorado Department of Public Health and Environment

JE
ATE
TION

Table with columns: DIST., LTR, ENC. Rows include names like JRLINGAME, A.H., JSBY, W.S., ARNIVAL, G.J., etc.

August 19, 1994
Mr. Steve Slaten
U.S. Department of Energy
Rocky Flats Office, Bldg 116
P.O. Box 928
Golden, Colorado 80402-0928



RE: Comments - Draft Phase I RFI/RI Report Operable Unit No. 15 Inside Building Closures, August 1994

Dear Mr. Slaten,
The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division (the Division), has reviewed the above referenced document submitted by DOE and prime operating contractor, EG&G. The Division's comments are attached. Comments from the EPA will be forwarded under separate cover on receipt by the Division.

The Division finds the overall quality of this draft report to be very high. The Division commends the DOE and EG&G staff for their thorough, professional, and cooperative approach to the implementation of this investigation. The attached comments are largely editorial clarifications and should not require major revision to the Final Phase I RFI/RI Report.

The Division recognizes that the buildings containing these IHSSs are currently being considered for economic redevelopment by the DOE under the National Conversion Pilot Project (NCPPI). To that extent, the Division urges the DOE to integrate building clean-up activities under the NCPPI and any future actions associated with OU15 in as efficient a manner as possible.

If you have any questions regarding these matters, please call Jeff Swanson of our staff at 692-3416.

Sincerely,
Joe Schieffelin
Rocky Flats IAG Unit Leader
Facilities Section
Hazardous Waste Control Program

cc: Martin Hestmark, EPA
Bill Fitch, DOE
Dennis Schube, EG&G
Steve Tarlton, CDPHE-OE
Laura Perrault, AGO

Table with columns: CORRES. CONTROL, DMN RECORD/080, ATST/130G

Reviewed for Addressee
Corres. Control RFP

08-29-94
DATE BY

Ref Ltr. #

DOE ORDER # 5400.1